



Open Source Used In CDNAMaglevBaselImage EmeraldPeak

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2995891193

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-2995891193

Contents

[1.1 readline 8.1](#)

[1.1.1 Available under license](#)

[1.2 tdb 1.46.5](#)

[1.2.1 Available under license](#)

[1.3 libcap 2.44](#)

[1.3.1 Available under license](#)

[1.4 util-linux 2.37.2](#)

[1.4.1 Available under license](#)

[1.5 simple launcher 1.1.0.14](#)

[1.5.1 Available under license](#)

[1.6 adduser 3.118ubuntu5](#)

[1.6.1 Available under license](#)

[1.7 libunistring 1.0-1](#)

[1.7.1 Available under license](#)

[1.8 hostname 3.23ubuntu2](#)

[1.8.1 Available under license](#)

[1.9 text-table 0.2.0](#)

[1.9.1 Available under license](#)

[1.10 ssri 10.0.6](#)

[1.10.1 Available under license](#)

[1.11 @npmcli/fs 3.1.1](#)

[1.11.1 Available under license](#)

[1.12 sqlite 3.37.2-2ubuntu0.5](#)

[1.12.1 Available under license](#)

[1.13 zstd 1.4.8+dfsg-3build1](#)

[1.13.1 Available under license](#)

1.14 kerberos 1.19.2-2ubuntu0.7

1.14.1 Available under license

1.15 unique-filename 3.0.0

1.15.1 Available under license

1.16 diff 5.2.0

1.16.1 Available under license

1.17 wrap-ansi 7.0.0

1.17.1 Available under license

1.18 acl 2.3.1-1

1.18.1 Available under license

1.19 lz4 1.9.3-2build2

1.19.1 Available under license

1.20 balanced-match 1.0.2

1.20.1 Available under license

1.21 idna 15.1.0

1.21.1 Available under license

1.22 findutils 4.8.0-1ubuntu3

1.22.1 Available under license

1.23 debianutils 5.5-1ubuntu2

1.23.1 Available under license

1.24 tar 6.2.1

1.24.1 Available under license

1.25 bctls-fips 2.0.19

1.25.1 Available under license

1.26 keyutils 1.6.1-2ubuntu3

1.26.1 Available under license

1.27 exponential-backoff 3.1.1

1.27.1 Available under license

1.28 clean-stack 2.2.0

1.28.1 Available under license

1.29 packaging 21.3

1.29.1 Available under license

1.30 systemd 249.11-0ubuntu3.17

1.30.1 Available under license

1.31 unique-slug 4.0.0

1.31.1 Available under license

1.32 ini 4.1.3

1.32.1 Available under license

1.33 cacache 18.0.3

1.33.1 Available under license

1.34 libcap 1:2.44-1ubuntu0.22.04.2

1.34.1 Available under license

1.35 minipass 3.3.6

1.35.1 Available under license

1.36 bcel 6.7.0

1.36.1 Available under license

1.37 socks 2.8.3

1.37.1 Available under license

1.38 spf13-pflag 1.0.5

1.38.1 Available under license

1.39 util-debconf 1.0.2

1.39.1 Available under license

1.40 negotiator 0.6.3

1.40.1 Available under license

1.41 python 3.10.6-1~22.04.1

1.41.1 Available under license

1.42 cdebconf 0.261ubuntu1

1.42.1 Available under license

1.43 cidr-regex 4.1.1

1.43.1 Available under license

1.44 v8 10.2.154.26

1.44.1 Available under license

1.45 zlib 1:1.2.11.dfsg-2ubuntu9.2

1.45.1 Available under license

1.46 npmcli-promise-spawn 7.0.2

1.46.1 Available under license

1.47 lsb 11.1.0ubuntu4

1.47.1 Available under license

1.48 python-stdlib-extensions 3.10.8-1~22.04

1.48.1 Available under license

1.49 socks-proxy-agent 8.0.4

1.49.1 Available under license

1.50 @npmcli/config 8.3.4

1.50.1 Available under license

1.51 platformdirs 4.3.6

1.51.1 Available under license

1.52 pcre2 10.39-3ubuntu0.1

1.52.1 Available under license

1.53 ucf 3.0043

1.53.1 Available under license

1.54 cmd-shim 6.0.3

1.54.1 Available under license

1.55 selinux 3.3-1build2

1.55.1 Available under license

1.56 libffi 3.4.2-4

1.56.1 Available under license

1.57 ansi-regex 5.0.1

1.57.1 Available under license

1.58 mpdecimal 2.5.1-2build2

1.58.1 Notifications

1.58.2 Available under license

1.59 libreadline 8.1.2-1

1.59.1 Available under license

1.60 minimatch 9.0.5

1.60.1 Available under license

1.61 indent-string 4.0.0

1.61.1 Available under license

1.62 sensible-utils 0.0.17

1.62.1 Available under license

1.63 minipass-flush 1.0.5

1.63.1 Available under license

1.64 which 2.0.2

1.64.1 Available under license

1.65 pam 1.4.0-11ubuntu2.6

1.65.1 Available under license

1.66 libmd 1.0.4-1build1

1.66.1 Available under license

1.67 color-convert 2.0.1

1.67.1 Available under license

1.68 bcpkix-fips 2.1.9

1.68.1 Available under license

1.69 @sigstore/protobuf-specs 0.3.2

1.69.1 Available under license

1.70 libpkit 0.24.0-6build1

1.70.1 Available under license

1.71 libxcrypt 1:4.4.27-1

1.71.1 Available under license

1.72 @pkgjs/parseargs 0.11.0

1.72.1 Available under license

1.73 fastest-levenshtein 1.0.16

1.73.1 Available under license

1.74 color-name 1.1.4

1.74.1 Available under license

1.75 libnpmhook 10.0.5

1.75.1 Available under license

1.76 promise-call-limit 3.0.1

1.76.1 Available under license

1.77 pflag 1.0.5

1.77.1 Available under license

1.78 spdx-expression-parse 3.0.1

1.78.1 Available under license

1.79 distlib 0.3.4

1.79.1 Available under license

1.80 http-cache-semantics 4.1.1

1.80.1 Available under license

1.81 apt 2.4.14

1.81.1 Available under license

1.82 ip-regex 5.0.0

1.82.1 Available under license

1.83 asm 8.0.1

1.83.1 Available under license

1.84 libnpmublish 9.0.9

1.84.1 Available under license

1.85 tzdata 2025b-0ubuntu0.22.04.1

1.85.1 Available under license

1.86 libidn 2.3.2-2build1

1.86.1 Available under license

1.87 binary-extensions 2.3.0

1.87.1 Available under license

1.88 jackspeak 3.4.0

1.88.1 Available under license

1.89 mkdirp 1.0.4

1.89.1 Available under license

1.90 base-passwd 3.5.52build1

1.90.1 Available under license

1.91 distro 1.9.0

- 1.91.1 Available under license
- 1.92 proc-log 4.2.0**
 - 1.92.1 Available under license
- 1.93 bzip2 1.0.8-5build1**
 - 1.93.1 Available under license
- 1.94 libsemanage-common 3.3-1build2**
 - 1.94.1 Available under license
- 1.95 libnptmteam 6.0.5**
 - 1.95.1 Available under license
- 1.96 fonts-dejavu 2.37-2build1**
 - 1.96.1 Available under license
- 1.97 gzip 1.10-4ubuntu4.1**
 - 1.97.1 Available under license
- 1.98 normalize-package-data 6.0.2**
 - 1.98.1 Available under license
- 1.99 proggy 2.0.0**
 - 1.99.1 Available under license
- 1.100 xorg 1:7.7+23ubuntu2**
 - 1.100.1 Available under license
- 1.101 signal-exit 4.1.0**
 - 1.101.1 Available under license
- 1.102 gdbm 1.23-1**
 - 1.102.1 Available under license
- 1.103 libxau 1:1.0.9-1build5**
 - 1.103.1 Available under license
- 1.104 mime-support 3.66**
 - 1.104.1 Available under license
- 1.105 libjpeg 6b**
 - 1.105.1 Available under license
- 1.106 libxtst 2:1.2.3-1build4**
 - 1.106.1 Available under license
- 1.107 libxcb 1.14-3ubuntu3**
 - 1.107.1 Available under license
- 1.108 idna 14.0.0**
 - 1.108.1 Available under license
- 1.109 abbrev 2.0.0**
 - 1.109.1 Available under license
- 1.110 agent-base 7.1.1**
 - 1.110.1 Available under license

1.111 smart-buffer 4.2.0

1.111.1 Available under license

1.112 cobra 1.4.0

1.112.1 Available under license

1.113 libnpmversion 6.0.3

1.113.1 Available under license

1.114 ansi-styles 6.2.1

1.114.1 Available under license

1.115 archy 1.0.0

1.115.1 Available under license

1.116 libnpmsearch 7.0.6

1.116.1 Available under license

1.117 media-types 7.0.0

1.117.1 Available under license

1.118 sed 4.8-1ubuntu2

1.118.1 Available under license

1.119 @npmcli/node-gyp 3.0.0

1.119.1 Available under license

1.120 procps 2:3.3.17-6ubuntu2.1

1.120.1 Available under license

1.121 sysv-init 3.01-1ubuntu1

1.121.1 Available under license

1.122 minipass-collect 2.0.1

1.122.1 Available under license

1.123 @npmcli/map-workspaces 3.0.6

1.123.1 Available under license

1.124 e2fsprogs 1.46.5-2ubuntu1.2

1.124.1 Available under license

1.125 fs-minipass 2.1.0

1.125.1 Available under license

1.126 wheel 0.37.1-2ubuntu0.22.04.1

1.126.1 Available under license

1.127 pyproject-hooks 1.2.0

1.127.1 Available under license

1.128 bouncycastle-fips 2.1.2

1.128.1 Available under license

1.129 libcap-ng 0.7.9-2.2build3

1.129.1 Available under license

1.130 @sigstore/verify 1.2.1

1.130.1 Available under license

1.131 promzard 1.0.2

1.131.1 Available under license

1.132 @npmcli/redact 2.0.1

1.132.1 Available under license

1.133 @npmcli/agent 2.2.2

1.133.1 Available under license

1.134 tenacity 8.2.2

1.134.1 Available under license

1.135 typing-extensions 4.15.0

1.135.1 Available under license

1.136 npm-bundled 3.0.1

1.136.1 Available under license

1.137 minipass-fetch 3.0.5

1.137.1 Available under license

1.138 foreground-child 3.2.1

1.138.1 Available under license

1.139 treeverse 3.0.0

1.139.1 Available under license

1.140 ansi-regex 6.0.1

1.140.1 Available under license

1.141 libpgp-error 1.43-3

1.141.1 Available under license

1.142 make-fetch-happen 13.0.1

1.142.1 Available under license

1.143 colorama 0.4.4

1.143.1 Available under license

1.144 libx11 2:1.7.5-1ubuntu0.3

1.144.1 Available under license

1.145 walk-up-path 3.0.1

1.145.1 Available under license

1.146 @sigstore/core 1.1.0

1.146.1 Available under license

1.147 pyparsing 3.0.7

1.147.1 Available under license

1.148 libnpmexec 8.1.3

1.148.1 Available under license

1.149 giflib 5.2.2

1.149.1 Available under license

1.150 mawk 1.3.4.20200120-3

1.150.1 Available under license

1.151 dash 0.5.11+git20210903+057cd650a4ed-3build1

1.151.1 Available under license

1.152 packaging 23.3.dev0

1.152.1 Available under license

1.153 ci-info 4.0.0

1.153.1 Available under license

1.154 diffutils 1:3.8-0ubuntu2

1.154.1 Available under license

1.155 usrmerge 25ubuntu2

1.155.1 Available under license

1.156 attr 1:2.5.1-1build1

1.156.1 Available under license

1.157 rich 13.9.4

1.157.1 Available under license

1.158 libnpmorg 6.0.6

1.158.1 Available under license

1.159 zlib 1.3.0.1

1.159.1 Available under license

1.160 is-cidr 5.1.0

1.160.1 Available under license

1.161 free-type 2.13.3

1.161.1 Available under license

1.162 mute-stream 1.0.0

1.162.1 Available under license

1.163 debug 4.3.5

1.163.1 Available under license

1.164 libnpmfund 5.0.12

1.164.1 Available under license

1.165 ncurses 6.3-2ubuntu0.1

1.165.1 Available under license

1.166 more-itertools 8.8.0

1.166.1 Available under license

1.167 eastasianwidth 0.2.0

1.167.1 Available under license

1.168 cachecontrol 0.14.1

1.168.1 Available under license

1.169 python-pip 25.0.1

1.169.1 Available under license

1.170 ansi-styles 4.3.0

1.170.1 Available under license

1.171 promise-inflight 1.0.1

1.171.1 Available under license

1.172 nghttp2 1.61.0

1.172.1 Available under license

1.173 libbsd 0.11.5-1

1.173.1 Available under license

1.174 bin-links 4.0.4

1.174.1 Available under license

1.175 p-map 4.0.0

1.175.1 Available under license

1.176 supports-color 9.4.0

1.176.1 Available under license

1.177 isexe 2.0.0

1.177.1 Available under license

1.178 gmp 2:6.2.1+dfsg-3ubuntu1

1.178.1 Available under license

1.179 strip-ansi 6.0.1

1.179.1 Available under license

1.180 libsepol 3.3-1build1

1.180.1 Available under license

1.181 init-package-json 6.0.3

1.181.1 Available under license

1.182 node-gyp 10.1.0

1.182.1 Available under license

1.183 truststore 0.10.0

1.183.1 Available under license

1.184 libxdmcp 1:1.1.3-0ubuntu5

1.184.1 Available under license

1.185 cssesc 3.0.0

1.185.1 Available under license

1.186 minizlib 2.1.2

1.186.1 Available under license

1.187 npm-package-arg 11.0.2

1.187.1 Available under license

1.188 go-toml 1.9.4

1.188.1 Available under license

1.189 libnppack 7.0.4

1.189.1 Available under license

1.190 common-ancestor-path 1.0.1

1.190.1 Available under license

1.191 xz 5.2.5-2ubuntu1

1.191.1 Available under license

1.192 minipass 5.0.0

1.192.1 Available under license

1.193 perl 5.34.0-3ubuntu1.5

1.193.1 Available under license

1.194 gyp-next 0.16.1

1.194.1 Available under license

1.195 mailcap 3.70+nmu1ubuntu1

1.195.1 Available under license

1.196 sprintf-js 1.1.3

1.196.1 Available under license

1.197 graceful-fs 4.2.11

1.197.1 Available under license

1.198 ignore-walk 6.0.5

1.198.1 Available under license

1.199 libxrender 1:0.9.10-1build4

1.199.1 Available under license

1.200 @tufjs/canonical-json 2.0.0

1.200.1 Available under license

1.201 json-parse-even-better-errors 3.0.2

1.201.1 Available under license

1.202 sigstore 2.3.1

1.202.1 Available under license

1.203 json-stringify-nice 1.1.4

1.203.1 Available under license

1.204 libxi 2:1.8-1build1

1.204.1 Available under license

1.205 @npmcli/query 3.1.0

1.205.1 Available under license

1.206 python 3.10.12

1.206.1 Available under license

1.207 which 4.0.0

1.207.1 Available under license

1.208 ms 2.1.3

1.208.1 Available under license

1.209 env-paths 2.2.1

1.209.1 Available under license

1.210 write-file-atomic 5.0.1

1.210.1 Available under license

1.211 @sigstore/sign 2.3.2

1.211.1 Available under license

1.212 bcutil-fips 2.0.3

1.212.1 Available under license

1.213 tiny-relative-date 1.3.0

1.213.1 Available under license

1.214 proc-log 3.0.0

1.214.1 Available under license

1.215 shebang-regex 3.0.0

1.215.1 Available under license

1.216 libnettle6 3.7.3-1build2

1.216.1 Available under license

1.217 libtirpc 1.3.2-2ubuntu0.1

1.217.1 Available under license

1.218 @npmcli/metavuln-calculator 7.1.1

1.218.1 Available under license

1.219 npm-install-checks 6.3.0

1.219.1 Available under license

1.220 bcpkix-fips 2.0.7

1.220.1 Available under license

1.221 http-proxy-agent 7.0.2

1.221.1 Available under license

1.222 promise-retry 2.0.1

1.222.1 Available under license

1.223 xxhash 0.8.1-1

1.223.1 Available under license

1.224 coreutils 8.32-4.1ubuntu1.2

1.224.1 Available under license

1.225 spdx-license-ids 3.0.18

1.225.1 Available under license

1.226 iconv-lite 0.6.3

1.226.1 Available under license

1.227 chownr 2.0.0

1.227.1 Available under license

1.228 java-common 0.72build2

1.228.1 Available under license

1.229 xerces-j 2.12.2

1.229.1 Available under license

1.230 @tufjs/models 2.0.1

1.230.1 Available under license

1.231 just-diff-apply 5.5.0

1.231.1 Available under license

1.232 emoji-regex 8.0.0

1.232.1 Available under license

1.233 bash 5.1-6ubuntu1.1

1.233.1 Available under license

1.234 jsbn 1.1.0

1.234.1 Available under license

1.235 python-pip 22.0.2+dfsg-1ubuntu0.7

1.235.1 Available under license

1.236 pep517 0.12.0

1.236.1 Available under license

1.237 validate-npm-package-license 3.0.4

1.237.1 Available under license

1.238 npm-audit-report 5.0.0

1.238.1 Available under license

1.239 strip-ansi 7.1.0

1.239.1 Available under license

1.240 python-setuptools 59.6.0-1.2ubuntu0.22.04.3

1.240.1 Available under license

1.241 read-cmd-shim 4.0.0

1.241.1 Available under license

1.242 qrcode-terminal 0.12.0

1.242.1 Available under license

1.243 string-width 4.2.3

1.243.1 Available under license

1.244 python-certifi 2024.08.30

1.244.1 Available under license

1.245 audit 1:3.0.7-1build1

1.245.1 Available under license

1.246 brotli 1.0.9-2build6

1.246.1 Available under license

1.247 npmcli-git 5.0.8

1.247.1 Available under license

1.248 aproba 2.0.0

1.248.1 Available under license

1.249 icu 74.2

1.249.1 Available under license

1.250 msgpack 1.0.3

1.250.1 Available under license

1.251 ca-certificates 20240203~22.04.1

1.251.1 Available under license

1.252 yallist 4.0.0

1.252.1 Available under license

1.253 fs-minipass 3.0.3

1.253.1 Available under license

1.254 v8 11.3.244.8

1.254.1 Available under license

1.255 npm-normalize-package 3.0.1

1.255.1 Available under license

1.256 rpcsvc-proto 1.4.2-0ubuntu6

1.256.1 Available under license

1.257 is-lambda 1.0.1

1.257.1 Available under license

1.258 npm-packlist 8.0.2

1.258.1 Available under license

1.259 @isaacs/string-locale-compare 1.1.0

1.259.1 Available under license

1.260 minipass-sized 1.0.3

1.260.1 Available under license

1.261 asm 6.0

1.261.1 Available under license

1.262 read-package-json-fast 3.0.2

1.262.1 Available under license

1.263 tomli 2.2.1

1.263.1 Available under license

1.264 libnpmaccess 8.0.6

1.264.1 Available under license

1.265 libseccomp 2.5.3-2ubuntu3~22.04.1

1.265.1 Available under license

1.266 npmcli-installed-package-contents 2.1.0

1.266.1 Available under license

1.267 just-diff 6.0.2

1.267.1 Available under license

1.268 https-proxy-agent 7.0.5

1.268.1 Available under license

1.269 grep 3.7-1build1

1.269.1 Available under license

1.270 safer-buffer 2.1.2

1.270.1 Available under license

1.271 string-width 5.1.2

1.271.1 Available under license

1.272 encoding 0.1.13

1.272.1 Available under license

1.273 cachecontrol 0.12.10

1.273.1 Available under license

1.274 json-parse 1.3.1

1.274.1 Available under license

1.275 spdx-exceptions 2.5.0

1.275.1 Available under license

1.276 bcutil-fips 2.1.4

1.276.1 Available under license

1.277 tar 1.34+dfsg-1ubuntu0.1.22.04.2

1.277.1 Available under license

1.278 path-scurry 1.11.1

1.278.1 Available under license

1.279 path-key 3.1.1

1.279.1 Available under license

1.280 futures 3.4.0

1.280.1 Available under license

1.281 hosted-git-info 7.0.2

1.281.1 Available under license

1.282 retry 0.12.0

1.282.1 Available under license

1.283 npm-pick-manifest 9.1.0

1.283.1 Available under license

1.284 @npmcli/run-script 8.1.0

1.284.1 Available under license

1.285 libuv 1.44.2

1.285.1 Available under license

1.286 cross-spawn 7.0.3

1.286.1 Available under license

1.287 pacote 18.0.6

1.287.1 Available under license

1.288 err-code 2.0.3

1.288.1 Available under license

1.289 c-ares 1.29.0

1.289.1 Available under license

1.290 tuf-js 2.2.1

1.290.1 Available under license

1.291 libxext 2:1.3.4-1build1

1.291.1 Available under license

1.292 brace-expansion 2.0.1

1.292.1 Available under license

1.293 chardet 4.0.0

1.293.1 Available under license

1.294 npm-profile 10.0.0

1.294.1 Available under license

1.295 postcss-selector-parser 6.1.0

1.295.1 Available under license

1.296 berkeley-db 5.3.28+dfsg1-0.8ubuntu3

1.296.1 Available under license

1.297 parse-conflict-json 3.0.1

1.297.1 Available under license

1.298 libnsl 1.3.0-2build2

1.298.1 Available under license

1.299 minipass-pipeline 1.2.4

1.299.1 Available under license

1.300 corepack 0.32.0

1.300.1 Available under license

1.301 libgcrypt 1.9.4-3ubuntu3

1.301.1 Available under license

1.302 aggregate-error 3.1.0

1.302.1 Available under license

1.303 npm-user-validate 2.0.1

1.303.1 Available under license

1.304 debconf 1.5.79ubuntu1

1.304.1 Available under license

1.305 lcms 2.17

1.305.1 Available under license

1.306 npm 10.8.2

1.306.1 Available under license

1.307 semver 7.6.2

1.307.1 Available under license

1.308 fontconfig 2.13.1-4.2ubuntu5

1.308.1 Available under license

1.309 nopt 7.2.1

1.309.1 Available under license

1.310 libnpmdiff 6.1.4

1.310.1 Available under license

1.311 pcre 2:8.39-13ubuntu0.22.04.1

1.311.1 Available under license

1.312 @npmcli/name-from-folder 2.0.0

1.312.1 Available under license

1.313 asm 9.3

1.313.1 Available under license

1.314 imurmurhash 0.1.4

1.314.1 Available under license

1.315 platformdirs 2.4.1

1.315.1 Available under license

1.316 readline 8.1.2-1

1.316.1 Available under license

1.317 emoji-regex 9.2.2

1.317.1 Available under license

1.318 validate-npm-package-name 5.0.1

1.318.1 Available under license

1.319 distlib 0.3.9

1.319.1 Available under license

1.320 ms 2.1.2

1.320.1 Available under license

1.321 is-fullwidth-code-point 3.0.0

1.321.1 Available under license

1.322 bctls-fips 2.1.20

1.322.1 Available under license

1.323 msgpack 1.1.0

1.323.1 Available under license

1.324 libuv 1.46.0

1.324.1 Available under license

1.325 dpkg 1.21.1ubuntu2.6

1.325.1 Available under license
1.326 @sigstore/tuf 2.3.4
1.326.1 Available under license
1.327 packaging 21.2
1.327.1 Available under license
1.328 html5lib 1.1
1.328.1 Available under license
1.329 wrap-ansi 8.1.0
1.329.1 Available under license
1.330 chalk 5.3.0
1.330.1 Available under license
1.331 jline 3.26.1
1.331.1 Available under license
1.332 package-json-from-dist 1.0.0
1.332.1 Available under license
1.333 @isaacs/cliui 8.0.2
1.333.1 Available under license
1.334 @npmcli/arborist 7.5.4
1.334.1 Available under license
1.335 packaging 24.2
1.335.1 Available under license
1.336 cli-columns 4.0.0
1.336.1 Available under license
1.337 ip-address 9.0.5
1.337.1 Available under license
1.338 npm-registry-fetch 17.1.0
1.338.1 Available under license
1.339 @sigstore/bundle 2.3.2
1.339.1 Available under license
1.340 read 3.0.1
1.340.1 Available under license
1.341 shebang-command 2.0.0
1.341.1 Available under license
1.342 isexe 3.1.1
1.342.1 Available under license
1.343 libpng 1.6.37
1.343.1 Available under license
1.344 @npmcli/package-json 5.2.0
1.344.1 Available under license

1.345 minipass 7.1.2

1.345.1 Available under license

1.346 pyo3 0.26.0

1.346.1 Available under license

1.347 pyo3-ffi 0.26.0

1.347.1 Available under license

1.348 base-64 0.22.1

1.348.1 Available under license

1.349 once_cell 1.21.3

1.349.1 Available under license

1.350 pem 3.0.5

1.350.1 Available under license

1.351 asn1 0.22.0

1.351.1 Available under license

1.352 openssl-sys 0.9.110

1.352.1 Available under license

1.353 glob 10.4.2

1.353.1 Available under license

1.354 lru-cache 10.2.2

1.354.1 Available under license

1.355 util-linux 1:2.37.2-4ubuntu3.4

1.355.1 Available under license

1.356 base-files 12ubuntu4.7

1.356.1 Available under license

1.357 shadow 1:4.8.1-2ubuntu2.2

1.357.1 Available under license

1.358 gnupg 2.2.27-3ubuntu2.5

1.358.1 Available under license

1.359 pycparser 3.0

1.359.1 Available under license

1.360 c-ares 1.34.6

1.360.1 Available under license

1.361 spdx-correct 3.2.0

1.361.1 Available under license

1.362 promise-all-reject-late 1.0.1

1.362.1 Available under license

1.363 spdx-expression-parse 4.0.0

1.363.1 Available under license

1.364 cffi 2.0.0

1.364.1 Available under license
1.365 libtasn 4.18.0-4ubuntu0.2
1.365.1 Available under license
1.366 openssl 3.0.2-0ubuntu1.21
1.366.1 Available under license
1.367 openjdk-jre 17.0.18u8
1.367.1 Available under license
1.368 bc-fips 2.1.2
1.368.1 Available under license
1.369 init-system-helpers 1.62
1.369.1 Available under license
1.370 ubuntu-keyring 2021.03.26
1.370.1 Available under license
1.371 glibc 2.35-0ubuntu3.13
1.371.1 Available under license
1.372 python3.10 3.10.12-1~22.04.14
1.372.1 Available under license
1.373 openjdk-jre 11.0.30u7
1.373.1 Available under license
1.374 libpng 1.6.54
1.374.1 Available under license
1.375 expat 2.4.7-1ubuntu0.7
1.375.1 Available under license
1.376 cryptography 46.0.5
1.376.1 Available under license
1.377 node.js 18.20.8-1nodesource1
1.377.1 Available under license
1.378 jdk-zulu 11.86+21
1.378.1 Available under license
1.379 zulu11-ca 11.0.30-3
1.379.1 Available under license
1.380 zulu17-ca 17.0.18-3
1.380.1 Available under license
1.381 jdk-zulu 17.64+17
1.381.1 Available under license
1.382 zulu21-ca 21.0.10-3
1.382.1 Available under license
1.383 jdk-zulu 21.48+17
1.383.1 Available under license

1.384 corepack 0.34.6

1.384.1 Available under license

1.385 libpng 1.6.37-3ubuntu0.4

1.385.1 Available under license

1.386 gnutls 3.7.3-4ubuntu1.8

1.386.1 Available under license

1.387 alsa 1.2.6.1-1ubuntu1.1

1.387.1 Available under license

1.388 openjdk-jre 21.0.10+7-LTS

1.388.1 Available under license

1.389 linux-libc-dev 5.15.0-171.181

1.389.1 Available under license

1.390 cpp 12.3.0-1ubuntu1~22.04.3

1.390.1 Available under license

1.391 icu 78.2

1.391.1 Available under license

1.392 python 3.12.13

1.392.1 Available under license

1.393 python3.12 3.12.13-1+jammy1

1.393.1 Available under license

1.394 python3.10 3.10.12-1~22.04.15

1.394.1 Available under license

1.395 node.js 20.20.1-1nodesource1

1.395.1 Available under license

1.396 util-linux 1:2.37.2-4ubuntu3.5

1.396.1 Available under license

1.1 readline 8.1

1.1.1 Available under license :

@c The GNU Free Documentation License.

@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,

@c hence no sectioning command or @node.

@display

Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

@end display

@enumerate 0

@item

PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document @dfn{free} in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

@item

APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The ``Document'', below, refers

to any such manual or work. Any member of the public is a licensee, and is addressed as ``you''. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ``Modified Version'' of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the

publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain `@sc{ascii}` without markup, Texinfo input format, `La@TeX{}` input format, `@acronym{SGML}` or `@acronym{XML}` using a publicly available `@acronym{DTD}`, and standard-conforming simple `@acronym{HTML}`, PostScript or `@acronym{PDF}` designed for human modification. Examples of transparent image formats include `@acronym{PNG}`, `@acronym{XCF}` and `@acronym{JPG}`. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, `@acronym{SGML}` or `@acronym{XML}` for which the `@acronym{DTD}` and/or processing tools are not generally available, and the machine-generated `@acronym{HTML}`,

PostScript or @acronym{PDF} produced by some word processors for output purposes only.

The ``Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, ``Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher" means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements", ``Dedications", ``Endorsements", or ``History".) To ``Preserve the Title" of such a section when you modify the Document means that it remains a section ``Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties; any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible.

You may add other material on the covers in addition.

Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that

this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the ``History" section.

You may omit a network location for a work that was published at least

four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled ``Acknowledgements" or ``Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements". Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled ``Endorsements" or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document,

you may at your option designate some or all

of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice.

These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History" in the various original documents, forming one section Entitled ``History"; likewise combine any sections Entitled ``Acknowledgements", and any sections Entitled ``Dedications". You must delete all sections Entitled ``Endorsements."

@item

COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for

verbatim copying of each of the documents in all other respects.

You may extract

a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item

AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item

TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements", ``Dedications", or ``History", the requirement (section 4) to Preserve

its Title (section 1) will typically require changing the actual title.

@item

TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See [{http://www.gnu.org/copyleft/}](http://www.gnu.org/copyleft/).

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version

number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item

RELICENSING

``Massive Multiauthor Collaboration Site" (or ``MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration" (or ``MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```

@smallexample
@group
Copyright (C) @var{year} @var{your name}.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts. A copy of the license is included in the section entitled ``GNU
Free Documentation License".
@end group
@end smallexample

```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the ``with@dots{ }Texts." line with this:

```

@smallexample
@group
  with the Invariant Sections being @var{list their titles}, with
  the Front-Cover
Texts being @var{list}, and with the Back-Cover Texts
  being @var{list}.
@end group
@end smallexample

```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

```

@c Local Variables:
@c ispell-local-pdict: "ispell-dict"
@c End:
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

```

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
 Everyone is permitted to copy and distribute verbatim copies
 of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer

to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to

this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and
`show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and

"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component

(kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under

the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the

Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization

keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own

removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent

(such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any

author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least

the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

1.2 tdb 1.46.5

1.2.1 Available under license :

This package was added to the e2fsprogs debian source package by Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

<http://sourceforge.net/projects/e2fsprogs>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2001 by Andries Brouwer

Copyright (C) 1999, 2000, 2003 by Theodore Ts'o

You are free to distribute this software under the terms of the GNU Lesser (Library) General Public License.

On Debian systems, the complete text of the GNU Lesser (Library) General Public License can be found in /usr/share/common-licenses/LGPL-2. This is the Debian GNU/Linux prepackaged version of the static EXT2 file system consistency checker (e2fsck.static). The EXT2 utilities were written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from <http://sourceforge.net/projects/e2fsprogs>

Packaging is Copyright (c) 2003-2006 Theodore Ts'o <tytso@mit.edu>

Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>

Copyright (c) 2001 Alcove <<http://www.alcove.com/>>

Copyright (c) 1997 Klee Dienes

Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, is protected by the GNU General Public License.

Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'.

```

#
# This is a Makefile stub which handles the creation of BSD shared
# libraries.
#
# In order to use this stub, the following makefile variables must be defined.
#
# BSDLIB_VERSION = 1.0
# BSDLIB_IMAGE = libce
# BSDLIB_MYDIR = et
# BSDLIB_INSTALL_DIR = $(SHLIBDIR)
#

all:: image

real-subdirs:: Makefile
@echo " MKDIR pic"
@mkdir -p pic

BSD_LIB = $(BSDLIB_IMAGE).so.$(BSDLIB_VERSION)
BSDLIB_PIC_FLAG = -fpic

image: $(BSD_LIB)

$(BSD_LIB): $(OBJS)
(cd pic; ld -Bshareable -o $(BSD_LIB) $(LDFLAGS_SHLIB) $(OBJS))
$(MV) pic/$(BSD_LIB) .
$(RM) -f ../$(BSD_LIB)
(cd ..; $(LN) $(LINK_BUILD_FLAGS) \
`echo $(my_dir) | sed -e 's;lib/;;'`/$(BSD_LIB) $(BSD_LIB))

install-shlibs install:: $(BSD_LIB)
@echo " INSTALL_PROGRAM $(BSDLIB_INSTALL_DIR)/$(BSD_LIB)"
@$(INSTALL_PROGRAM) $(BSD_LIB) \
$(DESTDIR)$$(BSDLIB_INSTALL_DIR)/$(BSD_LIB)
@-$(LDCONFIG)

install-strip: install

install-shlibs-strip:: install-shlibs

uninstall-shlibs uninstall::
$(RM) -f $(DESTDIR)$$(BSDLIB_INSTALL_DIR)/$(BSD_LIB)

clean::
$(RM)
-rf pic
$(RM) -f $(BSD_LIB)
$(RM) -f ../$(BSD_LIB)

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This is the Debian GNU/Linux prepackaged version of the translation files of the EXT2 file system utilities. The EXT2 utilities were written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from <http://sourceforge.net/projects/e2fsprogs>

Packaging is Copyright (c) 2003-2006 Theodore Ts'o <tytso@mit.edu>

Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>

Copyright (c) 2001 Alcove <<http://www.alcove.com/>>

Copyright (c) 1997 Klee Dienes

Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, is protected by the GNU General Public License.

Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'. This package was added to the e2fsprogs debian source package by Theodore Ts'o <tytso@mit.edu> on Fri Dec 14 22:24:35 EST 2007

It is part of the main e2fsprogs distribution, which can be found at:

<http://sourceforge.net/projects/e2fsprogs>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 by Theodore Ts'o

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Index: tdbsa/tdb.c

=====

--- tdbsa.orig/tdb.c

+++ tdbsa/tdb.c

@@ -4,11 +4,11 @@ Rev: 23371

Last Changed Date: 2007-06-06 20:14:06 -0400 (Wed, 06 Jun 2007)

*/

/*

- Unix SMB/CIFS implementation.
- + trivial database library - standalone version

- trivial database library - private includes

-

- Copyright (C) Andrew Tridgell 2005
- + Copyright (C) Andrew Tridgell 1999-2005
- + Copyright (C) Jeremy Allison 2000-2006
- + Copyright (C) Paul 'Rusty' Russell 2000

** NOTE! The following LGPL license applies to the tdb

** library. This does NOT imply that all of Samba is released

EXT2ED is hereby placed under the terms of the GNU General Public License.

Follows the GNU license.

Gadi Oxman, August 1995

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

675 Mass Ave, Cambridge, MA 02139, USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the

GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You

must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the

operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access

to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes

make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY;
for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider

it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

This package, the EXT2 filesystem utilities, are made available under
the GNU Public License version 2, with the exception of the lib/ext2fs
and lib/e2p libraries, which are made available under the GNU Library
General Public License Version 2, the lib/uuid library which is made
available under a BSD-style license and the lib/et and lib/ss
libraries which are made available under an MIT-style license. Please

see lib/uuid/COPYING for more details for the license for the files comprising the libuuid library, and the source file headers of the libet and libss libraries for more information.

The most recent officially distributed version can be found at <http://e2fsprogs.sourceforge.net>. If you need to make a distribution, that's the one you should use. If there is some reason why you'd like a more recent version that is still in ALPHA testing (i.e., either using the "WIP" test distributions or one from the hg or git repository from the development branch, please contact me (tytso@mit.edu) before you ship. The release schedules for this package are flexible, if you give me enough lead time.

Theodore Ts'o
23-June-2007

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered

only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with

the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software

and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name  
of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision
comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a
subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

GNU LIBRARY GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for
all its users.

This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if
you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a
fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link a program with the library, you must provide
complete object files to the recipients so that they can relink them
with the library, after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free

library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a

"work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities

other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact

all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each

and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and

therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library,

or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked

with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the

Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute

the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply,

and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

You should have received a copy of the GNU Library General Public
License along with this library; if not, write to the Free Software
Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

This is the Debian GNU/Linux prepackaged version of the EXT2 file
system utilities (e2fsck, mke2fs, etc.). The EXT2 utilities were
written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from <http://sourceforge.net/projects/e2fsprogs>

Packaging is Copyright (c) 2003-2007 Theodore Ts'o <tytso@mit.edu>
Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
Copyright (c) 2001 Alcove <<http://www.alcove.com/>>
Copyright (c) 1997 Klee Dienes
Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, are made available under
the GNU General Public License version 2, with the exception of the
lib/ext2fs and lib/e2p libraries, which are made available under the
GNU Library General Public License Version 2, the lib/uuid library
which is made available under a BSD-style license and the lib/et and
lib/ss libraries
which are made available under an MIT-style license.

Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2`. The complete text of the GNU Library General Public License can be found in `/usr/share/common-licenses/LGPL-2`.

The license used for lib/et and lib/ss libraries is:

Copyright 1987 by the Student Information Processing Board
of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose is hereby granted, provided that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. and the M.I.T. S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

The license used for lib/uuid is:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This package was added to the e2fsprogs debian source package by Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

<http://sourceforge.net/projects/e2fsprogs>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2003, 2004 by Theodore Ts'o

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This is the Debian GNU/Linux prepackaged version of the ss command-line interface parsing library. It is currently distributed together with the EXT2 file system utilities, which are otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>, from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

M.I.T. and

the M.I.T. S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

This is the Debian GNU/Linux prepackaged version of the Common Error Description library. It is currently distributed together with the EXT2 file system utilities, which are otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>, from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

M.I.T. and the M.I.T.

S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

1.3 libcap 2.44

1.3.1 Available under license :

Unless otherwise *explicitly* stated the following text describes the licensed conditions under which the contents of this module release may be distributed:

Redistribution and use in source and binary forms of this module, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU Library General Public License, in which case the provisions of the GNU LGPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU LGPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Unless otherwise *explicitly* stated, the following text describes the licensed conditions under which the contents of this libcap/psx release may be used and distributed:

Redistribution and use in source and binary forms of libcap/psx, with
or without modification, are permitted provided that the following
conditions are met:

1. Redistributions of source code must retain any existing copyright
notice, and this entire permission notice in its entirety,
including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current
copyright notices, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
3. The name of any author may not be used to endorse or promote
products derived from this software without their specific prior
written permission.

ALTERNATIVELY, this product may be
distributed under the terms of the
GNU General Public License (v2.0 - see below), in which case the
provisions of the GNU GPL are required INSTEAD OF the above
restrictions. (This clause is necessary due to a potential conflict
between the GNU GPL and the restrictions contained in a BSD-style
copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Full
text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding

those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE

POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright
(C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary

programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Unless otherwise **explicitly** stated, the following text describes the licensed conditions under which the contents of this libcap/cap release may be used and distributed:

Redistribution and use in source and binary forms of libcap/cap, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU General Public License (v2.0 - see below), in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED

WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Full
text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the

GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you

distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only

if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the

Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access

to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT

OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright
(C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary

programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Unless otherwise **explicitly** stated, the following text describes the licensed conditions under which the contents of this libcap release may be used and distributed:

Redistribution and use in source and binary forms of libcap, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright

notice, and this entire permission notice in its entirety,
including the disclaimer of warranties.

2. Redistributions in binary form must reproduce all prior and current
copyright notices, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

3. The name of any author may not be used to endorse or promote
products derived from this software without their specific prior
written permission.

ALTERNATIVELY, this product may be distributed
under the terms of the
GNU General Public License (v2.0 - see below), in which case the
provisions of the GNU GPL are required INSTEAD OF the above
restrictions. (This clause is necessary due to a potential conflict
between the GNU GPL and the restrictions contained in a BSD-style
copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Full
text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying,

distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a)

You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions

will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year  
name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs.

If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.4 util-linux 2.37.2

1.4.1 Available under license :

NR START END SECTORS SIZE NAME UUID

1	32	7679	7648	3.7M	8f8378c0-01
2	7680	16383	8704	4.3M	8f8378c0-02
5	7936	12799	4864	2.4M	
6	12544	16127	3584	1.8M	

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of

interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not

convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to

produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular

product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the

entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains

a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work

occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of

this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work

conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the

GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/licenses/why-not-lgpl.html>.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later

version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later file.

/*

- * Copyright (c) 1989 The Regents of the University of California.
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. All advertising materials mentioning features or use of this software
- * must display the following acknowledgement:
- * This product includes software developed by the University of
- * California, Berkeley and its contributors.
- * 4. Neither the name of the University nor the names of its contributors
- * may be used to endorse or promote products derived from this software
- *

without specific prior written permission.

*

- * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.

*/

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be

reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you

distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system

which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is

allowed only for noncommercial distribution
and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute

it

under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

```
#!/usr/bin/env bash
```

```
# MIT licenses will each have a unique MD5 sum since they contain a unique copyright.
```

```
# This script will read the license file into memory, strip out the copyright, and then
```

```
# generate an MD5 that is not unique and can be matched against a known MIT MD5 sum.
```

```
set -e
```

```
calculate_md5_sum() {
```

```
    local FILE="$1"
```

```
    # Read the contents of the file into a variable
```

```
    local raw_license_text=$(<"$FILE")
```

```
    # Convert to lowercase
```

```
    local lowercase_license_text="{raw_license_text,,}"
```

```
    # Remove anything before the beginning of the license
```

```
    local stripped_license_text=$(awk '/permission is hereby granted/{p=1} p' <<< "$lowercase_license_text")
```

```
    # Replace line breaks (Windows or Linux) with a single space
```

```
    local replaced_linebreaks=$(tr '\r\n' ' ' <<< "$stripped_license_text")
```

```
    # Replace multiple spaces with a single space
```

```
    local normalized_license_text=$(tr -s ' ' <<< "$replaced_linebreaks")
```

```
    # Strip away any non-printable, non-whitespace characters
```

```
    local clean_unprintable_license_text=$(tr
```

```
-cd '[:print:][:space:]' <<< "$normalized_license_text")
```

```
    # Remove punctuation and special characters
```

```
    local clean_license_text=$(echo "$clean_unprintable_license_text" | sed 's/[^a-zA-Z ]//g')
```

```
    # Calculate the MD5 sum of the cleaned license text
```

```
    local MD5SUM=$(echo -n "$clean_license_text" | md5sum | awk '{print $1}')
```

```
    # Output the MD5 sum
```

```
    echo "$MD5SUM"
```

```
}
```

```
# Check if the FILE argument is provided
```

```
if [ -z "$1" ]; then
```



```

echo "Please provide a FILE as an argument."
exit 1
fi

# Invoke the function with the provided FILE argument
calculate_md5_sum "$1"
WEV @@ WEV[B "1
x ?"U@,5 @mISmIN<GimCN7g1u|E
43mI,5WEV @@ WEV @mImImIAmImImI0mImImI*mImI
A0mImImI...
lost+found...

;9GimCN7g

!"#$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~WEV @@
WEV[B "1
This library is free software; you can redistribute it and/or
modify it under the terms of the Modified BSD License.

The complete text of the license is available in the
../Documentation/licenses/COPYING.BSD-3-Clause file.
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later
version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later

```

1.5 simple launcher 1.1.0.14

1.5.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting

Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes

2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and

otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License

Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 82b32a7a0e773c8801056f80aaae2a44

UNRECOGNIZED LICENSE; MD5 sum: 25e3201901e018ec6d4724df0a74d278

=====

Distutils2 Contributors

=====

The Distutils2 project was started by Tarek Ziad and is currently maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order, and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett
- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau
- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad Delong
- Josip Djolonga
- John Edmonds
- Andr Espaze
- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier
- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin

- Kelsey Hightower
- Thomas Holmes
- Preston Holmes
- Christian Hudon
- Julien Jehannet
- Jeremy Kloth
- Thomas Kluyver
-
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lopez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce
- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider
- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner
- Alexandre Vassalotti
- Nadeem Vawda

Metadata-Version: 1.0
Name: setuptools
Version: 0.6c9
Summary: Download, build, install, upgrade, and uninstall Python packages -- easily!
Home-page: <http://pypi.org/pypi/setuptools>

Author: Phillip J. Eby

Author-email: distutils-sig@python.org

License: PSF or ZPL

Description: =====

Installing and Using Setuptools

=====

.. contents:: **Table of Contents**

Installation Instructions

Windows

=====

Install setuptools using the provided ``.exe`` installer. If you've previously installed older versions of setuptools, please delete all ``setuptools\*.egg`` and ``setuptools.pth`` files from your system's ``site-packages`` directory (and any other ``sys.path`` directories) FIRST.

If you are upgrading a previous version of setuptools that was installed using an ``.exe`` installer, please be sure to also *uninstall that older version* via your system's "Add/Remove Programs" feature, BEFORE installing the newer version.

Once installation is complete, you will find an ``easy\_install.exe`` program in your Python ``Scripts`` subdirectory. Be sure to add this directory to your ``PATH`` environment variable, if you haven't already done so.

RPM-Based Systems

=====

Install setuptools using the provided source RPM. The included ``.spec`` file assumes you are installing using the default ``python`` executable, and is not specific to a particular Python version. The ``easy\_install`` executable will be installed to a system ``bin`` directory such as ``/usr/bin``.

If you wish to install to a location other than the default Python installation's default ``site-packages`` directory (and ``\$prefix/bin`` for scripts), please use the ``.egg``-based installation approach described in the following section.

Cygwin, Mac OS X, Linux, Other

=====

1. Download the appropriate egg for your version of Python (e.g. ``setuptools-0.6c9-py2.4.egg``). Do NOT rename it.
2. Run it as if it were a shell script, e.g. ``sh setuptools-0.6c9-py2.4.egg``. Setuptools will install itself using the matching version of Python (e.g. ``python2.4``), and will place the ``easy\_install`` executable in the default location for installing Python scripts (as determined by the standard distutils configuration files, or by the Python installation).

If you want to install setuptools to somewhere other than ``site-packages`` or your default distutils installation locations for libraries and scripts, you may include EasyInstall command-line options such as ``--prefix``, ``--install-dir``, and so on, following the ``.egg`` filename on the same command line. For example::

```
sh setuptools-0.6c9-py2.4.egg --prefix=~
```

You can use ``--help`` to get a full options list, but we recommend consulting the `EasyInstall manual`_ for detailed instructions, especially `the section on custom installation locations`_.

.. _EasyInstall manual: <http://peak.telecommunity.com/DevCenter/EasyInstall>
.. _the section on custom installation locations: <http://peak.telecommunity.com/DevCenter/EasyInstall#custom-installation-locations>

Cygwin Note

If you are trying to install setuptools for the **Windows** version of Python (as opposed to the Cygwin version that lives in ``/usr/bin``), you must make sure that an appropriate executable (``python2.3``, ``python2.4``, or ``python2.5``) is on your **Cygwin** ``PATH`` when invoking the egg. For example, doing the following at a Cygwin bash prompt will install setuptools for the **Windows** Python found at ``C:\Python24``::

```
ln -s /cygdrive/c/Python24/python.exe python2.4
PATH=.:$PATH sh setuptools-0.6c9-py2.4.egg
rm python2.4
```

Downloads

=====

All setuptools downloads can be found at the project's home page in the Python Package Index_. Scroll to the very bottom of the page to find the links.

.. the project's home page in the Python Package Index: <http://pypi.org/pypi/setuptools>

In addition to the PyPI downloads, the development version of ``setuptools`` is available from the `Python SVN sandbox`, and in-development versions of the `0.6 branch` are available as well.

.. 0.6 branch: <http://svn.python.org/projects/sandbox/branches/setuptools-0.6/#egg=setuptools-dev06>

.. Python SVN sandbox: <http://svn.python.org/projects/sandbox/trunk/setuptools/#egg=setuptools-dev>

Using

Setuptools and EasyInstall

Here are some of the available manuals, tutorials, and other resources for learning about Setuptools, Python Eggs, and EasyInstall:

- * The EasyInstall user's guide and reference manual_
- * The setuptools Developer's Guide_
- * The pkg_resources API reference_
- * Package Compatibility Notes_ (user-maintained)
- * The Internal Structure of Python Eggs_

Questions, comments, and bug reports should be directed to the `distutils-sig` mailing list_. If you have written (or know of) any tutorials, documentation, plug-ins, or other resources for setuptools users, please let us know about them there, so this reference list can be updated. If you have working, *tested* patches to correct problems or add features, you may submit them to the `setuptools bug tracker`_.

.. setuptools bug tracker: <http://bugs.python.org/setuptools/>

.. Package Compatibility Notes: <http://peak.telecommunity.com/DevCenter/PackageNotes>

.. The Internal Structure of Python Eggs: <http://peak.telecommunity.com/DevCenter/EggFormats>

.. The setuptools Developer's Guide: <http://peak.telecommunity.com/DevCenter/setuptools>

.. The pkg_resources API reference: <http://peak.telecommunity.com/DevCenter/PkgResources>

.. The EasyInstall user's guide and reference manual: <http://peak.telecommunity.com/DevCenter/EasyInstall>

.. distutils-sig mailing list: <http://mail.python.org/pipermail/distutils-sig/>

Credits

- * The original design for the ``.egg`` format and the ``pkg\_resources`` API was

co-created by Phillip Eby and Bob Ippolito. Bob also implemented the first version of ``pkg\_resources``, and supplied the OS X operating system version compatibility algorithm.

* Ian Bicking implemented many early "creature comfort" features of `easy_install`, including support for downloading via Sourceforge and Subversion repositories. Ian's comments on the Web-SIG about WSGI application deployment also inspired the concept of "entry points" in eggs, and he has given talks at PyCon and elsewhere to inform and educate the community about eggs and `setuptools`.

* Jim Fulton contributed time and effort to build automated tests of various aspects of ``easy\_install``, and supplied the doctests for the command-line ``.exe`` wrappers on Windows.

* Phillip J. Eby is the principal author and maintainer of `setuptools`, and first proposed the idea of an importable binary distribution format for Python application plug-ins.

* Significant parts of the implementation of `setuptools` were funded by the Open Source Applications Foundation, to provide a plug-in infrastructure for the Chandler PIM application.

In addition, many OSAF staffers (such as Mike "Code Bear" Taylor) contributed their time and stress as guinea pigs for the use of eggs and `setuptools`, even before eggs were "cool". (Thanks, guys!)

Keywords: CPAN PyPI distutils eggs package management

Platform: UNKNOWN

Classifier: Development Status :: 3 - Alpha

Classifier: Intended Audience :: Developers

Classifier: License :: OSI Approved :: Python Software Foundation License

Classifier: License :: OSI Approved :: Zope Public License

Classifier: Operating System :: OS Independent

Classifier: Programming Language :: Python

Classifier: Topic :: Software Development :: Libraries :: Python Modules

Classifier: Topic :: System :: Archiving :: Packaging

Classifier: Topic :: System :: Systems Administration

Classifier: Topic :: Utilities

Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Vinay Sajip not be used in advertising or publicity pertaining to distribution

of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD-style without advertising clause

UNRECOGNIZED LICENSE; MD5 sum: e2ceb64456e606a09824fbf3dd9a158e

UNRECOGNIZED LICENSE; MD5 sum: 39cf6a4b85f545a48318dca445f2d0e6

BSD-licensed.

UNRECOGNIZED LICENSE; MD5 sum: dc4075889a5c2ece34c05148a2401013

UNRECOGNIZED LICENSE; MD5 sum: ee664a1e97eefe77d34ef50e74b7326d

1.6 adduser 3.118ubuntu5

1.6.1 Available under license :

This package was first put together by Ian Murdock

<imurdock@debian.org> and was maintained by Steve Phillips

<sjp@cvfn.org> from sources written for the Debian Project by Ian

Murdock, Ted Hajek <tedhajek@boombox.micro.umn.edu>, and Sven Rudolph

<sr1@inf.tu-dresden.de>.

Since Nov 27 1996, it was maintained by Guy Maor <maor@debian.org>. He rewrote most of it.

Since May 20 2000, it is maintained by Roland Bauerschmidt

<rb@debian.org>.

Since March 24 2004, it is maintained by Roland Bauerschmidt

<rb@debian.org>, and co-maintained by Marc Haber

<mh+debian-packages@zugschlus.de>

Since 23 Oct 2005, it has been maintained by Joerg Hoh <joerg@joerghoh.de>

Since June 2006, it has been maintained by Stephen Gran <sgran@debian.org>

deluser is Copyright (C) 2000 Roland Bauerschmidt <rb@debian.org>

and based on the source code of adduser.

adduser is Copyright (C) 1997, 1998, 1999 Guy Maor <maor@debian.org>.

adduser is Copyright (C) 1995 Ted Hajek <tedhajek@boombox.micro.umn.edu>

with portions

Copyright (C) 1994 Debian Association, Inc.

The examples directory has been contributed by John Zaitseff, and is

GPL V2 as well.

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

On Debian GNU/Linux systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2`.

1.7 libunistring 1.0-1

1.7.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source

form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,

and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted

by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered

work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General

Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates

an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are

based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

1.8 hostname 3.23ubuntu2

1.8.1 Available under license :

This package was written by Peter Tobias <tobias@et-inf.fho-emden.de>
on Thu, 16 Jan 1997 01:00:34 +0100.

License:

Copyright (C) 2009 Michael Meskes <meskes@debian.org>
Copyright (C) 2004-2005 Graham Wilson <graham@debian.org>
Copyright (C) 1997 Bernd Eckenfels
Copyright (C) 1997 Peter Tobias <tobias@et-inf.fho-emden.de>
Copyright (C) 1996 Free Software Foundation, Inc.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 of the License.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston,
MA 02110-1301 USA

On Debian systems, the complete text of the GNU General Public License
can be found in /usr/share/common-licenses/GPL-2 file.
hostname -- set the host name or show the host/domain name

Copyright (C) 1994-1997 Peter Tobias <tobias@et-inf.fho-emden.de>
2009- Michael Meskes <meskes@debian.org>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

1.9 text-table 0.2.0

1.9.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.10 ssri 10.0.6

1.10.1 Available under license :

ISC

ISC License

Copyright 2021 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.11 @npmcli/fs 3.1.1

1.11.1 Available under license :

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ISC

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.12 sqlite 3.37.2-2ubuntu0.5

1.12.1 Available under license :

The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

May you do good and not evil.

May you find forgiveness for yourself and forgive others.

May you share freely, never taking more than you give.

The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

* May you do good and not evil.

* May you find forgiveness for yourself and forgive others.

* May you share freely, never taking more than you give.

1.13 zstd 1.4.8+dfsg-3build1

1.13.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than ``show w'` and ``show c'`; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.
BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.14 kerberos 1.19.2-2ubuntu0.7

1.14.1 Available under license :

[NOTE: MIT has only incorporated the mechglue and spnego change, and not the incremental propagation changes. The filenames are different between the Sun and MIT sources. The actual MIT filenames appear in the top-level README file. Original text of Sun's LICENSE file follows.]

Subject to the license set forth below, Sun Microsystems, Inc. donates the attached files to MIT for the purpose of including these modifications and additions in future versions of the Kerberos system.

Many of the files attached are subject to licenses issued by other entities, including OpenVision, MIT, and FundsXpress. See the individual files, and/or related Readme files, for these licenses.

In addition Sun requires that the license set forth below be incorporated into any future version of the Kerberos system which contains portions of the files attached. The following files must be listed, in the top level Readme file, as being provided subject to such license:

cmd/krb5/iprop/iprop.x
cmd/krb5/iprop/iprop_hdr.h
cmd/krb5/kadmin/server/ipropd_svc.c
cmd/krb5/kproplog/kproplog.c
cmd/krb5/slave/kpropd_rpc.c
lib/gss_mechs/mech_krb5/et/kdb5_err.c
lib/gss_mechs/mech_spnego/mech/gssapiP_spnego.h
lib/gss_mechs/mech_spnego/mech/spnego_mech.c
lib/krb5/kadm5/kadm_host_srv_names.c
lib/krb5/kdb/kdb_convert.c
lib/krb5/kdb/kdb_hdr.h
lib/krb5/kdb/kdb_log.c
lib/krb5/kdb/kdb_log.h
lib/libgss/g_accept_sec_context.c
lib/libgss/g_acquire_cred.c
lib/libgss/g_canon_name.c
lib/libgss/g_compare_name.c
lib/libgss/g_context_time.c
lib/libgss/g_delete_sec_context.c
lib/libgss/g_dsp_name.c
lib/libgss/g_dsp_status.c
lib/libgss/g_dup_name.c
lib/libgss/g_exp_sec_context.c
lib/libgss/g_export_name.c
lib/libgss/g_glue.c
lib/libgss/g_imp_name.c
lib/libgss/g_imp_sec_context.c
lib/libgss/g_init_sec_context.c
lib/libgss/g_initialize.c
lib/libgss/g_inquire_context.c
lib/libgss/g_inquire_cred.c
lib/libgss/g_inquire_names.c
lib/libgss/g_process_context.c
lib/libgss/g_rel_buffer.c
lib/libgss/g_rel_cred.c
lib/libgss/g_rel_name.c
lib/libgss/g_rel_oid_set.c
lib/libgss/g_seal.c
lib/libgss/g_sign.c
lib/libgss/g_store_cred.c
lib/libgss/g_unseal.c
lib/libgss/g_userok.c
lib/libgss/g_utils.c
lib/libgss/g_verify.c
lib/libgss/gssd_pname_to_uid.c
uts/common/gssapi/include/gssapi_err_generic.h
uts/common/gssapi/include/mechglueP.h

Sun's

License is as follows:

Copyright (c) 2004 Sun Microsystems, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright

=====

Copyright |copy| 1985-2021 by the Massachusetts Institute of Technology and its contributors. All rights reserved.

See :ref:`mitK5license` for additional copyright and license information.

```
/* -*- mode: c; c-basic-offset: 4; indent-tabs-mode: nil -*- */  
/*
```

Copyright 1987 by the Student Information Processing Board of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore if you modify this software you must label

your software as modified software and not distribute it in such a fashion that it might be confused with the original M.I.T. software. M.I.T. and the M.I.T. S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

```
*/  
/* -*- mode: c; c-basic-offset: 4; indent-tabs-mode: nil -*- */  
/*
```

Copyright 1987, 1989 by the Student Information Processing Board
of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore if you modify this software you must label your software as modified software and not distribute it in such a fashion that it might be confused with the original M.I.T. software. M.I.T. and the M.I.T. S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

```
*/  
/* -*- mode: c; c-basic-offset: 4; indent-tabs-mode: nil -*- */  
/*
```

* Copyright (C) 1989-1994 by the Massachusetts Institute of Technology,
* Cambridge, MA, USA. All Rights Reserved.

*
* This software is being provided to you, the LICENSEE, by the
* Massachusetts Institute of Technology (M.I.T.) under the following
* license. By obtaining, using and/or copying this software, you agree
* that you have read, understood, and will comply with these terms and
* conditions:

*
* Export of this software from the United States of America may
* require a specific license from the United States Government.
* It is the responsibility of any person or organization contemplating
* export to obtain such a license before exporting.

*
* WITHIN THAT CONSTRAINT, permission to use, copy, modify and distribute

- * this software and its documentation for any purpose and without fee or
- * royalty is hereby granted, provided that you agree to comply with the
- * following copyright notice and statements,
- including the disclaimer, and
- * that the same appear on ALL copies of the software and documentation,
- * including modifications that you make for internal use or for
- * distribution:
- *
- * THIS SOFTWARE IS PROVIDED "AS IS", AND M.I.T. MAKES NO REPRESENTATIONS
- * OR WARRANTIES, EXPRESS OR IMPLIED. By way of example, but not
- * limitation, M.I.T. MAKES NO REPRESENTATIONS OR WARRANTIES OF
- * MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF
- * THE LICENSED SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY
- * PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.
- *
- * The name of the Massachusetts Institute of Technology or M.I.T. may NOT
- * be used in advertising or publicity pertaining to distribution of the
- * software. Title to copyright in this software and any associated
- * documentation shall at all times remain with M.I.T., and USER agrees to
- * preserve same.
- *
- * Furthermore if you modify this software you must label
- * your software as modified
- software and not distribute it in such a
- * fashion that it might be confused with the original M.I.T. software.
- */

Copyright (C) 1985-2021 by the Massachusetts Institute of Technology.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT

OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Downloading of this software may constitute an export of cryptographic
software from the United States of America that is subject to the
United States Export Administration Regulations (EAR), 15 CFR 730-774.
Additional laws or regulations may apply. It is the responsibility of
the person or entity contemplating export to comply with all
applicable export laws and regulations, including obtaining any
required license from the U.S. government.

The U.S. government prohibits export of encryption source code to
certain countries and individuals, including, but not limited to, the
countries of Cuba, Iran, North Korea, Sudan, Syria, and residents and
nationals of
those countries.

Documentation components of this software distribution are licensed
under a Creative Commons Attribution-ShareAlike 3.0 Unported License.
(<https://creativecommons.org/licenses/by-sa/3.0/>)

Individual source code files are copyright MIT, Cygnus Support,
Novell, OpenVision Technologies, Oracle, Red Hat, Sun Microsystems,
FundsXpress, and others.

Project Athena, Athena, Athena MUSE, Discuss, Hesiod, Kerberos, Moira,
and Zephyr are trademarks of the Massachusetts Institute of Technology
(MIT). No commercial use of these trademarks may be made without
prior written permission of MIT.

"Commercial use" means use of a name in a product or other for-profit
manner. It does NOT prevent a commercial firm from referring to the
MIT trademarks in order to convey information (although in doing so,
recognition of their trademark status should be given).

=====

The following copyright and permission notice applies to
the
OpenVision Kerberos Administration system located in "kadmin/create",
"kadmin/dbutil", "kadmin/passwd", "kadmin/server", "lib/kadm5", and
portions of "lib/rpc":

Copyright, OpenVision Technologies, Inc., 1993-1996, All Rights
Reserved

WARNING: Retrieving the OpenVision Kerberos Administration system source code, as described below, indicates your acceptance of the following terms. If you do not agree to the following terms, do not retrieve the OpenVision Kerberos administration system.

You may freely use and distribute the Source Code and Object Code compiled from it, with or without modification, but this Source Code is provided to you "AS IS" EXCLUSIVE OF ANY WARRANTY, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED. IN NO EVENT WILL OPENVISION HAVE ANY LIABILITY FOR ANY LOST PROFITS, LOSS OF DATA OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, INCLUDING, WITHOUT LIMITATION, THOSE RESULTING FROM THE USE OF THE SOURCE CODE, OR THE FAILURE OF THE SOURCE CODE TO PERFORM, OR FOR ANY OTHER REASON.

OpenVision retains all copyrights in the donated Source Code. OpenVision also retains copyright to derivative works of the Source Code, whether created by OpenVision or by a third party. The OpenVision copyright notice must be preserved if derivative works are made based on the donated Source Code.

OpenVision Technologies, Inc. has donated this Kerberos Administration system to MIT for inclusion in the standard Kerberos 5 distribution. This donation underscores our commitment to continuing Kerberos technology development and our gratitude for the valuable work which has been performed by MIT and the Kerberos community.

=====

Portions contributed by Matt Crawford "crawd@fnal.gov" were work performed at Fermi National Accelerator Laboratory, which is operated by Universities Research Association, Inc., under contract DE-AC02-76CHO3000 with the U.S. Department of Energy.

=====

Portions of "src/lib/crypto" have the following copyright:

Copyright (C) 1998 by the FundsXpress, INC.

All rights reserved.

Export of this software from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of FundsXpress. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. FundsXpress makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

=====

The implementation of the AES encryption algorithm in "src/lib/crypto/builtin/aes" has the following copyright:

Copyright (C) 1998-2013, Brian Gladman, Worcester, UK. All rights reserved.

The redistribution and use of this software (with or without changes) is allowed without the payment of fees or royalties provided that:

source code distributions include the above copyright notice, this list of conditions and the following disclaimer;

binary distributions include the above copyright notice, this list of conditions and the following disclaimer in their documentation.

This software is provided 'as is' with no explicit or implied warranties in respect of its operation, including, but not limited to, correctness and fitness for purpose.

=====

Portions contributed by Red Hat, including the pre-authentication

plug-in framework and the NSS crypto implementation, contain the following copyright:

Copyright (C) 2006 Red Hat, Inc.
Portions copyright (C) 2006 Massachusetts Institute of Technology
All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Red Hat, Inc., nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The bundled verto source code is subject to the following license:

Copyright 2011 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies

of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above
copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

The MS-KKDCP client implementation has the following copyright:

Copyright 2013,2014 Red Hat, Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The implementations of GSSAPI mechglue in GSSAPI-SPNEGO in
"src/lib/gssapi", including the following files:

lib/gssapi/generic/gssapi_err_generic.et
lib/gssapi/mechglue/g_accept_sec_context.c
lib/gssapi/mechglue/g_acquire_cred.c
lib/gssapi/mechglue/g_canon_name.c
lib/gssapi/mechglue/g_compare_name.c
lib/gssapi/mechglue/g_context_time.c
lib/gssapi/mechglue/g_delete_sec_context.c
lib/gssapi/mechglue/g_dsp_name.c
lib/gssapi/mechglue/g_dsp_status.c
lib/gssapi/mechglue/g_dup_name.c
lib/gssapi/mechglue/g_exp_sec_context.c
lib/gssapi/mechglue/g_export_name.c
lib/gssapi/mechglue/g_glue.c
lib/gssapi/mechglue/g_imp_name.c
lib/gssapi/mechglue/g_imp_sec_context.c
lib/gssapi/mechglue/g_init_sec_context.c
lib/gssapi/mechglue/g_initialize.c
lib/gssapi/mechglue/g_inquire_context.c
lib/gssapi/mechglue/g_inquire_cred.c
lib/gssapi/mechglue/g_inquire_names.c
lib/gssapi/mechglue/g_process_context.c
lib/gssapi/mechglue/g_rel_buffer.c
lib/gssapi/mechglue/g_rel_cred.c
lib/gssapi/mechglue/g_rel_name.c
lib/gssapi/mechglue/g_rel_oid_set.c
lib/gssapi/mechglue/g_seal.c
lib/gssapi/mechglue/g_sign.c
lib/gssapi/mechglue/g_store_cred.c
lib/gssapi/mechglue/g_unseal.c
lib/gssapi/mechglue/g_userok.c
lib/gssapi/mechglue/g_utils.c
lib/gssapi/mechglue/g_verify.c
lib/gssapi/mechglue/gssd_pname_to_uid.c
lib/gssapi/mechglue/mglueP.h
lib/gssapi/mechglue/oid_ops.c
lib/gssapi/spnego/gssapiP_spnego.h
lib/gssapi/spnego/spnego_mech.c

and the initial implementation of incremental propagation, including
the following new or changed files:

include/iprop_hdr.h

kadmin/server/ipropd_svc.c
lib/kdb/iprop.x
lib/kdb/kdb_convert.c
lib/kdb/kdb_log.c
lib/kdb/kdb_log.h
lib/krb5/error_tables/kdb5_err.et
kprop/kpropd_rpc.c
kprop/kproplog.c

are subject to the following license:

Copyright (C) 2004 Sun Microsystems, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Kerberos V5 includes documentation and software developed at the University of California at Berkeley, which includes this copyright notice:

Copyright (C) 1983 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above

copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions contributed by Novell, Inc., including the LDAP database backend, are subject to the following license:

Copyright (C) 2004-2005, Novell, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The copyright holder's name is not used to endorse or promote products derived from this software without specific prior

written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions funded by Sandia National Laboratory and developed by the University of Michigan's Center for Information Technology Integration, including the PKINIT implementation, are subject to the following license:

COPYRIGHT (C) 2006-2007
THE REGENTS OF THE UNIVERSITY OF MICHIGAN
ALL RIGHTS RESERVED

Permission is granted to use, copy, create derivative works and redistribute this software and such derivative works for any purpose, so long as the name of The University of Michigan is not used in any advertising or publicity pertaining to the use of distribution of this software without specific, written prior authorization. If the above copyright notice or any other identification of the University of Michigan is included in any copy of any portion of this software, then the disclaimer below must also be included.

THIS SOFTWARE IS PROVIDED AS IS, WITHOUT REPRESENTATION FROM THE UNIVERSITY OF MICHIGAN AS TO ITS FITNESS FOR ANY PURPOSE, AND WITHOUT WARRANTY BY THE UNIVERSITY OF MICHIGAN OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

THE REGENTS OF THE UNIVERSITY OF MICHIGAN SHALL NOT BE LIABLE FOR ANY DAMAGES, INCLUDING SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WITH RESPECT TO ANY CLAIM ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE SOFTWARE, EVEN IF IT HAS BEEN OR IS HEREAFTER ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

=====

The pkcs11.h file included in the PKINIT code has the following license:

Copyright 2006 g10 Code GmbH
Copyright 2006 Andreas Jellinghaus

This file is free software; as a special exception the author gives unlimited permission to copy and/or distribute it, with or without modifications, as long as this notice is preserved.

This file is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY, to the extent permitted by law; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

=====

Portions
contributed by Apple Inc. are subject to the following
license:

Copyright 2004-2008 Apple Inc. All Rights Reserved.

Export of this software from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Apple Inc. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Apple Inc. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

=====

The implementations of UTF-8 string handling in src/util/support and src/lib/krb5/unicode are subject to the following copyright and permission notice:

The OpenLDAP Public License
Version 2.8, 17 August 2003

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source form must retain copyright statements and notices,
2. Redistributions in binary form must reproduce applicable copyright statements and notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution, and
3. Redistributions must contain a verbatim copy of this document.

The OpenLDAP Foundation may revise this license from time to time. Each revision is distinguished by a version number. You may use this Software under terms of this license revision or under the terms of any subsequent revision of the license.

THIS SOFTWARE IS PROVIDED BY THE OPENLDAP FOUNDATION AND ITS CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OPENLDAP FOUNDATION, ITS CONTRIBUTORS, OR THE AUTHOR(S) OR OWNER(S) OF THE SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The names of the authors and copyright holders must not be used in advertising or otherwise to promote the sale, use or other dealing in this Software without specific, written prior permission. Title to copyright in this Software shall at all times remain with

copyright holders.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Copyright 1999-2003 The OpenLDAP Foundation, Redwood City, California, USA. All Rights Reserved. Permission to copy and distribute verbatim copies of this document is granted.

=====

Marked test programs in src/lib/krb5/krb
have the following copyright:

Copyright (C) 2006 Kungliga Tekniska Hgskola
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of KTH nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY KTH AND ITS CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL KTH OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The KCM Mach RPC definition file used on macOS has the following copyright:

Copyright (C) 2009 Kungliga Tekniska Hgskola
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Portions Copyright (C) 2009 Apple Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the Institute nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions of the RPC implementation in src/lib/rpc and src/include/gssrpc have the following copyright and permission notice:

Copyright (C) 2010, Oracle America, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the "Oracle America, Inc." nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (C) 2006,2007,2009 NTT (Nippon Telegraph and Telephone Corporation). All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer as the first lines of this file unmodified.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or
other materials provided
with the distribution.

THIS SOFTWARE IS PROVIDED BY NTT "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL NTT BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright 2000 by Carnegie Mellon University

All Rights Reserved

Permission to use, copy, modify, and distribute this software and
its
documentation for any purpose and without fee is hereby
granted, provided that the above copyright notice appear in all
copies and that both that copyright notice and this permission
notice appear in supporting documentation, and that the name of
Carnegie Mellon University not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission.

CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

=====

Copyright
(C) 2002 Naval Research Laboratory (NRL/CCS)

Permission to use, copy, modify and distribute this software and its documentation is hereby granted, provided that both the copyright notice and this permission notice appear in all copies of the software, derivative works or modified versions, and any portions thereof.

NRL ALLOWS FREE USE OF THIS SOFTWARE IN ITS "AS IS" CONDITION AND DISCLAIMS ANY LIABILITY OF ANY KIND FOR ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THIS SOFTWARE.

=====
Copyright (C) 1991, 1992, 1994 by Cygnus Support.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. Cygnus Support makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

=====
Copyright (C) 2006 Secure Endpoints Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Portions of the implementation of the Fortuna-like PRNG are subject to the following notice:

Copyright (C) 2005 Marko Kreen
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided
with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 1994 by the University of Southern California

EXPORT OF THIS SOFTWARE from the United States of America may require a specific
license from the United States Government. It
is the responsibility of any person or organization
contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to copy, modify, and distribute this software and its documentation in source and binary forms is hereby granted, provided that any documentation or other materials related to such distribution or use acknowledge that the software

was developed by the University of Southern California.

DISCLAIMER OF WARRANTY. THIS SOFTWARE IS PROVIDED "AS IS". The University of Southern California MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. By way of example, but not limitation, the University of Southern California MAKES NO REPRESENTATIONS OR WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. The University of Southern California shall not be held liable for any liability nor for any direct, indirect, or consequential damages with respect to any claim by the user or distributor of the ksu software.

=====

Copyright (C) 1995
The President and Fellows of Harvard University

This code is derived from software contributed to Harvard by Jeremy Rassen.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes
software developed by the University of
California, Berkeley and its contributors.

4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (C) 2008 by the Massachusetts Institute of Technology.
Copyright 1995 by Richard P. Basch. All Rights Reserved.
Copyright 1995 by Lehman Brothers, Inc. All Rights Reserved.

Export of this software from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Richard P. Basch, Lehman Brothers and M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Richard P. Basch, Lehman Brothers and M.I.T. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

=====

The following notice applies to "src/lib/krb5/krb/strptime.c" and "src/include/k5-queue.h".

Copyright (C) 1997, 1998 The NetBSD Foundation, Inc.
All rights reserved.

This code was contributed to The NetBSD Foundation by Klaus Klein.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed by the NetBSD Foundation, Inc. and its contributors.

4. Neither the name of The NetBSD Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The following notice applies to Unicode library files in "src/lib/krb5/unicode":

Copyright 1997, 1998, 1999 Computing Research Labs,
New Mexico State University

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without

restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

The following notice applies to "src/util/support/strncpy.c":

Copyright (C) 1998 Todd C. Miller "Todd.Miller@courtesan.com"

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

The following notice applies to "src/util/profile/argv_parse.c" and "src/util/profile/argv_parse.h":

Copyright 1999 by Theodore Ts'o.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that

the above copyright notice and this permission notice appear in all copies. THE SOFTWARE IS PROVIDED "AS IS" AND THEODORE TS'O (THE AUTHOR) DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. (Isn't it sick that the U.S. culture of lawsuit-happy lawyers requires this kind of disclaimer?)

=====

The following notice applies to SWIG-generated code in
"src/util/profile/profile_tcl.c":

Copyright (C) 1999-2000, The University of Chicago

This file may be freely redistributed without license or fee
provided this copyright message remains intact.

=====

The following notice applies to portions of "src/lib/rpc" and
"src/include/gssrpc":

Copyright (C) 2000 The Regents of the University of Michigan. All
rights reserved.

Copyright (C) 2000 Dug Song "dugsong@UMICH.EDU". All rights
reserved, all wrongs reversed.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.
2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- 3.

Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Implementations
of the MD4 algorithm are subject to the following
notice:

Copyright (C) 1990, RSA Data Security, Inc. All rights reserved.

License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD4 Message Digest Algorithm" in all material mentioning or referencing this software or this function.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD4 Message Digest Algorithm" in all material mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this documentation and/or software.

=====

Implementations
of the MD5 algorithm are subject to the following
notice:

Copyright (C) 1990, RSA Data Security, Inc. All rights reserved.

License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message- Digest Algorithm" in all material mentioning or referencing this software or this function.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this documentation and/or software.

=====

The following notice applies to
"src/lib/crypto/crypto_tests/t_md driver.c":

Copyright (C) 1990-2, RSA Data Security, Inc. Created 1990. All rights reserved.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this documentation and/or software.

=====

Portions of "src/lib/krb5" are subject to the following notice:

Copyright (C) 1994 CyberSAFE Corporation.
Copyright 1990,1991,2007,2008 by the Massachusetts
Institute of Technology.
All Rights Reserved.

Export of this software from the United States of America may

require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore if you modify this software you must label your software as modified software and not distribute it in such a fashion that it might be confused with the original M.I.T. software. Neither M.I.T., the Open Computing Security Group, nor CyberSAFE Corporation make any representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

=====

Portions contributed by PADL Software are subject to the following license:

Copyright (c) 2011, PADL Software Pty Ltd. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of PADL Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY PADL SOFTWARE AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL PADL SOFTWARE OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The bundled libev source code is subject to the following license:

All files in
libev are Copyright (C)2007,2008,2009 Marc Alexander
Lehmann.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the
terms of the GNU General Public License ("GPL") version 2 or any
later version, in which case the provisions of the GPL are
applicable instead of the above. If you wish to allow the use of

your version of this package only under the terms of the GPL and not to allow others to use your version of this file under the BSD license, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL in this and the other files of this package. If you do not delete the provisions above, a recipient may use your version of this file under either the BSD or the GPL.

=====

Files copied from the Intel AESNI Sample Library are subject to the following license:

Copyright (C) 2010, Intel Corporation All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The following notice applies to
"src/ccapi/common/win/OldCC/autolock.hxx":

Copyright (C) 1998 by Danilo Almeida. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The following notice applies to portions of
"src/plugins/preauth/spake/edwards25519.c" and
"src/plugins/preauth/spake/edwards25519_tables.h":

The MIT License (MIT)

Copyright (c) 2015-2016 the fiat-crypto authors (see the AUTHORS
file).

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or

sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

The following notice applies to portions of
"src/plugins/preauth/spake/edwards25519.c":

Copyright (c) 2015-2016, Google Inc.

Permission to use, copy, modify, and/or distribute this software for
any purpose
with or without fee is hereby granted, provided that the
above copyright notice and this permission notice appear in all
copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL
WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE
AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

```
/* -*- mode: c; c-basic-offset: 4; indent-tabs-mode: nil -*- */  
/*
```

Copyright 1987, 1988 by the Student Information Processing Board
of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice
appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation,
and that the names of M.I.T. and the M.I.T. S.I.P.B. not be

used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore if you modify this software you must label your software as modified software and not distribute it in such a fashion that it might be confused with the original M.I.T. software. M.I.T. and the M.I.T. S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

*/

.. _mitK5license:

MIT Kerberos License information

=====

.. toctree::

:hidden:

copyright.rst

.. include:: notice.rst

1.15 unique-filename 3.0.0

1.15.1 Available under license :

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.16 diff 5.2.0

1.16.1 Available under license :

BSD 3-Clause License

Copyright (c) 2009-2015, Kevin Decker <kpdecker@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD-3-Clause

1.17 wrap-ansi 7.0.0

1.17.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.18 acl 2.3.1-1

1.18.1 Available under license :

Most components of the "acl" package are licensed under Version 2.1 of the GNU Lesser General Public License (see COPYING.LGPL).

Some components (as annotated in the source) are licensed under Version 2 of the GNU General Public License (see below),

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one

line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.
Most components of the "acl" package are licensed under Version 2.1 of the GNU Lesser General Public License (see below).
below.

Some components (as annotated in the source) are licensed under Version 2 of the GNU General Public License (see COPYING).

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom
to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions
that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be

allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means

all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has

a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must

be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form

under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit

modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for

reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if

written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.19 Iz4 1.9.3-2build2

1.19.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by

the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.
Copyright (c) 2014, lpsantil
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that
files in the `lib` directory are designed to be included into 3rd party applications,
while all other files, in `programs`, `tests` or `examples`,
receive more limited attention and support for such scenario.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: *

Copyright: (C) 2011-2020 Yann Collet

License: GPL-2+

The full text of license: <https://github.com/lz4/lz4/blob/dev/lib/LICENSE>

1.20 balanced-match 1.0.2

1.20.1 Available under license :

(MIT)

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.21 idna 15.1.0

1.21.1 Available under license :

BSD-style without advertising clause

1.22 findutils 4.8.0-1ubuntu3

1.22.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for

software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those

products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy,

is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

- publish on each copy an appropriate copyright notice;
- keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
- keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution

medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation

(including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/licenses/why-not-lgpl.html>.

1.23 debianutils 5.5-1ubuntu2

1.23.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
.\" This is free software; see the GNU General Public Licence version 2
\fbun\parts\fp ist freie Software; lesen Sie die GNU General Public License
der GNU GPL Version 2 (oder neuer).
```

Found in path(s):

```
* /debianutils-5-5-orig-tar-xz/debianutils-5.5/po4a/de/run-parts.8
```

No license file was found, but licenses were detected in source scan.

```
/* ischroot: detect if running in a chroot
```

```
*
```

```
* Debian ischroot program
```

```
* Copyright (C) 2011 Aurelien Jarno <aurel32@debian.org>
```

```
* Copyright (C) 2015 Andreas Henriksson <andreas@fatal.se>
```

```
*
```

```
* This is free software; see the GNU General Public License version 2
```

* or later for copying conditions. There is NO warranty.

*/

Found in path(s):

* /debianutils-5-5-orig-tar-xz/debianutils-5.5/ischroot.c

No license file was found, but licenses were detected in source scan.

.\" This is free software; see the GNU General Public Licence version 2
\\fBrun\\-parts\\fP è software libero; vedere la GNU General Public License

Found in path(s):

* /debianutils-5-5-orig-tar-xz/debianutils-5.5/po4a/it/run-parts.8

No license file was found, but licenses were detected in source scan.

/* run-parts: run a bunch of scripts in a directory

*

* Debian run-parts program

* Copyright (C) 1996 Jeff Noxon <jeff@router.patch.net>,

* Copyright (C) 1996-1999 Guy Maor <maor@debian.org>

* Copyright (C) 2002-2020 Clint Adams <clint@debian.org>

*

* This is free software; see the GNU General Public License version 2

* or later for copying conditions. There is NO warranty.

*

* Based on run-parts.pl version 0.2, Copyright (C) 1994 Ian Jackson.

*

*/

Found in path(s):

* /debianutils-5-5-orig-tar-xz/debianutils-5.5/run-parts.c

No license file was found, but licenses were detected in source scan.

.\" This is free software; see the GNU General Public Licence version 2

Found in path(s):

* /debianutils-5-5-orig-tar-xz/debianutils-5.5/po4a/es/run-parts.8

* /debianutils-5-5-orig-tar-xz/debianutils-5.5/po4a/pl/run-parts.8

No license file was found, but licenses were detected in source scan.

.\" This is free software; see the GNU General Public Licence version 2
is free software; see the GNU General Public License version 2 or

Found in path(s):

* /debianutils-5-5-orig-tar-xz/debianutils-5.5/run-parts.8

No license file was found, but licenses were detected in source scan.

.\" This is free software; see the GNU General Public Licence version 2
\\fBrun\\-parts\\fP je prosti program; oglejte si GNU General Public License

Found in path(s):

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/sl/run-parts.8

No license file was found, but licenses were detected in source scan.

.\" This is free software; see the GNU General Public Licence version 2

\fBrun\parts\fP est un logiciel libre\ ; voyez la «\ GNU General Public Licence\ »

Found in path(s):

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/fr/run-parts.8

No license file was found, but licenses were detected in source scan.

der GNU GPL Version 2 (oder neuer).

Found in path(s):

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/de/remove-shell.8

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/de/which.1

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/de/add-shell.8

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/de/savelog.8

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/de/installkernel.8

No license file was found, but licenses were detected in source scan.

.\" This is free software; see the GNU General Public Licence version 2

\fBrun\parts\fP is free software; see the GNU General Public License version 2

Found in path(s):

* /debianutils-5.5-orig-tar-xz/debianutils-5.5/po4a/ja/run-parts.8

1.24 tar 6.2.1

1.24.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.25 bctls-fips 2.0.19

1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
public static final ProtocolName WEBRTC_CONFIDENTIAL = asUtf8Encoding("c-webrtc");
```

Found in path(s):

* /bctls-fips-2-0-19-sources-jar/org/bouncycastle/tls/ProtocolName.java

1.26 keyutils 1.6.1-2ubuntu3

1.26.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. <<http://fsf.org/>>

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you

distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program).

Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can

be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program
(or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program
in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc. <<http://fsf.org/>>
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use

it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL
PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility

in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License.

If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices.

Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser

General Public License from time to time.

Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a

license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is

safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.27 exponential-backoff 3.1.1

1.27.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.28 clean-stack 2.2.0

1.28.1 Available under license :

MIT
MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.29 packaging 21.3

1.29.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.30 systemd 249.11-0ubuntu3.17

1.30.1 Available under license :

```
// Copyright 2014 The Chromium OS Authors. All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:
//
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR
// PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections

1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each

time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN
IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may

be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.31 unique-slug 4.0.0

1.31.1 Available under license :

The ISC License

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.32 ini 4.1.3

1.32.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.33 cacache 18.0.3

1.33.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.34 libcap 1:2.44-1ubuntu0.22.04.2

1.34.1 Available under license :

Unless otherwise *explicitly* stated the following text describes the licensed conditions under which the contents of this module release may be distributed:

Redistribution and use in source and binary forms of this module, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU Library General Public License, in which case the provisions of the GNU LGPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU LGPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Unless otherwise **explicitly** stated, the following text describes the licensed conditions under which the contents of this libcap/psx release may be used and distributed:

Redistribution and use in source and binary forms of libcap/psx, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided

with the distribution.

3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU General Public License (v2.0 - see below), in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Full
text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to

using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only

if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under

these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the

Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access

to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free

Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT

OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright

(C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary

programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: libcap

Upstream-Contact: Andrew G. Morgan <morgan@kernel.org>

Source: <https://www.kernel.org/pub/linux/libs/security/linux-privs/libcap2/>

Files: *

Copyright: 1997-2016 Andrew G. Morgan <morgan@linux.kernel.org>

License: BSD-3-clause or GPL-2

Files: libcap/cap_text.c

Copyright: 1997-2008 Andrew G. Morgan <morgan@linux.kernel.org>

1997 Andrew Main <zefram@dcs.warwick.ac.uk>

License: BSD-3-clause or GPL-2

Files: libcap/include/sys/capability.h

Copyright: 1997-2008 Andrew G. Morgan <morgan@kernel.org>

1997 Aleph One

License: BSD-3-clause or GPL-2

Files: libcap/include/sys/securebits.h

Copyright: 2010 Serge Hallyn <serue@us.ibm.com>

License: BSD-3-clause or GPL-2

Files: progs/old/sucap.c

Copyright: 1998 Finn Arne Gangstad <finnag@guardian.no>

License: BSD-3-clause or GPL-2

Files: contrib/*

Copyright: 2006, Matt Kern <matt.kern@undue.org>

2008, Andrew G. Morgan <morgan@linux.kernel.org>

2008, Chris Friedhoff <chris@friedhoff.org>

License: BSD-3-clause or GPL-2

Files: debian/*

Copyright: 2014, Daniel Baumann <mail@daniel-baumann.ch>

2014-2019, Christian Kastner <ckk@debian.org>

License: BSD-3-clause or GPL-2+

Files: debian/manpages/*

Copyright: 1997-2014 Andrew G. Morgan <morgan@linux.kernel.org>

2011 Scott Schaefer <saschaefer@neurodiverse.org>

License: BSD-3-clause or GPL-2

Files: debian/patches/*

Copyright: 2011, Andrew Straw <strawman@astraw.com>

2011, Zhi Li <lizhi1215@gmail.com>

2014-2016, Christian Kastner <ckk@debian.org>

2015, Helmut Grohne <helmut@subdivi.de>

License: BSD-3-clause or GPL-2+

License: BSD-3-clause

Redistribution and use in source and binary forms of libcap, with or without modification, are permitted provided that the following conditions are met:

- .
- 1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
- .
- 2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
- .
- 3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.
- .

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: GPL-2

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, version 2 of the License.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.
You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.
The complete text of the GNU General Public License can be found in /usr/share/common-licenses/GPL-2 file.

License: GPL-2+

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 2 of the License, or (at your option) any later version.

.
This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.
You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.
The complete text of the GNU General Public License can be found in /usr/share/common-licenses/GPL-2 file.

Unless otherwise **explicitly** stated, the following text describes the licensed conditions under which the contents of this libcap/cap release may be used and distributed:

Redistribution and use in source and binary forms of libcap/cap, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be

distributed under the terms of the GNU General Public License (v2.0 - see below), in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Full
text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another

language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only

if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the

Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access

to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT

OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright  
(C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than ``show w'` and ``show c'`; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary

programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

Unless otherwise **explicitly** stated, the following text describes the
licensed conditions under which the contents of this libcap release
may be used and distributed:

Redistribution and use in source and binary forms of libcap, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU General Public License (v2.0 - see below), in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Full
text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU

Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software

patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a)

You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access

to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License

may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year  
name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs.

If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.35 minipass 3.3.6

1.35.1 Available under license :

ISC

The ISC License

Copyright (c) 2017-2022 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.36 bcel 6.7.0

1.36.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons BCEL

Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

1.37 socks 2.8.3

1.37.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2013 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF
OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.38 spf13-pflag 1.0.5

1.38.1 Available under license :

Copyright (c) 2012 Alex Ogier. All rights reserved.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.39 util-deprecate 1.0.2

1.39.1 Available under license :

(The MIT License)

Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the

Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.40 negotiator 0.6.3

1.40.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Federico Romero
Copyright (c) 2012-2014 Isaac Z. Schlueter
Copyright (c) 2014-2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.41 python 3.10.6-1~22.04.1

1.41.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

X Window System is a trademark of The Open Group

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code,
copyrighted by Microsoft Corporation. The Microsoft Distributable Code
is embedded in each .exe, .dll and .pyd file as a result of running
the code through a linker.

If you further distribute programs that include the Microsoft

Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2019 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL- compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive,

royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".
3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.
4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was

previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.42 cdebconf 0.261ubuntu1

1.42.1 Available under license :

CDebConf was initially written by Randolph Chung <tausq@debian.org>

Other contributors include:

Anthony Towns <ajt@debian.org>

David Whedon <dwhedon@gordian.com>

Dan Jacobowitz <dan@debian.org>

Tollef Fog Heen <tfheen@debian.org>

Attilio Fiandrotti <fiandro@tiscali.it>

Colin Watson <cjwatson@debian.org>

Regis Boudin <regis@debian.org>

CDebConf includes ideas and code from:

debconf - The original, de facto, perl implementation

(c) Joey Hess <joe@debian.org>

apt - The Debian Advanced Package Tool

(c) Jason Gunthorpe <jgg@debian.org>

(derived portions are public domain)

CDebConf is copyrighted (c) 2000-2009 by Randolph Chung <tausq@debian.org>, the d-i team (see above), and Canonical Ltd. under the following license:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.43 cidr-regex 4.1.1

1.43.1 Available under license :

Copyright (c) silverwind
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD-2-Clause

1.44 v8 10.2.154.26

1.44.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The << Software identified by reference to the Ecma Standard* (Software)>> is protected by copyright and is being

made available under the BSD License, included below. This Software may be subject to third party rights (rights from parties other than Ecma International), including patent rights, and no licenses under such third party rights are granted under this license even if the third party concerned is a member of Ecma International. SEE THE ECMA

CODE OF CONDUCT IN PATENT MATTERS AVAILABLE AT <http://www.ecma-international.org/memento/codeofconduct.htm> FOR

INFORMATION REGARDING THE LICENSING OF PATENT CLAIMS THAT ARE REQUIRED TO IMPLEMENT ECMA INTERNATIONAL STANDARDS*.

Copyright <<2012>> <<Ecma International>>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the authors nor Ecma International may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE ECMA INTERNATIONAL "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL ECMA INTERNATIONAL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* Ecma International Standards hereafter means Ecma International Standards as well as Ecma Technical Reports
Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The 3-Clause BSD License

Copyright 2019 web-platform-tests contributors

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

All files in this directory are provided by the following license if not stated otherwise in the individual file:

=====

This file is provided under a dual BSD/GPLv2 license. When using or redistributing this file, you may do so under either license.

GPL LICENSE SUMMARY

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the terms of version 2 of the GNU General Public License as published by the Free Software Foundation.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St - Fifth Floor, Boston, MA 02110-1301 USA. The full GNU General Public License is included in this distribution in the file called LICENSE.GPL.

Contact Information:

<http://software.intel.com/en-us/articles/intel-vtune-amplifier-xe/>

BSD LICENSE

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS
AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This license applies to all parts of V8 that are not externally maintained libraries. The externally maintained libraries used by V8 are:

- PCRE test suite, located in `test/mjsunit/third_party/regexp-pcre/regexp-pcre.js`. This is based on the test suite from PCRE-7.3, which is copyrighted by the University of Cambridge and Google, Inc. The copyright notice and license are embedded in `regexp-pcre.js`.
- Layout tests, located in `test/mjsunit/third_party/object-keys`. These are based on layout tests from `webkit.org` which are copyrighted by Apple Computer, Inc. and released under a 3-clause BSD license.
- Strongtalk assembler, the basis of the files `assembler-arm-inl.h`, `assembler-arm.cc`, `assembler-arm.h`, `assembler-ia32-inl.h`, `assembler-ia32.cc`, `assembler-ia32.h`, `assembler-x64-inl.h`, `assembler-x64.cc`, `assembler-x64.h`, `assembler-mips-inl.h`, `assembler-mips.cc`, `assembler-mips.h`, `assembler.cc` and `assembler.h`. This code is copyrighted by Sun Microsystems Inc. and released under a 3-clause BSD license.
- Valgrind client API header, located at `src/third_party/valgrind/valgrind.h`. This is released under the BSD license.
- The Wasm C/C++ API headers, located at `third_party/wasm-api/wasm.{h,hh}`. This is released under the Apache license. The API's upstream prototype implementation also formed the basis of V8's implementation in `src/wasm/c-api.cc`.

These libraries have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Further license information can be found in LICENSE files located in

sub-directories.

Copyright 2014, the V8 project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CC0 1.0 Universal

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and

efforts of others.

For

these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known

or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation

commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved

to the maximum extent permitted taking into account

Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

Copyright (c) 1994-2006 Sun Microsystems Inc.

All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Sun Microsystems or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Tests included here are based on build output generated by the six-speed benchmark suite.

Copyright (c) 2015 Kevin Decker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
// Copyright 2016 The Chromium Authors. All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:
//
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE
// ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
PCRE LICENCE
-----
```

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Release 7 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc"

directory, is distributed under the same terms as the software itself.

The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel

Email local part: ph10

Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2007 University of Cambridge
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2007, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in
source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the name of Google Inc. nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

End

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 1993-2004 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

Copyright (c) 2006 Apple Computer, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder(s) nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The JsonCpp library's source code, including accompanying documentation, tests and demonstration applications, are licensed under the following conditions...

The author (Baptiste Lepilleur) explicitly disclaims copyright in all jurisdictions which recognize such a disclaimer. In such jurisdictions, this software is released into the Public Domain.

In jurisdictions which do not recognize Public Domain property (e.g. Germany as of 2010), this software is Copyright (c) 2007-2010 by Baptiste Lepilleur, and is released under the terms of the MIT License (see below).

In jurisdictions which recognize Public Domain property, the user of this software may choose to accept it either as 1) Public Domain, 2) under the conditions of the MIT License (see below), or 3) under the terms of dual Public Domain/MIT License conditions described here, as they choose.

The MIT License is about as close to Public Domain as a license can get, and is described in clear, concise terms at:

http://en.wikipedia.org/wiki/MIT_License

The full text of the MIT License follows:

=====

Copyright (c) 2007-2010 Baptiste Lepilleur

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

(END LICENSE TEXT)

The MIT license is compatible with both the GPL and commercial software, affording one all of the rights of Public Domain with the minor nuisance of being required to keep the above copyright notice and license text in the source code. Note also that by accepting the Public Domain "license" you can re-license your copy using whatever license you like.

Notice that the following BSD-style license applies to this one file (valgrind.h) only. The rest of Valgrind is licensed under the terms of the GNU General Public License, version 2, unless otherwise indicated. See the COPYING file in the source distribution for details.

This file is part of Valgrind, a dynamic binary instrumentation framework.

Copyright (C) 2000-2010 Julian Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice that the above BSD-style license applies to this one file (valgrind.h) only. The entire rest of Valgrind is licensed under the terms of the GNU General Public License, version 2. See the COPYING file in the source distribution for details.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL- compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The

GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE

SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6.

This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following

unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs

4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both
that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2006-2011, the V8 project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ISC

MIT

1.45 zlib 1:1.2.11.dfsg-2ubuntu9.2

1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* gun.c -- simple gunzip to give an example of the use of inflateBack()
 * Copyright (C) 2003, 2005, 2008, 2010, 2012 Mark Adler
 * For conditions of distribution and use, see copyright notice in zlib.h
 * Version 1.7 12 August 2012 Mark Adler */
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/gun.c
```

No license file was found, but licenses were detected in source scan.

```
/* gzwrite.c -- zlib functions for writing gzip files
 * Copyright (C) 2004-2017 Mark Adler
 * For conditions of distribution and use, see copyright notice in zlib.h
 */
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/gzwrite.c
```

No license file was found, but licenses were detected in source scan.

```
/* inffast.h -- header to use inffast.c
 * Copyright (C) 1995-2003, 2010 Mark Adler
 * For conditions of distribution and use, see copyright notice in zlib.h
 */
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/inffast.h
```

No license file was found, but licenses were detected in source scan.

Not copyrighted -- provided to the public domain

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/zlib_how.html
```

No license file was found, but licenses were detected in source scan.

```
/* unzip.c -- IO for uncompress .zip files using zlib
```

Version 1.1, February 14h, 2010

part of the MiniZip project - (<http://www.winimage.com/zLibDll/minizip.html>)

Copyright (C) 1998-2010 Gilles Vollant (minizip) (<http://www.winimage.com/zLibDll/minizip.html>)

Modifications of Unzip for Zip64

Copyright (C) 2007-2008 Even Rouault

Modifications for Zip64 support on both zip and unzip

Copyright (C) 2009-2010 Mathias Svensson (<http://result42.com>)

For more info read MiniZip_info.txt

Decryption code comes from crypt.c by Info-ZIP but has been greatly reduced in terms of compatibility with older software. The following is from the original crypt.c.
Code woven in by Terry Thorsen 1/2003.

Copyright (c) 1990-2000 Info-ZIP. All rights reserved.

See the accompanying

file LICENSE, version 2000-Apr-09 or later

(the contents of which are also included in zip.h) for terms of use.

If, for some reason, all these files are missing, the Info-ZIP license
also may be found at: <ftp://ftp.info-zip.org/pub/infozip/license.html>

crypt.c (full version) by Info-ZIP. Last revised: [see crypt.h]

The encryption/decryption parts of this source code (as opposed to the non-echoing password parts) were originally written in Europe. The whole source package can be freely distributed, including from the USA. (Prior to January 2000, re-export from the US was a violation of US law.)

This encryption code is a direct transcription of the algorithm from Roger Schlafly, described by Phil Katz in the file appnote.txt. This file (appnote.txt) is distributed with the PKZIP program (even in the version without encryption capabilities).

Changes in unzip.c

2007-2008 - Even Rouault - Addition of cpl_unzGetCurrentFileZStreamPos

2007-2008 - Even Rouault - Decoration of symbol names unz* -> cpl_unz*

2007-2008 - Even Rouault - Remove old C style function prototypes

2007-2008 - Even Rouault - Add unzip support for ZIP64

Oct-2009 - Mathias Svensson - Removed cpl_* from symbol names (Even Rouault added them but since this is now moved to a new project (minizip64) I renamed them again).

Oct-2009 - Mathias Svensson - Fixed problem if uncompressed size was > 4G and compressed size was <4G
should only read the compressed/uncompressed size from the Zip64 format if
the size from normal header was 0xFFFFFFFF

Oct-2009 - Mathias Svensson - Applied some bug fixes from patches received from Gilles Vollant

Oct-2009 - Mathias Svensson - Applied support to unzip files with compression method
BZIP2 (bzip2 lib is required)

Patch created by Daniel Borca

Jan-2010 - back to unzip and minizip 1.0 name scheme, with compatibility layer

Copyright (C) 1998 - 2010 Gilles Vollant, Even Rouault, Mathias Svensson

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/contrib/minizip/unzip.c

No license file was found, but licenses were detected in source scan.

Permission is granted to anyone to use this software for any purpose,
The origin of this software must not be misrepresented; you must not
Altered source versions must be plainly marked as such, and must not be
This notice may not be removed or altered from any source distribution.

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/zlib.3

No license file was found, but licenses were detected in source scan.

For conditions of distribution and use, see copyright notice in zlib.h

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/old/Makefile.emx

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/old/os2/Makefile.os2

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/msdos/Makefile.dj2

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/msdos/Makefile.emx

No license file was found, but licenses were detected in source scan.

/* inflate.c -- zlib decompression

* Copyright (C) 1995-2016 Mark Adler

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/inflate.c

No license file was found, but licenses were detected in source scan.

```
/* infback.c -- inflate using a call-back interface
* Copyright (C) 1995-2016 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/infback.c
```

No license file was found, but licenses were detected in source scan.

```
/* gzlog.h
Copyright (C) 2004, 2008, 2012 Mark Adler, all rights reserved
version 2.2, 14 Aug 2012
```

This software is provided 'as-is', without any express or implied warranty. In no event will the author be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

```
Mark Adler  madler@alumni.caltech.edu
*/
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/gzlog.h
```

No license file was found, but licenses were detected in source scan.

```
/* uncompr.c -- decompress a memory buffer
* Copyright (C) 1995-2003, 2010, 2014, 2016 Jean-loup Gailly, Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/uncompr.c
```

No license file was found, but licenses were detected in source scan.


```
/* inflate.h -- internal inflate state definition
* Copyright (C) 1995-2016 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/inflate.h
```

No license file was found, but licenses were detected in source scan.

```
/* zip.h -- IO on .zip files using zlib
Version 1.1, February 14h, 2010
part of the MiniZip project - ( http://www.winimage.com/zLibDll/minizip.html )
```

Copyright (C) 1998-2010 Gilles Vollant (minizip) (<http://www.winimage.com/zLibDll/minizip.html>)

Modifications for Zip64 support

Copyright (C) 2009-2010 Mathias Svensson (<http://result42.com>)

For more info read MiniZip_info.txt

Condition of use and distribution are the same than zlib :

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Changes

See header of zip.h

```
*/
```

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/contrib/minizip/zip.h

No license file was found, but licenses were detected in source scan.

/*

* gzlog.c

* Copyright (C) 2004, 2008, 2012, 2016 Mark Adler, all rights reserved

* For conditions of distribution and use, see copyright notice in gzlog.h

* version 2.2, 14 Aug 2012

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/gzlog.c

No license file was found, but licenses were detected in source scan.

/* gzjoin -- command to join gzip files into one gzip file

Copyright (C) 2004, 2005, 2012 Mark Adler, all rights reserved

version 1.2, 14 Aug 2012

This software is provided 'as-is', without any express or implied warranty. In no event will the author be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Mark Adler madler@alumni.caltech.edu

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/gzjoin.c

No license file was found, but licenses were detected in source scan.

ZLIB DATA COMPRESSION LIBRARY

zlib 1.2.11 is a general purpose data compression library. All the code is

thread safe. The data format used by the zlib library is described by RFCs (Request for Comments) 1950 to 1952 in the files <http://tools.ietf.org/html/rfc1950> (zlib format), [rfc1951](http://tools.ietf.org/html/rfc1951) (deflate format) and [rfc1952](http://tools.ietf.org/html/rfc1952) (gzip format).

All functions of the compression library are documented in the file `zlib.h` (volunteer to write man pages welcome, contact zlib@gzip.org). A usage example of the library is given in the file `test/example.c` which also tests that the library is working correctly. Another example is given in the file `test/minigzip.c`. The compression library itself is composed of all source files in the root directory.

To compile all files and run the test program, follow the instructions given at the top of `Makefile.in`. In short `./configure; make test`, and if that goes well, `make install` should work for most flavors of Unix. For Windows, use one of the special makefiles in `win32/` or `contrib/vstudio/`. For VMS, use `make_vms.com`.

Questions about zlib should be sent to [<zlib@gzip.org>](mailto:zlib@gzip.org), or to Gilles Vollant [<info@winimage.com>](mailto:info@winimage.com) for the Windows DLL version. The zlib home page is <http://zlib.net/>. Before reporting a problem, please check this site to verify that you have the latest version of zlib; otherwise get the latest version and check whether the problem still exists or not.

PLEASE read the zlib FAQ http://zlib.net/zlib_faq.html before asking for help.

Mark Nelson [<markn@ieee.org>](mailto:markn@ieee.org) wrote an article about zlib for the Jan. 1997 issue of Dr. Dobbs's Journal; a copy of the article is available at <http://marknelson.us/1997/01/01/zlib-engine/>.

The changes made in version 1.2.11 are documented in the file `ChangeLog`.

Unsupported third party contributions are provided in directory `contrib/`.

zlib is available in Java using the `java.util.zip` package, documented at <http://java.sun.com/developer/technicalArticles/Programming/compression/>.

A Perl interface to zlib written by Paul Marquess [<pmqs@cpan.org>](mailto:pmqs@cpan.org) is available at CPAN (Comprehensive Perl Archive Network) sites, including <http://search.cpan.org/~pmqs/IO-Compress-Zlib/>.

A Python interface to zlib written by A.M. Kuchling [<amk@amk.ca>](mailto:amk@amk.ca) is available in Python 1.5 and later versions, see <http://docs.python.org/library/zlib.html>.

zlib is built into tcl: <http://wiki.tcl.tk/4610>.

An experimental package to read and write files in .zip format, written on top of zlib by Gilles Vollant <info@winimage.com>, is available in the contrib/minizip directory of zlib.

Notes for some targets:

- For Windows DLL versions, please see win32/DLL_FAQ.txt
- For 64-bit Irix, deflate.c must be compiled without any optimization. With -O, one libpng test fails. The test works in 32 bit mode (with the -n32 compiler flag). The compiler bug has been reported to SGI.
- zlib doesn't work with gcc 2.6.3 on a DEC 3000/300LX under OSF/1 2.1 it works when compiled with cc.
- On Digital Unix 4.0D (formely OSF/1) on AlphaServer, the cc option -std1 is necessary to get gzprintf working correctly. This is done by configure.
- zlib doesn't work on HP-UX 9.05 with some versions of /bin/cc. It works with other compilers. Use "make test" to check your compiler.
- gzdopen is not supported on RISCOS or BEOS.
- For PalmOs, see <http://palmzlib.sourceforge.net/>

Acknowledgments:

The deflate format used by zlib was defined by Phil Katz. The deflate and zlib specifications were written by L. Peter Deutsch. Thanks to all the people who reported problems and suggested various improvements in zlib; they are too numerous to cite here.

Copyright notice:

(C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

If you use the zlib library in a product, we would appreciate **not** receiving lengthy legal documents to sign. The sources are provided for free but without warranty of any kind. The library has been entirely written by Jean-loup Gailly and Mark Adler; it does not include third-party code.

If you redistribute modified sources, we would appreciate that you include in the file ChangeLog history information documenting your changes. Please read the FAQ for more information on the distribution of modified source versions.

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/README

No license file was found, but licenses were detected in source scan.

/* fitblk.c: example of fitting compressed output to a specified size

Not copyrighted -- provided to the public domain

Version 1.1 25 November 2004 Mark Adler */

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/fitblk.c

No license file was found, but licenses were detected in source scan.

/* gzread.c -- zlib functions for reading gzip files

* Copyright (C) 2004, 2005, 2010, 2011, 2012, 2013, 2016 Mark Adler

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/gzread.c

No license file was found, but licenses were detected in source scan.

/* inftrees.h -- header to use inftrees.c

* Copyright (C) 1995-2005, 2010 Mark Adler

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/infrees.h

No license file was found, but licenses were detected in source scan.

/* zlib.h -- interface of the 'zlib' general purpose compression library
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

The data format used by the zlib library is described by RFCs (Request for Comments) 1950 to 1952 in the files <http://tools.ietf.org/html/rfc1950> (zlib format), rfc1951 (deflate format) and rfc1952 (gzip format).

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/zlib.h

No license file was found, but licenses were detected in source scan.

/* deflate.c -- compress data using the deflation algorithm
* Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/deflate.c

No license file was found, but licenses were detected in source scan.

/* zconf.h -- configuration of the zlib compression library

* Copyright (C) 1995-2016 Jean-loup Gailly, Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/zconf.h
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/zconf.h.in
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/zconf.h.cmakein
No license file was found, but licenses were detected in source scan.

/* deflate.h -- internal compression state
* Copyright (C) 1995-2016 Jean-loup Gailly
* For conditions of distribution and use, see copyright notice in zlib.h
*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/deflate.h
No license file was found, but licenses were detected in source scan.

/* minigzip.c -- simulate gzip using the zlib compression library
* Copyright (C) 1995-2006, 2010, 2011, 2016 Jean-loup Gailly
* For conditions of distribution and use, see copyright notice in zlib.h
*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/test/minigzip.c
No license file was found, but licenses were detected in source scan.

/* gzlib.c -- zlib functions common to reading and writing gzip files
* Copyright (C) 2004-2017 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/gzlib.c
No license file was found, but licenses were detected in source scan.

/* infcover.c -- test zlib's inflate routines with full code coverage
* Copyright (C) 2011, 2016 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/test/infcover.c
No license file was found, but licenses were detected in source scan.

/* inftrees.c -- generate Huffman trees for efficient decoding
* Copyright (C) 1995-2017 Mark Adler

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/inftrees.c

No license file was found, but licenses were detected in source scan.

/* zutil.c -- target dependent utility functions for the compression library

* Copyright (C) 1995-2017 Jean-loup Gailly

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/zutil.c

No license file was found, but licenses were detected in source scan.

/* example.c -- usage example of the zlib compression library

* Copyright (C) 1995-2006, 2011, 2016 Jean-loup Gailly

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/test/example.c

No license file was found, but licenses were detected in source scan.

/*

Additional tools for Minizip

Code: Xavier Roche '2004

License: Same as ZLIB (www.gzip.org)

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/contrib/minizip/mztools.h

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/contrib/minizip/mztools.c

No license file was found, but licenses were detected in source scan.

/* trees.c -- output deflated data using Huffman coding

* Copyright (C) 1995-2017 Jean-loup Gailly

* detect_data_type() function provided freely by Cosmin Truta, 2006

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/trees.c

No license file was found, but licenses were detected in source scan.

MiniZip - Copyright (c) 1998-2010 - by Gilles Vollant - version 1.1 64 bits from Mathias Svensson

Introduction

MiniZip 1.1 is built from MiniZip 1.0 by Gilles Vollant (<http://www.winimage.com/zLibDll/minizip.html>)

When adding ZIP64 support into minizip it would result into risk of breaking compatibility with minizip 1.0.
All possible work was done for compatibility.

Background

When adding ZIP64 support Mathias Svensson found that Even Rouault have added ZIP64 support for unzip.c into minizip for a open source project called gdal (<http://www.gdal.org/>)

That was used as a starting point. And after that ZIP64 support was added to zip.c
some refactoring and code cleanup was also done.

Changed from MiniZip 1.0 to MiniZip 1.1

-
- * Added ZIP64 support for unzip (by Even Rouault)
 - * Added ZIP64 support for zip (by Mathias Svensson)
 - * Reverted some changed that Even Rouault did.
 - * Bunch of patches received from Gulles Vollant that he received for MiniZip from various users.
 - * Added unzip patch for BZIP Compression method (patch create by Daniel Borca)
 - * Added BZIP Compress method for zip
 - * Did some refactoring and code cleanup

Credits

Gilles Vollant - Original MiniZip author
Even Rouault - ZIP64 unzip Support
Daniel Borca - BZip Compression method support in unzip
Mathias Svensson - ZIP64 zip support
Mathias Svensson - BZip Compression method support in zip

Resources

ZipLayout <http://result42.com/projects/ZipFileLayout>

Command line tool for Windows that shows the layout and information of the headers in a zip archive.
Used when debugging and validating the creation of zip files using MiniZip64

ZIP App Note <http://www.pkware.com/documents/casestudies/APPNOTE.TXT>
Zip File specification

Notes.

* To be able to use BZip compression method in zip64.c or unzip64.c the BZIP2 lib is needed and HAVE_BZIP2 need to be defined.

License

Condition of use and distribution are the same than zlib :

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/contrib/minizip/MiniZip64_info.txt

No license file was found, but licenses were detected in source scan.

/* compress.c -- compress a memory buffer

* Copyright (C) 1995-2005, 2014, 2016 Jean-loup Gailly, Mark Adler

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/compress.c

No license file was found, but licenses were detected in source scan.

/* gzclose.c -- zlib gzclose() function

* Copyright (C) 2004, 2010 Mark Adler

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/gzclose.c

No license file was found, but licenses were detected in source scan.

/* unzip.h -- IO for uncompress .zip files using zlib

Version 1.1, February 14h, 2010

part of the MiniZip project - (<http://www.winimage.com/zLibDll/minizip.html>)

Copyright (C) 1998-2010 Gilles Vollant (minizip) (<http://www.winimage.com/zLibDll/minizip.html>)

Modifications of Unzip for Zip64

Copyright (C) 2007-2008 Even Rouault

Modifications for Zip64 support on both zip and unzip

Copyright (C) 2009-2010 Mathias Svensson (<http://result42.com>)

For more info read MiniZip_info.txt

Condition of use and distribution are the same than zlib :

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Changes

See header of unzip64.c

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/contrib/minizip/unzip.h

No license file was found, but licenses were detected in source scan.

```
/* zran.c -- example of zlib/gzip stream indexing and random access
* Copyright (C) 2005, 2012 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
Version 1.1 29 Sep 2012 Mark Adler */
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/zran.c
```

No license file was found, but licenses were detected in source scan.

```
/* inffast.c -- fast decoding
* Copyright (C) 1995-2017 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/inffast.c
```

No license file was found, but licenses were detected in source scan.

```
/* crc32.c -- compute the CRC-32 of a data stream
* Copyright (C) 1995-2006, 2010, 2011, 2012, 2016 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*
* Thanks to Rodney Brown <rbrown64@csc.com.au> for his contribution of faster
* CRC methods: exclusive-oring 32 bits of data at a time, and pre-computing
* tables for updating the shift register in one step with three exclusive-ors
* instead of four steps with four exclusive-ors. This results in about a
* factor of two increase in speed on a Power PC G4 (PPC7455) using gcc -O3.
*/
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/crc32.c
```

No license file was found, but licenses were detected in source scan.

```
/* Adler32.c -- compute the Adler-32 checksum of a data stream
* Copyright (C) 1995-2011, 2016 Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/
```

Found in path(s):

```
* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/adler32.c
```

No license file was found, but licenses were detected in source scan.

```
/* zutil.h -- internal interface and configuration of the compression library
* Copyright (C) 1995-2016 Jean-loup Gailly, Mark Adler
* For conditions of distribution and use, see copyright notice in zlib.h
*/
```

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/zutil.h

No license file was found, but licenses were detected in source scan.

/* gzguts.h -- zlib internal header definitions for gz* operations

* Copyright (C) 2004, 2005, 2010, 2011, 2012, 2013, 2016 Mark Adler

* For conditions of distribution and use, see copyright notice in zlib.h

*/

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/gzguts.h

No license file was found, but licenses were detected in source scan.

/* zpipe.c: example of proper use of zlib's inflate() and deflate()

Not copyrighted -- provided to the public domain

Version 1.4 11 December 2005 Mark Adler */

Found in path(s):

* /zlib-1-2-11-dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/zpipe.c

No license file was found, but licenses were detected in source scan.

/* gzappend -- command to append to a gzip file

Copyright (C) 2003, 2012 Mark Adler, all rights reserved

version 1.2, 11 Oct 2012

This software is provided 'as-is', without any express or implied warranty. In no event will the author be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Mark Adler madler@alumni.caltech.edu

*/

Found in path(s):

* /zlib-1.2.11.dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/examples/gzappend.c

No license file was found, but licenses were detected in source scan.

Frequently Asked Questions about zlib

If your question is not there, please check the zlib home page

<http://zlib.net/> which may have more recent information.

The latest zlib FAQ is at http://zlib.net/zlib_faq.html

1. Is zlib Y2K-compliant?

Yes. zlib doesn't handle dates.

2. Where can I get a Windows DLL version?

The zlib sources can be compiled without change to produce a DLL. See the file win32/DLL_FAQ.txt in the zlib distribution. Pointers to the precompiled DLL are found in the zlib web site at <http://zlib.net/>.

3. Where can I get a Visual Basic interface to zlib?

See

* <http://marknelson.us/1997/01/01/zlib-engine/>

* win32/DLL_FAQ.txt in the zlib distribution

4. compress() returns Z_BUF_ERROR.

Make sure that before the call of compress(), the length of the compressed buffer is equal to the available size of the compressed buffer and not zero. For Visual

Basic, check that this parameter is passed by reference

("as any"), not by value ("as long").

5. deflate() or inflate() returns Z_BUF_ERROR.

Before making the call, make sure that avail_in and avail_out are not zero. When setting the parameter flush equal to Z_FINISH, also make sure that avail_out is big enough to allow processing all pending input. Note that a Z_BUF_ERROR is not fatal--another call to deflate() or inflate() can be made with more input or output space. A Z_BUF_ERROR may in fact be unavoidable depending on how the functions are used, since it is not possible to tell whether or not there is more output pending when strm.avail_out returns with zero. See http://zlib.net/zlib_how.html for a heavily annotated example.

6. Where's the zlib documentation (man pages, etc.)?

It's in `zlib.h` . Examples of `zlib` usage are in the files `test/example.c` and `test/minigzip.c`, with more in `examples/` .

7. Why don't you use GNU `autoconf` or `libtool` or ...?

Because we would like to keep `zlib` as a very small and simple package. `zlib` is rather portable and doesn't need much configuration.

8. I found a bug in `zlib`.

Most of the time, such problems are due to an incorrect usage of `zlib`. Please try to reproduce the problem with a small program and send the corresponding source to us at `zlib@gzip.org` . Do not send multi-megabyte data files without prior agreement.

9. Why do I get "undefined reference to `gzputc`"?

If "`make test`" produces something like

```
example.o(.text+0x154): undefined reference to `gzputc'
```

check that you don't have old files `libz.*` in `/usr/lib`, `/usr/local/lib` or `/usr/X11R6/lib`. Remove any old versions, then do "`make install`".

10. I need a Delphi interface to `zlib`.

See the `contrib/delphi` directory in the `zlib` distribution.

11. Can `zlib` handle `.zip` archives?

Not by itself, no. See the directory `contrib/minizip` in the `zlib` distribution.

12.

Can `zlib` handle `.Z` files?

No, sorry. You have to spawn an `uncompress` or `gunzip` subprocess, or adapt the code of `uncompress` on your own.

13. How can I make a Unix shared library?

By default a shared (and a static) library is built for Unix. So:

```
make distclean
./configure
make
```

14. How do I install a shared zlib library on Unix?

After the above, then:

make install

However, many flavors of Unix come with a shared zlib already installed. Before going to the trouble of compiling a shared version of zlib and trying to install it, you may want to check if it's already there! If you can `#include <zlib.h>`, it's there. The `-lz` option will probably link to it. You can check the version at the top of `zlib.h` or with the `ZLIB_VERSION` symbol defined in `zlib.h`.

15. I have a question about OttoPDF.

We are not the authors of OttoPDF. The real author is on the OttoPDF web site: Joel Hainley, jhainley@myndkryme.com.

16.

Can zlib decode Flate data in an Adobe PDF file?

Yes. See <http://www.pdflib.com/>. To modify PDF forms, see <http://sourceforge.net/projects/acroformtool/>.

17. Why am I getting this "register_frame_info not found" error on Solaris?

After installing zlib 1.1.4 on Solaris 2.6, running applications using zlib generates an error such as:

```
ld.so.1: rpm: fatal: relocation error: file /usr/local/lib/libz.so:
symbol __register_frame_info: referenced symbol not found
```

The symbol `__register_frame_info` is not part of zlib, it is generated by the C compiler (cc or gcc). You must recompile applications using zlib which have this problem. This problem is specific to Solaris. See <http://www.sunfreeware.com> for Solaris versions of zlib and applications using zlib.

18. Why does gzip give an error on a file I make with compress/deflate?

The compress and deflate functions produce data in the zlib format, which is different and incompatible with the gzip format. The `gz*` functions in zlib on the other hand use the gzip format. Both the zlib and gzip formats use the same compressed data format internally, but have different headers and trailers around the compressed data.

19. Ok, so why are there two different formats?

The gzip format was designed to retain the directory information about a single file, such as the name and last modification date. The zlib format on the other hand was designed for in-memory and communication channel applications, and has a much more compact header and trailer and uses a faster integrity check than gzip.

20. Well that's nice, but how do I make a gzip file in memory?

You can request that deflate write the gzip format instead of the zlib format using `deflateInit2()`. You can also request that inflate decode the gzip format using `inflateInit2()`. Read `zlib.h` for more details.

21. Is zlib thread-safe?

Yes. However any library routines that zlib uses and any application-provided memory allocation routines must also be thread-safe. zlib's `gz*` functions use stdio library routines, and most of zlib's functions use the library memory allocation routines by default. zlib's `*Init*` functions allow for the application to provide custom memory allocation routines.

Of course, you should only operate on any given zlib or gzip stream from a single thread at a time.

22. Can I use zlib in my commercial application?

Yes. Please read the license in `zlib.h`.

23. Is zlib under the GNU license?

No. Please read the license in `zlib.h`.

24. The license says that altered source versions must be "plainly marked". So what exactly do I need to do to meet that requirement?

You need to change the `ZLIB_VERSION` and `ZLIB_VERNUM` #defines in `zlib.h`. In particular, the final version number needs to be changed to "f", and an identification string should be appended to `ZLIB_VERSION`. Version numbers `x.x.x.f` are reserved for modifications to zlib by others than the zlib maintainers. For example, if the version of the base zlib you are altering is "1.2.3.4", then in `zlib.h` you should change `ZLIB_VERNUM` to `0x123f`, and `ZLIB_VERSION` to something like "1.2.3.f-zachary-mods-v3". You can also update the version strings in `deflate.c` and `inftrees.c`.

For altered source distributions, you should also note the origin and nature of the changes in `zlib.h`, as well as in `ChangeLog` and `README`, along

with the dates of the alterations. The origin should include at least your name (or your company's name), and an email address to contact for help or issues with the library.

Note that distributing a compiled zlib library along with `zlib.h` and `zconf.h` is also a source distribution, and so you should change `ZLIB_VERSION` and `ZLIB_VERNUM` and note the origin and nature of the changes in `zlib.h` as you would for a full source distribution.

25.

Will zlib work on a big-endian or little-endian architecture, and can I exchange compressed data between them?

Yes and yes.

26. Will zlib work on a 64-bit machine?

Yes. It has been tested on 64-bit machines, and has no dependence on any data types being limited to 32-bits in length. If you have any difficulties, please provide a complete problem report to zlib@gzip.org

27. Will zlib decompress data from the PKWare Data Compression Library?

No. The PKWare DCL uses a completely different compressed data format than does PKZIP and zlib. However, you can look in zlib's `contrib/blast` directory for a possible solution to your problem.

28. Can I access data randomly in a compressed stream?

No, not without some preparation. If when compressing you periodically use `Z_FULL_FLUSH`, carefully write all the pending data at those points, and keep an index of those locations, then you can start decompression at those points. You have to be careful to not use `Z_FULL_FLUSH` too often, since it can significantly degrade compression. Alternatively, you can scan a deflate stream once to generate an index, and then use that index for random access. See `examples/zran.c`.

29. Does zlib work on MVS, OS/390, CICS, etc.?

It has in the past, but we have not heard of any recent evidence. There were working ports of zlib 1.1.4 to MVS, but those links no longer work. If you know of recent, successful applications of zlib on these operating systems, please let us know. Thanks.

30. Is there some simpler, easier to read version of inflate I can look at to understand the deflate format?

First off, you should read RFC 1951. Second, yes. Look in zlib's contrib/puff directory.

31. Does zlib infringe on any patents?

As far as we know, no. In fact, that was originally the whole point behind zlib. Look here for some more information:

<http://www.gzip.org/#faq11>

32. Can zlib work with greater than 4 GB of data?

Yes. inflate() and deflate() will process any amount of data correctly. Each call of inflate() or deflate() is limited to input and output chunks of the maximum value that can be stored in the compiler's "unsigned int" type, but there is no limit to the number of chunks. Note however that the strm.total_in and strm.total_out counters may be limited to 4 GB. These counters are provided as a convenience and are not used internally by inflate() or deflate(). The application can easily set up its own counters updated after each call of inflate() or deflate() to count beyond 4 GB. compress() and uncompress() may be limited to 4 GB, since they operate in a single call. gzseek() and gztell() may be limited to 4 GB depending on how zlib is compiled. See the zlibCompileFlags() function in zlib.h.

The word "may" appears several times above since there is a 4 GB limit only if the compiler's "long" type is 32 bits. If the compiler's "long" type is 64 bits, then the limit is 16 exabytes.

33. Does zlib have any security vulnerabilities?

The only one that we are aware of is potentially in gzprintf(). If zlib is compiled to use sprintf() or vsprintf(), then there is no protection against a buffer overflow of an 8K string space (or other value as set by gzbuffer()), other than the caller of gzprintf() assuring that the output will not exceed 8K. On the other hand, if zlib is compiled to use snprintf() or vsnprintf(), which should normally be the case, then there is no vulnerability. The ./configure script will display warnings if an insecure variation of sprintf() will be used by gzprintf(). Also the zlibCompileFlags() function will return information on what variant of sprintf() is used by gzprintf().

If you don't have snprintf() or vsnprintf() and would like one, you can find a portable implementation here:

<http://www.ijs.si/software/snprintf/>

Note that you should be using the most recent version of zlib. Versions 1.1.3 and before were subject to a double-free vulnerability, and versions 1.2.1 and 1.2.2 were subject to an access exception when decompressing invalid compressed data.

34. Is there a Java version of zlib?

Probably what you want is to use zlib in Java. zlib is already included as part of the Java SDK in the `java.util.zip` package. If you really want a version of zlib written in the Java language, look on the zlib home page for links: <http://zlib.net/>.

35. I get this or that compiler or source-code scanner warning when I crank it up to maximally-pedantic. Can't you guys write proper code?

Many years ago, we gave up attempting to avoid warnings on every compiler in the universe. It just got to be a waste of time, and some compilers were downright silly as well as contradicted each other. So now, we simply make sure that the code always works.

36. Valgrind (or some similar memory access checker) says that deflate is performing a conditional jump that depends on an uninitialized value. Isn't that a bug?

No. That is intentional for performance reasons, and the output of deflate is not affected. This only started showing up recently since zlib 1.2.x uses `malloc()` by default for allocations, whereas earlier versions used `calloc()`, which zeros out the allocated memory. Even though the code was correct, versions 1.2.4 and later was changed to not stimulate these checkers.

37. Will zlib read the (insert any ancient or arcane format here) compressed data format?

Probably not. Look in the `comp.compression` FAQ for pointers to various formats and associated software.

38. How can I encrypt/decrypt zip files with zlib?

zlib doesn't support encryption. The original PKZIP encryption is very weak and can be broken with freely available programs. To get strong encryption, use GnuPG, <http://www.gnupg.org/>, which already includes zlib compression. For PKZIP compatible "encryption", look at <http://www.info-zip.org/>

39. What's the difference between the "gzip" and "deflate" HTTP 1.1 encodings?

"gzip" is the gzip format, and "deflate" is the zlib format. They should probably have called the second one "zlib" instead to avoid confusion with the raw deflate compressed data format. While the HTTP 1.1 RFC 2616 correctly points to the zlib specification in RFC 1950 for the "deflate" transfer encoding, there have been reports of servers and browsers that incorrectly produce or expect raw deflate data per the deflate specification in RFC 1951, most notably Microsoft. So even though the "deflate" transfer encoding using the zlib format would be the more efficient approach (and in fact exactly what the zlib format was designed for), using the "gzip" transfer encoding is probably more reliable due to an unfortunate choice of name on the part of the HTTP 1.1 authors.

Bottom line: use the gzip format for HTTP 1.1 encoding.

40. Does zlib support the new "Deflate64" format introduced by PKWare?

No. PKWare has apparently decided to keep that format proprietary, since they have not documented it as they have previous compression formats. In any case, the compression improvements are so modest compared to other more modern approaches, that it's not worth the effort to implement.

41. I'm having a problem with the zip functions in zlib, can you help?

There are no zip functions in zlib. You are probably using minizip by Giles Vollant, which is found in the contrib directory of zlib. It is not part of zlib. In fact none of the stuff in contrib is part of zlib. The files in there are not supported by the zlib authors. You need to contact the authors of the respective contribution for help.

42. The match.asm code in contrib is under the GNU General Public License.

Since it's part of zlib, doesn't that mean that all of zlib falls under the GNU GPL?

No. The files in contrib are not part of zlib. They were contributed by other authors and are provided as a convenience to the user within the zlib distribution. Each item in contrib has its own license.

43. Is zlib subject to export controls? What is its ECCN?

zlib is not subject to export controls, and so is classified as EAR99.

44. Can you please sign these lengthy legal documents and fax them back to us so that we can use your software in our product?

No. Go away. Shoo.

Found in path(s):

* /zlib-1.2.11.dfsg-orig-2-tar-gz/zlib-1.2.11.dfsg/FAQ

1.46 npmcli-promise-spawn 7.0.2

1.46.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,

DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.47 lsb 11.1.0ubuntu4

1.47.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: LSB implementation package

Files: *

Copyright: 2002-2010, Chris Lawrence <lawrenc@debian.org>

License: GPL-2

Files: init-functions.d/50-ubuntu-logging

Copyright: 2005-2011, Canonical Ltd.

License: GPL-2

Files: init-functions

Copyright: 2002-2009, Chris Lawrence <lawrenc@debian.org>

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

- notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
 3. Neither the name of the author nor the names of other contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: GPL-2

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; version 2 dated June 1991.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the full text of the GNU General Public License version 2 can be found in the file `/usr/share/common-licenses/GPL-2`.

1.48 python-stdlib-extensions 3.10.8-1~22.04

1.48.1 Available under license :

This package was debianized by Matthias Klose <doko@debian.org> on Wed, 7 Jun 2006 15:02:31 +0200.

It was downloaded from <http://python.org/>, built by extracting the Tk and gdbm extensions from the upstream tarballs.

Copyright:

Upstream Author: Guido van Rossum <guido@cwil.nl> and others.

License:

The following text includes the Python license and licenses and acknowledgements for incorporated software. The licenses can be read in the HTML and texinfo versions of the documentation as well, after installing the pythonx.y-doc package.

Python License

=====

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes

the various releases.

Release	Derived from	Year	Owner	GPL- compatible? (1)
0.9.0 thru 1.2		1991-1995		
CWI	yes			
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3				
2.3.2	2002-2003	PSF	yes	
2.3.4	2.3.3	2004	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4.1	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004 Python Software Foundation; All Rights Reserved" are retained
in Python alone or in any derivative version prepared
by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF

trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2.

Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture

between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee.

Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR

IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI
MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable
material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands.
All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,

provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.49 socks-proxy-agent 8.0.4

1.49.1 Available under license :

MIT
(The MIT License)

Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.50 @npmcli/config 8.3.4

1.50.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.51 platformdirs 4.3.6

1.51.1 Available under license :

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.52 pcre2 10.39-3ubuntu0.1

1.52.1 Available under license :

PCRE2 LICENCE

Please see the file LICENCE in the PCRE2 distribution for licensing details.

End

PCRE2 LICENCE

PCRE2 is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Releases 10.00 and above of PCRE2 are distributed under the terms of the "BSD" licence, as specified below, with one exemption for certain binary redistributions. The documentation for PCRE2, supplied in the "doc" directory, is distributed under the same terms as the software itself. The data in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also included in the distribution is a just-in-time compiler that can be used to optimize pattern matching. This is an optional feature that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: Philip.Hazel
Email domain: gmail.com

Retired from University of Cambridge Computing Service,
Cambridge,
England.

Copyright (c) 1997-2021 University of Cambridge
All rights reserved.

PCRE2 JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2010-2021 Zoltan Herczeg
All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2009-2021 Zoltan Herczeg
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notices, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notices, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The second condition in the BSD licence (covering binary redistributions) does not apply all the way down a chain of software. If binary package A includes PCRE2, it must respect the condition, but if package B is software that includes package A, the condition is not imposed on package B unless it uses PCRE2 independently.

End

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.53 ucf 3.0043

1.53.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: ucf

Upstream-Contact: Manoj Srivastava <srivasta@debian.org>

Source: <https://anonscm.debian.org/users/srivasta/debian/ucf.git>

Copyright: 2002, 2003, 2003, 2004, 2005, 2006, 2015 Manoj Srivastava <srivasta@debian.org>

License: GPL-2

Files: *

Copyright: 2002, 2003, 2003, 2004, 2005, 2006, 2015 Manoj Srivastava <srivasta@debian.org>

License: GPL-2

Files: debian/po/ca.po

Copyright: 2004 Aleix Badia i Bosch <abadia@ica.es>

2008, 2009, 2010 Jordi Mallach <jordi@debian.org>

License: GPL-2

Files: debian/po/cs.po

Copyright: 2014 Miroslav Kure <kurem@debian.cz>

License: GPL-2

Files: debian/po/da.po

Copyright: 2005, 2007 Claus Hindsgaul <claus.hindsgaul@gmail.com>

2010, 2014, 2018 Joe Hansen <joedalton2@yahoo.dk>

License: GPL-2

Files: debian/po/de.po

Copyright: 2004-2009 Erik Schanze <eriks@debian.org>

2014, 2018 Holger Wansing <linux@wansing-online.de>

License: GPL-2

Files:

debian/po/es.po

Copyright: 2004 Lucas Wall <kthulhu@usa.net>

2007, 2010 Javier Fernandez-Sanguino <jfs@debian.org>

2014, 2018 Matias Bellone <matiasbellone+debian@gmail.com>

License: GPL-2

Files: debian/po/eu.po

Copyright: 2007, 2009 Piarres Beobide <pi@beobide.net>, 2007, 2009

2009, 2014 Iaki Larraaga Murgoitio <dooteo@zundun.com>

License: GPL-2

Files: debian/po/fi.po

Copyright: 2009, 2014 Esko Arajrvi <edu@iki.fi>

License: GPL-2

Files: debian/po/fr.po

Copyright: 2007 Eric Madesclair <eric-m@wanadoo.fr>

2009, 2014 Christian Perrier <bubulle@debian.org>

2018 Jean-Pierre Giraud <jean-pierregiraud@neuf.fr>

License: GPL-2

Files: debian/po/gl.po

Copyright: 2006, 2007 Jacobo Tarrío <jtarrío@debian.org>

2009 Marce Villarino <mvillarino@gmail.com>

License: GPL-2

Files: debian/po/it.po

Copyright: 2005-2010 Luca Bruno <lucab@debian.org>

License: GPL-2

Files: debian/po/ja.po

Copyright: 2018 Kenshi Muto <kmuto@debian.org>

License: GPL-2

Files:

debian/po/nl.po

Copyright: 2006 Kurt De Bree <kdebree@telenet.be>

2011 Jeroen Schot <schot@a-eskwadraat.nl>

2016 Frans Spiesschaert <Frans.Spiesschaert@yucom.be>

License: GPL-2

Files: debian/po/pl.po

Copyright: 2007 Wojciech Zarba <wojtekz@comp.waw.pl>

2012, 2014 Micha Kuach <michal.kulach@gmail.com>

License: GPL-2

Files: debian/po/pt_BR.po

Copyright: 2010 Flamarion Jorge <jorge.flamarion@gmail.com>

2014-2018 Adriano Rafael Gomes <adrianorg@debian.org>

License: GPL-2

Files: debian/po/pt.po

Copyright: 2007 Bruno Queiros <brunomiguelqueiros@sapo.pt>

2010-2018 Amrico Monteiro <a_monteiro@gmx.com>

License: GPL-2

Files: debian/po/ru.po

Copyright: 2006, 2007 Yuri Kozlov <kozlov.y@gmail.com>

2009, 2014, 2018 Yuri Kozlov <yuray@komyakino.ru>

License: GPL-2

Files: debian/po/sk.po

Copyright: 2011, 2014 Slavko <linux@slavino.sk>

License: GPL-2

Files: debian/po/sv.po

Copyright: 2007 Daniel Nylander <po@danielnylander.se>

2009, 2014 Martin Bagge <brother@bsnet.se>

License: GPL-2

Files: debian/po/vi.po

Copyright: 2005-2009 Clytie Siddall <clytie@riverland.net.au>

License: GPL-2

License: GPL-2

ucf is Copyright (C) 2002, 2003, 2003, 2004, 2005, 2006 Manoj
Srivastava <srivasta@debian.org>

.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991.

.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-2'.

.

A copy of the GNU General Public License is also available at
<URL:<http://www.gnu.org/copyleft/gpl.html>>.

You may also obtain
it by writing to the Free Software Foundation, Inc., 51 Franklin
St, Fifth Floor, Boston, MA 02110-1301 USA
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price.

Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This

License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may

copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component

itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number.

If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals

of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c'
for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public
License instead of this License.

1.54 cmd-shim 6.0.3

1.54.1 Available under license :

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.55 selinux 3.3-1build2

1.55.1 Available under license :

This library (libselinux) is public domain software, i.e. not copyrighted.

Warranty Exclusion

You agree that this software is a non-commercially developed program that may contain "bugs" (as that term is used in the industry) and that it may not function as intended. The software is licensed "as is". NSA makes no, and hereby expressly disclaims all, warranties, express, implied, statutory, or otherwise with respect to the software, including noninfringement and the implied warranties of merchantability and fitness for a particular purpose.

Limitation of Liability

In no event will NSA be liable for any damages, including loss of data, lost profits, cost of cover, or other special, incidental, consequential, direct or indirect damages arising from the software or the use thereof, however caused and on any theory of liability. This limitation will apply even if NSA has been advised of the possibility of such damage. You acknowledge that this is a reasonable allocation of risk.

1.56 libffi 3.4.2-4

1.56.1 Available under license :

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh an testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software
are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions

that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by
others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program
or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY

AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

libffi - Copyright (c) 1996-2021 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.57 ansi-regex 5.0.1

1.57.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.58 mpdecimal 2.5.1-2build2

1.58.1 Notifications :

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).

This product includes software written by Tim Hudson (tjh@cryptsoft.com).

1.58.2 Available under license :

DOCUMENTATION LICENSE

=====

Copyright 2010-2020 Stefan Krah. All rights reserved.

Redistribution and use in source (RST) and 'compiled' forms (HTML, PDF, PostScript and so forth) with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code (RST) must retain the above copyright notice, this list of conditions and the following disclaimer as the first lines of this file unmodified.
2. Modified documents must carry a notice that modification has occurred. This notice must also be present in any compiled form.
3. Redistributions in compiled form (converted to HTML, PDF, PostScript and other formats) must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS DOCUMENTATION IS PROVIDED BY THE AUTHOR "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

DISTRIBUTOR NOTES

=====

The license is the standard FreeBSD Documentation License with an added clause that requires a user notice for modifications. The following modification notices are sufficient:

RST files

The modification notice may be added below the license:

Copyright 2010-2020 Stefan Krah. All rights reserved.

...

...

IF ADVISED

OF THE POSSIBILITY OF SUCH DAMAGE.

This file was modified in 2020 by DISTRIBUTOR.

HTML files

The modification notice may be added to the copyright footer:

Copyright 2010-2020 Stefan Krah, modified 2020 by DISTRIBUTOR.

/*

* Copyright (c) 2008-2020 Stefan Krah. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED

* TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*/

1.59 libreadline 8.1.2-1

1.59.1 Available under license :

@c The GNU Free Documentation License.

@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,

@c hence no sectioning command or @node.

@display

Copyright @copyright{ } 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

@end display

@enumerate 0

@item

PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document @dfn{free} in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative
works of the document
must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

@item

APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that

contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The ``Document'', below, refers

to any such manual or work. Any member of the public is a licensee, and is addressed as ``you''. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ``Modified Version'' of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The ``Invariant Sections'' are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The ``Cover Texts'' are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A ``Transparent'' copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file

format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not ``Transparent" is called ``Opaque".

Examples of suitable formats for Transparent copies include plain `@sc{ascii}` without markup, Texinfo input format, `La@TeX{}` input format, `@acronym{SGML}` or `@acronym{XML}` using a publicly available `@acronym{DTD}`, and standard-conforming simple `@acronym{HTML}`, PostScript or `@acronym{PDF}` designed for human modification. Examples of transparent image formats include `@acronym{PNG}`, `@acronym{XCF}` and `@acronym{JPG}`. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, `@acronym{SGML}` or `@acronym{XML}` for which the `@acronym{DTD}` and/or processing tools are not generally available, and the machine-generated `@acronym{HTML}`, PostScript or `@acronym{PDF}` produced by some word processors for output purposes only.

The ``Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, ``Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher" means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements", ``Dedications", ``Endorsements", or ``History".) To ``Preserve the Title" of such a section when you modify the Document means that it remains a section ``Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties; any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever

to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible.

You may add other material on the covers in addition.

Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that

this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that

edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in

the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the ``History'' section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements''. Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled ``Endorsements'' or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document,

you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original

author or publisher of that section if known, or else a unique number.

Make the same adjustment to the section titles in the list of

Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History" in the various original documents, forming one section Entitled ``History"; likewise combine any sections Entitled ``Acknowledgements", and any sections Entitled ``Dedications". You must delete all sections Entitled ``Endorsements."

@item

COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract

a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item

AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item

TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'', ``Dedications'', or ``History'', the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

@item

TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See [{http://www.gnu.org/copyleft/}](http://www.gnu.org/copyleft/).

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License ``or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item

RELICENSING

``Massive Multiauthor Collaboration Site" (or ``MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration" (or ``MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole

or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

@smallexample

@group

Copyright (C) @var{year} @var{your name}.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled ``GNU Free Documentation License".

@end group

@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the ``with@dots{ }Texts." line with this:

@smallexample

@group

with the Invariant Sections being @var{list their titles}, with the Front-Cover Texts being @var{list}, and with the Back-Cover Texts being @var{list}.

@end group

@end smallexample

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License,

to permit their use in free software.

@c Local Variables:

@c ispell-local-pdict: "ispell-dict"

@c End:

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above

requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible

for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a

patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each

time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and
`show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.60 minimatch 9.0.5

1.60.1 Available under license :

ISC
The ISC License

Copyright (c) 2011-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.61 indent-string 4.0.0

1.61.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.62 sensible-utils 0.0.17

1.62.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: sensible-utils

Source: <https://salsa.debian.org/debian/sensible-utils>

Files: *

Copyright: 2002-2009, Clint Adams <schizo@debian.org>

2010- Anibal Monsalve Salazar <anibal@debian.org>

2012, David Prvot <taffit@debian.org>

2013, Thorsten Glaser

2017, Jrmy Bobbio

2017, Ximin Luo

2017- Bastien Roucaris <rouca@debian.org>

License: GPL-2+

Files: sensible-editor*

Copyright: 1997, Guy Maor

2002, 2004, 2006, Clint Adams

2007 Jari Aalto

2010- Anibal Monsalve Salazar <anibal@debian.org>

2017- Bastien Roucaris <rouca@debian.org>

License: GPL-2+

Files: sensible-pager*

Copyright: 1997, 1998, Guy Maor

2004, Clint Adams

2007 Jari Aalto

2010- Anibal Monsalve Salazar <anibal@debian.org>

2017- Bastien Roucaris <rouca@debian.org>

License: GPL-2+

Files: sensible-browser*
Copyright: 2002, Joey Hess
2003, 2007, 2008, Clint Adams
2007 Jaari
Aalto
2010- Anibal Monsalve Salazar <anibal@debian.org>
2017- Bastien Roucaris <rouca@debian.org>
License: GPL-2+

Files: select-editor*
Copyright: 2009, Dustin Kirkland <kirkland@canonical.com>.
2010- Anibal Monsalve Salazar <anibal@debian.org>
License: GPL-2+

Files: man/Makefile.am
man/utf8toman.sed
Copyright: 2012-2017, Guillaume Jover
License: GPL-2+
Comment: Part of this are copied from dpkg

Files: man/po4a/cs*
Copyright: 2012, Michal Simunek
License: GPL-2+

Files: man/po4a/de*
Copyright: 2011, Helge Kreutzmann <debian@helgefjell.de>
License: GPL-2+

Files: man/po4a/fr*
Copyright: Nicolas Francois <nicolas.francois@centraliens.net>
2017- Bastien Roucaris
License: GPL-2+

Files: man/po4a/es*
Copyright: 2010-2012, Omar Campagne
License: GPL-2+

Files: man/po4a/it*
Copyright: 2012, Beatrice Torracca
License: GPL-2+

Files: man/po4a/ja*
Copyright: 2010, Kurasawa Nozomu
License: GPL-2+

Files: man/po4a/pl*
Copyright: 2004, 2010, Robert Luberda <robert@debian.org>.
License:

GPL-2+

Files: man/po4a/pt*

Copyright: 2014, Amrico Monteiro <a_monteiro@gmx.com>

License: GPL-2+

Files: aclocal.m4

Copyright: 1996-2017, Free Software Foundation, Inc.

License: All-permissive

Files: *Makefile.in

Copyright: 1994-2017, Free Software Foundation, Inc.

License: All-permissive

Files: configure

Copyright: 1992-1996, 1998-2012, Free Software Foundation, Inc.

License: configure

This configure script is free software; the Free Software Foundation gives unlimited permission to copy, distribute and modify it.

Files: build-aux/missing

Copyright: 1996-2020, Free Software Foundation, Inc.

License: GPL-2+

Files: build-aux/test-driver

Copyright: 2011-2020, Free Software Foundation, Inc.

License: GPL-2+

Files: build-aux/install-sh

Copyright: 1994 X Consortium

License: installsh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.
Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

.
FSF changes to this file are in the public domain.

License: GPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.
This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.
You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

.
On Debian systems, the full text of the GNU General Public License version 2 can be found in the file
`usr/share/common-licenses/GPL-2'.

License: All-permissive

This file is free software; the Free Software Foundation gives unlimited permission to copy and/or distribute it, with or without modifications, as long as this notice is preserved.

.
This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY, to the extent permitted by law; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

1.63 minipass-flush 1.0.5

1.63.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.64 which 2.0.2

1.64.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.65 pam 1.4.0-11ubuntu2.6

1.65.1 Available under license :

Unless otherwise **explicitly** stated the following text describes the licensed conditions under which the contents of this Linux-PAM release may be distributed:

Redistribution and use in source and binary forms of Linux-PAM, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.

2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU General Public License, in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Unless otherwise *explicitly* stated the following text describes the licensed conditions under which the contents of this libpamc release may be distributed:

Redistribution and use in source and binary forms of libpamc, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote

products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU Library General Public License (LGPL), in which case the provisions of the GNU LGPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU LGPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.66 libmd 1.0.4-1build1

1.66.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files:

*

Copyright:

Copyright 2009, 2011, 2016 Guillem Jover <guillem@hadrons.org>

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY

AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/sha2.h

src/sha2.c

Copyright:

Copyright 2000-2001, Aaron D. Gifford

All rights reserved.

License: BSD-3-clause-Aaron-D-Gifford

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTOR(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/rmd160.h

src/rmd160.c

Copyright:

Copyright 2001 Markus Friedl. All rights reserved.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

src/md2.c

Copyright:

Copyright (c) 2001 The NetBSD Foundation, Inc.

All rights reserved.

.
This code is derived from software contributed to The NetBSD Foundation by Andrew Brown.

License: BSD-2-clause-NetBSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

man/rmd160.3

man/sha1.3

man/sha2.3

Copyright:

Copyright 1997, 2003, 2004 Todd C. Miller <Todd.Miller@courtesan.com>

License: ISC

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

man/mdX.3

src/helper.c

Copyright:

Poul-Henning Kamp <phk@login.dkuug.dk>

License: Beerware

"THE BEER-WARE LICENSE" (Revision 42):

<phk@login.dkuug.dk> wrote this file. As long as you retain this notice you

can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

Files:

include/md4.h

src/md4.c

Copyright:

Colin Plumb

Todd C. Miller

License: public-domain-md4

This code implements the MD4 message-digest algorithm.

The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed.

This code is in the public domain; do with it what you wish.

Todd C. Miller modified the MD5 code to do MD4 based on RFC 1186.

Files:

include/md5.h

src/md5.c

Copyright:

Colin Plumb

License: public-domain-md5

This code implements the MD5 message-digest algorithm.

The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed.

This code is in the public domain; do with it what you wish.

Files:

include/sha1.h

src/sha1.c

Copyright:

Steve Reid <steve@edmweb.com>

License: public-domain-sha1

100% Public

Domain

1.67 color-convert 2.0.1

1.67.1 Available under license :

Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.68 bcpkix-fips 2.1.9

1.68.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Base constructor.
 * <p>
 * The authorizer attempts to perform matching (including the use of the wildcard) in accordance with RFC 6125.
 * </p>
 * <p>
 * Known suffixes is a list of public domain suffixes that can't be used as wild cards for
 * example *.com, or c*c.com, as a dns wildcard could match every/most .com domains if a registrar were issue it.
 * If *.com is in the known suffixes list will not be allowed to match.
 * </p>
 *
 * @param knownSuffixes a set of suffixes that cannot be wild-carded, e.g. { ".com", ".net", ".org" }
 */
```

Found in path(s):

* /bcpkix-fips-2-1-9-sources-jar/org/bouncycastle/est/jcajce/JsseDefaultHostnameAuthorizer.java

1.69 @sigstore/protobuf-specs 0.3.2

1.69.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.70 libpkit 0.24.0-6build1

1.70.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of contributors to this software may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: p11-kit

Source: <https://p11-glue.github.io/p11-glue/p11-kit.html>

Files: *

Copyright: 2011 Collabora Ltd.

2004, 2005, 2007, 2008, 2012, 2013 Stefan Walter

2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019 Red Hat, Inc.

2012, 2013 Redhat Inc.

License: BSD-3-Clause

Files: common/pkcs11.h

Copyright: 2006, 2007 g10 Code GmbH

2006 Andreas Jellinghaus

Copyright 2017 Red Hat, Inc.

License: permissive-like-automake-output

This file is free software; as a special exception the author gives unlimited permission to copy and/or distribute it, with or without modifications, as long as this notice is preserved.

This file is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY, to the extent permitted by law; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. */

Files: common/vsock.c common/vsock.h

Copyright:

2020 Amazon.com, Inc. or its affiliates.

License: BSD-3-Clause

Files: p11-kit/server.c

common/unix-peer.h

Copyright: 2014 Red Hat Inc.

License: BSD-3-Clause

Comment: make_private_security_descriptor() and the helper functions were

* copied from putty/windows/winsecur.c in the PuTTY source code as of

* git commit 12bd5a6c722152aa27f24598785593e72b3284ea.

*

* PuTTY is copyright 1997-2017 Simon Tatham.

*

* Portions copyright Robert de Bath, Joris van Rantwijk, Delian

* Delchev, Andreas Schultz, Jeroen Massar, Wez Furlong, Nicolas Barry,

* Justin Bradford, Ben Harris, Malcolm Smith, Ahmad Khalifa, Markus

* Kuhn, Colin Watson, Christopher Staite, and CORE SDI S.A.

*

* Permission is hereby granted, free of charge, to any person

* obtaining a copy of this software and associated documentation files

* (the "Software"), to deal in the Software without restriction,

* including without limitation the rights to use, copy, modify, merge,

* publish, distribute, sublicense, and/or

sell copies of the Software,

* and to permit persons to whom the Software is furnished to do so,

* subject to the following conditions:

*

* The above copyright notice and this permission notice shall be

* included in all copies or substantial portions of the Software.

Files: trust/digest.c common/hash.c

Copyright: 2004, 2005, 2007, 2011 Internet Systems Consortium, Inc. ("ISC")

2000, 2001, 2003 Internet Software Consortium.

License: ISC

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND ISC DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL ISC BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: trust/base64.c trust/base64.h

Copyright: 1996, 1998 by Internet Software Consortium

Portions Copyright (c) 1995 by International Business Machines, Inc.

License: ISC+IBM

Copyright (c) 1996, 1998 by Internet Software Consortium.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Portions Copyright (c) 1995 by International Business Machines, Inc.

International Business Machines, Inc. (hereinafter called IBM) grants permission under its copyrights to use, copy, modify, and distribute this Software with or without fee, provided that the above copyright notice and all paragraphs of this notice appear in all copies, and that the name of IBM not be used in connection with the marketing of any product incorporating the Software or modifications thereof, without specific, written prior permission.

To the extent it has a right to do so, IBM grants an immunity from suit under its patents, if any, for the use, sale or manufacture of products to the extent that such products are used for performing Domain Name System dynamic updates in TCP/IP networks by means of the Software. No immunity is

granted for
any product per se or for any other function of any product.

THE SOFTWARE IS PROVIDED "AS IS", AND IBM DISCLAIMS ALL WARRANTIES,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE. IN NO EVENT SHALL IBM BE LIABLE FOR ANY SPECIAL,
DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE, EVEN
IF IBM IS APPRISED OF THE POSSIBILITY OF SUCH DAMAGES.

Files: common/compat.c

Copyright: Copyright (c) 2011 Collabora Ltd.

Portions of this file are covered by the following copyright:

Copyright (c) 2001 Mike Barcroft <mike@FreeBSD.org>

Copyright (c) 1990, 1993

Copyright (c) 1987, 1993

The Regents of the University of California.

Comment: This code is derived from software contributed to Berkeley by
Chris Torek.

License: BSD-3-Clause

Files: common/unix-peer.c

Copyright: 2013 Nikos Mavrogiannopoulos

License: BSD-3-Clause

Files: common/frob-getprogname.c

Copyright:

2020 Red Hat Inc.

License: BSD-3-Clause

Files: p11-kit/mock-module-ep8.c

Copyright: 2012 Stefan Walter

2020 Red Hat, Inc.

License: BSD-3-Clause

Files: fuzz/main.c

Copyright: 2017 Nikos Mavrogiannopoulos

License: LGPL-2.1+

Files: fuzz/rpc_fuzzer.c

Copyright: 2016 Google Inc

License: Apache-2.0

Files: debian/*

Copyright: 2011 Chris Coulson <chris.coulson@canonical.com>

2011-2021 Andreas Metzler <ametzler@debian.org>

License: BSD-3-Clause

Files: po/de.po

Copyright: 2011 Chris Leick

Comment: This file is distributed under the same license as the
debian files of the p11-kit package.

License: BSD-3-Clause

Files: po/fi.po

Copyright: 2012 Rosetta Contributors and Canonical Ltd 2012

Eerik Uusi-Illikainen <https://launchpad.net/~ekiuusi-4>, 2012

Timo Jyrinki <timo.jyrinki@iki.fi>, 2012

License: same-as-rest-of-p11kit

This file is distributed under the same license as the p11-kit
package.

License: BSD-3-Clause

Redistribution and use in source and binary forms,

with or without

modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: LGPL-2.1+

On Debian systems a copy of the LGPL 2.1 license can be found in
/usr/share/common-licenses/LGPL-2.1

License: Apache-2.0

On Debian systems a copy of the Apache 2.0 license can be found in
/usr/share/common-licenses/Apache-2.0

1.71 libxcrypt 1:4.4.27-1

1.71.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library,

whether gratis
or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many

libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a

portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses

the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the

object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above

specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE,

BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.72 @pkgjs/parseargs 0.11.0

1.72.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.73 fastest-levenshtein 1.0.16

1.73.1 Available under license :

MIT

MIT License

Copyright (c) 2020 Kasper Unn Weihe

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.74 color-name 1.1.4

1.74.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015 Dmitry Ivanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.75 libnpmhook 10.0.5

1.75.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS

ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.76 promise-call-limit 3.0.1

1.76.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.77 pflag 1.0.5

1.77.1 Available under license :

MIT License

Copyright (c) 2021 PHPComLab

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.78 spdx-expression-parse 3.0.1

1.78.1 Available under license :

The MIT License

Copyright (c) 2015 Kyle E. Mitchell & other authors listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.79 distlib 0.3.4

1.79.1 Available under license :

A. HISTORY OF THE SOFTWARE
=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's

principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes

2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated

documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

Distutils2 Contributors

=====

The Distutils2 project was started by Tarek Ziad and is currently maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order, and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett
- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau
- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad Delong
- Josip Djolonga
- John Edmonds
- Andr Espaze
- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier
- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin
- Kelsey Hightower
- Thomas Holmes
- Preston Holmes
- Christian Hudon

- Julien Jehannet
- Jeremy Kloth
- Thomas Kluyver
-
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lpez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce
- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider
- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner
- Alexandre Vassalotti
- Nadeem Vawda

Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Vinay Sajip not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD-licensed.

1.80 http-cache-semantics 4.1.1

1.80.1 Available under license :

BSD-2-Clause

Copyright 2016-2018 Kornel Lesiski

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.81 apt 2.4.14

1.81.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any

patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any

part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions

of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this

is what you want to do, use the GNU Lesser General
Public License instead of this License.

Apt is copyright 1997, 1998, 1999 Jason Gunthorpe and others.

Apt is currently developed by APT Development Team <deity@lists.debian.org>.

License: GPLv2+

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

See /usr/share/common-licenses/GPL-2, or
<<http://www.gnu.org/copyleft/gpl.txt>> for the terms of the latest version
of the
GNU General Public License.

1.82 ip-regex 5.0.0

1.82.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.83 asm 8.0.1

1.83.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

-->

Found in path(s):

- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/signature/package.html
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/package.html

No license file was found, but licenses were detected in source scan.

// All rights reserved.

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions

// are met:

// 1. Redistributions of source code must retain the above copyright

// notice, this list of conditions and the following disclaimer.

// 2. Redistributions in binary form must reproduce the above copyright

// notice, this list of conditions and the following disclaimer in the

// documentation and/or other materials provided with the distribution.

// 3. Neither the name of the copyright holders nor the names of its

// this software without specific prior written permission.

Found in path(s):

- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ModuleVisitor.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Type.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/RecordComponentWriter.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/CurrentFrame.java
- *
- /asm-8-0-1-sources-7-jar/org/objectweb/asm/Opcodes.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ConstantDynamic.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/MethodTooLargeException.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ClassReader.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/RecordComponentVisitor.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ClassVisitor.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/MethodVisitor.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/signature/SignatureWriter.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/TypeReference.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Label.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Edge.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Attribute.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/AnnotationVisitor.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Constants.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ModuleWriter.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Handler.java
- *
- /asm-8-0-1-sources-7-jar/org/objectweb/asm/MethodWriter.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ClassWriter.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Context.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ByteVector.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/FieldVisitor.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/SymbolTable.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/ClassTooLargeException.java

- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/AnnotationWriter.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/signature/SignatureReader.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Symbol.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/TypePath.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Handle.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/FieldWriter.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/signature/SignatureVisitor.java
- * /asm-8-0-1-sources-7-jar/org/objectweb/asm/Frame.java

1.84 libnmpublish 9.0.9

1.84.1 Available under license :

ISC

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.85 tzdata 2025b-0ubuntu0.22.04.1

1.85.1 Available under license :

Unless specified below, all files in the tz code and data (including this LICENSE file) are in the public domain.

If the files date.c, newstrftime.3, and strftime.c are present, they contain material derived from BSD and use the BSD 3-clause license.

1.86 libidn 2.3.2-2build1

1.86.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

```
Libidn2 COPYING -- Licensing information.          -*- outline -*-
Copyright (C) 2011-2016 Simon Josefsson
See the end for copying conditions.
```

The source code for the C library (libidn2.a or libidn.so) are licensed under the terms of either the GNU General Public License version 2.0 or later (see the file COPYINGv2) or the GNU Lesser General Public License version 3.0 or later (see the file

COPYING.LESSERv3), or both in parallel as here.

The command line tool, self tests, examples, and other auxiliary files, are licensed under the GNU General Public License version 3.0 or later.

The license of the Unicode character data files (which are parsed into static storage in the library) are documented in COPYING.unicode.

Other files are licensed as indicated in each file.

There may be exceptions to these general rules, see each file for precise information.

This file is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This file is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this file. If not, see <<http://www.gnu.org/licenses/>>.

A. Unicode Copyright.

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes and in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in the License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend.

Any technical data or software which is licensed to the United States of America, its agencies and/or

instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

C. Warranties and Disclaimers.

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO,

ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages.

In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

E. Trademarks & Logos.

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement

of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

F. Miscellaneous.

Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles

which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode. Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicode's prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

EXHIBIT 1

Unicode Data Files include all data files
under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT

AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either

(a) this copyright and permission notice appear with all copies of the Data Files or Software, or
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

1.87 binary-extensions 2.3.0

1.87.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
Copyright (c) Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.88 jackspeak 3.4.0

1.88.1 Available under license :

cfb53bd76796cf419b683a88e036d3ad

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <https://blueoakcouncil.org/license/1.0.0>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.

1.89 mkdirp 1.0.4

1.89.1 Available under license :

Copyright James Halliday (mail@substack.net) and Isaac Z. Schlueter (i@izs.me)

This project is free software released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.90 base-passwd 3.5.52build1

1.90.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: base-passwd

Upstream-Contact: Colin Watson <cjwatson@debian.org>

Files: *

Copyright: Copyright 1999-2002 Wichert Akkerman <wichert@deephackmode.org>

Copyright 2002, 2003, 2004 Colin Watson <cjwatson@debian.org>

License: GPL-2

Files:

passwd.master

group.master

License: public-domain

Copyright: PD; Originally written by Ian Murdock <imurdock@debian.org> and

Bruce Perens <bruce@pixar.com>.

Files: doc/*

Copyright: Copyright 2001, 2002 Joey Hess

Copyright 2002, 2003, 2004, 2005, 2007 Colin Watson

Copyright 2007 David Mandelberg

License: GPL-2

License: GPL-2

On Debian and Debian-based systems, a copy of the GNU General Public License version 2 is available in /usr/share/common-licenses/GPL-2.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses

are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's

source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish,
that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license would not permit
royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute
software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies
a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.91 distro 1.9.0

1.91.1 Available under license :

We thank anyone who has contributed to this project, and welcome anyone to contribute further.

For a list of contributors, please see <https://github.com/python-distro/distro/graphs/contributors>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.92 proc-log 4.2.0

1.92.1 Available under license :

The ISC License

Copyright (c) GitHub, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.93 bzip2 1.0.8-5build1

1.93.1 Available under license :

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@acm.org
bzip2/libbzip2 version 1.0.8 of 13 July 2019

1.94 libsemanage-common 3.3-1build2

1.94.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients

all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain

special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is

included without
limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that,

in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of

the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed

under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables

containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these

materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing

the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

This is the Debian package for libsemanage, and it is built from sources obtained from: <http://www.nsa.gov/selinux/code/download5.cfm>.

libsemanage is Copyright 2004-2007 Tresys Technology, LLC
Copyright 2005 Red Hat, Inc.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1

On Debian GNU/Linux systems,
the complete text of the Lesser GNU General
Public License can be found in `/usr/share/common-licenses/LGPL'.

This package is maintained by Manoj Srivastava <srivasta@debian.org>.

The Debian specific changes are 2005-2009, Manoj Srivastava <srivasta@debian.org>, and distributed under the terms of the GNU General Public License, version 2.

On Debian GNU/Linux systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL'.

A copy of the GNU General Public License is also available at <URL:<http://www.gnu.org/copyleft/gpl.html>>. You may also obtain it by writing to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

Manoj Srivastava <srivasta@debian.org>

arch-tag: d4250e44-a0e0-4ee0-adb9-2bd74f6eeb27

1.95 libnpmteam 6.0.5

1.95.1 Available under license :

ISC

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.96 fonts-dejavu 2.37-2build1

1.96.1 Available under license :

Fonts are (c) Bitstream (see below). DejaVu changes are in public domain.

Glyphs imported from Arev fonts are (c) Tavmjong Bah (see below)

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the

designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts

are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in

particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong @ free . fr.

TeX Gyre DJV Math

Fonts are (c) Bitstream (see below). DejaVu changes are in public domain.

Math extensions done by B. Jackowski, P. Strzelczyk and P. Pianowski (on behalf of TeX users groups) are in public domain.

Letters

imported from Euler Fraktur from AMSfonts are (c) American Mathematical Society (see below).

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license (Fonts) and associated documentation

files (the Font Software), to reproduce and distribute the Font Software,

including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words Bitstream or the word Vera.

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the Bitstream Vera names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE. Except as contained in this notice, the names of GNOME, the GNOME Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the GNOME Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

AMSFonTS (v. 2.2) copyright

The PostScript Type 1 implementation of the AMSFonts produced by and previously distributed by Blue Sky Research and Y&Y, Inc. are now freely available for general use. This has been accomplished through the cooperation of a consortium of scientific publishers with Blue Sky Research and Y&Y. Members of this consortium include:

Elsevier Science IBM Corporation Society for Industrial and Applied Mathematics (SIAM) Springer-Verlag American Mathematical Society (AMS)

In order to assure the authenticity of these fonts, copyright will be held by the American Mathematical Society. This is not meant to restrict in any way the legitimate use of the fonts, such as (but not limited to) electronic distribution of documents containing these fonts, inclusion of these fonts into other public domain or commercial font collections or computer applications, use of the outline data to create derivative fonts and/or faces, etc. However, the AMS does require that the AMS copyright notice be removed from any derivative versions of the fonts which have been altered in any way. In addition, to ensure the fidelity of TeX documents using Computer Modern fonts, Professor Donald Knuth, creator of the Computer Modern faces, has requested that any alterations which yield different font metrics be given a different name.

\$Id\$

1.97 gzip 1.10-4ubuntu4.1

1.97.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the

GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of

software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If

the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section
4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution
medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no

charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered

work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF

SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

1.98 normalize-package-data 6.0.2

1.98.1 Available under license :

This package contains code originally written by Isaac Z. Schlueter.
Used with permission.

Copyright (c) Meryn Stol ("Author")
All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD-2-Clause

1.99 proggy 2.0.0

1.99.1 Available under license :

The ISC License

Copyright (c) GitHub, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.100 xorg 1:7.7+23ubuntu2

1.100.1 Available under license :

2010-2011 Cyril Brulebois <kibi@debian.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Source Package: xorg

Debian/Ubuntu package authors: Branden Robinson, Fabio M. Di Nitto, Daniel Stone and others

Copyright 2004-2005 Canonical Ltd.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL SOFTWARE IN THE PUBLIC INTEREST, INC.

BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of Canonical Ltd. shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from Canonical Ltd.

Copyright 1996-2002 Software in the Public Interest, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The
above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL SOFTWARE IN THE PUBLIC INTEREST, INC. BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of Software in the Public Interest, Inc. shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from Software in the Public Interest, Inc.

Copyright 1998-2007 Branden Robinson <branden@debian.org>.

Copyright

2000, 2003, 2004 Progeny Linux Systems, Inc.

Copyright 1996 Stephen Early

Copyright 1997 Mark Eichin

Copyright 2005 David Nusinow

This is free software; you may redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

This is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License with the Debian operating system, in /usr/share/common-licenses/GPL; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

2010-2011 Cyril Brulebois <kibi@debian.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.101 signal-exit 4.1.0

1.101.1 Available under license :

ISC

The ISC License

Copyright (c) 2015-2023 Benjamin Coe, Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.102 gdbm 1.23-1

1.102.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007, 2011 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those

domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays
"Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible

feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content,

constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users'

Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work

in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge.

You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and

execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a

network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have

received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties

receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the

combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF

DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short

notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes
with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<http://www.gnu.org/licenses/>](http://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<http://www.gnu.org/philosophy/why-not-lgpl.html>](http://www.gnu.org/philosophy/why-not-lgpl.html).

1.103 libxau 1:1.0.9-1build5

1.103.1 Available under license :

Copyright 1988, 1993, 1994, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be

used

in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization from The Open Group.

1.104 mime-support 3.66

1.104.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Source: <https://salsa.debian.org/debian/mime-support>

Files: *

Copyright: public-domain

License: ad-hoc

This package was written by Brian White <bcwhite@pobox.com> and others.

It contains public information compiled from around the 'net and many people.

.

The "update-mime" program was written by Brian White and has been
placed in the public domain.

1.105 libjpeg 6b

1.105.1 Available under license :

Found license 'General Public License 2.0' in '# This file is free software; you can redistribute it and/or modify it #
under the terms of the GNU General Public License as published by # the Free Software Foundation; either version
2 of the License, or # (at your option) any later version. # This program is distributed in the hope that it will be
useful, but # WITHOUT ANY WARRANTY; without even the implied warranty of # MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU # General Public License for more details. # You
should have received a copy of the GNU General Public License # along with this program; if not, write to the Free
Software # As a special exception to the GNU General Public License, if you # This program is free software; you
can redistribute it and/or modify # it under the terms of the GNU General Public License as published by # the Free
Software Foundation; either version 2 of the License, or # (at your option) any later version. # This program is
distributed

in the hope that it will be useful, but # WITHOUT ANY WARRANTY; without even the implied warranty of #
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU # General Public License
for more details. # You should have received a copy of the GNU General Public License # along with this program;
if not, write to the Free Software # As a special exception to the GNU General Public License, if you'

Found license 'General Public License 2.0' in '# This file is free software; you can redistribute it and/or modify it #
under the terms of the GNU General Public License as published by'

Found license 'General Public License 2.0' in 'ansi2knr is distributed in the hope that it will be useful, but
WITHOUT ANY works at all, unless he says so in writing. Refer to the GNU General Public ----- Here is the
GNU GPL file COPYLEFT, referred to above ----- GHOSTSCRIPT GENERAL PUBLIC LICENSE mercy of
those companies. By contrast, our general public license is notice "Copyright (C) 1989 Aladdin Enterprises. All
rights reserved. source code, which must be distributed under the terms of corresponding source code, to be
distributed under the terms of all modules it contains; but, as a special exception, it need not include
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE'

1.106 libxtst 2:1.2.3-1build4

1.106.1 Available under license :

Copyright 1990, 1991 by UniSoft Group Limited
Copyright 1992, 1993, 1995, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice,
the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

Copyright 1995 Network Computing Devices

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Network Computing Devices not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

NETWORK COMPUTING DEVICES DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL NETWORK COMPUTING DEVICES BE LIABLE FOR ANY SPECIAL,

INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2005 Red Hat, Inc.

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of Red Hat not be used in
advertising or publicity pertaining to distribution of the software without
specific, written prior permission. Red Hat makes no
representations about the suitability of this software for any purpose. It
is provided "as is" without express or implied warranty.

RED HAT DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO
EVENT SHALL RED HAT BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

Copyright 1992 by UniSoft Group Ltd.

Permission to use, copy, modify, and distribute this documentation for
any purpose and without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
UniSoft makes no representations about the suitability for any purpose of
the information in this document. This documentation is provided "as is"
without express or implied warranty.

Copyright
1992, 1994, 1995 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,

and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Copyright 1994 Network Computing Devices, Inc.

Permission to use, copy, modify, distribute, and sell this documentation for any purpose is hereby granted without fee, provided that the above copyright notice and this permission notice appear in all copies. Network Computing Devices, Inc. makes no representations about the suitability for any purpose of the information in this document. This documentation is provided "as is" without express or implied warranty.

1.107 libxcb 1.14-3ubuntu3

1.107.1 Available under license :

Copyright (C) 2001-2006 Bart Massey, Jamey Sharp, and Josh Triplett.
All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the names of the authors or their institutions shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the authors.

1.108 idna 14.0.0

1.108.1 Available under license :

BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.109 abbrev 2.0.0

1.109.1 Available under license :

This software is dual-licensed under the ISC and MIT licenses.

You may use this software under EITHER of the following licenses.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright Isaac Z. Schlueter and Contributors

All rights reserved.

Permission is

hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
ISC

1.110 agent-base 7.1.1

1.110.1 Available under license :

MIT
(The MIT License)

Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.111 smart-buffer 4.2.0

1.111.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2013-2017 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.112 cobra 1.4.0

1.112.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.113 libnpmversion 6.0.3

1.113.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.114 ansi-styles 6.2.1

1.114.1 Available under license :

MIT

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.115 archy 1.0.0

1.115.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.116 libnpmsearch 7.0.6

1.116.1 Available under license :

ISC

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.117 media-types 7.0.0

1.117.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Source: <https://salsa.debian.org/debian/media-types>

Files: *

Copyright: public-domain

License: ad-hoc

This package contains public information compiled from around the 'net and many people.

1.118 sed 4.8-1ubuntu2

1.118.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to

share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the

extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and

appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section
4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution
medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding

Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and

protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered

work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read
<<https://www.gnu.org/philosophy/why-not-lgpl.html>>.

1.119 @npmcli/node-gyp 3.0.0

1.119.1 Available under license :

ISC

1.120 procps 2:3.3.17-6ubuntu2.1

1.120.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: procps-ng

Source: <https://gitlab.com/procps-ng/procps>

Files: *

Copyright: 1998-2004 Albert Cahalan

1991 Tony Rems <rembo@unisoft.com>

1993 Larry Greenfield

1996 Charles Blake

1999 Mike Coleman <mkc@acm.org>

2004 Nicholas Miell

2003 Chris Rivera

2003 Robert Love <rml@tech9.net>

2008 Morty Abzug

2009 Jarrod Lowe <procps@rrod.net>

1992 Branko Lankester

???? David Engel <david@ods.com>
1992-1998 Michael K. Johnson <johnsonm@sunsite.unc.edu>
2012 Craig Small <csmall@enc.com.au>
1995 Martin Schulze <joe@infodrom.north.de>
License: LGPL-2.1+

Files: top/*
Copyright: 2002-2014 James C. Warner
License: LGPL-2.0+

Files: pgrep.*
Copyright: 2000 Kjetil Torgrim Homme <kjetilho@ifi.uio.no>
2002,2006 Albert Cahalan
2012 Roberto Polli
<rpolli@babel.it>
License: GPL-2.0+

Files: pidof.*
Copyright: 2013 Jaromir Capik <jcapik@redhat.com>
License: GPL-2.0+

Files: free.*
Copyright: 2011 Sami Kerola <kerolasa@iki.fi>
2002-2003 Robert Love <rml@tech9.net>
1992 Brian Edmonds
1992 Rafal Maszkowski
2004 Albert Cahalan
License: GPL-2.0+

Files: sysctl.*
Copyright: 1999 George Staikos
License: GPL-2.0+

Files: debian/*
Copyright: 1997-2015 Craig Small <csmall@debian.org>
1996-1997 Helmut Geyer <Helmut.Geyer@iwr.uni-heidelberg.de>
License: GPL-2.0+

License: GPL-2.0+
This package is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR

PURPOSE. See the
GNU General Public License for more details.

.
You should have received a copy of the GNU General Public License
along with this program. If not, see <<https://www.gnu.org/licenses/>>

.
On Debian systems, the complete text of the GNU General
Public License version 2 can be found in "/usr/share/common-licenses/GPL-2".

License: LGPL-2.0+

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

.
You should have received a copy of the GNU General Public License
along with this program. If not, see <<https://www.gnu.org/licenses/>>.

.
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-2".

License: LGPL-2.1+

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

.
You should have received a copy of the GNU General Public License
along with this program. If not, see <<https://www.gnu.org/licenses/>>.

.
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-2.1".

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the

program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause

any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

When

we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if

you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General

Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means

all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has

a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form

under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit

modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally

accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the

ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.121 sysv-init 3.01-1ubuntu1

1.121.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software

patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each

time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding

those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be

mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Sysvinit is Copyright (C) 1991-2004 Miquel van Smoorenburg
Updated Copyright (C) 2018 Jesse Smith

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian GNU/Linux systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'.

Send patches to sysvinit-devel@nongnu.org

1.122 minipass-collect 2.0.1

1.122.1 Available under license :

The ISC License

Copyright (c) 2019-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.123 @npmcli/map-workspaces 3.0.6

1.123.1 Available under license :

ISC

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.124 e2fsprogs 1.46.5-2ubuntu1.2

1.124.1 Available under license :

This package was added to the e2fsprogs debian source package by Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

<http://sourceforge.net/projects/e2fsprogs>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2001 by Andries Brouwer

Copyright (C) 1999, 2000, 2003 by Theodore Ts'o

You are free to distribute this software under the terms of the GNU Lesser (Library) General Public License.

On Debian systems, the complete text of the GNU Lesser (Library) General Public License can be found in /usr/share/common-licenses/LGPL-2. This is the Debian GNU/Linux prepackaged version of the static EXT2 file system consistency checker (e2fsck.static). The EXT2 utilities were written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from <http://sourceforge.net/projects/e2fsprogs>

Packaging is Copyright (c) 2003-2006 Theodore Ts'o <tytso@mit.edu>

Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>

Copyright (c) 2001 Alcove <<http://www.alcove.com/>>

Copyright (c) 1997 Klee Dienes

Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, is protected by the GNU General Public License.

Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'.

#

This is a Makefile stub which handles the creation of BSD shared
libraries.

#

In order to use this stub, the following makefile variables must be defined.

#

BSDLIB_VERSION = 1.0

BSDLIB_IMAGE = libce

BSDLIB_MYDIR = et

BSDLIB_INSTALL_DIR = \$(SHLIBDIR)

#

all:: image

real-subdirs:: Makefile

@echo " MKDIR pic"

@mkdir -p pic

BSD_LIB = \$(BSDLIB_IMAGE).so.\$(BSDLIB_VERSION)

BSDLIB_PIC_FLAG = -fpic

image: \$(BSD_LIB)

\$(BSD_LIB): \$(OBJS)

(cd pic; ld -Bshareable -o \$(BSD_LIB) \$(LDFLAGS_SHLIB) \$(OBJS))

\$(MV) pic/\$(BSD_LIB) .

\$(RM) -f ../\$(BSD_LIB)

(cd ..; \$(LN) \$(LINK_BUILD_FLAGS) \

`echo \$(my\_dir) | sed -e 's;lib/;;`'\$(BSD_LIB) \$(BSD_LIB))

install-shlibs install:: \$(BSD_LIB)

@echo " INSTALL_PROGRAM \$(BSDLIB_INSTALL_DIR)/\$(BSD_LIB)"

@\$(INSTALL_PROGRAM) \$(BSD_LIB) \

\$(DESTDIR)\$ (BSDLIB_INSTALL_DIR)/\$(BSD_LIB)

@-\$(LDCONFIG)

install-strip: install

install-shlibs-strip:: install-shlibs

uninstall-shlibs uninstall::

\$(RM) -f \$(DESTDIR)\$ (BSDLIB_INSTALL_DIR)/\$(BSD_LIB)

clean::

\$(RM)

-rf pic

\$(RM) -f \$(BSD_LIB)

\$(RM) -f ../\$(BSD_LIB)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote

products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This is the Debian GNU/Linux prepackaged version of the translation files of the EXT2 file system utilities. The EXT2 utilities were written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from <http://sourceforge.net/projects/e2fsprogs>

Packaging is Copyright (c) 2003-2006 Theodore Ts'o <tytso@mit.edu>

Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>

Copyright (c) 2001 Alcove <<http://www.alcove.com/>>

Copyright (c) 1997 Klee Dienes

Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, is protected by the GNU General Public License.

Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'. This package was added to the e2fsprogs debian source package by Theodore Ts'o <tytso@mit.edu> on Fri Dec 14 22:24:35 EST 2007

It is part of the main e2fsprogs distribution, which can be found at:

<http://sourceforge.net/projects/e2fsprogs>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 by
Theodore Ts'o

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, and the entire permission notice in its entirety,
including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
products derived from
this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Index: tdbsa/tdb.c

=====

--- tdbsa.orig/tdb.c

+++ tdbsa/tdb.c

@@ -4,11 +4,11 @@ Rev: 23371

Last Changed Date: 2007-06-06 20:14:06 -0400 (Wed, 06 Jun 2007)

*/

/*

- Unix SMB/CIFS implementation.
- + trivial database library - standalone version
- trivial database library - private includes
-
- Copyright (C) Andrew Tridgell 2005
- + Copyright (C) Andrew Tridgell 1999-2005

- + Copyright (C) Jeremy Allison 2000-2006
- + Copyright (C) Paul 'Rusty' Russell 2000

** NOTE! The following LGPL license applies to the tdb
** library. This does NOT imply that all of Samba is released
EXT2ED is hereby placed under the terms of the GNU General Public License.
Follows the GNU license.

Gadi Oxman, August 1995

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the
GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the

source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you

conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES

PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY

TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY;
for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider

it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

This package, the EXT2 filesystem utilities, are made available under the GNU Public License version 2, with the exception of the lib/ext2fs and lib/e2p libraries, which are made available under the GNU Library General Public License Version 2, the lib/uuid library which is made available under a BSD-style license and the lib/et and lib/ss libraries which are made available under an MIT-style license. Please see lib/uuid/COPYING for more details for the license for the files comprising the libuuid library, and the source file headers of the libet and libss libraries for more information.

The most recent officially distributed version can be found at <http://e2fsprogs.sourceforge.net>. If you need to make a distribution, that's the one you should use. If there is some reason why you'd like a more recent version that is still in ALPHA testing (i.e., either using the "WIP" test distributions or one from the hg or git repository from the development branch, please contact me

(tytso@mit.edu)

before you ship. The release schedules for this package are flexible, if you give me enough lead time.

Theodore Ts'o

23-June-2007

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source

code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered

only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate

copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt

otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made

generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name
of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision
comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this,

we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities

other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion

of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies,

or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute

the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free

Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME

THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

This is the Debian GNU/Linux prepackaged version of the EXT2 file system utilities (e2fsck, mke2fs, etc.). The EXT2 utilities were written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from <http://sourceforge.net/projects/e2fsprogs>

Packaging is Copyright (c) 2003-2007 Theodore Ts'o <tytso@mit.edu>
Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
Copyright (c) 2001 Alcove <<http://www.alcove.com/>>
Copyright (c) 1997 Klee Dienes
Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, are made available under the GNU General Public License version 2, with the exception of the lib/ext2fs and lib/e2p libraries, which are made available under the GNU Library General Public License Version 2, the lib/uuid library which is made available under a BSD-style license and the lib/et and lib/ss libraries which are made available under an MIT-style license.

Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'. The complete text of the GNU Library General Public License can be found in `/usr/share/common-licenses/LGPL-2'.

The license used for lib/et and lib/ss libraries is:

Copyright 1987 by the Student Information Processing Board
of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose is hereby granted, provided that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. and the M.I.T. S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

The license used for lib/uuid is:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This package was added to the e2fsprogs debian source package by Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

<http://sourceforge.net/projects/e2fsprogs>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2003, 2004 by Theodore Ts'o

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This is the Debian GNU/Linux prepackaged version of the ss command-line interface parsing library. It is currently distributed together with the EXT2 file system utilities, which are otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>, from sources obtained from a mirror of:
tsx-11.mit.edu/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is

hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

M.I.T. and

the M.I.T. S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

This is the Debian GNU/Linux prepackaged version of the Common Error Description library. It is currently distributed together with the EXT2 file system utilities, which are otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>, from sources obtained from a mirror of:
tsx-11.mit.edu/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. and the M.I.T.

S.I.P.B. make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

1.125 fs-minipass 2.1.0

1.125.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.126 wheel 0.37.1-2ubuntu0.22.04.1

1.126.1 Available under license :

"wheel" copyright (c) 2012-2014 Daniel Holth <dholth@fastmail.fm> and contributors.

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.127 pyproject-hooks 1.2.0

1.127.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.128 bouncycastle-fips 2.1.2

1.128.1 Available under license :

/**

* The Bouncy Castle License.

* <p>

* Copyright (c) 2015-2023 The Legion Of The Bouncy Castle Inc. (<https://www.bouncycastle.org>)

* </p><p>

* Permission is hereby granted, free of charge, to any person obtaining a copy of this software

* and associated documentation files (the "Software"), to deal in the Software without restriction,

* including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,

* and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,

* subject to the following conditions:

* </p><p>

* The above copyright notice and this permission notice shall be included in all copies or substantial

* portions of the Software.

* </p><p>

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR

* PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR

* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER

* DEALINGS IN THE SOFTWARE.

* </p>

*/

1.129 libcap-ng 0.7.9-2.2build3

1.129.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library,

whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many

libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may

distribute

the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy

from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as

distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.130 @sigstore/verify 1.2.1

1.130.1 Available under license :

Apache License 2.0

1.131 promzard 1.0.2

1.131.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.132 @npmcli/redact 2.0.1

1.132.1 Available under license :

ISC

MIT License

Copyright (c) 2024 npm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.133 @npmcli/agent 2.2.2

1.133.1 Available under license :

ISC

1.134 tenacity 8.2.2

1.134.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.135 typing-extensions 4.15.0

1.135.1 Available under license :

UNRECOGNIZED LICENSE; MD5 sum: 03df4f38533adb1116a8b9a1e0a8d816

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6,
examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2
and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright
(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY

INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS

AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet

using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

1.136 npm-bundled 3.0.1

1.136.1 Available under license :

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.137 minipass-fetch 3.0.5

1.137.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) Isaac Z. Schlueter and Contributors

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Note: This is a derivative work based on "node-fetch" by David Frank, modified and distributed under the terms of the MIT license above.
<https://github.com/bitinn/node-fetch>

1.138 foreground-child 3.2.1

1.138.1 Available under license :

The ISC License

Copyright (c) 2015-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.139 treeverse 3.0.0

1.139.1 Available under license :

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.140 ansi-regex 6.0.1

1.140.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.141 libgpg-error 1.43-3

1.141.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed

to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim
copies of the Program's

source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands
`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide
to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether
gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them

with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it

becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or

derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a

work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the

Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those

countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A

FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James

Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

1.142 make-fetch-happen 13.0.1

1.142.1 Available under license :

ISC

ISC License

Copyright 2017-2022 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.143 colorama 0.4.4

1.143.1 Available under license :

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without

specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.144 libx11 2:1.7.5-1ubuntu0.3

1.144.1 Available under license :

The following is the 'standard copyright' agreed upon by most contributors, and is currently the canonical license preferred by the X.Org Foundation. This is a slight variant of the common MIT license form published by the Open Source Initiative at <http://www.opensource.org/licenses/mit-license.php>

Copyright holders of new code should use this license statement where possible, and insert their name to this list. Please sort by surname for people, and by the full name for other entities (e.g. Juliusz Chroboczek sorts before Intel Corporation sorts before Daniel Stone).

See each individual source file or directory for the license that applies to that file.

Copyright (C) 2003-2006,2008 Jamey Sharp, Josh Triplett
Copyright 2009 Red Hat, Inc.
Copyright 1990-1992,1999,2000,2004,2009,2010 Oracle and/or its affiliates.
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The following licenses
are 'legacy' - usually MIT/X11 licenses with the name
of the copyright holder(s) in the license statement:

Copyright 1984-1994, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

X Window System is a trademark of The Open Group.

Copyright 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1994, 1996 X Consortium
Copyright 2000 The XFree86 Project, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Copyright 1985, 1986, 1987, 1988, 1989, 1990, 1991 by
Digital Equipment Corporation

Portions Copyright 1990, 1991 by Tektronix, Inc.

Permission to use, copy, modify and distribute this documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appears in all copies and that both that copyright notice and this permission notice appear in all copies, and that the names of Digital and Tektronix not be used in in advertising or publicity pertaining to this documentation without specific, written prior permission. Digital and Tektronix makes no representations about the suitability of this documentation for any purpose. It is provided ``as is" without express or implied warranty.

Copyright (c) 1999-2000 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice
and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE FREE SOFTWARE FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the Free Software Foundation shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the Free Software Foundation.

Code and supporting documentation (c) Copyright 1990 1991 Tektronix, Inc.
All Rights Reserved

This file is a component of an X Window System-specific
implementation
of Xcms based on the TekColor Color Management System. TekColor is a
trademark of Tektronix, Inc. The term "TekHVC" designates a particular
color space that is the subject of U.S. Patent No. 4,985,853 (equivalent
foreign patents pending). Permission is hereby granted to use, copy,
modify, sell, and otherwise distribute this software and its
documentation for any purpose and without fee, provided that:

1. This copyright, permission, and disclaimer notice is reproduced in
all copies of this software and any modification thereof and in
supporting documentation;
2. Any color-handling application which displays TekHVC color
coordinates identifies these as TekHVC color coordinates in any
interface that displays these coordinates and in any associated
documentation;
3. The term "TekHVC" is always used, and is only used, in association
with the mathematical derivations of the TekHVC Color Space,
including those provided in this file and any equivalent
pathways and
mathematical derivations, regardless of digital (e.g., floating point
or integer) representation.

Tektronix makes no representation about the suitability of this software
for any purpose. It is provided "as is" and with all faults.

TEKTRONIX DISCLAIMS ALL WARRANTIES APPLICABLE TO THIS SOFTWARE,

INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL TEKTRONIX BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA, OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE, OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR THE PERFORMANCE OF THIS SOFTWARE.

(c) Copyright 1995 FUJITSU LIMITED

This is source code modified by FUJITSU LIMITED under the Joint Development Agreement for the CDE/Motif PST.

Copyright 1992 by Oki Technosystems
Laboratory, Inc.
Copyright 1992 by Fuji Xerox Co., Ltd.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Oki Technosystems Laboratory and Fuji Xerox not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

Oki Technosystems Laboratory and Fuji Xerox make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

OKI TECHNOSYSTEMS LABORATORY AND FUJI XEROX DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL OKI TECHNOSYSTEMS LABORATORY AND FUJI XEROX BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1990, 1991, 1992, 1993, 1994 by FUJITSU LIMITED

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and

that both that copyright notice and this permission notice appear in supporting documentation, and that the name of FUJITSU LIMITED not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. FUJITSU LIMITED makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

FUJITSU LIMITED DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL FUJITSU LIMITED BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 1995 David E. Wexelblat. All rights reserved

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL DAVID E. WEXELBLAT BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of David E. Wexelblat shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from David E. Wexelblat.

Copyright 1990, 1991 by OMRON Corporation

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name OMRON not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. OMRON makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

OMRON DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL OMRON BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTUOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1985, 1986, 1987, 1988, 1989, 1990, 1991 by
Digital Equipment
Corporation

Portions Copyright 1990, 1991 by Tektronix, Inc

Rewritten for X.org by Chris Lee <clee@freedesktop.org>

Permission to use, copy, modify, distribute, and sell this documentation for any purpose and without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies. Chris Lee makes no representations about the suitability for any purpose of the information in this document. It is provided ``as-is" without express or implied warranty.

Copyright 1993 by Digital Equipment Corporation, Maynard, Massachusetts,
Copyright 1994 by FUJITSU LIMITED
Copyright 1994 by Sony Corporation

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its

documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice
appear in
supporting documentation, and that the names of Digital, FUJITSU
LIMITED and Sony Corporation not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.

DIGITAL, FUJITSU LIMITED AND SONY CORPORATION DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL DIGITAL, FUJITSU LIMITED
AND SONY CORPORATION BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

Copyright 1991 by the Open Software Foundation

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above
copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of Open Software Foundation
not be used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission. Open Software
Foundation makes no representations about the suitability of this
software for any purpose. It is provided "as is" without express or
implied warranty.

OPEN SOFTWARE FOUNDATION DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL OPEN SOFTWARE FOUNDATION BE
LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright
1990, 1991, 1992, 1993, 1994 by FUJITSU LIMITED
Copyright 1993, 1994 by Sony Corporation

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of FUJITSU LIMITED and Sony Corporation not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. FUJITSU LIMITED and Sony Corporation makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

FUJITSU LIMITED AND SONY CORPORATION DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL FUJITSU LIMITED OR SONY CORPORATION BE LIABLE FOR

ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 1993, 1995 by Silicon Graphics Computer Systems, Inc.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Silicon Graphics not be used in advertising or publicity pertaining to distribution of the software without specific prior written permission. Silicon Graphics makes no representation about the suitability of this software for any purpose. It is provided "as is" without any express or implied warranty.

SILICON

GRAPHICS DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1991, 1992, 1993, 1994 by FUJITSU LIMITED

Copyright 1993 by Digital Equipment Corporation

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of FUJITSU LIMITED and Digital Equipment Corporation not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. FUJITSU LIMITED and Digital Equipment Corporation makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

FUJITSU LIMITED AND DIGITAL EQUIPMENT CORPORATION DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL FUJITSU LIMITED AND DIGITAL EQUIPMENT CORPORATION BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1992, 1993 by FUJITSU LIMITED

Copyright 1993 by Fujitsu Open Systems Solutions, Inc.

Copyright 1994 by Sony
Corporation

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of FUJITSU LIMITED, Fujitsu Open Systems Solutions, Inc. and Sony Corporation not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. FUJITSU LIMITED, Fujitsu Open Systems Solutions, Inc. and Sony Corporation make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

FUJITSU LIMITED, FUJITSU OPEN SYSTEMS SOLUTIONS, INC. AND SONY

CORPORATION DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS,
IN NO EVENT SHALL FUJITSU OPEN SYSTEMS SOLUTIONS, INC.,
FUJITSU LIMITED
AND SONY CORPORATION BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE
OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE
OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1987, 1988, 1990, 1993 by Digital Equipment Corporation,
Maynard, Massachusetts,

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Digital not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission.

DIGITAL DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL
DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,
ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

Copyright 1993 by SunSoft, Inc.
Copyright 1999-2000 by Bruno Haible

Permission to use, copy, modify, distribute, and sell this software
and its documentation for any purpose is hereby granted without fee,
provided that the above copyright notice appear in all copies and
that both that copyright notice and this permission notice appear
in supporting documentation, and that the names of SunSoft, Inc. and
Bruno Haible not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission. SunSoft, Inc. and

Bruno Haible make no representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

SunSoft Inc. AND Bruno Haible DISCLAIM ALL WARRANTIES WITH REGARD
TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS, IN NO EVENT SHALL SunSoft, Inc. OR Bruno Haible BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1991 by the Open Software Foundation
Copyright 1993 by the TOSHIBA Corp.

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and
this permission notice appear in supporting
documentation, and that the names of Open Software Foundation and TOSHIBA
not be used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission. Open Software
Foundation and TOSHIBA make no representations about the suitability of this
software for any purpose. It is provided "as is" without express or
implied warranty.

OPEN SOFTWARE FOUNDATION AND TOSHIBA DISCLAIM ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL OPEN SOFTWARE FOUNDATION OR TOSHIBA BE
LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1988 by Wyse Technology, Inc.,
San Jose, Ca.,

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in

supporting documentation, and that the name Wyse not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

WYSE DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright
1991 by the Open Software Foundation
Copyright 1993, 1994 by the Sony Corporation

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of Open Software Foundation and Sony Corporation not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Open Software Foundation and Sony Corporation make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

OPEN SOFTWARE FOUNDATION AND SONY CORPORATION DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL OPEN SOFTWARE FOUNDATION OR SONY CORPORATION BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1992, 1993 by FUJITSU LIMITED
Copyright 1993 by Fujitsu Open Systems Solutions, Inc.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and

that both that copyright notice and this permission notice appear in supporting documentation, and that the name of FUJITSU LIMITED and Fujitsu Open Systems Solutions, Inc. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

FUJITSU LIMITED and Fujitsu Open Systems Solutions, Inc. makes no representations about

the suitability of this software for any purpose.

It is provided "as is" without express or implied warranty.

FUJITSU LIMITED AND FUJITSU OPEN SYSTEMS SOLUTIONS, INC. DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL FUJITSU OPEN SYSTEMS SOLUTIONS, INC. AND FUJITSU LIMITED BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1993, 1994 by Sony Corporation

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in

supporting documentation, and that the name of Sony Corporation not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

Sony Corporation makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

SONY CORPORATION DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL SONY CORPORATION BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1986, 1998 The Open Group

Copyright (c) 2000 The XFree86 Project, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM OR THE XFREE86 PROJECT BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium or of the XFree86 Project shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium and the XFree86 Project.

Copyright 1990, 1991 by OMRON Corporation, NTT Software Corporation,
and Nippon Telegraph and Telephone Corporation
Copyright 1991 by the Open Software Foundation
Copyright 1993 by the FUJITSU LIMITED

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of OMRON, NTT Software, NTT, and Open Software Foundation not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. OMRON, NTT Software, NTT, and Open Software Foundation make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

OMRON, NTT SOFTWARE, NTT, AND OPEN SOFTWARE FOUNDATION
DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT
SHALL OMRON, NTT SOFTWARE, NTT, OR OPEN SOFTWARE FOUNDATION BE

LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1988 by Wyse Technology, Inc., San Jose, Ca,
Copyright 1987 by Digital Equipment Corporation, Maynard, Massachusetts,

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name Digital not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

DIGITAL AND WYSE DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL DIGITAL OR WYSE BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1991, 1992 by Fuji Xerox Co., Ltd.
Copyright 1992, 1993, 1994 by FUJITSU LIMITED

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Fuji Xerox, FUJITSU LIMITED not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Fuji Xerox, FUJITSU LIMITED make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

FUJI XEROX, FUJITSU LIMITED DISCLAIM ALL WARRANTIES WITH

REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL FUJI XEROX, FUJITSU LIMITED BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright
2006 Josh Triplett

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(c) Copyright 1996 by Sebastien Marineau and Holger Veit
<marineau@genie.uottawa.ca>
<Holger.Veit@gmd.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL
HOLGER VEIT BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF
OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Except as contained in this notice, the name of Sebastien Marineau or Holger Veit shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from Holger Veit or Sebastien Marineau.

Copyright 1990, 1991 by OMRON Corporation, NTT Software Corporation,
and Nippon Telegraph and Telephone Corporation
Copyright 1991 by the Open Software Foundation
Copyright 1993 by the TOSHIBA Corp.
Copyright 1993, 1994 by Sony Corporation
Copyright 1993, 1994 by the FUJITSU LIMITED

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee,
provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the names of OMRON, NTT Software, NTT, Open
Software Foundation, and Sony Corporation not be used in advertising
or publicity pertaining to distribution of the software without specific,
written prior permission. OMRON, NTT Software, NTT, Open Software
Foundation, and Sony Corporation make no representations about the
suitability of this software for any purpose. It is provided "as is"
without express or implied warranty.

OMRON, NTT SOFTWARE, NTT, OPEN SOFTWARE FOUNDATION, AND SONY
CORPORATION DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT
SHALL OMRON, NTT SOFTWARE, NTT, OPEN SOFTWARE FOUNDATION, OR SONY
CORPORATION BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA
OR PROFITS, WHETHER
IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2000 by Bruno Haible

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Bruno Haible not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Bruno Haible makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Bruno Haible DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT

SHALL Bruno Haible BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2003 Keith Packard

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Keith Packard not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Keith Packard makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

KEITH

PACKARD DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL KEITH PACKARD BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2007-2009, Troy D. Hanson
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 1992, 1993 by TOSHIBA Corp.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of TOSHIBA not be used in advertising
or
publicity pertaining to distribution of the software without specific,
written prior permission. TOSHIBA make no representations about the
suitability of this software for any purpose. It is provided "as is"
without express or implied warranty.

TOSHIBA DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL
TOSHIBA BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,
ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

Copyright IBM Corporation 1993

All Rights Reserved

License to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both

that copyright notice and this permission notice appear in supporting documentation, and that the name of IBM not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

IBM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS, AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS, IN NO EVENT SHALL IBM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1990, 1991 by OMRON Corporation, NTT Software Corporation,
and Nippon Telegraph and Telephone Corporation

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of OMRON, NTT Software, and NTT not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. OMRON, NTT Software, and NTT make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

OMRON, NTT SOFTWARE, AND NTT, DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL OMRON, NTT SOFTWARE, OR NTT, BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This notice applies to the files in this directory. They are taken from the libiconv-1.1 package, which is covered by the LGPL license. The files in this directory have been placed under the following copyright, with permission from the Free Software Foundation.

Copyright (c) 1999-2000 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE FREE SOFTWARE FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the Free Software Foundation shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the Free Software Foundation.

Notes:

1. This copyright applies only to the files in this directory, and not to the remaining files in libiconv.
2. The Free Software Foundation does not encourage the use of the above license for newly written software.

1.145 walk-up-path 3.0.1

1.145.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.146 @sigstore/core 1.1.0

1.146.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.147 pyparsing 3.0.7

1.147.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.148 libnpmexec 8.1.3

1.148.1 Available under license :

ISC

The ISC License

Copyright (c) GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.149 giflib 5.2.2

1.149.1 Available under license :

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.150 mawk 1.3.4.20200120-3

1.150.1 Available under license :

Upstream source <http://invisible-island.net/mawk/mawk.html>

Current maintainer: Thomas Dickey <dickey@invisible-island.net>

mawk 1.3.4 and updates, Copyright 2008-2019 by Thomas E. Dickey
mawk 1.3.4 includes substantial work by others:
Copyright 2009-2010 by Jonathan Nieder
Copyright 2005 by Aleksey Cheusov
mawk 1.3.3 Nov 1996, Copyright (C) Michael D. Brennan

Mawk is distributed without warranty under the terms of the GNU General Public License, version 2, 1991.

Files: aclocal.m4
Licence: other-BSD
Copyright: 2008-2018,2019 by Thomas E. Dickey
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh

Copyright: 1994 X Consortium

Licence: other-BSD

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent 'make' implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

Files: debian/*

Copyright: 2012-2019 Thomas E. Dickey

Licence: other-BSD

Permission to use, copy, modify, and distribute
this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of the above listed
copyright holder(s) not be used in advertising or publicity pertaining
to distribution of the software without specific, written prior
permission.

THE ABOVE LISTED COPYRIGHT HOLDER(S) DISCLAIM ALL WARRANTIES WITH REGARD
TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS, IN NO EVENT SHALL THE ABOVE LISTED COPYRIGHT HOLDER(S) BE
LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

On Debian

systems, the complete text of the GNU General

Public License can be found in '/usr/share/common-licenses/GPL-2'

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another

language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work
are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution
and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include

anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author

to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than ``show w'` and ``show c'`; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.151 dash

0.5.11+git20210903+057cd650a4ed-3build1

1.151.1 Available under license :

Copyright (c) 1989-1994

The Regents of the University of California. All rights reserved.

Copyright (c) 1997 Christos Zoulas. All rights reserved.

Copyright (c) 1997-2005

Herbert Xu <herbert@gondor.apana.org.au>. All rights reserved.

This code is derived from software contributed to Berkeley by Kenneth Almquist.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

mksignames.c:

This file is not directly linked with dash. However, its output is.

Copyright (C) 1992 Free Software Foundation, Inc.

This file is part of GNU Bash, the Bourne Again SHell.

Bash is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

Bash is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License with your Debian GNU/Linux system, in /usr/share/common-licenses/GPL, or with the Debian GNU/Linux hello source package as the file COPYING. If not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111 USA.

1.152 packaging 23.3.dev0

1.152.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.153 ci-info 4.0.0

1.153.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2016 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.154 diffutils 1:3.8-0ubuntu2

1.154.1 Available under license :

This is the Debian prepackaged version of the GNU diffutils package. GNU `diff` was written by Mike Haertel, David Hayes, Richard Stallman, Len Tower, and Paul Eggert. Wayne Davison designed and implemented the unified output format. GNU `diff3` was written by Randy Smith. GNU `sdiff` was written by Thomas Lord. GNU `cmp` was written by Torbjorn Granlund and David MacKenzie.

The source for this release was obtained from

<https://ftp.gnu.org/gnu/diffutils/diffutils-3.7.tar.xz>

Program copyright and license:

=====

Copyright (C) 1988-1996, 1998, 2001-2002, 2004, 2006-2007, 2009-2013, 2015-2018
Free Software Foundation, Inc.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

On Debian systems, the complete text of the GNU General Public License
may be found in ``usr/share/common-licenses/GPL'`.

Manual copyright and license:

=====

Copyright (C) 1992-1994, 1998, 2001-2002, 2004, 2006, 2009-2018 Free
Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

On Debian systems, the complete text of the GNU Free Documentation
License may be found in ``usr/share/common-licenses/GFDL'`.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to

freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a

covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source

as a System Library, need not be

included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently

reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims

owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is

conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided

above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate

parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<http://www.gnu.org/licenses/>](http://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<http://www.gnu.org/philosophy/why-not-lgpl.html>](http://www.gnu.org/philosophy/why-not-lgpl.html).

1.155 usrmerge 25ubuntu2

1.155.1 Available under license :

This package was created by Marco d'Itri [<md@linux.it>](mailto:md@linux.it) on Sat Nov 1 04:27:59 CET 2014.

Copyright 2014 Marco d'Itri [<md@linux.it>](mailto:md@linux.it).

License: GPL v2 or later (please see /usr/share/common-licenses/GPL-2).

1.156 attr 1:2.5.1-1build1

1.156.1 Available under license :

Most components of the "attr" package are licensed under Version 2.1 of the GNU Lesser General Public License (see below). below.

Some components (as annotated in the source) are licensed under Version 2 of the GNU General Public License (see COPYING).

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free

library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of

free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must

be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the

source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of

this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files:

*

Copyright:

Copyright 2000-2007 Silicon Graphics, Inc.

Copyright 2001-2003,2006-2007,2009 Andreas Gruenbacher

License: GPL-2+

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 2 of the License, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Comment:

On Debian systems, the full text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'.

Files:

include/*.h

libattr/*.c

libmisc/*.c

Copyright:

Copyright 2001-2005 Silicon Graphics, Inc.

Copyright 2002,2003,2006-2007,2009 Andreas Gruenbacher

License: LGPL-2+

This program is free software: you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation, either version 2.1 of the License, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU Lesser General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Comment:

On Debian systems, the full text of the GNU Lesser General Public License can be found in '/usr/share/common-licenses/LGPL-2.1'.

Most components of the "attr" package are licensed under Version 2.1 of the GNU Lesser General Public License (see COPYING.LGPL).

Some components (as annotated in the source) are licensed under Version 2 of the GNU General Public License (see below),

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1
above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions

are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation
may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision
will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU

FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts
in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it

under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License
does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.157 rich 13.9.4

1.157.1 Available under license :

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.158 libnpmorg 6.0.6

1.158.1 Available under license :

ISC

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.159 zlib 1.3.0.1

1.159.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly

Mark Adler

jloup@gzip.org

madler@alumni.caltech.edu

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.160 is-cidr 5.1.0

1.160.1 Available under license :

BSD-2-Clause

1.161 free-type 2.13.3

1.161.1 Available under license :

No license file was found, but licenses were detected in source scan.

FREETYPE LICENSES

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that *you* must choose *one* of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is

similar to the original BSD license *with* an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in `docs/GPLv2.TXT` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files `src/bdf/README` and `src/pcf/README`). The same holds for the source code files `src/base/fthash.c` and `include/freetype/internal/fthash.h`; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see `src/gzip/zlib.h`) which too is compatible to the above two licenses.

The files `src/autofit/ft-hb.c` and `src/autofit/ft-hb.h` contain code taken almost verbatim from the HarfBuzz file `hb-ft.cc`, which uses the 'Old MIT' license, compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds) is in the public domain.

--- end of LICENSE.TXT ---

Found in path(s):
* /freetype-279-tar/freetype.TXT

1.162 mute-stream 1.0.0

1.162.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.163 debug 4.3.5

1.163.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2018-2021 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.164 libnpmfund 5.0.12

1.164.1 Available under license :

The ISC License

Copyright (c) npm Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.165 ncurses 6.3-2ubuntu0.1

1.165.1 Available under license :

Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 2003-2019,2020 by Thomas E. Dickey

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR

THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent 'make' implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8

Upstream source <https://invisible-island.net/ncurses/ncurses.html>

This package is used for testing builds of ncurses.

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 by Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 1996-2020,2021 by Thomas E. Dickey

Licence: X11

Files: doc/html/NCURSES-Programming-HOWTO.html

Copyright: 2001 by Pradeep Padala

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files:

install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Files: progs/tset.c ncurses/tinfo/read_termcap.c

Copyright: 1980,1991,1992,1993 The Regents of the University of California.

License: BSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list

of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-- vile: txtmode file-encoding=utf-8

Copyright 2018-2020,2021 Thomas E. Dickey

Copyright 1998-2017,2018 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-- vile:txtmode fc=72

-- \$Id: COPYING,v 1.10 2021/01/01 09:54:30 tom Exp \$

Upstream source <https://invisible-island.net/ncurses/Ada95.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 by Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 2010-2020,2021 by Thomas E. Dickey

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except
as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent
'make' implicit rules from creating a file called install from it
when there is no Makefile.

This script is compatible with the BSD install script, but was written
from scratch. It can only install one file at a time, a restriction
shared with many OS's install programs.

On Debian systems, the complete text of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8
Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *
Copyright: 2017-2020,2021 Thomas E. Dickey
Copyright: 1998-2016,2017 Free Software Foundation, Inc.
Licence: X11

Files: aclocal.m4 package
Copyright: 2003-2020,2021 by Thomas E. Dickey
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, distribute with modifications, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh
Copyright: 1994 X Consortium
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent

`make' implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8

1.166 more-itertools 8.8.0

1.166.1 Available under license :

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.167 eastasianwidth 0.2.0

1.167.1 Available under license :

MIT

1.168 cachecontrol 0.14.1

1.168.1 Available under license :

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.169 python-pip 25.0.1

1.169.1 Available under license :

```
UNRECOGNIZED LICENSE; MD5 sum: 45874240865793abc3a77b0bbdf3dc51
UNRECOGNIZED LICENSE; MD5 sum: b0eaf0c960a0f5d744339da436682707
UNRECOGNIZED LICENSE; MD5 sum: 856bd8901cf18d4edc40b86012a95b26
UNRECOGNIZED LICENSE; MD5 sum: d2e8c3bce80da2a2e51cffd44205a7b1
UNRECOGNIZED LICENSE; MD5 sum: 89c981cb43c0c7a860b8a18449e92a38
UNRECOGNIZED LICENSE; MD5 sum: f7cacecf6ff92c07405436643ace4302
PKu5Z\&#license.dist-0.2.dist-info/METADATAUT ggux]MN@s
J*VT$$ ~nH-dKp>NXw
'h4xOAZu'OR#diT>?ECesh
%W6Q:'nl|^?t){u-{Z0XPKa5Zhb'!license.dist-0.2.dist-info/RECORDUT ggux}r03I,HZK
m^2fXZ;wzmUnjWU]52+\Gfmy8sUP-"7DbuhoAUo9sM"TT_ST
,9%=la1?O"+l[0]y:4o$6}D
HzPs_`1rPK5d#Ahr6s%license.dist-0.2.dist-info/RECORD.jwsUT DPmgux%N@EHq()04@:*`w].9?.$mZK'3'
}g7.hl[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#
;_*bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK
d#A~XY@@@ license.dist-0.2.dist-info/WHEELUT FDPmguxWheel-Version: 0.1
Packager: bdist_wheel
Root-Is-Purelib: true

PK
o@licensedist/__init__.pyUT PBmguxPKu5Z\&#license.dist-0.2.dist-
info/METADATAUTguxPKa5Zhb'!)license.dist-0.2.dist-info/RECORDUTguxPK5d#Ahr6s%Vlicense.dist-0.2.dist-
info/RECORD.jwsUTDPuxPK
d#A~XY@@@ license.dist-0.2.dist-info/WHEELUTFDPUxPK
o@licensedist/__init__.pyUTPUxPK
SPDX-License-Identifier: MIT
SPDX-FileCopyrightText: 2021 Taneli Hukkinen
Licensed to PSF under a Contributor Agreement.
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Python/Jython

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

UNRECOGNIZED LICENSE; MD5 sum: 969a9e986521a635141d6b548aea92ad

UNRECOGNIZED LICENSE; MD5 sum: c0f4347d81adc62c6cd62b1b85aa469b

BSD 3-Clause License

Copyright (c) 2013-2024, Kim Davies and contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

UNRECOGNIZED LICENSE; MD5 sum: 224a0356792d38f867e73fdd7ee8bc68
argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus
was licensed under the Python license. Same license applies to all files in
the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under
Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted
due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from
Python 2.7.1, so definitely all files are under Python License now.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange

- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Philip Jenvey
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: b7f43a4fdd86a40df4c36e1b6afca602

Copyright (c) 2011 Agendaless Consulting and Contributors.

(<http://www.agendaless.com>), All Rights Reserved

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach

- * Daniel Holth
- * Dirley Rodrigues
- * Donald Stufft
- * Grigory Petrov
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Phillip J. Eby
- * Philip Jenvey
- * Philip Thiem
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: 83ef8a4c430ba194704fb45783887e46

UNRECOGNIZED LICENSE; MD5 sum: aa439617d32fe0ada48c0da904366da4

MIT

UNRECOGNIZED LICENSE; MD5 sum: 279f913b168e268d25ef6188c9e3ffd4

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 69a0cd56dc900d1143c236b05bb465ac
Copyright (c) 2008-2013 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License for Bundle of CA Root Certificates (pip/cacert.pem)

=====

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
02110-1301

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Copyright (c) 2007 Ian Bicking and Contributors

Copyright (c) 2009 Ian Bicking, The Open Planning Project

Copyright (c) 2011-2013 The virtualenv developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 4ffcc98b2323777b0f5c002e45250264

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 185fbba8d66d86d1c6cc10d6b557cb3f
UNRECOGNIZED LICENSE; MD5 sum: 3fd6103100722c2ab40319eb942c4c6a
UNRECOGNIZED LICENSE; MD5 sum: a7e9b70ca59c69b9aa662e8ae7bbec00
UNRECOGNIZED LICENSE; MD5 sum: 504fdd18bdcfd3f7606b5a0f88addea3
UNRECOGNIZED LICENSE; MD5 sum: bbfcbab4df1f200b2a9ca494c44800c0

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>)

in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6,
examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2
and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright
(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with

Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities
(CA). These were automatically extracted from Mozilla's root certificates
file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore
can be directly used with curl / libcurl / php_curl, or with
an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License,
v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain
one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$
UNRECOGNIZED LICENSE; MD5 sum: ee4b86b7d59c7064abc30c2496ac78b9
UNRECOGNIZED LICENSE; MD5 sum: f148932318e88b83787b4b3a0bdcf70a
UNRECOGNIZED LICENSE; MD5 sum: 351b831d68a447eabcbaa43af18d7b41

This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made
under the terms of *both* these licenses.

UNRECOGNIZED LICENSE; MD5 sum: b8d0bf09a388e9b6640ef5c7c153d61d
MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: c0c0185b7475d96d2c346c55c3e53ab7

UNRECOGNIZED LICENSE; MD5 sum: f659b2cbaf5278203e32eb1f5a5f79c7

Pylons Project Contributor Agreement

=====

The submitter agrees by adding his or her name within the section below named "Contributors" and submitting the resulting modified document to the canonical shared repository location for this software project (whether directly, as a user with "direct commit access", or via a "pull request"), he or she is signing a contract electronically. The submitter becomes a Contributor after a) he or she signs this document by adding their name beneath the "Contributors" section below, and b) the resulting document is accepted into the canonical version control repository.

Treatment of Account

Contributor will not allow anyone other than the Contributor to use his or her username or source repository login to submit code to a Pylons Project source repository. Should Contributor become aware of any such use, Contributor will immediately by notifying Agendaless Consulting.

Notification must be performed

by sending an email to

webmaster@agendaless.com. Until such notice is received, Contributor will be presumed to have taken all actions made through Contributor's account. If the Contributor has direct commit access, Agendaless Consulting will have complete control and discretion over capabilities assigned to Contributor's account, and may disable Contributor's account for any reason at any time.

Legal Effect of Contribution

Upon submitting a change or new work to a Pylons Project source Repository (a "Contribution"), you agree to assign, and hereby do assign, a one-half interest of all right, title and interest in and to copyright and other intellectual property rights with respect to your new and original portions of the Contribution to Agendaless Consulting. You and Agendaless Consulting each agree that the other shall be free to exercise any and all exclusive rights in and to the Contribution, without accounting to one another, including without limitation,

the right to license the Contribution to others under the Repoze Public License. This agreement shall run with title to the Contribution. Agendaless Consulting does not convey to you any right, title or interest in or to the Program or such portions of the Contribution that were taken from the Program. Your transmission of a submission to the Pylons Project source Repository and marks of identification concerning the Contribution itself constitute your intent to contribute and your assignment of the work in accordance with the provisions of this Agreement.

License Terms

Code committed to the Pylons Project source repository (Committed Code) must be governed by the Repoze Public License (<http://repoze.org/LICENSE.txt>, aka "the RPL") or another license acceptable to Agendaless Consulting. Until Agendaless Consulting declares in writing an acceptable license other than the RPL, only the RPL shall be used. A list of exceptions is detailed within the "Licensing Exceptions" section of this document, if one exists.

Representations, Warranty, and Indemnification

Contributor represents and warrants that the Committed Code does not violate the rights of any person or entity, and that the Contributor has legal authority to enter into this Agreement and legal authority over Contributed Code. Further, Contributor indemnifies Agendaless Consulting against violations.

Cryptography

Contributor understands that cryptographic code may be subject to government regulations with which Agendaless Consulting and/or entities using Committed Code must comply. Any code which contains any of the items listed below must not be checked-in until Agendaless Consulting staff has been notified and has approved such contribution in writing.

- Cryptographic capabilities or features
- Calls to cryptographic features
- User interface elements which provide context relating to cryptography
- Code which may, under casual inspection, appear to be cryptographic.

Notices

Contributor confirms that any notices required will be included in any
Committed Code.

Licensing Exceptions

=====

None.

List of Contributors

=====

The below-signed are contributors to a code repository that is part of the
project named "Translationstring". Each below-signed contributor has read,
understands and agrees to the terms above in the section within this document
entitled "Pylons Project Contributor Agreement" as of the date beside his or
her name.

Contributors

- Chris McDonough, 2011/02/16

- Wichert Akkerman, 2012/02/02

UNRECOGNIZED LICENSE; MD5 sum: 3f2777d4b97006c32953b26ef1f7ac43

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"

(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes

2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
2.7	2.6	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby

grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"),

having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License

Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S.

federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT

OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 1545853f429fe0b615b6e97ded0d7631

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes

2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise

using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any

third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT

INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to

distribution of the software
without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 8ad4ae5e46a2a3afa27316325386f1cb
UNRECOGNIZED LICENSE; MD5 sum: 45ea32bdebfc2e63ec2b131cd4bc11af
UNRECOGNIZED LICENSE; MD5 sum: c197738b997df284a755c01a887f0ed9
UNRECOGNIZED LICENSE; MD5 sum: 804cd29e64bdef8111fd6b88180e19dc
UNRECOGNIZED LICENSE; MD5 sum: b5e84cb1dddb61a4f3868fc707971432
UNRECOGNIZED LICENSE; MD5 sum: 80d13bfe019695adda309f6a182a2695
UNRECOGNIZED LICENSE; MD5 sum: efc9c2dbdd704e7546d437a42525644c
License

A copyright notice accompanies this license document that identifies the copyright holders.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: c4d2ef9007518f78fd9ae6bb89c51ef7

UNRECOGNIZED LICENSE; MD5 sum: ef8d703a4d226a68185ce4c5c15d90d7

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 95594488233717b3db751ed31d203303

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: 19a553a1ca654d9e1b3a5c06882c91fa

PK'u5ZtGH#license.dist-0.1.dist-info/METADATAUT ggux]AN0E>rT*VFJD

(&CjxR5[(Xf\$~"N.vVw5u%Q?8SC'%%q]#n?H]][@6=}))V_Li

^8r&ZOsyh8P]/Gy\8]C)'

c?R:@W5{Sha.PK*u5ZP%r'!license.dist-0.1.dist-info/RECORDUT ggux}N0I'0W ROonke0UFqjgd[><i\$

)r^7f!{-"3T

]l5w|lQ9!?2/7apt81hg\N8|15![A~&x%>PK5d#Ahr6s%license.dist-0.1.dist-info/RECORD.jwsUT

DPmgux%N@EHq()04@:*`w].9?`\$mZK'3'

}g7.hl[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#

;_*bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK

d#A~XY@@ license.dist-0.1.dist-info/WHEELUT FDPmguxWheel-Version: 0.1

Packager: bdist_wheel

Root-Is-Purelib: true

PK

o@licensedist/__init__.pyUT PBmguxPK'u5ZtGH#license.dist-0.1.dist-

info/METADATAUTguxPK*u5ZP%r'!<license.dist-0.1.dist-info/RECORDUTguxPK5d#Ahr6s%ilicense.dist-

0.1.dist-info/RECORD.jwsUTDPuxPK

d#A~XY@@ license.dist-0.1.dist-info/WHEELUTFDPuxPK
o@licensedist/ __init__.pyUTPuxPK
UNRECOGNIZED LICENSE; MD5 sum: c1872b37e59a0ddda1fe4cf8a81192a
UNRECOGNIZED LICENSE; MD5 sum: c628ada423b19fd269a474e38eb93287
Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.170 ansi-styles 4.3.0

1.170.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.171 promise-inflight 1.0.1

1.171.1 Available under license :

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.172 nghttp2 1.61.0

1.172.1 Available under license :

nit Testing Framework

Copyright (c) 2013-2016 Evan Nemerson <evan@nemerson.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa

Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010- mruby developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LEGAL NOTICE INFORMATION

All the files in this distribution are covered under the MIT license (see the file LICENSE) except some files mentioned below:

- src/readfloat.c: public domain by Yasuhiro Matsumoto (@mattn)
- src/fmt_fp.c: public domain by Dave Hylands (@dhylands)
- mrbgems/mruby-dir/src/Win/dirent.c: MIT-like license by Kevlin Henney

[src/readfloat.c]

strtod implementation.

author: Yasuhiro Matsumoto (@mattn)

license: public domain

The original code can be found in <https://github.com/mattn/strtod>

[src/fmt_fp.c]

The code in this function was inspired from Fred Bayer's pdouble.c.

Since pdouble.c was released as Public Domain, I'm releasing this code as public domain as well.

Dave Hylands

The original code can be found in <https://github.com/dhylands/format-float>

[mrbgems/mruby-dir/src/Win/dirent.c] used only for Windows platform

Copyright Kevlin Henney, 1997, 2003, 2012. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose is hereby granted without fee, provided that this copyright and permissions notice appear in all copies and derivatives.

This software is supplied "as is" without express or implied warranty.

But that said, if there are any problems please get in touch.

set yrange [0:]

set terminal pngcairo font 'Sans, 8' lw 1 size 1400,1024

set xtics rotate by -45

set style histogram errorbars gap 2 lw 1

set style fill solid border -1

mruby-set

Copyright (c) yui-knk 2016

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MIT license: <http://www.opensource.org/licenses/mit-license.php>]

If not otherwise noted, the extensions in this package are licensed under the following license.

Copyright (c) 2010 by the contributors (see AUTHORS file).
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.173 libbsd 0.11.5-1

1.173.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files:

*

Copyright:

Copyright 2004-2006, 2008-2021 Guillem Jover <guillem@hadrons.org>

License: BSD-3-clause

Files:

man/arc4random.3bsd

Copyright:

Copyright 1997 Niels Provos <provos@physnet.uni-hamburg.de>

All rights reserved.

License: BSD-4-clause-Niels-Provos

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
This product includes software developed
by Niels Provos.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

man/getprogrname.3bsd

Copyright:

Copyright 2001 Christopher G. Demetriou

All rights reserved.

License:

BSD-4-clause-Christopher-G-Demetriou

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
This product includes software developed for the
NetBSD Project. See <http://www.netbsd.org/> for
information about NetBSD.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR

``AS IS" AND ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/bsd/err.h

include/bsd/stdlib.h

include/bsd/sys/param.h

include/bsd/unistd.h

src/bsd_getopt.c

src/err.c

src/fgetln.c

src/progname.c

Copyright:

Copyright 2005, 2008-2012, 2019 Guillem Jover <guillem@hadrons.org>

Copyright 2005 Hector Garcia Alvarez

Copyright 2005 Aurelien Jarno

Copyright 2006 Robert

Millan

Copyright 2018 Facebook, Inc.

License: BSD-3-clause

Files:

include/bsd/netinet/ip_icmp.h
include/bsd/sys/bitstring.h
include/bsd/sys/queue.h
include/bsd/sys/time.h
include/bsd/timeconv.h
include/bsd/vis.h
man/bitstring.3bsd
man/errc.3bsd
man/explicit_bzero.3bsd
man/fgetln.3bsd
man/fgetwln.3bsd
man/fpurge.3bsd
man/funopen.3bsd
man/getbsize.3bsd
man/heapsort.3bsd
man/nlist.3bsd
man/pwcache.3bsd
man/queue.3bsd
man/radixsort.3bsd
man/reallocarray.3bsd
man/reallocf.3bsd
man/setmode.3bsd
man/strmode.3bsd
man/strnstr.3bsd
man/strtoi.3bsd
man/strtou.3bsd
man/unvis.3bsd
man/vis.3bsd
man/wcsncpy.3bsd
src/getbsize.c
src/heapsort.c
src/merge.c
src/nlist.c
src/pwcache.c
src/radixsort.c
src/setmode.c
src/strmode.c
src/strnstr.c
src/strtoi.c
src/strtou.c
src/unvis.c
Copyright:
Copyright 1980, 1982, 1986, 1989-1994
The Regents of the University of California. All rights reserved.
Copyright 1992 Keith Muller.
Copyright 2001 Mike Barcroft
<mike@FreeBSD.org>
.

Some code is derived from software contributed to Berkeley by the American National Standards Committee X3, on Information Processing Systems.

.

Some code is derived from software contributed to Berkeley by Peter McIlroy.

.

Some code is derived from software contributed to Berkeley by Ronnie Kon at Mindcraft Inc., Kevin Lew and Elmer Yglesias.

.

Some code is derived from software contributed to Berkeley by Dave Borman at Cray Research, Inc.

.

Some code is derived from software contributed to Berkeley by Paul Vixie.

.

Some code is derived from software contributed to Berkeley by Chris Torek.

.

Copyright UNIX System Laboratories, Inc.

All or some portions of this file are derived from material licensed to the University of California by American Telephone and Telegraph Co. or Unix System Laboratories, Inc. and are reproduced herein with the permission of UNIX System Laboratories, Inc.

License: BSD-3-clause-Regents

Files:

src/vis.c

Copyright:

Copyright 1989, 1993

The Regents of the University of California. All rights reserved.

.

Copyright 1999, 2005 The NetBSD Foundation, Inc.

All rights reserved.

License: BSD-3-clause-Regents and BSD-2-clause-NetBSD

Files:

include/bsd/libutil.h

Copyright:

Copyright 1996 Peter Wemm <peter@FreeBSD.org>.

All rights reserved.

Copyright 2002 Networks Associates Technology, Inc.

All rights reserved.

License: BSD-3-clause-author

Files:

man/timeradd.3bsd

Copyright:

Copyright 2009 Jukka Ruohonen <jruohonen@iki.fi>

Copyright 1999 Kelly Yancey <kbyanc@posi.net>

All rights reserved.

License: BSD-3-clause-John-Birrell

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of any co-contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY JOHN BIRRELL AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

man/setproctitle.3bsd

Copyright:

Copyright 1995 Peter Wemm <peter@FreeBSD.org>

All rights reserved.

License: BSD-5-clause-Peter-Wemm

Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice immediately at the beginning of the file, without modification, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. This work was done expressly for inclusion into FreeBSD. Other use is permitted provided this notation is included.
4. Absolutely no warranty of function or purpose is made by the author Peter

Wemm.

5. Modifications may be freely made to this file providing the above conditions are met.

Files:

include/bsd/stringlist.h
man/fmtcheck.3bsd
man/humanize_number.3bsd
man/stringlist.3bsd
man/timeval.3bsd
src/fmtcheck.c
src/humanize_number.c
src/stringlist.c
src/strtonum.c

Copyright:

Copyright 1994, 1997-2000, 2002, 2008, 2010, 2014

The NetBSD Foundation, Inc.

Copyright 2013 John-Mark Gurney <jmg@FreeBSD.org>

All rights reserved.

.

Some code was contributed to The NetBSD Foundation by Allen Briggs.

.

Some code was contributed to The NetBSD Foundation by Luke Mewburn.

.

Some code is derived from software contributed to The NetBSD Foundation by Jason R. Thorpe of the Numerical Aerospace Simulation Facility, NASA Ames Research Center, by Luke Mewburn and by Tomas Svensson.

.

Some code is derived from software contributed to The NetBSD Foundation by Julio M. Merino Vidal, developed as part of Google's Summer of Code 2005 program.

.

Some code is derived
from software contributed to The NetBSD Foundation
by Christos Zoulas.

.

Some code is derived from software contributed to The NetBSD Foundation by Jukka Ruohonen.

License: BSD-2-clause-NetBSD

Files:

include/bsd/sys/endian.h
man/byteorder.3bsd
man/closefrom.3bsd
man/expand_number.3bsd
man/flopen.3bsd
man/getpeereid.3bsd
man/pidfile.3bsd

src/expand_number.c

src/pidfile.c

src/reallocf.c

src/timeconv.c

Copyright:

Copyright 1998, M. Warner Losh <imp@freebsd.org>

All rights reserved.

.

Copyright 2001 Dima Dorfman.

All rights reserved.

.

Copyright 2001 FreeBSD Inc.

All rights reserved.

.

Copyright 2002 Thomas Moestl <tmml@FreeBSD.org>

All rights reserved.

.

Copyright 2002 Mike Barcroft <mike@FreeBSD.org>

All rights reserved.

.

Copyright 2005 Pawel Jakub Dawidek <pjd@FreeBSD.org>

All rights reserved.

.

Copyright 2005 Colin Percival

All rights reserved.

.

Copyright 2007 Eric Anderson <anderson@FreeBSD.org>

Copyright 2007 Pawel Jakub Dawidek <pjd@FreeBSD.org>

All rights reserved.

.

Copyright 2007 Dag-Erling Codan Smrgrav

All rights reserved.

.

Copyright 2009 Advanced Computing Technologies LLC

Written by: John H. Baldwin <jhb@FreeBSD.org>

All rights reserved.

.

Copyright 2011 Guillem Jover <guillem@hadrons.org>

License: BSD-2-clause

Files:

src/flopen.c

Copyright:

Copyright 2007-2009 Dag-Erling Codan Smrgrav

All rights reserved.

License: BSD-2-clause-verbatim

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer in this position and unchanged.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED

BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/bsd/sys/tree.h

man/fparseln.3bsd

man/tree.3bsd

src/fparseln.c

Copyright:

Copyright 1997 Christos Zoulas.

All rights reserved.

Copyright 2002 Niels Provos <provos@citi.umich.edu>

All rights reserved.

License: BSD-2-clause-author

Files:

include/bsd/readpassphrase.h

man/readpassphrase.3bsd

man/strncpy.3bsd

man/strtonum.3bsd

src/arc4random.c

src/arc4random_linux.h

src/arc4random_openbsd.h

src/arc4random_uniform.c

src/arc4random_unix.h

src/arc4random_win.h

src/closefrom.c

src/freezero.c

src/getentropy_aix.c

src/getentropy_bsd.c
src/getentropy_hpux.c
src/getentropy_hurd.c
src/getentropy_linux.c
src/getentropy_osx.c
src/getentropy_solaris.c
src/getentropy_win.c
src/readpassphrase.c
src/reallocarray.c
src/recallocarray.c
src/strlcat.c
src/strlcpy.c

Copyright:

Copyright 2004 Ted Unangst and Todd Miller

All rights reserved.

.

Copyright 1996 David Mazieres <dm@uun.org>

Copyright 1998, 2000-2002, 2004-2005, 2007, 2010, 2012-2015

Todd C. Miller <Todd.Miller@courtesan.com>

Copyright 2004 Ted Unangst

Copyright 2008 Damien Miller <djm@openbsd.org>

Copyright 2008, 2010-2011, 2016-2017 Otto Moerbeek <otto@drijf.net>

Copyright 2013 Markus Friedl <markus@openbsd.org>

Copyright 2014 Bob Beck <beck@obtuse.com>

Copyright 2014 Brent Cook <bcook@openbsd.org>

Copyright 2014 Pawel Jakub Dawidek <pjd@FreeBSD.org>

Copyright 2014 Theo de Raadt <deraadt@openbsd.org>

Copyright 2015 Michael Felt <aixtools@gmail.com>

Copyright 2015 Guillem Jover <guillem@hadrons.org>

License: ISC

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

src/inet_net_pton.c

Copyright:

Copyright 1996 by Internet Software Consortium.

License: ISC-Original

Permission to use, copy, modify, and distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

src/setproctitle.c

Copyright:

Copyright 2010 William Ahern

Copyright 2012 Guillem Jover <guillem@hadrons.org>

License: Expat

Permission is hereby

granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files:

src/explicit_bzero.c

src/chacha_private.h

Copyright:

None

License: public-domain

Public domain.

Files:

man/mdX.3bsd

Copyright:

None

License: Beerware

"THE BEER-WARE LICENSE" (Revision 42):

<phk@login.dkuug.dk> wrote this file. As long as you retain this notice you can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

License: BSD-3-clause-Regents

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-clause-author

Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-NetBSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-author

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.174 bin-links 4.0.4

1.174.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.175 p-map 4.0.0

1.175.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.176 supports-color 9.4.0

1.176.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.177 isexe 2.0.0

1.177.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.178 gmp 2:6.2.1+dfsg-3ubuntu1

1.178.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of

a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to

decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing
version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that

patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated

conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all

recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the

machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source

as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in

source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under

this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within

the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```


The hypothetical commands `show w` and `show c` should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application

Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run

modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the

public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for

the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid

circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the

Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply

if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal

Notices displayed by works containing it; or

- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your

license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent

license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/philosophy/why-not-lgpl.html>>.

GMP Debian Package

This gmp package was built for Debian by

Steve M. Robbins <smr@debian.org>
Philipp Matthias Hahn <pmhahn@debian.org>

from sources obtained at <http://gmplib.org/> .

GMP Source Code

Copyright 1991, 1996, 1999, 2000, 2007 Free Software Foundation, Inc.

This file is part of the GNU MP Library.

The GNU MP Library is free software; you can redistribute it and/or modify it under the terms of either:

- * the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

or

- * the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

or both in parallel, as here.

The GNU MP Library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received copies of the GNU General Public License and the GNU Lesser General Public License along with the GNU MP Library. If not, see <https://www.gnu.org/licenses/>.

The GNU Lesser General Public License v3 text is contained in /usr/share/common-licenses/LGPL-3.
The GNU General Public License v2 text is contained in /usr/share/common-licenses/GPL-2.
The GNU General Public License v3 text is contained in /usr/share/common-licenses/GPL-3.

GMP Documentation

The documentation is released under the GNU Free Documentation License (GFDL) and it has cover texts. As such, it has been determined not to meet the Debian Free Software Guidelines, and is not shipped in the debian packages.

The demo code in the -doc package is covered either by the LGPL, or under the GNU General Public License /usr/share/common-licenses/GPL. See the individual source files to determine the license under which it falls.

1.179 strip-ansi 6.0.1

1.179.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.180 libsepol 3.3-1build1

1.180.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a

"work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the

library". The executable is therefore covered by this

License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables

containing that work also fall under Section 6,

whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable

source code for the Library including whatever

changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood

that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our

decision will be guided by the two goals of preserving the free status of
all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.181 init-package-json 6.0.3

1.181.1 Available under license :

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,

WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE
USE OR PERFORMANCE OF THIS SOFTWARE.
ISC

1.182 node-gyp 10.1.0

1.182.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

(The MIT License)

Copyright (c) 2012 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2020 Node.js contributors. All rights reserved.

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT

1.183 truststore 0.10.0

1.183.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.184 libxdmcp 1:1.1.3-0ubuntu5

1.184.1 Available under license :

Copyright 1989, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

Author: Keith Packard, MIT X Consortium

1.185 cssesc 3.0.0

1.185.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.186 minizlib 2.1.2

1.186.1 Available under license :

MIT

Minizlib was created by Isaac Z. Schlueter.

It is a derivative work of the Node.js project.

Copyright Isaac Z. Schlueter and Contributors

Copyright Node.js contributors. All rights reserved.

Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.187 npm-package-arg 11.0.2

1.187.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.188 go-toml 1.9.4

1.188.1 Available under license :

The bulk of github.com/pelletier/go-toml is distributed under the MIT license (see below), with the exception of [localtime.go](https://github.com/pelletier/go-toml/blob/master/localtime.go) and [localtime.test.go](https://github.com/pelletier/go-toml/blob/master/localtime.test.go).

Those two files have been copied over from Google's civil library at revision [ed46f5086358513cf8c25f8e3f022cb838a49d66](https://github.com/google/civil/blob/ed46f5086358513cf8c25f8e3f022cb838a49d66/civil.go), and are distributed under the Apache 2.0 license (see below).

github.com/pelletier/go-toml:

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE

SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

localtime.go, localtime_test.go:

Originals:

<https://raw.githubusercontent.com/googleapis/google-cloud-go/ed46f5086358513cf8c25f8e3f022cb838a49d66/civil/civil.go>

https://raw.githubusercontent.com/googleapis/google-cloud-go/ed46f5086358513cf8c25f8e3f022cb838a49d66/civil/civil_test.go

Changes:

- * Renamed files from civil* to localtime*.
- * Package changed from civil to toml.
- * 'Local' prefix added to all structs.

License:

<https://raw.githubusercontent.com/googleapis/google-cloud-go/ed46f5086358513cf8c25f8e3f022cb838a49d66/LICENSE>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing

lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within

such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license
terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of

the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the
License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.189 libnpmpack 7.0.4

1.189.1 Available under license :

ISC

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.190 common-ancestor-path 1.0.1

1.190.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.191 xz 5.2.5-2ubuntu1

1.191.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which

gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to

freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a

covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source

as a System Library, need not be

included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently

reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims

owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is

conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided

above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate

parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<http://www.gnu.org/licenses/>](http://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<http://www.gnu.org/philosophy/why-not-lgpl.html>](http://www.gnu.org/philosophy/why-not-lgpl.html).

XZ Utils Licensing

=====

Different licenses apply to different files in this package. Here is a rough summary of which licenses apply to which parts of this package (but check the individual files to be sure!):

- liblzma is in the public domain.
- xz, xzdec, and lzmadec command line tools are in the public domain unless GNU getopt_long had to be compiled and linked in from the lib directory. The getopt_long code is under GNU LGPLv2.1+.
- The scripts to grep, diff, and view compressed files have been adapted from gzip. These scripts and their documentation are under GNU GPLv2+.
- All the documentation in the doc directory and most of the XZ Utils specific documentation files in other directories are in the public domain.
- Translated messages are in the public domain.
- The build system contains public domain files, and files that are under GNU GPLv2+ or GNU GPLv3+. None of these files end up in the binaries being built.
- Test files and test code in the tests directory, and debugging utilities in the debug directory are in the public domain.

- The extra directory may contain public domain files, and files that are under various free software licenses.

You can do whatever you want with the files that have been put into the public domain. If you find public domain legally problematic, take the previous sentence as a license grant. If you still find the lack of copyright legally problematic, you have too many lawyers.

As usual, this software is provided "as is", without any warranty.

If you copy significant amounts of public domain code from XZ Utils into your project, acknowledging this somewhere in your software is polite (especially if it is proprietary, non-free software), but naturally it is not legally required. Here is an example of a good notice to put into "about box" or into documentation:

This software includes code from XZ Utils <<https://tukaani.org/xz/>>.

The following license texts are included in the following files:

- COPYING.LGPLv2.1: GNU Lesser General Public License version 2.1
- COPYING.GPLv2: GNU General Public License version 2
- COPYING.GPLv3: GNU General Public License version 3

Note that the toolchain (compiler, linker etc.) may add some code pieces that are copyrighted. Thus, it is possible that e.g. liblzma binary wouldn't actually be in the public domain in its entirety even though it contains no copyrighted code from the XZ Utils source package.

If you have questions, don't hesitate to ask the author(s) for more information.

1.192 minipass 5.0.0

1.192.1 Available under license :

ISC

The ISC License

Copyright (c) 2017-2023 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.193 perl 5.34.0-3ubuntu1.5

1.193.1 Available under license :

[name]

Uppercase license text

[input]

=head1 Uppercase License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SPDX-License-Identifier: MIT

[output]

.SH "Uppercase License"

.IX Header "Uppercase License"

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the *(L"Software*(R"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.PP

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.PP

\&\s-1THE SOFTWARE IS PROVIDED *(L"AS IS*(R", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.\s0

.PP

SPDX-License-Identifier: \s-1MIT\s0

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the

Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder.

A Package

modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products

derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@acm.org
bzip2/libbzip2 version 1.0.8 of 13 July 2019

This software is copyright (c) 2020 by Ken Williams.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2020 by Ken Williams.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of

it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

- a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and
- b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.
- d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is

allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the

author

to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program.

It is safest to

attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
program 'Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2020 by Ken Williams.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you

changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name
of the Copyright Holder may not be used to endorse or promote
products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's
software and to any other program whose authors commit to using it.
You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not
price. Specifically, the General Public License is designed to make
sure that you have the freedom to
give away or sell copies of free
software, that you receive source code or can get it if you want it,
that you can change the software or use pieces of it in new free
programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the

source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that

everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed

at no charge to all

third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable

file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE

THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed
in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License.

Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!
#!perl

=head1 NAME

copyright.t

=head1 DESCRIPTION

Tests that the latest copyright years in the top-level README file and the
C<perl -v> output match each other.

If the test fails, update at least one of README and perl.c so that they match
reality.

Optionally you can pass the C<--now> option to check they are at the current year. This isn't checked by default, so that it doesn't fail for people working on older releases. It should be run before making a new release.

```
=cut
```

```
use strict;
```

```
use Config;
```

```
BEGIN { require './test.pl' }
```

```
if ( $Config{usecrosscompile} ) {
```

```
    skip_all( "Not all files are available during cross-compilation" );
```

```
}
```

```
my ($opt) = @ARGV;
```

```
my $readme_year = readme_year();
```

```
my $v_year = v_year();
```

```
# Check that both copyright dates are up-to-date, but only if requested, so
```

```
# that tests still pass for people intentionally working on older versions:
```

```
if ($opt eq '--now')
```

```
{
```

```
    my $current_year = (gmtime)[5] + 1900;
```

```
    is $v_year, $current_year, 'perl -v copyright includes current  
year';
```

```
    is $readme_year, $current_year, 'README copyright includes current year';
```

```
}
```

```
# Otherwise simply check that the two copyright dates match each other:
```

```
else
```

```
{
```

```
    is $readme_year, $v_year, 'README and perl -v copyright dates match';
```

```
}
```

```
done_testing;
```

```
sub readme_year
```

```
# returns the latest copyright year from the top-level README file
```

```
{
```

```
    open my $readme, '<', './README' or die "Opening README failed: $!";
```

```
# The copyright message is the first paragraph:
```

```
    local $/ = ";
```

```
    my $copyright_msg = <$readme>;
```

```

my ($year) = $copyright_msg =~ /\.*\b(\d{4,})/s
    or die "Year not found in README copyright message '$copyright_msg'";

$year;
}

sub v_year
# returns the latest copyright year shown in perl -v
{

my $output = runperl switches => ['-v'];
my ($year) = $output =~ /copyright 1987.*\b(\d{4,})/i
    or die "Copyright statement not found in perl -v output '$output'";

$year;
}

```

1.194 gyp-next 0.16.1

1.194.1 Available under license :

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2020 Node.js contributors. All rights reserved.

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.195 mailcap 3.70+nmu1ubuntu1

1.195.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Source: <https://salsa.debian.org/debian/mailcap>

Files: *

Copyright: public-domain

License: ad-hoc

This package was written by Brian White <bcwhite@pobox.com> and others.

It contains public information compiled from around the 'net and many people.

.

The "update-mime" program was written by Brian White and has been placed in the public domain.

Files: mailcap.man

Copyright: (c) 1991 Bell Communications Research, Inc. (Bellcore)

License: Bellcore

Permission to use, copy, modify, and distribute this material for any purpose and without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies, and that the name of Bellcore not be used in advertising or publicity pertaining to this

material without the specific, prior written permission
of an authorized representative of Bellcore. BELLCORE
MAKES NO REPRESENTATIONS ABOUT THE ACCURACY OR SUITABILITY

OF THIS MATERIAL FOR ANY PURPOSE. IT IS PROVIDED "AS IS",
WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES.

Comment: Author: Nathaniel S. Borenstein

1.196 sprintf-js 1.1.3

1.196.1 Available under license :

BSD-3-Clause

Alexander Rose [[@arose](https://github.com/arose)](<https://github.com/arose>)

Alexandru Mrteanu [[@alexei](https://github.com/alexei)](<https://github.com/alexei>)

Andras [[@andrasq](https://github.com/andrasq)](<https://github.com/andrasq>)

Benoit Giannangeli [[@giann](https://github.com/giann)](<https://github.com/giann>)

Branden Visser [[@mrvisser](https://github.com/mrvisser)](<https://github.com/mrvisser>)

David Baird

daurnimator [[@daurnimator](https://github.com/daurnimator)](<https://github.com/daurnimator>)

Doug Beck [[@beck](https://github.com/beck)](<https://github.com/beck>)

Dzmitry Litskalau [[@litmit](https://github.com/litmit)](<https://github.com/litmit>)

Fred Ludlow [[@fredludlow](https://github.com/fredludlow)](<https://github.com/fredludlow>)

Hans Pufal

Henry [[@alograg](https://github.com/alograg)](<https://github.com/alograg>)

Johnny Shields [[@johnnyshields](https://github.com/johnnyshields)](<https://github.com/johnnyshields>)

Kamal Abdali

Matt Simerson [[@msimerson](https://github.com/msimerson)](<https://github.com/msimerson>)

Maxime Robert [[@marob](https://github.com/marob)](<https://github.com/marob>)

MeriemKhelifi [[@MeriemKhelifi](https://github.com/MeriemKhelifi)](<https://github.com/MeriemKhelifi>)

Michael Schramm [[@wodka](https://github.com/wodka)](<https://github.com/wodka>)

Nazar Mokrynskyi [[@nazar-pc](https://github.com/nazar-pc)](<https://github.com/nazar-pc>)

Oliver Salzburg [[@oliversalzburg](https://github.com/oliversalzburg)](<https://github.com/oliversalzburg>)

Pablo [[@ppollono](https://github.com/ppollono)](<https://github.com/ppollono>)

Rabehaja

Stevens [[@RABEHAJA-STEVENs](https://github.com/RABEHAJA-STEVENs)](<https://github.com/RABEHAJA-STEVENs>)

Raphael Pigulla [[@pigulla](https://github.com/pigulla)](<https://github.com/pigulla>)

rebeccapeltz [[@rebeccapeltz](https://github.com/rebeccapeltz)](<https://github.com/rebeccapeltz>)

Stefan Tingstrom [[@stingstrom](https://github.com/stingstrom)](<https://github.com/stingstrom>)

Tim Gates [[@timgates42](https://github.com/timgates42)](<https://github.com/timgates42>)

Copyright (c) 2007-present, Alexandru Mrteanu <hello@alexei.ro>

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.197 graceful-fs 4.2.11

1.197.1 Available under license :

The ISC License

Copyright (c) 2011-2022 Isaac Z. Schlueter, Ben Noordhuis, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.198 ignore-walk 6.0.5

1.198.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.199 libxrender 1:0.9.10-1build4

1.199.1 Available under license :

Copyright 2001,2003 Keith Packard

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Keith Packard not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Keith Packard makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

KEITH PACKARD DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL KEITH PACKARD BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2000 SuSE, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of SuSE not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. SuSE makes no representations about the suitability of this software for any purpose. It is provided "as is"

without express or implied warranty.

SUSE DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL SUSE BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.200 @tufjs/canonical-json 2.0.0

1.200.1 Available under license :

MIT License

Copyright (c) 2022 GitHub and the TUF Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.201 json-parse-even-better-errors 3.0.2

1.201.1 Available under license :

Copyright 2017 Kat Marchn

Copyright npm, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation

the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This library is a fork of 'better-json-errors' by Kat Marchn, extended and distributed under the terms of the MIT license above.
MIT

1.202 sigstore 2.3.1

1.202.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.203 json-stringify-nice 1.1.4

1.203.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.204 libxi 2:1.8-1build1

1.204.1 Available under license :

Copyright 1989, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising
or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization from The Open Group.

Copyright 1989 by Hewlett-Packard Company, Palo Alto, California.

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Hewlett-Packard not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

HEWLETT-PACKARD DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL HEWLETT-PACKARD BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2008 Peter Hutterer

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the author shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the author.

Copyright 2009 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"),

to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.205 @npmcli/query 3.1.0

1.205.1 Available under license :

ISC

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.206 python 3.10.12

1.206.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR

OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

X Window System is a trademark of The Open Group

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code,
copyrighted by Microsoft Corporation. The Microsoft Distributable Code
is embedded in each .exe, .dll and .pyd file as a result of running
the code through a linker.

If you further distribute programs that include the Microsoft
Distributable Code, you must comply with the restrictions on
distribution specified by Microsoft. In particular, you must require
distributors and external end users to agree to terms that protect the

Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute

a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on

or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and

otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide

license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License

Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,

INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.207 which 4.0.0

1.207.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.208 ms 2.1.3

1.208.1 Available under license :

The MIT License (MIT)

Copyright (c) 2020 Vercel, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.209 env-paths 2.2.1

1.209.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.210 write-file-atomic 5.0.1

1.210.1 Available under license :

ISC

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.211 @sigstore/sign 2.3.2

1.211.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.212 bcutil-fips 2.0.3

1.212.1 Available under license :

Copyright (c) 2014-2023 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.213 tiny-relative-date 1.3.0

1.213.1 Available under license :

MIT License

Copyright (c) 2017 Joseph Wynn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.214 proc-log 3.0.0

1.214.1 Available under license :

The ISC License

Copyright (c) GitHub, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.215 shebang-regex 3.0.0

1.215.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.216 libnettle6 3.7.3-1build2

1.216.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by

the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed

under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of

this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU

General Public License as published by

the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute

it

under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains

that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to

control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological

measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not

invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or

specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly

provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered

work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<<https://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs

whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to

recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

1.217 libtirpc 1.3.2-2ubuntu0.1

1.217.1 Available under license :

/*

- * Copyright (c) Copyright (c) Bull S.A. 2005 All Rights Reserved.
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. The name of the author may not be used to endorse or promote products
- * derived from this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- * IN NO EVENT SHALL THE AUTHOR BE LIABLE
- FOR ANY DIRECT, INDIRECT,
- * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

1.218 @npmcli/metavuln-calculator 7.1.1

1.218.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.219 npm-install-checks 6.3.0

1.219.1 Available under license :

BSD-2-Clause

Copyright (c) Robert Kowalski and Isaac Z. Schlueter ("Authors")

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.220 bcpkix-fips 2.0.7

1.220.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Base constructor.
 * <p>
 * The authorizer attempts to perform matching (including the use of the wildcard) in accordance with RFC 6125.
 * </p>
 * <p>
 * Known suffixes is a list of public domain suffixes that can't be used as wild cards for
 * example *.com, or c*c.com, as a dns wildcard could match every/most .com domains if a registrar were issue it.
 * If *.com is in the known suffixes list will not be allowed to match.
 * </p>
 *
 * @param knownSuffixes a set of suffixes that cannot be wild-carded, e.g. { ".com", ".net", ".org" }
 */
```

Found in path(s):

* /bcpkix-fips-2-0-7-sources-jar/org/bouncycastle/est/jcajce/JsseDefaultHostnameAuthorizer.java

1.221 http-proxy-agent 7.0.2

1.221.1 Available under license :

MIT

(The MIT License)

Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.222 promise-retry 2.0.1

1.222.1 Available under license :

Copyright (c) 2014 IndigoUnited

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.223 xxhash 0.8.1-1

1.223.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the

program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause

any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute  
it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this

is what you want to do, use the GNU Lesser General
Public License instead of this License.

xxHash Library

Copyright (c) 2012-2020 Yann Collet

All rights reserved.

BSD 2-Clause License (<https://www.opensource.org/licenses/bsd-license.php>)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.224 coreutils 8.32-4.1ubuntu1.2

1.224.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and

authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's

System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article

11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as

part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty

or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or

modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever

licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means,

then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey

the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want
to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<<https://www.gnu.org/licenses/why-not-lgpl.html>>.

1.225 spdx-license-ids 3.0.18

1.225.1 Available under license :

```
[  
  "AGPL-1.0",  
  "AGPL-3.0",  
  "BSD-2-Clause-FreeBSD",  
  "BSD-2-Clause-NetBSD",  
  "GFDL-1.1",
```

"GFDL-1.2",
"GFDL-1.3",
"GPL-1.0",
"GPL-2.0",
"GPL-2.0-with-GCC-exception",
"GPL-2.0-with-autoconf-exception",
"GPL-2.0-with-bison-exception",
"GPL-2.0-with-classpath-exception",
"GPL-2.0-with-font-exception",
"GPL-3.0",
"GPL-3.0-with-GCC-exception",
"GPL-3.0-with-autoconf-exception",
"LGPL-2.0",
"LGPL-2.1",
"LGPL-3.0",
"Nunit",
"StandardML-NJ",
"bzip2-1.0.5",
"eCos-2.0",
"wxWindows"

]

Creative Commons CC0

[

"0BSD",
"3D-Slicer-1.0",
"AAL",
"ADSL",
"AFL-1.1",
"AFL-1.2",
"AFL-2.0",
"AFL-2.1",
"AFL-3.0",
"AGPL-1.0-only",
"AGPL-1.0-or-later",
"AGPL-3.0-only",
"AGPL-3.0-or-later",
"AMD-newlib",
"AMDPLPA",
"AML",
"AML-glslang",
"AMPAS",
"ANTLR-PD",
"ANTLR-PD-fallback",
"APAFML",
"APL-1.0",
"APSL-1.0",
"APSL-1.1",
"APSL-1.2",

"APSL-2.0",
"ASWF-Digital-Assets-1.0",
"ASWF-Digital-Assets-1.1",
"Abstyles",
"AdaCore-doc",
"Adobe-2006",
"Adobe-Display-PostScript",
"Adobe-Glyph",
"Adobe-Utopia",
"Afmparse",
"Aladdin",
"Apache-1.0",
"Apache-1.1",
"Apache-2.0",
"App-s2p",
"Arphic-1999",
"Artistic-1.0",
"Artistic-1.0-Perl",
"Artistic-1.0-cl8",
"Artistic-2.0",
"BSD-1-Clause",
"BSD-2-Clause",
"BSD-2-Clause-Darwin",
"BSD-2-Clause-Patent",
"BSD-2-Clause-Views",
"BSD-2-Clause-first-lines",
"BSD-3-Clause",
"BSD-3-Clause-Attribution",
"BSD-3-Clause-Clear",
"BSD-3-Clause-HP",
"BSD-3-Clause-LBNL",
"BSD-3-Clause-Modification",
"BSD-3-Clause-No-Military-License",
"BSD-3-Clause-No-Nuclear-License",
"BSD-3-Clause-No-Nuclear-License-2014",
"BSD-3-Clause-No-Nuclear-Warranty",
"BSD-3-Clause-Open-MPI",
"BSD-3-Clause-Sun",
"BSD-3-Clause-acpica",
"BSD-3-Clause-flex",
"BSD-4-Clause",
"BSD-4-Clause-Shortened",
"BSD-4-Clause-UC",
"BSD-4.3RENO",
"BSD-4.3TAHOE",
"BSD-Advertising-Acknowledgement",
"BSD-Attribution-HPND-disclaimer",
"BSD-Inferno-Nettverk",

"BSD-Protection",
"BSD-Source-Code",
"BSD-Source-beginning-file",
"BSD-Systemics",
"BSD-Systemics-W3Works",
"BSL-1.0",
"BUSL-1.1",
"Baekmuk",
"Bahyph",
"Barr",
"Beerware",
"BitTorrent-1.0",
"BitTorrent-1.1",
"Bitstream-Charter",
"Bitstream-Vera",
"BlueOak-1.0.0",
"Boehm-GC",
"Borceux",
"Brian-Gladman-2-Clause",
"Brian-Gladman-3-Clause",
"C-UDA-1.0",
"CAL-1.0",
"CAL-1.0-Combined-Work-Exception",
"CATOSL-1.1",
"CC-BY-1.0",
"CC-BY-2.0",
"CC-BY-2.5",
"CC-BY-2.5-AU",
"CC-BY-3.0",
"CC-BY-3.0-AT",
"CC-BY-3.0-AU",
"CC-BY-3.0-DE",
"CC-BY-3.0-IGO",
"CC-BY-3.0-NL",
"CC-BY-3.0-US",
"CC-BY-4.0",
"CC-BY-NC-1.0",
"CC-BY-NC-2.0",
"CC-BY-NC-2.5",
"CC-BY-NC-3.0",
"CC-BY-NC-3.0-DE",
"CC-BY-NC-4.0",
"CC-BY-NC-ND-1.0",
"CC-BY-NC-ND-2.0",
"CC-BY-NC-ND-2.5",
"CC-BY-NC-ND-3.0",
"CC-BY-NC-ND-3.0-DE",
"CC-BY-NC-ND-3.0-IGO",

"CC-BY-NC-ND-4.0",
"CC-BY-NC-SA-1.0",
"CC-BY-NC-SA-2.0",
"CC-BY-NC-SA-2.0-DE",
"CC-BY-NC-SA-2.0-FR",
"CC-BY-NC-SA-2.0-UK",
"CC-BY-NC-SA-2.5",
"CC-BY-NC-SA-3.0",
"CC-BY-NC-SA-3.0-DE",
"CC-BY-NC-SA-3.0-IGO",
"CC-BY-NC-SA-4.0",
"CC-BY-ND-1.0",
"CC-BY-ND-2.0",
"CC-BY-ND-2.5",
"CC-BY-ND-3.0",
"CC-BY-ND-3.0-DE",
"CC-BY-ND-4.0",
"CC-BY-SA-1.0",
"CC-BY-SA-2.0",
"CC-BY-SA-2.0-UK",
"CC-BY-SA-2.1-JP",
"CC-BY-SA-2.5",
"CC-BY-SA-3.0",
"CC-BY-SA-3.0-AT",
"CC-BY-SA-3.0-DE",
"CC-BY-SA-3.0-IGO",
"CC-BY-SA-4.0",
"CC-PDDC",
"CC0-1.0",
"CDDL-1.0",
"CDDL-1.1",
"CDL-1.0",
"CDLA-Permissive-1.0",
"CDLA-Permissive-2.0",
"CDLA-Sharing-1.0",
"CECILL-1.0",
"CECILL-1.1",
"CECILL-2.0",
"CECILL-2.1",
"CECILL-B",
"CECILL-C",
"CERN-OHL-1.1",
"CERN-OHL-1.2",
"CERN-OHL-P-2.0",
"CERN-OHL-S-2.0",
"CERN-OHL-W-2.0",
"CFITSIO",
"CMU-Mach",

"CMU-Mach-nodoc",
"CNRI-Jython",
"CNRI-Python",
"CNRI-Python-GPL-Compatible",
"COIL-1.0",
"CPAL-1.0",
"CPL-1.0",
"CPOL-1.02",
"CUA-OPL-1.0",
"Caldera",
"Caldera-no-preamble",
"Catharon",
"CIArtistic",
"Clips",
"Community-Spec-1.0",
"Condor-1.1",
"Cornell-Lossless-JPEG",
"Cronyx",
"Crossword",
"CrystalStacker",
"Cube",
"D-FSL-1.0",
"DEC-3-Clause",
"DL-DE-BY-2.0",
"DL-DE-ZERO-2.0",
"DOC",
"DRL-1.0",
"DRL-1.1",
"DSDP",
"Dotseqn",
"ECL-1.0",
"ECL-2.0",
"EFL-1.0",
"EFL-2.0",
"EPICS",
"EPL-1.0",
"EPL-2.0",
"EUDatagrid",
"EUPL-1.0",
"EUPL-1.1",
"EUPL-1.2",
"Elastic-2.0",
"Entessa",
"ErlPL-1.1",
"Eurosymb",
"FBM",
"FDK-AAC",
"FSFAP",

"FSFAP-no-warranty-disclaimer",
"FSFUL",
"FSFULLR",
"FSFULLRWD",
"FTL",
"Fair",
"Ferguson-Twofish",
"Frameworkx-1.0",
"FreeBSD-DOC",
"FreeImage",
"Furuset",
"GCR-docs",
"GD",
"GFDL-1.1-invariants-only",
"GFDL-1.1-invariants-or-later",
"GFDL-1.1-no-invariants-only",
"GFDL-1.1-no-invariants-or-later",
"GFDL-1.1-only",
"GFDL-1.1-or-later",
"GFDL-1.2-invariants-only",
"GFDL-1.2-invariants-or-later",
"GFDL-1.2-no-invariants-only",
"GFDL-1.2-no-invariants-or-later",
"GFDL-1.2-only",
"GFDL-1.2-or-later",
"GFDL-1.3-invariants-only",
"GFDL-1.3-invariants-or-later",
"GFDL-1.3-no-invariants-only",
"GFDL-1.3-no-invariants-or-later",
"GFDL-1.3-only",
"GFDL-1.3-or-later",
"GL2PS",
"GLWTPL",
"GPL-1.0-only",
"GPL-1.0-or-later",
"GPL-2.0-only",
"GPL-2.0-or-later",
"GPL-3.0-only",
"GPL-3.0-or-later",
"Giftware",
"Glide",
"Glulxe",
"Graphics-Gems",
"Gutmann",
"HP-1986",
"HP-1989",
"HPND",
"HPND-DEC",

"HPND-Fenneberg-Livingston",
"HPND-INRIA-IMAG",
"HPND-Intel",
"HPND-Kevlin-Henney",
"HPND-MIT-disclaimer",
"HPND-Markus-Kuhn",
"HPND-Pbmplus",
"HPND-UC",
"HPND-UC-export-US",
"HPND-doc",
"HPND-doc-sell",
"HPND-export-US",
"HPND-export-US-acknowledgement",
"HPND-export-US-modify",
"HPND-export2-US",
"HPND-merchantability-variant",
"HPND-sell-MIT-disclaimer-xserver",
"HPND-sell-regexpr",
"HPND-sell-variant",
"HPND-sell-variant-MIT-disclaimer",
"HPND-sell-variant-MIT-disclaimer-rev",
"HTMLTIDY",
"HaskellReport",
"Hippocratic-2.1",
"IBM-pibs",
"ICU",
"IEC-Code-Components-EULA",
"IJG",
"IJG-short",
"IPA",
"IPL-1.0",
"ISC",
"ISC-Veillard",
"ImageMagick",
"Imlib2",
"Info-ZIP",
"Inner-Net-2.0",
"Intel",
"Intel-ACPI",
"Interbase-1.0",
"JPL-image",
"JPNIC",
"JSON",
"Jam",
"JasPer-2.0",
"Kastrup",
"Kazlib",
"Knuth-CTAN",

"LAL-1.2",
"LAL-1.3",
"LGPL-2.0-only",
"LGPL-2.0-or-later",
"LGPL-2.1-only",
"LGPL-2.1-or-later",
"LGPL-3.0-only",
"LGPL-3.0-or-later",
"LGPLLR",
"LOOP",
"LPD-document",
"LPL-1.0",
"LPL-1.02",
"LPPL-1.0",
"LPPL-1.1",
"LPPL-1.2",
"LPPL-1.3a",
"LPPL-1.3c",
"LZMA-SDK-9.11-to-9.20",
"LZMA-SDK-9.22",
"Latex2e",
"Latex2e-translated-notice",
"Leptonica",
"LiLiQ-P-1.1",
"LiLiQ-R-1.1",
"LiLiQ-Rplus-1.1",
"Libpng",
"Linux-OpenIB",
"Linux-man-pages-1-para",
"Linux-man-pages-copyleft",
"Linux-man-pages-copyleft-2-para",
"Linux-man-pages-copyleft-var",
"Lucida-Bitmap-Fonts",
"MIT",
"MIT-0",
"MIT-CMU",
"MIT-Festival",
"MIT-Khronos-old",
"MIT-Modern-Variant",
"MIT-Wu",
"MIT-advertising",
"MIT-enna",
"MIT-feh",
"MIT-open-group",
"MIT-testregex",
"MITNFA",
"MMIXware",
"MPEG-SSG",

"MPL-1.0",
"MPL-1.1",
"MPL-2.0",
"MPL-2.0-no-copyleft-exception",
"MS-LPL",
"MS-PL",
"MS-RL",
"MTLL",
"Mackerras-3-Clause",
"Mackerras-3-Clause-acknowledgment",
"MakeIndex",
"Martin-Birgmeier",
"McPhee-slideshow",
"Minpack",
"MirOS",
"Motosoto",
"MulanPSL-1.0",
"MulanPSL-2.0",
"Multics",
"Mup",
"NAIST-2003",
"NASA-1.3",
"NBPL-1.0",
"NCBI-PD",
"NCGL-UK-2.0",
"NCL",
"NCSA",
"NGPL",
"NICTA-1.0",
"NIST-PD",
"NIST-PD-fallback",
"NIST-Software",
"NLOD-1.0",
"NLOD-2.0",
"NLPL",
"NOSL",
"NPL-1.0",
"NPL-1.1",
"NPOSL-3.0",
"NRL",
"NTP",
"NTP-0",
"Naumen",
"Net-SNMP",
"NetCDF",
"Newsletr",
"Nokia",
"Noweb",

"O-UDA-1.0",
"OAR",
"OCCT-PL",
"OCLC-2.0",
"ODC-By-1.0",
"ODbL-1.0",
"OFFIS",
"OFL-1.0",
"OFL-1.0-RFN",
"OFL-1.0-no-RFN",
"OFL-1.1",
"OFL-1.1-RFN",
"OFL-1.1-no-RFN",
"OGC-1.0",
"OGDL-Taiwan-1.0",
"OGL-Canada-2.0",
"OGL-UK-1.0",
"OGL-UK-2.0",
"OGL-UK-3.0",
"OGTSL",
"OLDAP-1.1",
"OLDAP-1.2",
"OLDAP-1.3",
"OLDAP-1.4",
"OLDAP-2.0",
"OLDAP-2.0.1",
"OLDAP-2.1",
"OLDAP-2.2",
"OLDAP-2.2.1",
"OLDAP-2.2.2",
"OLDAP-2.3",
"OLDAP-2.4",
"OLDAP-2.5",
"OLDAP-2.6",
"OLDAP-2.7",
"OLDAP-2.8",
"OLFL-1.3",
"OML",
"OPL-1.0",
"OPL-UK-3.0",
"OPUBL-1.0",
"OSET-PL-2.1",
"OSL-1.0",
"OSL-1.1",
"OSL-2.0",
"OSL-2.1",
"OSL-3.0",
"OpenPBS-2.3",

"OpenSSL",
"OpenSSL-standalone",
"OpenVision",
"PADL",
"PDDL-1.0",
"PHP-3.0",
"PHP-3.01",
"PPL",
"PSF-2.0",
"Parity-6.0.0",
"Parity-7.0.0",
"Pixar",
"Plexus",
"PolyForm-Noncommercial-1.0.0",
"PolyForm-Small-Business-1.0.0",
"PostgreSQL",
"Python-2.0",
"Python-2.0.1",
"QPL-1.0",
"QPL-1.0-INRIA-2004",
"Qhull",
"RHeCos-1.1",
"RPL-1.1",
"RPL-1.5",
"RPSL-1.0",
"RSA-MD",
"RSCPL",
"Rdisc",
"Ruby",
"SAX-PD",
"SAX-PD-2.0",
"SCEA",
"SGI-B-1.0",
"SGI-B-1.1",
"SGI-B-2.0",
"SGI-OpenGL",
"SGP4",
"SHL-0.5",
"SHL-0.51",
"SISSL",
"SISSL-1.2",
"SL",
"SMLNJ",
"SMPPL",
"SNIA",
"SPL-1.0",
"SSH-OpenSSH",
"SSH-short",

"SSLeay-standalone",
"SSPL-1.0",
"SWL",
"Saxpath",
"SchemeReport",
"Sendmail",
"Sendmail-8.23",
"SimPL-2.0",
"Sleepycat",
"Soundex",
"Spencer-86",
"Spencer-94",
"Spencer-99",
"SugarCRM-1.1.3",
"Sun-PPP",
"Sun-PPP-2000",
"SunPro",
"Symlinks",
"TAPR-OHL-1.0",
"TCL",
"TCP-wrappers",
"TGPPL-1.0",
"TMate",
"TORQUE-1.1",
"TOSL",
"TPDL",
"TPL-1.0",
"TTWL",
"TTYPO",
"TU-Berlin-1.0",
"TU-Berlin-2.0",
"TermReadKey",
"UCAR",
"UCL-1.0",
"UMich-Merit",
"UPL-1.0",
"URT-RLE",
"Unicode-3.0",
"Unicode-DFS-2015",
"Unicode-DFS-2016",
"Unicode-TOU",
"UnixCrypt",
"Unlicense",
"VOSTROM",
"VSL-1.0",
"Vim",
"W3C",
"W3C-19980720",

"W3C-20150513",
"WTFPL",
"Watcom-1.0",
"Widget-Workshop",
"Wsuipa",
"X11",
"X11-distribute-modifications-variant",
"XFree86-1.1",
"XSkat",
"Xdebug-1.03",
"Xerox",
"Xfig",
"Xnet",
"YPL-1.0",
"YPL-1.1",
"ZPL-1.1",
"ZPL-2.0",
"ZPL-2.1",
"Zed",
"Zeff",
"Zend-2.0",
"Zimbra-1.3",
"Zimbra-1.4",
"Zlib",
"any-OSI",
"bcrypt-Solar-Designer",
"blessing",
"bzip2-1.0.6",
"check-cvs",
"checkmk",
"copyleft-next-0.3.0",
"copyleft-next-0.3.1",
"curl",
"cve-tou",
"diffmark",
"dtoa",
"dvi2pdf",
"eGenix",
"etalab-2.0",
"fwlw",
"gSOAP-1.3b",
"gnuplot",
"gtkbook",
"hdparm",
"iMatix",
"libpng-2.0",
"libselenium-1.0",
"libtiff",

```
"libutil-David-Nugent",
"lsof",
"magaz",
"mailprio",
"metamail",
"mpi-permissive",
"mpich2",
"mplus",
"pkgconf",
"pnmstitch",
"psfrag",
"psutils",
"python-ldap",
"radvd",
"snprintf",
"softSurfer",
"ssh-keyscan",
"swrule",
"threeparttable",
"ulem",
"w3m",
"xinetd",
"xkeyboard-config-Zinoviev",
"xlock",
"xpp",
"xzoom",
"zlib-acknowledgement"
```

```
]
```

```
# spdx-license-ids
```

[![npm version](https://img.shields.io/npm/v/spdx-license-ids.svg)](https://www.npmjs.com/package/spdx-license-ids)

[![Github Actions](https://action-badges.now.sh/jslicense/spdx-license-ids)](https://wdp9fww0r9.execute-api.us-west-2.amazonaws.com/production/results/jslicense/spdx-license-ids)

A list of [SPDX license](https://spdx.org/licenses/) identifiers

Installation

[Download JSON directly](https://raw.githubusercontent.com/jslicense/spdx-license-ids/main/index.json), or
[use](https://docs.npmjs.com/cli/install) [npm](https://docs.npmjs.com/about-npm/):

```
...
```

```
npm install spdx-license-ids
```

```
...
```

[Node.js](https://nodejs.org/) API

```
### require('spdx-license-ids')
```

Type: `string[]`

All license IDs except for the currently deprecated ones.

```
```javascript
const ids = require('spdx-license-ids');
//=> ['0BSD', 'AAL', 'ADSL', 'AFL-1.1', 'AFL-1.2', 'AFL-2.0', 'AFL-2.1', 'AFL-3.0', 'AGPL-1.0-only', ...]

ids.includes('BSD-3-Clause'); //=> true
ids.includes('CC-BY-1.0');
//=> true

ids.includes('GPL-3.0'); //=> false
```
```

```
### require('spdx-license-ids/deprecated')
```

Type: `string[]`

Deprecated license IDs.

```
```javascript
const deprecatedIds = require('spdx-license-ids/deprecated');
//=> ['AGPL-1.0', 'AGPL-3.0', 'GFDL-1.1', 'GFDL-1.2', 'GFDL-1.3', 'GPL-1.0', 'GPL-2.0', ...]

deprecatedIds.includes('BSD-3-Clause'); //=> false
deprecatedIds.includes('CC-BY-1.0'); //=> false

deprecatedIds.includes('GPL-3.0'); //=> true
```
```

```
## License
```

[Creative Commons Zero v1.0 Universal](https://creativecommons.org/publicdomain/zero/1.0/deed)

1.226 iconv-lite 0.6.3

1.226.1 Available under license :

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.227 chownr 2.0.0

1.227.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.228 java-common 0.72build2

1.228.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: Java Common

Upstream-Contact: Debian Java Team <debian-java@lists.debian.org>

Files: *

Copyright: 2000, Stephane Bortzmeyer <bortzmeyer@debian.org>

2001-2003, Ola Lundqvist <opal@debian.org>

2003, Stefan Gybas <sgybas@debian.org>

2005, Arnaud Vandyck <avdyk@debian.org>
2006-2008, Michael Koch <konqueror@gmx.de>
2006-2016, Matthias Klose <doko@debian.org>
2009, Torsten Werner <twerner@debian.org>
2010, Niels Thykier <niels@thykier.net>
2011-2013, Sylvestre Ledru <sylvestre@debian.org>
2014-2017, Emmanuel Bourg <ebourg@apache.org>

License: GPL-2+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This package

is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.

On Debian systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'.

1.229 xerces-j 2.12.2

1.229.1 Available under license :

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====
```

Apache Xalan (Xalan serializer)

Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,
<http://www.ibm.com>.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache XML Commons Resolver

Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.230 @tufjs/models 2.0.1

1.230.1 Available under license :

MIT License

Copyright (c) 2022 GitHub and the TUF Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

MIT

1.231 just-diff-apply 5.5.0

1.231.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 angus croll

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.232 emoji-regex 8.0.0

1.232.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

1.233 bash 5.1-6ubuntu1.1

1.233.1 Available under license :

GNU Free Documentation License
Version 1.3, 3 November 2008

Copyright (C) 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
<<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document "free" in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of "copyleft", which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We

have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that

work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy,
modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or
for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount

of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The

Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further

copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

- K. For any section Entitled "Acknowledgements" or "Dedications",
Preserve the Title of the section, and preserve in the section all
the substance and tone of each of the contributor
acknowledgements
and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document,
unaltered in their text and in their titles. Section numbers
or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section
may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements"
or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the
list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains
nothing but
endorsements of your Modified Version by various
parties--for example, statements of peer review or that the text has
been approved by an organization as the authoritative definition of a
standard.

You may add a passage of up to five words as a Front-Cover Text, and a
passage of up to 25 words as a Back-Cover Text, to the end of the list
of Cover Texts in the Modified Version. Only one passage of
Front-Cover Text and one of Back-Cover Text may be added by (or
through arrangements made by) any one entity. If the Document already
includes a cover text for the same cover, previously added by you or
by arrangement made by the same entity you are acting on behalf of,
you may not add another; but you may replace the old one, on explicit
permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License
give permission to use their names for publicity for or to assert or
imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this
License, under the terms defined in section 4 above for modified

versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves

derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4.

Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit

corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each

time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED

TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN
IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w'

and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

@c The GNU Free Documentation License.
@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display
Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.
@end display

@enumerate 0
@item
PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document @dfn{free} in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of ``copyleft", which means that derivative works of the document

must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

@item

APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The ``Document'', below, refers

to any such manual or work. Any member of the public is a licensee, and is addressed as ``you''. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ``Modified Version'' of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The ``Invariant Sections'' are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant

Sections then there are none.

The ``Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A ``Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not ``Transparent" is called ``Opaque".

Examples of suitable formats for Transparent copies include plain `@sc{ascii}` without markup, Texinfo input format, `La@TeX{}` input format, `@acronym{SGML}` or `@acronym{XML}` using a publicly available `@acronym{DTD}`, and standard-conforming simple `@acronym{HTML}`, PostScript or `@acronym{PDF}` designed for human modification. Examples of transparent image formats include `@acronym{PNG}`, `@acronym{XCF}` and `@acronym{JPG}`. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, `@acronym{SGML}` or `@acronym{XML}` for which the `@acronym{DTD}` and/or processing tools are not generally available, and the machine-generated `@acronym{HTML}`, PostScript or `@acronym{PDF}` produced by some word processors for output purposes only.

The ``Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, ``Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher" means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in

another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements'', ``Dedications'', ``Endorsements'', or ``History''.) To ``Preserve the Title'' of such a section when you modify the Document means that it remains a section ``Entitled XYZ'' according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible.

You may add other material on the covers in addition.

Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit

legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material.

If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that

this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from

those of previous versions

(which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the ``History'' section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements''. Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled ``Endorsements'' or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History" in the various original documents, forming one section Entitled ``History"; likewise combine any sections Entitled ``Acknowledgements", and any sections Entitled ``Dedications". You must delete all sections Entitled ``Endorsements."

@item

COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item

AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit.

When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item

TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'', ``Dedications'', or ``History'', the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

@item

TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to

60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item

RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC")

contained in the
site means any set of copyrightable works thus published on the MMC
site.

``CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0
license published by Creative Commons Corporation, a not-for-profit
corporation with a principal place of business in San Francisco,
California, as well as future copyleft versions of that license
published by that same organization.

``Incorporate" means to publish or republish a Document, in whole or
in part, as part of another Document.

An MMC is ``eligible for relicensing" if it is licensed under this
License, and if all works that were first published under this License
somewhere other than this MMC, and subsequently incorporated in whole
or in part into the MMC, (1) had no cover texts or invariant sections,
and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site
under CC-BY-SA on the same site at any time before August 1, 2009,
provided the
MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of
the License in the document and put the following copyright and
license notices just after the title page:

@smallexample

@group

Copyright (C) @var{year} @var{your name}.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts. A copy of the license is included in the section entitled ``GNU
Free Documentation License".

@end group

@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the ``with@dots{ }Texts." line with this:

```

@smallexample
@group
  with the Invariant Sections being @var{list their titles}, with
  the Front-Cover
  Texts being @var{list}, and with the Back-Cover Texts
  being @var{list}.
@end group
@end smallexample

```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

```

@c Local Variables:
@c ispell-local-pdict: "ispell-dict"
@c End:

```

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
 Everyone is permitted to copy and distribute verbatim copies
 of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new

free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official

standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product,

doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions.

Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further

restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or

run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor

version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying

the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered

version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.

For more information on this, and how to apply and follow the GNU GPL, see
<<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read
<<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

Unless otherwise stated, all files in this directory are Copyright (C) 1991,1992,1993,1994,1995,1996,1997,1998,1999,2000,2001,2002,2003, 2004,2005,2006,2007,2008,2009,2010,2011
Free Software Foundation, Inc.

See the file COPYING in the bash distribution root directory for copying and usage restrictions.

The file ifs-posix.tests is Copyright (C) 2005 Glen Fowler.

1.234 jsbn 1.1.0

1.234.1 Available under license :

Licensing

This software is covered under the following copyright:

```
/*
 * Copyright (c) 2003-2005 Tom Wu
 * All Rights Reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY
 * WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
 *
```

* IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL,
INCIDENTAL,
* INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER
* RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF
* THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT
* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*
* In addition, the following condition applies:
*
* All redistributions must retain an intact copy of this copyright notice
* and disclaimer.
*/

Address all questions regarding this license to:

Tom Wu
tjw@cs.Stanford.EDU
MIT

1.235 python-pip 22.0.2+dfsg-1ubuntu0.7

1.235.1 Available under license :

UNRECOGNIZED LICENSE; MD5 sum: 45874240865793abc3a77b0bbdf3dc51
UNRECOGNIZED LICENSE; MD5 sum: b0eaf0c960a0f5d744339da436682707
UNRECOGNIZED LICENSE; MD5 sum: 856bd8901cf18d4edc40b86012a95b26
UNRECOGNIZED LICENSE; MD5 sum: d2e8c3bce80da2a2e51cffd44205a7b1
UNRECOGNIZED LICENSE; MD5 sum: 89c981cb43c0c7a860b8a18449e92a38
UNRECOGNIZED LICENSE; MD5 sum: f7cacecf6ff92c07405436643ace4302
Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Python/Jython

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that

there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free

programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the

source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time.

Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

UNRECOGNIZED LICENSE; MD5 sum: 969a9e986521a635141d6b548aea92ad

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: c0f4347d81adc62c6cd62b1b85aa469b

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#
This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:
<http://mxr.mozilla.org/mozilla/source/security/nss/lib/ckfw/builtins/certdata.txt?raw=1#>
It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$

\$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

UNRECOGNIZED LICENSE; MD5 sum: 224a0356792d38f867e73fdd7ee8bc68

argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from Python 2.7.1, so definitely all files are under Python License now.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Philip Jenvey
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek

* Tarek Ziad
* Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)
BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: b7f43a4fdd86a40df4c36e1b6afca602

Copyright (c) 2012 Georgios Verigakis <verigak@gmail.com>

#

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

#

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2011 Agendaless Consulting and Contributors.

(<http://www.agendaless.com>), All Rights Reserved

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Dirley Rodrigues
- * Donald Stufft
- * Grigory Petrov
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon

- * Phillip J. Eby
- * Philip Jenvey
- * Philip Thiem
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: 83ef8a4c430ba194704fb45783887e46

UNRECOGNIZED LICENSE; MD5 sum: aa439617d32fe0ada48c0da904366da4

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 279f913b168e268d25ef6188c9e3ffd4

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 69a0cd56dc900d1143c236b05bb465ac
Copyright (c) 2008-2013 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License for Bundle of CA Root Certificates (pip/cacert.pem)

=====

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
02110-1301

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

This is the MIT license

Copyright (c) 2010 ActiveState Software Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007 Ian Bicking and Contributors

Copyright (c) 2009 Ian Bicking, The Open Planning Project

Copyright (c) 2011-2013 The virtualenv developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 185fbba8d66d86d1c6cc10d6b557cb3f

UNRECOGNIZED LICENSE; MD5 sum: 3fd6103100722c2ab40319eb942c4c6a

UNRECOGNIZED LICENSE; MD5 sum: a7e9b70ca59c69b9aa662e8ae7bbec00

UNRECOGNIZED LICENSE; MD5 sum: 504fdd18bdcfd3f7606b5a0f88addea3

UNRECOGNIZED LICENSE; MD5 sum: bbfcbab4df1f200b2a9ca494c44800c0

UNRECOGNIZED LICENSE; MD5 sum: ee4b86b7d59c7064abc30c2496ac78b9

UNRECOGNIZED LICENSE; MD5 sum: f148932318e88b83787b4b3a0bdcf70a

UNRECOGNIZED LICENSE; MD5 sum: 351b831d68a447eabcbaa43af18d7b41

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

UNRECOGNIZED LICENSE; MD5 sum: b8d0bf09a388e9b6640ef5c7c153d61d

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012 by Simon Sapin.

Some rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: c0c0185b7475d96d2c346c55c3e53ab7

UNRECOGNIZED LICENSE; MD5 sum: f659b2cbaf5278203e32eb1f5a5f79c7

Pylons Project Contributor Agreement

=====

The submitter agrees by adding his or her name within the section below named

"Contributors" and submitting the resulting modified document to the canonical shared repository location for this software project (whether directly, as a user with "direct commit access", or via a "pull request"), he or she is signing a contract electronically. The submitter becomes a Contributor after a) he or she signs this document by adding their name beneath the "Contributors" section below, and b) the resulting document is accepted into the canonical version control repository.

Treatment of Account

Contributor will not allow anyone other than the Contributor to use his or her username or source repository login to submit code to a Pylons Project source repository. Should Contributor become aware of any such use, Contributor will immediately by notifying Agendaless Consulting. Notification must be performed by sending an email to webmaster@agendaless.com. Until such notice is received, Contributor will be presumed to have taken all actions made through Contributor's account. If the Contributor has direct commit access, Agendaless Consulting will have complete control and discretion over capabilities assigned to Contributor's account, and may disable Contributor's account for any reason at any time.

Legal Effect of Contribution

Upon submitting a change or new work to a Pylons Project source Repository (a "Contribution"), you agree to assign, and hereby do assign, a one-half interest of all right, title and interest in and to copyright and other intellectual property rights with respect to your new and original portions of the Contribution to Agendaless Consulting. You and Agendaless Consulting each agree that the other shall be free to exercise any and all exclusive rights in and to the Contribution, without accounting to one another, including without limitation, the right to license the Contribution to others under the Repoze Public License. This agreement shall run with title to the Contribution. Agendaless Consulting does not convey to you any right, title or interest in or to the Program or such portions of the Contribution that were taken from the Program. Your transmission of a submission to the Pylons Project source Repository and marks of identification concerning the Contribution itself constitute your intent to contribute and your assignment of the work in accordance with the provisions of this Agreement.

License Terms

Code committed to the Pylons Project source repository (Committed Code) must be governed by the Repoze Public License (<http://repoze.org/LICENSE.txt>, aka

"the RPL") or another license acceptable to Agendaless Consulting. Until Agendaless Consulting declares in writing an acceptable license other than the RPL, only the RPL shall be used. A list of exceptions is detailed within the "Licensing Exceptions" section of this document, if one exists.

Representations, Warranty, and Indemnification

Contributor represents and warrants that the Committed Code does not violate the rights of any person or entity, and that the Contributor has legal authority to enter into this Agreement and legal authority over Contributed Code. Further, Contributor indemnifies Agendaless Consulting against violations.

Cryptography

Contributor understands that cryptographic code may be subject to government regulations with which Agendaless Consulting and/or entities using Committed Code must comply. Any code which contains any of the items listed below must not be checked-in until Agendaless Consulting staff has been notified and has approved such contribution in writing.

- Cryptographic capabilities or features
- Calls to cryptographic features
- User interface elements which provide context relating to cryptography
- Code which may, under casual inspection, appear to be cryptographic.

Notices

Contributor confirms that any notices required will be included in any Committed Code.

Licensing Exceptions

=====

None.

List of Contributors

=====

The below-signed are contributors to a code repository that is part of the

project named "Translationstring". Each below-signed contributor has read, understands and agrees to the terms above in the section within this document entitled "Pylons Project Contributor Agreement" as of the date beside his or her name.

Contributors

- Chris McDonough, 2011/02/16

- Wichert Akkerman, 2012/02/02

UNRECOGNIZED LICENSE; MD5 sum: 3f2777d4b97006c32953b26ef1f7ac43

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see <http://www.zope.com>). In 2001, the Python Software
Foundation (PSF, see <http://www.python.org/psf/>) was formed, a

non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes

2.6.5	2.6.4	2010	PSF	yes
2.7	2.6	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"

basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License

Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S.

federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This

License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 1545853f429fe0b615b6e97ded0d7631

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL- compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes

2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works,

distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using

this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.

BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National

Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions

of this License Agreement, CNRI

hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without

limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above				
2.1.1	2001-now	PSF		yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with

other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT

is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS

A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee.

This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY

DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License

Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with

Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet

using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both
that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 8ad4ae5e46a2a3afa27316325386f1cb
UNRECOGNIZED LICENSE; MD5 sum: 45ea32bdebfc2e63ec2b131cd4bc11af
UNRECOGNIZED LICENSE; MD5 sum: c197738b997df284a755c01a887f0ed9
UNRECOGNIZED LICENSE; MD5 sum: 804cd29e64bdef8111fd6b88180e19dc
UNRECOGNIZED LICENSE; MD5 sum: b5e84cb1dddb61a4f3868fc707971432
UNRECOGNIZED LICENSE; MD5 sum: 80d13bfe019695adda309f6a182a2695
UNRECOGNIZED LICENSE; MD5 sum: efc9c2dbdd704e7546d437a42525644c
License

A copyright notice accompanies this license document that identifies
the copyright holders.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions in source code must retain the accompanying
copyright notice, this list of conditions, and the following
disclaimer.
2. Redistributions in binary form must reproduce the accompanying
copyright notice, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2006-2013 James Graham and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: c4d2ef9007518f78fd9ae6bb89c51ef7

Copyright (c) 2006-2021 by the respective authors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: ef8d703a4d226a68185ce4c5c15d90d7
UNRECOGNIZED LICENSE; MD5 sum: 95594488233717b3db751ed31d203303

Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
UNRECOGNIZED LICENSE; MD5 sum: 19a553a1ca654d9e1b3a5c06882c91fa

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

UNRECOGNIZED LICENSE; MD5 sum: c1872b37e59a0ddda1fe4cf8a81192a

UNRECOGNIZED LICENSE; MD5 sum: c628ada423b19fd269a474e38eb93287

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.236 pep517 0.12.0

1.236.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.237 validate-npm-package-license 3.0.4

1.237.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

validate-npm-package-license

=====

Give me a string and I'll tell you if it's a valid npm package license string.

```
```javascript
var valid = require('validate-npm-package-license');
```
```

SPDX license identifiers are valid license strings:

```
```javascript

var assert = require('assert');
var validSPDXExpression = {
 validForNewPackages: true,
 validForOldPackages: true,
 spdx: true
};

assert.deepEqual(valid('MIT'), validSPDXExpression);
assert.deepEqual(valid('BSD-2-Clause'), validSPDXExpression);
assert.deepEqual(valid('Apache-2.0'), validSPDXExpression);
assert.deepEqual(valid('ISC'), validSPDXExpression);
```
```

The function will return a warning and suggestion for nearly-correct license identifiers:

```
```javascript
assert.deepEqual(
 valid('Apache 2.0'),
 {
 validForOldPackages: false,
 validForNewPackages: false,
 warnings: [
 'license should be ' +
 'a valid SPDX license expression (without "LicenseRef"), ' +
 '"UNLICENSED", or ' +
 '"SEE LICENSE IN <filename>"',
 'license is similar to the valid expression "Apache-2.0"'
]
 }
);
```
```

SPDX expressions are valid, too ...

```
```javascript
// Simple SPDX license expression for dual licensing
assert.deepEqual(
 valid('(GPL-3.0-only OR BSD-2-Clause)'),
 validSPDXExpression
);
```
```

... except if they contain `LicenseRef`:


```

```javascript
var warningAboutLicenseRef = {
 validForOldPackages: false,
 validForNewPackages: false,
 spdx: true,
 warnings: [
 'license should be ' +
 'a valid SPDX license expression (without "LicenseRef")', ' +
 "'UNLICENSED', or ' +
 "'SEE LICENSE IN <filename>",
]
};

assert.deepEqual(
 valid('LicenseRef-Made-Up'),
 warningAboutLicenseRef
);

assert.deepEqual(
 valid('(MIT OR LicenseRef-Made-Up)'),
 warningAboutLicenseRef
);
```

```

If you can't describe your licensing terms with standardized SPDX identifiers, put the terms in a file in the package and point users there:

```

```javascript
assert.deepEqual(
 valid('SEE
 LICENSE IN LICENSE.txt'),
 {
 validForNewPackages: true,
 validForOldPackages: true,
 inFile: 'LICENSE.txt'
 }
);

assert.deepEqual(
 valid('SEE LICENSE IN license.md'),
 {
 validForNewPackages: true,
 validForOldPackages: true,
 inFile: 'license.md'
 }
);
```

```

If there aren't any licensing terms, use `UNLICENSED`:

```
```javascript
var unlicensed = {
 validForNewPackages: true,
 validForOldPackages: true,
 unlicensed: true
};
assert.deepEqual(valid('UNLICENSED'), unlicensed);
assert.deepEqual(valid('UNLICENSED'), unlicensed);
```
```

1.238 npm-audit-report 5.0.0

1.238.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.239 strip-ansi 7.1.0

1.239.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.240 python-setuptools 59.6.0-

1.2ubuntu0.22.04.3

1.240.1 Available under license :

Copyright Jason R. Coombs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 48a0c7f25705055f99a9a86670e60fb8

UNRECOGNIZED LICENSE; MD5 sum: 525adedaf9a94edbb3e245cdd7b0f448

1.241 read-cmd-shim 4.0.0

1.241.1 Available under license :

ISC

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.242 qrcode-terminal 0.12.0

1.242.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
This product also include the following software:
=====

QRCode for JavaScript

Copyright (c) 2009 Kazuhiko Arase

URL: <http://www.d-project.com/>

Licensed under the MIT license:
<http://www.opensource.org/licenses/mit-license.php>

The word "QR Code" is registered trademark of
DENSO WAVE INCORPORATED
<http://www.denso-wave.com/qrcode/faqpatent-e.html>

Located in ./vendor/QRCode

- project has been modified to work in Node and some refactoring was done for code cleanup

1.243 string-width 4.2.3

1.243.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.244 python-certifi 2024.08.30

1.244.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:
<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>
It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

1.245 audit 1:3.0.7-1build1

1.245.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors

who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do

these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General

Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do

this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the

complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute

the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if the user installs one, as long as the modified version is

interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute

the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software

distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR

OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>
Upstream-Name: auditd
Source: <https://people.redhat.com/sgrubb/audit/>

Files: *
Copyright: 2012-2016 Steve Grubb <sgrubb@redhat.com>
2006-2012 Rik Faith
License: GPL-2

Files: src/libev/*
Copyright: 2007-2009 Marc Alexander Lehmann
License: GPL-2

Files: lib/*
Copyright: 2005-2008 Steve Grubb <sgrubb@redhat.com>
License: LGPL-2.1
The audit daemon's library libaudit.* is released under LGPL so that it may be linked with 3rd party software.

.

On Debian systems, refer to /usr/share/common-licenses/LGPL-2.1 for the complete text of the GNU Lesser General Public License.

Files: debian/*
Copyright: 2007-2011 Philipp Matthias Hahn <pmhahn@debian.org>

2012-2016 Laurent Bigonville <bigon@debian.org>
License: GPL-2

License: GPL-2

This package is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2, as published by the Free Software Foundation.

.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.

On Debian systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-1'.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's

source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole

or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or

(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and
`show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.246 brotli 1.0.9-2build6

1.246.1 Available under license :

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.247 npmcli-git 5.0.8

1.247.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.248 aproba 2.0.0

1.248.1 Available under license :

ISC

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.249 icu 74.2

1.249.1 Available under license :

UNICODE LICENSE V3

COPYRIGHT AND PERMISSION NOTICE

Copyright 2016-2023 Unicode, Inc.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING DATA FILES, AND/OR SOFTWARE, YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of data files and any associated documentation (the "Data Files") or software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY

KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT

OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008, Google Inc.
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice,
# this list of conditions and the following disclaimer.
# Redistributions in binary form must reproduce the above
# copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided with
# the distribution.
# Neither
# the name of Google Inc. nor the names of its
# contributors may be used to endorse or promote products derived from
# this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
```

```

# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
# CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
# SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
#
# The word
# list in cjdickt.txt are generated by combining three word lists
# listed below with further processing for compound word breaking. The
# frequency is generated with an iterative training against Google web
# corpora.
#
# * Libtabe (Chinese)
#   - https://sourceforge.net/project/?group\_id=1519
#   - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
#   - http://chasen.aist-nara.ac.jp/chasen/distribution.html
#   - Its license terms and conditions are shown below.
#
# -----COPYING.libtabe ---- BEGIN-----
#
# /*
#  * Copyright (c) 1999 TaBE Project.
#  * Copyright (c) 1999 Pai-Hsiang Hsiao.
#  * All rights reserved.
#  *
#  * Redistribution and use in source and binary forms, with or without
#  * modification, are permitted provided that the following conditions
#  * are met:
#  *
#  * . Redistributions of source code must retain the above copyright
#  *   notice, this list of conditions and the following
#  *   disclaimer.
#  * . Redistributions in binary form must reproduce the above copyright
#  *   notice, this list of conditions and the following disclaimer in
#  *   the documentation and/or other materials provided with the
#  *   distribution.
#  * . Neither the name of the TaBE Project nor the names of its
#  *   contributors may be used to endorse or promote products derived
#  *   from this software without specific prior written permission.
#  *
#  * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

```

```

# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# *      Institute of Information Science, Academia
# *      Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation
and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
#   University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software, whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
# Nara Institute of Science and Technology (NAIST),
# the copyright holders, disclaims all warranties with regard to this
# software, including all implied warranties of merchantability
# and
# fitness, in no event shall NAIST be liable for
# any special, indirect or consequential damages or any damages
# whatsoever resulting from loss of use, data or profits, whether in an
# action of contract, negligence or other tortuous action, arising out
# of or in connection with the use or performance of this software.
#
# A large portion of the dictionary entries
# originate from ICOT Free Software. The following conditions for ICOT
# Free Software applies to the current dictionary as well.
#
# Each User may also freely distribute the Program, whether in its
# original form or modified, to any third party or parties, PROVIDED
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
# on, or be attached to, the Program, which is distributed substantially
# in the same form as set out herein and that such intended
# distribution, if actually made, will neither violate or otherwise
# contravene any of the laws and regulations
# of the countries having
# jurisdiction over the User or the intended distribution itself.
#
# NO WARRANTY
#
# The program was produced on an experimental basis in the course of the
# research and development conducted during the project and is provided
# to users as so produced on an experimental basis. Accordingly, the

```

program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

#

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.

#

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the

#

production of secondary products from the program.

#

In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.

#

-----COPYING.ipadic-----END-----

Lao Word Break Dictionary Data (laodict.txt)

Copyright (C) 2016 and later: Unicode, Inc. and others.
License & terms of use: <http://www.unicode.org/copyright.html>
Copyright (c) 2015 International Business Machines Corporation
and others. All Rights Reserved.

#

```
# Project: https://github.com/rober42539/lao-dictionary
# Dictionary: https://github.com/rober42539/lao-dictionary/laodict.txt
# License: https://github.com/rober42539/lao-dictionary/LICENSE.txt
# (copied below)
#
# This file is derived from the above dictionary version of Nov 22, 2020
# -----
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice, this
# list of conditions and the following disclaimer. Redistributions in binary
# form must reproduce the above copyright notice, this list of conditions and
# the following disclaimer in the documentation and/or other materials
# provided with the distribution.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# OF THE POSSIBILITY OF SUCH DAMAGE.
# -----
```

Burmese Word Break Dictionary Data (burmesedict.txt)

```
# Copyright (c) 2014 International Business Machines Corporation
# and others. All Rights Reserved.
#
# This list is part of a project hosted at:
# github.com/kanyawtech/myanmar-karen-word-lists
#
# -----
# Copyright (c) 2013, LeRoy Benjamin Sharon
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
```

```

# modification, are permitted provided that the following conditions
# are met: Redistributions of source code must retain the above
# copyright notice, this list of conditions and the following
# disclaimer. Redistributions in binary form must reproduce the
# above copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided
# with the distribution.
#
# Neither the name Myanmar Karen Word Lists, nor the names of its
# contributors may be used to endorse or promote products derived
# from this software without specific prior written
# permission.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
# TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
# SUCH DAMAGE.
# -----

```

Time Zone Database

ICU

uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

7. Database Ownership

```

#
# The TZ database itself is not an IETF Contribution or an IETF
# document. Rather it is a pre-existing and regularly updated work
# that is in the public domain, and is intended to remain in the
# public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do
# not apply to the TZ Database or contributions that individuals make
# to it. Should any claims be made and substantiated against the TZ
# Database, the organization that is providing the IANA
# Considerations defined in this RFC, under the memorandum of

```

understanding with the IETF, currently ICANN, may act in accordance
with all competent court orders. No ownership claims will be made
by ICANN or the IETF Trust on the database or the
code. Any person
making a contribution to the database or code waives all rights to
future claims in that contribution or in the TZ Database.

Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

File: aclocal.m4 (only for ICU4C)
Section: pkg.m4 - Macros to locate and utilise pkg-config.

Copyright 2004 Scott James Remnant <scott@netsplit.com>.
Copyright

2012-2015 Dan Nicholson <dbn.lists@gmail.com>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program.

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: config.guess (only for ICU4C)

This file is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see <<https://www.gnu.org/licenses/>>.

As a special exception to the GNU General Public License, if you

distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program. This Exception is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3").

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: install-sh (only for ICU4C)

Copyright 1991 by the Massachusetts Institute of Technology

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

1.250 msgpack 1.0.3

1.250.1 Available under license :

Apache License 2.0

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.251 ca-certificates 20240203~22.04.1

1.251.1 Available under license :

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: *

Copyright: 2013 System Administrator <root@localhost.localdomain>

License: ...

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Source: <http://ftp.debian.org/debian/pool/main/c/ca-certificates/>

Files: debian/*

examples/*

Makefile

mozilla/*

sbin/*

Copyright: 2003 Fumitoshi UKAI <ukai@debian.or.jp>

2009 Philipp Kern <pkern@debian.org>

2011 Michael Shuler <michael@pbandjelly.org>

Various Debian Contributors

License: GPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this

program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

.

On Debian GNU/Linux systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'.

Files: mozilla/certdata.txt

mozilla/nssckbi.h

Copyright: Mozilla Contributors

Comment: Original Copyright: 1994-2000 Netscape Communications Corporation

(certdata.txt <= CVS Revision: 1.82)

NSS no longer contains explicit copyright. Upstream indicates

that "Mozilla Contributors" is an appropriate attribution for the
required Copyright: field in Debian's machine-readable format.

https://bugzilla.mozilla.org/show_bug.cgi?id=850003

License: MPL-2.0

Mozilla Public License Version 2.0

=====

.
1. Definitions

.
1.1. "Contributor"

means each individual or legal entity that creates, contributes to
the creation
of, or owns Covered Software.

.
1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used
by a Contributor and that particular Contributor's Contribution.

.
1.3. "Contribution"

means Covered Software of a particular Contributor.

.
1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code
Form, and Modifications of such Source Code Form, in each case
including portions thereof.

.
1.5. "Incompatible With Secondary Licenses"

means

.
(a) that the initial Contributor has attached the notice described
in Exhibit B to the Covered Software; or

.
(b) that the Covered Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

.
1.6. "Executable Form"

means any form of the work other than Source Code
Form.

.
1.7. "Larger Work"

means a work that combines Covered Software with other material, in
a separate file or files, that is not Covered Software.

.
1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making,

using, selling, offering for sale, having

made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

.
Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- .
(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
.
(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.
.

2.2. Effective Date

.
The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.
.

2.3. Limitations on Grant Scope

.
The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- .
(a) for any code that a Contributor has removed from Covered Software; or
.
(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
.
(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.
.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

.
No Contributor makes additional grants as a result of Your choice to distribute the Covered

Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

.

2.5. Representation

.

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

.

2.6. Fair Use

.

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

.

2.7. Conditions

.

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

.

3. Responsibilities

.

3.1. Distribution of Source Form

.

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered

Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

.

3.2. Distribution of Executable Form

.

If You distribute Covered Software in Executable Form then:

.

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

.

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter

the recipients' rights in the Source Code Form under this License.

.

3.3. Distribution of a Larger Work

.

You may create and distribute

a Larger Work under terms of Your choice,

provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

.

3.4. Notices

.

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

.

3.5. Application of Additional Terms

.

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

.

4. Inability to Comply Due to Statute or Regulation

.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered

Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

.

5. Termination

.

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants

from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

.

*

*

* 6. Disclaimer of Warranty

*

* -----

*

*

*

* Covered Software is provided under this License on an "as is" *

* basis, without warranty of any kind, either expressed, implied, or *

* statutory, including, without limitation, warranties that the *

* Covered Software is free of defects, merchantable, fit for a *

* particular purpose or non-infringing. The entire risk as to the *

* quality and performance of the Covered Software is with You. *

* Should any Covered Software prove defective in any respect, You *

* (not any Contributor) assume the cost of any necessary servicing, *

* repair, or correction. This disclaimer

of warranty constitutes an *

* essential part of this License. No use of any Covered Software is *

* authorized under this License except under this disclaimer. *

* *

.

* *

* 7. Limitation of Liability *

* ----- *

* *

* Under no circumstances and under no legal theory, whether tort *

* (including negligence), contract, or otherwise, shall any *

* Contributor, or anyone who distributes Covered Software as *

* permitted above, be liable to You for any direct, indirect,

* *

* special, incidental, or consequential damages of any character *

* including, without limitation, damages for lost profits, loss of *

* goodwill, work stoppage, computer failure or malfunction, or any *

* and all other commercial damages or losses, even if such party *

* shall have been informed of the possibility of such damages. This *

* limitation of liability shall not apply to liability for death or *

* personal injury resulting from such party's negligence to the *

* extent applicable law prohibits such limitation. Some *

* jurisdictions do not allow the exclusion or limitation of *

* incidental or consequential damages, so this exclusion and *

* limitation may not apply to You. *

* *

.

8. Litigation

.

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

.

9. Miscellaneous

.

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter

shall not be used to construe this License against a Contributor.

.

10. Versions of the License

.

10.1. New Versions

.

Mozilla Foundation is the license steward. Except as provided in Section 10.3,

no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

.

10.2. Effect of New Versions

.

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

.

10.3. Modified Versions

.

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

.

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

.

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

.

Exhibit A - Source Code Form License Notice

.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

.

You may add additional accurate notices of copyright ownership.

•
Exhibit B - "Incompatible With Secondary Licenses" Notice

•
This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.252 yallist 4.0.0

1.252.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.253 fs-minipass 3.0.3

1.253.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.254 v8 11.3.244.8

1.254.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The << Software identified by reference to the Ecma Standard* (Software)>> is protected by copyright and is being

made available under the BSD License, included below. This Software may be subject to third party rights (rights from parties other than Ecma International), including patent rights, and no licenses under such third party rights are granted under this license even if the third party concerned is a member of Ecma International. SEE THE ECMA

CODE OF CONDUCT IN PATENT MATTERS AVAILABLE AT <http://www.ecma-international.org/memento/codeofconduct.htm> FOR

INFORMATION REGARDING THE LICENSING OF PATENT CLAIMS THAT ARE REQUIRED TO IMPLEMENT ECMA INTERNATIONAL STANDARDS*.

Copyright <<2012>> <<Ecma International>>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the authors nor Ecma International may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE ECMA INTERNATIONAL "AS IS" AND ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL ECMA INTERNATIONAL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* Ecma International Standards hereafter means Ecma International Standards as well as Ecma Technical Reports
This license applies to all parts of V8 that are not externally maintained libraries. The externally maintained libraries used by V8 are:

- PCRE test suite, located in `test/mjsunit/third_party/regexp-pcre/regexp-pcre.js`. This is based on the test suite from PCRE-7.3, which is copyrighted by the University of Cambridge and Google, Inc. The copyright notice and license are embedded in `regexp-pcre.js`.
- Layout tests, located in `test/mjsunit/third_party/object-keys`. These are based on layout tests from `webkit.org` which are copyrighted by Apple Computer, Inc. and released under a 3-clause BSD license.
- Strongtalk assembler, the basis of the files `assembler-arm-inl.h`, `assembler-arm.cc`, `assembler-arm.h`, `assembler-ia32-inl.h`, `assembler-ia32.cc`, `assembler-ia32.h`, `assembler-x64-inl.h`, `assembler-x64.cc`, `assembler-x64.h`, `assembler.cc` and `assembler.h`. This code is copyrighted by Sun Microsystems Inc. and released under a 3-clause BSD license.
- Valgrind client API header, located at `src/third_party/valgrind/valgrind.h`. This is released under the BSD license.
- The Wasm C/C++ API headers, located at `third_party/wasm-api/wasm.{h,hh}`. This is released under the Apache license. The API's upstream prototype implementation also formed the basis of V8's implementation in `src/wasm/c-api.cc`.

These libraries have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Further license information can be found in LICENSE files located in

sub-directories.

Copyright 2014, the V8 project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The 3-Clause BSD License

Copyright 2019 web-platform-tests contributors

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Copyright 2016 The Chromium Authors

//

// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:

//

// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.

// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.

// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.

//

// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

All files in this directory are provided by the following license if not stated
otherwise in the individual file:

=====

This file is provided under a dual BSD/GPLv2 license. When using or
redistributing this file, you may do so under either license.

GPL LICENSE SUMMARY

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.

This program is free software; you can redistribute it and/or modify
it under the terms of version 2 of the GNU General Public License as
published by the Free Software Foundation.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St - Fifth Floor, Boston, MA 02110-1301 USA.
The full GNU General Public License
is included in this distribution
in the file called LICENSE.GPL.

Contact Information:

<http://software.intel.com/en-us/articles/intel-vtune-amplifier-xe/>

BSD LICENSE

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS
AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

CC0 1.0 Universal

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For

these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal

effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known

or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver

shall be preserved

to the maximum extent permitted taking into account

Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

Copyright (c) 1994-2006 Sun Microsystems Inc.

All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Sun Microsystems or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Tests included here are based on build output generated by the six-speed benchmark suite.

Copyright (c) 2015 Kevin Decker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide
to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether
gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide

complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to

encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of

its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or

link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you

do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries,

so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A

FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!
PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Release 7 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the same terms as the software itself.

The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2007 University of Cambridge
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2007, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in
source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the name of Google Inc. nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

End

Copyright (c) 2010 Jonathan Hartley
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 1993-2004 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

Copyright (c) 2006 Apple Computer, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder(s) nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The JsonCpp library's source code, including accompanying documentation, tests and demonstration applications, are licensed under the following conditions...

The author (Baptiste Lepilleur) explicitly disclaims copyright in all jurisdictions which recognize such a disclaimer. In such jurisdictions,

this software is released into the Public Domain.

In jurisdictions which do not recognize Public Domain property (e.g. Germany as of 2010), this software is Copyright (c) 2007-2010 by Baptiste Lepilleur, and is released under the terms of the MIT License (see below).

In jurisdictions which recognize Public Domain property, the user of this software may choose to accept it either as 1) Public Domain, 2) under the conditions of the MIT License (see below), or 3) under the terms of dual Public Domain/MIT License conditions described here, as they choose.

The MIT License is about as close to Public Domain as a license can get, and is described in clear, concise terms at:

http://en.wikipedia.org/wiki/MIT_License

The full text of the MIT License follows:

=====

Copyright (c) 2007-2010 Baptiste Lepilleur

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

(END LICENSE TEXT)

The MIT license is compatible with both the GPL and commercial software, affording one all of the rights of Public Domain with the minor nuisance of being required to keep the above copyright notice and license text in the source code. Note also that by accepting the

Public Domain "license" you can re-license your copy using whatever license you like.

Notice that the following BSD-style license applies to this one file (valgrind.h) only. The rest of Valgrind is licensed under the terms of the GNU General Public License, version 2, unless otherwise indicated. See the COPYING file in the source distribution for details.

This file is part of Valgrind, a dynamic binary instrumentation framework.

Copyright (C) 2000-2010 Julian Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,

EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice that the above BSD-style license applies to this one file (valgrind.h) only. The entire rest of Valgrind is licensed under the terms of the GNU General Public License, version 2. See the COPYING file in the source distribution for details.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes

2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available

to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF
and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare
derivative works, distribute, and
otherwise use the Software alone or in any derivative version,

provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6.

This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly,

prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs

4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2006-2011, the V8 project authors. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ISC
MIT

1.255 npm-normalize-package 3.0.1

1.255.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.256 rpcsvc-proto 1.4.2-0ubuntu6

1.256.1 Available under license :

Most files were part of the GNU C Library.

Copyright (c) 2010, Oracle America, Inc.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the "Oracle America, Inc." nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.257 is-lambda 1.0.1

1.257.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2017 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.258 npm-packlist 8.0.2

1.258.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
ISC

1.259 @isaacs/string-locale-compare 1.1.0

1.259.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.260 minipass-sized 1.0.3

1.260.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.261 asm 6.0

1.261.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
 * THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Creates a new JSRInliner. *<i>*Subclasses must not use this
 * constructor*</i>*. Instead, they must use the
 * {@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}
 * version.

*

* @param mv

*

the `MethodVisitor` to send the resulting inlined

* method code to (use `null` for none).

* @param access

* the method's access flags (see {@link Opcodes}). This

* parameter also indicates if the method is synthetic and/or

* deprecated.

* @param name

* the method's name.

* @param desc

* the method's descriptor (see {@link Type}).

* @param signature

* the method's signature. May be `null`.

* @param exceptions

* the internal names of the method's exception classes (see

* {@link Type#getInternalName() getInternalName}). May be

* `null`.

* @throws IllegalStateException

* If a subclass calls this constructor.

*/

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/AnnotationRemapper.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/Interpreter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/CheckModuleAdapter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/MethodWriter.java
- *
- /asm-6-0-sources-6-jar/org/objectweb/asm/tree/TypeInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/VarInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/CheckFieldAdapter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/signature/SignatureReader.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/SimpleRemapper.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/Attribute.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/Method.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/InsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/TraceMethodVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/ModuleVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/Frame.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/Analyzer.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/ASMifier.java
- *

```

/asm-6-0-sources-6-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/util/CheckClassAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/Edge.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/FieldWriter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/Remapper.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/Frame.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/signature/SignatureWriter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/InnerClassNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/IntInsnNode.java
*
/asm-6-0-sources-6-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/AdviceAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/ModuleRemapper.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tools/ModuleInfoBndPlugin.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/TypeAnnotationNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/AnnotationWriter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/FieldNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/MethodInsnNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/FrameNode.java
*
/asm-6-0-sources-6-jar/org/objectweb/asm/tree/ModuleOpenNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/ModuleHashesAttribute.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/signature/SignatureVisitor.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/ModuleProvideNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/InstructionAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/LabelNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/Handler.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/SmallSet.java
*
/asm-6-0-sources-6-jar/org/objectweb/asm/tree/ParameterNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/Context.java

```

- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/FieldInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/ByteVector.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/MethodRemapper.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/Printer.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/StaticInitMerger.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/AbstractInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/JumpInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/TraceClassVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/AnnotationNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/ModuleRequireNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/ModuleNode.java
- *
- /asm-6-0-sources-6-jar/org/objectweb/asm/ClassVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/Value.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/MethodVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/TraceFieldVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/Label.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/ClassReader.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/TableSwitchGenerator.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/ModuleWriter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/Type.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/ClassRemapper.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/InsnList.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/LocalVariableNode.java
- *
- /asm-6-0-sources-6-jar/org/objectweb/asm/commons/SignatureRemapper.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/IncnInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/Opcodes.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tools/Retrofitter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/LineNumberNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/MethodNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/AnnotationVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/Handle.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/tree/LdcInsnNode.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/ModuleTargetAttribute.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/ClassWriter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/CurrentFrame.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/FieldVisitor.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/Item.java
- *
- /asm-6-0-sources-6-jar/org/objectweb/asm/commons/LocalVariablesSorter.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/commons/FieldRemapper.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/util/TraceModuleVisitor.java

* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/ModuleExportNode.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

/****

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the


```

* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Constructs a new {@link LocalVariableAnnotationNode}. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the
 * {@link #LocalVariableAnnotationNode(int, TypePath, LabelNode[], LabelNode[], int[], String)}
 * version.
 *
 * @param typeRef
 *      a reference to the annotated type. See {@link TypeReference}.
 * @param typePath
 *      the path to the annotated type argument, wildcard bound, array
 *      element type, or static inner type within 'typeRef'. May be
 *      <tt>null</tt> if the annotation targets 'typeRef' as a whole.
 * @param start
 *      the first instructions corresponding to the continuous ranges
 *      that make the scope of this local variable (inclusive).
 * @param end
 *      the last instructions corresponding to the continuous ranges
 *      that make the scope of this local variable (exclusive). This
 *      array must have the same size as the 'start' array.
 * @param index
 *      the local variable's index in each range. This array must have
 *      the same size as the 'start' array.
 * @param desc
 *      the class descriptor of
the annotation class.
*/

```

Found in path(s):

```
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java
```

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

/**

* Constructs a new {@link ClassNode}. *Subclasses must not use this*
* constructor*.* Instead, they must use the {@link #ClassNode(int)}
* version.
*
* @throws IllegalStateException
* If a subclass calls this constructor.
*/

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its
 * contributors may be used to endorse or promote products derived from
 * this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
 * THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Creates a new {@link GeneratorAdapter}. *<i>Subclasses must not use this*
 * constructor*</i>*. Instead, they must use the

* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}

* version.

*

* @param mv
 * the

method visitor to which this adapter delegates calls.

* @param access
 * the method's access flags (see {@link Opcodes}).

* @param name
 * the method's name.

* @param desc
 * the method's descriptor (see {@link Type Type}).

* @throws IllegalStateException
 * If a subclass calls this constructor.

*/

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/util/ASMifiable.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/util/Textifiable.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.
- */
- /**
- * Constructs a new {@link Textifier}. <i>Subclasses must not use this
- * constructor</i>. Instead, they must use the {@link #Textifier(int)}
- * version.
- *
- * @throws IllegalStateException
- * If a subclass calls this constructor.
- */

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

/**

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2013 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from

- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /asm-6-0-sources-6-jar/org/objectweb/asm/TypePath.java
- * /asm-6-0-sources-6-jar/org/objectweb/asm/TypeReference.java

No license file was found, but licenses were detected in source scan.

<!--

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *

- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

-->

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/analysis/package.html
* /asm-6-0-sources-6-jar/org/objectweb/asm/signature/package.html
* /asm-6-0-sources-6-jar/org/objectweb/asm/tree/package.html
* /asm-6-0-sources-6-jar/org/objectweb/asm/package.html
*
/asm-6-0-sources-6-jar/org/objectweb/asm/commons/package.html
* /asm-6-0-sources-6-jar/org/objectweb/asm/util/package.html

No license file was found, but licenses were detected in source scan.

/****

* ASM XML Adapter
* Copyright (c) 2004-2011, Eugene Kuleshov
* All rights reserved.
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/SAXAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/ASMContentHandler.java

```

* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/SAXModuleAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/SAXCodeAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/Processor.java
*
/asm-6-0-sources-6-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/SAXFieldAdapter.java
* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/SAXClassAdapter.java
No license file was found, but licenses were detected in source scan.

```

```

/****
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
* Creates a new {@link AnalyzerAdapter}. Subclasses must not use this
* constructor. Instead, they must use the
* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}
* version.
*
* @param owner
*

```



```

    the owner's class name.
* @param access
*     the method's access flags (see {@link Opcodes}).
* @param name
*     the method's name.
* @param desc
*     the method's descriptor (see {@link Type Type}).
* @param mv
*     the method visitor to which this adapter delegates calls. May
*     be <tt>null</tt>.
* @throws IllegalStateException
*     If a subclass calls this constructor.
*/

```

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

```

<!--
* ASM XML Adapter
* Copyright (c) 2004-2011, Eugene Kuleshov
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES,
* INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
-->

```

Found in path(s):

* /asm-6-0-sources-6-jar/org/objectweb/asm/xml/package.html

1.262 read-package-json-fast 3.0.2

1.262.1 Available under license :

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.263 toml 2.2.1

1.263.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 TOML authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

SPDX-License-Identifier: MIT

SPDX-FileCopyrightText: 2021 Taneli Hukkinen

Licensed to PSF under a Contributor Agreement.

The MIT License

Copyright (c) 2021 Pradyun Gedam and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions of the Software include code copyright (c) Rebecca Turner.
MIT License

Copyright (c) 2020 Bob Fang (bob.fang.london@gmail.com)
Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.264 libnpmaccess 8.0.6

1.264.1 Available under license :

ISC

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.265 libseccomp 2.5.3-2ubuntu3~22.04.1

1.265.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library,
whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source

code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into

another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that,

in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of

the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these

materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if

you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system

which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR

CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

1.266 npmcli-installed-package-contents 2.1.0

1.266.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.267 just-diff 6.0.2

1.267.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 angus croll

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.268 https-proxy-agent 7.0.5

1.268.1 Available under license :

MIT
(The MIT License)

Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.269 grep 3.7-1build1

1.269.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic

pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other

parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free

programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those

subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or

modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

- publish on each copy an appropriate copyright notice;
- keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
- keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work,

and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party)

that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in

ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or

requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright

holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have

permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see [<https://www.gnu.org/licenses/>](https://www.gnu.org/licenses/).

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<https://www.gnu.org/licenses/>](https://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<https://www.gnu.org/licenses/why-not-lgpl.html>](https://www.gnu.org/licenses/why-not-lgpl.html).

1.270 safer-buffer 2.1.2

1.270.1 Available under license :

MIT License

Copyright (c) 2018 Nikita Skovoroda <chalkerx@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.271 string-width 5.1.2

1.271.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.272 encoding 0.1.13

1.272.1 Available under license :

MIT

Copyright (c) 2012-2014 Andris Reinman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.273 cachecontrol 0.12.10

1.273.1 Available under license :

No license file was found, but licenses were detected in source scan.

Metadata-Version: 2.1

Name: CacheControl

Version: 0.12.10

Summary: http-lib2 caching for requests

Home-page: <https://github.com/ionrock/cachecontrol>

Author: Eric Larson

Author-email: eric@ionrock.org

License: UNKNOWN

Description: ..

SPDX-FileCopyrightText: SPDX-FileCopyrightText: 2015 Eric Larson

SPDX-License-Identifier: Apache-2.0

=====
CacheControl
=====

.. image:: <https://img.shields.io/pypi/v/cachecontrol.svg>
:target: <https://pypi.python.org/pypi/cachecontrol>
:alt: Latest Version

.. image:: <https://travis-ci.org/ionrock/cachecontrol.png?branch=master>
:target: <https://travis-ci.org/ionrock/cachecontrol>

CacheControl is a port of the caching algorithms in `http-lib2_` for use with `requests_` session object.

It was written because `http-lib2`'s better support for caching is often mitigated by its lack of thread safety. The same is true of requests in terms of caching.

Quickstart

=====

.. code-block:: python

```
import requests

from cachecontrol import CacheControl

sess = requests.session()
cached_sess = CacheControl(sess)

response = cached_sess.get('http://google.com')
```

If the URL contains any caching based headers, it will cache the result in a simple dictionary.

For more info, check out the docs_

.. _docs: <http://cachecontrol.readthedocs.org/en/latest/>
.. _httplib2: <https://github.com/httplib2/httplib2>
.. _requests: <http://docs.python-requests.org/>

Keywords: requests http caching web

Platform: UNKNOWN

Classifier: Development Status :: 4 - Beta

Classifier: Environment :: Web

Environment

Classifier: License :: OSI Approved :: Apache Software License

Classifier: Operating System :: OS Independent

Classifier: Programming Language :: Python :: 3.6

Classifier: Programming Language :: Python :: 3.7

Classifier: Programming Language :: Python :: 3.8

Classifier: Programming Language :: Python :: 3.9

Classifier: Programming Language :: Python :: 3.10

Classifier: Topic :: Internet :: WWW/HTTP

Requires-Python: >=3.6

Provides-Extra: redis

Provides-Extra: filecache

Found in path(s):

* /cachecontrol-0-12-10-1-tar-gz/CacheControl-0.12.10/CacheControl.egg-info/PKG-INFO

* /cachecontrol-0-12-10-1-tar-gz/CacheControl-0.12.10/PKG-INFO

1.274 json-parse 1.3.1

1.274.1 Available under license :

MIT

1.275 spdx-exceptions 2.5.0

1.275.1 Available under license :

UNRECOGNIZED LICENSE; MD5 sum: 9b06e0787814edfe98666e676afd12e4

1.276 bcutil-fips 2.1.4

1.276.1 Available under license :

Copyright (c) 2014-2023 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.277 tar 1.34+dfsg-1ubuntu0.1.22.04.2

1.277.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we

have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is

not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution

medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of

rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.278 path-scurry 1.11.1

1.278.1 Available under license :

```
d419584b39f2ab862fb4d190c76d4a2f
# Blue Oak Model License
```

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license.

You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to [<https://blueoakcouncil.org/license/1.0.0>](https://blueoakcouncil.org/license/1.0.0).

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.

1.279 path-key 3.1.1

1.279.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.280 futures 3.4.0

1.280.1 Available under license :

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then

Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.
Python/Jython

1.281 hosted-git-info 7.0.2

1.281.1 Available under license :

ISC

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.282 retry 0.12.0

1.282.1 Available under license :

Copyright (c) 2011:

Tim Koschitzki (tim@debuggable.com)

Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.283 npm-pick-manifest 9.1.0

1.283.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE

USE OR PERFORMANCE OF THIS SOFTWARE.
ISC

1.284 @npmcli/run-script 8.1.0

1.284.1 Available under license :

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.285 libuv 1.44.2

1.285.1 Available under license :

Attribution 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The

following considerations
are for informational purposes only, are not
exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public: wiki.creativecommons.org/Considerations_for_licensees

=====

Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the

Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.

- h. Licensors means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensors hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:
 - a. reproduce and Share the Licensed Material, in whole or in part; and
 - b. produce, reproduce, and Share Adapted Material.
2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.
3. Term. The term of this Public License is specified in Section 6(a).
4. Media and formats; technical modifications allowed. The Licensors authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The

Licensors waive and/or agree not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a)(4) never produces Adapted Material.

5. Downstream recipients.

- a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.
- b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.
2. Patent and trademark rights are not licensed under this Public License.
3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society

under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that

includes the required
information.

3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.
4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE.

WHERE DISCLAIMERS OF WARRANTIES ARE NOT
ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

- b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 -- Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:
 - 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
 - 2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including,

without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.
libuv is licensed for use as follows:

====

Copyright (c) 2015-present libuv project contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

This license applies to parts of libuv originating from the
<https://github.com/joyent/libuv> repository:

====

Copyright Joyent, Inc. and other Node contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

This license applies to all parts of libuv that are not externally maintained libraries.

The externally maintained libraries used by libuv are:

- tree.h (from FreeBSD), copyright Niels Provos. Two clause BSD license.
- inet_pton and inet_ntop implementations, contained in src/inet.c, are copyright the Internet Systems Consortium, Inc., and licensed under the ISC license.
- stdint-msvc2008.h (from msinttypes), copyright Alexander Chemeris. Three clause BSD license.
- pthread-fixes.c, copyright Google Inc. and Sony Mobile Communications AB. Three clause BSD license.

1.286 cross-spawn 7.0.3

1.286.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2018 Made With MOXY Lda <hello@moxy.studio>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.287 pacote 18.0.6

1.287.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter, Kat Marchan, npm, Inc., and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.288 err-code 2.0.3

1.288.1 Available under license :

MIT

1.289 c-ares 1.29.0

1.289.1 Available under license :

c-ares license

Copyright (c) 2007 - 2018, Daniel Stenberg with many contributors, see AUTHORS file.

Copyright 1998 by the Massachusetts Institute of Technology.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that

the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

1.290 tuf-js 2.2.1

1.290.1 Available under license :

MIT License

Copyright (c) 2022 GitHub and the TUF Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.291 libxext 2:1.3.4-1build1

1.291.1 Available under license :

Copyright 1986, 1987, 1988, 1989, 1994, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

Copyright (c) 1996 Digital Equipment Corporation, Maynard, Massachusetts.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL DIGITAL EQUIPMENT CORPORATION BE LIABLE FOR ANY CLAIM, DAMAGES, INCLUDING, BUT NOT LIMITED TO CONSEQUENTIAL OR INCIDENTAL DAMAGES, OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of Digital Equipment Corporation shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from Digital Equipment Corporation.

Copyright (c) 1997 by Silicon Graphics Computer Systems, Inc.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Silicon Graphics not be used in advertising or publicity pertaining to distribution of the software without specific prior written permission.

Silicon

Graphics makes no representation about the suitability of this software for any purpose. It is provided "as is" without any express or implied warranty.

SILICON GRAPHICS DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1992 Network Computing Devices

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of NCD. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. NCD. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

NCD. DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL NCD. BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1991,1993 by Digital Equipment Corporation, Maynard, Massachusetts, and Olivetti Research Limited, Cambridge, England.

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of Digital or Olivetti not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

DIGITAL AND OLIVETTI DISCLAIM ALL WARRANTIES WITH REGARD TO THIS

SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL THEY BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1986, 1987, 1988 by Hewlett-Packard Corporation

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Hewlett-Packard not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

Hewlett-Packard makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Copyright (c) 1994, 1995 Hewlett-Packard Company

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL HEWLETT-PACKARD COMPANY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the Hewlett-Packard Company shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the Hewlett-Packard Company.

Copyright Digital Equipment Corporation, 1996

Permission

to use, copy, modify, distribute, and sell this documentation for any purpose is hereby granted without fee, provided that the above copyright notice and this permission notice appear in all copies. Digital Equipment Corporation makes no representations about the suitability for any purpose of the information in this document. This documentation is provided ``as is" without express or implied warranty.

Copyright (c) 1999, 2005, 2006, 2013, Oracle and/or its affiliates.
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 1989 X Consortium, Inc. and Digital Equipment Corporation.
Copyright (c) 1992 X Consortium, Inc. and Intergraph Corporation.
Copyright (c) 1993 X Consortium, Inc. and Silicon Graphics, Inc.
Copyright (c) 1994, 1995 X Consortium, Inc. and Hewlett-Packard Company.

Permission to use, copy, modify, and distribute this documentation for any purpose and without fee is hereby granted, provided that the above copyright notice and this

permission notice appear in all copies.
Digital Equipment Corporation, Intergraph Corporation, Silicon Graphics, Hewlett-Packard, and the X Consortium make no representations about the suitability for any purpose of the information in this document. This documentation is provided ``as is" without express or implied warranty.

1.292 brace-expansion 2.0.1

1.292.1 Available under license :

MIT

MIT License

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.293 chardet 4.0.0

1.293.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original

author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does

and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables

containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot

use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under

the terms of the

Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing

the Library (or any work based on the

Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and

conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should
also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.294 npm-profile 10.0.0

1.294.1 Available under license :

ISC

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.295 postcss-selector-parser 6.1.0

1.295.1 Available under license :

Copyright (c) Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.296 berkeley-db 5.3.28+dfsg1-0.8ubuntu3

1.296.1 Available under license :

Copyright (c) 1996, 2013 Oracle and/or its affiliates. All rights reserved.

See the file LICENSE for redistribution information.

This software is copyrighted by Christian Werner <chw@ch-werner.de>

and other authors. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is required for any of the authorized uses.

Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES

THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

This software is copyrighted by Christian Werner <chw@ch-werner.de> and others.

The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is required for any of the authorized uses.

Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY

FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY
DERIVATIVES THEREOF,
EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE
IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE
NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR
MODIFICATIONS.

/*-
* \$Id\$
*/

The following is the license that applies to this copy of the Berkeley DB
software. For a license to use the Berkeley DB software under conditions
other than those described here, or to purchase support for this software,
please contact Oracle at berkeleydb-info_us@oracle.com.

=====
/*

* Copyright (c) 1990, 2013 Oracle and/or its affiliates. All rights reserved.
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
- * 3. Redistributions in any form must be accompanied by information
on
* how to obtain complete source code for the DB software and any
* accompanying software that uses the DB software. The source code
* must either be included in the distribution or be available for no
* more than the cost of distribution plus a nominal fee, and must be
* freely redistributable under reasonable conditions. For an
* executable file, complete source code means the source code for all
* modules it contains. It does not include source code for modules or
* files that typically accompany the major components of the operating
* system on which the executable file runs.

* THIS SOFTWARE IS PROVIDED BY ORACLE ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR

* NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT SHALL ORACLE BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL
 DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
 * BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
 * WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
 * OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
 * IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
 /*
 * Copyright (c) 1990, 1993, 1994, 1995
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with
 the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 */
 /*
 * Copyright (c) 1995, 1996
 * The President and Fellows of Harvard University. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.

- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the University nor the names of its contributors
- * may be used to endorse or promote products derived from this software
- * without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY HARVARD AND ITS CONTRIBUTORS ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY
- AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL HARVARD OR ITS CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- */
- =====
- /***
- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2005 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the
- above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES;
- LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

NOTE

The license is based on the zlib/libpng license. For more details see <http://www.opensource.org/licenses/zlib-license.html>. The intent of the license is to:

- keep the license as simple as possible
- encourage the use of CuTest in both free and commercial applications and libraries
- keep the source code together
- give credit to the CuTest contributors for their work

If you ship CuTest in source form with your source distribution, the following license document must be included with it in unaltered form. If you find CuTest useful we would like to hear about it.

LICENSE

Copyright (c) 2003 Asim Jalis

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.
- This package was debianized by Sam Clegg <samo@debian.org> on Tue, 25 Jul 2006 11:43:45 +0100.

It was downloaded from <<http://www.ch-werner.de/sqliteodbc/>>

Upstream Author: Christian Werner <chw@ch-werner.de>

Copyright: Copyright (c) 2001-2011 Christian Werner <chw@ch-werner.de>

OS/2 Port Copyright (c) 2004 Lorne R. Sunley <lsunley@mb.sympatico.ca>

License:

This software is copyrighted by Christian Werner <chw@ch-werner.de> and other authors. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is required for any of the authorized uses. Modifications to this software may be copyrighted by their authors and

need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

The Debian packaging is (C) 2006, Sam Clegg <samo@debian.org> and is licensed under the GPL-3, see `/usr/share/common-licenses/GPL-3'. This package was debianized by Clint Adams <schizo@debian.org> on Wed, 25 Jul 2007 20:37:51 +0700

It was downloaded from
<http://www.oracle.com/technology/software/products/berkeley-db/db/index.html>

Copyright and license:

The following is the license that applies to this copy of the Berkeley DB software. For a license to use the Berkeley DB software under conditions other than those described here, or to purchase support for this software,

please contact Oracle at berkeleydb-info_us@oracle.com.

=====

/*

* Copyright (c) 1990, 2010 Oracle and/or its affiliates. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Redistributions in any form must be accompanied by information on

* how to obtain complete source code for the DB software and any

* accompanying software that uses the DB software. The source code

* must either be included in the distribution or be available for no

* more than the cost of distribution plus a nominal fee, and must be

* freely redistributable under reasonable conditions. For an

* executable file, complete source code means the source code for all

* modules it contains. It does not include source code for modules or

* files that typically accompany the major components of the operating

* system on which the executable file runs.

*

* THIS SOFTWARE IS PROVIDED BY ORACLE ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

* WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR

* NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT SHALL ORACLE BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR

* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

* OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN

* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

/*

* Copyright (c) 1990, 1993, 1994, 1995

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the University nor the names of its contributors
- * may be used to endorse or promote products derived from this software
- * without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
- WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- */
- /*
- * Copyright (c) 1995, 1996
- * The President and Fellows of Harvard University. All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the University nor the names of its contributors
- * may be used to endorse or promote products derived from this software
- * without specific
- prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY HARVARD AND ITS CONTRIBUTORS ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL HARVARD OR ITS CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.

```

*/
=====
/****
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2005 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
* OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

```

1.297 parse-conflict-json 3.0.1

1.297.1 Available under license :

ISC

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.298 libnsl 1.3.0-2build2

1.298.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do

these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General

Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices

stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline

functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the

object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany

the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate

properly with a modified version of the library, if

the user installs one, as long as the modified version is

interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or

distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301

USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.299 minipass-pipeline 1.2.4

1.299.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.300 corepack 0.32.0

1.300.1 Available under license :

****Copyright Corepack contributors****

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.301 libgcrypt 1.9.4-3ubuntu3

1.301.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as

distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Additional license notices for Libgcrypt. -*- org -*-

This file contains the copying permission notices for various files in the Libgcrypt distribution which are not covered by the GNU Lesser General Public License (LGPL) or the GNU General Public License (GPL).

These notices all require that a copy of the notice be included in the accompanying documentation and be distributed with binary distributions of the code, so be sure to include this file along with any binary distributions derived from the GNU C Library.

* BSD_3Clause

For files:

- cipher/sha256-avx-amd64.S
- cipher/sha256-avx2-bmi2-amd64.S
- cipher/sha256-ssse3-amd64.S
- cipher/sha512-avx-amd64.S
- cipher/sha512-avx2-bmi2-amd64.S
- cipher/sha512-ssse3-amd64.S
- cipher/sha512-ssse3-i386.c

#+begin_quote

Copyright (c) 2012, Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#+end_quote

For files:

- random/jitterentropy-base.c
- random/jitterentropy.h
- random/rndjent.c (plus common Libgcrypt copyright holders)

#+begin_quote

* Copyright Stephan Mueller <smueller@chronox.de>, 2013

*

* License

* =====

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, and the entire permission notice in its entirety,

* including the disclaimer of warranties.

* 2. Redistributions in binary form must reproduce the above copyright

* notice,

this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote

* products derived from this software without specific prior

* written permission.

*

* ALTERNATIVELY, this product may be distributed under the terms of

* the GNU General Public License, in which case the provisions of the GPL are

* required INSTEAD OF the above restrictions. (This clause is

* necessary due to a potential bad interaction between the GPL and

* the restrictions contained in a BSD-style copyright.)

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF

* WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT

* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR

* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE

* USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH

* DAMAGE.

#+end_quote

For files:

- cipher/cipher-gcm-ppc.c

#+begin_quote

Copyright (c) 2006, CRYPTOGRAMS by <appro@openssl.org>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain copyright notices, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of the CRYPTOGRAMS nor the names of its copyright holder and contributors may be used to endorse or promote products derived from this software without specific prior written permission.

ALTERNATIVELY, provided that this notice is retained in full, this product may be distributed under the terms of the GNU General Public License (GPL), in which case the provisions of the GPL apply INSTEAD OF those given above.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#+end_quote

* X License

For files:

- install.sh

#+begin_quote

Copyright (C) 1994 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED

"AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

##end_quote

* Public domain

For files:

- cipher/arcfour-amd64.S

##begin_quote

Author: Marc Bevand <bevand_m (at) epita.fr>

Licence: I hereby disclaim the copyright on this code and place it in the public domain.

##end_quote

* OCB license 1

For files:

- cipher/cipher-ocb.c

##begin_quote

OCB is covered

by several patents but may be used freely by most software. See <http://web.cs.ucdavis.edu/~rogaway/ocb/license.htm> .

In particular license 1 is suitable for Libgcrypt: See <http://web.cs.ucdavis.edu/~rogaway/ocb/license1.pdf> for the full

license document; it basically says:

License 1 License for Open-Source Software Implementations of OCB
(Jan 9, 2013)

Under this license, you are authorized to make, use, and distribute open-source software implementations of OCB. This license terminates for you if you sue someone over their open-source software implementation of OCB claiming that you have a patent covering their implementation.

License for Open Source Software Implementations of OCB
January 9, 2013

1 Definitions

1.1 Licensor means Phillip Rogaway.

1.2 Licensed Patents means any patent that claims priority to United States Patent Application No. 09/918,615 entitled Method and Apparatus for Facilitating Efficient Authenticated Encryption, and any utility, divisional, provisional, continuation, continuations-in-part, reexamination, reissue, or foreign counterpart patents that may issue with respect to the aforesaid patent application. This includes, but is not limited to, United States Patent No. 7,046,802; United States Patent No. 7,200,227; United States Patent No. 7,949,129; United States Patent No. 8,321,675 ; and any patent that issues out of United States Patent Application No. 13/669,114.

1.3 Use means any practice of any invention claimed in the Licensed Patents.

1.4 Software Implementation means any practice of any invention claimed in the Licensed Patents that takes the form of software executing on a user-programmable, general-purpose computer or that takes the form of a computer-readable medium storing such software. Software Implementation does not include, for example, application-specific integrated circuits (ASICs), field-programmable gate arrays (FPGAs), embedded systems, or IP cores.

1.5 Open Source Software means software whose source code is published and made available for inspection and use by anyone because either (a) the source code is subject to a license that permits recipients to copy, modify, and distribute the source code without payment of fees or royalties, or (b) the source code is in the public domain, including code released for public use through a CC0 waiver. All licenses certified by the Open Source Initiative at opensource.org as of January 9, 2013 and all Creative Commons

licenses identified on the creativecommons.org website as of January 9, 2013, including the Public License Fallback of the CC0 waiver, satisfy these requirements for the purposes of this license.

1.6 Open Source Software Implementation means a Software Implementation in which the software implicating the Licensed Patents is Open Source Software. Open Source Software Implementation does not include any Software Implementation in which the software implicating the Licensed Patents is combined, so as to form a larger program, with software that is not Open Source Software.

2 License Grant

2.1 License. Subject to your compliance with the terms of this license, including the restriction set forth in Section 2.2, Licensor hereby grants to you a perpetual, worldwide, non-exclusive, non-transferable, non-sublicenseable, no-charge, royalty-free, irrevocable license to practice any invention claimed in the Licensed Patents in any Open Source Software Implementation.

2.2 Restriction. If you or your affiliates institute patent litigation (including, but not limited to, a cross-claim or counterclaim in a lawsuit) against any entity alleging that any Use authorized by this license infringes another patent, then any rights granted to you under this license automatically terminate as of the date such litigation is filed.

3 Disclaimer

YOUR USE OF THE LICENSED PATENTS IS AT YOUR OWN RISK AND UNLESS REQUIRED BY APPLICABLE LAW,

LICENSOR MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED PATENTS OR ANY PRODUCT EMBODYING ANY LICENSED PATENT, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT WILL LICENSOR BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM OR RELATED TO ANY USE OF THE LICENSED PATENTS, INCLUDING, WITHOUT LIMITATION, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR SPECIAL DAMAGES, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES PRIOR TO SUCH AN OCCURRENCE.

#+end_quote

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.
^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by

this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a)

Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will

operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies

the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined

with any other library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time.

Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this.

Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library.

It is safest to attach them to the start of each source file
to most

effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

1.302 aggregate-error 3.1.0

1.302.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.303 npm-user-validate 2.0.1

1.303.1 Available under license :

BSD-2-Clause

Copyright (c) Robert Kowalski

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.304 debconf 1.5.79ubuntu1

1.304.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: *

Copyright: 1999-2010 Joey Hess <joeyh@debian.org>

2003 Tomohiro KUBOTA <kubota@debian.org>

2004-2010 Colin Watson <cjwatson@debian.org>

License: BSD-2-clause

Files: Debconf/FrontEnd/Passthrough.pm

Copyright: 2000 Randolph Chung <tausq@debian.org>

2000-2010 Joey Hess <joeyh@debian.org>

2005-2010 Colin Watson <cjwatson@debian.org>

License: BSD-2-clause

Files: Debconf/FrontEnd/Kde.pm

Copyright: 2011 Modestas Vainius <modax@debian.org>

License: BSD-2-clause

Files: Debconf/FrontEnd/Gnome.pm

Copyright: Eric Gillespie <epg@debian.org>

License: BSD-2-clause

Files: Debconf/DbDriver/LDAP.pm

Copyright: Matthew Palmer <mjp16@ieee.uow.edu.au>

License: BSD-2-clause

Files: debconf.py

Copyright: 2002 Moshe Zadka <m@moshez.org>

2005 Canonical Ltd.

2005-2010 Colin Watson <cjwatson@debian.org>

License: BSD-2-clause

Files: debconf-show
Copyright: 2001-2010
Joey Hess <joeyh@debian.org>
2003 Sylvain Ferriol <sylvain.ferriol@imag.fr>
License: BSD-2-clause

Files: debconf-get-selections debconf-set-selections
Copyright: 2003 Petter Reinholdtsen <pere@hungry.com>
License: BSD-2-clause

Files: Test/*
Copyright: 2005 Sylvain Ferriol <Sylvain.Ferriol@imag.fr>
License: BSD-2-clause

Files: debconf-apt-progress
Copyright: 2005-2010 Colin Watson <cjwatson@debian.org>
2005-2010 Joey Hess <joeyh@debian.org>
License: BSD-2-clause

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY AUTHORS AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.305 lcms 2.17

1.305.1 Available under license :

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1)

If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

MIT License

Copyright (c) 2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic

pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other

parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free

programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those

subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or

modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

- publish on each copy an appropriate copyright notice;
- keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
- keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work,

and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party)

that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in

ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or

requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright

holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed

under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

1.306 npm 10.8.2

1.306.1 Available under license :

UNRECOGNIZED LICENSE; MD5 sum: 9b06e0787814edfe98666e676afd12e4

This software is dual-licensed under the ISC and MIT licenses.

You may use this software under EITHER of the following licenses.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright Isaac Z. Schlueter and Contributors
All rights reserved.

Permission is
hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE
SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

MIT License

Copyright (c) 2024 npm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2017-2023 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2018 Made With MOXY Lda <hello@moxy.studio>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 991175f9d8effe5f2fdf0fc7f6380984

Licensing

This software is covered under the following copyright:

/*

* Copyright (c) 2003-2005 Tom Wu

* All Rights Reserved.

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be

* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,

* EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY

* WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

*

* IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL,

INCIDENTAL,

* INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER

* RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF

* THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT

* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

*

* In addition, the following condition applies:
*
* All redistributions must retain an intact copy of this copyright notice
* and disclaimer.
*/

Address all questions regarding this license to:

Tom Wu
tjw@cs.Stanford.EDU
[
"AGPL-1.0",
"AGPL-3.0",
"BSD-2-Clause-FreeBSD",
"BSD-2-Clause-NetBSD",
"GFDL-1.1",
"GFDL-1.2",
"GFDL-1.3",
"GPL-1.0",
"GPL-2.0",
"GPL-2.0-with-GCC-exception",
"GPL-2.0-with-autoconf-exception",
"GPL-2.0-with-bison-exception",
"GPL-2.0-with-classpath-exception",
"GPL-2.0-with-font-exception",
"GPL-3.0",
"GPL-3.0-with-GCC-exception",
"GPL-3.0-with-autoconf-exception",
"LGPL-2.0",
"LGPL-2.1",
"LGPL-3.0",
"Nunit",
"StandardML-NJ",
"bzip2-1.0.5",
"eCos-2.0",
"wxWindows"
]

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

This product also include the following software:

=====

QRCode for JavaScript

Copyright (c) 2009 Kazuhiko Arase

URL: <http://www.d-project.com/>

Licensed under the MIT license:

<http://www.opensource.org/licenses/mit-license.php>

The word "QR Code" is registered trademark of

DENSO WAVE INCORPORATED

<http://www.denso-wave.com/qrcode/faqpatent-e.html>

Located in ./vendor/QRCode

- project has been modified to work in Node and some refactoring was done for code cleanup

The ISC License

Copyright (c) npm Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,

copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright James Halliday (mail@substack.net) and Isaac Z. Schlueter (i@izs.me)

This project is free software released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2011-2022 Isaac Z. Schlueter, Ben Noordhuis, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This package contains code originally written by Isaac Z. Schlueter.

Used with permission.

Copyright (c) Meryn Stol ("Author")

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

DAMAGE.

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Alexander Rose [[@arose](https://github.com/arose)](https://github.com/arose)

Alexandru Mrteanu [[@alexei](https://github.com/alexei)](https://github.com/alexei)

Andras [[@andrasq](https://github.com/andrasq)](https://github.com/andrasq)

Benoit Giannangeli [[@giann](https://github.com/giann)](https://github.com/giann)

Branden Visser [[@mrvisser](https://github.com/mrvisser)](https://github.com/mrvisser)

David Baird

daurnimator [[@daurnimator](https://github.com/daurnimator)](https://github.com/daurnimator)

Doug Beck [[@beck](https://github.com/beck)](https://github.com/beck)

Dzmitry Litskalau [[@litmit](https://github.com/litmit)](https://github.com/litmit)

Fred Ludlow [[@fredludlow](https://github.com/fredludlow)](https://github.com/fredludlow)

Hans Pufal

Henry [[@alograg](https://github.com/alograg)](https://github.com/alograg)

Johnny Shields [[@johnnyshields](https://github.com/johnnyshields)](https://github.com/johnnyshields)

Kamal Abdali

Matt Simerson [[@msimerson](https://github.com/msimerson)](https://github.com/msimerson)

Maxime Robert [[@marob](https://github.com/marob)](https://github.com/marob)

MeriemKhelifi [[@MeriemKhelifi](https://github.com/MeriemKhelifi)](https://github.com/MeriemKhelifi)

Michael Schramm [[@wodka](https://github.com/wodka)](https://github.com/wodka)

Nazar Mokrynskyi [[@nazar-pc](https://github.com/nazar-pc)](https://github.com/nazar-pc)

Oliver Salzburg [[@oliversalzburg](https://github.com/oliversalzburg)](https://github.com/oliversalzburg)

Pablo [[@ppollono](https://github.com/ppollono)](https://github.com/ppollono)

Rabehaja

Stevens [[@RABEHAJA-STEVENs](https://github.com/RABEHAJA-STEVENs)](https://github.com/RABEHAJA-STEVENs)

Raphael Pigulla [[@pigulla](https://github.com/pigulla)](https://github.com/pigulla)

rebeccapeltz [[@rebeccapeltz](https://github.com/rebeccapeltz)](https://github.com/rebeccapeltz)

Stefan Tingstrom [[@stingstrom](https://github.com/stingstrom)](https://github.com/stingstrom)

Tim Gates [[@timgates42](https://github.com/timgates42)](https://github.com/timgates42)

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) silverwind

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS

OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD 3-Clause License

Copyright (c) 2009-2015, Kevin Decker <kpdecker@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2018 Nikita Skovoroda <chalkerx@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2019-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2020 Node.js contributors. All rights reserved.

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The ISC License

Copyright (c) 2016-2022 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

[

"0BSD",

"3D-Slicer-1.0",

"AAL",

"ADSL",
"AFL-1.1",
"AFL-1.2",
"AFL-2.0",
"AFL-2.1",
"AFL-3.0",
"AGPL-1.0-only",
"AGPL-1.0-or-later",
"AGPL-3.0-only",
"AGPL-3.0-or-later",
"AMD-newlib",
"AMDPLPA",
"AML",
"AML-glslang",
"AMPAS",
"ANTLR-PD",
"ANTLR-PD-fallback",
"APAFML",
"APL-1.0",
"APSL-1.0",
"APSL-1.1",
"APSL-1.2",
"APSL-2.0",
"ASWF-Digital-Assets-1.0",
"ASWF-Digital-Assets-1.1",
"Abstyles",
"AdaCore-doc",
"Adobe-2006",
"Adobe-Display-PostScript",
"Adobe-Glyph",
"Adobe-Utopia",
"Afmparse",
"Aladdin",
"Apache-1.0",
"Apache-1.1",
"Apache-2.0",
"App-s2p",
"Arphic-1999",
"Artistic-1.0",
"Artistic-1.0-Perl",
"Artistic-1.0-cl8",
"Artistic-2.0",
"BSD-1-Clause",
"BSD-2-Clause",
"BSD-2-Clause-Darwin",
"BSD-2-Clause-Patent",
"BSD-2-Clause-Views",
"BSD-2-Clause-first-lines",

"BSD-3-Clause",
"BSD-3-Clause-Attribution",
"BSD-3-Clause-Clear",
"BSD-3-Clause-HP",
"BSD-3-Clause-LBNL",
"BSD-3-Clause-Modification",
"BSD-3-Clause-No-Military-License",
"BSD-3-Clause-No-Nuclear-License",
"BSD-3-Clause-No-Nuclear-License-2014",
"BSD-3-Clause-No-Nuclear-Warranty",
"BSD-3-Clause-Open-MPI",
"BSD-3-Clause-Sun",
"BSD-3-Clause-acpica",
"BSD-3-Clause-flex",
"BSD-4-Clause",
"BSD-4-Clause-Shortened",
"BSD-4-Clause-UC",
"BSD-4.3RENO",
"BSD-4.3TAHOE",
"BSD-Advertising-Acknowledgement",
"BSD-Attribution-HPND-disclaimer",
"BSD-Inferno-Nettverk",
"BSD-Protection",
"BSD-Source-Code",
"BSD-Source-beginning-file",
"BSD-Systemics",
"BSD-Systemics-W3Works",
"BSL-1.0",
"BUSL-1.1",
"Baekmuk",
"Bahyph",
"Barr",
"Beerware",
"BitTorrent-1.0",
"BitTorrent-1.1",
"Bitstream-Charter",
"Bitstream-Vera",
"BlueOak-1.0.0",
"Boehm-GC",
"Borceux",
"Brian-Gladman-2-Clause",
"Brian-Gladman-3-Clause",
"C-UDA-1.0",
"CAL-1.0",
"CAL-1.0-Combined-Work-Exception",
"CATOSL-1.1",
"CC-BY-1.0",
"CC-BY-2.0",

"CC-BY-2.5",
"CC-BY-2.5-AU",
"CC-BY-3.0",
"CC-BY-3.0-AT",
"CC-BY-3.0-AU",
"CC-BY-3.0-DE",
"CC-BY-3.0-IGO",
"CC-BY-3.0-NL",
"CC-BY-3.0-US",
"CC-BY-4.0",
"CC-BY-NC-1.0",
"CC-BY-NC-2.0",
"CC-BY-NC-2.5",
"CC-BY-NC-3.0",
"CC-BY-NC-3.0-DE",
"CC-BY-NC-4.0",
"CC-BY-NC-ND-1.0",
"CC-BY-NC-ND-2.0",
"CC-BY-NC-ND-2.5",
"CC-BY-NC-ND-3.0",
"CC-BY-NC-ND-3.0-DE",
"CC-BY-NC-ND-3.0-IGO",
"CC-BY-NC-ND-4.0",
"CC-BY-NC-SA-1.0",
"CC-BY-NC-SA-2.0",
"CC-BY-NC-SA-2.0-DE",
"CC-BY-NC-SA-2.0-FR",
"CC-BY-NC-SA-2.0-UK",
"CC-BY-NC-SA-2.5",
"CC-BY-NC-SA-3.0",
"CC-BY-NC-SA-3.0-DE",
"CC-BY-NC-SA-3.0-IGO",
"CC-BY-NC-SA-4.0",
"CC-BY-ND-1.0",
"CC-BY-ND-2.0",
"CC-BY-ND-2.5",
"CC-BY-ND-3.0",
"CC-BY-ND-3.0-DE",
"CC-BY-ND-4.0",
"CC-BY-SA-1.0",
"CC-BY-SA-2.0",
"CC-BY-SA-2.0-UK",
"CC-BY-SA-2.1-JP",
"CC-BY-SA-2.5",
"CC-BY-SA-3.0",
"CC-BY-SA-3.0-AT",
"CC-BY-SA-3.0-DE",
"CC-BY-SA-3.0-IGO",

"CC-BY-SA-4.0",
"CC-PDDC",
"CC0-1.0",
"CDDL-1.0",
"CDDL-1.1",
"CDL-1.0",
"CDLA-Permissive-1.0",
"CDLA-Permissive-2.0",
"CDLA-Sharing-1.0",
"CECILL-1.0",
"CECILL-1.1",
"CECILL-2.0",
"CECILL-2.1",
"CECILL-B",
"CECILL-C",
"CERN-OHL-1.1",
"CERN-OHL-1.2",
"CERN-OHL-P-2.0",
"CERN-OHL-S-2.0",
"CERN-OHL-W-2.0",
"CFITSIO",
"CMU-Mach",
"CMU-Mach-nodoc",
"CNRI-Jython",
"CNRI-Python",
"CNRI-Python-GPL-Compatible",
"COIL-1.0",
"CPAL-1.0",
"CPL-1.0",
"CPOL-1.02",
"CUA-OPL-1.0",
"Caldera",
"Caldera-no-preamble",
"Catharon",
"CIArtistic",
"Clips",
"Community-Spec-1.0",
"Condor-1.1",
"Cornell-Lossless-JPEG",
"Cronyx",
"Crossword",
"CrystalStacker",
"Cube",
"D-FSL-1.0",
"DEC-3-Clause",
"DL-DE-BY-2.0",
"DL-DE-ZERO-2.0",
"DOC",

"DRL-1.0",
"DRL-1.1",
"DSDP",
"Dotseqn",
"ECL-1.0",
"ECL-2.0",
"EFL-1.0",
"EFL-2.0",
"EPICS",
"EPL-1.0",
"EPL-2.0",
"EUDatagrid",
"EUPL-1.0",
"EUPL-1.1",
"EUPL-1.2",
"Elastic-2.0",
"Entessa",
"ErlPL-1.1",
"Eurosymb",
"FBM",
"FDK-AAC",
"FSFAP",
"FSFAP-no-warranty-disclaimer",
"FSFUL",
"FSFULLR",
"FSFULLRWD",
"FTL",
"Fair",
"Ferguson-Twofish",
"Frameworkx-1.0",
"FreeBSD-DOC",
"FreeImage",
"Furuseth",
"GCR-docs",
"GD",
"GFDL-1.1-invariants-only",
"GFDL-1.1-invariants-or-later",
"GFDL-1.1-no-invariants-only",
"GFDL-1.1-no-invariants-or-later",
"GFDL-1.1-only",
"GFDL-1.1-or-later",
"GFDL-1.2-invariants-only",
"GFDL-1.2-invariants-or-later",
"GFDL-1.2-no-invariants-only",
"GFDL-1.2-no-invariants-or-later",
"GFDL-1.2-only",
"GFDL-1.2-or-later",
"GFDL-1.3-invariants-only",

"GFDL-1.3-invariants-or-later",
"GFDL-1.3-no-invariants-only",
"GFDL-1.3-no-invariants-or-later",
"GFDL-1.3-only",
"GFDL-1.3-or-later",
"GL2PS",
"GLWTPL",
"GPL-1.0-only",
"GPL-1.0-or-later",
"GPL-2.0-only",
"GPL-2.0-or-later",
"GPL-3.0-only",
"GPL-3.0-or-later",
"Giftware",
"Glide",
"Glulxe",
"Graphics-Gems",
"Gutmann",
"HP-1986",
"HP-1989",
"HPND",
"HPND-DEC",
"HPND-Fenneberg-Livingston",
"HPND-INRIA-IMAG",
"HPND-Intel",
"HPND-Kevlin-Henney",
"HPND-MIT-disclaimer",
"HPND-Markus-Kuhn",
"HPND-Pbmplus",
"HPND-UC",
"HPND-UC-export-US",
"HPND-doc",
"HPND-doc-sell",
"HPND-export-US",
"HPND-export-US-acknowledgement",
"HPND-export-US-modify",
"HPND-export2-US",
"HPND-merchantability-variant",
"HPND-sell-MIT-disclaimer-xserver",
"HPND-sell-regexpr",
"HPND-sell-variant",
"HPND-sell-variant-MIT-disclaimer",
"HPND-sell-variant-MIT-disclaimer-rev",
"HTMLTIDY",
"HaskellReport",
"Hippocratic-2.1",
"IBM-pibs",
"ICU",

"IEC-Code-Components-EULA",
"IJG",
"IJG-short",
"IPA",
"IPL-1.0",
"ISC",
"ISC-Veillard",
"ImageMagick",
"Imlib2",
"Info-ZIP",
"Inner-Net-2.0",
"Intel",
"Intel-ACPI",
"Interbase-1.0",
"JPL-image",
"JPNIC",
"JSON",
"Jam",
"JasPer-2.0",
"Kastrup",
"Kazlib",
"Knuth-CTAN",
"LAL-1.2",
"LAL-1.3",
"LGPL-2.0-only",
"LGPL-2.0-or-later",
"LGPL-2.1-only",
"LGPL-2.1-or-later",
"LGPL-3.0-only",
"LGPL-3.0-or-later",
"LGPLLR",
"LOOP",
"LPD-document",
"LPL-1.0",
"LPL-1.02",
"LPPL-1.0",
"LPPL-1.1",
"LPPL-1.2",
"LPPL-1.3a",
"LPPL-1.3c",
"LZMA-SDK-9.11-to-9.20",
"LZMA-SDK-9.22",
"Latex2e",
"Latex2e-translated-notice",
"Leptonica",
"LiLiQ-P-1.1",
"LiLiQ-R-1.1",
"LiLiQ-Rplus-1.1",

"Libpng",
"Linux-OpenIB",
"Linux-man-pages-1-para",
"Linux-man-pages-copyleft",
"Linux-man-pages-copyleft-2-para",
"Linux-man-pages-copyleft-var",
"Lucida-Bitmap-Fonts",
"MIT",
"MIT-0",
"MIT-CMU",
"MIT-Festival",
"MIT-Khronos-old",
"MIT-Modern-Variant",
"MIT-Wu",
"MIT-advertising",
"MIT-enna",
"MIT-feh",
"MIT-open-group",
"MIT-testregex",
"MITNFA",
"MMIXware",
"MPEG-SSG",
"MPL-1.0",
"MPL-1.1",
"MPL-2.0",
"MPL-2.0-no-copyleft-exception",
"MS-LPL",
"MS-PL",
"MS-RL",
"MTLL",
"Mackerras-3-Clause",
"Mackerras-3-Clause-acknowledgment",
"MakeIndex",
"Martin-Birgmeier",
"McPhee-slideshow",
"Minpack",
"MirOS",
"Motosoto",
"MulanPSL-1.0",
"MulanPSL-2.0",
"Multics",
"Mup",
"NAIST-2003",
"NASA-1.3",
"NBPL-1.0",
"NCBI-PD",
"NCGL-UK-2.0",
"NCL",

"NCSA",
"NGPL",
"NICTA-1.0",
"NIST-PD",
"NIST-PD-fallback",
"NIST-Software",
"NLOD-1.0",
"NLOD-2.0",
"NLPL",
"NOSL",
"NPL-1.0",
"NPL-1.1",
"NPOSL-3.0",
"NRL",
"NTP",
"NTP-0",
"Naumen",
"Net-SNMP",
"NetCDF",
"Newsletr",
"Nokia",
"Noweb",
"O-UDA-1.0",
"OAR",
"OCCT-PL",
"OCLC-2.0",
"ODC-By-1.0",
"ODbL-1.0",
"OFFIS",
"OFL-1.0",
"OFL-1.0-RFN",
"OFL-1.0-no-RFN",
"OFL-1.1",
"OFL-1.1-RFN",
"OFL-1.1-no-RFN",
"OGC-1.0",
"OGDL-Taiwan-1.0",
"OGL-Canada-2.0",
"OGL-UK-1.0",
"OGL-UK-2.0",
"OGL-UK-3.0",
"OGTSL",
"OLDAP-1.1",
"OLDAP-1.2",
"OLDAP-1.3",
"OLDAP-1.4",
"OLDAP-2.0",
"OLDAP-2.0.1",

"OLDAP-2.1",
"OLDAP-2.2",
"OLDAP-2.2.1",
"OLDAP-2.2.2",
"OLDAP-2.3",
"OLDAP-2.4",
"OLDAP-2.5",
"OLDAP-2.6",
"OLDAP-2.7",
"OLDAP-2.8",
"OLFL-1.3",
"OML",
"OPL-1.0",
"OPL-UK-3.0",
"OPUBL-1.0",
"OSET-PL-2.1",
"OSL-1.0",
"OSL-1.1",
"OSL-2.0",
"OSL-2.1",
"OSL-3.0",
"OpenPBS-2.3",
"OpenSSL",
"OpenSSL-standalone",
"OpenVision",
"PADL",
"PDDL-1.0",
"PHP-3.0",
"PHP-3.01",
"PPL",
"PSF-2.0",
"Parity-6.0.0",
"Parity-7.0.0",
"Pixar",
"Plexus",
"PolyForm-Noncommercial-1.0.0",
"PolyForm-Small-Business-1.0.0",
"PostgreSQL",
"Python-2.0",
"Python-2.0.1",
"QPL-1.0",
"QPL-1.0-INRIA-2004",
"Qhull",
"RHeCos-1.1",
"RPL-1.1",
"RPL-1.5",
"RPSL-1.0",
"RSA-MD",

"RSCPL",
"Rdisc",
"Ruby",
"SAX-PD",
"SAX-PD-2.0",
"SCEA",
"SGI-B-1.0",
"SGI-B-1.1",
"SGI-B-2.0",
"SGI-OpenGL",
"SGP4",
"SHL-0.5",
"SHL-0.51",
"SISSL",
"SISSL-1.2",
"SL",
"SMLNJ",
"SMPPL",
"SNIA",
"SPL-1.0",
"SSH-OpenSSH",
"SSH-short",
"SSLeay-standalone",
"SSPL-1.0",
"SWL",
"Saxpath",
"SchemeReport",
"Sendmail",
"Sendmail-8.23",
"SimPL-2.0",
"Sleepycat",
"Soundex",
"Spencer-86",
"Spencer-94",
"Spencer-99",
"SugarCRM-1.1.3",
"Sun-PPP",
"Sun-PPP-2000",
"SunPro",
"Symlinks",
"TAPR-OHL-1.0",
"TCL",
"TCP-wrappers",
"TGPPL-1.0",
"TMate",
"TORQUE-1.1",
"TOSL",
"TPDL",

"TPL-1.0",
"TTWL",
"TTYPO",
"TU-Berlin-1.0",
"TU-Berlin-2.0",
"TermReadKey",
"UCAR",
"UCL-1.0",
"UMich-Merit",
"UPL-1.0",
"URT-RLE",
"Unicode-3.0",
"Unicode-DFS-2015",
"Unicode-DFS-2016",
"Unicode-TOU",
"UnixCrypt",
"Unlicense",
"VOSTROM",
"VSL-1.0",
"Vim",
"W3C",
"W3C-19980720",
"W3C-20150513",
"WTFPL",
"Watcom-1.0",
"Widget-Workshop",
"Wsuipa",
"X11",
"X11-distribute-modifications-variant",
"XFree86-1.1",
"XSkat",
"Xdebug-1.03",
"Xerox",
"Xfig",
"Xnet",
"YPL-1.0",
"YPL-1.1",
"ZPL-1.1",
"ZPL-2.0",
"ZPL-2.1",
"Zed",
"Zeff",
"Zend-2.0",
"Zimbra-1.3",
"Zimbra-1.4",
"Zlib",
"any-OSI",
"bcrypt-Solar-Designer",

"blessing",
"bzip2-1.0.6",
"check-cvs",
"checkmk",
"copyleft-next-0.3.0",
"copyleft-next-0.3.1",
"curl",
"cve-tou",
"diffmark",
"dtoa",
"dvipdfm",
"eGenix",
"etalab-2.0",
"fwlw",
"gSOAP-1.3b",
"gnuplot",
"gtkbook",
"hdparm",
"iMatix",
"libpng-2.0",
"libselinux-1.0",
"libtiff",
"libutil-David-Nugent",
"lsof",
"magaz",
"mailprio",
"metamail",
"mpi-permissive",
"mpich2",
"mplus",
"pkgconf",
"pnmstitch",
"psfrag",
"psutils",
"python-ldap",
"radvd",
"snprintf",
"softSurfer",
"ssh-keyscan",
"swrule",
"threeparttable",
"ulem",
"w3m",
"xinetd",
"xkeyboard-config-Zinoviev",
"xlock",
"xpp",
"xzoom",

"zlib-acknowledgement"

]

MIT

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-present, Alexandru Mrteanu <hello@alexei.ro>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) GitHub, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 angus croll

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2011-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

(The MIT License)

Copyright (c) 2012-2014 Federico Romero

Copyright (c) 2012-2014 Isaac Z. Schlueter

Copyright (c) 2014-2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES

OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2012 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the

Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ISC

Copyright (c) 2012-2014 Andris Reinman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: cfb53bd76796cf419b683a88e036d3ad
The ISC License

Copyright (c) 2017-2022 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with
this software as possible, while protecting contributors
from liability.

Acceptance

In order to receive this license, you must agree to its
rules. The rules of this license are both obligations
under that agreement and conditions to your license.
You must not do anything with this software that triggers
a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this
software that would otherwise infringe that contributor's
copyright in it.

Notices

You must ensure that everyone who gets a copy of
any part of this software from you, with or without
changes, also gets the text of this license or a link to

<<https://blueoakcouncil.org/license/1.0.0>>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.
The ISC License

Copyright (c) 2015-2023 Benjamin Coe, Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
Copyright (c) 2014 IndigoUnited

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is furnished
to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2015-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC License

Copyright GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
(MIT)

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(The MIT License)

Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following

conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD-2-Clause

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2020 Vercel, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stuft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The ISC License

Copyright (c) 2010-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC License

Copyright 2017-2022 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2017 Kat Marchn

Copyright npm, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,

and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This library is a fork of 'better-json-errors' by Kat Marchn, extended and distributed under the terms of the MIT license above.
(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2016-2017 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Copyright (c) Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the

Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) Isaac Z. Schlueter and Contributors

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Note: This is a derivative work based on "node-fetch" by David Frank, modified and distributed under the terms of the MIT license above.

<https://github.com/bitinn/node-fetch>

The MIT License (MIT)

Copyright (c) 2013 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The ISC License

Copyright (c) GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's

copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to [<https://blueoakcouncil.org/license/1.0.0>](https://blueoakcouncil.org/license/1.0.0).

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

****_As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim._****

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

All packages under `src/` are licensed according to the terms in their respective `LICENSE` or `LICENSE.md` files.

The remainder of this project is licensed under the Blue Oak Model License, as follows:

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its

rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <https://blueoakcouncil.org/license/1.0.0>.

##

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.

The ISC License

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2020 Kasper Unn Weihe

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: d419584b39f2ab862fb4d190c76d4a2f

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Creative Commons CC0

BSD-3-Clause

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC License

Copyright 2021 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS

OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Artistic License 2.0

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) Isaac Z. Schlueter, Kat Marchen, npm, Inc., and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The npm application

Copyright (c) npm, Inc. and Contributors

Licensed on the terms of The Artistic License 2.0

Node package dependencies of the npm application

Copyright (c) their respective copyright owners

Licensed on their respective license terms

The npm public registry at <https://registry.npmjs.org>

and the npm website at <https://www.npmjs.com>

Operated by npm, Inc.

Use governed by terms published on <https://www.npmjs.com>

"Node.js"

Trademark Joyent, Inc., <https://joyent.com>

Neither npm nor npm, Inc. are affiliated with Joyent, Inc.

The Node.js application

Project of Node Foundation, <https://nodejs.org>

The npm Logo

Copyright (c) Mathias Pettersson and Brian Hammond

"Gubblebum Blocky" typeface

Copyright (c) Tjarda Koster, <https://jelloween.deviantart.com>

Used with permission

The Artistic License 2.0

Copyright (c) 2000-2006, The Perl Foundation.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

This

license establishes the terms under which a given free software Package may be copied, modified, distributed, and/or redistributed. The intent is that the Copyright Holder maintains some artistic control over the development of that Package while still keeping the Package available as open source and free software.

You are always permitted to make arrangements wholly outside of this license directly with the Copyright Holder of a given Package. If the terms of this license do not permit the full use that you propose to make of the Package, you should contact the Copyright Holder and seek a different licensing arrangement.

Definitions

"Copyright Holder" means the individual(s) or organization(s) named in the copyright notice for the entire Package.

"Contributor" means any party that has contributed code or other material to the Package, in accordance with the Copyright Holder's procedures.

"You" and "your" means any person who would like to copy, distribute, or modify the Package.

"Package" means the collection of files distributed by the Copyright Holder, and derivatives of that collection and/or of those files. A given Package may consist of either the Standard Version, or a Modified Version.

"Distribute" means providing a copy of the Package or making it accessible to anyone else, or in the case of a company or organization, to others outside of your company or organization.

"Distributor Fee" means any fee that you charge for Distributing this Package or providing support for this Package to another party. It does not mean licensing fees.

"Standard Version" refers to the Package if it has not been modified, or has been modified only in ways explicitly requested by the Copyright Holder.

"Modified Version" means the Package, if it has been changed, and such changes were not explicitly requested by the Copyright Holder.

"Original License" means this Artistic License as Distributed with the Standard Version of the Package, in its current version or as it may be modified by The Perl Foundation in the future.

"Source" form means the source code, documentation source, and configuration files for the Package.

"Compiled" form means the compiled bytecode, object code, binary, or any other form resulting from mechanical transformation or translation of the Source form.

Permission for Use and Modification Without Distribution

(1) You are permitted to use the Standard Version and create and use Modified Versions for any purpose without restriction, provided that you do not Distribute the Modified Version.

Permissions for Redistribution of the Standard Version

(2) You may Distribute verbatim copies of the Source form of the Standard Version of this Package in any medium without restriction, either gratis or for a Distributor Fee, provided that you duplicate all of the original copyright notices and associated disclaimers. At your discretion, such verbatim copies may or may not include a Compiled form of the Package.

(3) You may apply any bug fixes, portability changes, and other modifications made available from the Copyright Holder. The resulting Package will still be considered the Standard Version, and as such will be subject to the Original License.

Distribution of Modified Versions of the Package as Source

(4) You may Distribute your Modified Version as Source (either gratis or for a Distributor Fee, and with or without a Compiled form of the Modified Version) provided that you clearly document how it differs from the Standard Version, including, but not limited to, documenting any non-standard features, executables, or modules, and provided that you do at least ONE of the following:

(a) make the Modified Version available to the Copyright Holder of the Standard Version, under the Original License, so that the Copyright Holder may include your modifications in the Standard Version.

(b) ensure that installation of your Modified Version does not prevent the user installing or running the Standard Version. In addition, the Modified Version must bear a name that is different from the name of the Standard Version.

(c) allow anyone who receives a copy of the Modified Version to make the Source form of the Modified Version available to others under

(i) the Original License or

(ii) a license that permits the licensee to freely copy, modify and redistribute the Modified Version using the same licensing terms that apply to the copy that the licensee received, and requires that the Source form of the Modified Version, and of any works derived from it, be made freely available in that license fees are prohibited but Distributor

Fees are allowed.

Distribution of Compiled Forms of the Standard Version or Modified Versions without the Source

(5)

You may Distribute Compiled forms of the Standard Version without the Source, provided that you include complete instructions on how to get the Source of the Standard Version. Such instructions must be valid at the time of your distribution. If these instructions, at any time while you are carrying out such distribution, become invalid, you must provide new instructions on demand or cease further distribution. If you provide valid instructions or cease distribution within thirty days after you become aware that the instructions are invalid, then you do not forfeit any of your rights under this license.

(6) You may Distribute a Modified Version in Compiled form without the Source, provided that you comply with Section 4 with respect to the Source of the Modified Version.

Aggregating or Linking the Package

(7) You may aggregate the Package (either the Standard Version or Modified Version) with other packages and Distribute the resulting aggregation provided that you do not charge a licensing fee for the

Package. Distributor Fees are permitted, and licensing fees for other components in the aggregation are permitted. The terms of this license apply to the use and Distribution of the Standard or Modified Versions as included in the aggregation.

(8) You are permitted to link Modified and Standard Versions with other works, to embed the Package in a larger work of your own, or to build stand-alone binary or bytecode versions of applications that include the Package, and Distribute the result without restriction, provided the result does not expose a direct interface to the Package.

Items That are Not Considered Part of a Modified Version

(9) Works (including, but not limited to, modules and scripts) that merely extend or make use of the Package, do not, by themselves, cause the Package to be a Modified Version. In addition, such works are not considered parts of the Package itself, and are not subject to the terms of this license.

General Provisions

(10)

Any use, modification, and distribution of the Standard or Modified Versions is governed by this Artistic License. By using, modifying or distributing the Package, you accept this license. Do not use, modify, or distribute the Package, if you do not accept this license.

(11) If your Modified Version has been derived from a Modified Version made by someone other than you, you are nevertheless required to ensure that your Modified Version complies with the requirements of this license.

(12) This license does not grant you the right to use any trademark, service mark, tradename, or logo of the Copyright Holder.

(13) This license includes the non-exclusive, worldwide, free-of-charge patent license to make, have made, use, offer to sell, sell, import and otherwise transfer the Package with respect to any patent claims licensable by the Copyright Holder that are necessarily infringed by the Package. If you institute patent litigation (including a cross-claim or counterclaim) against any party alleging that the Package constitutes direct or contributory patent infringement, then this Artistic License to you shall terminate on the date that such litigation is filed.

(14) Disclaimer of Warranty:

THE PACKAGE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES. THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT ARE DISCLAIMED TO THE EXTENT PERMITTED BY YOUR LOCAL LAW. UNLESS REQUIRED BY LAW, NO COPYRIGHT HOLDER OR CONTRIBUTOR WILL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING IN ANY WAY OUT OF THE USE OF THE PACKAGE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Minizlib was created by Isaac Z. Schlueter.
It is a derivative work of the Node.js project.

Copyright Isaac Z. Schlueter and Contributors
Copyright Node.js contributors. All rights reserved.
Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License (MIT)

Copyright (c) 2013-2017 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2016 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2009-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Robert Kowalski and Isaac Z. Schlueter ("Authors")
All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2015, npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License

Copyright (c) 2012 Tim Caswell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License 2.0

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2016-2018 Kornel Lesiski

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,

OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)
Copyright (c) 2015 Dmitry Ivanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(The MIT License)

Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2017 Joseph Wynn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2011 by Beau Gunderson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,

DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS

ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2022 GitHub and the TUF Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2014-2017 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2018-2021 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT

LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Kevin Mrtensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011:

Tim Koschitzki (tim@debuggable.com)

Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) Shannon Moeller <me@shannonmoeller.com> (shannonmoeller.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to

use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License

Copyright (c) 2015 Kyle E. Mitchell & other authors listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Robert Kowalski

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.307 semver 7.6.2

1.307.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.308 fontconfig 2.13.1-4.2ubuntu5

1.308.1 Available under license :

fontconfig/COPYING

Copyright 2000,2001,2002,2003,2004,2006,2007 Keith Packard

Copyright 2005 Patrick Lam

Copyright 2009 Roozbeh Pournader

Copyright 2008,2009 Red Hat, Inc.

Copyright 2008 Danilo Egan

Copyright 2012 Google, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the author(s) not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. The authors make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THE AUTHOR(S) DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL

THE AUTHOR(S) BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.309 nopt 7.2.1

1.309.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.310 libnpmdiff 6.1.4

1.310.1 Available under license :

ISC

The ISC License

Copyright (c) GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.311 pcre 2:8.39-13ubuntu0.22.04.1

1.311.1 Available under license :

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Release 8 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the same terms as the software itself. The data in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions, and a just-in-time compiler that can be used to optimize pattern matching. These are both optional features that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2016 University
of Cambridge
All rights reserved.

PCRE JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2010-2016 Zoltan Herczeg
All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2009-2016 Zoltan Herczeg
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2007-2012, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce
the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the name of Google
Inc. nor the names of their contributors may be used to endorse or
promote products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

End
PCRE LICENCE

Please see the file LICENCE in the PCRE distribution for licensing details.

End

This is Debian GNU/Linux's prepackaged version of the PCRE regular expression library and associated pgrep utility.

This package was put together by me, Mark Baker <mbaker@iee.org> from the original sources obtained from <ftp.csx.cam.ac.uk/pub/software/programming/pcre>.

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Release 7 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the same terms as the software itself.

The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright
(c) 1997-2007 University of Cambridge
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2007, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the name of Google Inc. nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

End

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.312 @npmcli/name-from-folder 2.0.0

1.312.1 Available under license :

The ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.313 asm 9.3

1.313.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

* /asm-9-3-sources-9-jar/org/objectweb/asm/signature/SignatureVisitor.java

No license file was found, but licenses were detected in source scan.

<!--

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.
- >

Found in path(s):

- * /asm-9-3-sources-9-jar/org/objectweb/asm/package.html
- * /asm-9-3-sources-9-jar/org/objectweb/asm/signature/package.html

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
```

Found in path(s):

- * /asm-9-3-sources-9-jar/org/objectweb/asm/ModuleWriter.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/ClassReader.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/signature/SignatureReader.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/signature/SignatureWriter.java
- *
- /asm-9-3-sources-9-jar/org/objectweb/asm/MethodTooLargeException.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/CurrentFrame.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/TypePath.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/ClassWriter.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Symbol.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Handler.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/TypeReference.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/ByteVector.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/FieldWriter.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/SymbolTable.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/RecordComponentWriter.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Constants.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Context.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Opcodes.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Edge.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Attribute.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/ClassVisitor.java
- *
- /asm-9-3-sources-9-jar/org/objectweb/asm/AnnotationVisitor.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Handle.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/ModuleVisitor.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/MethodVisitor.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/ClassTooLargeException.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/ConstantDynamic.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/AnnotationWriter.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Frame.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/RecordComponentVisitor.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/MethodWriter.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Type.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/FieldVisitor.java
- * /asm-9-3-sources-9-jar/org/objectweb/asm/Label.java

1.314 imurmurhash 0.1.4

1.314.1 Available under license :

MIT

1.315 platformdirs 2.4.1

1.315.1 Available under license :

This is the MIT license

Copyright (c) 2010 ActiveState Software Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.316 readline 8.1.2-1

1.316.1 Available under license :

@c The GNU Free Documentation License.

@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,

@c hence no sectioning command or @node.

@display

Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

@uref{<http://fsf.org/>}

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

@end display

@enumerate 0

@item

PREAMBLE

The purpose of this License is to make a manual, textbook, or other

functional and useful document @dfn{free} in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

@item

APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The ``Document'', below, refers

to any such manual or work. Any member of the public is a licensee, and is addressed as ``you''. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ``Modified Version'' of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political

position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain `@sc{ascii}` without markup, Texinfo input format, `La@TeX{}` input format, `@acronym{SGML}` or `@acronym{XML}` using a publicly available `@acronym{DTD}`, and standard-conforming simple `@acronym{HTML}`, PostScript or `@acronym{PDF}` designed for human modification. Examples of transparent image formats include `@acronym{PNG}`, `@acronym{XCF}` and `@acronym{JPG}`. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, `@acronym{SGML}` or `@acronym{XML}` for which the `@acronym{DTD}` and/or processing tools are not generally available, and the machine-generated `@acronym{HTML}`, PostScript or `@acronym{PDF}` produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means

the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher" means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements", ``Dedications", ``Endorsements", or ``History".) To ``Preserve the Title" of such a section when you modify the Document means that it remains a section ``Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify

you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible.

You may add other material on the covers in addition.

Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material.

If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that

this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions

(which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version

if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the ``History'' section. You may omit a network location for a work that was published at

least

four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled ``Acknowledgements" or ``Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements". Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled ``Endorsements" or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document,

you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf

of,
you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History" in the various original documents, forming one section Entitled ``History"; likewise combine any sections Entitled ``Acknowledgements", and any sections Entitled ``Dedications". You must delete all sections Entitled ``Endorsements."

@item

COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item

AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item

TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements", ``Dedications", or ``History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

@item

TERMINATION

You may not copy, modify, sublicense, or distribute the Document

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See [@uref{http://www.gnu.org/copyleft/}](http://www.gnu.org/copyleft/).

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License ``or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item

RELICENSING

``Massive Multiauthor Collaboration Site" (or ``MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration" (or ``MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

@smallexample

@group

Copyright (C) @var{year} @var{your name}.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover

Texts. A copy of the license is included in the section entitled ``GNU Free Documentation License".

@end group

@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the ``with@dots{}Texts." line with this:

@smallexample

@group

with the Invariant Sections being @var{list their titles}, with the Front-Cover

Texts being @var{list}, and with the Back-Cover Texts

being @var{list}.

@end group

@end smallexample

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

@c Local Variables:

@c ispell-local-pdict: "ispell-dict"

@c End:

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below,

refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but

does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of

this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and
`show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the

library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains

that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to

control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological

measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not

invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or

specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly

provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered

work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.317 emoji-regex 9.2.2

1.317.1 Available under license :

Copyright Mathias Bynens <https://mathiasbynens.be/>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.318 validate-npm-package-name 5.0.1

1.318.1 Available under license :

ISC

Copyright (c) 2015, npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.319 distlib 0.3.9

1.319.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes

2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.

BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT

OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

Distutils2 Contributors

=====

The Distutils2 project was started by Tarek Ziad and is currently maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order, and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett
- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau
- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad DeLong
- Josip Djolonga
- John Edmonds
- Andr Espaze
- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier
- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin
- Kelsey Hightower
- Thomas Holmes
- Preston Holmes
- Christian Hudon
- Julien Jehannet
- Jeremy Kloth

- Thomas Kluyver
-
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lpez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce
- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider
- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner
- Alexandre Vassalotti
- Nadeem Vawda

Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Vinay Sajip not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING

ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD-licensed.

1.320 ms 2.1.2

1.320.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.321 is-fullwidth-code-point 3.0.0

1.321.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.322 bctls-fips 2.1.20

1.322.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
public static final ProtocolName WEBRTC_CONFIDENTIAL = asUtf8Encoding("c-webrtc");
```

Found in path(s):

* /bctls-fips-2-1-20-sources-jar/org/bouncycastle/tls/ProtocolName.java

1.323 msgpack 1.1.0

1.323.1 Available under license :

MIT License

Copyright (c) 2018 Cees-Jan Kiewiet

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.324 libuv 1.46.0

1.324.1 Available under license :

Attribution 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor

grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public:

wiki.creativecommons.org/Considerations_for_licensees

=====

Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.

- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable

license to

exercise the Licensed Rights in the Licensed Material to:

- a. reproduce and Share the Licensed Material, in whole or in part; and

- b. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a) (4) never produces Adapted Material.

5. Downstream recipients.

- a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

- b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the

Licensed Rights by any recipient of the Licensed

Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive

attribution, in any reasonable manner requested by the Licensor (including by pseudonym if

designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.

3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.

4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;

- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE. WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.
- b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 -- Term and Termination.

- a. This Public License

applies for the term of the Copyright and

Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.

b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:

1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.

d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision

cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.

- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.
Copyright (c) 2015-present libuv project contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to parts of libuv originating from the <https://github.com/joyent/libuv> repository:

====

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

This license applies to all parts of libuv that are not externally maintained libraries.

The externally maintained libraries used by libuv are:

- tree.h (from FreeBSD), copyright Niels Provos. Two clause BSD license.
- inet_pton and inet_ntop implementations, contained in src/inet.c, are copyright the Internet Systems Consortium, Inc., and licensed under the ISC license.

1.325 dpkg 1.21.1ubuntu2.6

1.325.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole

or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based

on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>
Upstream-Name: dpkg

Files: *

Copyright:

Copyright 1994 Ian Murdock <imurdock@debian.org>
Copyright 1994 Matt Welsh <mdw@sunsite.unc.edu>
Copyright 1994 Carl Streeter <streeter@cae.wisc.edu>
Copyright 1994-1999, 2007-2008 Ian Jackson <ijackson@chiark.greenend.org.uk>
Copyright 1995 Bruce Perens <bruce@pixar.com>
Copyright 1995-1996 Erick Branderhorst <branderhorst@heel.fgg.eur.nl>
Copyright 1996 Michael Shields <shields@crosslink.net>
Copyright 1996 Klee Dienes <klee@debian.org>
Copyright 1996 Kim-Minh Kaplan <kkaplan@cdfhp3.in2p3.fr>
Copyright 1996-1998 Miquel van Smoorenburg <miquels@cistron.nl>
Copyright 1996 Andy Guy <andy@cyteen.org>
Copyright 1997-1998 Charles Briscoe-Smith <cpbs@debian.org>
Copyright 1997-1998 Juho Vuori <javuori@cc.helsinki.fi>
Copyright 1998 Koichi Sekido <sekido@mbox.kyoto-inet.or.jp>
Copyright 1998 Jim Van Zandt <jrv@vanzandt.mv.com>
Copyright 1998 Juan
Cespedes <cespedes@debian.org>
Copyright 1998 Nils Rennebarth <n timer@debian.org>
Copyright 1998 Heiko Schlittermann <hs@schlittermann.de>

Copyright 1998-1999, 2001, 2003, 2006 Martin Schulze <joe@infodrom.org>
Copyright 1999 Roderick Shertler <roderick@argon.org>
Copyright 1999 Ben Collins <bcollins@debian.org>
Copyright 1999 Richard Kettlewell <rjk@sphere.greenend.org.uk>
Copyright 1999-2001 Marcus Brinkmann <brinkmd@debian.org>
Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>
Copyright 1999-2001, 2005-2016 Raphael Hertzog <hertzog@debian.org>
Copyright 2000-2001, 2007, 2010 Joey Hess <joe@debian.org>
Copyright 2004-2005, 2007-2010 Canonical Ltd.
Copyright 2004-2005 Scott James Remnant <scott@netsplit.com>
Copyright 2006-2008 Frank Lichtenheld <djpig@debian.org>
Copyright 2006-2025 Guillem Jover <guillem@debian.org>
Copyright 2006-2007 Nicolas François <nicolas.francois@centraliens.net>
Copyright 2007 Don Armstrong <don@donarmstrong.com>
Copyright
2007 Colin Watson <cjwatson@debian.org>
Copyright 2007, 2008 Tollef Fog Heen <tfheen@err.no>
Copyright 2008 James Westby <jw+debian@jameswestby.net>
Copyright 2008 Zack Weinberg <zackw@panix.com>
Copyright 2008 Pierre Habouzit <madcoder@debian.org>
Copyright 2009 Romain François <rfrancoise@debian.org>
Copyright 2009-2010 Modestas Vainius <modax@debian.org>
Copyright 2009-2011 Kees Cook <kees@debian.org>
Copyright 2010 Charles Plessy <plessy@debian.org>
Copyright 2010 Oxan van Leeuwen <oxan@oxanvanleeuwen.nl>
Copyright 2010 Russ Allbery <rra@debian.org>
Copyright 2011 Linaro Limited
Copyright 2011 Matt Kraai <kraai@ftbfs.org>
Copyright 2014 Bill Allombert <ballombe@debian.org>
Copyright 2014-2015 Jrmey Bobbio <lunar@debian.org>
Copyright 2020 Helmut Grohne <helmut@subdivi.de>
Copyright 2021 Sebastian Andrzej Siewior <sebastian@breakpoint.cc>
License: GPL-2+

Files:

lib/compat/getopt*
lib/compat/gettext.h
lib/compat/obstack.*
lib/compat/strnlen.c

Copyright:

Copyright 1987-2006 Free Software Foundation, Inc.

License: GPL-2+

Files:

utils/start-stop-daemon.c

Copyright:

Copyright 1999 Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>

Copyright 1999 Christian Schwarz <schwarz@monet.m.isar.de>

Copyright 1999 Klee Dienes <klee@debian.org>
Copyright 1999 Ben Collins <bcollins@debian.org>
Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>
Copyright 2000-2003 Adam Heath <doogie@debian.org>
Copyright 2001 Sontri Tomo Huynh <huynh.29@osu.edu>
Copyright 2001 Andreas Schuldei <andreas@schuldei.org>
Copyright 2001 Ian Jackson <ijackson@chiark.greenend.org.uk>
Copyright 2004-2005 Scott James Remnant <keybuk@debian.org>
Copyright 2006-2023 Guillem Jover <guillem@debian.org>
Copyright 2008 Samuel Thibault <samuel.thibault@ens-lyon.org>
Copyright 2008 Andreas Pahlsson <andreas.pahlsson@xcerion.com>
Copyright 2009 Chris Coulson <chrisccoulson@googlemail.com>
Copyright 2012 Carsten Hey <carsten@debian.org>
Copyright 2014 Nir Soffer <nirs@hyperms.com>

License: public-domain-s-s-d

Written by Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>, public domain. Based conceptually on start-stop-daemon.pl, by Ian Jackson <ijackson@gnu.ai.mit.edu>. May be used and distributed freely for any purpose. Changes by Christian Schwarz <schwarz@monet.m.isar.de>, to make output conform to the Debian Console Message Standard, also placed in public domain. Minor changes by Klee Dienes <klee@debian.org>, also placed in the Public Domain.

.

Changes by Ben Collins <bcollins@debian.org>, added --chuid, --background and --make-pidfile options, placed in public domain as well.

License: GPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Comment:

On Debian systems, the complete text of the GNU General Public License can be found in /usr/share/common-licenses/GPL-2 or in the dpkg source as the file COPYING.

1.326 @sigstore/tuf 2.3.4

1.326.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.327 packaging 21.2

1.327.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.328 html5lib 1.1

1.328.1 Available under license :

Copyright (c) 2006-2013 James Graham, Geoffrey Sneddon, and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

Copyright (c) 2006-2013 James Graham and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.329 wrap-ansi 8.1.0

1.329.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.330 chalk 5.3.0

1.330.1 Available under license :

MIT

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.331 jline 3.26.1

1.331.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2018, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */

/*
 * Java TelnetD library (embeddable telnet daemon)
 * Copyright (c) 2000-2005 Dieter Wimberger
 * All rights reserved.
 *
 * <p/>
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * Redistributions of source code must retain the above copyright notice,
 * this list of conditions and the following disclaimer.
 *
 * Redistributions in binary form must reproduce the above copyright notice,
 * this list of conditions and the following disclaimer in the documentation
 * and/or other materials provided with the distribution.
 *
 * <p/>
 * Neither the name of the author nor the
 * names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * <p/>
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
 * IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
 * THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
```

* POSSIBILITY OF SUCH DAMAGE.

***/*

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/Connection.java

*

/jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/ConnectionData.java

* /jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/ConnectionManager.java

* /jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/PortListener.java

* /jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/TelnetIO.java

* /jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/ConnectionEvent.java

No license file was found, but licenses were detected in source scan.

#

Copyright (C) 2022 the original author(s).

#

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

#

<http://www.apache.org/licenses/LICENSE-2.0>

#

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

#

Found in path(s):

* /jline-3-26-1-sources-6-jar/META-INF/services/org/jline/terminal/provider/exec

* /jline-3-26-1-sources-6-jar/META-INF/services/org/jline/terminal/provider/ffm

* /jline-3-26-1-sources-6-jar/META-INF/services/org/jline/terminal/provider/jna

* /jline-3-26-1-sources-6-jar/META-INF/services/org/jline/terminal/provider/jni

*

/jline-3-26-1-sources-6-jar/META-INF/services/org/jline/terminal/provider/jansi

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2016, the original author or authors.

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/utils/package-info.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/package-info.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/package-info.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/package-info.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/history/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2023, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* <https://opensource.org/licenses/BSD-3-Clause>
*/

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/terminal/spi/SystemStream.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/spi/TerminalExt.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/SyntaxError.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/DumbTerminalProvider.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/EOFError.java
* /jline-3-26-1-sources-6-jar/org/jline/nativ/JLineLibrary.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/WindowsSupport.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2024, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* <https://opensource.org/licenses/BSD-3-Clause>
*/

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/console/impl/DefaultPrinter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2023, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* <https://opensource.org/licenses/BSD-3-Clause>
*/
/*

* Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express
 * or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/nativ/OSInfo.java
 * /jline-3-26-1-sources-6-jar/org/jline/nativ/JLineNativeLoader.java
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright (c) 2002-2019, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * <https://opensource.org/licenses/BSD-3-Clause>
 */

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/AbstractPty.java
 * /jline-3-26-1-sources-6-jar/org/jline/utils/InfoCmp.java
 * /jline-3-26-1-sources-6-jar/org/jline/reader/Editor.java
 * /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/ArgumentCompleter.java
 * /jline-3-26-1-sources-6-jar/org/jline/builtins/ConfigurationPath.java
 * /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/StringsCompleter.java
 * /jline-3-26-1-sources-6-jar/org/jline/builtins/Tmux.java
 * /jline-3-26-1-sources-6-jar/org/jline/reader/Candidate.java
 * /jline-3-26-1-sources-6-jar/org/jline/utils/Status.java
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright (c) 2002-2016, the original author(s).
 *

* This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * <https://opensource.org/licenses/BSD-3-Clause>
 */
 /*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
 /**
 * Based on <http://antony.lesuisse.org/software/ajaxterm/>
 * Public Domain License
 */

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/builtins/ScreenTerminal.java
 No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
 # you may not use this file except in compliance with the License.
 # You may obtain a copy of the License at
 # <http://www.apache.org/licenses/LICENSE-2.0>
 # distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/nativ/jlinenative.properties
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright (c) 2002-2017, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * <https://opensource.org/licenses/BSD-3-Clause>

```

*/
/*
* Java TelnetD library (embeddable telnet daemon)
* Copyright (c) 2000-2005 Dieter Wimberger
* All rights reserved.
* <p/>
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
* <p/>
* Neither the name of the author nor the
  names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
* <p/>
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
***/

```

Found in path(s):

```

* /jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/ConnectionListener.java
*

```

```

  /jline-3-26-1-sources-6-jar/org/jline/builtins/telnet/ConnectionFilter.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (c) 2009-2023, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

```

Found in path(s):

- * /jline-3-26-1-sources-6-jar/org/jline/jansi/io/ColorsAnsiProcessor.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/Ansi.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/AnsiMode.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/AnsiPrintStream.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/WindowsSupport.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/io/AnsiProcessor.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/io/FastBufferedOutputStream.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/io/WindowsAnsiProcessor.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/AnsiType.java
- * /jline-3-26-1-sources-6-jar/org/jline/nativ/CLibrary.java
- *
- /jline-3-26-1-sources-6-jar/org/jline/jansi/io/Colors.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/AnsiConsole.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/io/AnsiOutputStream.java
- * /jline-3-26-1-sources-6-jar/org/jline/Utils/FastBufferedOutputStream.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/AnsiRenderer.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/AnsiColors.java
- * /jline-3-26-1-sources-6-jar/org/jline/nativ/Kernel32.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ffm/Kernel32.java
- * /jline-3-26-1-sources-6-jar/org/jline/jansi/AnsiMain.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (c) 2022, the original author(s).
- *
- * This software is distributable under the BSD license. See the terms of the
- * BSD license in the documentation provided with this software.
- *
- * <https://opensource.org/licenses/BSD-3-Clause>
- */

Found in path(s):

- * /jline-3-26-1-sources-6-jar/org/jline/terminal/spi/TerminalProvider.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/Diag.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/exec/ExecTerminalProvider.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (c) 2002-2021, the original author(s).
- *
- * This software is distributable under the BSD license. See the terms of the
- * BSD license in the documentation provided with this software.
- *
- * <https://opensource.org/licenses/BSD-3-Clause>
- */

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/reader/Parser.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/history/DefaultHistory.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/AbstractTerminal.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/DefaultHighlighter.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/CompletionMatcherImpl.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/TTop.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/Completers.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/Styles.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/Nano.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/AttributedCharSequence.java
*

/jline-3-26-1-sources-6-jar/org/jline/utils/AttributedStyle.java
* /jline-3-26-1-sources-6-jar/org/jline/console/impl/ConsoleEngineImpl.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/PrintAboveWriter.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/ConsoleOptionGetter.java
* /jline-3-26-1-sources-6-jar/org/jline/console/SystemRegistry.java
* /jline-3-26-1-sources-6-jar/org/jline/console/ArgDesc.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/Highlighter.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/TerminalBuilder.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2002-2018, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>
#

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/utils/colors.txt

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2023, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

* /jline-3-26-1-sources-6-jar/META-INF/maven/org.jline/jline-native/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2023, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
```

Found in path(s):

```
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/LineReaderImpl.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/Less.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/Commands.java
* /jline-3-26-1-sources-6-jar/org/jline/console/impl/SystemRegistryImpl.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/SyntaxHighlighter.java
* /jline-3-26-1-sources-6-jar/org/jline/console/ConsoleEngine.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/AbstractWindowsTerminal.java
* /jline-3-26-1-sources-6-jar/org/jline/widget/Widgets.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/LineReader.java
* /jline-3-26-1-sources-6-jar/org/jline/widget/TailTipWidgets.java
*
/jline-3-26-1-sources-6-jar/org/jline/reader/impl/InputRC.java
```

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2002-2022, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

```
* /jline-3-26-1-sources-6-jar/META-INF/maven/org.jline/jansi-core/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2018, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
```

*/

Found in path(s):

- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/DumbTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/Completer.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/Colors.java
- * /jline-3-26-1-sources-6-jar/org/jline/style/StyleExpression.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ExternalTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/keymap/BindingReader.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/FileNameCompleter.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/History.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/Size.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/NonBlocking.java
- *
- /jline-3-26-1-sources-6-jar/org/jline/builtins/NfaMatcher.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/NonBlockingInputStreamImpl.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/ParsedLine.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/PosixPtyTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/style/StyleFactory.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/NonBlockingReaderImpl.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/Terminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/AttributedStringBuilder.java
- * /jline-3-26-1-sources-6-jar/org/jline/style/Styler.java
- * /jline-3-26-1-sources-6-jar/org/jline/builtins/InputRC.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/impl/KillRing.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/Curses.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/NonBlockingReader.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/win/Kernel32.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/StyleResolver.java
- *
- /jline-3-26-1-sources-6-jar/org/jline/reader/CompletingParsedLine.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/MaskingCallback.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/Timeout.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/PosixSysTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/LineDisciplineTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/style/StyleSource.java
- * /jline-3-26-1-sources-6-jar/org/jline/utils/NonBlockingInputStream.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (c) 2009-2018, the original author(s).
- *
- * This software is distributable under the BSD license. See the terms of the
- * BSD license in the documentation provided with this software.
- *
- * <https://opensource.org/licenses/BSD-3-Clause>

*/

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ffm/FfmTerminalProvider.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ffm/WindowsAnsiWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ffm/CLibrary.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ffm/NativeWinSysTerminal.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ffm/FfmNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/ffm/NativeWinConsoleWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2017, the original author(s).

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/win/JnaWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

*

/*

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java

* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java

*

/jline-3-26-1-sources-6-jar/org/jline/style/StyleResolver.java
* /jline-3-26-1-sources-6-jar/org/jline/style/StyleBundleInvocationHandler.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/solaris/SolarisNativePty.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/BufferImpl.java
* /jline-3-26-1-sources-6-jar/org/jline/style/InterpolationHelper.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jni/solaris/SolarisNativePty.java
* /jline-3-26-1-sources-6-jar/org/jline/style/StyleColor.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/linux/LinuxNativePty.java
No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2002-2021, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

* /jline-3-26-1-sources-6-jar/META-INF/maven/org.jline/jline/pom.xml
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2022, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* <https://opensource.org/licenses/BSD-3-Clause>
*/

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/console/impl/SystemHighlighter.java
* /jline-3-26-1-sources-6-jar/org/jline/builtins/Source.java
* /jline-3-26-1-sources-6-jar/org/jline/console/Printer.java
* /jline-3-26-1-sources-6-jar/org/jline/console/impl/Builtins.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2016, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-6-jar/org/jline/terminal/Cursor.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/Binding.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/ShutdownHooks.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/DiffHelper.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/CursorSupport.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/Reference.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/NullCompleter.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/UndoTree.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/WCWidth.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/Expander.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/MouseEvent.java
*
/jline-3-26-1-sources-6-jar/org/jline/keymap/KeyMap.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/OSUtils.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/AbstractPosixTerminal.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/InputStreamReader.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/UserInterruptException.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/AttributedString.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/AggregateCompleter.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/EnumCompleter.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/spi/Pty.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/Macro.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/exec/ExecPty.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/ClosedException.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/NativeSignalHandler.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/ExecHelper.java
*
/jline-3-26-1-sources-6-jar/org/jline/terminal/Attributes.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/MouseSupport.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/impl/DefaultExpander.java
* /jline-3-26-1-sources-6-jar/org/jline/utils/Levenshtein.java
* /jline-3-26-1-sources-6-jar/org/jline/reader/Widget.java
* /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/win/WindowsAnsiWriter.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2020, the original author(s).

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/osx/OsXNativePty.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jni/win/NativeWinSysTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/osx/CLibrary.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/impl/JlineCommandRegistry.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/CommandMethods.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/impl/AbstractCommandRegistry.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/CmdDesc.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/EndOfFileException.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/solaris/CLibrary.java
- *

- /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/win/JnaWinSysTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/win/JansiWinSysTerminal.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/CommandRegistry.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/impl/ReaderUtils.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/JansiNativePty.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/linux/LinuxNativePty.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/freebsd/FreeBsdNativePty.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/CommandInput.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/linux/CLibrary.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/LineReaderBuilder.java
- * /jline-3-26-1-sources-6-jar/org/jline/widget/AutosuggestionWidgets.java
- *

- /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jni/JniTerminalProvider.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jni/JniNativePty.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/solaris/SolarisNativePty.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/impl/completer/SystemCompleter.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/ScriptEngine.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/JnaNativePty.java
- * /jline-3-26-1-sources-6-jar/org/jline/widget/AutopairWidgets.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/CompletionMatcher.java
- * /jline-3-26-1-sources-6-jar/org/jline/reader/impl/DefaultParser.java
- * /jline-3-26-1-sources-6-jar/org/jline/console/CmdLine.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jansi/JansiTerminalProvider.java
- * /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/JnaTerminalProvider.java
- *

- /jline-3-26-1-sources-6-jar/org/jline/terminal/impl/jna/freebsd/CLibrary.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (c) 2002-2020, the original author(s).

- *

- * This software is distributable under the BSD license. See the terms of the

- * BSD license in the documentation provided with this software.

```

*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either
* express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```
* /jline-3-26-1-sources-6-jar/org/jline/builtins/Options.java
```

1.332 package-json-from-dist 1.0.0

1.332.1 Available under license :

UNRECOGNIZED LICENSE; MD5 sum: 991175f9d8effe5f2fdf0fc7f6380984

All packages under `src/` are licensed according to the terms in their respective `LICENSE` or `LICENSE.md` files.

The remainder of this project is licensed under the Blue Oak Model License, as follows:

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to [<https://blueoakcouncil.org/license/1.0.0>](https://blueoakcouncil.org/license/1.0.0).

##

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.

1.333 @isaacs/cliui 8.0.2

1.333.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.334 @npmcli/arborist 7.5.4

1.334.1 Available under license :

ISC

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.335 packaging 24.2

1.335.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.336 cli-columns 4.0.0

1.336.1 Available under license :

The MIT License (MIT)

Copyright (c) Shannon Moeller <me@shannonmoeller.com> (shannonmoeller.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.337 ip-address 9.0.5

1.337.1 Available under license :

Copyright (C) 2011 by Beau Gunderson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

MIT

1.338 npm-registry-fetch 17.1.0

1.338.1 Available under license :

ISC

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.339 @sigstore/bundle 2.3.2

1.339.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.340 read 3.0.1

1.340.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
ISC

1.341 shebang-command 2.0.0

1.341.1 Available under license :

MIT

MIT License

Copyright (c) Kevin Mrtensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.342 isexe 3.1.1

1.342.1 Available under license :

The ISC License

Copyright (c) 2016-2022 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR

1.343 libpng 1.6.37

1.343.1 Available under license :

Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall the author or contributors be held liable for any damages arising in any way from the use of this software.

The contents of this file are DUAL-LICENSED. You may modify and/or redistribute this software according to the terms of one of the following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

This product includes software developed by Greg Roelofs and contributors for the book, "PNG: The Definitive Guide," published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software Foundation,
Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file

copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or
implied, including but not limited to the warranties of merchantability,
fitness for a particular purpose and noninfringement. In no event shall the
authors or copyright holders be liable for any claim, damages or other
liability,
whether in an action of contract, tort or otherwise, arising from,
out of or in connection with the software or the use or other dealings in the
software.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software

Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide

a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions

either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least

the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the
GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is

what you want to do, use the GNU Library General Public License instead of this License.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

- * Copyright (c) 1995-2019 The PNG Reference Library Authors.
- * Copyright (c) 2018-2019 Cosmin Truta.
- * Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- * Copyright (c) 1996-1997 Andreas Dilger.
- * Copyright (c) 1995-1996 Guy Eric Schlnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted
to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are

Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey

Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not
be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from
any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

1.344 @npmcli/package-json 5.2.0

1.344.1 Available under license :

ISC License

Copyright GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.345 minipass 7.1.2

1.345.1 Available under license :

ISC

The ISC License

Copyright (c) 2017-2023 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.346 pyo3 0.26.0

1.346.1 Available under license :

Copyright (c) 2017-present PyO3 Project and Contributors. <https://github.com/PyO3>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions,
annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed
by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge,
royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.347 pyo3-ffi 0.26.0

1.347.1 Available under license :

Copyright (c) 2017-present PyO3 Project and Contributors. <https://github.com/PyO3>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of

the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2023-present PyO3 Project and Contributors. <https://github.com/PyO3>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

1.348 base-64 0.22.1

1.348.1 Available under license :

Copyright (c) 2014 Steve "Sc00bz" Thomas (steve at tobtu dot com)

Copyright (c) 2021 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2021-2023 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2021 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2020-2023 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of

the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2022 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2014 Steve "Sc00bz" Thomas (steve at tobtu dot com)

Copyright (c) 2022 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any

person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2021-2022 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER

DEALINGS IN THE SOFTWARE.

Copyright (c) 2014 Steve "Sc00bz" Thomas (steve at tobtu dot com)

Copyright (c) 2016-2018 Paragon Initiative Enterprises.

Copyright (c) 2022 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2021-2024 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2020 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

MIT License

Copyright (c) 2022 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2023 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original

work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2020-2022 The RustCrypto Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.349 once_cell 1.21.3

1.349.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.350 pem 3.0.5

1.350.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Jonathan Creekmore

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.351 asn1 0.22.0

1.351.1 Available under license :

Copyright (c) Alex Gaynor and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of rust-asn1 nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.352 openssl-sys 0.9.110

1.352.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2011-2017 Google Inc.
2013 Jack Lloyd
2013-2014 Steven Fackler

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2014 Alex Crichton

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2019 Steven Fackler

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2022 Steven Fackler

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.353 glob 10.4.2

1.353.1 Available under license :

The ISC License

Copyright (c) 2009-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.354 Iru-cache 10.2.2

1.354.1 Available under license :

ISC

The ISC License

Copyright (c) 2010-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.355 util-linux 1:2.37.2-4ubuntu3.4

1.355.1 Available under license :

NR	START	END	SECTORS	SIZE	NAME	UUID
1	32	7679	7648	3.7M		8f8378c0-01
2	7680	16383	8704	4.3M		8f8378c0-02
5	7936	12799	4864	2.4M		
6	12544	16127	3584	1.8M		

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion

of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may opt to apply the terms of the ordinary
GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a

derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a

copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU
General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than ``show w'` and ``show c'`; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic

pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other

parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free

programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those

subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or

modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

- publish on each copy an appropriate copyright notice;
- keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
- keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work,

and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party)

that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in

ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or

requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright

holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have

permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/licenses/why-not-lgpl.html>.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This library is free software; you can redistribute it and/or modify it under the terms of the Modified BSD License.

The complete text of the license is available in the
../Documentation/licenses/COPYING.BSD-3-Clause file.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later file.

```
#ifndef UTIL_LINUX_PT_BSD_H
#define UTIL_LINUX_PT_BSD_H
```

```
#define BSD_MAXPARTITIONS 16
#define BSD_FS_UNUSED 0
```

```
#ifndef BSD_DISKMAGIC
# define BSD_DISKMAGIC ((uint32_t) 0x82564557)
#endif
```

```

#define BSD_LINUX_BOOTDIR "/usr/ucb/mdec"

#if defined (__alpha__) || defined (__powerpc__) || \
    defined (__ia64__) || defined (__hppa__)
#define BSD_LABELSECTOR 0
#define BSD_LABELOFFSET 64
#else
#define BSD_LABELSECTOR 1
#define BSD_LABELOFFSET 0
#endif

#define BSD_BBSIZE      8192 /* size of boot area, with label */
#define BSD_SBSIZE      8192 /* max size of fs superblock */

struct bsd_disklabel {
    uint32_t d_magic; /* the magic number */
    int16_t d_type; /* drive type */
    int16_t d_subtype; /* controller/d_type specific */
    char d_typename[16]; /* type name, e.g. "eagle" */
    char d_packname[16]; /* pack identifier */

    /* disk geometry: */
    uint32_t d_sectsize; /* # of bytes per sector */
    uint32_t d_nsectors; /* # of data sectors per track */
    uint32_t d_ntracks; /*
    # of tracks per cylinder */
    uint32_t d_ncylinders; /* # of data cylinders per unit */
    uint32_t d_secpercyl; /* # of data sectors per cylinder */
    uint32_t d_secperunit; /* # of data sectors per unit */

    /*
    * Spares (bad sector replacements) below
    * are not counted in d_nsectors or d_secpercyl.
    * Spare sectors are assumed to be physical sectors
    * which occupy space at the end of each track and/or cylinder.
    */
    uint16_t d_sparepertrack; /* # of spare sectors per track */
    uint16_t d_sparepercyl; /* # of spare sectors per cylinder */

    /*
    * Alternate cylinders include maintenance, replacement,
    * configuration description areas, etc.
    */
    uint32_t d_acylinders; /* # of alt. cylinders per unit */

    /* hardware characteristics: */
    /*

```

- * d_interleave, d_trackskew and d_cylskew describe perturbations
- * in the media format used to compensate for a slow controller.
- * Interleave is physical sector interleave, set up by the formatter
- * or controller

when formatting. When interleaving is in use,

- * logically adjacent sectors are not physically contiguous,
- * but instead are separated by some number of sectors.
- * It is specified as the ratio of physical sectors traversed
- * per logical sector. Thus an interleave of 1:1 implies contiguous
- * layout, while 2:1 implies that logical sector 0 is separated
- * by one sector from logical sector 1.
- * d_trackskew is the offset of sector 0 on track N
- * relative to sector 0 on track N-1 on the same cylinder.
- * Finally, d_cylskew is the offset of sector 0 on cylinder N
- * relative to sector 0 on cylinder N-1.

*/

```
uint16_t d_rpm; /* rotational speed */
uint16_t d_interleave; /* hardware sector interleave */
uint16_t d_trackskew; /* sector 0 skew, per track */
uint16_t d_cylskew; /* sector 0 skew, per cylinder */
uint32_t d_headswitch; /* head switch time, usec */
uint32_t d_trkseek; /* track-to-track seek, usec */
uint32_t d_flags; /* generic flags */
uint32_t d_drivedata[5]; /*
drive-type specific information */
uint32_t d_spare[5]; /* reserved for future use */
uint32_t d_magic2; /* the magic number (again) */
uint16_t d_checksum; /* xor of data incl. partitions */

/* filesystem and partition information: */
uint16_t d_npartitions; /* number of partitions in following */
uint32_t d_bbsize; /* size of boot area at sn0, bytes */
uint32_t d_sbsize; /* max size of fs superblock, bytes */
```

```
struct bsd_partition { /* the partition table */
    uint32_t p_size; /* number of sectors in partition */
    uint32_t p_offset; /* starting sector */
    uint32_t p_fsize; /* filesystem basic fragment size */
    uint8_t p_fstype; /* filesystem type, see below */
    uint8_t p_frag; /* filesystem fragments per block */
    uint16_t p_cpg; /* filesystem cylinders per group */
} __attribute__((packed)) d_partitions[BSD_MAXPARTITIONS]; /* actually may be more */
__attribute__((packed));
```

/* d_type values:

*/

```
#define BSD_DTYPE_SMD 1 /* SMD, XSMD; VAX hp/up */
```

```

#define BSD_DTYPE_MSCP 2 /* MSCP */
#define BSD_DTYPE_DEC 3 /* other DEC (rk, rl) */
#define BSD_DTYPE_SCSI 4 /* SCSI */
#define BSD_DTYPE_ESDI 5 /* ESDI interface */
#define BSD_DTYPE_ST506 6 /* ST506 etc. */
#define BSD_DTYPE_HPIB 7 /* CS/80 on HP-IB */
#define BSD_DTYPE_HPFL 8 /* HP Fiber-link */
#define BSD_DTYPE_FLOPPY 10 /* floppy */

/* d_subtype values: */
#define BSD_DSTYPE_INDOSPART 0x8 /* is inside dos partition */
#define BSD_DSTYPE_DOSPART(s) ((s) & 3) /* dos partition number */
#define BSD_DSTYPE_GEOMETRY 0x10 /* drive params in label */

/*
 * Filesystem type and version.
 * Used to interpret other filesystem-specific
 * per-partition information.
 */
#define BSD_FS_UNUSED 0 /* unused */
#define BSD_FS_SWAP 1 /* swap */
#define BSD_FS_V6 2 /* Sixth Edition */
#define BSD_FS_V7 3 /* Seventh Edition */
#define BSD_FS_SYSV 4 /* System V */
#define BSD_FS_V71K 5 /* V7
   with 1K blocks (4.1, 2.9) */
#define BSD_FS_V8 6 /* Eighth Edition, 4K blocks */
#define BSD_FS_BSDFFS 7 /* 4.2BSD fast file system */
#define BSD_FS_BSDLFS 9 /* 4.4BSD log-structured file system */
#define BSD_FS_OTHER 10 /* in use, but unknown/unsupported */
#define BSD_FS_HPFS 11 /* OS/2 high-performance file system */
#define BSD_FS_ISO9660 12 /* ISO-9660 filesystem (cdrom) */
#define BSD_FS_ISOFS BSD_FS_ISO9660
#define BSD_FS_BOOT 13 /* partition contains bootstrap */
#define BSD_FS_ADOS 14 /* AmigaDOS fast file system */
#define BSD_FS_HFS 15 /* Macintosh HFS */
#define BSD_FS_ADVFS 16 /* Digital Unix AdvFS */

/* this is annoying, but it's also the way it is :( */
#ifdef __alpha__
#define BSD_FS_EXT2 8 /* ext2 file system */
#else
#define BSD_FS_MSDOS 8 /* MS-DOS file system */
#endif

/*
 * flags shared by various drives:
 */

```

```

#define BSD_D_REMOVABLE 0x01 /* removable media */
#define BSD_D_ECC      0x02 /* supports ECC */
#define BSD_D_BADSECT 0x04 /* supports
bad sector forw. */
#define BSD_D_RAMDISK 0x08 /* disk emulator */
#define BSD_D_CHAIN    0x10 /* can do back-back transfers */
#define BSD_D_DOSPART 0x20 /* within MSDOS partition */

#endif /* UTIL_LINUX_PT_BSD_H */
/*
* Copyright (c) 1989 The Regents of the University of California.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   This product includes software developed by the University of
*   California, Berkeley and its contributors.
* 4. Neither the name of the University nor the names of its contributors
*   may be used to endorse or promote products derived from this software
*
without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/

```

1.356 base-files 12ubuntu4.7

1.356.1 Available under license :

Copyright (c) The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated

material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When

we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they

can relink them
with the library, after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free
library. If the library is modified by someone else and passed on, we
want its recipients to know that what they have is not the original
version, so that any problems introduced by others will not reflect on
the original authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that companies distributing free
software will individually obtain patent licenses, thus in effect
transforming the program into proprietary software. To prevent this,
we
have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary
GNU General Public License, which was designed for utility programs. This
license, the GNU Library General Public License, applies to certain
designated libraries. This license is quite different from the ordinary
one; be sure to read it in full, and don't assume that anything in it is
the same as in the ordinary license.

The reason we have a separate public license for some libraries is that
they blur the distinction we usually make between modifying or adding to a
program and simply using it. Linking a program with a library, without
changing the library, is in some sense simply using the library, and is
analogous to running a utility program or application program. However, in
a textual and legal sense, the linked executable is a combined work, a
derivative of the original library, and the ordinary
General Public License
treats it as such.

Because of this blurred distinction, using the ordinary General
Public License for libraries did not effectively promote software
sharing, because most developers did not use the libraries. We
concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the
users of those programs of all benefit from the free status of the
libraries themselves. This Library General Public License is intended to

permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification

follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from

such a program is covered only if
its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you
also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no
charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires
that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to

distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on

the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent

license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these,

write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by

the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed

under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of

this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU

General Public License as published by

the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute

it

under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

The programs included with the Ubuntu system are free software; the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to
give away or sell copies of free
software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that

everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all

third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all

third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE

THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed
in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License.

Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the

GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of

software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If

the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section
4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution
medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no

charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered

work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF

SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read
<<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable

form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines

(or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

1.357 shadow 1:4.8.1-2ubuntu2.2

1.357.1 Available under license :

NOTE:

This license has been obsoleted by the change to the BSD-style copyright. You may continue to use this license if you wish, but you are under no obligation to do so.

(*

This document is freely plagiarised from the 'Artistic Licence', distributed as part of the Perl v4.0 kit by Larry Wall, which is available from most major archive sites. I stole it from CrackLib.

\$Id\$

*)

This documents purpose is to state the conditions under which this Package (See definition below) viz: "Shadow", the Shadow Password Suite which is held by Julianne Frances Haugh, may be copied, such that the copyright holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

So there.

Definitions:

A "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification, or segments thereof.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You

may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when AND WHY you changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version

of the Package.

b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide separate documentation for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. YOU MAY NOT CHARGE A FEE FOR THIS PACKAGE ITSELF. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that YOU DO NOT ADVERTISE this package as a product of your own.

6. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

7. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

675 Mass Ave, Cambridge, MA 02139, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED

TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

1.358 gnupg 2.2.27-3ubuntu2.5

1.358.1 Available under license :

Here is a list with collected copyright notices. For details see the description of each individual package. [Compiled by wk 2017-11-07]

GNUPG is

Copyright (C) 1997-2017 Werner Koch
Copyright (C) 1994-2017 Free Software Foundation, Inc.
Copyright (C) 2003-2017 g10 Code GmbH
Copyright (C) 2002 Klarlvadalens Datakonsult AB
Copyright (C) 1995-1997, 2000-2007 Ulrich Drepper <drepper@gnu.ai.mit.edu>
Copyright (C) 1994 X Consortium
Copyright (C) 1998 by The Internet Society.
Copyright (C) 1998-2004 The OpenLDAP Foundation
Copyright (C) 1998-2004 Kurt D. Zeilenga.
Copyright (C) 1998-2004 Net Boolean Incorporated.
Copyright (C) 2001-2004 IBM Corporation.
Copyright (C) 1999-2003 Howard Y.H. Chu.
Copyright (C) 1999-2003 Symas Corporation.
Copyright (C) 1998-2003 Hallvard B. Furuseth.
Copyright (C) 1992-1996 Regents of the University of Michigan.
Copyright (C) 2000 Dimitrios Souflis
Copyright (C) 2008,2009,2010,2012-2016 William Ahern

GnuPG is free software;
you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.

GnuPG is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public
License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, see <<https://www.gnu.org/licenses/>>.

LIBGCRYPT is

Copyright (C) 1989,1991-2017 Free Software Foundation, Inc.

Copyright (C) 1994 X Consortium

Copyright (C) 1996 L. Peter Deutsch

Copyright (C) 1997 Werner Koch

Copyright (C) 1998 The Internet Society

Copyright (C) 1996-1999 Peter Gutmann, Paul Kendall, and Chris Wedgwood

Copyright (C) 1996-2006 Peter Gutmann, Matt Thomlinson and Blake Coverett

Copyright (C) 2003 Nikos Mavroyanopoulos

Copyright (C) 2006-2007 NTT (Nippon Telegraph and Telephone Corporation)

Copyright (C) 2012-2017 g10 Code GmbH

Copyright (C) 2012 Simon Josefsson, Niels Mller

Copyright (c) 2012 Intel Corporation

Copyright (C) 2013 Christian Grothoff

Copyright (C) 2013-2017 Jussi Kivilinna

Copyright (C) 2013-2014 Dmitry Eremin-Solenikov

Copyright (C) 2014 Stephan Mueller

Copyright (C) 2017 Bundesamt fr Sicherheit in der Informationstechnik

Libgcrypt is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

Libgcrypt is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, see <<http://www.gnu.org/licenses/>>.

LIBGPG-ERROR is

Copyright (C) 2003-2004, 2010, 2013-2017 g10 Code GmbH

libpgp-error is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

libpgp-error is distributed in the hope that it will be useful, but

WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, see <<http://www.gnu.org/licenses/>>.

LIBASSUAN is

Copyright (C) 1992-2013 Free Software Foundation, Inc.
Copyright (C) 1994 X Consortium
Copyright (C) 2000 Werner Koch (dd9jn)
Copyright (C)
2001-2016 g10 Code GmbH
Copyright (C) 2004 Simon Josefsson

Assuan is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

Assuan is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, see <<http://www.gnu.org/licenses/>>.

LIBKSBA is

Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2010, 2011
2012, 2013, 2014, 2015 g10 Code GmbH
Copyright (C) 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
Copyright (C) 2000, 2001 Fabio Fiorina

The library and the header files are distributed under the following terms (LGPLv3+/GPLv2+):

KSBA is free software; you can redistribute it and/or modify it under the terms of either

- the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

or

- the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

or both in parallel, as here.

KSBA is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

The other parts (e.g. manual, build system, tests) are distributed under the following terms (GPLv3):

KSBA is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

KSBA is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

NPTH is

Copyright (C) 2011, 2012, 2014, 2015, 2017 g10 Code GmbH

nPth is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

nPth is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program;
if not, see <<https://www.gnu.org/licenses/>>.

NTBTLS is

Copyright (C) 2006-2014 Brainspark B.V.

Copyright (C) 2014-2017 g10 Code GmbH

NTBTLS is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

NTBTLS is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see <<http://www.gnu.org/licenses/>>.

PINENTRY is

Copyright (C) 1999 Robert Bihlmeyer <robbe@orcus.priv.at>

Copyright (C) 2001-2004, 2007-2008, 2010, 2015-2016 g10 Code GmbH

Copyright (C) 2002, 2008 Klarlvdalens Datakonsult AB (KDAB)

Copyright (C) 2004 by Albrecht

Dre <albrecht.dress@arcor.de>

Copyright 2007 Ingo Klcker

Copyright (C) 2014 Serge Voilokov

Copyright (C) 2015 Daiki Ueno

Copyright (C) 2015 Daniel Kahn Gillmor <dkg@fifthhorseman.net>

Copyright 2016 Intevation GmbH

PINENTRY is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

PINENTRY is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see <<https://www.gnu.org/licenses/>>.

GPGME is

Copyright (C) 1991-2013 Free Software Foundation, Inc.

Copyright (C) 2000-2001 Werner Koch

Copyright (C) 2001-2017 g10 Code GmbH

Copyright (C) 2002 Klarlvdalens Datakonsult AB

Copyright (C) 2004-2008 Igor Belyi

Copyright (C) 2002 John Goerzen

Copyright (C) 2014, 2015 Martin Albrecht

Copyright (C) 2015 Ben McGinnes

Copyright (C) 2015-2016 Bundesamt fr Sicherheit in der Informationstechnik

Copyright (C) 2016 Intevation GmbH

GPGME is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

GPGME is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, see <<http://www.gnu.org/licenses/>>.

NSIS is

Copyright 1999-2009 Nullsoft and Contributors

Copyright 2002-2008 Amir Szekely

Copyright 2003 Ramon

This license applies to everything in the NSIS package, except where otherwise noted.

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

The user interface used with the installer is

Copyright 2002-2009 Joost Verburg

[It is distributed along with NSIS and the same conditions as stated above apply]

TinySCHEME is part of the GnuPG package and is

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED
BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LIBDNS is part of the GnuPG package and is

Copyright (c) 2008, 2009, 2010, 2012-2016 William Ahern

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ZLIB is

(C) 1995-2013 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly	Mark Adler
jloup@gzip.org	madler@alumni.caltech.edu

BZIP2 is

This program, "bzip2", the associated library "libbzip2", and all documentation,
are copyright (C) 1996-2010 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SQLite has

been put into the public-domain by its author D. Richard Hipp:
The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

May you do good and not evil.
May you find forgiveness for yourself and forgive others.
May you share freely, never taking more than you give.
[Note that only a few files are distributed under this license.]

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and

Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories

worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for

software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those

products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To

"modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"

to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users

can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users'

Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and

its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer

support for that product

model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge.

You need not require recipients to copy the

Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the

Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute

modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information

does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not

impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that

country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed

under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY
NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read

<https://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program"

means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on

the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

[Note that only a few files are distributed under this license.]

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically
libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify
it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide

complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to

encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of

its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable

sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections

1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or

link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the

materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library

with a copy of the same work

based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the

Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License

may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library.

It

is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software

Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

LICENSE TERMS

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[Note that only a few files are distributed under this license.]

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material

is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with

a modified version

of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this

License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

```
# COPYING.other                *- org *-  
#+TITLE: List of code with permissive licenses as used by GnuPG.  
#+STARTUP: showall
```

* DNS resolver (dirmngr/dns.c)

dns.c - Recursive, Reentrant DNS Resolver.

Copyright (c) 2008, 2009, 2010, 2012-2016 William Ahern

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR

OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

* TinySCHEME (tests/gpgscm/LICENSE.TinySCHEME)

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* Regular
expression support

regexp/jimregexp.[ch]:

Originally:

Copyright (c) 1986 by University of Toronto.
Written by Henry Spencer. Not derived from licensed software.

Subsequently modified by:

1986 John Gilmore hoptoad!gnu
1987 James A. Woods ames!jaw
1993 Christopher Seiwald seiwald@vix.com
2000, 2002 Christopher Seiwald <seiwald@perforce.com>
2010 Steve Bennett <steveb@workware.net.au>
2020 NIIBE Yutaka <gniibe@fsij.org>

Permission is granted to anyone to use this software for any purpose on any computer system, and to redistribute it freely, subject to the following restrictions:

1. The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from defects in it.
2. The origin of this software must not be misrepresented, either by explicit claim or by omission.
3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software.

regex/utf8.[ch] (see regex/LICENSE):

(c) 2010-2016 Steve Bennett <steveb@workware.net.au>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE JIM TCL PROJECT ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JIM TCL PROJECT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation
are those of the authors and should not be interpreted as representing
official policies, either expressed or implied, of the Jim Tcl Project.

UnicodeData.txt:

Copyright 1991-2020 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software")
to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

1.359 pycparser 3.0

1.359.1 Available under license :

pycparser -- A C parser in Python

Copyright (c) 2008-2022, Eli Bendersky

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This is a list of people who have contributed to pycparser by supplying patches, opening issues, or generally helping out, before the project moved to Github.

For more recent contributions, check out the "Contributors" page of the pycparser Github project.

The list is sorted in increasing alphabetic order by first name.

- * Andreas Klckner
- * Andrew de los Reyes
- * Benoit Pradelle
- * Dov Feldstern
- * Even Wiik Thomassen
- * Greg Smith
- * Jaroslav Franek
- * Li Xuan Ji

- * Mateusz Czaplinski
- * Paolo Di Maio
- * Rory Yorke
- * Rubin
- * Scott Tsai
- * Sye van der Veen
- * Thomas W. Barr
- * Tomer Segal
- * Weyllor

1.360 c-ares 1.34.6

1.360.1 Available under license :

AUTOCONF CONFIGURE SCRIPT EXCEPTION

Version 3.0, 18 August 2009

Copyright 2009 Free Software Foundation, Inc. ><http://fsf.org/><

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This Exception is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

The purpose of this Exception is to allow distribution of Autoconf's typical output under terms of the recipient's choice (including proprietary).

0. Definitions.

"Covered Code" is the source or object code of a version of Autoconf that is a covered work under this License.

"Normally Copied Code" for a version of Autoconf means all parts of its Covered Code which that version can copy from its code (i.e., not from its input file) into its minimally verbose, non-debugging and non-tracing output.

"Ineligible Code" is Covered Code that is not Normally Copied Code.

1. Grant of Additional Permission.

You have permission to propagate output of Autoconf, even if such propagation would otherwise violate the terms of GPLv3. However, if by modifying Autoconf you cause any Ineligible Code of the version you received to become Normally Copied Code of your modified version, then you void this Exception for the resulting covered work. If you convey that resulting covered work, you must remove this Exception in accordance with the second paragraph of Section 7 of GPLv3.

2. No Weakening of Autoconf Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of Autoconf.

MIT License

Copyright (c) 1998 Massachusetts Institute of Technology

Copyright (c) 2007 - 2023 Daniel Stenberg with many contributors, see AUTHORS file.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) <year> <owner>.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED

AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based

on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable

work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no

permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord

with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered

work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT

HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/licenses/why-not-lgpl.html>>.

APPLE PUBLIC SOURCE LICENSE

Version 2.0 - August 6, 2003

Please read this License carefully before downloading this software. By downloading or using this software, you are agreeing to be bound by the terms of this License. If you do not or cannot agree to the terms of this License, please do not download or use the software.

Apple Note: In January 2007, Apple changed its corporate name from "Apple Computer, Inc." to "Apple Inc." This change has been reflected below and copyright years updated, but no other changes have been made to the APSL 2.0.

1. General; Definitions. This License applies to any program or other work which Apple Inc. ("Apple") makes publicly available and which contains a notice placed by Apple identifying such program or work as "Original Code" and stating that it is subject to the terms of this Apple Public Source License version 2.0 ("License"). As used in this License:

1.1 "Applicable Patent Rights" mean: (a) in the case where Apple is the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to Apple and (ii) that cover subject matter contained in the Original Code, but only to the extent necessary to use, reproduce and/or distribute the Original Code without infringement; and (b) in the case where You are the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to You and (ii) that cover subject matter in Your Modifications, taken alone or in combination with Original Code.

1.2 "Contributor" means any person or entity that creates or contributes to the creation of Modifications.

1.3 "Covered Code" means the Original Code, Modifications, the combination of Original Code and any Modifications, and/or any respective portions thereof.

1.4 "Externally Deploy" means: (a) to sublicense, distribute or otherwise make Covered Code available, directly or indirectly, to anyone other than You; and/or (b) to use Covered Code, alone or as part of a Larger Work, in any way to provide a service, including but not limited to delivery of content, through electronic communication with a client other than You.

1.5 "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.6 "Modifications" mean any addition to, deletion from, and/or change to, the substance and/or structure of the Original Code, any previous Modifications, the combination of Original Code and any previous Modifications, and/or any respective portions thereof. When code is released as a series of files, a Modification is: (a) any addition to or deletion from the contents of a file containing Covered Code; and/or (b) any new file or other representation of computer program statements that contains any part of Covered Code.

1.7 "Original Code" means (a) the Source Code of a program or other work as originally made available by Apple under this License, including the

Source Code of any updates or upgrades to such programs or works made available by Apple under this License, and that has been expressly identified by Apple as such in the header file(s) of such work; and (b) the object code compiled from such Source Code and originally made available by Apple under this License

1.8 "Source Code" means the human readable form of a program or other work that is suitable for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an executable (object code).

1.9 "You" or "Your" means an individual or a legal entity exercising rights under this License. For legal entities, "You" or "Your" includes any entity which controls, is controlled by, or is under common control with, You, where "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.

2. Permitted Uses; Conditions & Restrictions. Subject to the terms and conditions of this License, Apple hereby grants You, effective on the date You accept this License and download the Original Code, a world-wide, royalty-free, non-exclusive license, to the extent of Apple's Applicable Patent Rights and copyrights covering the Original Code, to do the following:

2.1 Unmodified Code. You may use, reproduce, display, perform, internally distribute within Your organization, and Externally Deploy verbatim, unmodified copies of the Original Code, for commercial or non-commercial purposes, provided that in each instance:

(a) You must retain and reproduce in all copies of Original Code the copyright and other proprietary notices and disclaimers of Apple as they appear in the Original Code, and keep intact all notices in the Original Code that refer to this License; and

(b) You must include a copy of this License with every copy of Source Code of Covered Code and documentation You distribute or Externally Deploy, and You may not offer or impose any terms on such Source Code that alter or restrict this License or the recipients' rights hereunder, except as permitted under Section 6.

2.2 Modified Code. You may modify Covered Code and use, reproduce, display, perform, internally distribute within Your organization, and Externally Deploy Your Modifications and Covered Code, for commercial or non-commercial purposes, provided that in each instance You also meet all of these conditions:

(a) You must satisfy all the conditions of Section 2.1 with respect to the Source Code of the Covered Code;

(b) You must duplicate, to the extent it does not already exist, the notice in Exhibit A in each file of the Source Code of all Your Modifications, and cause the modified files to carry prominent notices stating that You changed the files and the date of any change; and

(c) If You Externally Deploy Your Modifications, You must make Source Code of all Your Externally Deployed Modifications either available to those to whom You have Externally Deployed Your Modifications, or publicly available. Source Code of Your Externally Deployed Modifications must be released under the terms set forth in this License, including the license grants set forth in Section 3 below, for as long as you Externally Deploy the Covered Code or twelve (12) months from the date of initial External Deployment, whichever is longer. You should preferably distribute the Source Code of Your Externally Deployed Modifications electronically (e.g. download from a web site).

2.3 Distribution of Executable Versions. In addition, if You Externally Deploy Covered Code (Original Code and/or Modifications) in object code, executable form only, You must include a prominent notice, in the code itself as well as in related documentation, stating that Source Code of the Covered Code is available under the terms of this License with information on how and where to obtain such Source Code.

2.4 Third Party Rights. You expressly acknowledge and agree that although Apple and each Contributor grants the licenses to their respective portions of the Covered Code set forth herein, no assurances are provided by Apple or any Contributor that the Covered Code does not infringe the patent or other intellectual property rights of any other entity. Apple and each Contributor disclaim any liability to You for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, You hereby assume sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow You to distribute the Covered Code, it is Your

responsibility to acquire that license
before distributing the Covered Code.

3. Your Grants. In consideration of, and as a condition to, the licenses granted to You under this License, You hereby grant to any person or entity receiving or distributing Covered Code under this License a non-exclusive, royalty-free, perpetual, irrevocable license, under Your Applicable Patent Rights and other intellectual property rights (other than patent) owned or controlled by You, to use, reproduce, display, perform, modify, sublicense, distribute and Externally Deploy Your Modifications of the same scope and extent as Apple's licenses under Sections 2.1 and 2.2 above.

4. Larger Works. You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In each such instance, You must make sure the requirements of this License are fulfilled for the Covered Code or any portion thereof.

5. Limitations on Patent License. Except as expressly stated in Section 2, no other patent rights, express or implied, are granted by Apple herein. Modifications and/or Larger Works may require additional patent licenses from Apple which Apple may grant in its sole discretion.

6. Additional Terms. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations and/or other rights consistent with the scope of the license granted herein ("Additional Terms") to one or more recipients of Covered Code. However, You may do so only on Your own behalf and as Your sole responsibility, and not on behalf of Apple or any Contributor. You must obtain the recipient's agreement that any such Additional Terms are offered by You alone, and You hereby agree to indemnify, defend and hold Apple and every Contributor harmless for any liability incurred by or claims asserted against Apple or such Contributor by reason of any such Additional Terms.

7. Versions of the License. Apple may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Once Original Code has been published under a particular version of this License, You may continue to use it under the terms of that version. You may also choose to use such Original Code under the terms of any subsequent version of this License published by Apple. No one other than Apple has the right to modify the terms applicable to Covered Code created under this License.

8. NO WARRANTY OR SUPPORT. The Covered Code may contain in whole or in part pre-release, untested, or not fully tested works. The Covered Code may contain errors that could cause failures or loss of data, and may be incomplete or contain inaccuracies. You expressly acknowledge and agree that use of the Covered Code, or any portion thereof, is at Your sole and entire risk. THE COVERED CODE IS PROVIDED "AS IS" AND WITHOUT WARRANTY, UPGRADES OR SUPPORT OF ANY KIND AND APPLE AND APPLE'S LICENSOR(S) (COLLECTIVELY

REFERRED TO AS "APPLE" FOR THE PURPOSES OF SECTIONS 8 AND 9) AND ALL CONTRIBUTORS EXPRESSLY DISCLAIM ALL WARRANTIES AND/OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES AND/OR CONDITIONS OF MERCHANTABILITY, OF SATISFACTORY QUALITY, OF FITNESS FOR A PARTICULAR PURPOSE, OF ACCURACY, OF QUIET ENJOYMENT, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. APPLE AND EACH CONTRIBUTOR DOES NOT WARRANT AGAINST INTERFERENCE WITH YOUR ENJOYMENT OF THE COVERED CODE, THAT THE FUNCTIONS CONTAINED IN THE COVERED CODE WILL MEET YOUR REQUIREMENTS, THAT THE OPERATION OF THE COVERED CODE WILL BE UNINTERRUPTED OR ERROR-FREE, OR THAT DEFECTS IN THE COVERED CODE WILL BE

CORRECTED. NO ORAL OR WRITTEN INFORMATION OR ADVICE GIVEN BY APPLE, AN APPLE AUTHORIZED REPRESENTATIVE OR ANY CONTRIBUTOR SHALL CREATE A WARRANTY. You acknowledge that the Covered Code is not intended for use in the operation of nuclear facilities, aircraft navigation, communication systems, or air traffic control machines in which case the failure of the Covered Code could lead to death, personal injury, or severe physical or environmental damage.

9. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT SHALL APPLE OR ANY CONTRIBUTOR BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO THIS LICENSE OR YOUR USE OR INABILITY TO USE THE COVERED CODE, OR ANY PORTION THEREOF, WHETHER UNDER A THEORY OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCTS LIABILITY OR OTHERWISE, EVEN IF APPLE OR SUCH CONTRIBUTOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND NOTWITHSTANDING THE FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY. SOME JURISDICTIONS DO NOT ALLOW THE LIMITATION OF LIABILITY OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU. In no event shall Apple's total liability to You for all damages (other than as may be required by applicable law) under this License exceed the amount of fifty dollars (\$50.00).

10. Trademarks. This License does not grant any rights to use the trademarks or trade names "Apple", "Mac", "Mac OS", "QuickTime", "QuickTime Streaming Server" or any other trademarks, service marks, logos or trade names belonging to Apple (collectively "Apple Marks") or to any trademark, service mark, logo or trade name belonging to any Contributor. You agree not to use any Apple Marks in or as part of the name of products derived from the Original Code or to endorse or promote products derived from the Original Code other than as expressly permitted by and in strict compliance at all times with Apple's third party trademark usage guidelines which are posted at <http://www.apple.com/legal/guidelinesfor3rdparties.html>.

11. Ownership. Subject to the licenses granted under this License, each Contributor retains all rights, title and interest in and to any Modifications made by such Contributor. Apple retains all rights, title and interest in and to the Original Code and any Modifications made by or on behalf of Apple ("Apple Modifications"), and such Apple Modifications will not be automatically subject to this License. Apple may, at its sole discretion, choose to license such Apple Modifications under this License, or on different terms from those contained in this License or may choose not to license them at all.

12. Termination.

12.1 Termination. This License and the rights granted hereunder will terminate:

(a) automatically without notice from Apple if You fail to comply with any term(s) of this License and fail to cure such breach within 30 days of becoming aware of such breach;

(b) immediately in the event of the circumstances described in Section 13.5(b); or

(c) automatically without notice from Apple if You, at any time during the term of this License, commence an action for patent infringement against Apple; provided that Apple did not first commence an action for patent infringement

against You in that instance.

12.2 Effect of Termination. Upon termination, You agree to immediately stop any further use, reproduction, modification, sublicensing and distribution of the Covered Code. All sublicenses to the Covered Code which have been properly granted prior to termination shall survive any termination of this License. Provisions which, by their nature, should remain in effect beyond the termination of this License shall survive, including but not limited to Sections 3, 5, 8, 9, 10, 11, 12.2 and 13. No party will be liable to any other for compensation, indemnity or damages of any sort solely as a result of terminating this License in accordance with its terms, and termination of this License will be without prejudice to any other right or remedy of any party.

13. Miscellaneous.

13.1 Government End Users. The Covered Code is a "commercial item" as defined in FAR 2.101. Government software and technical data rights in the Covered Code include only those rights customarily provided to the public as defined in this License. This customary commercial license in technical data and software is provided in accordance with FAR 12.211 (Technical Data) and 12.212 (Computer Software) and, for Department of Defense purchases, DFAR 252.227-7015 (Technical Data -- Commercial Items) and 227.7202-3 (Rights in Commercial Computer Software or Computer Software Documentation). Accordingly, all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

13.2 Relationship of Parties. This License will not be construed as creating an agency, partnership, joint venture or any other form of legal association between or among You, Apple or any Contributor, and You will not represent to the contrary, whether expressly, by implication, appearance or otherwise.

13.3 Independent Development. Nothing in this License will impair Apple's right to acquire, license, develop, have others develop for it, market and/or distribute technology or products that perform the same or similar functions as, or otherwise compete with, Modifications, Larger Works, technology or products that You may develop, produce, market or distribute.

13.4 Waiver; Construction. Failure by Apple or any Contributor to enforce any provision of this License will not be deemed a waiver of future enforcement of that or any other provision. Any law or regulation which provides that the language of a contract shall be construed against the drafter will not apply to this License.

13.5 Severability. (a) If for any reason a court of competent jurisdiction finds any provision of this License, or portion thereof, to be unenforceable, that provision of the License will be enforced to the maximum extent permissible so as to effect the economic benefits and intent of the parties, and the remainder of this License will continue in full force and effect. (b) Notwithstanding the foregoing, if applicable law prohibits or restricts You from fully and/or specifically complying with Sections 2 and/or 3 or prevents the enforceability of either of those Sections, this License will immediately terminate and You must immediately discontinue any use of the Covered Code and destroy all copies of it that are in your possession or control.

13.6 Dispute Resolution. Any litigation or other dispute resolution between You and Apple relating to this License shall take place in the Northern District of California, and You and Apple hereby consent to the personal jurisdiction of, and venue in, the state and federal courts within that District with respect to this License. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded.

13.7 Entire Agreement; Governing Law. This License constitutes the entire agreement between the parties with

respect to the subject matter hereof. This License shall be governed by the laws of the United States and the State of California, except that body of California law concerning conflicts of law.

Where You are located in the province of Quebec, Canada, the following clause applies: The parties hereby confirm that they have requested that this License and all related documents be drafted in English. Les parties ont exigé que le présent contrat et tous les documents connexes soient rédigés en anglais.

EXHIBIT A.

"Portions Copyright (c) 1999-2007 Apple Inc. All Rights Reserved.

This file contains Original Code and/or Modifications of Original Code as defined in and that are subject to the Apple Public Source License Version 2.0 (the 'License'). You may not use this file except in compliance with the License. Please obtain a copy of the License at <http://www.opensource.apple.com/apsl/> and read it before using this file.

The Original Code and all software distributed under the License are distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT. Please see the License for the specific language governing rights and limitations under the License."

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about

whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are

designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you.

You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use

a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date

of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility,

other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections

as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General

Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is

made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a

copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number.

If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY,

TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY

TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and an idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in
the library 'Frob' (a library for tweaking knobs) written
by
James Random Hacker.

<signature of Ty Coon >, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

Standard License Header

<one line to give the library's name and an idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved. This file is offered as-is, without any warranty.

MIT License

Copyright (c) <year> <copyright holders>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.361 spdx-correct 3.2.0

1.361.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.362 promise-all-reject-late 1.0.1

1.362.1 Available under license :

ISC

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.363 spdx-expression-parse 4.0.0

1.363.1 Available under license :

The MIT License

Copyright (c) 2015 Kyle E. Mitchell & other authors listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.364 cffi 2.0.0

1.364.1 Available under license :

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except when otherwise stated (look for LICENSE files in directories or
information at the beginning of each file) all software and
documentation is licensed as follows:

MIT No Attribution

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the
Software is furnished to do so.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.365 libtasn 4.18.0-4ubuntu0.2

1.365.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs

(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify

that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative

work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the

object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany

the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate

properly with a modified version of the library, if

the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies,

or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if

you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system

which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME

THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether

gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this

License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major

Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction

and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is

released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the

product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the

additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read

<<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

@c The GNU Free Documentation License.

@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,

@c hence no sectioning command or @node.

@display

Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

@uref{<http://fsf.org/>}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

@end display

@enumerate 0

@item

PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document @dfn{free} in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative
works of the document
must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

@item

APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that

work under the conditions stated herein. The ``Document'', below, refers

to any such manual or work. Any member of the public is a licensee, and is addressed as ``you''. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ``Modified Version'' of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The ``Invariant Sections'' are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The ``Cover Texts'' are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A ``Transparent'' copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount

of text. A copy that is not ``Transparent" is called ``Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The ``Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, ``Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher" means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements", ``Dedications", ``Endorsements", or ``History".) To ``Preserve the Title" of such a section when you modify the Document means that it remains a section ``Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies

to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies

you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition.

Copying with changes limited to the covers, as long as they preserve the

title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material.

If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an

Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the

Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the

Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the ``History'' section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements''. Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled ``Endorsements'' or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or

appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant

Sections in the Modified Version's license notice.

These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number.

Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History" in the various original documents, forming one section Entitled ``History"; likewise combine any sections Entitled ``Acknowledgements", and any sections Entitled ``Dedications". You must delete all sections Entitled ``Endorsements."

@item

COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item

AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form.

Otherwise they must appear on printed covers that bracket the whole aggregate.

@item

TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special

permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'', ``Dedications'', or ``History'', the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

@item

TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See [@uref{http://www.gnu.org/copyleft/}](http://www.gnu.org/copyleft/).

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License ``or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item
RELICENSING

``Massive Multiauthor Collaboration Site" (or ``MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration" (or ``MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site

under CC-BY-SA on the same site at any time before August 1, 2009,
provided the MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License
in a document you have written, include a copy of
the License in the document and put the following copyright and
license notices just after the title page:

@smallexample

@group

Copyright (C) @var{year} @var{your name}.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts. A copy of the license is included in the section entitled ``GNU
Free Documentation License".

@end group

@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the ``with@dots{ } Texts."@: line with this:

@smallexample

@group

with the Invariant Sections being @var{list their titles}, with
the Front-Cover Texts being @var{list}, and with the Back-Cover Texts
being @var{list}.

@end group

@end smallexample

If you have Invariant
Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.

@c Local Variables:

@c ispell-local-pdict: "ispell-dict"

@c End:
LICENSING
=====

The libtasn1 library is released under the GNU Lesser General Public License (LGPL) version 2.1 or later; see [COPYING.LESSER](doc/COPYING.LESSER) for the license terms.

The GNU LGPL applies to the main libtasn1 library, while the included applications library are under the GNU GPL version 3. The libtasn1 library is located in the lib directory, while the applications in src/.

The documentation in doc/ is under the GNU FDL license 1.3.

For any copyright year range specified as YYYY-ZZZZ in this package note that the range specifies every single year in that closed interval.

1.366 openssl 3.0.2-0ubuntu1.21

1.366.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its

derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the

original

licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE

POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the

commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.

- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
 - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
 - b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names,
and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.367 openjdk-jre 17.0.18u8

1.367.1 Available under license :

Description: Makes the generated copyright headers reproducible

Author: Emmanuel Bourg <ebourg@apache.org>

Forwarded: no

```
--- a/make/jdk/src/classes/build/tools/cldrconverter/CopyrightHeaders.java
+++ b/make/jdk/src/classes/build/tools/cldrconverter/CopyrightHeaders.java
@@ -26,6 +26,7 @@
package build.tools.cldrconverter;
```

```
import java.util.Calendar;
+import java.util.Date;
import java.util.GregorianCalendar;
import java.util.Locale;
import java.util.TimeZone;
@@ -146,8 +147,14 @@ class CopyrightHeaders {
}
```



```

    private static int getYear() {
-       return new GregorianCalendar(TimeZone.getTimeZone("America/Los_Angeles"),
-           Locale.US).get(Calendar.YEAR);
+       Date date = new Date();
+       if (System.getenv("SOURCE_DATE_EPOCH") != null) {
+           date = new Date(1000 * Long.valueOf(System.getenv("SOURCE_DATE_EPOCH")));
+       }
+
+       GregorianCalendar calendar = new GregorianCalendar(TimeZone.getTimeZone("UTC"), Locale.ENGLISH);
+
+       calendar.setTime(date);
+       return calendar.get(Calendar.YEAR);
    }

    // no instantiation
--- a/make/jdk/src/classes/build/tools/generatelsrequivmaps/EquivMapsGenerator.java
+++ b/make/jdk/src/classes/build/tools/generatelsrequivmaps/EquivMapsGenerator.java
@@ -34,9 +34,13 @@ import java.time.ZoneId;
import java.time.ZonedDateTime;
import java.util.ArrayList;
import java.util.Arrays;
+import java.util.Calendar;
+import java.util.Date;
+import java.util.GregorianCalendar;
import java.util.List;
import java.util.Locale;
import java.util.Map;
+import java.util.TimeZone;
import java.util.TreeMap;
import java.util.stream.Collectors;

@@ -246,8 +250,15 @@ public class EquivMapsGenerator {
    + "}}";

    private static String getOpenJDKCopyright() {
-       int year = ZonedDateTime.now(ZoneId
-           .of("America/Los_Angeles")).getYear();
+       Date date = new Date();
+       if (System.getenv("SOURCE_DATE_EPOCH") != null) {
+
+           date = new Date(1000 * Long.valueOf(System.getenv("SOURCE_DATE_EPOCH")));
+       }
+
+       GregorianCalendar calendar = new GregorianCalendar(TimeZone.getTimeZone("UTC"), Locale.ENGLISH);
+       calendar.setTime(date);
+
+       int year = calendar.get(Calendar.YEAR);
+       return String.format(Locale.US, COPYRIGHT, year);
    }

```

}

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files-Excluded:

.github/*
.gitattributes
src/java.base/share/native/libzip/zlib/*
src/java.desktop/share/native/libsplashscreen/giflib/*
src/java.desktop/share/native/libsplashscreen/libpng/*
src/java.smartcardio/unix/native/libj2pcsc/MUSCLE/*
src/java.desktop/share/native/libjavajpeg/jc*
src/java.desktop/share/native/libjavajpeg/jd*
src/java.desktop/share/native/libjavajpeg/je*
src/java.desktop/share/native/libjavajpeg/jf*
src/java.desktop/share/native/libjavajpeg/ji*.c
src/java.desktop/share/native/libjavajpeg/jm*
src/java.desktop/share/native/libjavajpeg/jpeg*
src/java.desktop/share/native/libjavajpeg/jpeglib.h
src/java.desktop/share/native/libjavajpeg/jq*
src/java.desktop/share/native/libjavajpeg/jv*
src/java.desktop/share/native/libjavajpeg/ju*
src/java.desktop/share/native/libjavajpeg/README

Source: <https://github.com/openjdk/jdk17u>

Comment:

Upstream Authors:

OpenJDK:

Oracle and/or its affiliates

Sun Microsystems, Inc

Red Hat, Inc

SAP SE

Azul Systems, Inc

Apache Software Foundation

Microsoft Corporation

Intel Corporation

IBM Corporation

Google LLC

Amazon.com, Inc

Other contributors

See the third party licenses below.

Packaged by:

Matthias Klose <doko\@ubuntu.com>

Files: *

Copyright:

Copyright (c) 1996-2025 Oracle and/or its affiliates.

Copyright (c) 1996-2003 Sun Microsystems, Inc.

Copyright (c) 2009-2012 Red Hat, Inc.

Copyright (c) 2012-2022 SAP SE.

Copyright (c) 2020-2021 Azul Systems, Inc.

Copyright (c) 1999-2022 The Apache Software Foundation.
Copyright (c) 2020-2021 Microsoft Corporation
Copyright (c) 2009-2022 Google LLC
Copyright (c) 2020-2021 Amazon.com, Inc
Copyright (c) 2021 Alibaba Group Holding Limited
Copyright (c) 2019-2021 Huawei Technologies Co. Ltd.
Copyright (c) 2021-2023 BELLSOFT
Copyright (c) 2022-23 THL A29 Limited,
a Tencent company.
Copyright (c) 2021-2023, Arm Limited.
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn.
Copyright (c) 2017 Instituto de Pesquisas Eldorado.
Copyright (c) 1999-2007 Brian Paul.
Copyright (c) 2018-2019 Adobe Inc.
Copyright 2006-2014 Adobe Systems Incorporated.
Copyright 1994-2011 Hewlett-Packard Co.
Portions Copyright (c) 2011-2014 IBM Corporation
Portions Copyright (c) 1995 Colin Plumb
Portions Copyright (c) 1997-2003 Eastman Kodak Company
See other third party notices under the License section
License: GPL with Classpath exception

.

--- begin of LICENSE ---

.

The GNU General Public License (GPL)

.

Version 2, June 1991

.

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

.

Preamble

.

The licenses for most software
are designed to take away your freedom to share
and change it. By contrast, the GNU General Public License is intended to
guarantee your freedom to share and change free software--to make sure the
software is free for all its users. This General Public License applies to
most of the Free Software Foundation's software and to any other program whose
authors commit to using it. (Some other Free Software Foundation software is
covered by the GNU Library General Public License instead.) You can apply it to
your programs, too.

.

When we speak of free software, we are referring to freedom, not price. Our
General Public Licenses are designed to make sure that you have the freedom to

distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

.

To protect your rights,
we need to make restrictions that forbid anyone to deny
you these rights or to ask you to surrender the rights. These restrictions
translate to certain responsibilities for you if you distribute copies of the
software, or if you modify it.

.

For example, if you distribute copies of such a program, whether gratis or for
a fee, you must give the recipients all the rights that you have. You must
make sure that they, too, receive or can get the source code. And you must
show them these terms so they know their rights.

.

We protect your rights with two steps: (1) copyright the software, and (2)
offer you this license which gives you legal permission to copy, distribute
and/or modify the software.

.

Also, for each author's protection and ours, we want to make certain that
everyone understands that there is no warranty for this free software. If the
software is modified by someone else and passed on, we want its recipients to
know that what they have
is not the original, so that any problems introduced
by others will not reflect on the original authors' reputations.

.

Finally, any free program is threatened constantly by software patents. We
wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program proprietary.
To prevent this, we have made it clear that any patent must be licensed for
everyone's free use or not licensed at all.

.

The precise terms and conditions for copying, distribution and modification
follow.

.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

.

0. This License applies to any program or other work which contains a notice
placed by the copyright holder saying it may be distributed under the terms of
this General Public License. The "Program", below, refers to any such program
or work, and a "work based on the Program" means either the Program or any
derivative work under copyright law:
that is to say, a work containing the
Program or a portion of it, either verbatim or with modifications and/or
translated into another language. (Hereinafter, translation is included
without limitation in the term "modification".) Each licensee is addressed as
"you".

.
Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

.
1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

.
You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

.
2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

.
a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

.
b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

.
c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

.
These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same

sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

.

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

.

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

.

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

.

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

.

If distribution of executable or object code is made by offering access to copy

from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many

people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

.

NO WARRANTY

.

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE,

YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE

PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU

OR THIRD PARTIES OR A

FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it

starts in an interactive mode:

.
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'.

This is free

software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

.
The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

.
You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

.
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

.
signature of Ty Coon, 1 April 1989

.
Ty Coon, President of Vice

.
This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine
library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

.
"CLASSPATH" EXCEPTION TO THE GPL

.
Certain source files distributed by Oracle America and/or its affiliates are
subject to the following clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

.
Linking this library statically or dynamically with other modules is making
a combined work based on this library. Thus, the terms and conditions of
the GNU General Public License cover the whole combination.

.
As a special exception, the copyright holders of this library give you
permission to link
this library with independent modules to produce an
executable, regardless of the license terms of these independent modules,

```

and to copy and distribute the resulting executable under terms of your
choice, provided that you also meet, for each linked independent module,
the terms and conditions of the license of that module. An independent
module is a module which is not derived from or based on this library. If
you modify this library, you may extend this exception to your version of
the library, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version.
.
--- end of LICENSE ---
.
-----
The following licenses for third party code are taken from 'legal'
directories of modules under src/
-----
.
%% This notice is provided
with respect to Cryptix AES v3.2.0,
which may be included with JRE 17, JDK 17 and OpenJDK 17
.
--- begin of LICENSE ---
.
Cryptix General License
.
.
Cryptix General License
.
Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.
.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
1. Redistributions of source code must retain the copyright notice,
   this list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the
   distribution.
.
THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

```

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to ASM Bytecode Manipulation Framework v8.0.1,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

ASM License

.

.

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

.
.
.

--- end of LICENSE ---

.

%% This notice is provided with respect to c-libutl 20160225,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

c-libutl License

.
.

This software is distributed under the terms of the BSD license.

.

== BSD LICENSE =====

.

(C) 2009 by Remo Dentato (rdentato@gmail.com)

.
.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

.

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.

<http://opensource.org/licenses/bsd-license.php>

.
.
.

--- end of LICENSE ---

.

%% This notice is provided with respect to Unicode Common Local Data Repository (CLDR) v39,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

CLDR License

.

.

.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

.

See Terms of Use for definitions of Unicode Inc.'s

Data Files and Software.

.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA

FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

.

COPYRIGHT AND PERMISSION NOTICE

.

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this
copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

.

.

----- Terms of Use -----

--

.

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the Unicode Privacy Policy.

.

Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

.

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

.

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page

of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202,

as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

Miscellaneous

Jurisdiction and Venue. This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of

a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

.
. .
. .

--- end of LICENSE ---

.

%% This notice is provided with respect to International Components for Unicode (ICU4J) v67.1,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

ICU4J License

.
.

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

.

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided
that either

(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or

(b) this copyright and permission notice appear in associated
Documentation.

.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

.

.

Third-Party Software Licenses

.

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

.

1. ICU License - ICU 1.8.1 to ICU 57.1

.

COPYRIGHT AND PERMISSION NOTICE

.

Copyright (c) 1995-2016 International Business Machines Corporation and others
All rights reserved.

.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

.
Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

.
All trademarks and registered trademarks mentioned herein are the property of their respective owners.

.
.
.
.
.
From: <https://www.unicode.org/copyright.html>:

.
Unicode Copyright and Terms of Use

.
For the general privacy policy governing access to this site, see the Unicode Privacy Policy.

.
Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Definitions

.
Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

.
Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

.
Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

.
Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back

of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure

by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

Trademarks

& Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

Miscellaneous

Jurisdiction and Venue. This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other

locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Mozilla Public Suffix List,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

Public Suffix Notice

.

You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove
the
<java-home>/lib/security/public_suffix_list.dat file.

.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
[https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public_suffix_li
st.dat](https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one
at <https://mozilla.org/MPL/2.0/>.

.

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations under the License.

.

.

MPL v2.0

.

Mozilla Public License Version 2.0

=====

.

1. Definitions

.

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

.

1.3. "Contribution"

means Covered Software of a particular Contributor.

.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

.

1.5. "Incompatible With Secondary Licenses"

means

.

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

.

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

.

1.8. "License"

means this document.

.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

.
1.10. "Modifications"

means any of the following:

- .
(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
. (b) any new file in Source Code Form that contains any Covered Software.
.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.
.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.
.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.
.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.
.

2. License Grants and Conditions

.

2.1. Grants
.

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- .
 - (a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- .
 - (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.
- .

2.2. Effective Date

.
The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

.
The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- .
 - (a) for any code that a Contributor has removed from Covered Software;
or
- .
 - (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- .
 - (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.
- .

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

.
No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this

License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

.

2.5. Representation

.

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

.

2.6. Fair Use

.

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

.

2.7. Conditions

.

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

.

3. Responsibilities

.

3.1. Distribution of Source Form

.

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License.

You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

.

3.2. Distribution of Executable Form

.

If You distribute Covered Software in Executable Form then:

.

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

.

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form

under this License.

.

3.3. Distribution of a Larger Work

.

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

.

3.4. Notices

.

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

.

3.5. Application of Additional Terms

.

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

.

4. Inability to Comply Due to Statute or Regulation

.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute

or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should
* any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
```

* repair, or correction. This disclaimer of warranty constitutes an *
* essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
*

.

*
*
* 7. Limitation of Liability *
* ----- *

*
* Under no circumstances and under no legal theory, whether tort *
* (including negligence),
contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You.
*
*

.
8. Litigation

.
Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

.
9. Miscellaneous

.
This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides

that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

.

10. Versions of the License

.

10.1. New Versions

.

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

.

10.2. Effect of New Versions

.

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

.

10.3. Modified Versions

.

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

.

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

.

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

.

Exhibit A - Source Code Form License Notice

.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

.

You may add additional accurate notices of copyright ownership.

.

Exhibit B - "Incompatible
With Secondary Licenses" Notice

.

This Source Code Form is "Incompatible With Secondary Licenses", as
defined by the Mozilla Public License, v. 2.0.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to SipHash v1.0-68c8a7c,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

Notice

SipHash reference C implementation

.

.

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

.

To the extent possible under law, the author(s) have dedicated all copyright
and related and neighboring rights to this software to the public domain
worldwide. This software is distributed without any warranty.

.

You should have received a copy of the CC0 Public Domain Dedication along
with
this software. If not, see
<<http://creativecommons.org/publicdomain/zero/1.0/>>.

.

.

Licenses

The code is dual-licensed CCO and MIT

.

#MIT License

.

Copyright 2012-2024 JP Aumasson

.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

.

#CC0 1.0 Universal

.

Statement of Purpose

.

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

.

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may

contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

.

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;

- .
 - ii. moral rights retained by the original author(s) and/or performer(s);
 - .
 - iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
 - .
 - iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
 - .
 - v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
 - .
 - vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
 - .
 - vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any

purpose whatsoever, including
without limitation commercial, advertising or
promotional purposes (the "License"). The License shall be deemed effective as
of the date CC0 was applied by Affirmer to the Work. Should any part of the
License for any reason be judged legally invalid or ineffective under
applicable law, such partial invalidity or ineffectiveness shall not
invalidate the remainder of the License, and in such case Affirmer hereby
affirms that he or she will not (i) exercise any of his or her remaining
Copyright and Related Rights in the Work or (ii) assert any associated claims
and causes of action with respect to the Work, in either case contrary to
Affirmer's express Statement of Purpose.

.
4. Limitations and Disclaimers.

- .
a. No trademark or patent rights held by Affirmer are waived, abandoned,
surrendered, licensed or otherwise affected by this document.
.
b. Affirmer offers the Work as-is and makes no representations or warranties
of any kind concerning
the Work, express, implied, statutory or otherwise,
including without limitation warranties of title, merchantability, fitness
for a particular purpose, non infringement, or the absence of latent or
other defects, accuracy, or the present or absence of errors, whether or not
discoverable, all to the greatest extent permissible under applicable law.
.
c. Affirmer disclaims responsibility for clearing rights of other persons
that may apply to the Work or any use thereof, including without limitation
any person's Copyright and Related Rights in the Work. Further, Affirmer
disclaims responsibility for obtaining any necessary consents, permissions
or other rights required for any use of the Work.
.
d. Affirmer understands and acknowledges that Creative Commons is not a
party to this document and has no duty or obligation with respect to this
CC0 or use of the Work.

.
For more information, please see
<<http://creativecommons.org/publicdomain/zero/1.0/>>

.
.
.
--- end of LICENSE ---
.

%% This notice is provided with respect to The Unicode Standard, Unicode Character Database, Version 13.0.0,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.
--- begin of LICENSE ---
.

Unicode Character Database

.

.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

.

See Terms of Use for definitions of Unicode Inc.'s
Data Files and Software.

.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

.

COPYRIGHT AND PERMISSION NOTICE

.

Copyright 1991-2020
Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

.
. .
. .

--- end of LICENSE ---

.

%% This notice is provided with respect to Eastman Kodak Company: Portions of color management and imaging
software,

which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

Eastman Kodak Notice

.

Portions Copyright Eastman Kodak Company 1991-2003

.
. .
. .

--- end of LICENSE ---

.

%% This notice is provided with respect to The FreeType Project: Freetype v2.13.3,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

.

FreeType Notice

.

.

FreeType comes with two licenses from which you can choose the one
which fits your needs best.

.

The FreeType License (FTL) is the most commonly used one. It is
a BSD-style license with a credit clause and thus compatible with
the GNU Public License (GPL) version 3, but not with the
GPL version 2.

.

The GNU General Public License (GPL), version 2. Use it for all
projects which use the GPLv2 also, or which need a license
compatible to the GPLv2.

.
. .
. .

FreeType License

.
.

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.

Copyright (C) 1996-2024 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and

Copyright (C) 2004-2024 by Masatake YAMATO and Redhat K.K.

Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.

Copyright (C) 2003-2024 by Masatake YAMATO, Red Hat K.K.,

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Röttsches.

Copyright (C) 2007-2024 by David Turner.

Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatt.

Copyright (C) 2007-2024 by Rahul Bhalariao <rahul.bhalariao@redhat.com>, <b.rahul.pm@gmail.com>.

Copyright (C) 2008-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.

Copyright (C)

2013-2024 by Google, Inc.

Copyright (C) 2019-2024 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2009-2024 by Oran Agra and Mickey Gabel.

Copyright (C) 2018-2024 by David Turner, Robert Wilhelm, Dominik Röttsches, and Werner Lemberg.

Copyright (C) 2004-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

.
.

The FreeType Project LICENSE

.
.

2006-Jan-27

.
.

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

.
.
.

Introduction

=====

.
.

The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the
FreeType Project.

.
.

This license applies to all files found in such packages,
and

which do not fall under their own explicit license. The license
affects thus the FreeType font engine, the test programs,
documentation and makefiles, at the very least.

.
.

This license was inspired by the BSD, Artistic, and IJG

(Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- .
 - o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- .
 - o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- .
 - o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code.

('credits')

.
We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

.
Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

.
""""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""""

.
Please replace <year> with the value from the FreeType version you actually use.

.
Legal Terms

=====

.
0. Definitions

.
Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where
`using' is a generic term including compiling the project's source
code as well as linking it to form a `program' or `executable'.
This program is referred to as `a program using the FreeType
engine'.

This license applies to all files distributed in the original
FreeType Project, including all source code, binaries and
documentation, unless otherwise stated in the file in its
original, unmodified form as distributed in the original archive.
If you are unsure whether or not a particular file is covered by
this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner,
Robert Wilhelm, and Werner Lemberg. All rights reserved except as
specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO
USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and
irrevocable right and license to use, execute, perform, compile,
display, copy, create derivative works of, distribute and
sublicense the FreeType Project (in both source and object code
forms) and derivative works thereof for any purpose; and to
authorize others to exercise some or all of the rights granted
herein, subject to the following conditions:

- o Redistribution of source code must retain this
license file
(`FTL.TXT') unaltered; any additions, deletions or changes to
the original files must be clearly indicated in accompanying
documentation. The copyright notices of the unaltered,
original files must be preserved in all copies of source
files.

- o Redistribution in binary form must provide a disclaimer that

states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

.

3. Advertising

.

Neither the FreeType authors and contributors nor you shall use

the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

.

4. Contacts

.

There are two mailing lists related to FreeType:

.

o freetype@nongnu.org

.

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

.

o freetype-devel@nongnu.org

.

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

.
Our home page can be found at

.
<https://www.freetype.org>

.

.

.

GPL v2: Refer to the copy under /usr/share/common-licenses

.

Additional Freetype Attributions

.

.

The below applies to the following file(s):

libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrap.c
libfreetype/src/psaux/psintrap.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/psypes.h

.

Copyright (C) 2006-2014 Adobe Systems Incorporated.

.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent

license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

.

.

.

.

MIT License

.

.

The below applies to the following file(s):

libfreetype/include/freetype/internal/fthash.h

libfreetype/src/base/fthash.c

.

Copyright (C) 2000 Computing Research Labs, New Mexico State University

Copyright (C) 2001-2015

.

Francesco Zappa Nardelli

.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL

THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Harfbuzz v10.4.0,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

Harfbuzz License

.

.

.

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual

files names COPYING in subdirectories where applicable.

.

Copyright 2010-2024 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)
Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2025 Behdad Esfahbod
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.
Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

.

For full copyright notices consult the individual files in the package.

.

.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:
The contents of
this directory are licensed under the following terms:

The below applies to the following file(s):
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The below
applies to the following file(s):
libharfbuzz/hb-unicode-emoji-table.hh

2024 Unicode, Inc.

.
Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.
in the U.S. and other countries.
For terms of use and license, see https://www.unicode.org/terms_of_use.html

.
.
.
AUTHORS File Information

.
.
Behdad Esfahbod
David Corbett
David Turner
Ebrahim Byagowi
Garret Rieger
Jonathan Kew
Khaled Hosny
Lars Knoll
Martin Hosken
Owen Taylor
Roderick Sheeter
Roozbeh Pournader
Simon Hausmann
Werner Lemberg

.
.
.
--- end of LICENSE ---

.

%% This notice is provided with respect to Little Color Management System (LCMS) v2.17,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.
--- begin of LICENSE ---

.
LCMS License

.
.
MIT License

.
Copyright (C) 1998-2025 Marti Maria Saguer

.
Permission is hereby granted, free
of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software

is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

The below applies to the following file(s):

liblcms/cmssm.c

.

Copyright (C) 2001, softSurfer (www.softsurfer.com)

.

This code may be freely used and modified for any purpose providing that this copyright notice is included with it. SoftSurfer makes no warranty for this code, and cannot be held liable for any real or imagined damage resulting from its use. Users of this code must verify correctness for their application.

.

.

.

AUTHORS File Information

.

.

Main Author

Marti Maria

.

.

Contributors

Bob Friesenhahn

Kai-Uwe Behrmann

Stuart Nixon

Jordi Vilar

Richard Hughes

Auke Nauta

Chris Evans (Google)

Lorenzo Ridolfi

Robin Watts (Artifex)

Shawn Pedersen

Andrew Brygin
Samuli Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien
Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz
Diogo Teles Sant'Anna
.
Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman
Amir Montazery and Open Source Technology Improvement Fund (ostif.org), Google, for fuzzer fundings.
.
--- end of LICENSE ---
.

%% This notice is provided with respect to Mesa 3-D Graphics Library v21.0.3,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.
--- begin of LICENSE ---

.
Mesa License

.
Copyright (C) 1999-2007 Brian Paul
All Rights Reserved.

.
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

.
Attention, Contributors

.
When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution
and their respective licenses.

Mesa Component Licenses

.
.

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
.		
Gallium code	src/gallium/	MIT
.		
Ext headers	GL/glext.h	Khronos
	GL/glxt.h	Khronos
	GL/wglxt.h	Khronos

```

.
*****

.
----
include/GL/gl.h :
.
.
Mesa 3-D graphics library
.
Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.
.
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS
OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
.
*****

.
----
include/GL/glxext.h
include/GL/glxext.h
include/GL/wglxext.h :
.
.
Copyright (c) 2013 - 2018 The Khronos Group Inc.
.
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to

```


the following conditions:

.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

.
THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

.

.

include/KHR/khrplatform.h :

.
Copyright (c) 2008 - 2018 The Khronos Group Inc.

.
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use,
copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

.
THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

.

.
.
.

--- end of LICENSE ---

.

%% This notice is provided with respect to PipeWire 1.3.81,
which may be included with JRE 17, JDK 17 and OpenJDK 17

--- begin of LICENSE ---

PipeWire license:

All PipeWire header files are licensed under the MIT License:

Copyright 2018-2023 Wim Taymans

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below copyright applies to the following files:

spa/include/spa/monitor/type-info.h

Copyright 2021 Collabora Ltd.

spa/include/spa/utls/string.h

Copyright 2021 Red Hat, Inc.

spa/utls/cleanup.h:

Copyright 2023 PipeWire authors

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to xwd v1.0.7,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

xwd utility

.

.

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

.

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

.

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0,

which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

Apache Commons BCEL Notice

.

.

Apache Commons BCEL

Copyright 2004-2022 The Apache Software Foundation

.

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

.

.

.

Apache 2.0 License: Refer to the copy under /usr/share/common-licenses

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to DOM Level 3 Core Specification v1.0,

which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

W3C Software Notice

.

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).

All Rights Reserved.

.

The DOM bindings are published under the W3C Software Copyright Notice and License.

The software license requires "Notice of any changes or modifications to the W3C

files, including the date changes were made." Consequently, modified versions of

the DOM bindings must document that they do not conform to the W3C standard; in the

case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the

case of the Java language binding, the package

names can no longer be in the

'org.w3c' package.

.

.

W3C License

.

.

W3C SOFTWARE NOTICE AND LICENSE

.
<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>
.

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

.
Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- .
1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)
.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

.
COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.
.

.
This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific

dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site,

including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to CUP Parser Generator for Java v 0.11b, which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

CUP Parser Generator License

.

.

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

.

.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

```

.
.
.
--- end of LICENSE ---
.

-----

%% This notice is provided with respect to Apache Xalan v2.7.2,
which may be included with JRE 17, JDK 17 and OpenJDK 17
.
--- begin of LICENSE ---
.
Apache Xalan Notice
.
.
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
====
.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).
.
Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the
source from the packages that are part of the XSLTC sources.
.
Portions of this software was originally based on the following:
.
- software copyright (c) 1999-2002, Lotus Development Corporation., http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
  Apache Software Foundation and was originally developed at Hewlett Packard Company.
.
.
.
Apache 2.0 License: Refer to the copy under /usr/share/common-licenses
.
.
--- end of LICENSE ---
.

-----

%% This notice is provided with respect to Apache Xerces v2.12.2,
which may be included with JRE 17, JDK 17 and OpenJDK 17

```

```

.
--- begin of LICENSE ---
.
Apache Xerces Notice
.
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
.
Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation
.
This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
.
Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.
.
.
Apache 2.0 License: Refer to the copy under /usr/share/common-licenses
.
.
---
end of LICENSE ---
.
-----
%% This notice is provided with respect to Apache Santuario v3.0.3,
which may be included with JRE 17, JDK 17 and OpenJDK 17
.
--- begin of LICENSE ---
.
Apache 2.0 License: Refer to the copy under /usr/share/common-licenses
.
Apache Santuario Notice
.
.
Apache Santuario - XML Security for Java
Copyright 1999-2023 The Apache Software Foundation
.
This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
.
It was originally based on software copyright (c) 2001, Institute for

```


Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.

--- end of LICENSE ---

%% This notice is provided with respect to OASIS PKCS #11 Cryptographic Token Interface v3.1,
which may be included with JRE 17, JDK 17 and OpenJDK 17

--- begin of LICENSE ---

OASIS PKCS #11 Cryptographic Token Interface License

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: <https://www.oasis-open.org/policies-guidelines/ipr/>.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included

on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED

WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications, OASIS Standards, or Approved Errata).

.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

.

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

.

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

IAIK License

.

.

Copyright (c) 2002 Graz University of Technology. All rights reserved.

.

Redistribution and use in source and binary forms, with or without
modification, are permitted
provided that the following conditions are met:

.

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

.

3. The end-user documentation included with the redistribution, if any, must
include the following acknowledgment:

.

"This product includes software developed by IAIK of Graz University of
Technology."

.

Alternately, this acknowledgment may appear in the software itself, if and
wherever such third-party acknowledgments normally appear.

.

4. The names "Graz University of Technology" and "IAIK of Graz University of
Technology" must not be used to endorse or promote products derived from this
software without prior written permission.

.

5. Products derived from this software may not be called "IAIK PKCS Wrapper",
nor may "IAIK" appear in their name, without prior written permission of
Graz University of Technology.

.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Dynalink v.5,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE ---

.

Dynalink License

.

.

Copyright (c) 2009-2013, Attila Szegedi

.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT
HOLDERS AND CONTRIBUTORS "AS

IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to JLine v3.26.1,
which may be included with JRE 17, JDK 17 and OpenJDK 17
.

--- begin of LICENSE ---
.

JLine
License
.

.
Copyright (c) 2002-2023, the original author or authors.
All rights reserved.
.

<https://opensource.org/licenses/BSD-3-Clause>
.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:
.

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.
.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.
.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
.
.

.
--- end of LICENSE ---

.

%% This notice is provided with respect to jopt-simple v5.0.4,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.
--- begin of LICENSE ---

.
MIT License

.
Copyright (c) 2004-2015 Paul R. Holser, Jr.

.
Permission is hereby granted,
free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

.
--- end of LICENSE ---

.

%% This notice is provided with respect to jQuery v3.7.1,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.
--- begin of LICENSE ---

.
jQuery License

.
jQuery v 3.7.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.
--- end of LICENSE ---
.

%% This notice is provided with respect to jQuery UI v1.13.2, which may be included with JRE 17, JDK 17 and OpenJDK 17

.
--- begin of LICENSE ---
.

jQuery UI License

.
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

.
This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

.
The following license applies to all parts of this software except as documented below:

.
====

.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

====

.

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

.

====

.

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Unicode Common Local Data Repository (CLDR) v39, which may be included with JRE 17, JDK 17 and OpenJDK 17

.

--- begin of LICENSE

.

CLDR License

.

.

.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

.

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software")
to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION
OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

----- Terms of Use -----

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

.

Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

.

Unicode Data Files

do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

.

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software

License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined

in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are

periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim

will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this

information or its derivatives.

Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

Miscellaneous

Jurisdiction and Venue. This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations.

If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

.
.
.

.
--- end of LICENSE ---

.

%% This notice is provided with respect to Thai Dictionary,
which may be included with JRE 17, JDK 17 and OpenJDK 17

.
--- begin of LICENSE ---

.
Thai Dictionary License

.
Copyright (C) 1982 The Royal Institute, Thai Royal Government.

.
Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

.
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"),
to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

.
--- end of LICENSE ---

.

Files:

googletest/*

Copyright: Copyright 2008, Google Inc.

License: BSD-C3

Copyright 2008, Google Inc.

All rights reserved.

.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: debian/*

Copyright: Copyright 2007-2023 Canonical Ltd.

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/dbg.py

Copyright: Copyright 2016, Red Hat and individual contributors

License: LGPL

Copyright 2016, Red Hat and individual contributors

by the @authors tag.

#

This is free software; you can redistribute
it and/or modify it

under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

#

This software is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

.

On Debian systems a full copy of the GNU General Public License, GPL, can be
found in the file /usr/share/common-licenses/GPL-2.

Files: googletest/*

Copyright: Copyright 2008, Google Inc.

License: BSD-C3

Copyright 2008, Google Inc.

All rights reserved.

.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

.

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: debian/*

Copyright: Copyright 2007-2023 Canonical Ltd.

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/dbg.py

Copyright: Copyright 2016, Red Hat and individual contributors

License: LGPL

Copyright 2016, Red Hat and individual contributors

by the @authors tag.

#

This is free software; you can redistribute it and/or modify it

under the terms of the GNU Lesser General Public License as

published by the Free Software Foundation; either version 2.1 of

the License, or (at your option) any later version.

#

This software is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

.

On Debian systems a full copy of the GNU General Public License, GPL, can be found in the file /usr/share/common-licenses/GPL-2.

1.368 bc-fips 2.1.2

1.368.1 Available under license :

```
/**
 * The Bouncy Castle License.
 * <p>
 * Copyright (c) 2015-2023 The Legion Of The Bouncy Castle Inc. (https://www.bouncycastle.org)
 * </p><p>
 * Permission is hereby granted, free of charge, to any person obtaining a copy of this software
 * and associated documentation files (the "Software"), to deal in the Software without restriction,
 * including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
 * subject to the following conditions:
 * </p><p>
 * The above copyright notice and this permission notice shall be included in all copies or substantial
 * portions of the Software.
 * </p><p>
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED,
 * INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
 * PARTICULAR
 * PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
 * HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
 * CONTRACT, TORT OR
 * OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
 * OTHER
 * DEALINGS IN THE SOFTWARE.
 * </p>
 */
```

1.369 init-system-helpers 1.62

1.369.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: *

Copyright: 2013 Michael Stapelberg

License: BSD-3-clause

Files: debian/*

Copyright: 2013 Michael Stapelberg <stapelberg@debian.org>

License: BSD-3-clause

Files: script/service man8/service.rst

Copyright: 2006 Red Hat, Inc

2008 Canonical Ltd

License: GPL-2+

Files: script/invoke-rc.d man8/invoke-rc.d.rst

Copyright: 2000,2001 Henrique de Moraes Holschuh <hnh@debian.org>

License: GPL-2+

Files: script/update-rc.d man8/update-rc.d.rst

Copyright: 1997-2005 Miquel van Smoorenburg <miquels@cistron.nl>

Members of the pkg-sysvinit project

License: GPL-2+

License: GPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

.

On Debian systems, the complete text of the GNU General Public License version 2 can be found in /usr/share/common-licenses/GPL-2.

License: BSD-3-clause

Copyright 2013 Michael Stapelberg

All rights reserved.

.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

* Neither the name of Michael Stapelberg nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY Michael Stapelberg "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL Michael Stapelberg BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.370 ubuntu-keyring 2021.03.26

1.370.1 Available under license :

This is Ubuntu GNU's GnuPG keyrings of archive keys.

This package was originally put together by Michael Vogt
<michael.vogt@canonical.com>

The keys in the keyrings don't fall under any copyright. Everything else in the package is covered by the GNU GPL.

Ubuntu support files Copyright (C) 2004 Michael Vogt <michael.vogt@canonical.com> based on the debian-keyring package maintained by James Troup

Ubuntu support files for ubuntu-keyring are free software; you can redistribute them and/or modify them under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

Ubuntu support files for ubuntu-keyring are distributed in the hope that they will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License with your

Ubuntu system, in /usr/share/common-licenses/GPL, or with the Ubuntu GNU ubuntu-keyring source package as the file COPYING. If not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth

1.371 glibc 2.35-0ubuntu3.13

1.371.1 Available under license :

This is the Debian prepackaged version of the GNU C Library version 2.23.

It was put together by the GNU Libc Maintainers <debian-glibc@lists.debian.org>
from <<https://sourceware.org/git/glibc.git>>

* Most of the GNU C library is under the following copyright:

Copyright (C) 1991-2015 Free Software Foundation, Inc.

The GNU C Library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with the GNU C Library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Library General Public License can be found in `/usr/share/common-licenses/LGPL-2.1`.

* The utilities associated with GNU C library is under the following copyright:

Copyright (C) 1991-2015 Free Software Foundation, Inc.

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

On Debian systems, the complete text of the GNU Library General Public License can be found in `/usr/share/common-licenses/GPL-2`.

* All code incorporated from 4.4 BSD is distributed under the following license:

Copyright (C) 1991 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. [This condition was removed.]
4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The DNS resolver code, taken from BIND 4.9.5, is copyrighted both by UC Berkeley and by Digital Equipment Corporation. The DEC portions are under the following license:

Portions Copyright (C) 1993 by Digital Equipment Corporation.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies, and that the name of Digital Equipment Corporation not be used in advertising or publicity pertaining to distribution of the document or software without specific, written prior permission.

THE SOFTWARE IS PROVIDED ``AS IS" AND DIGITAL EQUIPMENT CORP. DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL DIGITAL EQUIPMENT CORPORATION BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

* The ISC portions are under the following license:

Portions Copyright (c) 1996-1999 by Internet Software Consortium.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

* The Sun RPC support (from rpcsrc-4.0) is covered by the following license:

Copyright (c) 2010, Oracle America, Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials

provided with the distribution.

* Neither the name of the "Oracle America, Inc." nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The following CMU license covers some of the support code for Mach, derived from Mach 3.0:

Mach Operating System
Copyright (C) 1991,1990,1989 Carnegie Mellon University
All Rights Reserved.

Permission to use, copy, modify and distribute this software and its documentation is hereby granted, provided that both the copyright notice and this permission notice appear in all copies of the software, derivative works or modified versions, and any portions thereof, and that both notices appear in supporting documentation.

CARNEGIE MELLON ALLOWS FREE USE OF THIS SOFTWARE IN ITS ``AS IS" CONDITION. CARNEGIE MELLON DISCLAIMS ANY LIABILITY OF ANY KIND FOR ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THIS SOFTWARE.

Carnegie Mellon requests users of this software to return to

Software Distribution Coordinator
School of Computer Science
Carnegie Mellon University
Pittsburgh PA 15213-3890

or Software.Distribution@CS.CMU.EDU any improvements or extensions that they make and grant Carnegie Mellon the rights to redistribute these changes.

* The file `if_ppp.h` is under the following CMU license:

Redistribution and use in source and binary forms,
with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY CARNEGIE MELLON UNIVERSITY AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE UNIVERSITY OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The following license covers the files from Intel's "Highly Optimized Mathematical Functions for Itanium" collection:

Intel License Agreement

Copyright (c) 2000, Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* The name of Intel Corporation may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The files inet/getnameinfo.c and sysdeps/posix/getaddrinfo.c are copyright (C) by Craig Metz and are distributed under the following license:

/* The Inner Net License, Version 2.00

The author(s) grant permission for redistribution and use in source and binary forms, with or without modification, of the software and documentation provided that the following conditions are met:

0. If you receive a version of the software that is specifically labelled as not being for redistribution (check the version message and/or README), you are not permitted to redistribute that version of the software in any way or form.
1. All terms of the all other applicable copyrights and licenses must be followed.
2. Redistributions of source code must retain the authors' copyright notice(s), this list of conditions, and the following disclaimer.
3. Redistributions in binary form must reproduce the authors' copyright notice(s), this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
4. [The copyright holder has authorized the removal of this clause.]
5. Neither the name(s) of the author(s) nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY ITS AUTHORS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

If these license terms cause you a real problem, contact the author. */

* The file sunrpc/des_impl.c is copyright Eric Young:

Copyright (C) 1992 Eric Young
Collected from libdes and modified for SECURE RPC by Martin Kuck 1994
This file is distributed under the terms of the GNU Lesser General
Public License, version 2.1 or later - see the file COPYING.LIB for details.
If you did not receive a copy of the license with this program, please
see <<http://www.gnu.org/licenses/>> to obtain a copy.

* The libidn code is copyright Simon Josefsson, with portions copyright
The Internet Society, Tom Tromey
and Red Hat, Inc.:

Copyright (C) 2002, 2003, 2004, 2011 Simon Josefsson

This file is part of GNU Libidn.

GNU Libidn is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

GNU Libidn is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with GNU Libidn; if not, see <<http://www.gnu.org/licenses/>>.

* The following notice applies to portions of libidn/nfkc.c:

This file contains functions from GLIB, including gutf8.c and
gunidecomp.c, all licensed under LGPL and copyright hold by:

Copyright (C)
1999, 2000 Tom Tromey
Copyright 2000 Red Hat, Inc.

* The following applies to portions of libidn/punycode.c and

libidn/punycode.h:

This file is derived from RFC 3492bis written by Adam M. Costello.

Disclaimer and license: Regarding this entire document or any portion of it (including the pseudocode and C code), the author makes no guarantees and is not responsible for any damage resulting from its use. The author grants irrevocable permission to anyone to use, modify, and distribute it in any way that does not diminish the rights of anyone else to use, modify, and distribute it, provided that redistributed derivative works do not contain misleading author or version information. Derivative works need not be licensed under similar terms.

Copyright (C) The Internet Society (2003). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it

or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

* The file inet/rcmd.c is under a UCB copyright and the following:

Copyright (C) 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors

may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The file posix/runtests.c is copyright Tom Lord:

Copyright 1995 by Tom Lord

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the copyright holder not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

Tom Lord DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL TOM LORD BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

*

The posix/rxspencer tests are copyright Henry Spencer:

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
software, no matter how awful, even if they arise from flaws in it.
2. The origin of this software must not be misrepresented, either by
explicit claim or by omission. Since few users ever read sources,
credits must appear in the documentation.
3. Altered versions must be plainly marked as such, and must not be
misrepresented as being the original software. Since few users
ever read sources, credits must
appear in the documentation.
4. This notice may not be removed or altered.

* The file posix/PCRE.tests is copyright University of Cambridge:

Copyright (c) 1997-2003 University of Cambridge

Permission is granted to anyone to use this software for any purpose on any
computer system, and to redistribute it freely, subject to the following
restrictions:

1. This software is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
2. The origin of this software must not be misrepresented, either by
explicit claim or by omission. In practice, this means that if you use
PCRE in software that you distribute to others, commercially or
otherwise, you must put a sentence like this

Regular expression support is provided by the PCRE library package,
which is open source software, written by Philip Hazel, and
copyright
by the University of Cambridge, England.

somewhere reasonably visible in your documentation and in any relevant
files or online help data or similar. A reference to the ftp site for

the source, that is, to

<ftp://ftp.csx.cam.ac.uk/pub/software/programming/pcr/>

should also be given in the documentation. However, this condition is not intended to apply to whole chains of software. If package A includes PCRE, it must acknowledge it, but if package B is software that includes package A, the condition is not imposed on package B (unless it uses PCRE independently).

3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software.

4. If PCRE is embedded in any software that is released under the GNU General Purpose Licence (GPL), or Lesser General Purpose Licence (LGPL), then the terms of that licence shall supersede any condition above with which it is incompatible.

* Files from Sun fdlibm are copyright Sun Microsystems, Inc.:

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

* Part of stdio-common/tst-printf.c is copyright C E Chew:

(C) Copyright C E Chew

Feel free to copy, use and distribute this software provided:

1. you do not pretend that you wrote it
2. you leave this copyright notice intact.

* Various long double libm functions are copyright Stephen L. Moshier:

Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, see
<<http://www.gnu.org/licenses/>>. */

The following applies to the GNU C Library Reference Manual (libc.info):

Copyright (C) 1993-2017 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with the Invariant Sections being "Free Software Needs Free Documentation" and "GNU Lesser General Public License", the Front-Cover texts being "A GNU Manual", and with the Back-Cover Texts as in (a) below. A copy of the license is included in the section entitled "GNU Free Documentation License".

(a) The FSFs Back-Cover Text is: "You have the freedom to copy and modify this GNU manual. Buying copies from the FSF supports it in developing GNU and promoting software freedom."

On Debian systems, the complete text of the GNU Free Documentation License Version 1.3 can be found in `/usr/share/common-licenses/GFDL-1.3`.

1.372 python3.10 3.10.12-1~22.04.14

1.372.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

X Window System is a trademark of The Open Group

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other

than Microsoft operating systems, run-time technologies or application platforms; or

- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same

year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6,
examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2
and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

-
1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
 2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright
(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
 3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
 4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
 5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,

OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the
licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the
product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do
not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.373 openjdk-jre 11.0.30u7

1.373.1 Available under license :

```
## c-libutl 20160225
```

```
### c-libutl License  
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```


Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE

file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

Apache Xerces v2.12.2

Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

</pre>

Apache 2.0 License

<pre>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients

of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>)

of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product

- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
 Everyone is permitted to copy and distribute verbatim copies
 of this license document,
 but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,

not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs

enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other

program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even

though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a

copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

```
</pre>
## xwd v1.0.7

### xwd utility
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR

OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

</pre>

IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must
include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of
Technology."

Alternately, this acknowledgment may appear in the software itself, if and
wherever such third-party
acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of
Technology" must not be used to endorse or promote products derived from this
software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper",
nor may "IAIK" appear in their name, without prior written permission of
Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Mozilla Public Suffix List

Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public_suffix_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

MPL v2.0

...

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,

to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from

a particular

Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*

*

* 6. Disclaimer of Warranty

*

* -----

*

*

*

* Covered Software is provided under this License on an "as is" *

* basis, without warranty of any kind, either expressed, implied, or *

* statutory, including, without limitation, warranties that the *

* Covered Software is free of defects, merchantable, fit for a *

* particular purpose or non-infringing. The entire risk as to the *

* quality and performance of the Covered Software is with You. *

* Should any Covered Software prove defective in any respect, You *

* (not any Contributor) assume the cost of any necessary servicing, *

* repair, or correction. This disclaimer of warranty constitutes an *

*

essential part of this License. No use of any Covered Software is *

* authorized under this License except under this disclaimer. *

*

*

*

*

* 7. Limitation of Liability

*

* -----

*

*

*

* Under no circumstances and under no legal theory, whether tort *

* (including negligence), contract, or otherwise, shall any *

* Contributor, or anyone who distributes Covered Software as *

* permitted above, be liable to You for any direct, indirect, *
 * special, incidental, or consequential damages of any
 character *
 * including, without limitation, damages for lost profits, loss of *
 * goodwill, work stoppage, computer failure or malfunction, or any *
 * and all other commercial damages or losses, even if such party *
 * shall have been informed of the possibility of such damages. This *
 * limitation of liability shall not apply to liability for death or *
 * personal injury resulting from such party's negligence to the *
 * extent applicable law prohibits such limitation. Some *
 * jurisdictions do not allow the exclusion or limitation of *
 * incidental or consequential damages, so this exclusion and *
 * limitation may not apply to You. *
 * *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

PC/SC Lite v1.9.5

PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

</pre>

OASIS PKCS #11 Cryptographic Token Interface v3.1

OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<https://www.oasis-open.org/policies-guidelines/ipr/>].

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and

distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications, OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain

to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

Double-conversion v1.1.5

Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

Thai Dictionary

Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2,

based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

Apache Santuario v3.0.3

Apache 2.0 License

...

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within

the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including,

without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

...

Apache Santuario Notice

...

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.

...

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.
The software license requires "Notice of any changes or modifications to the W3C
files, including the date changes were made." Consequently, modified versions of
the DOM bindings must document that they do not conform to the W3C standard; in the
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the
case of the Java language binding, the package names can no longer be in the
'org.w3c' package.

</pre>

W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

- 3.Notice of any changes or modifications to the files, including the date changes were made.

(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This

version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>

Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard

or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior

written authorization of the copyright holder.

...

Apache Xalan v2.7.2

Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

```
        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare
Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and

fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

</pre>

JLine v3.26.1

JLine License

<pre>

Copyright (c) 2002-2023, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

SipHash v1.0-68c8a7c

Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with

this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

Licenses

The code is dual-licensed CCO and MIT

MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work

and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal

effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be

judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

JRuby Joni v2.1.16

MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether

in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.

This is an open source license. It is also GPL-Compatible (see entry for
"Standard ML of New Jersey"). The portions of CUP output which are hard-coded
into the CUP source code are (naturally) covered by this same license, as is
the CUP runtime code linked with the generated parser.

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share
and change it. By contrast, the GNU General Public License is intended to
guarantee your freedom to share and change free software--to make sure the
software is free for all its users. This General Public License applies to
most of the Free Software Foundation's software and to any other program whose
authors commit to using it. (Some other Free Software Foundation software is
covered by the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our
General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish),
that you receive source code or can get it if you want it, that you can change
the software or use pieces of it in new free programs; and that you know you
can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny
you these rights or to ask you to surrender the rights. These restrictions
translate to certain responsibilities for you if you distribute copies of the
software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for
a fee, you must give the recipients all the rights that you have. You must
make sure that they, too, receive or can get the source code. And you must

show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not

accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that

distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,

if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN

NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glxt.h	Khronos
	GL/glxt.h	Khronos
	GL/wglxt.h	Khronos
	KHR/khrplatform.h	Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

...

ASM Bytecode Manipulation Framework v6.0

ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.374 libpng 1.6.54

1.374.1 Available under license :

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=====

PNG Reference Library License version 2

- * Copyright (c) 1995-2026 The PNG Reference Library Authors.
- * Copyright (c) 2018-2026 Cosmin Truta.
- * Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- * Copyright (c) 1996-1997 Andreas Dilger.
- * Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties

of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted
to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the same
disclaimer
and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of

the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

1.375 expat 2.4.7-1ubuntu0.7

1.375.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: Expat

Upstream-Contact: Sebastian Pipping <sebastian@pipping.org>

Source: <https://github.com/libexpat/libexpat>

Copyright: Copyright (C) Expat maintainers

Files: *

Copyright:

Copyright (C) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright (C) 2001-2017 Expat maintainers

License: MIT

Files: debian/*

Copyright:

Copyright (C) 1998-2000 Adam Di Carlo <aph@debian.org>

Copyright (C) 2000-2007 Ardo van Rangelrooij <ardo@debian.org>
Copyright (C) 2008-2009 Daniel Leidert (dale) <daniel.leidert@wgdd.de>
Copyright (C) 2013- Laszlo Boszormenyi (GCS) <gcs@debian.org>
License: MIT

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.376 cryptography 46.0.5

1.376.1 Available under license :

Copyright (c) Individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of PyCA Cryptography nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to cryptography are made under the terms of *both* these licenses.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

UNRECOGNIZED LICENSE; MD5 sum: 299c4e87d01df74daa2e2a3755448f5a

1.377 node.js 18.20.8-1nodesource1

1.377.1 Available under license :

```
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/ui.h.in
 *
 * Copyright 2001-2020 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */
```

```

#ifndef OPENSSSL_UI_H
# define OPENSSSL_UI_H
# pragma once

# include <openssl/macros.h>
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#  define HEADER_UI_H
# endif

# include <openssl/opensslconf.h>

# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#  include <openssl/crypto.h>
# endif
# include <openssl/safestack.h>
# include <openssl/pem.h>
# include <openssl/types.h>
# include <openssl/uierr.h>

/* For compatibility reasons, the macro OPENSSSL_NO_UI is currently retained */
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#  ifdef OPENSSSL_NO_UI_CONSOLE
#   define OPENSSSL_NO_UI
#  endif
# endif

# ifdef __cplusplus
extern
"C" {
# endif

/*
 * All the following functions return -1 or NULL on error and in some cases
 * (UI_process()) -2 if interrupted or in some other way cancelled. When
 * everything is fine, they return 0, a positive value or a non-NULL pointer,
 * all depending on their purpose.
 */

/* Creators and destructor. */
UI *UI_new(void);
UI *UI_new_method(const UI_METHOD *method);
void UI_free(UI *ui);

/*-
The following functions are used to add strings to be printed and prompt

```

strings to prompt for data. The names are UI_{add,dup}<function>_string and UI_{add,dup}_input_boolean.

UI_{add,dup}<function>_string have the following meanings:

- add add a text or prompt string. The pointers given to these functions are used verbatim, no copying is done.
- dup make a copy of the text or prompt string, then add the copy to the collection of strings in the user interface.
- <function>

The function

is a name for the functionality that the given

string shall be used for. It can be one of:

- input use the string as data prompt.
- verify use the string as verification prompt. This is used to verify a previous input.
- info use the string for informational output.
- error use the string for error output.

Honestly, there's currently no difference between info and error for the moment.

UI_{add,dup}_input_boolean have the same semantics for "add" and "dup", and are typically used when one wants to prompt for a yes/no response.

All of the functions in this group take a UI and a prompt string.

The string input and verify addition functions also take a flag argument, a buffer for the result to end up with, a minimum input size and a maximum input size (the result buffer MUST be large enough to be able to contain the

maximum number of characters). Additionally, the verify addition functions takes another buffer to compare the result against.

The boolean input functions take an action description string (which should be safe to ignore if the expected user action is obvious, for example with a dialog box with an OK button and a Cancel button), a string of acceptable characters to mean OK and to mean Cancel. The two last strings are checked to make sure they don't have common characters. Additionally, the same flag argument as for the string input is taken, as well as a result buffer. The result buffer is required to be at least one byte long. Depending on the answer, the first character from the OK or the Cancel character strings will be stored in the first byte of the result buffer. No NUL will be added, so the result is **not** a string.

On success, the all return an index of the added information. That index is useful when retrieving results with UI_get0_result().

```
*/  
int UI_add_input_string(UI *ui, const char *prompt, int flags,  
                        char *result_buf, int minsize, int maxsize);  
int UI_dup_input_string(UI *ui, const char *prompt, int flags,  
                        char *result_buf, int minsize, int maxsize);
```

```

int UI_add_verify_string(UI *ui, const char *prompt, int flags,
                        char *result_buf, int minsize, int maxsize,
                        const char *test_buf);
int UI_dup_verify_string(UI *ui, const char *prompt, int flags,
                        char *result_buf, int minsize, int maxsize,
                        const char *test_buf);
int UI_add_input_boolean(UI *ui, const char *prompt, const char *action_desc,
                        const char *ok_chars, const char *cancel_chars,
                        int flags, char *result_buf);
int UI_dup_input_boolean(UI *ui, const char *prompt, const char *action_desc,
                        const char *ok_chars, const char *cancel_chars,
                        int flags, char *result_buf);
int UI_add_info_string(UI *ui, const char *text);
int UI_dup_info_string(UI *ui, const char *text);
int UI_add_error_string(UI *ui, const char *text);
int UI_dup_error_string(UI *ui, const char *text);

```

/* These are the possible flags. They can be or'ed together. */

/* Use to have echoing of input */

```
# define UI_INPUT_FLAG_ECHO      0x01
```

/*

* Use a default password. Where that password is found is completely up to
 * the application, it might for example be in the user data set with
 * UI_add_user_data(). It is not recommended to have more than one input in
 * each UI being marked with this flag, or the application might get
 * confused.

*/

```
# define UI_INPUT_FLAG_DEFAULT_PWD 0x02
```

/*-

* The user of these routines may want to define flags of their own. The core
 * UI won't look at those, but will pass them on to the method routines. They
 * must use higher bits so they don't get confused with the UI bits above.
 * UI_INPUT_FLAG_USER_BASE tells which is the lowest bit to use. A good
 * example of use is this:

*

```
* #define MY_UI_FLAG1      (0x01 << UI_INPUT_FLAG_USER_BASE)
```

*

*/

```
# define UI_INPUT_FLAG_USER_BASE 16
```

/*-

* The following function helps construct a prompt.
 * phrase_desc is a textual short description of the phrase to enter,
 * for example "pass phrase", and
 * object_name is the name of the object
 * (which might be a card name or a file name) or NULL.
 * The returned string shall always be allocated on the heap with

```

* OPENSSL_malloc(), and need to be free'd with OPENSSL_free().
*
* If the ui_method doesn't contain a pointer to a user-defined prompt
* constructor, a default string is built, looking like this:
*
*   "Enter {phrase_desc} for {object_name}:"
*
* So, if phrase_desc has the value "pass phrase" and object_name has
* the value "foo.key", the resulting string is:
*
*   "Enter pass phrase for foo.key:"
*/
char *UI_construct_prompt(UI *ui_method,
                          const char *phrase_desc, const char *object_name);

/*
* The following function is used to store a pointer to user-specific data.
* Any previous such pointer will be returned and replaced.
*
* For callback purposes, this function makes a lot more sense than using
* ex_data, since the latter requires that different parts of OpenSSL or
* applications share the same ex_data index.
*
* Note that the UI_OpenSSL() method completely ignores the user data. Other
* methods may not, however.
*/
void *UI_add_user_data(UI *ui, void *user_data);

/*
* Alternatively, this function is used to duplicate the user data.
* This uses the duplicator method function. The destroy function will
* be used to free the user data in this case.
*/
int UI_dup_user_data(UI *ui, void *user_data);
/* We need a user data retrieving function as well. */
void *UI_get0_user_data(UI *ui);

/* Return the result associated with a prompt given with the index i. */
const char *UI_get0_result(UI
*ui, int i);
int UI_get_result_length(UI *ui, int i);

/* When all strings have been added, process the whole thing. */
int UI_process(UI *ui);

/*
* Give a user interface parameterised control commands. This can be used to
* send down an integer, a data pointer or a function pointer, as well as be
* used to get information from a UI.

```

```

*/
int UI_ctrl(UI *ui, int cmd, long i, void *p, void (*f) (void));

/* The commands */
/*
* Use UI_CONTROL_PRINT_ERRORS with the value 1 to have UI_process print the
* OpenSSL error stack before printing any info or added error messages and
* before any prompting.
*/
#define UI_CTRL_PRINT_ERRORS      1
/*
* Check if a UI_process() is possible to do again with the same instance of
* a user interface. This makes UI_ctrl() return 1 if it is redoable, and 0
* if not.
*/
#define UI_CTRL_IS_REDOABLE      2

/* Some methods may use extra data */
#define UI_set_app_data(s,arg)    UI_set_ex_data(s,0,arg)
#define UI_get_app_data(s)
    UI_get_ex_data(s,0)

#define UI_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_UI, l, p, newf, dupf, freef)
int UI_set_ex_data(UI *r, int idx, void *arg);
void *UI_get_ex_data(const UI *r, int idx);

/* Use specific methods instead of the built-in one */
void UI_set_default_method(const UI_METHOD *meth);
const UI_METHOD *UI_get_default_method(void);
const UI_METHOD *UI_get_method(UI *ui);
const UI_METHOD *UI_set_method(UI *ui, const UI_METHOD *meth);

#ifdef OPENSSL_NO_UI_CONSOLE

/* The method with all the built-in thingies */
UI_METHOD *UI_OpenSSL(void);

#endif

/*
* NULL method. Literally does nothing, but may serve as a placeholder
* to avoid internal default.
*/
const UI_METHOD *UI_null(void);

/* ----- For method writers ----- */
/*-

```


A method contains a number of functions that implement the low level of the User Interface. The functions are:

- an opener This function starts a session, maybe by opening a channel to a tty, or by opening a window.
- a writer This function is called to write a given string, maybe to the tty, maybe as a field label in a window.
- a flusher This function is called to flush everything that has been output so far. It can be used to actually display a dialog box after it has been built.
- a reader This function is called to read a given prompt, maybe from the tty, maybe from a field in a window. Note that it's called with all string structures, not only the prompt ones, so it must check such things itself.
- a closer This function closes the session, maybe by closing the channel to the tty, or closing the window.

All these functions are expected to return:

- 0 on error.
- 1 on success.
- 1 on out-of-band events, for example if some prompting has been canceled (by pressing Ctrl-C, for example). This is only checked when returned by the flusher or the reader.

The way this is used, the opener is first called, then the writer for all strings, then the flusher, then the reader for all strings and finally the closer. Note that if you want to prompt from a terminal or other command line interface, the best is to have the reader also write the prompts instead of having the writer do it. If you want to prompt from a dialog box, the writer can be used to build up the contents of the box, and the flusher to actually display the box and run the event loop until all data has been given, after which the reader only grabs the given data and puts them back into the UI strings.

All method functions take a UI as argument. Additionally, the writer and the reader take a UI_STRING.

*/

/*

* The UI_STRING type is the data structure that contains all the needed info

* about a string or a prompt, including test data for a verification prompt.

*/

```
typedef struct ui_string_st UI_STRING;
```

```
SKM_DEFINE_STACK_OF_INTERNAL(UI_STRING, UI_STRING, UI_STRING)
#define sk_UI_STRING_num(sk) OPENSSL_sk_num(ssl_check_const_UI_STRING_sk_type(sk))
#define sk_UI_STRING_value(sk, idx) ((UI_STRING
*)OPENSSL_sk_value(ssl_check_const_UI_STRING_sk_type(sk), (idx)))
#define sk_UI_STRING_new(cmp) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_new(ssl_check_UI_STRING_compfunc_type(cmp)))
#define sk_UI_STRING_new_null() ((STACK_OF(UI_STRING) *)OPENSSL_sk_new_null())
#define sk_UI_STRING_new_reserve(cmp, n) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_new_reserve(ssl_check_UI_STRING_compfunc_type(cmp), (n)))
#define sk_UI_STRING_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_UI_STRING_sk_type(sk), (n))
#define sk_UI_STRING_free(sk) OPENSSL_sk_free(ssl_check_UI_STRING_sk_type(sk))
#define
    sk_UI_STRING_zero(sk) OPENSSL_sk_zero(ssl_check_UI_STRING_sk_type(sk))
#define sk_UI_STRING_delete(sk, i) ((UI_STRING *)OPENSSL_sk_delete(ssl_check_UI_STRING_sk_type(sk),
(i)))
#define sk_UI_STRING_delete_ptr(sk, ptr) ((UI_STRING
*)OPENSSL_sk_delete_ptr(ssl_check_UI_STRING_sk_type(sk), ssl_check_UI_STRING_type(ptr)))
#define sk_UI_STRING_push(sk, ptr) OPENSSL_sk_push(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_pop(sk) ((UI_STRING *)OPENSSL_sk_pop(ssl_check_UI_STRING_sk_type(sk)))
#define sk_UI_STRING_shift(sk) ((UI_STRING *)OPENSSL_sk_shift(ssl_check_UI_STRING_sk_type(sk)))
#define sk_UI_STRING_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_UI_STRING_sk_type(sk), ssl_check_UI_STRING_freefunc_type(freefunc))
#define sk_UI_STRING_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_UI_STRING_sk_type(sk),
    ssl_check_UI_STRING_type(ptr), (idx))
#define sk_UI_STRING_set(sk, idx, ptr) ((UI_STRING *)OPENSSL_sk_set(ssl_check_UI_STRING_sk_type(sk),
(idx), ssl_check_UI_STRING_type(ptr)))
#define sk_UI_STRING_find(sk, ptr) OPENSSL_sk_find(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr), pnum)
#define sk_UI_STRING_sort(sk) OPENSSL_sk_sort(ssl_check_UI_STRING_sk_type(sk))
#define sk_UI_STRING_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_UI_STRING_sk_type(sk))
#define sk_UI_STRING_dup(sk) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_dup(ssl_check_const_UI_STRING_sk_type(sk)))
#define sk_UI_STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_deep_copy(ssl_check_const_UI_STRING_sk_type(sk),
    ssl_check_UI_STRING_copyfunc_type(copyfunc),
    ssl_check_UI_STRING_freefunc_type(freefunc)))
#define sk_UI_STRING_set_cmp_func(sk, cmp)
    ((sk_UI_STRING_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_UI_STRING_sk_type(sk),
    ssl_check_UI_STRING_compfunc_type(cmp)))
```

```

/*
 * The different types of strings that are currently supported. This is only
 * needed by method authors.
 */
enum UI_string_types {
    UIT_NONE = 0,
    UIT_PROMPT,          /* Prompt for a string */
    UIT_VERIFY,          /* Prompt for a string and verify */
    UIT_BOOLEAN,         /* Prompt for a yes/no response */
    UIT_INFO,            /* Send info to the user */
    UIT_ERROR            /* Send an error message to the user */
};

/* Create and manipulate methods */
UI_METHOD *UI_create_method(const char *name);
void UI_destroy_method(UI_METHOD *ui_method);
int UI_method_set_opener(UI_METHOD *method, int (*opener) (UI *ui));
int UI_method_set_writer(UI_METHOD *method,

    int (*writer) (UI *ui, UI_STRING *uis));
int UI_method_set_flusher(UI_METHOD *method, int (*flusher) (UI *ui));
int UI_method_set_reader(UI_METHOD *method,

    int (*reader) (UI *ui, UI_STRING *uis));
int UI_method_set_closer(UI_METHOD *method, int (*closer) (UI *ui));
int UI_method_set_data_duplicator(UI_METHOD *method,
    void *(*duplicator) (UI *ui, void *ui_data),
    void (*destructor)(UI *ui, void *ui_data));
int UI_method_set_prompt_constructor(UI_METHOD *method,
    char *(*prompt_constructor) (UI *ui,
        const char
        *phrase_desc,
        const char
        *object_name));
int UI_method_set_ex_data(UI_METHOD *method,
    int idx, void *data);
int (*UI_method_get_opener(const UI_METHOD *method)) (UI *);
int (*UI_method_get_writer(const UI_METHOD *method)) (UI *, UI_STRING *);
int (*UI_method_get_flusher(const UI_METHOD *method)) (UI *);
int (*UI_method_get_reader(const UI_METHOD *method)) (UI *, UI_STRING *);
int (*UI_method_get_closer(const UI_METHOD *method)) (UI *);
char *(*UI_method_get_prompt_constructor(const UI_METHOD *method))
    (UI *, const char *, const char *);
void *(*UI_method_get_data_duplicator(const UI_METHOD *method)) (UI *, void *);
void (*UI_method_get_data_destructor(const UI_METHOD *method)) (UI *, void *);
const void *UI_method_get_ex_data(const UI_METHOD *method, int idx);

```

```

/*
 * The following functions are helpers for method writers to access relevant
 * data from a UI_STRING.
 */

/* Return type of the UI_STRING */
enum UI_string_types UI_get_string_type(UI_STRING *uis);
/* Return input flags of the UI_STRING */
int UI_get_input_flags(UI_STRING *uis);
/* Return the actual string
to output (the prompt, info or error) */
const char *UI_get0_output_string(UI_STRING *uis);
/*
 * Return the optional action string to output (the boolean prompt
 * instruction)
 */
const char *UI_get0_action_string(UI_STRING *uis);
/* Return the result of a prompt */
const char *UI_get0_result_string(UI_STRING *uis);
int UI_get_result_string_length(UI_STRING *uis);
/*
 * Return the string to test the result against. Only useful with verifies.
 */
const char *UI_get0_test_string(UI_STRING *uis);
/* Return the required minimum size of the result */
int UI_get_result_minsize(UI_STRING *uis);
/* Return the required maximum size of the result */
int UI_get_result_maxsize(UI_STRING *uis);
/* Set the result of a UI_STRING. */
int UI_set_result(UI *ui, UI_STRING *uis, const char *result);
int UI_set_result_ex(UI *ui, UI_STRING *uis, const char *result, int len);

/* A couple of popular utility functions */
int UI_UTIL_read_pw_string(char *buf, int length, const char *prompt,

    int verify);
int UI_UTIL_read_pw(char *buf, char *buff, int size, const char *prompt,
    int verify);
UI_METHOD *UI_UTIL_wrap_read_pem_callback(pem_password_cb *cb, int rflag);

#ifdef __cplusplus
}
#endif
MIT License

```

Copyright (C) 2012-2020 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright JS Foundation and other contributors, <https://js.foundation>

Copyright (c) 2021 Brett Zamir

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2024 npm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2017-2023 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR

IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR

OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

HOLDER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

#ifndef SRC_PERMISSION_PERMISSION_H_
#define SRC_PERMISSION_PERMISSION_H_

#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS

#include "debug_utils.h"
#include "node_options.h"
#include "permission/child_process_permission.h"
#include "permission/fs_permission.h"
#include "permission/permission_base.h"
#include "permission/worker_permission.h"
#include "v8.h"

#include <string_view>
#include <unordered_map>

namespace node {

class Environment;

namespace permission {

#define THROW_IF_INSUFFICIENT_PERMISSIONS(env, perm_, resource_, ...) \
do { \
    if (UNLIKELY(!(env)->permission()->is_granted(perm_, resource_))) { \
        node::permission::Permission::ThrowAccessDenied( \
            (env), perm_, resource_); \
        return __VA_ARGS__; \
    } \
} while (0)

class Permission {
public:
    Permission();

    FORCE_INLINE bool is_granted(const PermissionScope permission,
                               const std::string_view& res = "") const {
        if (LIKELY(!enabled_)) return true;
        return is_scope_granted(permission, res);
    }

    static PermissionScope StringToPermission(const std::string& perm);
    static const char* PermissionToString(PermissionScope perm);
    static void ThrowAccessDenied(Environment* env,
                                   PermissionScope perm,
                                   const std::string_view& res);

```



```

// CLI Call
void Apply(const std::string& allow, PermissionScope scope);
void EnablePermissions();

private:
COLD_NOINLINE bool is_scope_granted(const PermissionScope permission,
                                     const std::string_view& res = "") const {
    auto perm_node = nodes_.find(permission);
    if (perm_node != nodes_.end()) {
        return perm_node->second->is_granted(permission,
res);
    }
    return false;
}

std::unordered_map<PermissionScope, std::shared_ptr<PermissionBase>> nodes_;
bool enabled_;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_PERMISSION_H_
/*
 * Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#ifndef OPENSSL_ERR_H
# define OPENSSL_ERR_H
# pragma once

# include <openssl/macros.h>
# ifndef OPENSSL_NO_DEPRECATED_3_0
#  define HEADER_ERR_H
# endif

# include <openssl/e_os2.h>

# ifndef OPENSSL_NO_STDIO

```

```

# include <stdio.h>
# include <stdlib.h>
# endif

# include <openssl/types.h>
# include <openssl/bio.h>
# include <openssl/lhash.h>
# include <openssl/cryptoerr_legacy.h>

#ifdef __cplusplus
extern "C" {
#endif

# ifndef OPENSSL_NO_DEPRECATED_3_0
#   ifndef OPENSSL_NO_FILENAMES
#     define ERR_PUT_error(l,f,r,fn,ln)    ERR_put_error(l,f,r,fn,ln)
#   else
#     define ERR_PUT_error(l,f,r,fn,ln)    ERR_put_error(l,f,r,NULL,0)
#   endif
# endif
# endif

# include
<limits.h>
# include <errno.h>

# define ERR_TXT_MALLOCED    0x01
# define ERR_TXT_STRING      0x02

# if !defined(OPENSSL_NO_DEPRECATED_3_0) || defined(OSSL_FORCE_ERR_STATE)
#   define ERR_FLAG_MARK      0x01
#   define ERR_FLAG_CLEAR     0x02

#   define ERR_NUM_ERRORS 16
  struct err_state_st {
    int err_flags[ERR_NUM_ERRORS];
    int err_marks[ERR_NUM_ERRORS];
    unsigned long err_buffer[ERR_NUM_ERRORS];
    char *err_data[ERR_NUM_ERRORS];
    size_t err_data_size[ERR_NUM_ERRORS];
    int err_data_flags[ERR_NUM_ERRORS];
    char *err_file[ERR_NUM_ERRORS];
    int err_line[ERR_NUM_ERRORS];
    char *err_func[ERR_NUM_ERRORS];
    int top, bottom;
  };
# endif

/* library */

```

```

# define ERR_LIB_NONE      1
# define ERR_LIB_SYS       2
# define ERR_LIB_BN        3
# define ERR_LIB_RSA       4
# define ERR_LIB_DH        5
# define ERR_LIB_EVP       6
# define ERR_LIB_BUF       7
# define ERR_LIB_OBJ       8
# define ERR_LIB_PEM
    9
# define ERR_LIB_DSA       10
# define ERR_LIB_X509      11
/* #define ERR_LIB_METH    12 */
# define ERR_LIB_ASN1      13
# define ERR_LIB_CONF      14
# define ERR_LIB_CRYPT0    15
# define ERR_LIB_EC        16
# define ERR_LIB_SSL       20
/* #define ERR_LIB_SSL23   21 */
/* #define ERR_LIB_SSL2    22 */
/* #define ERR_LIB_SSL3    23 */
/* #define ERR_LIB_RSAREF  30 */
/* #define ERR_LIB_PROXY   31 */
# define ERR_LIB_BIO       32
# define ERR_LIB_PKCS7     33
# define ERR_LIB_X509V3    34
# define ERR_LIB_PKCS12    35
# define ERR_LIB_RAND      36
# define ERR_LIB_DSO       37
# define ERR_LIB_ENGINE    38
# define ERR_LIB_OCSP      39
# define ERR_LIB_UI        40
# define ERR_LIB_COMP      41
# define ERR_LIB_ECDSA     42
# define ERR_LIB_ECDH      43
# define ERR_LIB_OSSL_STORE 44
# define ERR_LIB_FIPS
    45
# define ERR_LIB_CMS       46
# define ERR_LIB_TS        47
# define ERR_LIB_HMAC      48
/* # define ERR_LIB_JPAKE  49 */
# define ERR_LIB_CT        50
# define ERR_LIB_ASYNC     51
# define ERR_LIB_KDF       52
# define ERR_LIB_SM2       53
# define ERR_LIB_ESS       54
# define ERR_LIB_PROP      55

```

```

# define ERR_LIB_CRMF          56
# define ERR_LIB_PROV          57
# define ERR_LIB_CMP           58
# define ERR_LIB_OSSL_ENCODER  59
# define ERR_LIB_OSSL_DECODER  60
# define ERR_LIB_HTTP          61

# define ERR_LIB_USER          128

# ifndef OPENSSSL_NO_DEPRECATED_3_0
# define ASN1err(f, r) ERR_raise_data(ERR_LIB_ASN1, (r), NULL)
# define ASYNCerr(f, r) ERR_raise_data(ERR_LIB_ASYNC, (r), NULL)
# define BIOerr(f, r) ERR_raise_data(ERR_LIB_BIO, (r), NULL)
# define BNerr(f, r) ERR_raise_data(ERR_LIB_BN, (r), NULL)
# define BUFerr(f, r) ERR_raise_data(ERR_LIB_BUF, (r), NULL)
# define CMPerr(f, r) ERR_raise_data(ERR_LIB_CMP,
    (r), NULL)
# define CMSerr(f, r) ERR_raise_data(ERR_LIB_CMS, (r), NULL)
# define COMPerr(f, r) ERR_raise_data(ERR_LIB_COMP, (r), NULL)
# define CONFerr(f, r) ERR_raise_data(ERR_LIB_CONF, (r), NULL)
# define CRMFerr(f, r) ERR_raise_data(ERR_LIB_CRMF, (r), NULL)
# define CRYPTOerr(f, r) ERR_raise_data(ERR_LIB_CRYPT, (r), NULL)
# define CTerr(f, r) ERR_raise_data(ERR_LIB_CT, (r), NULL)
# define DHerr(f, r) ERR_raise_data(ERR_LIB_DH, (r), NULL)
# define DSAerr(f, r) ERR_raise_data(ERR_LIB_DSA, (r), NULL)
# define DSOerr(f, r) ERR_raise_data(ERR_LIB_DSO, (r), NULL)
# define ECDHerr(f, r) ERR_raise_data(ERR_LIB_ECDH, (r), NULL)
# define ECDSAerr(f, r) ERR_raise_data(ERR_LIB_ECDSA, (r), NULL)
# define ECerr(f, r) ERR_raise_data(ERR_LIB_EC, (r), NULL)
# define ENGINEerr(f, r) ERR_raise_data(ERR_LIB_ENGINE, (r), NULL)
# define ESSerr(f, r) ERR_raise_data(ERR_LIB_ESS, (r), NULL)
# define EVPerr(f, r) ERR_raise_data(ERR_LIB_EVP, (r), NULL)
# define FIPSer(f,
    r) ERR_raise_data(ERR_LIB_FIPS, (r), NULL)
# define HMACerr(f, r) ERR_raise_data(ERR_LIB_HMAC, (r), NULL)
# define HTTPerr(f, r) ERR_raise_data(ERR_LIB_HTTP, (r), NULL)
# define KDFerr(f, r) ERR_raise_data(ERR_LIB_KDF, (r), NULL)
# define OBJerr(f, r) ERR_raise_data(ERR_LIB_OBJ, (r), NULL)
# define OCSPerr(f, r) ERR_raise_data(ERR_LIB_OCSP, (r), NULL)
# define OSSL_STOREerr(f, r) ERR_raise_data(ERR_LIB_OSSL_STORE, (r), NULL)
# define PEMerr(f, r) ERR_raise_data(ERR_LIB_PEM, (r), NULL)
# define PKCS12err(f, r) ERR_raise_data(ERR_LIB_PKCS12, (r), NULL)
# define PKCS7err(f, r) ERR_raise_data(ERR_LIB_PKCS7, (r), NULL)
# define PROPer(f, r) ERR_raise_data(ERR_LIB_PROP, (r), NULL)
# define PROVer(f, r) ERR_raise_data(ERR_LIB_PROV, (r), NULL)
# define RANDerr(f, r) ERR_raise_data(ERR_LIB_RAND, (r), NULL)
# define RSAerr(f, r) ERR_raise_data(ERR_LIB_RSA, (r), NULL)
# define KDFerr(f, r) ERR_raise_data(ERR_LIB_KDF, (r), NULL)

```

```

# define SM2err(f, r) ERR_raise_data(ERR_LIB_SM2,
(r), NULL)
# define SSLerr(f, r) ERR_raise_data(ERR_LIB_SSL, (r), NULL)
# define SYSerr(f, r) ERR_raise_data(ERR_LIB_SYS, (r), NULL)
# define TSerr(f, r) ERR_raise_data(ERR_LIB_TS, (r), NULL)
# define UIerr(f, r) ERR_raise_data(ERR_LIB_UI, (r), NULL)
# define X509V3err(f, r) ERR_raise_data(ERR_LIB_X509V3, (r), NULL)
# define X509err(f, r) ERR_raise_data(ERR_LIB_X509, (r), NULL)
# endif

/*-
 * The error code packs differently depending on if it records a system
 * error or an OpenSSL error.
 *
 * A system error packs like this (we follow POSIX and only allow positive
 * numbers that fit in an |int|):
 *
 * +-+-----+
 * |1|          system error number          |
 * +-+-----+
 *
 * An OpenSSL error packs like this:
 *
 * <----- 32 bits ----->
 * <--- 8 bits ---><----- 23 bits ----->
 * +-+-----+
 * |0| library |          reason          |
 * +-+-----+
 *
 * A few of the reason bits are reserved as flags with special meaning:
 *
 *
 * <5 bits-<>----- 19 bits ----->
 * +-----+-----+
 * | rflags| |          reason          |
 * +-----+-----+
 *
 *      ^
 *      |
 *      ERR_RFLAG_FATAL = ERR_R_FATAL
 *
 * The reason flags are part of the overall reason code for practical
 * reasons, as they provide an easy way to place different types of
 * reason codes in different numeric ranges.
 *
 * The currently known reason flags are:
 *
 * ERR_RFLAG_FATAL    Flags that the reason code is considered fatal.
 *

```

```

        For backward compatibility reasons, this flag
*         is also the code for ERR_R_FATAL (that reason
*         code served the dual purpose of flag and reason
*         code in one in pre-3.0 OpenSSL).
* ERR_RFLAG_COMMON   Flags that the reason code is common to all
*                     libraries. All ERR_R_ macros must use this flag,
*                     and no other _R_ macro is allowed to use it.
*/

/* Macros to help decode recorded system errors */
#define ERR_SYSTEM_FLAG      ((unsigned int)INT_MAX + 1)
#define ERR_SYSTEM_MASK      ((unsigned int)INT_MAX)

/*
* Macros to help decode recorded OpenSSL errors
* As expressed above, RFLAGS and REASON overlap by one bit to allow
* ERR_R_FATAL to use ERR_RFLAG_FATAL as its reason code.
*/
#define ERR_LIB_OFFSET       23L
#define ERR_LIB_MASK         0xFF
#define ERR_RFLAGS_OFFSET   18L
#define ERR_RFLAGS_MASK     0x1F
#define ERR_REASON_MASK     0X7FFFFF

/*
* Reason flags are defined pre-shifted to easily combine with the reason
* number.
*/
#define ERR_RFLAG_FATAL      (0x1 << ERR_RFLAGS_OFFSET)
#define ERR_RFLAG_COMMON    (0x2 << ERR_RFLAGS_OFFSET)

#define ERR_SYSTEM_ERROR(errcode)  (((errcode) & ERR_SYSTEM_FLAG) != 0)

static ossl_unused ossl_inline int ERR_GET_LIB(unsigned long errcode)
{
    if (ERR_SYSTEM_ERROR(errcode))
        return ERR_LIB_SYS;
    return (errcode >> ERR_LIB_OFFSET) & ERR_LIB_MASK;
}

static ossl_unused ossl_inline int ERR_GET_RFLAGS(unsigned long errcode)
{
    if (ERR_SYSTEM_ERROR(errcode))
        return 0;
    return errcode & (ERR_RFLAGS_MASK << ERR_RFLAGS_OFFSET);
}

```

```

static ossl_unused ossl_inline int ERR_GET_REASON(unsigned long errcode)
{
    if (ERR_SYSTEM_ERROR(errcode))
        return errcode & ERR_SYSTEM_MASK;
    return errcode & ERR_REASON_MASK;
}

static ossl_unused ossl_inline int ERR_FATAL_ERROR(unsigned
long errcode)
{
    return (ERR_GET_RFLAGS(errcode) & ERR_RFLAG_FATAL) != 0;
}

static ossl_unused ossl_inline int ERR_COMMON_ERROR(unsigned long errcode)
{
    return (ERR_GET_RFLAGS(errcode) & ERR_RFLAG_COMMON) != 0;
}

/*
 * ERR_PACK is a helper macro to properly pack OpenSSL error codes and may
 * only be used for that purpose. System errors are packed internally.
 * ERR_PACK takes reason flags and reason code combined in |reason|.
 * ERR_PACK ignores |func|, that parameter is just legacy from pre-3.0 OpenSSL.
 */
#define ERR_PACK(lib,func,reason) \
    (((unsigned long)(lib) & ERR_LIB_MASK) << ERR_LIB_OFFSET) | \
    (((unsigned long)(reason) & ERR_REASON_MASK))

#ifndef OPENSSL_NO_DEPRECATED_3_0
#define SYS_F_FOPEN 0
#define SYS_F_CONNECT 0
#define SYS_F_GETSERVBYNAME 0
#define SYS_F_SOCKET 0
#define SYS_F_IOCTL_SOCKET 0
#define SYS_F_BIND 0
#define SYS_F_LISTEN 0
#define SYS_F_ACCEPT 0
#define SYS_F_WSASTARTUP 0
#define SYS_F_OPENDIR 0
#define SYS_F_FREAD 0
#define SYS_F_GETADDRINFO 0
#define SYS_F_GETNAMEINFO 0
#define SYS_F_SETSOCKOPT 0
#define SYS_F_GETSOCKOPT 0
#define SYS_F_GETSOCKNAME 0
#define SYS_F_GETHOSTBYNAME 0
#define SYS_F_FFLUSH 0

```

```

# define SYS_F_OPEN      0
# define SYS_F_CLOSE     0
# define SYS_F_IOCTL     0
# define SYS_F_STAT      0
# define SYS_F_FCNTL     0
# define SYS_F_FSTAT     0
# define SYS_F_SENDFILE  0
# endif

/*
 * All ERR_R_ codes must be combined with ERR_RFLAG_COMMON.
 */

/* "we came from here" global reason codes, range 1..255 */
# define ERR_R_SYS_LIB      (ERR_LIB_SYS/* 2 */ | ERR_RFLAG_COMMON)
# define ERR_R_BN_LIB      (ERR_LIB_BN/* 3 */ | ERR_RFLAG_COMMON)
# define ERR_R_RSA_LIB      (ERR_LIB_RSA/*
 4 */ | ERR_RFLAG_COMMON)
# define ERR_R_DH_LIB      (ERR_LIB_DH/* 5 */ | ERR_RFLAG_COMMON)
# define ERR_R_EVP_LIB      (ERR_LIB_EVP/* 6 */ | ERR_RFLAG_COMMON)
# define ERR_R_BUF_LIB      (ERR_LIB_BUF/* 7 */ | ERR_RFLAG_COMMON)
# define ERR_R_OBJ_LIB      (ERR_LIB_OBJ/* 8 */ | ERR_RFLAG_COMMON)
# define ERR_R_PEM_LIB      (ERR_LIB_PEM/* 9 */ | ERR_RFLAG_COMMON)
# define ERR_R_DSA_LIB      (ERR_LIB_DSA/* 10 */ | ERR_RFLAG_COMMON)
# define ERR_R_X509_LIB     (ERR_LIB_X509/* 11 */ | ERR_RFLAG_COMMON)
# define ERR_R_ASN1_LIB     (ERR_LIB_ASN1/* 13 */ | ERR_RFLAG_COMMON)
# define ERR_R_CONF_LIB     (ERR_LIB_CONF/* 14 */ | ERR_RFLAG_COMMON)
# define ERR_R_CRYPTOLIB    (ERR_LIB_CRYPTOLIB/* 15 */ | ERR_RFLAG_COMMON)
# define ERR_R_EC_LIB      (ERR_LIB_EC/* 16 */ | ERR_RFLAG_COMMON)
# define ERR_R_SSL_LIB      (ERR_LIB_SSL/* 20 */ | ERR_RFLAG_COMMON)
# define ERR_R_BIO_LIB      (ERR_LIB_BIO/* 32 */ | ERR_RFLAG_COMMON)
# define ERR_R_PKCS7_LIB    (ERR_LIB_PKCS7/* 33 */ | ERR_RFLAG_COMMON)
# define ERR_R_X509V3_LIB   (ERR_LIB_X509V3/* 34 */ | ERR_RFLAG_COMMON)
# define ERR_R_PKCS12_LIB   (ERR_LIB_PKCS12/* 35 */ | ERR_RFLAG_COMMON)
# define ERR_R_RAND_LIB     (ERR_LIB_RAND/* 36 */ | ERR_RFLAG_COMMON)
# define ERR_R_DSO_LIB      (ERR_LIB_DSO/* 37 */ | ERR_RFLAG_COMMON)
# define ERR_R_ENGINE_LIB   (ERR_LIB_ENGINE/* 38 */ | ERR_RFLAG_COMMON)
# define ERR_R_UI_LIB       (ERR_LIB_UI/* 40 */ | ERR_RFLAG_COMMON)
# define ERR_R_ECDSA_LIB    (ERR_LIB_ECDSA/* 42 */ | ERR_RFLAG_COMMON)
# define ERR_R_OSSL_STORE_LIB (ERR_LIB_OSSL_STORE/* 44 */ | ERR_RFLAG_COMMON)
# define ERR_R_CMS_LIB      (ERR_LIB_CMS/* 46 */ | ERR_RFLAG_COMMON)
# define ERR_R_TS_LIB       (ERR_LIB_TS/* 47 */ | ERR_RFLAG_COMMON)
# define ERR_R_CT_LIB       (ERR_LIB_CT/* 50 */ | ERR_RFLAG_COMMON)
# define ERR_R_PROV_LIB     (ERR_LIB_PROV/* 57 */ | ERR_RFLAG_COMMON)
# define ERR_R_ess_LIB      (ERR_LIB_ess/* 54
 */ | ERR_RFLAG_COMMON)
# define ERR_R_CMP_LIB      (ERR_LIB_CMP/* 58 */ | ERR_RFLAG_COMMON)

```



```

#define ERR_R_OSSL_ENCODER_LIB (ERR_LIB_OSSL_ENCODER/* 59 */| ERR_RFLAG_COMMON)
#define ERR_R_OSSL_DECODER_LIB (ERR_LIB_OSSL_DECODER/* 60 */| ERR_RFLAG_COMMON)

/* Other common error codes, range 256..2^ERR_RFLAGS_OFFSET-1 */
#define ERR_R_FATAL (ERR_RFLAG_FATAL|ERR_RFLAG_COMMON)
#define ERR_R_MALLOC_FAILURE (256|ERR_R_FATAL)
#define ERR_R_SHOULD_NOT_HAVE_BEEN_CALLED (257|ERR_R_FATAL)
#define ERR_R_PASSED_NULL_PARAMETER (258|ERR_R_FATAL)
#define ERR_R_INTERNAL_ERROR (259|ERR_R_FATAL)
#define ERR_R_DISABLED (260|ERR_R_FATAL)
#define ERR_R_INIT_FAIL (261|ERR_R_FATAL)
#define ERR_R_PASSED_INVALID_ARGUMENT (262|ERR_RFLAG_COMMON)
#define ERR_R_OPERATION_FAIL (263|ERR_R_FATAL)
#define ERR_R_INVALID_PROVIDER_FUNCTIONS (264|ERR_R_FATAL)
#define ERR_R_INTERRUPTED_OR_CANCELLED (265|ERR_RFLAG_COMMON)
#define ERR_R_NESTED_ASN1_ERROR (266|ERR_RFLAG_COMMON)
#define ERR_R_MISSING_ASN1_EOS (267|ERR_RFLAG_COMMON)
#define ERR_R_UNSUPPORTED (268|ERR_RFLAG_COMMON)
#define ERR_R_FETCH_FAILED (269|ERR_RFLAG_COMMON)
#define ERR_R_INVALID_PROPERTY_DEFINITION (270|ERR_RFLAG_COMMON)
#define ERR_R_UNABLE_TO_GET_READ_LOCK (271|ERR_R_FATAL)
#define ERR_R_UNABLE_TO_GET_WRITE_LOCK (272|ERR_R_FATAL)

typedef struct ERR_string_data_st {
    unsigned long error;
    const char *string;
} ERR_STRING_DATA;

DEFINE_LHASH_OF_INTERNAL(ERR_STRING_DATA);
#define lh_ERR_STRING_DATA_new(hfn, cmp) ((LHASH_OF(ERR_STRING_DATA)
*)OPENSSL_LH_new(ssl_check_ERR_STRING_DATA_lh_hashfunc_type(hfn),
ssl_check_ERR_STRING_DATA_lh_compfunc_type(cmp)))
#define lh_ERR_STRING_DATA_free(lh) OPENSSL_LH_free(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define
    lh_ERR_STRING_DATA_flush(lh) OPENSSL_LH_flush(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_insert(lh, ptr) ((ERR_STRING_DATA
*)OPENSSL_LH_insert(ssl_check_ERR_STRING_DATA_lh_type(lh),
ssl_check_ERR_STRING_DATA_lh_plain_type(ptr)))
#define lh_ERR_STRING_DATA_delete(lh, ptr) ((ERR_STRING_DATA
*)OPENSSL_LH_delete(ssl_check_ERR_STRING_DATA_lh_type(lh),
ssl_check_const_ERR_STRING_DATA_lh_plain_type(ptr)))
#define lh_ERR_STRING_DATA_retrieve(lh, ptr) ((ERR_STRING_DATA
*)OPENSSL_LH_retrieve(ssl_check_ERR_STRING_DATA_lh_type(lh),
ssl_check_const_ERR_STRING_DATA_lh_plain_type(ptr)))
#define lh_ERR_STRING_DATA_error(lh) OPENSSL_LH_error(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_num_items(lh)
    OPENSSL_LH_num_items(ssl_check_ERR_STRING_DATA_lh_type(lh))

```

```

#define lh_ERR_STRING_DATA_node_stats_bio(lh, out)
OPENSSL_LH_node_stats_bio(ossl_check_const_ERR_STRING_DATA_lh_type(lh), out)
#define lh_ERR_STRING_DATA_node_usage_stats_bio(lh,
    out) OPENSSL_LH_node_usage_stats_bio(ossl_check_const_ERR_STRING_DATA_lh_type(lh), out)
#define lh_ERR_STRING_DATA_stats_bio(lh, out)
OPENSSL_LH_stats_bio(ossl_check_const_ERR_STRING_DATA_lh_type(lh), out)
#define lh_ERR_STRING_DATA_get_down_load(lh)
OPENSSL_LH_get_down_load(ossl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_set_down_load(lh, dl)
OPENSSL_LH_set_down_load(ossl_check_ERR_STRING_DATA_lh_type(lh), dl)
#define lh_ERR_STRING_DATA_doall(lh, dfn)
OPENSSL_LH_doall(ossl_check_ERR_STRING_DATA_lh_type(lh),
    ossl_check_ERR_STRING_DATA_lh_doallfunc_type(dfn))

/* 12 lines and some on an 80 column terminal */
#define ERR_MAX_DATA_SIZE    1024

/* Building blocks */
void ERR_new(void);
void ERR_set_debug(const char *file, int line, const char *func);
void ERR_set_error(int lib, int reason, const char *fmt, ...);
void ERR_vset_error(int lib, int reason, const char *fmt, va_list args);

/* Main error raising functions */
# define ERR_raise(lib, reason) ERR_raise_data((lib),(reason),NULL)
#
# define ERR_raise_data \
    (ERR_new(), \
     ERR_set_debug(OPENSSL_FILE,OPENSSL_LINE,OPENSSL_FUNC), \
     ERR_set_error)

# ifndef OPENSSL_NO_DEPRECATED_3_0
/* Backward compatibility */
# define ERR_put_error(lib, func, reason, file, line) \
    (ERR_new(), \
     ERR_set_debug((file), (line), OPENSSL_FUNC), \
     ERR_set_error((lib), (reason), NULL))
# endif

void ERR_set_error_data(char *data, int flags);

unsigned long ERR_get_error(void);
unsigned long ERR_get_error_all(const char **file, int *line,
    const char **func,
    const char **data, int *flags);
# ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0

```

```

unsigned long ERR_get_error_line(const char **file, int *line);
OSSL_DEPRECATEDIN_3_0
unsigned long ERR_get_error_line_data(const
char **file, int *line,
    const char **data, int *flags);
#endif
unsigned long ERR_peek_error(void);
unsigned long ERR_peek_error_line(const char **file, int *line);
unsigned long ERR_peek_error_func(const char **func);
unsigned long ERR_peek_error_data(const char **data, int *flags);
unsigned long ERR_peek_error_all(const char **file, int *line,
    const char **func,
    const char **data, int *flags);
# ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
unsigned long ERR_peek_error_line_data(const char **file, int *line,
    const char **data, int *flags);
# endif
unsigned long ERR_peek_last_error(void);
unsigned long ERR_peek_last_error_line(const char **file, int *line);
unsigned long ERR_peek_last_error_func(const char **func);
unsigned long ERR_peek_last_error_data(const char **data, int *flags);
unsigned long ERR_peek_last_error_all(const
char **file, int *line,
    const char **func,
    const char **data, int *flags);
# ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
unsigned long ERR_peek_last_error_line_data(const char **file, int *line,
    const char **data, int *flags);
# endif

void ERR_clear_error(void);

char *ERR_error_string(unsigned long e, char *buf);
void ERR_error_string_n(unsigned long e, char *buf, size_t len);
const char *ERR_lib_error_string(unsigned long e);
# ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 const char *ERR_func_error_string(unsigned long e);
# endif
const char *ERR_reason_error_string(unsigned long e);

void ERR_print_errors_cb(int (*cb) (const char *str, size_t len, void *u),
    void *u);
# ifndef OPENSSL_NO_STDIO
void ERR_print_errors_fp(FILE *fp);
# endif
void ERR_print_errors(BIO *bp);

```

```

void ERR_add_error_data(int num, ...);
void ERR_add_error_vdata(int
    num, va_list args);
void ERR_add_error_txt(const char *sepr, const char *txt);
void ERR_add_error_mem_bio(const char *sep, BIO *bio);

int ERR_load_strings(int lib, ERR_STRING_DATA *str);
int ERR_load_strings_const(const ERR_STRING_DATA *str);
int ERR_unload_strings(int lib, ERR_STRING_DATA *str);

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
# define ERR_load_crypto_strings() \
    OPENSSL_init_crypto(OPENSSL_INIT_LOAD_CRYPTO_STRINGS, NULL)
# define ERR_free_strings() while(0) continue
#else
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 void ERR_remove_thread_state(void *);
#else
#ifdef OPENSSL_NO_DEPRECATED_1_0_0
OSSL_DEPRECATEDIN_1_0_0 void ERR_remove_state(unsigned long pid);
#else
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 ERR_STATE *ERR_get_state(void);
#else

```

```

int ERR_get_next_error_library(void);

```

```

int ERR_set_mark(void);
int ERR_pop_to_mark(void);
int ERR_clear_last_mark(void);

```

```

#ifdef __cplusplus
}
#endif

```

```

#endif

```

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

This product also include the following software:

=====

QRCode for JavaScript

Copyright (c) 2009 Kazuhiko Arase

URL: <http://www.d-project.com/>

Licensed under the MIT license:
<http://www.opensource.org/licenses/mit-license.php>

The word "QR Code" is registered trademark of
DENSO WAVE INCORPORATED
<http://www.denso-wave.com/qrcode/faqpatent-e.html>

Located in ./vendor/QRCode
- project has been modified to work in Node and some refactoring was done for code cleanup
This software is licensed under the MIT License.

Copyright Fedor Indutny, 2018.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2022 Justin Ridgewell <justin@ridgewell.name>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

/*

* Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/*

* Header for dynamic hash table routines Author - Eric Young

*/

#ifndef OPENSSL_LHASH_H

define OPENSSL_LHASH_H

pragma once

include <openssl/macros.h>

ifndef OPENSSL_NO_DEPRECATED_3_0

define HEADER_LHASH_H

endif

include <openssl/e_os2.h>

include <openssl/bio.h>

```

#ifdef __cplusplus
extern "C" {
#endif

typedef struct lhash_node_st OPENSSL_LH_NODE;
typedef int (*OPENSSL_LH_COMPFUNC) (const void *, const void *);
typedef unsigned long (*OPENSSL_LH_HASHFUNC) (const void *);
typedef void (*OPENSSL_LH_DOALL_FUNC) (void *);
typedef void (*OPENSSL_LH_DOALL_FUNCARG) (void *, void *);
typedef struct lhash_st OPENSSL_LHASH;

/*
 * Macros for
 * declaring and implementing type-safe wrappers for LHASH
 * callbacks. This way, callbacks can be provided to LHASH structures without
 * function pointer casting and the macro-defined callbacks provide
 * per-variable casting before deferring to the underlying type-specific
 * callbacks. NB: It is possible to place a "static" in front of both the
 * DECLARE and IMPLEMENT macros if the functions are strictly internal.
 */

/* First: "hash" functions */
#define DECLARE_LHASH_HASH_FN(name, o_type) \
    unsigned long name##_LHASH_HASH(const void *);
#define IMPLEMENT_LHASH_HASH_FN(name, o_type) \
    unsigned long name##_LHASH_HASH(const void *arg) { \
        const o_type *a = arg; \
        return name##_hash(a); }
#define LHASH_HASH_FN(name) name##_LHASH_HASH

/* Second: "compare" functions */
#define DECLARE_LHASH_COMP_FN(name, o_type) \
    int name##_LHASH_COMP(const void *, const void *);
#define IMPLEMENT_LHASH_COMP_FN(name, o_type) \
    int \
    name##_LHASH_COMP(const void *arg1, const void *arg2) { \
        const o_type *a = arg1; \
        const o_type *b = arg2; \
        return name##_cmp(a,b); }
#define LHASH_COMP_FN(name) name##_LHASH_COMP

/* Fourth: "doall_arg" functions */
#define DECLARE_LHASH_DOALL_ARG_FN(name, o_type, a_type) \
    void name##_LHASH_DOALL_ARG(void *, void *);
#define IMPLEMENT_LHASH_DOALL_ARG_FN(name, o_type, a_type) \
    void name##_LHASH_DOALL_ARG(void *arg1, void *arg2) { \
        o_type *a = arg1; \

```

```

        a_type *b = arg2; \
        name##_doall_arg(a, b); }
#define LHASH_DOALL_ARG_FN(name) name##_LHASH_DOALL_ARG

#define LH_LOAD_MULT 256

int OPENSSL_LH_error(OPENSSL_LHASH *lh);
OPENSSL_LHASH *OPENSSL_LH_new(OPENSSL_LH_HASHFUNC h, OPENSSL_LH_COMPFUNC c);
void OPENSSL_LH_free(OPENSSL_LHASH *lh);
void OPENSSL_LH_flush(OPENSSL_LHASH *lh);
void *OPENSSL_LH_insert(OPENSSL_LHASH *lh, void *data);
void *OPENSSL_LH_delete(OPENSSL_LHASH
    *lh, const void *data);
void *OPENSSL_LH_retrieve(OPENSSL_LHASH *lh, const void *data);
void OPENSSL_LH_doall(OPENSSL_LHASH *lh, OPENSSL_LH_DOALL_FUNC func);
void OPENSSL_LH_doall_arg(OPENSSL_LHASH *lh, OPENSSL_LH_DOALL_FUNCARG func, void *arg);
unsigned long OPENSSL_LH_strhash(const char *c);
unsigned long OPENSSL_LH_num_items(const OPENSSL_LHASH *lh);
unsigned long OPENSSL_LH_get_down_load(const OPENSSL_LHASH *lh);
void OPENSSL_LH_set_down_load(OPENSSL_LHASH *lh, unsigned long down_load);

#ifndef OPENSSL_NO_STDIO
void OPENSSL_LH_stats(const OPENSSL_LHASH *lh, FILE *fp);
void OPENSSL_LH_node_stats(const OPENSSL_LHASH *lh, FILE *fp);
void OPENSSL_LH_node_usage_stats(const OPENSSL_LHASH *lh, FILE *fp);
#endif

void OPENSSL_LH_stats_bio(const OPENSSL_LHASH *lh, BIO *out);
void OPENSSL_LH_node_stats_bio(const OPENSSL_LHASH *lh, BIO *out);
void OPENSSL_LH_node_usage_stats_bio(const OPENSSL_LHASH *lh, BIO *out);

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#define _LHASH OPENSSL_LHASH
#define
    define LHASH_NODE OPENSSL_LH_NODE
#define lh_error OPENSSL_LH_error
#define lh_new OPENSSL_LH_new
#define lh_free OPENSSL_LH_free
#define lh_insert OPENSSL_LH_insert
#define lh_delete OPENSSL_LH_delete
#define lh_retrieve OPENSSL_LH_retrieve
#define lh_doall OPENSSL_LH_doall
#define lh_doall_arg OPENSSL_LH_doall_arg
#define lh_strhash OPENSSL_LH_strhash
#define lh_num_items OPENSSL_LH_num_items
#ifndef OPENSSL_NO_STDIO
#define lh_stats OPENSSL_LH_stats
#define lh_node_stats OPENSSL_LH_node_stats

```

```

# define lh_node_usage_stats OPENSSL_LH_node_usage_stats
# endif

# define lh_stats_bio OPENSSL_LH_stats_bio
# define lh_node_stats_bio OPENSSL_LH_node_stats_bio
# define lh_node_usage_stats_bio OPENSSL_LH_node_usage_stats_bio
# endif

/* Type checking... */

# define LHASH_OF(type) struct lhash_st_##type

/* Helper macro for internal use */
# define DEFINE_LHASH_OF_INTERNAL(type) \
    LHASH_OF(type) { union lh_##type##_dummy { void* d1; unsigned long \
d2; int d3; } dummy; }; \
    typedef int (*lh_##type##_compfunc)(const type *a, const type *b); \
    typedef unsigned long (*lh_##type##_hashfunc)(const type *a); \
    typedef void (*lh_##type##_doallfunc)(type *a); \
    static ossl_unused ossl_inline type *ossl_check_##type##_lh_plain_type(type *ptr) \
    { \
        return ptr; \
    } \
    static ossl_unused ossl_inline const type *ossl_check_const_##type##_lh_plain_type(const type *ptr) \
    { \
        return ptr; \
    } \
    static ossl_unused ossl_inline const OPENSSL_LHASH *ossl_check_const_##type##_lh_type(const \
LHASH_OF(type) *lh) \
    { \
        return (const OPENSSL_LHASH *)lh; \
    } \
    static ossl_unused ossl_inline OPENSSL_LHASH *ossl_check_##type##_lh_type(LHASH_OF(type) *lh) \
    { \
        return (OPENSSL_LHASH *)lh; \
    } \
    static ossl_unused ossl_inline OPENSSL_LH_COMPFUNC \
ossl_check_##type##_lh_compfunc_type(lh_##type##_compfunc cmp) \
    { \
        return (OPENSSL_LH_COMPFUNC)cmp; \
    } \
    static ossl_unused ossl_inline OPENSSL_LH_HASHFUNC \
ossl_check_##type##_lh_hashfunc_type(lh_##type##_hashfunc hfn) \
    { \
        return (OPENSSL_LH_HASHFUNC)hfn; \
    } \
    static ossl_unused ossl_inline OPENSSL_LH_DOALL_FUNC \
ossl_check_##type##_lh_doallfunc_type(lh_##type##_doallfunc dfn) \

```

```

{ \
    return (OPENSSL_LH_DOALL_FUNC)dfn; \
} \
LHASH_OF(type)

# define DEFINE_LHASH_OF(type) \
LHASH_OF(type) { union lh_##type##_dummy { void* d1; unsigned long d2; int d3; } dummy; }; \
static ossl_unused ossl_inline LHASH_OF(type) *lh_##type##_new(unsigned long (*hfn)(const type *), \
    int (*cfn)(const type *, const type *)) \
{ \
    return (LHASH_OF(type) *) \
        OPENSSL_LH_new((OPENSSL_LH_HASHFUNC)hfn, (OPENSSL_LH_COMPFUNC)cfn); \
} \
static ossl_unused ossl_inline void lh_##type##_free(LHASH_OF(type) *lh) \
{ \
    OPENSSL_LH_free((OPENSSL_LHASH *)lh); \
} \
static ossl_unused ossl_inline void lh_##type##_flush(LHASH_OF(type) *lh) \
{ \
    OPENSSL_LH_flush((OPENSSL_LHASH *)lh); \
} \
static ossl_unused ossl_inline type *lh_##type##_insert(LHASH_OF(type) *lh, type *d) \
{ \
    return (type *)OPENSSL_LH_insert((OPENSSL_LHASH *)lh, d); \
} \
static ossl_unused ossl_inline type *lh_##type##_delete(LHASH_OF(type) *lh, const type *d) \
{ \
    return (type *)OPENSSL_LH_delete((OPENSSL_LHASH *)lh, d); \
} \
static ossl_unused ossl_inline type *lh_##type##_retrieve(LHASH_OF(type) *lh, const type *d) \
{ \
    return (type *)OPENSSL_LH_retrieve((OPENSSL_LHASH *)lh, d); \
} \
static ossl_unused ossl_inline int lh_##type##_error(LHASH_OF(type) *lh) \
{ \
    return OPENSSL_LH_error((OPENSSL_LHASH *)lh); \
} \
static ossl_unused ossl_inline unsigned long lh_##type##_num_items(LHASH_OF(type) *lh) \
{ \
    return OPENSSL_LH_num_items((OPENSSL_LHASH \
*)lh); \
} \
static ossl_unused ossl_inline void lh_##type##_node_stats_bio(const LHASH_OF(type) *lh, BIO *out) \
{ \
    OPENSSL_LH_node_stats_bio((const OPENSSL_LHASH *)lh, out); \
} \
static ossl_unused ossl_inline void lh_##type##_node_usage_stats_bio(const LHASH_OF(type) *lh, BIO *out) \

```

```

{ \
    OPENSSL_LH_node_usage_stats_bio((const OPENSSL_LHASH *)lh, out); \
} \
static ossl_unused ossl_inline void lh_##type##_stats_bio(const LHASH_OF(type) *lh, BIO *out) \
{ \
    OPENSSL_LH_stats_bio((const OPENSSL_LHASH *)lh, out); \
} \
static ossl_unused ossl_inline unsigned long lh_##type##_get_down_load(LHASH_OF(type) *lh) \
{ \
    return OPENSSL_LH_get_down_load((OPENSSL_LHASH *)lh); \
} \
static ossl_unused ossl_inline void lh_##type##_set_down_load(LHASH_OF(type) *lh, unsigned long dl) \
{ \
    OPENSSL_LH_set_down_load((OPENSSL_LHASH *)lh, dl); \
} \
static ossl_unused ossl_inline void lh_##type##_doall(LHASH_OF(type) \
*lh, \
                                void (*doall)(type *)) \
{ \
    OPENSSL_LH_doall((OPENSSL_LHASH *)lh, (OPENSSL_LH_DOALL_FUNC)doall); \
} \
static ossl_unused ossl_inline void lh_##type##_doall_arg(LHASH_OF(type) *lh, \
                                void (*doallarg)(type *, void *), \
                                void *arg) \
{ \
    OPENSSL_LH_doall_arg((OPENSSL_LHASH *)lh, \
                        (OPENSSL_LH_DOALL_FUNCARG)doallarg, arg); \
} \
LHASH_OF(type)

#define IMPLEMENT_LHASH_DOALL_ARG_CONST(type, argtype) \
    int_implement_lhash_doall(type, argtype, const type)

#define IMPLEMENT_LHASH_DOALL_ARG(type, argtype) \
    int_implement_lhash_doall(type, argtype, type)

#define int_implement_lhash_doall(type, argtype, cbargtype) \
    static ossl_unused ossl_inline void \
        lh_##type##_doall_##argtype(LHASH_OF(type) *lh, \
\
                                void (*fn)(cbargtype *, argtype *), \
                                argtype *arg) \
    { \
        OPENSSL_LH_doall_arg((OPENSSL_LHASH *)lh, (OPENSSL_LH_DOALL_FUNCARG)fn, (void *)arg); \
    } \
    LHASH_OF(type)

DEFINE_LHASH_OF_INTERNAL(OPENSSL_STRING);

```

```

#define lh_OPENSSL_STRING_new(hfn, cmp) ((LHASH_OF(OPENSSL_STRING)
*)OPENSSL_LH_new(ssl_check_OPENSSL_STRING_lh_hashfunc_type(hfn),
ssl_check_OPENSSL_STRING_lh_compfunc_type(cmp)))
#define lh_OPENSSL_STRING_free(lh) OPENSSL_LH_free(ssl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_flush(lh) OPENSSL_LH_flush(ssl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_insert(lh, ptr) ((OPENSSL_STRING
*)OPENSSL_LH_insert(ssl_check_OPENSSL_STRING_lh_type(lh),
ssl_check_OPENSSL_STRING_lh_plain_type(ptr)))
#define lh_OPENSSL_STRING_delete(lh, ptr) ((OPENSSL_STRING
*)OPENSSL_LH_delete(ssl_check_OPENSSL_STRING_lh_type(lh),
ssl_check_const_OPENSSL_STRING_lh_plain_type(ptr)))
#define
lh_OPENSSL_STRING_retrieve(lh, ptr) ((OPENSSL_STRING
*)OPENSSL_LH_retrieve(ssl_check_OPENSSL_STRING_lh_type(lh),
ssl_check_const_OPENSSL_STRING_lh_plain_type(ptr)))
#define lh_OPENSSL_STRING_error(lh) OPENSSL_LH_error(ssl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_num_items(lh)
OPENSSL_LH_num_items(ssl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_node_stats_bio(lh, out)
OPENSSL_LH_node_stats_bio(ssl_check_const_OPENSSL_STRING_lh_type(lh), out)
#define lh_OPENSSL_STRING_node_usage_stats_bio(lh, out)
OPENSSL_LH_node_usage_stats_bio(ssl_check_const_OPENSSL_STRING_lh_type(lh), out)
#define lh_OPENSSL_STRING_stats_bio(lh, out)
OPENSSL_LH_stats_bio(ssl_check_const_OPENSSL_STRING_lh_type(lh), out)
#define lh_OPENSSL_STRING_get_down_load(lh)
OPENSSL_LH_get_down_load(ssl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_set_down_load(lh, dl)
OPENSSL_LH_set_down_load(ssl_check_OPENSSL_STRING_lh_type(lh), dl)
#define lh_OPENSSL_STRING_doall(lh,
dfn) OPENSSL_LH_doall(ssl_check_OPENSSL_STRING_lh_type(lh),
ssl_check_OPENSSL_STRING_lh_doallfunc_type(dfn))
DEFINE_LHASH_OF_INTERNAL(OPENSSL_CSTRING);
#define lh_OPENSSL_CSTRING_new(hfn, cmp) ((LHASH_OF(OPENSSL_CSTRING)
*)OPENSSL_LH_new(ssl_check_OPENSSL_CSTRING_lh_hashfunc_type(hfn),
ssl_check_OPENSSL_CSTRING_lh_compfunc_type(cmp)))
#define lh_OPENSSL_CSTRING_free(lh) OPENSSL_LH_free(ssl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_flush(lh) OPENSSL_LH_flush(ssl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_insert(lh, ptr) ((OPENSSL_CSTRING
*)OPENSSL_LH_insert(ssl_check_OPENSSL_CSTRING_lh_type(lh),
ssl_check_OPENSSL_CSTRING_lh_plain_type(ptr)))
#define lh_OPENSSL_CSTRING_delete(lh, ptr) ((OPENSSL_CSTRING
*)OPENSSL_LH_delete(ssl_check_OPENSSL_CSTRING_lh_type(lh),
ssl_check_const_OPENSSL_CSTRING_lh_plain_type(ptr)))
#define lh_OPENSSL_CSTRING_retrieve(lh, ptr) ((OPENSSL_CSTRING
*)OPENSSL_LH_retrieve(ssl_check_OPENSSL_CSTRING_lh_type(lh),
ssl_check_const_OPENSSL_CSTRING_lh_plain_type(ptr)))
#define lh_OPENSSL_CSTRING_error(lh) OPENSSL_LH_error(ssl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_num_items(lh)

```



```

OPENSSL_LH_num_items(ssl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_node_stats_bio(lh, out)
OPENSSL_LH_node_stats_bio(ssl_check_const_OPENSSL_CSTRING_lh_type(lh), out)
#define lh_OPENSSL_CSTRING_node_usage_stats_bio(lh, out)
OPENSSL_LH_node_usage_stats_bio(ssl_check_const_OPENSSL_CSTRING_lh_type(lh), out)
#define lh_OPENSSL_CSTRING_stats_bio(lh, out)
OPENSSL_LH_stats_bio(ssl_check_const_OPENSSL_CSTRING_lh_type(lh), out)
#define lh_OPENSSL_CSTRING_get_down_load(lh)
OPENSSL_LH_get_down_load(ssl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_set_down_load(lh, dl)
OPENSSL_LH_set_down_load(ssl_check_OPENSSL_CSTRING_lh_type(lh), dl)
#define lh_OPENSSL_CSTRING_doall(lh, dfn)
OPENSSL_LH_doall(ssl_check_OPENSSL_CSTRING_lh_type(lh),
ssl_check_OPENSSL_CSTRING_lh_doallfunc_type(dfn))

```

```

#ifdef
__cplusplus
}
#endif

```

```

#endif
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',

```

'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',

'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',

'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',

'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_misc.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_skey.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',

'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',
'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',

'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',

'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',

'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',

'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',

'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',

'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',

'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',

'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',

'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbag.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',

'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',

'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',

'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',

'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',

'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',

'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',

'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',

'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',

```

'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/bsaes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx2.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/camellia/cml1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/whrlpool/wp-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_digests_gen.c',

```

```

'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm_avx2/providers/fips.ld',
],
'openssl_defines_BSD-x86_64': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'AES_ASM',
  'BSAES_ASM',
  'CMLL_ASM',
  'ECP_NISTZ256_ASM',
  'GHASH_ASM',
  'KECCAK1600_ASM',
  'MD5_ASM',
  'OPENSSL_BN_ASM_GF2m',
  'OPENSSL_BN_ASM_MONT',
  'OPENSSL_BN_ASM_MONT5',
  'OPENSSL_CPUID_OBJ',
  'OPENSSL_IA32_SSE2',
  'PADLOCK_ASM',
  'POLY1305_ASM',
  'RC4_ASM',
  'SHA1_ASM',
  'SHA256_ASM',
  'SHA512_ASM',
  'VPAES_ASM',
  'WHIRLPOOL_ASM',
  'X25519_ASM',
  'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
  '-Wa,--noexecstack',
  '-Wall -O3',
  '-pthread',
  '-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
  '-pthread',
],
},
'include_dirs': [
  '.',
  './include',

```

```

'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags' : ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}
/*
* WARNING: do not edit!
* Generated by Makefile from include/openssl/ct.h.in
*
* Copyright 2016-2020 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

```

```

#ifndef OPENSSSL_CT_H
# define OPENSSSL_CT_H
# pragma once

# include <openssl/macros.h>
# ifndef OPENSSSL_NO_DEPRECATED_3_0
# define HEADER_CT_H
# endif

# include <openssl/opensslconf.h>

# ifndef OPENSSSL_NO_CT
# include <openssl/types.h>
# include <openssl/safestack.h>
# include <openssl/x509.h>
# include <openssl/cterr.h>
# ifdef __cplusplus
extern "C" {
# endif

```

```

/* Minimum RSA key size, from RFC6962 */
# define SCT_MIN_RSA_BITS 2048

/* All hashes are SHA256 in v1 of Certificate Transparency */
# define CT_V1_HASHLEN SHA256_DIGEST_LENGTH

SKM_DEFINE_STACK_OF_INTERNAL(SCT,
    SCT, SCT)
# define sk_SCT_num(sk) OPENSSL_sk_num(ssl_check_const_SCT_sk_type(sk))
# define sk_SCT_value(sk, idx) ((SCT *)OPENSSL_sk_value(ssl_check_const_SCT_sk_type(sk), (idx)))
# define sk_SCT_new(cmp) ((STACK_OF(SCT) *)OPENSSL_sk_new(ssl_check_SCT_compfunc_type(cmp)))
# define sk_SCT_new_null() ((STACK_OF(SCT) *)OPENSSL_sk_new_null())
# define sk_SCT_new_reserve(cmp, n) ((STACK_OF(SCT)
*)OPENSSL_sk_new_reserve(ssl_check_SCT_compfunc_type(cmp), (n)))
# define sk_SCT_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SCT_sk_type(sk), (n))
# define sk_SCT_free(sk) OPENSSL_sk_free(ssl_check_SCT_sk_type(sk))
# define sk_SCT_zero(sk) OPENSSL_sk_zero(ssl_check_SCT_sk_type(sk))
# define sk_SCT_delete(sk, i) ((SCT *)OPENSSL_sk_delete(ssl_check_SCT_sk_type(sk), (i)))
# define sk_SCT_delete_ptr(sk, ptr) ((SCT *)OPENSSL_sk_delete_ptr(ssl_check_SCT_sk_type(sk),
ssl_check_SCT_type(ptr)))
# define sk_SCT_push(sk, ptr) OPENSSL_sk_push(ssl_check_SCT_sk_type(sk), ssl_check_SCT_type(ptr))
# define sk_SCT_unshift(sk,
    ptr) OPENSSL_sk_unshift(ssl_check_SCT_sk_type(sk), ssl_check_SCT_type(ptr))
# define sk_SCT_pop(sk) ((SCT *)OPENSSL_sk_pop(ssl_check_SCT_sk_type(sk)))
# define sk_SCT_shift(sk) ((SCT *)OPENSSL_sk_shift(ssl_check_SCT_sk_type(sk)))
# define sk_SCT_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_SCT_sk_type(sk), ssl_check_SCT_freefunc_type(freefunc))
# define sk_SCT_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SCT_sk_type(sk), ssl_check_SCT_type(ptr),
    (idx))
# define sk_SCT_set(sk, idx, ptr) ((SCT *)OPENSSL_sk_set(ssl_check_SCT_sk_type(sk), (idx),
    ssl_check_SCT_type(ptr)))
# define sk_SCT_find(sk, ptr) OPENSSL_sk_find(ssl_check_SCT_sk_type(sk), ssl_check_SCT_type(ptr))
# define sk_SCT_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_SCT_sk_type(sk), ssl_check_SCT_type(ptr))
# define sk_SCT_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_SCT_sk_type(sk),
    ssl_check_SCT_type(ptr), pnum)
# define sk_SCT_sort(sk) OPENSSL_sk_sort(ssl_check_SCT_sk_type(sk))
# define
    sk_SCT_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_SCT_sk_type(sk))
# define sk_SCT_dup(sk) ((STACK_OF(SCT) *)OPENSSL_sk_dup(ssl_check_const_SCT_sk_type(sk)))
# define sk_SCT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SCT)
*)OPENSSL_sk_deep_copy(ssl_check_const_SCT_sk_type(sk), ssl_check_SCT_copyfunc_type(copyfunc),
    ssl_check_SCT_freefunc_type(freefunc)))
# define sk_SCT_set_cmp_func(sk, cmp)
    ((sk_SCT_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_SCT_sk_type(sk),
    ssl_check_SCT_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CTLOG, CTLOG, CTLOG)
# define sk_CTLOG_num(sk) OPENSSL_sk_num(ssl_check_const_CTLOG_sk_type(sk))

```



```

#define sk_CTLOG_value(sk, idx) ((CTLOG *)OPENSSL_sk_value(ssl_check_const_CTLOG_sk_type(sk),
(idx)))
#define sk_CTLOG_new(cmp) ((STACK_OF(CTLOG)
*)OPENSSL_sk_new(ssl_check_CTLOG_compfunc_type(cmp)))
#define sk_CTLOG_new_null() ((STACK_OF(CTLOG) *)OPENSSL_sk_new_null())
#define sk_CTLOG_new_reserve(cmp, n) ((STACK_OF(CTLOG)
*)OPENSSL_sk_new_reserve(ssl_check_CTLOG_compfunc_type(cmp),
(n)))
#define sk_CTLOG_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_CTLOG_sk_type(sk), (n))
#define sk_CTLOG_free(sk) OPENSSL_sk_free(ssl_check_CTLOG_sk_type(sk))
#define sk_CTLOG_zero(sk) OPENSSL_sk_zero(ssl_check_CTLOG_sk_type(sk))
#define sk_CTLOG_delete(sk, i) ((CTLOG *)OPENSSL_sk_delete(ssl_check_CTLOG_sk_type(sk), (i)))
#define sk_CTLOG_delete_ptr(sk, ptr) ((CTLOG *)OPENSSL_sk_delete_ptr(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr)))
#define sk_CTLOG_push(sk, ptr) OPENSSL_sk_push(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr))
#define sk_CTLOG_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr))
#define sk_CTLOG_pop(sk) ((CTLOG *)OPENSSL_sk_pop(ssl_check_CTLOG_sk_type(sk)))
#define sk_CTLOG_shift(sk) ((CTLOG *)OPENSSL_sk_shift(ssl_check_CTLOG_sk_type(sk)))
#define sk_CTLOG_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CTLOG_sk_type(sk), ssl_check_CTLOG_freefunc_type(freefunc))
#define
sk_CTLOG_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr), (idx))
#define sk_CTLOG_set(sk, idx, ptr) ((CTLOG *)OPENSSL_sk_set(ssl_check_CTLOG_sk_type(sk), (idx),
ssl_check_CTLOG_type(ptr)))
#define sk_CTLOG_find(sk, ptr) OPENSSL_sk_find(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr))
#define sk_CTLOG_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr))
#define sk_CTLOG_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr), pnum)
#define sk_CTLOG_sort(sk) OPENSSL_sk_sort(ssl_check_CTLOG_sk_type(sk))
#define sk_CTLOG_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_CTLOG_sk_type(sk))
#define sk_CTLOG_dup(sk) ((STACK_OF(CTLOG)
*)OPENSSL_sk_dup(ssl_check_const_CTLOG_sk_type(sk)))
#define sk_CTLOG_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CTLOG)
*)OPENSSL_sk_deep_copy(ssl_check_const_CTLOG_sk_type(sk),
ssl_check_CTLOG_copyfunc_type(copyfunc),
ssl_check_CTLOG_freefunc_type(freefunc)))
#define sk_CTLOG_set_cmp_func(sk, cmp)
((sk_CTLOG_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_compfunc_type(cmp)))

```

```

typedef enum {

```

```

CT_LOG_ENTRY_TYPE_NOT_SET = -1,
CT_LOG_ENTRY_TYPE_X509 = 0,
CT_LOG_ENTRY_TYPE_PRECERT = 1
} ct_log_entry_type_t;

typedef enum {
    SCT_VERSION_NOT_SET = -1,
    SCT_VERSION_V1 = 0
} sct_version_t;

typedef enum {
    SCT_SOURCE_UNKNOWN,
    SCT_SOURCE_TLS_EXTENSION,
    SCT_SOURCE_X509V3_EXTENSION,
    SCT_SOURCE_OCSP_STAPLED_RESPONSE
} sct_source_t;

typedef enum {
    SCT_VALIDATION_STATUS_NOT_SET,
    SCT_VALIDATION_STATUS_UNKNOWN_LOG,
    SCT_VALIDATION_STATUS_VALID,
    SCT_VALIDATION_STATUS_INVALID,
    SCT_VALIDATION_STATUS_UNVERIFIED,
    SCT_VALIDATION_STATUS_UNKNOWN_VERSION
} sct_validation_status_t;

/*****
 * CT policy evaluation context functions *
*****/

/*
 * Creates a new, empty policy evaluation context associated with the given
 * library context and property query string.
 * The caller is responsible for calling CT_POLICY_EVAL_CTX_free when finished
 * with the CT_POLICY_EVAL_CTX.
 */
CT_POLICY_EVAL_CTX *CT_POLICY_EVAL_CTX_new_ex(OSSL_LIB_CTX *libctx,
                                              const char *propq);

/*
 * The same as CT_POLICY_EVAL_CTX_new_ex() but the default library
 * context and property query string is used.
 */
CT_POLICY_EVAL_CTX *CT_POLICY_EVAL_CTX_new(void);

/* Deletes a policy evaluation context and anything it owns. */
void CT_POLICY_EVAL_CTX_free(CT_POLICY_EVAL_CTX *ctx);

```

```

/* Gets the peer certificate that the SCTs are for */
X509* CT_POLICY_EVAL_CTX_get0_cert(const CT_POLICY_EVAL_CTX *ctx);

/*
 * Sets the certificate associated with the received SCTs.
 * Increments the reference count of cert.
 * Returns 1 on success, 0 otherwise.
 */
int CT_POLICY_EVAL_CTX_set1_cert(CT_POLICY_EVAL_CTX
 *ctx, X509 *cert);

/* Gets the issuer of the aforementioned certificate */
X509* CT_POLICY_EVAL_CTX_get0_issuer(const CT_POLICY_EVAL_CTX *ctx);

/*
 * Sets the issuer of the certificate associated with the received SCTs.
 * Increments the reference count of issuer.
 * Returns 1 on success, 0 otherwise.
 */
int CT_POLICY_EVAL_CTX_set1_issuer(CT_POLICY_EVAL_CTX *ctx, X509 *issuer);

/* Gets the CT logs that are trusted sources of SCTs */
const CTLOG_STORE *CT_POLICY_EVAL_CTX_get0_log_store(const CT_POLICY_EVAL_CTX *ctx);

/* Sets the log store that is in use. It must outlive the CT_POLICY_EVAL_CTX. */
void CT_POLICY_EVAL_CTX_set_shared_CTLOG_STORE(CT_POLICY_EVAL_CTX *ctx,
        CTLOG_STORE *log_store);

/*
 * Gets the time, in milliseconds since the Unix epoch, that will be used as the
 * current time when checking whether an SCT was issued in the future.
 * Such SCTs will fail validation, as required by RFC6962.
 */
uint64_t CT_POLICY_EVAL_CTX_get_time(const CT_POLICY_EVAL_CTX *ctx);

/*
 * Sets the time to evaluate SCTs against, in milliseconds since the Unix epoch.
 * If an SCT's timestamp is after this time, it will be interpreted as having
 * been issued in the future. RFC6962 states that "TLS clients MUST reject SCTs
 * whose timestamp is in the future", so an SCT will not validate in this case.
 */
void CT_POLICY_EVAL_CTX_set_time(CT_POLICY_EVAL_CTX *ctx, uint64_t time_in_ms);

/*****
 * SCT functions *
 *****/

/*

```

```

* Creates a new, blank SCT.
* The caller is responsible for calling SCT_free when finished with the SCT.
*/
SCT *SCT_new(void);

/*
* Creates a new SCT from some base64-encoded strings.
* The caller is responsible for calling SCT_free when finished with the SCT.
*/
SCT *SCT_new_from_base64(unsigned char version,
                        const char *logid_base64,
                        ct_log_entry_type_t entry_type,

                        uint64_t timestamp,
                        const char *extensions_base64,
                        const char *signature_base64);

/*
* Frees the SCT and the underlying data structures.
*/
void SCT_free(SCT *sct);

/*
* Free a stack of SCTs, and the underlying SCTs themselves.
* Intended to be compatible with X509V3_EXT_FREE.
*/
void SCT_LIST_free(STACK_OF(SCT) *a);

/*
* Returns the version of the SCT.
*/
sct_version_t SCT_get_version(const SCT *sct);

/*
* Set the version of an SCT.
* Returns 1 on success, 0 if the version is unrecognized.
*/
__owur int SCT_set_version(SCT *sct, sct_version_t version);

/*
* Returns the log entry type of the SCT.
*/
ct_log_entry_type_t SCT_get_log_entry_type(const SCT *sct);

/*
* Set the log entry type of an SCT.
* Returns 1 on success, 0 otherwise.
*/

```

```

__owur int SCT_set_log_entry_type(SCT *sct, ct_log_entry_type_t entry_type);

/*
 * Gets the ID of the log that an SCT came from.
 * Ownership of the log ID remains with the SCT.
 *
 * Returns the length of the log ID.
 */
size_t SCT_get0_log_id(const SCT *sct, unsigned char **log_id);

/*
 * Set the log ID of an SCT to point directly to the *log_id specified.
 * The SCT takes ownership of the specified pointer.
 * Returns 1 on success, 0 otherwise.
 */
__owur int SCT_set0_log_id(SCT *sct, unsigned char *log_id, size_t log_id_len);

/*
 * Set the log ID of an SCT.
 * This makes a copy of the log_id.
 * Returns 1 on success, 0 otherwise.
 */
__owur int SCT_set1_log_id(SCT *sct, const unsigned char *log_id,
                          size_t log_id_len);

/*
 * Returns the timestamp for the SCT (epoch time in milliseconds).
 */
uint64_t SCT_get_timestamp(const SCT *sct);

/*
 * Set the timestamp of an SCT (epoch time in milliseconds).
 */
void SCT_set_timestamp(SCT *sct, uint64_t timestamp);

/*
 * Return the NID for the signature used by the SCT.
 * For CT v1, this will be either NID_sha256WithRSAEncryption or
 * NID_ecdsa_with_SHA256 (or NID_undef if incorrect/unset).
 */
int SCT_get_signature_nid(const SCT *sct);

/*
 * Set the signature type of an SCT
 * For CT v1, this should be either NID_sha256WithRSAEncryption or
 * NID_ecdsa_with_SHA256.
 * Returns 1 on success, 0 otherwise.
 */

```

```

__owur int SCT_set_signature_nid(SCT *sct, int nid);

/*
 * Set *ext to point to the extension data for the SCT. ext must not be NULL.
 * The SCT retains ownership of this pointer.
 * Returns length of the data pointed to.
 */
size_t SCT_get0_extensions(const SCT *sct, unsigned char **ext);

/*
 * Set the extensions of an SCT to point directly to the *ext specified.
 * The SCT takes ownership of the specified pointer.
 */
void SCT_set0_extensions(SCT *sct, unsigned char *ext, size_t ext_len);

/*
 * Set the extensions of an SCT.
 * This takes a copy of the ext.
 * Returns 1 on success, 0 otherwise.
 */
__owur int SCT_set1_extensions(SCT *sct, const unsigned char *ext,
                               size_t ext_len);

/*
 * Set *sig to point to the signature for the SCT.
 * sig must not be NULL.
 * The SCT retains ownership of this pointer.
 * Returns length of the data pointed to.
 */
size_t SCT_get0_signature(const SCT *sct, unsigned char **sig);

/*
 * Set the signature of an SCT to point directly to the *sig specified.
 * The SCT takes ownership of the specified pointer.
 */
void SCT_set0_signature(SCT *sct, unsigned char *sig, size_t sig_len);

/*
 * Set the signature of an SCT to be a copy of the *sig specified.
 * Returns 1 on success, 0 otherwise.
 */
__owur int SCT_set1_signature(SCT *sct, const unsigned char *sig,
                              size_t sig_len);

/*
 * The origin of this SCT, e.g. TLS extension, OCSP response, etc.
 */
sct_source_t SCT_get_source(const SCT *sct);

```

```

/*
 * Set the origin of this SCT, e.g. TLS extension, OCSP response, etc.
 * Returns 1 on success, 0 otherwise.
 */
__owur int SCT_set_source(SCT *sct, sct_source_t source);

/*
 * Returns a text string describing the validation status of |sct|.
 */
const char *SCT_validation_status_string(const
SCT *sct);

/*
 * Pretty-prints an |sct| to |out|.
 * It will be indented by the number of spaces specified by |indent|.
 * If |logs| is not NULL, it will be used to lookup the CT log that the SCT came
 * from, so that the log name can be printed.
 */
void SCT_print(const SCT *sct, BIO *out, int indent, const CTLOG_STORE *logs);

/*
 * Pretty-prints an |sct_list| to |out|.
 * It will be indented by the number of spaces specified by |indent|.
 * SCTs will be delimited by |separator|.
 * If |logs| is not NULL, it will be used to lookup the CT log that each SCT
 * came from, so that the log names can be printed.
 */
void SCT_LIST_print(const STACK_OF(SCT) *sct_list, BIO *out, int indent,
const char *separator, const CTLOG_STORE *logs);

/*
 * Gets the last result of validating this SCT.
 * If it has not been validated yet, returns SCT_VALIDATION_STATUS_NOT_SET.
 */
sct_validation_status_t SCT_get_validation_status(const SCT *sct);

/*
 * Validates
the given SCT with the provided context.
 * Sets the "validation_status" field of the SCT.
 * Returns 1 if the SCT is valid and the signature verifies.
 * Returns 0 if the SCT is invalid or could not be verified.
 * Returns -1 if an error occurs.
 */
__owur int SCT_validate(SCT *sct, const CT_POLICY_EVAL_CTX *ctx);

/*

```

```

* Validates the given list of SCTs with the provided context.
* Sets the "validation_status" field of each SCT.
* Returns 1 if there are no invalid SCTs and all signatures verify.
* Returns 0 if at least one SCT is invalid or could not be verified.
* Returns a negative integer if an error occurs.
*/
__owur int SCT_LIST_validate(const STACK_OF(SCT) *scts,
                             CT_POLICY_EVAL_CTX *ctx);

/*****

* SCT parsing and serialization *
*****/

/*
* Serialize (to TLS format) a stack of SCTs and return the length.
* "a" must not be NULL.
* If "pp" is NULL, just return the length of what
  would have been serialized.
* If "pp" is not NULL and "*pp" is null, function will allocate a new pointer
  for data that caller is responsible for freeing (only if function returns
  successfully).
* If "pp" is NULL and "*pp" is not NULL, caller is responsible for ensuring
  that "*pp" is large enough to accept all of the serialized data.
* Returns < 0 on error, >= 0 indicating bytes written (or would have been)
  on success.
*/
__owur int i2o_SCT_LIST(const STACK_OF(SCT) *a, unsigned char **pp);

/*
* Convert TLS format SCT list to a stack of SCTs.
* If "a" or "*a" is NULL, a new stack will be created that the caller is
  responsible for freeing (by calling SCT_LIST_free).
* "**pp" and "*pp" must not be NULL.
* Upon success, "*pp" will point to after the last bytes read, and a stack
  will be returned.
* Upon failure, a NULL pointer will be returned, and the position of "*pp" is
  not defined.
*/
STACK_OF(SCT) *o2i_SCT_LIST(STACK_OF(SCT) **a, const unsigned char
**pp,
                             size_t len);

/*
* Serialize (to DER format) a stack of SCTs and return the length.
* "a" must not be NULL.
* If "pp" is NULL, just returns the length of what would have been serialized.
* If "pp" is not NULL and "*pp" is null, function will allocate a new pointer

```



```

* for data that caller is responsible for freeing (only if function returns
* successfully).
* If "pp" is NULL and "**pp" is not NULL, caller is responsible for ensuring
* that "**pp" is large enough to accept all of the serialized data.
* Returns < 0 on error, >= 0 indicating bytes written (or would have been)
* on success.
*/
__owur int i2d_SCT_LIST(const STACK_OF(SCT) *a, unsigned char **pp);

/*
* Parses an SCT list in DER format and returns it.
* If "a" or "**a" is NULL, a new stack will be created that the caller is
* responsible for freeing (by calling SCT_LIST_free).
* "**pp" and "*pp" must not be NULL.
* Upon success, "*pp" will point to after the last bytes read, and a
stack
* will be returned.
* Upon failure, a NULL pointer will be returned, and the position of "*pp" is
* not defined.
*/
STACK_OF(SCT) *d2i_SCT_LIST(STACK_OF(SCT) **a, const unsigned char **pp,
                             long len);

/*
* Serialize (to TLS format) an |sct| and write it to |out|.
* If |out| is null, no SCT will be output but the length will still be returned.
* If |out| points to a null pointer, a string will be allocated to hold the
* TLS-format SCT. It is the responsibility of the caller to free it.
* If |out| points to an allocated string, the TLS-format SCT will be written
* to it.
* The length of the SCT in TLS format will be returned.
*/
__owur int i2o_SCT(const SCT *sct, unsigned char **out);

/*
* Parses an SCT in TLS format and returns it.
* If |psct| is not null, it will end up pointing to the parsed SCT. If it
* already points to a non-null pointer, the pointer will be free'd.
* |in| should be a pointer to a string containing the TLS-format SCT.
* |in| will be advanced to the end of the SCT if parsing succeeds.
* |len| should be the length of the SCT in |in|.
* Returns NULL if an error occurs.
* If the SCT is an unsupported version, only the SCT's 'sct' and 'sct_len'
* fields will be populated (with |in| and |len| respectively).
*/
SCT *o2i_SCT(SCT **psct, const unsigned char **in, size_t len);

/*****

```

```

* CT log functions *
*****/

/*
* Creates a new CT log instance with the given |public_key| and |name| and
* associates it with the give library context |libctx| and property query
* string |propq|.
* Takes ownership of |public_key| but copies |name|.
* Returns NULL if malloc fails or if |public_key| cannot be converted to DER.
* Should be deleted by the caller using CTLOG_free when no longer needed.
*/
CTLOG *CTLOG_new_ex(EVP_PKEY *public_key, const char *name, OSSL_LIB_CTX *libctx,
                    const char *propq);

/*
* The same as CTLOG_new_ex except that the default library
* context and
* property query string are used.
*/
CTLOG *CTLOG_new(EVP_PKEY *public_key, const char *name);

/*
* Creates a new CTLOG instance with the base64-encoded SubjectPublicKeyInfo DER
* in |pkey_base64| and associated with the given library context |libctx| and
* property query string |propq|. The |name| is a string to help users identify
* this log.
* Returns 1 on success, 0 on failure.
* Should be deleted by the caller using CTLOG_free when no longer needed.
*/
int CTLOG_new_from_base64_ex(CTLOG **ct_log, const char *pkey_base64,
                             const char *name, OSSL_LIB_CTX *libctx,
                             const char *propq);

/*
* The same as CTLOG_new_from_base64_ex() except that the default
* library context and property query string are used.
* Returns 1 on success, 0 on failure.
*/
int CTLOG_new_from_base64(CTLOG ** ct_log,
                          const char *pkey_base64, const char *name);

/*
* Deletes a CT log instance and its
* fields.
*/
void CTLOG_free(CTLOG *log);

/* Gets the name of the CT log */

```

```

const char *CTLOG_get0_name(const CTLOG *log);
/* Gets the ID of the CT log */
void CTLOG_get0_log_id(const CTLOG *log, const uint8_t **log_id,
                      size_t *log_id_len);
/* Gets the public key of the CT log */
EVP_PKEY *CTLOG_get0_public_key(const CTLOG *log);

/*****
 * CT log store functions *
 *****/

/*
 * Creates a new CT log store and associates it with the given libctx and
 * property query string.
 * Should be deleted by the caller using CTLOG_STORE_free when no longer needed.
 */
CTLOG_STORE *CTLOG_STORE_new_ex(OSSL_LIB_CTX *libctx, const char *propq);

/*
 * Same as CTLOG_STORE_new_ex except that the default libctx and
 * property query string are used.
 * Should be deleted by the caller using CTLOG_STORE_free when no longer needed.
 */
CTLOG_STORE *CTLOG_STORE_new(void);

/*
 * Deletes a CT log store and all of the CT log instances held within.
 */
void CTLOG_STORE_free(CTLOG_STORE *store);

/*
 * Finds a CT log in the store based on its log ID.
 * Returns the CT log, or NULL if no match is found.
 */
const CTLOG *CTLOG_STORE_get0_log_by_id(const CTLOG_STORE *store,
                                       const uint8_t *log_id,
                                       size_t log_id_len);

/*
 * Loads a CT log list into a |store| from a |file|.
 * Returns 1 if loading is successful, or 0 otherwise.
 */
__owur int CTLOG_STORE_load_file(CTLOG_STORE *store, const char *file);

/*
 * Loads the default CT log list into a |store|.
 * Returns 1 if loading is successful, or 0 otherwise.
 */

```

```
__owur int CTLOG_STORE_load_default_file(CTLOG_STORE *store);
```

```
# ifdef __cplusplus
```

```
}
```

```
# endif
```

```
# endif
```

```
#endif
```

The ISC License

Copyright (c) npm Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright James Halliday (mail@substack.net) and Isaac Z. Schlueter (i@izs.me)

This project is free software released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright Brian White. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/pkcs12.h.in

*

* Copyright 1999-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_PKCS12_H

define OPENSSL_PKCS12_H

pragma once

include <openssl/macros.h>

ifndef OPENSSL_NO_DEPRECATED_3_0

define HEADER_PKCS12_H

endif

include <openssl/bio.h>

include <openssl/core.h>

include <openssl/x509.h>

include <openssl/pkcs12err.h>

#ifdef __cplusplus

extern "C" {

#endif

define PKCS12_KEY_ID 1

define PKCS12_IV_ID 2

define PKCS12_MAC_ID 3

/* Default iteration count */

ifndef PKCS12_DEFAULT_ITER

define PKCS12_DEFAULT_ITER PKCS5_DEFAULT_ITER

endif

define PKCS12_MAC_KEY_LENGTH 20

```

#define PKCS12_SALT_LEN
8

/* It's not clear if these are actually needed... */
#define PKCS12_key_gen PKCS12_key_gen_utf8
#define PKCS12_add_friendlyname PKCS12_add_friendlyname_utf8

/* MS key usage constants */

#define KEY_EX 0x10
#define KEY_SIG 0x80

typedef struct PKCS12_MAC_DATA_st PKCS12_MAC_DATA;

typedef struct PKCS12_st PKCS12;

typedef struct PKCS12_SAFEBAG_st PKCS12_SAFEBAG;

SKM_DEFINE_STACK_OF_INTERNAL(PKCS12_SAFEBAG, PKCS12_SAFEBAG, PKCS12_SAFEBAG)
#define sk_PKCS12_SAFEBAG_num(sk)
OPENSSL_sk_num(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_value(sk, idx) ((PKCS12_SAFEBAG
*)OPENSSL_sk_value(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk), (idx)))
#define sk_PKCS12_SAFEBAG_new(cmp) ((STACK_OF(PKCS12_SAFEBAG
*)OPENSSL_sk_new(ssl_check_PKCS12_SAFEBAG_compfunc_type(cmp)))
#define sk_PKCS12_SAFEBAG_new_null() ((STACK_OF(PKCS12_SAFEBAG *)OPENSSL_sk_new_null())
#define sk_PKCS12_SAFEBAG_new_reserve(cmp, n) ((STACK_OF(PKCS12_SAFEBAG
*)OPENSSL_sk_new_reserve(ssl_check_PKCS12_SAFEBAG_compfunc_type(cmp),
(n)))
#define sk_PKCS12_SAFEBAG_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_PKCS12_SAFEBAG_sk_type(sk), (n))
#define sk_PKCS12_SAFEBAG_free(sk) OPENSSL_sk_free(ssl_check_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_zero(sk) OPENSSL_sk_zero(ssl_check_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_delete(sk, i) ((PKCS12_SAFEBAG
*)OPENSSL_sk_delete(ssl_check_PKCS12_SAFEBAG_sk_type(sk), (i)))
#define sk_PKCS12_SAFEBAG_delete_ptr(sk, ptr) ((PKCS12_SAFEBAG
*)OPENSSL_sk_delete_ptr(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_type(ptr)))
#define sk_PKCS12_SAFEBAG_push(sk, ptr) OPENSSL_sk_push(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_pop(sk) ((PKCS12_SAFEBAG
*)OPENSSL_sk_pop(ssl_check_PKCS12_SAFEBAG_sk_type(sk)))
#define
sk_PKCS12_SAFEBAG_shift(sk) ((PKCS12_SAFEBAG
*)OPENSSL_sk_shift(ssl_check_PKCS12_SAFEBAG_sk_type(sk)))

```

```

#define sk_PKCS12_SAFEBAG_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PKCS12_SAFEBAG_sk_type(sk),ssl_check_PKCS12_SAFEBAG_freefunc_
type(freefunc))
#define sk_PKCS12_SAFEBAG_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr),
(idx))
#define sk_PKCS12_SAFEBAG_set(sk, idx, ptr) ((PKCS12_SAFEBAG
*)OPENSSL_sk_set(ssl_check_PKCS12_SAFEBAG_sk_type(sk), (idx),
ssl_check_PKCS12_SAFEBAG_type(ptr)))
#define sk_PKCS12_SAFEBAG_find(sk, ptr) OPENSSL_sk_find(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr),
pnum)
#define
sk_PKCS12_SAFEBAG_sort(sk) OPENSSL_sk_sort(ssl_check_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_dup(sk) ((STACK_OF(PKCS12_SAFEBAG
*)OPENSSL_sk_dup(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk)))
#define sk_PKCS12_SAFEBAG_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS12_SAFEBAG
*)OPENSSL_sk_deep_copy(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_copyfunc_type(copyfunc),
ssl_check_PKCS12_SAFEBAG_freefunc_type(freefunc)))
#define sk_PKCS12_SAFEBAG_set_cmp_func(sk, cmp)
((sk_PKCS12_SAFEBAG_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_compfunc_type(cmp)))

```

```

typedef struct pkcs12_bag_st PKCS12_BAGS;

```

```

# define PKCS12_ERROR 0

```

```

# define PKCS12_OK 1

```

```

/* Compatibility macros */

```

```

#ifndef OPENSSL_NO_DEPRECATED_1_1_0

```

```

# define M_PKCS12_bag_type PKCS12_bag_type

```

```

# define M_PKCS12_cert_bag_type

```

```

PKCS12_cert_bag_type

```

```

# define M_PKCS12_crl_bag_type PKCS12_cert_bag_type

```

```

# define PKCS12_certbag2x509 PKCS12_SAFEBAG_get1_cert

```

```

# define PKCS12_certbag2scrl PKCS12_SAFEBAG_get1_crl

```

```

# define PKCS12_bag_type PKCS12_SAFEBAG_get_nid

```



```

# define PKCS12_cert_bag_type PKCS12_SAFEABAG_get_bag_nid
# define PKCS12_x5092certbag PKCS12_SAFEABAG_create_cert
# define PKCS12_x509crl2certbag PKCS12_SAFEABAG_create_crl
# define PKCS12_MAKE_KEYBAG PKCS12_SAFEABAG_create0_p8inf
# define PKCS12_MAKE_SHKEYBAG PKCS12_SAFEABAG_create_pkcs8_encrypt

#endif

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 ASN1_TYPE *PKCS12_get_attr(const PKCS12_SAFEABAG *bag,
                                                    int attr_nid);

#endif

ASN1_TYPE *PKCS8_get_attr(PKCS8_PRIV_KEY_INFO *p8, int attr_nid);
int PKCS12_mac_present(const PKCS12 *p12);
void PKCS12_get0_mac(const ASN1_OCTET_STRING **pmac,
                    const X509_ALGOR **pmacalg,
                    const ASN1_OCTET_STRING **psalt,

                    const ASN1_INTEGER **piter,
                    const PKCS12 *p12);

const ASN1_TYPE *PKCS12_SAFEABAG_get0_attr(const PKCS12_SAFEABAG *bag,
                                            int attr_nid);
const ASN1_OBJECT *PKCS12_SAFEABAG_get0_type(const PKCS12_SAFEABAG *bag);
int PKCS12_SAFEABAG_get_nid(const PKCS12_SAFEABAG *bag);
int PKCS12_SAFEABAG_get_bag_nid(const PKCS12_SAFEABAG *bag);
const ASN1_TYPE *PKCS12_SAFEABAG_get0_bag_obj(const PKCS12_SAFEABAG *bag);
const ASN1_OBJECT *PKCS12_SAFEABAG_get0_bag_type(const PKCS12_SAFEABAG *bag);

X509 *PKCS12_SAFEABAG_get1_cert(const PKCS12_SAFEABAG *bag);
X509_CRL *PKCS12_SAFEABAG_get1_crl(const PKCS12_SAFEABAG *bag);
const STACK_OF(PKCS12_SAFEABAG) *
PKCS12_SAFEABAG_get0_safes(const PKCS12_SAFEABAG *bag);
const PKCS8_PRIV_KEY_INFO *PKCS12_SAFEABAG_get0_p8inf(const PKCS12_SAFEABAG *bag);
const X509_SIG *PKCS12_SAFEABAG_get0_pkcs8(const PKCS12_SAFEABAG *bag);

PKCS12_SAFEABAG *PKCS12_SAFEABAG_create_cert(X509 *x509);
PKCS12_SAFEABAG *PKCS12_SAFEABAG_create_crl(X509_CRL
                                             *crl);
PKCS12_SAFEABAG *PKCS12_SAFEABAG_create_secret(int type, int vtype, const unsigned char *value, int len);
PKCS12_SAFEABAG *PKCS12_SAFEABAG_create0_p8inf(PKCS8_PRIV_KEY_INFO *p8);
PKCS12_SAFEABAG *PKCS12_SAFEABAG_create0_pkcs8(X509_SIG *p8);
PKCS12_SAFEABAG *PKCS12_SAFEABAG_create_pkcs8_encrypt(int pbe_nid,
                                                    const char *pass,
                                                    int passlen,
                                                    unsigned char *salt,
                                                    int saltlen, int iter,
                                                    PKCS8_PRIV_KEY_INFO *p8inf);

```

```

PKCS12_SAFEBAG *PKCS12_SAFEBAG_create_pkcs8_encrypt_ex(int pbe_nid,
    const char *pass,
    int passlen,
    unsigned char *salt,

    int saltlen, int iter,

    PKCS8_PRIV_KEY_INFO *p8inf,
    OSSL_LIB_CTX *ctx,
    const char *propq);

PKCS12_SAFEBAG *PKCS12_item_pack_safebag(void *obj, const ASN1_ITEM *it,
    int nid1, int nid2);
PKCS8_PRIV_KEY_INFO *PKCS8_decrypt(const X509_SIG *p8, const char *pass,
    int passlen);
PKCS8_PRIV_KEY_INFO *PKCS8_decrypt_ex(const X509_SIG *p8, const char *pass,
    int passlen, OSSL_LIB_CTX *ctx,
    const char *propq);
PKCS8_PRIV_KEY_INFO *PKCS12_decrypt_skey(const PKCS12_SAFEBAG *bag,
    const char *pass, int passlen);
PKCS8_PRIV_KEY_INFO *PKCS12_decrypt_skey_ex(const PKCS12_SAFEBAG *bag,
    const char *pass,
    int passlen,

    OSSL_LIB_CTX *ctx,
    const char *propq);
X509_SIG *PKCS8_encrypt(int pbe_nid, const EVP_CIPHER *cipher,
    const char *pass, int passlen, unsigned char *salt,
    int saltlen, int iter, PKCS8_PRIV_KEY_INFO *p8);
X509_SIG *PKCS8_encrypt_ex(int pbe_nid, const EVP_CIPHER *cipher,
    const char *pass, int passlen, unsigned char *salt,
    int saltlen, int iter, PKCS8_PRIV_KEY_INFO *p8,
    OSSL_LIB_CTX *ctx, const char *propq);
X509_SIG *PKCS8_set0_pbe(const char *pass, int passlen,
    PKCS8_PRIV_KEY_INFO *p8inf, X509_ALGOR *pbe);
X509_SIG *PKCS8_set0_pbe_ex(const char *pass, int passlen,
    PKCS8_PRIV_KEY_INFO *p8inf, X509_ALGOR *pbe,
    OSSL_LIB_CTX *ctx, const char *propq);
PKCS7 *PKCS12_pack_p7data(STACK_OF(PKCS12_SAFEBAG)
    *sk);
STACK_OF(PKCS12_SAFEBAG) *PKCS12_unpack_p7data(PKCS7 *p7);
PKCS7 *PKCS12_pack_p7encdata(int pbe_nid, const char *pass, int passlen,
    unsigned char *salt, int saltlen, int iter,
    STACK_OF(PKCS12_SAFEBAG) *bags);
PKCS7 *PKCS12_pack_p7encdata_ex(int pbe_nid, const char *pass, int passlen,
    unsigned char *salt, int saltlen, int iter,
    STACK_OF(PKCS12_SAFEBAG) *bags,
    OSSL_LIB_CTX *ctx, const char *propq);

STACK_OF(PKCS12_SAFEBAG) *PKCS12_unpack_p7encdata(PKCS7 *p7, const char *pass,

```

```

        int passlen);

int PKCS12_pack_authsafes(PKCS12 *p12, STACK_OF(PKCS7) *safes);
STACK_OF(PKCS7) *PKCS12_unpack_authsafes(const PKCS12 *p12);

int PKCS12_add_localkeyid(PKCS12_SAFEBAG *bag, unsigned char *name,
        int namelen);
int PKCS12_add_friendlyname_asc(PKCS12_SAFEBAG
        *bag, const char *name,
        int namelen);
int PKCS12_add_friendlyname_utf8(PKCS12_SAFEBAG *bag, const char *name,
        int namelen);
int PKCS12_add_CSPName_asc(PKCS12_SAFEBAG *bag, const char *name,
        int namelen);
int PKCS12_add_friendlyname_uni(PKCS12_SAFEBAG *bag,
        const unsigned char *name, int namelen);
int PKCS12_add1_attr_by_NID(PKCS12_SAFEBAG *bag, int nid, int type,
        const unsigned char *bytes, int len);
int PKCS12_add1_attr_by_txt(PKCS12_SAFEBAG *bag, const char *attrname, int type,
        const unsigned char *bytes, int len);
int PKCS8_add_keyusage(PKCS8_PRIV_KEY_INFO *p8, int usage);
ASN1_TYPE *PKCS12_get_attr_gen(const STACK_OF(X509_ATTRIBUTE) *attrs,
        int attr_nid);
char *PKCS12_get_friendlyname(PKCS12_SAFEBAG *bag);
const STACK_OF(X509_ATTRIBUTE) *
PKCS12_SAFEBAG_get0_attrs(const
        PKCS12_SAFEBAG *bag);
unsigned char *PKCS12_pbe_crypt(const X509_ALGOR *algor,
        const char *pass, int passlen,
        const unsigned char *in, int inlen,
        unsigned char **data, int *datalen,
        int en_de);
unsigned char *PKCS12_pbe_crypt_ex(const X509_ALGOR *algor,
        const char *pass, int passlen,
        const unsigned char *in, int inlen,
        unsigned char **data, int *datalen,
        int en_de, OSSL_LIB_CTX *libctx,
        const char *propq);
void *PKCS12_item_decrypt_d2i(const X509_ALGOR *algor, const ASN1_ITEM *it,
        const char *pass, int passlen,
        const ASN1_OCTET_STRING *oct, int zbuf);
void *PKCS12_item_decrypt_d2i_ex(const X509_ALGOR *algor, const ASN1_ITEM *it,
        const char *pass, int passlen,
        const ASN1_OCTET_STRING *oct, int zbuf,
        OSSL_LIB_CTX *libctx,
        const char *propq);
ASN1_OCTET_STRING *PKCS12_item_i2d_encrypt(X509_ALGOR *algor,
        const ASN1_ITEM *it,

```

```

        const char *pass, int passlen,
        void *obj, int zbuf);
ASN1_OCTET_STRING *PKCS12_item_i2d_encrypt_ex(X509_ALGOR *algor,
        const ASN1_ITEM *it,
        const char *pass, int passlen,
        void *obj, int zbuf,
        OSSL_LIB_CTX *ctx,
        const char *propq);
PKCS12 *PKCS12_init(int mode);
PKCS12 *PKCS12_init_ex(int mode, OSSL_LIB_CTX *ctx,
        const char *propq);

int PKCS12_key_gen_asc(const char *pass, int passlen, unsigned char *salt,
        int saltlen, int id, int iter, int n,
        unsigned char *out, const EVP_MD *md_type);
int PKCS12_key_gen_asc_ex(const char *pass, int passlen, unsigned char *salt,
        int saltlen, int id, int iter, int n,
        unsigned char *out, const EVP_MD *md_type,
        OSSL_LIB_CTX *ctx, const char *propq);
int PKCS12_key_gen_uni(unsigned char *pass, int passlen, unsigned char *salt,
        int saltlen, int id, int iter, int n,
        unsigned char *out, const EVP_MD *md_type);
int PKCS12_key_gen_uni_ex(unsigned char *pass, int passlen, unsigned char *salt,
        int saltlen, int id, int iter, int n,
        unsigned char *out, const EVP_MD *md_type,
        OSSL_LIB_CTX *ctx, const char *propq);
int PKCS12_key_gen_utf8(const
        char *pass, int passlen, unsigned char *salt,
        int saltlen, int id, int iter, int n,
        unsigned char *out, const EVP_MD *md_type);
int PKCS12_key_gen_utf8_ex(const char *pass, int passlen, unsigned char *salt,
        int saltlen, int id, int iter, int n,
        unsigned char *out, const EVP_MD *md_type,
        OSSL_LIB_CTX *ctx, const char *propq);

int PKCS12_PBE_keyivgen(EVP_CIPHER_CTX *ctx, const char *pass, int passlen,
        ASN1_TYPE *param, const EVP_CIPHER *cipher,
        const EVP_MD *md_type, int en_de);
int PKCS12_PBE_keyivgen_ex(EVP_CIPHER_CTX *ctx, const char *pass, int passlen,
        ASN1_TYPE *param, const EVP_CIPHER *cipher,
        const EVP_MD *md_type, int en_de,
        OSSL_LIB_CTX *libctx, const char *propq);
int PKCS12_gen_mac(PKCS12 *p12, const char
        *pass, int passlen,
        unsigned char *mac, unsigned int *maclen);
int PKCS12_verify_mac(PKCS12 *p12, const char *pass, int passlen);
int PKCS12_set_mac(PKCS12 *p12, const char *pass, int passlen,
        unsigned char *salt, int saltlen, int iter,

```

```

        const EVP_MD *md_type);
int PKCS12_setup_mac(PKCS12 *p12, int iter, unsigned char *salt,
        int saltlen, const EVP_MD *md_type);
unsigned char *OPENSSL_asc2uni(const char *asc, int asclen,
        unsigned char **uni, int *unilen);
char *OPENSSL_uni2asc(const unsigned char *uni, int unilen);
unsigned char *OPENSSL_utf82uni(const char *asc, int asclen,
        unsigned char **uni, int *unilen);
char *OPENSSL_uni2utf8(const unsigned char *uni, int unilen);

DECLARE_ASN1_FUNCTIONS(PKCS12)
DECLARE_ASN1_FUNCTIONS(PKCS12_MAC_DATA)
DECLARE_ASN1_FUNCTIONS(PKCS12_SAFEBAG)
DECLARE_ASN1_FUNCTIONS(PKCS12_BAGS)

DECLARE_ASN1_ITEM(PKCS12_SAFEBAGS)
DECLARE_ASN1_ITEM(PKCS12_AUTHSAFES)

void
    PKCS12_PBE_add(void);
int PKCS12_parse(PKCS12 *p12, const char *pass, EVP_PKEY **pkey, X509 **cert,
        STACK_OF(X509) **ca);
PKCS12 *PKCS12_create(const char *pass, const char *name, EVP_PKEY *pkey,
        X509 *cert, STACK_OF(X509) *ca, int nid_key, int nid_cert,
        int iter, int mac_iter, int keytype);
PKCS12 *PKCS12_create_ex(const char *pass, const char *name, EVP_PKEY *pkey,
        X509 *cert, STACK_OF(X509) *ca, int nid_key, int nid_cert,
        int iter, int mac_iter, int keytype,
        OSSL_LIB_CTX *ctx, const char *propq);

PKCS12_SAFEBAG *PKCS12_add_cert(STACK_OF(PKCS12_SAFEBAG) **pbags, X509 *cert);
PKCS12_SAFEBAG *PKCS12_add_key(STACK_OF(PKCS12_SAFEBAG) **pbags,
        EVP_PKEY *key, int key_usage, int iter,
        int key_nid, const char *pass);
PKCS12_SAFEBAG *PKCS12_add_key_ex(STACK_OF(PKCS12_SAFEBAG)
        **pbags,
        EVP_PKEY *key, int key_usage, int iter,
        int key_nid, const char *pass,
        OSSL_LIB_CTX *ctx, const char *propq);

PKCS12_SAFEBAG *PKCS12_add_secret(STACK_OF(PKCS12_SAFEBAG) **pbags,
        int nid_type, const unsigned char *value, int len);
int PKCS12_add_safe(STACK_OF(PKCS7) **psafes, STACK_OF(PKCS12_SAFEBAG) *bags,
        int safe_nid, int iter, const char *pass);
int PKCS12_add_safe_ex(STACK_OF(PKCS7) **psafes, STACK_OF(PKCS12_SAFEBAG) *bags,
        int safe_nid, int iter, const char *pass,
        OSSL_LIB_CTX *ctx, const char *propq);

```

```

PKCS12 *PKCS12_add_safes(STACK_OF(PKCS7) *safes, int p7_nid);
PKCS12 *PKCS12_add_safes_ex(STACK_OF(PKCS7) *safes, int p7_nid,
                             OSSL_LIB_CTX *ctx, const char *propq);

int i2d_PKCS12_bio(BIO *bp, const PKCS12 *p12);
#ifdef
    OPENSSSL_NO_STDIO
int i2d_PKCS12_fp(FILE *fp, const PKCS12 *p12);
#endif
PKCS12 *d2i_PKCS12_bio(BIO *bp, PKCS12 **p12);
#ifdef OPENSSSL_NO_STDIO
PKCS12 *d2i_PKCS12_fp(FILE *fp, PKCS12 **p12);
#endif
int PKCS12_newpass(PKCS12 *p12, const char *oldpass, const char *newpass);

#ifdef __cplusplus
}
#endif
#endif
<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

```

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/ocsp.h.in

*

* Copyright 2000-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

```

* https://www.openssl.org/source/license.html
*/

#ifndef OPENSSL_OCSP_H
# define OPENSSL_OCSP_H
# pragma once

# include <openssl/macros.h>
# ifndef OPENSSL_NO_DEPRECATED_3_0
#  define HEADER_OCSP_H
# endif

# include <openssl/opensslconf.h>
# include <openssl/http.h>
# include <openssl/asn1.h>

/*
 * These definitions are outside the OPENSSL_NO_OCSP guard because although for
 * historical reasons they have OCSP_* names, they can actually be used
 * independently of OCSP. E.g. see RFC5280
 */
/*_
 * CRLReason ::= ENUMERATED {
 *     unspecified          (0),
 *     keyCompromise        (1),
 *     cACompromise
 *         (2),
 *     affiliationChanged    (3),
 *     superseded            (4),
 *     cessationOfOperation  (5),
 *     certificateHold        (6),
 *     -- value 7 is not used
 *     removeFromCRL         (8),
 *     privilegeWithdrawn     (9),
 *     aACompromise          (10) }
 */
# define OCSP_REVOKED_STATUS_NOSTATUS      -1
# define OCSP_REVOKED_STATUS_UNSPECIFIED   0
# define OCSP_REVOKED_STATUS_KEYCOMPROMISE 1
# define OCSP_REVOKED_STATUS_CACOMPROMISE  2
# define OCSP_REVOKED_STATUS_AFFILIATIONCHANGED 3
# define OCSP_REVOKED_STATUS_SUPERSEDED    4
# define OCSP_REVOKED_STATUS_CESSATIONOFOPERATION 5
# define OCSP_REVOKED_STATUS_CERTIFICATEHOLD 6
# define OCSP_REVOKED_STATUS_REMOVEFROMCRL  8
# define OCSP_REVOKED_STATUS_PRIVILEGEWITHDRAWN 9

```

ifndef OPENSSL_NO_OCSP

include <openssl/x509.h>

#

include <openssl/x509v3.h>

include <openssl/safestack.h>

include <openssl/ocsperr.h>

ifdef __cplusplus

extern "C" {

endif

/* Various flags and values */

define OCSP_DEFAULT_NONCE_LENGTH 16

define OCSP_NOCERTS 0x1

define OCSP_NOINTERN 0x2

define OCSP_NOSIGS 0x4

define OCSP_NOCHAIN 0x8

define OCSP_NOVERIFY 0x10

define OCSP_NOEXPLICIT 0x20

define OCSP_NOCASIGN 0x40

define OCSP_NODELEGATED 0x80

define OCSP_NOCHECKS 0x100

define OCSP_TRUSTOTHER 0x200

define OCSP_RESPID_KEY 0x400

define OCSP_NOTIME 0x800

define OCSP_PARTIAL_CHAIN 0x1000

typedef struct ocspace_id_st OCSP_CERTID;

typedef struct ocspace_one_request_st OCSP_ONEREQ;

typedef struct ocspace_req_info_st OCSP_REQINFO;

typedef struct ocspace_signature_st

OCSP_SIGNATURE;

typedef struct ocspace_request_st OCSP_REQUEST;

SKM_DEFINE_STACK_OF_INTERNAL(OCSP_CERTID, OCSP_CERTID, OCSP_CERTID)

#define sk_OCSP_CERTID_num(sk) OPENSSL_sk_num(ocsp_check_const_OCSP_CERTID_sk_type(sk))

#define sk_OCSP_CERTID_value(sk, idx) ((OCSP_CERTID

*)OPENSSL_sk_value(ocsp_check_const_OCSP_CERTID_sk_type(sk), (idx)))

#define sk_OCSP_CERTID_new(cmp) ((STACK_OF(OCSP_CERTID)

*)OPENSSL_sk_new(ocsp_check_OCSP_CERTID_compfunc_type(cmp)))

#define sk_OCSP_CERTID_new_null() ((STACK_OF(OCSP_CERTID) *)OPENSSL_sk_new_null())

#define sk_OCSP_CERTID_new_reserve(cmp, n) ((STACK_OF(OCSP_CERTID)


```

*)OPENSSL_sk_new_reserve(ssl_check_OCSP_CERTID_compfunc_type(cmp), (n)))
#define sk_OCSP_CERTID_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OCSP_CERTID_sk_type(sk), (n))
#define sk_OCSP_CERTID_free(sk) OPENSSL_sk_free(ssl_check_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_zero(sk) OPENSSL_sk_zero(ssl_check_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_delete(sk, i) ((OCSP_CERTID
*)OPENSSL_sk_delete(ssl_check_OCSP_CERTID_sk_type(sk),
(i)))
#define sk_OCSP_CERTID_delete_ptr(sk, ptr) ((OCSP_CERTID
*)OPENSSL_sk_delete_ptr(ssl_check_OCSP_CERTID_sk_type(sk), ssl_check_OCSP_CERTID_type(ptr)))
#define sk_OCSP_CERTID_push(sk, ptr) OPENSSL_sk_push(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define sk_OCSP_CERTID_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define sk_OCSP_CERTID_pop(sk) ((OCSP_CERTID
*)OPENSSL_sk_pop(ssl_check_OCSP_CERTID_sk_type(sk)))
#define sk_OCSP_CERTID_shift(sk) ((OCSP_CERTID
*)OPENSSL_sk_shift(ssl_check_OCSP_CERTID_sk_type(sk)))
#define sk_OCSP_CERTID_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OCSP_CERTID_sk_type(sk),ssl_check_OCSP_CERTID_freefunc_type(freef
unc))
#define sk_OCSP_CERTID_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr), (idx))
#define sk_OCSP_CERTID_set(sk, idx, ptr) ((OCSP_CERTID
*)OPENSSL_sk_set(ssl_check_OCSP_CERTID_sk_type(sk), (idx), ssl_check_OCSP_CERTID_type(ptr)))
#define sk_OCSP_CERTID_find(sk, ptr) OPENSSL_sk_find(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define sk_OCSP_CERTID_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define sk_OCSP_CERTID_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OCSP_CERTID_sk_type(sk), ssl_check_OCSP_CERTID_type(ptr), pnum)
#define sk_OCSP_CERTID_sort(sk) OPENSSL_sk_sort(ssl_check_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_dup(sk) ((STACK_OF(OCSP_CERTID
*)OPENSSL_sk_dup(ssl_check_const_OCSP_CERTID_sk_type(sk)))
#define sk_OCSP_CERTID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OCSP_CERTID
*)OPENSSL_sk_deep_copy(ssl_check_const_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_copyfunc_type(copyfunc), ssl_check_OCSP_CERTID_freefunc_type(freefunc)))
#define
sk_OCSP_CERTID_set_cmp_func(sk, cmp)
((sk_OCSP_CERTID_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(OCSP_ONEREQ, OCSP_ONEREQ, OCSP_ONEREQ)
#define sk_OCSP_ONEREQ_num(sk) OPENSSL_sk_num(ssl_check_const_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_value(sk, idx) ((OCSP_ONEREQ
*)OPENSSL_sk_value(ssl_check_const_OCSP_ONEREQ_sk_type(sk), (idx)))
#define sk_OCSP_ONEREQ_new(cmp) ((STACK_OF(OCSP_ONEREQ
*)OPENSSL_sk_new(ssl_check_OCSP_ONEREQ_compfunc_type(cmp)))

```

```

#define sk_OCSP_ONEREQ_new_null() ((STACK_OF(OCSP_ONEREQ) *)OPENSSL_sk_new_null())
#define sk_OCSP_ONEREQ_new_reserve(cmp, n) ((STACK_OF(OCSP_ONEREQ)
*)OPENSSL_sk_new_reserve(ssl_check_OCSP_ONEREQ_compfunc_type(cmp), (n)))
#define sk_OCSP_ONEREQ_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OCSP_ONEREQ_sk_type(sk), (n))
#define sk_OCSP_ONEREQ_free(sk) OPENSSL_sk_free(ssl_check_OCSP_ONEREQ_sk_type(sk))
#define
    sk_OCSP_ONEREQ_zero(sk) OPENSSL_sk_zero(ssl_check_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_delete(sk, i) ((OCSP_ONEREQ
*)OPENSSL_sk_delete(ssl_check_OCSP_ONEREQ_sk_type(sk), (i)))
#define sk_OCSP_ONEREQ_delete_ptr(sk, ptr) ((OCSP_ONEREQ
*)OPENSSL_sk_delete_ptr(ssl_check_OCSP_ONEREQ_sk_type(sk), ssl_check_OCSP_ONEREQ_type(ptr)))
#define sk_OCSP_ONEREQ_push(sk, ptr) OPENSSL_sk_push(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_pop(sk) ((OCSP_ONEREQ
*)OPENSSL_sk_pop(ssl_check_OCSP_ONEREQ_sk_type(sk)))
#define sk_OCSP_ONEREQ_shift(sk) ((OCSP_ONEREQ
*)OPENSSL_sk_shift(ssl_check_OCSP_ONEREQ_sk_type(sk)))
#define sk_OCSP_ONEREQ_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OCSP_ONEREQ_sk_type(sk), ssl_check_OCSP_ONEREQ_freefunc_type(fr
eefunc))
#define sk_OCSP_ONEREQ_insert(sk,
    ptr, idx) OPENSSL_sk_insert(ssl_check_OCSP_ONEREQ_sk_type(sk), ssl_check_OCSP_ONEREQ_type(ptr),
    (idx))
#define sk_OCSP_ONEREQ_set(sk, idx, ptr) ((OCSP_ONEREQ
*)OPENSSL_sk_set(ssl_check_OCSP_ONEREQ_sk_type(sk), (idx), ssl_check_OCSP_ONEREQ_type(ptr)))
#define sk_OCSP_ONEREQ_find(sk, ptr) OPENSSL_sk_find(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OCSP_ONEREQ_sk_type(sk), ssl_check_OCSP_ONEREQ_type(ptr), pnum)
#define sk_OCSP_ONEREQ_sort(sk) OPENSSL_sk_sort(ssl_check_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_dup(sk) ((STACK_OF(OCSP_ONEREQ)
*)OPENSSL_sk_dup(ssl_check_const_OCSP_ONEREQ_sk_type(sk)))
#define sk_OCSP_ONEREQ_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(OCSP_ONEREQ) *)OPENSSL_sk_deep_copy(ssl_check_const_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_copyfunc_type(copyfunc), ssl_check_OCSP_ONEREQ_freefunc_type(freefunc)))
#define sk_OCSP_ONEREQ_set_cmp_func(sk, cmp)
((sk_OCSP_ONEREQ_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_compfunc_type(cmp)))

# define OCSP_RESPONSE_STATUS_SUCCESSFUL      0
# define OCSP_RESPONSE_STATUS_MALFORMEDREQUEST  1

```

```

# define OCSP_RESPONSE_STATUS_INTERNALERROR    2
# define OCSP_RESPONSE_STATUS_TRYLATER        3
# define OCSP_RESPONSE_STATUS_SIGREQUIRED      5
# define OCSP_RESPONSE_STATUS_UNAUTHORIZED    6

typedef struct ocspl_respl_bytes_st OCSP_RESPBYTES;

# define V_OCSP_RESPID_NAME 0
# define V_OCSP_RESPID_KEY 1

SKM_DEFINE_STACK_OF_INTERNAL(OCSP_RESPID, OCSP_RESPID, OCSP_RESPID)
#define sk_OCSP_RESPID_num(sk) OPENSSL_sk_num(ssl_check_const_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_value(sk, idx)
    ((OCSP_RESPID *)OPENSSL_sk_value(ssl_check_const_OCSP_RESPID_sk_type(sk), (idx)))
#define sk_OCSP_RESPID_new(cmp) ((STACK_OF(OCSP_RESPID)
    *)OPENSSL_sk_new(ssl_check_OCSP_RESPID_compfunc_type(cmp)))
#define sk_OCSP_RESPID_new_null() ((STACK_OF(OCSP_RESPID) *)OPENSSL_sk_new_null())
#define sk_OCSP_RESPID_new_reserve(cmp, n) ((STACK_OF(OCSP_RESPID)
    *)OPENSSL_sk_new_reserve(ssl_check_OCSP_RESPID_compfunc_type(cmp), (n)))
#define sk_OCSP_RESPID_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OCSP_RESPID_sk_type(sk), (n))
#define sk_OCSP_RESPID_free(sk) OPENSSL_sk_free(ssl_check_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_zero(sk) OPENSSL_sk_zero(ssl_check_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_delete(sk, i) ((OCSP_RESPID
    *)OPENSSL_sk_delete(ssl_check_OCSP_RESPID_sk_type(sk), (i)))
#define sk_OCSP_RESPID_delete_ptr(sk, ptr) ((OCSP_RESPID
    *)OPENSSL_sk_delete_ptr(ssl_check_OCSP_RESPID_sk_type(sk), ssl_check_OCSP_RESPID_type(ptr)))
#define sk_OCSP_RESPID_push(sk, ptr) OPENSSL_sk_push(ssl_check_OCSP_RESPID_sk_type(sk),
    ssl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_OCSP_RESPID_sk_type(sk),
    ssl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_pop(sk) ((OCSP_RESPID
    *)OPENSSL_sk_pop(ssl_check_OCSP_RESPID_sk_type(sk)))
#define sk_OCSP_RESPID_shift(sk) ((OCSP_RESPID
    *)OPENSSL_sk_shift(ssl_check_OCSP_RESPID_sk_type(sk)))
#define sk_OCSP_RESPID_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_OCSP_RESPID_sk_type(sk), ssl_check_OCSP_RESPID_freefunc_type(freefunc))
#define sk_OCSP_RESPID_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_OCSP_RESPID_sk_type(sk),
    ssl_check_OCSP_RESPID_type(ptr), (idx))
#define sk_OCSP_RESPID_set(sk, idx, ptr) ((OCSP_RESPID
    *)OPENSSL_sk_set(ssl_check_OCSP_RESPID_sk_type(sk), (idx), ssl_check_OCSP_RESPID_type(ptr)))
#define sk_OCSP_RESPID_find(sk, ptr) OPENSSL_sk_find(ssl_check_OCSP_RESPID_sk_type(sk),
    ssl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_find_ex(sk,
    ptr) OPENSSL_sk_find_ex(ssl_check_OCSP_RESPID_sk_type(sk), ssl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ssl_check_OCSP_RESPID_sk_type(sk), ssl_check_OCSP_RESPID_type(ptr), pnum)
#define sk_OCSP_RESPID_sort(sk) OPENSSL_sk_sort(ssl_check_OCSP_RESPID_sk_type(sk))

```

```

#define sk_OCSP_RESPID_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_dup(sk) ((STACK_OF(OCSP_RESPID)
*)OPENSSL_sk_dup(ssl_check_const_OCSP_RESPID_sk_type(sk)))
#define sk_OCSP_RESPID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OCSP_RESPID)
*)OPENSSL_sk_deep_copy(ssl_check_const_OCSP_RESPID_sk_type(sk),
ssl_check_OCSP_RESPID_copyfunc_type(copyfunc), ssl_check_OCSP_RESPID_freefunc_type(freefunc)))
#define sk_OCSP_RESPID_set_cmp_func(sk, cmp)
((sk_OCSP_RESPID_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OCSP_RESPID_sk_type(sk),
ssl_check_OCSP_RESPID_compfunc_type(cmp)))

```

```

typedef struct ocsp_revoked_info_st
OCSP_REVOKEDINFO;

```

```

# define V_OCSP_CERTSTATUS_GOOD 0
# define V_OCSP_CERTSTATUS_REVOKED 1
# define V_OCSP_CERTSTATUS_UNKNOWN 2

```

```

typedef struct ocsp_cert_status_st OCSP_CERTSTATUS;
typedef struct ocsp_single_response_st OCSP_SINGLERESP;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(OCSP_SINGLERESP, OCSP_SINGLERESP, OCSP_SINGLERESP)
#define sk_OCSP_SINGLERESP_num(sk)
OPENSSL_sk_num(ssl_check_const_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_value(sk, idx) ((OCSP_SINGLERESP
*)OPENSSL_sk_value(ssl_check_const_OCSP_SINGLERESP_sk_type(sk), (idx)))
#define sk_OCSP_SINGLERESP_new(cmp) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_new(ssl_check_OCSP_SINGLERESP_compfunc_type(cmp)))
#define sk_OCSP_SINGLERESP_new_null() ((STACK_OF(OCSP_SINGLERESP) *)OPENSSL_sk_new_null())
#define sk_OCSP_SINGLERESP_new_reserve(cmp, n) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_new_reserve(ssl_check_OCSP_SINGLERESP_compfunc_type(cmp), (n)))
#define sk_OCSP_SINGLERESP_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OCSP_SINGLERESP_sk_type(sk),
(n))
#define sk_OCSP_SINGLERESP_free(sk) OPENSSL_sk_free(ssl_check_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_zero(sk) OPENSSL_sk_zero(ssl_check_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_delete(sk, i) ((OCSP_SINGLERESP
*)OPENSSL_sk_delete(ssl_check_OCSP_SINGLERESP_sk_type(sk), (i)))
#define sk_OCSP_SINGLERESP_delete_ptr(sk, ptr) ((OCSP_SINGLERESP
*)OPENSSL_sk_delete_ptr(ssl_check_OCSP_SINGLERESP_sk_type(sk),
ssl_check_OCSP_SINGLERESP_type(ptr)))
#define sk_OCSP_SINGLERESP_push(sk, ptr)
OPENSSL_sk_push(ssl_check_OCSP_SINGLERESP_sk_type(sk), ssl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OCSP_SINGLERESP_sk_type(sk),
ssl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_pop(sk) ((OCSP_SINGLERESP
*)OPENSSL_sk_pop(ssl_check_OCSP_SINGLERESP_sk_type(sk)))

```

```

#define sk_OCSP_SINGLERESP_shift(sk) ((OCSP_SINGLERESP
*)OPENSSL_sk_shift(ssl_check_OCSP_SINGLERESP_sk_type(sk)))
#define
    sk_OCSP_SINGLERESP_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OCSP_SINGLERESP_sk_type(sk),ssl_check_OCSP_SINGLERESP_freefun
c_type(freefunc))
#define sk_OCSP_SINGLERESP_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OCSP_SINGLERESP_sk_type(sk), ssl_check_OCSP_SINGLERESP_type(ptr),
(idx))
#define sk_OCSP_SINGLERESP_set(sk, idx, ptr) ((OCSP_SINGLERESP
*)OPENSSL_sk_set(ssl_check_OCSP_SINGLERESP_sk_type(sk), (idx),
ssl_check_OCSP_SINGLERESP_type(ptr)))
#define sk_OCSP_SINGLERESP_find(sk, ptr) OPENSSL_sk_find(ssl_check_OCSP_SINGLERESP_sk_type(sk),
ssl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OCSP_SINGLERESP_sk_type(sk),
ssl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OCSP_SINGLERESP_sk_type(sk),
ssl_check_OCSP_SINGLERESP_type(ptr), pnum)
#define sk_OCSP_SINGLERESP_sort(sk) OPENSSL_sk_sort(ssl_check_OCSP_SINGLERESP_sk_type(sk))
#define
    sk_OCSP_SINGLERESP_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_dup(sk) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_dup(ssl_check_const_OCSP_SINGLERESP_sk_type(sk)))
#define sk_OCSP_SINGLERESP_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_deep_copy(ssl_check_const_OCSP_SINGLERESP_sk_type(sk),
ssl_check_OCSP_SINGLERESP_copyfunc_type(copyfunc),
ssl_check_OCSP_SINGLERESP_freefunc_type(freefunc)))
#define sk_OCSP_SINGLERESP_set_cmp_func(sk, cmp)
((sk_OCSP_SINGLERESP_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OCSP_SINGLERESP_sk_type(sk
), ssl_check_OCSP_SINGLERESP_compfunc_type(cmp)))

```

```

typedef struct ocspl_response_data_st OCSP_RESPDATA;

```

```

typedef struct ocspl_basic_response_st OCSP_BASICRESP;

```

```

typedef struct ocspl_crl_id_st OCSP_CRLID;

```

```

typedef struct ocspl_service_locator_st OCSP_SERVICELOC;

```

```

# define PEM_STRING_OCSP_REQUEST "OCSP REQUEST"

```

```

# define PEM_STRING_OCSP_RESPONSE "OCSP
RESPONSE"

```

```

# define d2i_OCSP_REQUEST_bio(bp,p)

```

```

ASN1_d2i_bio_of(OCSP_REQUEST,OCSP_REQUEST_new,d2i_OCSP_REQUEST,bp,p)

```

```

# define d2i_OCSP_RESPONSE_bio(bp,p)
ASN1_d2i_bio_of(OCSP_RESPONSE,OCSP_RESPONSE_new,d2i_OCSP_RESPONSE,bp,p)

# define PEM_read_bio_OCSP_REQUEST(bp,x,cb) (OCSP_REQUEST *)PEM_ASN1_read_bio( \
(char *(*))d2i_OCSP_REQUEST,PEM_STRING_OCSP_REQUEST, \
bp,(char **)(x),cb,NULL)

# define PEM_read_bio_OCSP_RESPONSE(bp,x,cb) (OCSP_RESPONSE *)PEM_ASN1_read_bio( \
(char *(*))d2i_OCSP_RESPONSE,PEM_STRING_OCSP_RESPONSE, \
bp,(char **)(x),cb,NULL)

# define PEM_write_bio_OCSP_REQUEST(bp,o) \
PEM_ASN1_write_bio((int (*)(*))i2d_OCSP_REQUEST,PEM_STRING_OCSP_REQUEST, \
bp,(char *)(o), NULL,NULL,0,NULL,NULL)

# define PEM_write_bio_OCSP_RESPONSE(bp,o) \
PEM_ASN1_write_bio((int (*)(*))i2d_OCSP_RESPONSE,PEM_STRING_OCSP_RESPONSE, \
bp,(char *)(o), NULL,NULL,0,NULL,NULL)

# define i2d_OCSP_RESPONSE_bio(bp,o) ASN1_i2d_bio_of(OCSP_RESPONSE,i2d_OCSP_RESPONSE,bp,o)

#
define i2d_OCSP_REQUEST_bio(bp,o) ASN1_i2d_bio_of(OCSP_REQUEST,i2d_OCSP_REQUEST,bp,o)

# define ASN1_BIT_STRING_digest(data,type,md,len) \
ASN1_item_digest(ASN1_ITEM_rptr(ASN1_BIT_STRING),type,data,md,len)

# define OCSP_CERTSTATUS_dup(cs)\
(OCSP_CERTSTATUS*)ASN1_dup((i2d_of_void *)i2d_OCSP_CERTSTATUS, \
(d2i_of_void *)d2i_OCSP_CERTSTATUS,(char *)(cs))

DECLARE_ASN1_DUP_FUNCTION(OCSP_CERTID)

OSSL_HTTP_REQ_CTX *OCSP_sendreq_new(BIO *io, const char *path,
const OCSP_REQUEST *req, int buf_size);
OCSP_RESPONSE *OCSP_sendreq_bio(BIO *b, const char *path, OCSP_REQUEST *req);

# ifndef OPENSSL_NO_DEPRECATED_3_0
typedef OSSL_HTTP_REQ_CTX OCSP_REQ_CTX;
# define OCSP_REQ_CTX_new(io, buf_size) \
OSSL_HTTP_REQ_CTX_new(io, io, buf_size)
# define OCSP_REQ_CTX_free OSSL_HTTP_REQ_CTX_free
# define OCSP_REQ_CTX_http(rctx, op, path) \
(OSSL_HTTP_REQ_CTX_set_expected(rctx,
NULL, 1 /* asn1 */, 0, 0) && \
OSSL_HTTP_REQ_CTX_set_request_line(rctx, strcmp(op, "POST") == 0, \
NULL, NULL, path))

```

```

# define OCSP_REQ_CTX_add1_header OSSL_HTTP_REQ_CTX_add1_header
# define OCSP_REQ_CTX_i2d(r, it, req) \
    OSSL_HTTP_REQ_CTX_set1_req(r, "application/ocsp-request", it, req)
# define OCSP_REQ_CTX_set1_req(r, req) \
    OCSP_REQ_CTX_i2d(r, ASN1_ITEM_rptr(OCSP_REQUEST), (ASN1_VALUE *) (req))
# define OCSP_REQ_CTX_nbio OSSL_HTTP_REQ_CTX_nbio
# define OCSP_REQ_CTX_nbio_d2i OSSL_HTTP_REQ_CTX_nbio_d2i
# define OCSP_sendreq_nbio(p, r) \
    OSSL_HTTP_REQ_CTX_nbio_d2i(r, (ASN1_VALUE **) (p), \
        ASN1_ITEM_rptr(OCSP_RESPONSE))
# define OCSP_REQ_CTX_get0_mem_bio OSSL_HTTP_REQ_CTX_get0_mem_bio
# define OCSP_set_max_response_length OSSL_HTTP_REQ_CTX_set_max_response_length
# endif

```

```

OCSP_CERTID *OCSP_cert_to_id(const EVP_MD *dgst, const X509 *subject,
    const X509 *issuer);

```

```

OCSP_CERTID *OCSP_cert_id_new(const EVP_MD *dgst,
    const X509_NAME *issuerName,
    const ASN1_BIT_STRING *issuerKey,
    const ASN1_INTEGER *serialNumber);

```

```

OCSP_ONEREQ *OCSP_request_add0_id(OCSP_REQUEST *req, OCSP_CERTID *cid);

```

```

int OCSP_request_add1_nonce(OCSP_REQUEST *req, unsigned char *val, int len);
int OCSP_basic_add1_nonce(OCSP_BASICRESP *resp, unsigned char *val, int len);
int OCSP_check_nonce(OCSP_REQUEST *req, OCSP_BASICRESP *bs);
int OCSP_copy_nonce(OCSP_BASICRESP *resp, OCSP_REQUEST *req);

```

```

int OCSP_request_set1_name(OCSP_REQUEST *req, const X509_NAME *nm);
int OCSP_request_add1_cert(OCSP_REQUEST *req, X509 *cert);

```

```

int OCSP_request_sign(OCSP_REQUEST *req,
    X509 *signer,
    EVP_PKEY *key,
    const EVP_MD *dgst,
    STACK_OF(X509) *certs, unsigned long flags);

```

```

int
    OCSP_response_status(OCSP_RESPONSE *resp);
OCSP_BASICRESP *OCSP_response_get1_basic(OCSP_RESPONSE *resp);

```

```

const ASN1_OCTET_STRING *OCSP_resp_get0_signature(const OCSP_BASICRESP *bs);
const X509_ALGOR *OCSP_resp_get0_tbs_sigalg(const OCSP_BASICRESP *bs);
const OCSP_RESPDATA *OCSP_resp_get0_respdata(const OCSP_BASICRESP *bs);
int OCSP_resp_get0_signer(OCSP_BASICRESP *bs, X509 **signer,
    STACK_OF(X509) *extra_certs);

```

```

int OCSPP_resp_count(OCSP_BASICRESP *bs);
OCSP_SINGLERESP *OCSP_resp_get0(OCSP_BASICRESP *bs, int idx);
const ASN1_GENERALIZEDTIME *OCSP_resp_get0_produced_at(const OCSP_BASICRESP* bs);
const STACK_OF(X509) *OCSP_resp_get0_certs(const OCSP_BASICRESP *bs);
int OCSP_resp_get0_id(const OCSP_BASICRESP *bs,
    const ASN1_OCTET_STRING **pid,
    const X509_NAME **pname);
int OCSP_resp_get1_id(const OCSP_BASICRESP *bs,
    ASN1_OCTET_STRING **pid,
    X509_NAME **pname);

int OCSP_resp_find(OCSP_BASICRESP
    *bs, OCSP_CERTID *id, int last);
int OCSP_single_get0_status(OCSP_SINGLERESP *single, int *reason,
    ASN1_GENERALIZEDTIME **revtime,
    ASN1_GENERALIZEDTIME **thisupd,
    ASN1_GENERALIZEDTIME **nextupd);
int OCSP_resp_find_status(OCSP_BASICRESP *bs, OCSP_CERTID *id, int *status,
    int *reason,
    ASN1_GENERALIZEDTIME **revtime,
    ASN1_GENERALIZEDTIME **thisupd,
    ASN1_GENERALIZEDTIME **nextupd);
int OCSP_check_validity(ASN1_GENERALIZEDTIME *thisupd,
    ASN1_GENERALIZEDTIME *nextupd, long sec, long maxsec);

int OCSP_request_verify(OCSP_REQUEST *req, STACK_OF(X509) *certs,
    X509_STORE *store, unsigned long flags);

# define OCSP_parse_url(url, host, port, path, ssl) \
    OSSL_HTTP_parse_url(url, ssl, NULL, host, port, NULL, path, NULL, NULL)

int OCSP_id_issuer_cmp(const
    OCSP_CERTID *a, const OCSP_CERTID *b);
int OCSP_id_cmp(const OCSP_CERTID *a, const OCSP_CERTID *b);

int OCSP_request_onereq_count(OCSP_REQUEST *req);
OCSP_ONEREQ *OCSP_request_onereq_get0(OCSP_REQUEST *req, int i);
OCSP_CERTID *OCSP_onereq_get0_id(OCSP_ONEREQ *one);
int OCSP_id_get0_info(ASN1_OCTET_STRING **piNameHash, ASN1_OBJECT **pmd,
    ASN1_OCTET_STRING **pikeyHash,
    ASN1_INTEGER **pserial, OCSP_CERTID *cid);
int OCSP_request_is_signed(OCSP_REQUEST *req);
OCSP_RESPONSE *OCSP_response_create(int status, OCSP_BASICRESP *bs);
OCSP_SINGLERESP *OCSP_basic_add1_status(OCSP_BASICRESP *rsp,
    OCSP_CERTID *cid,
    int status, int reason,
    ASN1_TIME *revtime,
    ASN1_TIME *thisupd,

```



```

ASN1_TIME *nextupd);
int OCSPI_basic_add1_cert(OCSP_BASICRESP *resp,
X509 *cert);
int OCSPI_basic_sign(OCSP_BASICRESP *brsp,
X509 *signer, EVP_PKEY *key, const EVP_MD *dgst,
STACK_OF(X509) *certs, unsigned long flags);
int OCSPI_basic_sign_ctx(OCSP_BASICRESP *brsp,
X509 *signer, EVP_MD_CTX *ctx,
STACK_OF(X509) *certs, unsigned long flags);
int OCSPI_RESPID_set_by_name(OCSP_RESPID *respid, X509 *cert);
int OCSPI_RESPID_set_by_key_ex(OCSP_RESPID *respid, X509 *cert,
OSSL_LIB_CTX *libctx, const char *propq);
int OCSPI_RESPID_set_by_key(OCSP_RESPID *respid, X509 *cert);
int OCSPI_RESPID_match_ex(OCSP_RESPID *respid, X509 *cert, OSSL_LIB_CTX *libctx,
const char *propq);
int OCSPI_RESPID_match(OCSP_RESPID *respid, X509 *cert);

X509_EXTENSION *OCSP_crlID_new(const char *url, long *n, char *tim);

X509_EXTENSION *OCSP_accept_responses_new(char **oids);

X509_EXTENSION *OCSP_archive_cutoff_new(char *tim);

X509_EXTENSION *OCSP_url_svcloc_new(const
X509_NAME *issuer, const char **urls);

int OCSPI_REQUEST_get_ext_count(OCSP_REQUEST *x);
int OCSPI_REQUEST_get_ext_by_NID(OCSP_REQUEST *x, int nid, int lastpos);
int OCSPI_REQUEST_get_ext_by_OBJ(OCSP_REQUEST *x, const ASN1_OBJECT *obj,
int lastpos);
int OCSPI_REQUEST_get_ext_by_critical(OCSP_REQUEST *x, int crit, int lastpos);
X509_EXTENSION *OCSP_REQUEST_get_ext(OCSP_REQUEST *x, int loc);
X509_EXTENSION *OCSP_REQUEST_delete_ext(OCSP_REQUEST *x, int loc);
void *OCSP_REQUEST_get1_ext_d2i(OCSP_REQUEST *x, int nid, int *crit,
int *idx);
int OCSPI_REQUEST_add1_ext_i2d(OCSP_REQUEST *x, int nid, void *value, int crit,
unsigned long flags);
int OCSPI_REQUEST_add_ext(OCSP_REQUEST *x, X509_EXTENSION *ex, int loc);

int OCSPI_ONEREQ_get_ext_count(OCSP_ONEREQ *x);
int OCSPI_ONEREQ_get_ext_by_NID(OCSP_ONEREQ *x, int nid, int lastpos);
int OCSPI_ONEREQ_get_ext_by_OBJ(OCSP_ONEREQ *x, const
ASN1_OBJECT *obj, int lastpos);
int OCSPI_ONEREQ_get_ext_by_critical(OCSP_ONEREQ *x, int crit, int lastpos);
X509_EXTENSION *OCSP_ONEREQ_get_ext(OCSP_ONEREQ *x, int loc);
X509_EXTENSION *OCSP_ONEREQ_delete_ext(OCSP_ONEREQ *x, int loc);
void *OCSP_ONEREQ_get1_ext_d2i(OCSP_ONEREQ *x, int nid, int *crit, int *idx);
int OCSPI_ONEREQ_add1_ext_i2d(OCSP_ONEREQ *x, int nid, void *value, int crit,

```

```

        unsigned long flags);
int OCSP_ONEREQ_add_ext(OCSP_ONEREQ *x, X509_EXTENSION *ex, int loc);

int OCSP_BASICRESP_get_ext_count(OCSP_BASICRESP *x);
int OCSP_BASICRESP_get_ext_by_NID(OCSP_BASICRESP *x, int nid, int lastpos);
int OCSP_BASICRESP_get_ext_by_OBJ(OCSP_BASICRESP *x, const ASN1_OBJECT *obj,
        int lastpos);
int OCSP_BASICRESP_get_ext_by_critical(OCSP_BASICRESP *x, int crit,
        int lastpos);
X509_EXTENSION *OCSP_BASICRESP_get_ext(OCSP_BASICRESP *x, int loc);
X509_EXTENSION *OCSP_BASICRESP_delete_ext(OCSP_BASICRESP
*x, int loc);
void *OCSP_BASICRESP_get1_ext_d2i(OCSP_BASICRESP *x, int nid, int *crit,
        int *idx);
int OCSP_BASICRESP_add1_ext_i2d(OCSP_BASICRESP *x, int nid, void *value,
        int crit, unsigned long flags);
int OCSP_BASICRESP_add_ext(OCSP_BASICRESP *x, X509_EXTENSION *ex, int loc);

int OCSP_SINGLERESP_get_ext_count(OCSP_SINGLERESP *x);
int OCSP_SINGLERESP_get_ext_by_NID(OCSP_SINGLERESP *x, int nid, int lastpos);
int OCSP_SINGLERESP_get_ext_by_OBJ(OCSP_SINGLERESP *x, const ASN1_OBJECT *obj,
        int lastpos);
int OCSP_SINGLERESP_get_ext_by_critical(OCSP_SINGLERESP *x, int crit,
        int lastpos);
X509_EXTENSION *OCSP_SINGLERESP_get_ext(OCSP_SINGLERESP *x, int loc);
X509_EXTENSION *OCSP_SINGLERESP_delete_ext(OCSP_SINGLERESP *x, int loc);
void *OCSP_SINGLERESP_get1_ext_d2i(OCSP_SINGLERESP *x, int nid, int *crit,
        int
        *idx);
int OCSP_SINGLERESP_add1_ext_i2d(OCSP_SINGLERESP *x, int nid, void *value,
        int crit, unsigned long flags);
int OCSP_SINGLERESP_add_ext(OCSP_SINGLERESP *x, X509_EXTENSION *ex, int loc);
const OCSP_CERTID *OCSP_SINGLERESP_get0_id(const OCSP_SINGLERESP *x);

DECLARE_ASN1_FUNCTIONS(OCSP_SINGLERESP)
DECLARE_ASN1_FUNCTIONS(OCSP_CERTSTATUS)
DECLARE_ASN1_FUNCTIONS(OCSP_REVOKEDINFO)
DECLARE_ASN1_FUNCTIONS(OCSP_BASICRESP)
DECLARE_ASN1_FUNCTIONS(OCSP_RESPDATA)
DECLARE_ASN1_FUNCTIONS(OCSP_RESPID)
DECLARE_ASN1_FUNCTIONS(OCSP_RESPONSE)
DECLARE_ASN1_FUNCTIONS(OCSP_RESPBYTES)
DECLARE_ASN1_FUNCTIONS(OCSP_ONEREQ)
DECLARE_ASN1_FUNCTIONS(OCSP_CERTID)
DECLARE_ASN1_FUNCTIONS(OCSP_REQUEST)
DECLARE_ASN1_FUNCTIONS(OCSP_SIGNATURE)
DECLARE_ASN1_FUNCTIONS(OCSP_REQINFO)
DECLARE_ASN1_FUNCTIONS(OCSP_CRLID)

```

```

DECLARE_ASN1_FUNCTIONS(OCSP_SERVICELOC)

const char *OCSP_response_status_str(long s);
const char *OCSP_cert_status_str(long s);
const char *OCSP_crl_reason_str(long s);

int
OCSP_REQUEST_print(BIO *bp, OCSP_REQUEST *a, unsigned long flags);
int OCSP_RESPONSE_print(BIO *bp, OCSP_RESPONSE *o, unsigned long flags);

int OCSP_basic_verify(OCSP_BASICRESP *bs, STACK_OF(X509) *certs,
                     X509_STORE *st, unsigned long flags);

# ifdef __cplusplus
}
# endif
# endif /* !defined(OPENSSL_NO_OCSP) */
#endif

Alexander Rose [@arose](https://github.com/arose)
Alexandru Mrteanu [@alexei](https://github.com/alexei)
Andras [@andrasq](https://github.com/andrasq)
Benoit Giannangeli [@giann](https://github.com/giann)
Branden Visser [@mrvisser](https://github.com/mrvisser)
David Baird
daurnimator [@daurnimator](https://github.com/daurnimator)
Doug Beck [@beck](https://github.com/beck)
Dzmitry Litskalau [@litmit](https://github.com/litmit)
Fred Ludlow [@fredludlow](https://github.com/fredludlow)
Hans Pufal
Henry [@alograg](https://github.com/alograg)
Johnny Shields [@johnnyshields](https://github.com/johnnyshields)
Kamal Abdali
Matt Simerson [@msimerson](https://github.com/msimerson)
Maxime Robert [@marob](https://github.com/marob)
MeriemKhelifi [@MeriemKhelifi](https://github.com/MeriemKhelifi)
Michael Schramm [@wodka](https://github.com/wodka)
Nazar Mokrynskyi [@nazar-pc](https://github.com/nazar-pc)
Oliver Salzburg [@oliversalzburg](https://github.com/oliversalzburg)
Pablo [@ppollono](https://github.com/ppollono)
Rabehaja
Stevens [@RABEHAJA-STEVENs](https://github.com/RABEHAJA-STEVENs)
Raphael Pigulla [@pigulla](https://github.com/pigulla)
rebeccapeltz [@rebeccapeltz](https://github.com/rebeccapeltz)
Stefan Tingström [@stingstrom](https://github.com/stingstrom)
Tim Gates [@timgates42](https://github.com/timgates42)
UNRECOGNIZED LICENSE; MD5 sum: 29b0ff6adc72d3faec03969825fb8690

```

```
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/pkcs7.h.in
 *
 * Copyright 1995-2023 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */
```

```
#ifndef OPENSSL_PKCS7_H
# define OPENSSL_PKCS7_H
# pragma once
```

```
# include <openssl/macros.h>
# ifndef OPENSSL_NO_DEPRECATED_3_0
# define HEADER_PKCS7_H
# endif
```

```
# include <openssl/asn1.h>
# include <openssl/bio.h>
# include <openssl/e_os2.h>
```

```
# include <openssl/symhacks.h>
# include <openssl/types.h>
# include <openssl/pkcs7err.h>
```

```
#ifdef __cplusplus
extern "C" {
#endif
```

```
/*-
Encryption_ID      DES-CBC
Digest_ID          MD5
Digest_Encryption_ID  rsaEncryption
Key_Encryption_ID   rsaEncryption
*/
```

```
typedef struct PKCS7_CTX_st {
    OSSL_LIB_CTX *libctx;
    char *propq;
} PKCS7_CTX;
```

```

typedef struct pkcs7_issuer_and_serial_st {
    X509_NAME *issuer;
    ASN1_INTEGER *serial;
} PKCS7_ISSUER_AND_SERIAL;

typedef struct pkcs7_signer_info_st {
    ASN1_INTEGER *version; /* version 1 */
    PKCS7_ISSUER_AND_SERIAL *issuer_and_serial;
    X509_ALGOR *digest_alg;
    STACK_OF(X509_ATTRIBUTE) *auth_attr; /* [ 0 ] */
    X509_ALGOR *digest_enc_alg; /* confusing name, actually used for signing */
    ASN1_OCTET_STRING *enc_digest; /* confusing name, actually signature */
    STACK_OF(X509_ATTRIBUTE) *unauth_attr; /* [ 1 ] */
    /* The private key to sign with */
    EVP_PKEY *pkey;
    const PKCS7_CTX *ctx;
} PKCS7_SIGNER_INFO;

SKM_DEFINE_STACK_OF_INTERNAL(PKCS7_SIGNER_INFO, PKCS7_SIGNER_INFO,
PKCS7_SIGNER_INFO)
#define sk_PKCS7_SIGNER_INFO_num(sk)
OPENSSL_sk_num(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_value(sk, idx) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_value(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk),
(idx)))
#define sk_PKCS7_SIGNER_INFO_new(cmp) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_new(ssl_check_PKCS7_SIGNER_INFO_compfunc_type(cmp)))
#define sk_PKCS7_SIGNER_INFO_new_null() ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_new_null())
#define sk_PKCS7_SIGNER_INFO_new_reserve(cmp, n) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_new_reserve(ssl_check_PKCS7_SIGNER_INFO_compfunc_type(cmp), (n)))
#define sk_PKCS7_SIGNER_INFO_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk), (n))
#define sk_PKCS7_SIGNER_INFO_free(sk)
OPENSSL_sk_free(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_zero(sk)
OPENSSL_sk_zero(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_delete(sk, i) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_delete(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk), (i)))
#define sk_PKCS7_SIGNER_INFO_delete_ptr(sk, ptr) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr)))
#define
sk_PKCS7_SIGNER_INFO_push(sk, ptr) OPENSSL_sk_push(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))
#define sk_PKCS7_SIGNER_INFO_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))
#define sk_PKCS7_SIGNER_INFO_pop(sk) ((PKCS7_SIGNER_INFO

```

```

*)OPENSSL_sk_pop(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_shift(sk) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_shift(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),ssl_check_PKCS7_SIGNER_INFO_fr
eefunc_type(freefunc))
#define sk_PKCS7_SIGNER_INFO_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr), (idx))
#define sk_PKCS7_SIGNER_INFO_set(sk, idx, ptr) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_set(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk), (idx),
ssl_check_PKCS7_SIGNER_INFO_type(ptr)))
#define
sk_PKCS7_SIGNER_INFO_find(sk, ptr) OPENSSL_sk_find(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))
#define sk_PKCS7_SIGNER_INFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))
#define sk_PKCS7_SIGNER_INFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr), pnum)
#define sk_PKCS7_SIGNER_INFO_sort(sk) OPENSSL_sk_sort(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_dup(sk) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_dup(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_copyfunc_type(copyfunc),
ssl_check_PKCS7_SIGNER_INFO_freefunc_type(freefunc)))
#define sk_PKCS7_SIGNER_INFO_set_cmp_func(sk, cmp)
((sk_PKCS7_SIGNER_INFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PKCS7_SIGNER_INFO_sk_ty
pe(sk), ssl_check_PKCS7_SIGNER_INFO_compfunc_type(cmp)))

typedef struct pkcs7_recip_info_st {
ASN1_INTEGER *version; /* version 0 */
PKCS7_ISSUER_AND_SERIAL *issuer_and_serial;
X509_ALGOR *key_enc_algor;
ASN1_OCTET_STRING *enc_key;
X509 *cert; /* get the pub-key from this */
const PKCS7_CTX *ctx;
} PKCS7_RECIP_INFO;
SKM_DEFINE_STACK_OF_INTERNAL(PKCS7_RECIP_INFO, PKCS7_RECIP_INFO, PKCS7_RECIP_INFO)
#define sk_PKCS7_RECIP_INFO_num(sk)
OPENSSL_sk_num(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_value(sk, idx) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_value(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk), (idx)))

```

```

#define sk_PKCS7_RECIP_INFO_new(cmp) ((STACK_OF(PKCS7_RECIP_INFO)
*)OPENSSL_sk_new(ssl_check_PKCS7_RECIP_INFO_compfunc_type(cmp)))
#define
sk_PKCS7_RECIP_INFO_new_null() ((STACK_OF(PKCS7_RECIP_INFO) *)OPENSSL_sk_new_null())
#define sk_PKCS7_RECIP_INFO_new_reserve(cmp, n) ((STACK_OF(PKCS7_RECIP_INFO)
*)OPENSSL_sk_new_reserve(ssl_check_PKCS7_RECIP_INFO_compfunc_type(cmp), (n)))
#define sk_PKCS7_RECIP_INFO_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), (n))
#define sk_PKCS7_RECIP_INFO_free(sk) OPENSSL_sk_free(ssl_check_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_zero(sk) OPENSSL_sk_zero(ssl_check_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_delete(sk, i) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_delete(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), (i)))
#define sk_PKCS7_RECIP_INFO_delete_ptr(sk, ptr) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr)))
#define sk_PKCS7_RECIP_INFO_push(sk, ptr)
OPENSSL_sk_push(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define
sk_PKCS7_RECIP_INFO_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define sk_PKCS7_RECIP_INFO_pop(sk) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_pop(ssl_check_PKCS7_RECIP_INFO_sk_type(sk)))
#define sk_PKCS7_RECIP_INFO_shift(sk) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_shift(ssl_check_PKCS7_RECIP_INFO_sk_type(sk)))
#define sk_PKCS7_RECIP_INFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), ssl_check_PKCS7_RECIP_INFO_freefunc_type(freefunc))
#define sk_PKCS7_RECIP_INFO_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr), (idx))
#define sk_PKCS7_RECIP_INFO_set(sk, idx, ptr) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_set(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), (idx),
ssl_check_PKCS7_RECIP_INFO_type(ptr)))
#define sk_PKCS7_RECIP_INFO_find(sk, ptr)
OPENSSL_sk_find(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define
sk_PKCS7_RECIP_INFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define sk_PKCS7_RECIP_INFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr), pnum)
#define sk_PKCS7_RECIP_INFO_sort(sk) OPENSSL_sk_sort(ssl_check_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_dup(sk) ((STACK_OF(PKCS7_RECIP_INFO)
*)OPENSSL_sk_dup(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk)))
#define sk_PKCS7_RECIP_INFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS7_RECIP_INFO)

```

```

*)OPENSSL_sk_deep_copy(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_copyfunc_type(copyfunc),
ssl_check_PKCS7_RECIP_INFO_freefunc_type(freefunc)))
#define sk_PKCS7_RECIP_INFO_set_cmp_func(sk, cmp)
((sk_PKCS7_RECIP_INFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PKCS7_RECIP_INFO_sk_type(s
k),
ssl_check_PKCS7_RECIP_INFO_compfunc_type(cmp)))

```

```

typedef struct pkcs7_signed_st {
    ASN1_INTEGER *version;    /* version 1 */
    STACK_OF(X509_ALGOR) *md_algs; /* md used */
    STACK_OF(X509) *cert;    /* [ 0 ] */
    STACK_OF(X509_CRL) *crl; /* [ 1 ] */
    STACK_OF(PKCS7_SIGNER_INFO) *signer_info;
    struct pkcs7_st *contents;
} PKCS7_SIGNED;

```

/*

* The above structure is very very similar to PKCS7_SIGN_ENVELOPE. How about

* merging the two

*/

```

typedef struct pkcs7_enc_content_st {
    ASN1_OBJECT *content_type;
    X509_ALGOR *algorithm;
    ASN1_OCTET_STRING *enc_data; /* [ 0 ] */
    const EVP_CIPHER *cipher;
    const PKCS7_CTX *ctx;
} PKCS7_ENC_CONTENT;

```

```

typedef struct pkcs7_enveloped_st {
    ASN1_INTEGER *version;    /* version 0 */
    STACK_OF(PKCS7_RECIP_INFO) *recipientinfo;
    PKCS7_ENC_CONTENT *enc_data;
} PKCS7_ENVELOPE;

```

```

typedef struct pkcs7_signedandenveloped_st {
    ASN1_INTEGER *version;    /* version 1 */
    STACK_OF(X509_ALGOR) *md_algs; /* md used */
    STACK_OF(X509) *cert;    /* [ 0 ] */
    STACK_OF(X509_CRL) *crl; /* [ 1 ] */
    STACK_OF(PKCS7_SIGNER_INFO) *signer_info;
    PKCS7_ENC_CONTENT *enc_data;
    STACK_OF(PKCS7_RECIP_INFO) *recipientinfo;
} PKCS7_SIGN_ENVELOPE;

```

```

typedef struct pkcs7_digest_st {

```



```

ASN1_INTEGER *version;    /* version 0 */
X509_ALGOR *md;          /* md used */
struct pkcs7_st *contents;
ASN1_OCTET_STRING *digest;
} PKCS7_DIGEST;

typedef struct pkcs7_encrypted_st {
    ASN1_INTEGER *version;    /* version 0 */
    PKCS7_ENC_CONTENT *enc_data;
} PKCS7_ENCRYPT;

typedef struct pkcs7_st {
    /*
     * The following is non NULL if it contains ASN1 encoding of this
     * structure
     */
    unsigned char *asn1;
    long length;
#define PKCS7_S_HEADER 0
#define PKCS7_S_BODY 1
#define PKCS7_S_TAIL 2
    int state;          /* used during processing */
    int detached;
    ASN1_OBJECT *type;
    /* content as defined by the type */
    /*
     * all encryption/message digests are applied to the 'contents', leaving
     * out the 'type' field.
     */
    union {
        char *ptr;
        /* NID_pkcs7_data */
        ASN1_OCTET_STRING *data;
        /* NID_pkcs7_signed */
        PKCS7_SIGNED *sign;
        /* NID_pkcs7_enveloped */
        PKCS7_ENVELOPE *enveloped;
        /* NID_pkcs7_signedAndEnveloped */
        PKCS7_SIGN_ENVELOPE *signed_and_enveloped;
        /* NID_pkcs7_digest */
        PKCS7_DIGEST *digest;
        /* NID_pkcs7_encrypted */
        PKCS7_ENCRYPT *encrypted;
        /* Anything else */
        ASN1_TYPE *other;
    } d;
    PKCS7_CTX ctx;
} PKCS7;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(PKCS7, PKCS7, PKCS7)
#define sk_PKCS7_num(sk) OPENSSL_sk_num(ssl_check_const_PKCS7_sk_type(sk))
#define sk_PKCS7_value(sk, idx) ((PKCS7 *)OPENSSL_sk_value(ssl_check_const_PKCS7_sk_type(sk), (idx)))
#define sk_PKCS7_new(cmp) ((STACK_OF(PKCS7)
*)OPENSSL_sk_new(ssl_check_PKCS7_compfunc_type(cmp)))
#define
sk_PKCS7_new_null() ((STACK_OF(PKCS7) *)OPENSSL_sk_new_null())
#define sk_PKCS7_new_reserve(cmp, n) ((STACK_OF(PKCS7)
*)OPENSSL_sk_new_reserve(ssl_check_PKCS7_compfunc_type(cmp), (n)))
#define sk_PKCS7_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_PKCS7_sk_type(sk), (n))
#define sk_PKCS7_free(sk) OPENSSL_sk_free(ssl_check_PKCS7_sk_type(sk))
#define sk_PKCS7_zero(sk) OPENSSL_sk_zero(ssl_check_PKCS7_sk_type(sk))
#define sk_PKCS7_delete(sk, i) ((PKCS7 *)OPENSSL_sk_delete(ssl_check_PKCS7_sk_type(sk), (i)))
#define sk_PKCS7_delete_ptr(sk, ptr) ((PKCS7 *)OPENSSL_sk_delete_ptr(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_type(ptr)))
#define sk_PKCS7_push(sk, ptr) OPENSSL_sk_push(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_type(ptr))
#define sk_PKCS7_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_type(ptr))
#define sk_PKCS7_pop(sk) ((PKCS7 *)OPENSSL_sk_pop(ssl_check_PKCS7_sk_type(sk)))
#define
sk_PKCS7_shift(sk) ((PKCS7 *)OPENSSL_sk_shift(ssl_check_PKCS7_sk_type(sk)))
#define sk_PKCS7_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PKCS7_sk_type(sk), ssl_check_PKCS7_freefunc_type(freefunc))
#define sk_PKCS7_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_type(ptr), (idx))
#define sk_PKCS7_set(sk, idx, ptr) ((PKCS7 *)OPENSSL_sk_set(ssl_check_PKCS7_sk_type(sk), (idx),
ssl_check_PKCS7_type(ptr)))
#define sk_PKCS7_find(sk, ptr) OPENSSL_sk_find(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_type(ptr))
#define sk_PKCS7_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_type(ptr))
#define sk_PKCS7_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_type(ptr), pnum)
#define sk_PKCS7_sort(sk) OPENSSL_sk_sort(ssl_check_PKCS7_sk_type(sk))
#define sk_PKCS7_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_PKCS7_sk_type(sk))
#define sk_PKCS7_dup(sk) ((STACK_OF(PKCS7)
*)OPENSSL_sk_dup(ssl_check_const_PKCS7_sk_type(sk)))
#define sk_PKCS7_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS7)
*)OPENSSL_sk_deep_copy(ssl_check_const_PKCS7_sk_type(sk),
ssl_check_PKCS7_copyfunc_type(copyfunc), ssl_check_PKCS7_freefunc_type(freefunc)))
#define sk_PKCS7_set_cmp_func(sk, cmp)
((sk_PKCS7_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PKCS7_sk_type(sk),
ssl_check_PKCS7_compfunc_type(cmp)))

# define PKCS7_OP_SET_DETACHED_SIGNATURE 1

```

```

# define PKCS7_OP_GET_DETACHED_SIGNATURE 2

# define PKCS7_get_signed_attributes(si) ((si)->auth_attr)
# define PKCS7_get_attributes(si)      ((si)->unauth_attr)

# define PKCS7_type_is_signed(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_signed)
# define PKCS7_type_is_encrypted(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_encrypted)
# define PKCS7_type_is_enveloped(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_enveloped)
# define PKCS7_type_is_signedAndEnveloped(a) \
    (OBJ_obj2nid((a)->type) == NID_pkcs7_signedAndEnveloped)
#
# define PKCS7_type_is_data(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_data)
# define PKCS7_type_is_digest(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_digest)

# define PKCS7_set_detached(p,v) \
    PKCS7_ctrl(p,PKCS7_OP_SET_DETACHED_SIGNATURE,v,NULL)
# define PKCS7_get_detached(p) \
    PKCS7_ctrl(p,PKCS7_OP_GET_DETACHED_SIGNATURE,0,NULL)

# define PKCS7_is_detached(p7) (PKCS7_type_is_signed(p7) && PKCS7_get_detached(p7))

/* S/MIME related flags */

# define PKCS7_TEXT      0x1
# define PKCS7_NOCERTS   0x2
# define PKCS7_NOSIGS    0x4
# define PKCS7_NOCHAIN   0x8
# define PKCS7_NOINTERN  0x10
# define PKCS7_NOVERIFY  0x20
# define PKCS7_DETACHED  0x40
# define PKCS7_BINARY    0x80
# define PKCS7_NOATTR    0x100
# define PKCS7_NOSMIMECAP 0x200
# define PKCS7_NOOLDMIMETYPE 0x400
# define PKCS7_CRLFEOLE  0x800
# define PKCS7_STREAM    0x1000
# define PKCS7_NOCRL     0x2000
# define PKCS7_PARTIAL    0x4000
# define PKCS7_REUSE_DIGEST 0x8000
# define PKCS7_NO_DUAL_CONTENT 0x10000

/* Flags: for compatibility with older code */

# define SMIME_TEXT      PKCS7_TEXT
# define SMIME_NOCERTS   PKCS7_NOCERTS
# define SMIME_NOSIGS    PKCS7_NOSIGS
# define SMIME_NOCHAIN   PKCS7_NOCHAIN

```

```

#define SMIME_NOINTERN PKCS7_NOINTERN
#define SMIME_NOVERIFY PKCS7_NOVERIFY
#define SMIME_DETACHED PKCS7_DETACHED
#define SMIME_BINARY PKCS7_BINARY
#define SMIME_NOATTR PKCS7_NOATTR

/* CRLF ASCII canonicalisation */
#define SMIME_ASCHICRLF 0x80000

DECLARE_ASN1_FUNCTIONS(PKCS7_ISSUER_AND_SERIAL)

int PKCS7_ISSUER_AND_SERIAL_digest(PKCS7_ISSUER_AND_SERIAL *data,
                                   const EVP_MD *type, unsigned char *md,
                                   unsigned int *len);
#ifdef OPENSSL_NO_STDIO
PKCS7 *d2i_PKCS7_fp(FILE *fp, PKCS7 **p7);
int i2d_PKCS7_fp(FILE *fp, const PKCS7 *p7);
#endif
DECLARE_ASN1_DUP_FUNCTION(PKCS7)
PKCS7
*d2i_PKCS7_bio(BIO *bp, PKCS7 **p7);
int i2d_PKCS7_bio(BIO *bp, const PKCS7 *p7);
int i2d_PKCS7_bio_stream(BIO *out, PKCS7 *p7, BIO *in, int flags);
int PEM_write_bio_PKCS7_stream(BIO *out, PKCS7 *p7, BIO *in, int flags);

DECLARE_ASN1_FUNCTIONS(PKCS7_SIGNER_INFO)
DECLARE_ASN1_FUNCTIONS(PKCS7_RECIP_INFO)
DECLARE_ASN1_FUNCTIONS(PKCS7_SIGNED)
DECLARE_ASN1_FUNCTIONS(PKCS7_ENC_CONTENT)
DECLARE_ASN1_FUNCTIONS(PKCS7_ENVELOPE)
DECLARE_ASN1_FUNCTIONS(PKCS7_SIGN_ENVELOPE)
DECLARE_ASN1_FUNCTIONS(PKCS7_DIGEST)
DECLARE_ASN1_FUNCTIONS(PKCS7_ENCRYPT)
DECLARE_ASN1_FUNCTIONS(PKCS7)
PKCS7 *PKCS7_new_ex(SSL_CTX *libctx, const char *propq);

DECLARE_ASN1_ITEM(PKCS7_ATTR_SIGN)
DECLARE_ASN1_ITEM(PKCS7_ATTR_VERIFY)

DECLARE_ASN1_NDEF_FUNCTION(PKCS7)
DECLARE_ASN1_PRINT_FUNCTION(PKCS7)

long PKCS7_ctrl(PKCS7 *p7, int cmd, long larg, char *parg);

int PKCS7_type_is_other(PKCS7 *p7);
int PKCS7_set_type(PKCS7 *p7, int type);
int PKCS7_set0_type_other(PKCS7 *p7, int type, ASN1_TYPE *other);
int

```

```

PKCS7_set_content(PKCS7 *p7, PKCS7 *p7_data);
int PKCS7_SIGNER_INFO_set(PKCS7_SIGNER_INFO *p7i, X509 *x509, EVP_PKEY *pkey,
    const EVP_MD *dgst);
int PKCS7_SIGNER_INFO_sign(PKCS7_SIGNER_INFO *si);
int PKCS7_add_signer(PKCS7 *p7, PKCS7_SIGNER_INFO *p7i);
int PKCS7_add_certificate(PKCS7 *p7, X509 *x509);
int PKCS7_add_crl(PKCS7 *p7, X509_CRL *x509);
int PKCS7_content_new(PKCS7 *p7, int nid);
int PKCS7_dataVerify(X509_STORE *cert_store, X509_STORE_CTX *ctx,
    BIO *bio, PKCS7 *p7, PKCS7_SIGNER_INFO *si);
int PKCS7_signatureVerify(BIO *bio, PKCS7 *p7, PKCS7_SIGNER_INFO *si,
    X509 *x509);

BIO *PKCS7_dataInit(PKCS7 *p7, BIO *bio);
int PKCS7_dataFinal(PKCS7 *p7, BIO *bio);
BIO *PKCS7_dataDecode(PKCS7 *p7, EVP_PKEY *pkey, BIO *in_bio, X509 *pcert);

PKCS7_SIGNER_INFO *PKCS7_add_signature(PKCS7 *p7, X509 *x509,
    EVP_PKEY *pkey, const EVP_MD *dgst);
X509 *PKCS7_cert_from_signer_info(PKCS7 *p7,
    PKCS7_SIGNER_INFO *si);
int PKCS7_set_digest(PKCS7 *p7, const EVP_MD *md);
STACK_OF(PKCS7_SIGNER_INFO) *PKCS7_get_signer_info(PKCS7 *p7);

PKCS7_RECIP_INFO *PKCS7_add_recipient(PKCS7 *p7, X509 *x509);
void PKCS7_SIGNER_INFO_get0_algs(PKCS7_SIGNER_INFO *si, EVP_PKEY **pk,
    X509_ALGOR **pdig, X509_ALGOR **psig);
void PKCS7_RECIP_INFO_get0_alg(PKCS7_RECIP_INFO *ri, X509_ALGOR **penc);
int PKCS7_add_recipient_info(PKCS7 *p7, PKCS7_RECIP_INFO *ri);
int PKCS7_RECIP_INFO_set(PKCS7_RECIP_INFO *p7i, X509 *x509);
int PKCS7_set_cipher(PKCS7 *p7, const EVP_CIPHER *cipher);
int PKCS7_stream(unsigned char ***boundary, PKCS7 *p7);

PKCS7_ISSUER_AND_SERIAL *PKCS7_get_issuer_and_serial(PKCS7 *p7, int idx);
ASN1_OCTET_STRING *PKCS7_get_octet_string(PKCS7 *p7);
ASN1_OCTET_STRING *PKCS7_digest_from_attributes(STACK_OF(X509_ATTRIBUTE) *sk);
int PKCS7_add_signed_attribute(PKCS7_SIGNER_INFO *p7si, int nid, int type,
    void *data);
int PKCS7_add_attribute(PKCS7_SIGNER_INFO
    *p7si, int nid, int attrtype,
    void *value);
ASN1_TYPE *PKCS7_get_attribute(const PKCS7_SIGNER_INFO *si, int nid);
ASN1_TYPE *PKCS7_get_signed_attribute(const PKCS7_SIGNER_INFO *si, int nid);
int PKCS7_set_signed_attributes(PKCS7_SIGNER_INFO *p7si,
    STACK_OF(X509_ATTRIBUTE) *sk);
int PKCS7_set_attributes(PKCS7_SIGNER_INFO *p7si,
    STACK_OF(X509_ATTRIBUTE) *sk);

```

```

PKCS7 *PKCS7_sign(X509 *signcert, EVP_PKEY *pkey, STACK_OF(X509) *certs,
    BIO *data, int flags);
PKCS7 *PKCS7_sign_ex(X509 *signcert, EVP_PKEY *pkey, STACK_OF(X509) *certs,
    BIO *data, int flags, OSSL_LIB_CTX *libctx,
    const char *propq);

PKCS7_SIGNER_INFO *PKCS7_sign_add_signer(PKCS7 *p7,
    X509 *signcert, EVP_PKEY *pkey,
    const EVP_MD *md, int flags);

int PKCS7_final(PKCS7 *p7, BIO *data,
    int flags);
int PKCS7_verify(PKCS7 *p7, STACK_OF(X509) *certs, X509_STORE *store,
    BIO *indata, BIO *out, int flags);
STACK_OF(X509) *PKCS7_get0_signers(PKCS7 *p7, STACK_OF(X509) *certs,
    int flags);
PKCS7 *PKCS7_encrypt(STACK_OF(X509) *certs, BIO *in, const EVP_CIPHER *cipher,
    int flags);
PKCS7 *PKCS7_encrypt_ex(STACK_OF(X509) *certs, BIO *in,
    const EVP_CIPHER *cipher, int flags,
    OSSL_LIB_CTX *libctx, const char *propq);
int PKCS7_decrypt(PKCS7 *p7, EVP_PKEY *pkey, X509 *cert, BIO *data,
    int flags);

int PKCS7_add_attrib_smimecap(PKCS7_SIGNER_INFO *si,
    STACK_OF(X509_ALGOR) *cap);
STACK_OF(X509_ALGOR) *PKCS7_get_smimecap(PKCS7_SIGNER_INFO *si);
int PKCS7_simple_smimecap(STACK_OF(X509_ALGOR) *sk, int nid, int arg);

int PKCS7_add_attrib_content_type(PKCS7_SIGNER_INFO *si, ASN1_OBJECT *coid);
int PKCS7_add0_attrib_signing_time(PKCS7_SIGNER_INFO
    *si, ASN1_TIME *t);
int PKCS7_add1_attrib_digest(PKCS7_SIGNER_INFO *si,
    const unsigned char *md, int mdlen);

int SMIME_write_PKCS7(BIO *bio, PKCS7 *p7, BIO *data, int flags);
PKCS7 *SMIME_read_PKCS7_ex(BIO *bio, BIO **bcont, PKCS7 **p7);
PKCS7 *SMIME_read_PKCS7(BIO *bio, BIO **bcont);

BIO *BIO_new_PKCS7(BIO *out, PKCS7 *p7);

#ifdef __cplusplus
}
#endif
#endif
ISC License

```

Copyright (c) 2018-2020, Andrea Giammarchi, @WebReflection

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD 3-Clause License

Copyright (c) 2009-2015, Kevin Decker <kpdecker@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(The MIT License)

Copyright (c) 2016 Titus Wormer <tituswormer@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

[
"0BSD",
"3D-Slicer-1.0",
"AAL",
"ADSL",
"AFL-1.1",
"AFL-1.2",
"AFL-2.0",
"AFL-2.1",
"AFL-3.0",
"AGPL-1.0-only",
"AGPL-1.0-or-later",
"AGPL-3.0-only",
"AGPL-3.0-or-later",
"AMD-newlib",
"AMDPLPA",
"AML",
"AML-glslang",
"AMPAS",
"ANTLR-PD",
"ANTLR-PD-fallback",
"APAFML",
"APL-1.0",
"APSL-1.0",
"APSL-1.1",
"APSL-1.2",
"APSL-2.0",
"ASWF-Digital-Assets-1.0",

"ASWF-Digital-Assets-1.1",
"Abstyles",
"AdaCore-doc",
"Adobe-2006",
"Adobe-Display-PostScript",
"Adobe-Glyph",
"Adobe-Utopia",
"Afmparse",
"Aladdin",
"Apache-1.0",
"Apache-1.1",
"Apache-2.0",
"App-s2p",
"Arphic-1999",
"Artistic-1.0",
"Artistic-1.0-Perl",
"Artistic-1.0-cl8",
"Artistic-2.0",
"BSD-1-Clause",
"BSD-2-Clause",
"BSD-2-Clause-Darwin",
"BSD-2-Clause-Patent",
"BSD-2-Clause-Views",
"BSD-2-Clause-first-lines",
"BSD-3-Clause",
"BSD-3-Clause-Attribution",
"BSD-3-Clause-Clear",
"BSD-3-Clause-HP",
"BSD-3-Clause-LBNL",
"BSD-3-Clause-Modification",
"BSD-3-Clause-No-Military-License",
"BSD-3-Clause-No-Nuclear-License",
"BSD-3-Clause-No-Nuclear-License-2014",
"BSD-3-Clause-No-Nuclear-Warranty",
"BSD-3-Clause-Open-MPI",
"BSD-3-Clause-Sun",
"BSD-3-Clause-acpica",
"BSD-3-Clause-flex",
"BSD-4-Clause",
"BSD-4-Clause-Shortened",
"BSD-4-Clause-UC",
"BSD-4.3RENO",
"BSD-4.3TAHOE",
"BSD-Advertising-Acknowledgement",
"BSD-Attribution-HPND-disclaimer",
"BSD-Inferno-Nettverk",
"BSD-Protection",
"BSD-Source-Code",

"BSD-Source-beginning-file",
"BSD-Systemics",
"BSD-Systemics-W3Works",
"BSL-1.0",
"BUSL-1.1",
"Baekmuk",
"Bahyph",
"Barr",
"Beerware",
"BitTorrent-1.0",
"BitTorrent-1.1",
"Bitstream-Charter",
"Bitstream-Vera",
"BlueOak-1.0.0",
"Boehm-GC",
"Borceux",
"Brian-Gladman-2-Clause",
"Brian-Gladman-3-Clause",
"C-UDA-1.0",
"CAL-1.0",
"CAL-1.0-Combined-Work-Exception",
"CATOSL-1.1",
"CC-BY-1.0",
"CC-BY-2.0",
"CC-BY-2.5",
"CC-BY-2.5-AU",
"CC-BY-3.0",
"CC-BY-3.0-AT",
"CC-BY-3.0-AU",
"CC-BY-3.0-DE",
"CC-BY-3.0-IGO",
"CC-BY-3.0-NL",
"CC-BY-3.0-US",
"CC-BY-4.0",
"CC-BY-NC-1.0",
"CC-BY-NC-2.0",
"CC-BY-NC-2.5",
"CC-BY-NC-3.0",
"CC-BY-NC-3.0-DE",
"CC-BY-NC-4.0",
"CC-BY-NC-ND-1.0",
"CC-BY-NC-ND-2.0",
"CC-BY-NC-ND-2.5",
"CC-BY-NC-ND-3.0",
"CC-BY-NC-ND-3.0-DE",
"CC-BY-NC-ND-3.0-IGO",
"CC-BY-NC-ND-4.0",
"CC-BY-NC-SA-1.0",

"CC-BY-NC-SA-2.0",
"CC-BY-NC-SA-2.0-DE",
"CC-BY-NC-SA-2.0-FR",
"CC-BY-NC-SA-2.0-UK",
"CC-BY-NC-SA-2.5",
"CC-BY-NC-SA-3.0",
"CC-BY-NC-SA-3.0-DE",
"CC-BY-NC-SA-3.0-IGO",
"CC-BY-NC-SA-4.0",
"CC-BY-ND-1.0",
"CC-BY-ND-2.0",
"CC-BY-ND-2.5",
"CC-BY-ND-3.0",
"CC-BY-ND-3.0-DE",
"CC-BY-ND-4.0",
"CC-BY-SA-1.0",
"CC-BY-SA-2.0",
"CC-BY-SA-2.0-UK",
"CC-BY-SA-2.1-JP",
"CC-BY-SA-2.5",
"CC-BY-SA-3.0",
"CC-BY-SA-3.0-AT",
"CC-BY-SA-3.0-DE",
"CC-BY-SA-3.0-IGO",
"CC-BY-SA-4.0",
"CC-PDDC",
"CC0-1.0",
"CDDL-1.0",
"CDDL-1.1",
"CDL-1.0",
"CDLA-Permissive-1.0",
"CDLA-Permissive-2.0",
"CDLA-Sharing-1.0",
"CECILL-1.0",
"CECILL-1.1",
"CECILL-2.0",
"CECILL-2.1",
"CECILL-B",
"CECILL-C",
"CERN-OHL-1.1",
"CERN-OHL-1.2",
"CERN-OHL-P-2.0",
"CERN-OHL-S-2.0",
"CERN-OHL-W-2.0",
"CFITSIO",
"CMU-Mach",
"CMU-Mach-nodoc",
"CNRI-Jython",

"CNRI-Python",
"CNRI-Python-GPL-Compatible",
"COIL-1.0",
"CPAL-1.0",
"CPL-1.0",
"CPOL-1.02",
"CUA-OPL-1.0",
"Caldera",
"Caldera-no-preamble",
"Catharon",
"CIArtistic",
"Clips",
"Community-Spec-1.0",
"Condor-1.1",
"Cornell-Lossless-JPEG",
"Cronyx",
"Crossword",
"CrystalStacker",
"Cube",
"D-FSL-1.0",
"DEC-3-Clause",
"DL-DE-BY-2.0",
"DL-DE-ZERO-2.0",
"DOC",
"DRL-1.0",
"DRL-1.1",
"DSDP",
"Dotseqn",
"ECL-1.0",
"ECL-2.0",
"EFL-1.0",
"EFL-2.0",
"EPICS",
"EPL-1.0",
"EPL-2.0",
"EUDatagrid",
"EUPL-1.0",
"EUPL-1.1",
"EUPL-1.2",
"Elastic-2.0",
"Entessa",
"ErlPL-1.1",
"Eurosymb",
"FBM",
"FDK-AAC",
"FSFAP",
"FSFAP-no-warranty-disclaimer",
"FSFUL",

"FSFULLR",
"FSFULLRWD",
"FTL",
"Fair",
"Ferguson-Twofish",
"Frameworkx-1.0",
"FreeBSD-DOC",
"FreeImage",
"Furuseth",
"GCR-docs",
"GD",
"GFDL-1.1-invariants-only",
"GFDL-1.1-invariants-or-later",
"GFDL-1.1-no-invariants-only",
"GFDL-1.1-no-invariants-or-later",
"GFDL-1.1-only",
"GFDL-1.1-or-later",
"GFDL-1.2-invariants-only",
"GFDL-1.2-invariants-or-later",
"GFDL-1.2-no-invariants-only",
"GFDL-1.2-no-invariants-or-later",
"GFDL-1.2-only",
"GFDL-1.2-or-later",
"GFDL-1.3-invariants-only",
"GFDL-1.3-invariants-or-later",
"GFDL-1.3-no-invariants-only",
"GFDL-1.3-no-invariants-or-later",
"GFDL-1.3-only",
"GFDL-1.3-or-later",
"GL2PS",
"GLWTPL",
"GPL-1.0-only",
"GPL-1.0-or-later",
"GPL-2.0-only",
"GPL-2.0-or-later",
"GPL-3.0-only",
"GPL-3.0-or-later",
"Giftware",
"Glide",
"Glulxe",
"Graphics-Gems",
"Gutmann",
"HP-1986",
"HP-1989",
"HPND",
"HPND-DEC",
"HPND-Fenneberg-Livingston",
"HPND-INRIA-IMAG",

"HPND-Intel",
"HPND-Kevlin-Henney",
"HPND-MIT-disclaimer",
"HPND-Markus-Kuhn",
"HPND-Pbmplus",
"HPND-UC",
"HPND-UC-export-US",
"HPND-doc",
"HPND-doc-sell",
"HPND-export-US",
"HPND-export-US-acknowledgement",
"HPND-export-US-modify",
"HPND-export2-US",
"HPND-merchantability-variant",
"HPND-sell-MIT-disclaimer-xserver",
"HPND-sell-regexpr",
"HPND-sell-variant",
"HPND-sell-variant-MIT-disclaimer",
"HPND-sell-variant-MIT-disclaimer-rev",
"HTMLTIDY",
"HaskellReport",
"Hippocratic-2.1",
"IBM-pibs",
"ICU",
"IEC-Code-Components-EULA",
"IJG",
"IJG-short",
"IPA",
"IPL-1.0",
"ISC",
"ISC-Veillard",
"ImageMagick",
"Imlib2",
"Info-ZIP",
"Inner-Net-2.0",
"Intel",
"Intel-ACPI",
"Interbase-1.0",
"JPL-image",
"JPNIC",
"JSON",
"Jam",
"JasPer-2.0",
"Kastrup",
"Kazlib",
"Knuth-CTAN",
"LAL-1.2",
"LAL-1.3",

"LGPL-2.0-only",
"LGPL-2.0-or-later",
"LGPL-2.1-only",
"LGPL-2.1-or-later",
"LGPL-3.0-only",
"LGPL-3.0-or-later",
"LGPLLR",
"LOOP",
"LPD-document",
"LPL-1.0",
"LPL-1.02",
"LPPL-1.0",
"LPPL-1.1",
"LPPL-1.2",
"LPPL-1.3a",
"LPPL-1.3c",
"LZMA-SDK-9.11-to-9.20",
"LZMA-SDK-9.22",
"Latex2e",
"Latex2e-translated-notice",
"Leptonica",
"LiLiQ-P-1.1",
"LiLiQ-R-1.1",
"LiLiQ-Rplus-1.1",
"Libpng",
"Linux-OpenIB",
"Linux-man-pages-1-para",
"Linux-man-pages-copyleft",
"Linux-man-pages-copyleft-2-para",
"Linux-man-pages-copyleft-var",
"Lucida-Bitmap-Fonts",
"MIT",
"MIT-0",
"MIT-CMU",
"MIT-Festival",
"MIT-Khronos-old",
"MIT-Modern-Variant",
"MIT-Wu",
"MIT-advertising",
"MIT-enna",
"MIT-feh",
"MIT-open-group",
"MIT-testregex",
"MITNFA",
"MMIXware",
"MPEG-SSG",
"MPL-1.0",
"MPL-1.1",

"MPL-2.0",
"MPL-2.0-no-copyleft-exception",
"MS-LPL",
"MS-PL",
"MS-RL",
"MTLL",
"Mackerras-3-Clause",
"Mackerras-3-Clause-acknowledgment",
"MakeIndex",
"Martin-Birgmeier",
"McPhee-slideshow",
"Minpack",
"MirOS",
"Motosoto",
"MulanPSL-1.0",
"MulanPSL-2.0",
"Multics",
"Mup",
"NAIST-2003",
"NASA-1.3",
"NBPL-1.0",
"NCBI-PD",
"NCGL-UK-2.0",
"NCL",
"NCSA",
"NGPL",
"NICTA-1.0",
"NIST-PD",
"NIST-PD-fallback",
"NIST-Software",
"NLOD-1.0",
"NLOD-2.0",
"NLPL",
"NOSL",
"NPL-1.0",
"NPL-1.1",
"NPOSL-3.0",
"NRL",
"NTP",
"NTP-0",
"Naumen",
"Net-SNMP",
"NetCDF",
"Newsletr",
"Nokia",
"Noweb",
"O-UDA-1.0",
"OAR",

"OCCT-PL",
"OCLC-2.0",
"ODC-By-1.0",
"ODbL-1.0",
"OFFIS",
"OFL-1.0",
"OFL-1.0-RFN",
"OFL-1.0-no-RFN",
"OFL-1.1",
"OFL-1.1-RFN",
"OFL-1.1-no-RFN",
"OGC-1.0",
"OGDL-Taiwan-1.0",
"OGL-Canada-2.0",
"OGL-UK-1.0",
"OGL-UK-2.0",
"OGL-UK-3.0",
"OGTSL",
"OLDAP-1.1",
"OLDAP-1.2",
"OLDAP-1.3",
"OLDAP-1.4",
"OLDAP-2.0",
"OLDAP-2.0.1",
"OLDAP-2.1",
"OLDAP-2.2",
"OLDAP-2.2.1",
"OLDAP-2.2.2",
"OLDAP-2.3",
"OLDAP-2.4",
"OLDAP-2.5",
"OLDAP-2.6",
"OLDAP-2.7",
"OLDAP-2.8",
"OLFL-1.3",
"OML",
"OPL-1.0",
"OPL-UK-3.0",
"OPUBL-1.0",
"OSET-PL-2.1",
"OSL-1.0",
"OSL-1.1",
"OSL-2.0",
"OSL-2.1",
"OSL-3.0",
"OpenPBS-2.3",
"OpenSSL",
"OpenSSL-standalone",

"OpenVision",
"PADL",
"PDDL-1.0",
"PHP-3.0",
"PHP-3.01",
"PPL",
"PSF-2.0",
"Parity-6.0.0",
"Parity-7.0.0",
"Pixar",
"Plexus",
"PolyForm-Noncommercial-1.0.0",
"PolyForm-Small-Business-1.0.0",
"PostgreSQL",
"Python-2.0",
"Python-2.0.1",
"QPL-1.0",
"QPL-1.0-INRIA-2004",
"Qhull",
"RHeCos-1.1",
"RPL-1.1",
"RPL-1.5",
"RPSL-1.0",
"RSA-MD",
"RSCPL",
"Rdisc",
"Ruby",
"SAX-PD",
"SAX-PD-2.0",
"SCEA",
"SGI-B-1.0",
"SGI-B-1.1",
"SGI-B-2.0",
"SGI-OpenGL",
"SGP4",
"SHL-0.5",
"SHL-0.51",
"SISSL",
"SISSL-1.2",
"SL",
"SMLNJ",
"SMPPL",
"SNIA",
"SPL-1.0",
"SSH-OpenSSH",
"SSH-short",
"SSLeay-standalone",
"SSPL-1.0",

"SWL",
"Saxpath",
"SchemeReport",
"Sendmail",
"Sendmail-8.23",
"SimPL-2.0",
"Sleepycat",
"Soundex",
"Spencer-86",
"Spencer-94",
"Spencer-99",
"SugarCRM-1.1.3",
"Sun-PPP",
"Sun-PPP-2000",
"SunPro",
"Symlinks",
"TAPR-OHL-1.0",
"TCL",
"TCP-wrappers",
"TGPPL-1.0",
"TMate",
"TORQUE-1.1",
"TOSL",
"TPDL",
"TPL-1.0",
"TTWL",
"TTYPO",
"TU-Berlin-1.0",
"TU-Berlin-2.0",
"TermReadKey",
"UCAR",
"UCL-1.0",
"UMich-Merit",
"UPL-1.0",
"URT-RLE",
"Unicode-3.0",
"Unicode-DFS-2015",
"Unicode-DFS-2016",
"Unicode-TOU",
"UnixCrypt",
"Unlicense",
"VOSTROM",
"VSL-1.0",
"Vim",
"W3C",
"W3C-19980720",
"W3C-20150513",
"WTFPL",

"Watcom-1.0",
"Widget-Workshop",
"Wsuipa",
"X11",
"X11-distribute-modifications-variant",
"XFree86-1.1",
"XSkat",
"Xdebug-1.03",
"Xerox",
"Xfig",
"Xnet",
"YPL-1.0",
"YPL-1.1",
"ZPL-1.1",
"ZPL-2.0",
"ZPL-2.1",
"Zed",
"Zeff",
"Zend-2.0",
"Zimbra-1.3",
"Zimbra-1.4",
"Zlib",
"any-OSI",
"bcrypt-Solar-Designer",
"blessing",
"bzip2-1.0.6",
"check-cvs",
"checkmk",
"copyleft-next-0.3.0",
"copyleft-next-0.3.1",
"curl",
"cve-tou",
"diffmark",
"dtoa",
"dvipdfm",
"eGenix",
"etalab-2.0",
"fwlw",
"gSOAP-1.3b",
"gnuplot",
"gtkbook",
"hdparm",
"iMatix",
"libpng-2.0",
"libselinux-1.0",
"libtiff",
"libutil-David-Nugent",
"lsof",

```
"magaz",  
"mailprio",  
"metamail",  
"mpi-permissive",  
"mpich2",  
"mplus",  
"pkgconf",  
"pnmstitch",  
"psfrag",  
"psutils",  
"python-ldap",  
"radvd",  
"snprintf",  
"softSurfer",  
"ssh-keyscan",  
"swrule",  
"threeparttable",  
"ulem",  
"w3m",  
"xinetd",  
"xkeyboard-config-Zinoviev",  
"xlock",  
"xpp",  
"xzoom",  
"zlib-acknowledgement"  
]  
MIT  
The MIT License (MIT)
```

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-present, Alexandru Mrteanu <hello@alexei.ro>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2012-2017 by Ingvar Stepanyan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 angus croll

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

****Copyright Corepack contributors****

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright JS Foundation and other contributors, <https://js.foundation>

Copyright (C) 2012-2013 Yusuke Suzuki (twitter: @Constellation) and other contributors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by util/mkbuildinf.pl

*

* Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

* /

```
#define PLATFORM "platform: BSD-x86"
```

```
#define DATE "built on: Wed Mar 5 20:59:15 2025 UTC"
```

/*

* Generate compiler_flags as an array of individual characters. This is a

* workaround for the situation where CFLAGS gets too long for a C90 string

- * literal

*/

```
static const char compiler_flags[] = {
```

'c','o','m','p','i','l','e','r',':',',','.','/', 'c','o','n',

'f','i','g',/, 'f','a','k','e',_,'g','c','c',., 'p','l',',',

'-', 'f', 'P', 'I', 'C', ' ', '-', 'p', 't', 'h', 'r', 'e', 'a', 'd', ' ', '-',

'W','a',,,, '-','-','n','o','e','x','e','c','s','t','a','c','k',

' ','-', 'W', 'a', 'l', 'l', '

','-','O','3',' ','-','f','o','m','i',

't', '-', 'f', 'r', 'a', 'm', 'e', '-', 'p', 'o', 'i', 'n', 't', 'e', 'r', ' ',

'-', 'D', 'L', '_', 'E', 'N', 'D', 'I', 'A', 'N', ' ', '-', 'D', 'O', 'P', 'E',

'N','S','S','L','_','P','I','C',' ','-','D','_','T','H','R','E',

'A','D','_','S','A','F','E',' ','-','D','_','R','E','E','N','T

'R','A','N','T',' ','-','D','O','P','E','N','S','S','L','_','B',

'U','I','L','D','I','N','G','_','O','P','E','N','S','S','L','',

```
'-','D','N','D','E','B','U','G','\0'
```

```

};
#ifndef SRC_PERMISSION_FS_PERMISSION_H_
#define SRC_PERMISSION_FS_PERMISSION_H_

#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS

#include "v8.h"

#include <unordered_map>
#include "permission/permission_base.h"
#include "util.h"

namespace node {

namespace permission {

class FSPermission final : public PermissionBase {
public:
    void Apply(const std::string& allow, PermissionScope scope) override;
    bool is_granted(PermissionScope perm, const std::string_view& param) override;

    struct RadixTree {
        struct Node {
            std::string prefix;
            std::unordered_map<char, Node*> children;
            Node* wildcard_child;

            explicit Node(const std::string& pre)
                : prefix(pre), wildcard_child(nullptr) {}

            Node() : wildcard_child(nullptr) {}

            Node* CreateChild(std::string prefix) {
                char label = prefix[0];

                Node* child = children[label];
                if (child == nullptr) {
                    children[label] = new Node(prefix);
                    return children[label];
                }

                // swap prefix
                unsigned int i = 0;
                unsigned int prefix_len = prefix.length();
                for (; i < child->prefix.length(); ++i) {
                    if (i > prefix_len || prefix[i] != child->prefix[i]) {
                        std::string parent_prefix = child->prefix.substr(0, i);
                        std::string child_prefix = child->prefix.substr(i);

```

```

        child->prefix = child_prefix;
        Node* split_child = new Node(parent_prefix);
        split_child->children[child_prefix[0]] = child;
        children[parent_prefix[0]] = split_child;

        return split_child->CreateChild(prefix.substr(i));
    }
}

return child->CreateChild(prefix.substr(i));
}

Node* CreateWildcardChild() {
    if (wildcard_child != nullptr) {
        return wildcard_child;
    }
    wildcard_child = new Node();
    return wildcard_child;
}

Node* NextNode(const std::string& path, unsigned int idx) {
    if
(idx >= path.length()) {
        return nullptr;
    }

    auto it = children.find(path[idx]);
    if (it == children.end()) {
        return nullptr;
    }
    auto child = it->second;
    // match prefix
    unsigned int prefix_len = child->prefix.length();
    for (unsigned int i = 0; i < path.length(); ++i) {
        if (i >= prefix_len || child->prefix[i] == '*') {
            return child;
        }
    }

    // Handle optional trailing
    // path = /home/subdirectory
    // child = subdirectory/*
    if (idx >= path.length() &&
        child->prefix[i] == node::kPathSeparator) {
        continue;
    }

    if (path[idx++] != child->prefix[i]) {
        return nullptr;
    }
}

```

```

    }
    }
    return child;
}

// A node can be a *end* node and have children
// E.g: */slower*, */slown* are inserted:
// /slow
// ---> er
// ---> n
// If */slow* is
inserted right after, it will create an
// empty node
// /slow
// ---> '\000' ASCII (0) || \0
// ---> er
// ---> n
bool IsEndNode() {
    if (children.size() == 0) {
        return true;
    }
    return children["\0"] != nullptr;
}
};

RadixTree();
~RadixTree();
void Insert(const std::string& s);
bool Lookup(const std::string_view& s) { return Lookup(s, false); }
bool Lookup(const std::string_view& s, bool when_empty_return);

private:
    Node* root_node_;
};

private:
void GrantAccess(PermissionScope scope, const std::string& param);
// fs granted on startup
RadixTree granted_in_fs_;
RadixTree granted_out_fs_;

bool deny_all_in_ = true;
bool deny_all_out_ = true;

bool allow_all_in_ = false;
bool allow_all_out_ = false;
};

```

```
} // namespace permission
```

```
} // namespace node
```

```
#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#endif // SRC_PERMISSION_FS_PERMISSION_H_
```

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

```
{
  'variables': {
    'openssl_sources': [
      'openssl/ssl/bio_ssl.c',
      'openssl/ssl/d1_lib.c',
      'openssl/ssl/d1_msg.c',
      'openssl/ssl/d1_srtp.c',
      'openssl/ssl/methods.c',
      'openssl/ssl/pqueue.c',
      'openssl/ssl/s3_enc.c',
      'openssl/ssl/s3_lib.c',
      'openssl/ssl/s3_msg.c',
      'openssl/ssl/ssl_asn1.c',
      'openssl/ssl/ssl_cert.c',
      'openssl/ssl/ssl_ciph.c',
      'openssl/ssl/ssl_conf.c',
      'openssl/ssl/ssl_err.c',
      'openssl/ssl/ssl_err_legacy.c',
      'openssl/ssl/ssl_init.c',
      'openssl/ssl/ssl_lib.c',
      'openssl/ssl/ssl_mcnf.c',
      'openssl/ssl/ssl_rsa.c',
      'openssl/ssl/ssl_rsa_legacy.c',
      'openssl/ssl/ssl_sess.c',
      'openssl/ssl/ssl_stat.c',
      'openssl/ssl/ssl_txt.c',
      'openssl/ssl/ssl_utst.c',
      'openssl/ssl/t1_enc.c',
      'openssl/ssl/t1_lib.c',
      'openssl/ssl/t1_trce.c',
      'openssl/ssl/tls13_enc.c',
      'openssl/ssl/tls_depr.c',
      'openssl/ssl/tls_srp.c',
      'openssl/ssl/record/dtls1_bitmap.c',
      'openssl/ssl/record/rec_layer_d1.c',
      'openssl/ssl/record/rec_layer_s3.c',
      'openssl/ssl/record/ssl3_buffer.c',
      'openssl/ssl/record/ssl3_record.c',
      'openssl/ssl/record/ssl3_record_tls13.c',
      'openssl/ssl/statem/extensions.c',
      'openssl/ssl/statem/extensions_clnt.c',
      'openssl/ssl/statem/extensions_cust.c',
      'openssl/ssl/statem/extensions_srvr.c',
      'openssl/ssl/statem/statem.c',
      'openssl/ssl/statem/statem_clnt.c',
      'openssl/ssl/statem/statem_dtls.c',
      'openssl/ssl/statem/statem_lib.c',
```

'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cbc.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_core.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',

'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',

'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',

'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recpr.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',

'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',

'openssl/crypto/bn/bn_srp.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/camellia.c',
'openssl/crypto/camellia/cml_cbc.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_misc.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_key.c',
'openssl/crypto/chacha/chacha_enc.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',

'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',

'openssl/crypto/cms/cms_smime.c',

'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',

'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',

'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',

'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecx_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',

'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipherr.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',

'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',

'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_clr.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',

'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2_dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',

'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbagg.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',

'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/rc4/rc4_enc.c',
'openssl/crypto/rc4/rc4_skey.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',

'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',

'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',

'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crlid.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',

'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',

'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',

'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',
'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',

'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',

'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',

```

],
'openssl_sources_BSD-x86_64': [
  './config/archs/BSD-x86_64/no-asm/providers/common/der/der_sm2_gen.c',
  './config/archs/BSD-x86_64/no-asm/providers/common/der/der_digests_gen.c',
  './config/archs/BSD-x86_64/no-asm/providers/common/der/der_dsa_gen.c',
  './config/archs/BSD-x86_64/no-asm/providers/common/der/der_ec_gen.c',
  './config/archs/BSD-x86_64/no-asm/providers/common/der/der_ecx_gen.c',
  './config/archs/BSD-x86_64/no-asm/providers/common/der/der_rsa_gen.c',
  './config/archs/BSD-x86_64/no-asm/providers/common/der/der_wrap_gen.c',
  './config/archs/BSD-x86_64/no-asm/providers/legacy.ld',
  './config/archs/BSD-x86_64/no-asm/providers/fips.ld',
],
'openssl_defines_BSD-x86_64': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
  '-Wall -O3',
  '-pthread',
  '-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
  '-pthread',
],
},
'include_dirs': [
  '.',
  './include',
  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}
/*
* WARNING: do not edit!
* Generated by Makefile from providers/common/include/prov/der_wrap.h.in
*
* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

```

```

*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

#include "internal/der.h"

/* Well known OIDs precompiled */

/*
* id-alg-CMS3DESwrap OBJECT IDENTIFIER ::= {
*   iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-9(9) smime(16) alg(3) 6
* }
*/
#define DER_OID_V_id_alg_CMS3DESwrap DER_P_OBJECT, 11, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x09, 0x10, 0x03, 0x06
#define DER_OID_SZ_id_alg_CMS3DESwrap 13
extern const unsigned char ossl_der_oid_id_alg_CMS3DESwrap[DER_OID_SZ_id_alg_CMS3DESwrap];

/*
* id-aes128-wrap OBJECT IDENTIFIER ::= { aes 5 }
*/
#define DER_OID_V_id_aes128_wrap DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x01, 0x05
#define DER_OID_SZ_id_aes128_wrap 11
extern const unsigned char ossl_der_oid_id_aes128_wrap[DER_OID_SZ_id_aes128_wrap];

/*
* id-aes192-wrap OBJECT IDENTIFIER ::= { aes 25 }
*/
#define DER_OID_V_id_aes192_wrap DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x01, 0x19
#define DER_OID_SZ_id_aes192_wrap 11
extern const unsigned char ossl_der_oid_id_aes192_wrap[DER_OID_SZ_id_aes192_wrap];

/*
* id-aes256-wrap OBJECT IDENTIFIER ::= { aes 45 }
*/
#define DER_OID_V_id_aes256_wrap DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x01, 0x2D
#define DER_OID_SZ_id_aes256_wrap 11
extern const unsigned char ossl_der_oid_id_aes256_wrap[DER_OID_SZ_id_aes256_wrap];
(The MIT License)

```

Copyright (c) 2012-2014 Federico Romero
 Copyright (c) 2012-2014 Isaac Z. Schlueter
 Copyright (c) 2014-2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES

OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2012-2014 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
```

'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',

'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',

'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',

'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/openssl_core_bio.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',

'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',

'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',

'openssl/crypto/cast/c_key.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',
'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',

'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',

'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',

'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',

'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',

'openssl/crypto/evp/legacy_md2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_crypt.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',

'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',

'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',

'openssl/crypto/mdc2/mdc2dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',

'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbagg.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',

'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',

'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',

'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',

'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',

'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',

'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',
'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',

'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',

'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',

```

'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86': [
    './config/archs/BSD-x86/asm_avx2/crypto/aes/aes-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/aes/aesni-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/aes/vpaes-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bf/bf-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/bn-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/co-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/x86-gf2m.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/x86-mont.S',
    './config/archs/BSD-x86/asm_avx2/crypto/camellia/cml1-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/chacha/chacha-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/des/crypt586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/des/des-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/ec/ecp_nistz256-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/x86cpuid.S',
    './config/archs/BSD-x86/asm_avx2/crypto/md5/md5-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/modes/ghash-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/poly1305/poly1305-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/rc4/rc4-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/ripemd/rmd-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/sha/sha1-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/sha/sha256-586.S',

```



```

'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha512-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/whirlpool/wp-mmx.S',
'./config/archs/BSD-x86/asm_avx2/engines/e_padlock-x86.S',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_rsa_gen.c',

'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86/asm_avx2/providers/fips.ld',
],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'CMLL_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wa,--noexecstack',
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',

```

```

    ],
  },
  'include_dirs':
  [
    '.',
    './include',
    './crypto',
    './crypto/include/internal',
    './providers/common/include',
  ],
  'defines': ['<@(openssl_defines_BSD-x86)'],
  'cflags' : ['<@(openssl_cflags_BSD-x86)'],
  'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
  'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
  'direct_dependent_settings': {
    'include_dirs': ['./include', '.'],
    'defines': ['<@(openssl_defines_BSD-x86)'],
  },
}

```

Copyright 2018 Kilian Valkhof

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2020 Filament (Anomalous Technologies Limited)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT

HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(The MIT License)

Copyright (c) 2012 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/ess.h.in

*

* Copyright 2019-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_ESS_H

define OPENSSL_ESS_H

pragma once

include <openssl/opensslconf.h>

```

#include <openssl/safestack.h>
#include <openssl/x509.h>
#include <openssl/esserr.h>

#ifdef __cplusplus
extern "C" {
#endif

typedef struct ESS_issuer_serial ESS_ISSUER_SERIAL;
typedef struct ESS_cert_id ESS_CERT_ID;
typedef struct ESS_signing_cert ESS_SIGNING_CERT;

SKM_DEFINE_STACK_OF_INTERNAL(ESS_CERT_ID, ESS_CERT_ID, ESS_CERT_ID)
#define sk_ESS_CERT_ID_num(sk) OPENSSL_sk_num(ossl_check_const_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_value(sk, idx) ((ESS_CERT_ID *)OPENSSL_sk_value(ossl_check_const_ESS_CERT_ID_sk_type(sk), (idx)))
#define sk_ESS_CERT_ID_new(cmp) ((STACK_OF(ESS_CERT_ID *)OPENSSL_sk_new(ossl_check_ESS_CERT_ID_compfunc_type(cmp)))
#define sk_ESS_CERT_ID_new_null() ((STACK_OF(ESS_CERT_ID *)OPENSSL_sk_new_null())
#define sk_ESS_CERT_ID_new_reserve(cmp, n) ((STACK_OF(ESS_CERT_ID *)OPENSSL_sk_new_reserve(ossl_check_ESS_CERT_ID_compfunc_type(cmp), (n)))
#define sk_ESS_CERT_ID_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_ESS_CERT_ID_sk_type(sk), (n))
#define sk_ESS_CERT_ID_free(sk) OPENSSL_sk_free(ossl_check_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_zero(sk) OPENSSL_sk_zero(ossl_check_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_delete(sk, i) ((ESS_CERT_ID *)OPENSSL_sk_delete(ossl_check_ESS_CERT_ID_sk_type(sk), (i)))
#define sk_ESS_CERT_ID_delete_ptr(sk, ptr) ((ESS_CERT_ID *)OPENSSL_sk_delete_ptr(ossl_check_ESS_CERT_ID_sk_type(sk), ossl_check_ESS_CERT_ID_type(ptr)))
#define sk_ESS_CERT_ID_push(sk, ptr) OPENSSL_sk_push(ossl_check_ESS_CERT_ID_sk_type(sk), ossl_check_ESS_CERT_ID_type(ptr))
#define sk_ESS_CERT_ID_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_ESS_CERT_ID_sk_type(sk), ossl_check_ESS_CERT_ID_type(ptr))
#define sk_ESS_CERT_ID_pop(sk) ((ESS_CERT_ID *)OPENSSL_sk_pop(ossl_check_ESS_CERT_ID_sk_type(sk)))
#define sk_ESS_CERT_ID_shift(sk) ((ESS_CERT_ID *)OPENSSL_sk_shift(ossl_check_ESS_CERT_ID_sk_type(sk)))
#define sk_ESS_CERT_ID_pop_free(sk, freefunc) OPENSSL_sk_pop_free(ossl_check_ESS_CERT_ID_sk_type(sk), ossl_check_ESS_CERT_ID_freefunc_type(freefunc))
#define sk_ESS_CERT_ID_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_ESS_CERT_ID_sk_type(sk), ossl_check_ESS_CERT_ID_type(ptr), (idx))
#define sk_ESS_CERT_ID_set(sk, idx, ptr) ((ESS_CERT_ID *)OPENSSL_sk_set(ossl_check_ESS_CERT_ID_sk_type(sk), (idx), ossl_check_ESS_CERT_ID_type(ptr)))
#define sk_ESS_CERT_ID_find(sk, ptr) OPENSSL_sk_find(ossl_check_ESS_CERT_ID_sk_type(sk), ossl_check_ESS_CERT_ID_type(ptr))
#define sk_ESS_CERT_ID_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_ESS_CERT_ID_sk_type(sk),

```

```

    ossl_check_ESS_CERT_ID_type(ptr))
#define sk_ESS_CERT_ID_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_ESS_CERT_ID_sk_type(sk), ossl_check_ESS_CERT_ID_type(ptr), pnum)
#define sk_ESS_CERT_ID_sort(sk) OPENSSL_sk_sort(ossl_check_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_dup(sk) ((STACK_OF(ESS_CERT_ID)
*)OPENSSL_sk_dup(ossl_check_const_ESS_CERT_ID_sk_type(sk)))
#define sk_ESS_CERT_ID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ESS_CERT_ID)
*)OPENSSL_sk_deep_copy(ossl_check_const_ESS_CERT_ID_sk_type(sk),
    ossl_check_ESS_CERT_ID_copyfunc_type(copyfunc), ossl_check_ESS_CERT_ID_freefunc_type(freefunc)))
#define sk_ESS_CERT_ID_set_cmp_func(sk, cmp)
((sk_ESS_CERT_ID_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ESS_CERT_ID_sk_type(sk),
    ossl_check_ESS_CERT_ID_compfunc_type(cmp)))

```

```

typedef struct ESS_signing_cert_v2_st ESS_SIGNING_CERT_V2;

```

```

typedef

```

```

    struct ESS_cert_id_v2_st ESS_CERT_ID_V2;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(ESS_CERT_ID_V2, ESS_CERT_ID_V2, ESS_CERT_ID_V2)
#define sk_ESS_CERT_ID_V2_num(sk) OPENSSL_sk_num(ossl_check_const_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_value(sk, idx) ((ESS_CERT_ID_V2
*)OPENSSL_sk_value(ossl_check_const_ESS_CERT_ID_V2_sk_type(sk), (idx)))
#define sk_ESS_CERT_ID_V2_new(cmp) ((STACK_OF(ESS_CERT_ID_V2)
*)OPENSSL_sk_new(ossl_check_ESS_CERT_ID_V2_compfunc_type(cmp)))
#define sk_ESS_CERT_ID_V2_new_null() ((STACK_OF(ESS_CERT_ID_V2) *)OPENSSL_sk_new_null())
#define sk_ESS_CERT_ID_V2_new_reserve(cmp, n) ((STACK_OF(ESS_CERT_ID_V2)
*)OPENSSL_sk_new_reserve(ossl_check_ESS_CERT_ID_V2_compfunc_type(cmp), (n)))
#define sk_ESS_CERT_ID_V2_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_ESS_CERT_ID_V2_sk_type(sk),
    (n))
#define sk_ESS_CERT_ID_V2_free(sk) OPENSSL_sk_free(ossl_check_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_zero(sk) OPENSSL_sk_zero(ossl_check_ESS_CERT_ID_V2_sk_type(sk))
#define
    sk_ESS_CERT_ID_V2_delete(sk, i) ((ESS_CERT_ID_V2
*)OPENSSL_sk_delete(ossl_check_ESS_CERT_ID_V2_sk_type(sk), (i)))
#define sk_ESS_CERT_ID_V2_delete_ptr(sk, ptr) ((ESS_CERT_ID_V2
*)OPENSSL_sk_delete_ptr(ossl_check_ESS_CERT_ID_V2_sk_type(sk),
    ossl_check_ESS_CERT_ID_V2_type(ptr)))
#define sk_ESS_CERT_ID_V2_push(sk, ptr) OPENSSL_sk_push(ossl_check_ESS_CERT_ID_V2_sk_type(sk),
    ossl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_unshift(sk, ptr)
    OPENSSL_sk_unshift(ossl_check_ESS_CERT_ID_V2_sk_type(sk), ossl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_pop(sk) ((ESS_CERT_ID_V2
*)OPENSSL_sk_pop(ossl_check_ESS_CERT_ID_V2_sk_type(sk)))
#define sk_ESS_CERT_ID_V2_shift(sk) ((ESS_CERT_ID_V2
*)OPENSSL_sk_shift(ossl_check_ESS_CERT_ID_V2_sk_type(sk)))
#define sk_ESS_CERT_ID_V2_pop_free(sk, freefunc)

```

```

OPENSSL_sk_pop_free(ssl_check_ESS_CERT_ID_V2_sk_type(sk),ssl_check_ESS_CERT_ID_V2_freefunc_type(freefunc))
#define sk_ESS_CERT_ID_V2_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
    ssl_check_ESS_CERT_ID_V2_type(ptr), (idx))
#define sk_ESS_CERT_ID_V2_set(sk, idx, ptr) ((ESS_CERT_ID_V2
*)OPENSSL_sk_set(ssl_check_ESS_CERT_ID_V2_sk_type(sk), (idx),
    ssl_check_ESS_CERT_ID_V2_type(ptr)))
#define sk_ESS_CERT_ID_V2_find(sk, ptr) OPENSSL_sk_find(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
    ssl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ESS_CERT_ID_V2_sk_type(sk), ssl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ESS_CERT_ID_V2_sk_type(sk), ssl_check_ESS_CERT_ID_V2_type(ptr),
    pnum)
#define sk_ESS_CERT_ID_V2_sort(sk) OPENSSL_sk_sort(ssl_check_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_dup(sk) ((STACK_OF(ESS_CERT_ID_V2)
*)OPENSSL_sk_dup(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk)))
#define
    sk_ESS_CERT_ID_V2_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ESS_CERT_ID_V2)
*)OPENSSL_sk_deep_copy(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk),
    ssl_check_ESS_CERT_ID_V2_copyfunc_type(copyfunc),
    ssl_check_ESS_CERT_ID_V2_freefunc_type(freefunc)))
#define sk_ESS_CERT_ID_V2_set_cmp_func(sk, cmp)
((sk_ESS_CERT_ID_V2_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
    ssl_check_ESS_CERT_ID_V2_compfunc_type(cmp)))

DECLARE_ASN1_ALLOC_FUNCTIONS(ESS_ISSUER_SERIAL)
DECLARE_ASN1_ENCODE_FUNCTIONS_only(ESS_ISSUER_SERIAL, ESS_ISSUER_SERIAL)
DECLARE_ASN1_DUP_FUNCTION(ESS_ISSUER_SERIAL)

DECLARE_ASN1_ALLOC_FUNCTIONS(ESS_CERT_ID)
DECLARE_ASN1_ENCODE_FUNCTIONS_only(ESS_CERT_ID, ESS_CERT_ID)
DECLARE_ASN1_DUP_FUNCTION(ESS_CERT_ID)

DECLARE_ASN1_FUNCTIONS(ESS_SIGNING_CERT)
DECLARE_ASN1_DUP_FUNCTION(ESS_SIGNING_CERT)

DECLARE_ASN1_ALLOC_FUNCTIONS(ESS_CERT_ID_V2)
DECLARE_ASN1_ENCODE_FUNCTIONS_only(ESS_CERT_ID_V2, ESS_CERT_ID_V2)
DECLARE_ASN1_DUP_FUNCTION(ESS_CERT_ID_V2)

DECLARE_ASN1_FUNCTIONS(ESS_SIGNING_CERT_V2)
DECLARE_ASN1_DUP_FUNCTION(ESS_SIGNING_CERT_V2)

```

```

ESS_SIGNING_CERT
*OSSL_ESS_signing_cert_new_init(const X509 *signcert,
                                const STACK_OF(X509) *certs,
                                int set_issuer_serial);
ESS_SIGNING_CERT_V2 *OSSL_ESS_signing_cert_v2_new_init(const EVP_MD *hash_alg,
                                                        const X509 *signcert,
                                                        const
                                                        STACK_OF(X509) *certs,
                                                        int set_issuer_serial);
int OSSL_ESS_check_signing_certs(const ESS_SIGNING_CERT *ss,
                                const ESS_SIGNING_CERT_V2 *ssv2,
                                const STACK_OF(X509) *chain,
                                int require_signing_cert);

#ifdef __cplusplus
}
#endif
#endif
The MIT License (MIT)

```

Copyright (c) 2014 Robin Berjon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ISC

The MIT License (MIT)

Copyright (c) 2015 Matteo Collina

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
```


'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',

'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',

'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',

'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',

'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',

'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_skey.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',

'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',
'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',

'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',

'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',

'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',

'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',

'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_key.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',

'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',

'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',

'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbag.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',

'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',

'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',

'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',

'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crlid.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',

'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',

'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',
'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',

'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',

'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',

'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',

```

],
'openssl_sources_BSD-x86': [
    './config/archs/BSD-x86/asm/crypto/aes/aes-586.S',
    './config/archs/BSD-x86/asm/crypto/aes/aesni-x86.S',
    './config/archs/BSD-x86/asm/crypto/aes/vpaes-x86.S',
    './config/archs/BSD-x86/asm/crypto/bf/bf-586.S',
    './config/archs/BSD-x86/asm/crypto/bn/bn-586.S',
    './config/archs/BSD-x86/asm/crypto/bn/co-586.S',
    './config/archs/BSD-x86/asm/crypto/bn/x86-gf2m.S',
    './config/archs/BSD-x86/asm/crypto/bn/x86-mont.S',
    './config/archs/BSD-x86/asm/crypto/camellia/cml1-x86.S',
    './config/archs/BSD-x86/asm/crypto/chacha/chacha-x86.S',
    './config/archs/BSD-x86/asm/crypto/des/crypt586.S',
    './config/archs/BSD-x86/asm/crypto/des/des-586.S',
    './config/archs/BSD-x86/asm/crypto/ec/ecp_nistz256-x86.S',
    './config/archs/BSD-x86/asm/crypto/x86cpuid.S',
    './config/archs/BSD-x86/asm/crypto/md5/md5-586.S',
    './config/archs/BSD-x86/asm/crypto/modes/ghash-x86.S',
    './config/archs/BSD-x86/asm/crypto/poly1305/poly1305-x86.S',
    './config/archs/BSD-x86/asm/crypto/rc4/rc4-586.S',
    './config/archs/BSD-x86/asm/crypto/ripemd/rmd-586.S',
    './config/archs/BSD-x86/asm/crypto/sha/sha1-586.S',
    './config/archs/BSD-x86/asm/crypto/sha/sha256-586.S',
    './config/archs/BSD-x86/asm/crypto/sha/sha512-586.S',
    './config/archs/BSD-x86/asm/crypto/whrlpool/wp-mmx.S',
    './config/archs/BSD-x86/asm/engines/e_padlock-x86.S',
    './config/archs/BSD-x86/asm/providers/common/der/der_sm2_gen.c',
    './config/archs/BSD-x86/asm/providers/common/der/der_digests_gen.c',
    './config/archs/BSD-x86/asm/providers/common/der/der_dsa_gen.c',
    './config/archs/BSD-x86/asm/providers/common/der/der_ec_gen.c',
    './config/archs/BSD-x86/asm/providers/common/der/der_ecx_gen.c',
    './config/archs/BSD-x86/asm/providers/common/der/der_rsa_gen.c',
    './config/archs/BSD-x86/asm/providers/common/der/der_wrap_gen.c',
    './config/archs/BSD-x86/asm/providers/legacy.ld',
    './config/archs/BSD-x86/asm/providers/fips.ld',
],
'openssl_defines_BSD-x86': [
    'NDEBUG',
    'L_ENDIAN',
    'OPENSSL_BUILDING_OPENSSL',
    'AES_ASM',
    'CMLL_ASM',
    'DES_ASM',
    'ECP_NISTZ256_ASM',
    'GHASH_ASM',
    'MD5_ASM',
    'OPENSSL_BN_ASM_GF2m',
    'OPENSSL_BN_ASM_MONT',

```

```

'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
  '-Wa,--noexecstack',
  '-Wall -O3 -fomit-frame-pointer',
  '-pthread',
  '-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
  '-pthread',
],
},
'include_dirs': [
  '.',
  './include',
  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86)'],
},
}

```

The ISC License

Copyright (c) 2017-2022 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2015-2023 Benjamin Coe, Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2014 IndigoUnited

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014, 2015, 2016, 2017, 2018 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
```

'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',

'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',

'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',

'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',

'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',


```

'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/baes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx2.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm/crypto/camellia/cml1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-x86_64.s',

```

```

'./config/archs/BSD-x86_64/asm/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/whrlpool/wp-x86_64.s',
'./config/archs/BSD-x86_64/asm/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm/providers/fips.ld',

],
'openssl_defines_BSD-x86_64': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'AES_ASM',
  'BSAES_ASM',
  'ECP_NISTZ256_ASM',
  'FIPS_MODULE',
  'GHASH_ASM',
  'KECCAK1600_ASM',
  'OPENSSL_BN_ASM_GF2m',
  'OPENSSL_BN_ASM_MONT',
  'OPENSSL_BN_ASM_MONT5',
  'OPENSSL_CPUID_OBJ',
  'OPENSSL_IA32_SSE2',
  'SHA1_ASM',
  'SHA256_ASM',
  'SHA512_ASM',
  'VPAES_ASM',
  'X25519_ASM',
  'FIPS_MODULE',
],
'openssl_cflags_BSD-x86_64': [
  '-Wa,--noexecstack',
  '-Wall -O3',
  '-pthread',
  '-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
  '-pthread',
],
'linker_script': ''
},
'include_dirs': [

```

```

    ']',
    './include',
    './crypto',
    './crypto/include/internal',
    './providers/common/include',
  ],
  'defines': ['<@(openssl_defines_BSD-x86_64)'],
  'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
  'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],

  'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
  'direct_dependent_settings': {
    'include_dirs': ['./include', '.'],
    'defines': ['<@(openssl_defines_BSD-x86_64)'],
  },
}
}
version 1.2.12, March 27th, 2022

```

Copyright (C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.
- (The MIT License)

Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2017 Sergey Rubanov (<https://github.com/chicoxyzyzy>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/x509.h.in

*

* Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.

* Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

```

#ifndef OPENSSSL_X509_H
# define OPENSSSL_X509_H
# pragma once

# include <openssl/macros.h>
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#   define HEADER_X509_H
# endif

# include <openssl/e_os2.h>
# include <openssl/types.h>
# include <openssl/symhacks.h>
# include <openssl/buffer.h>
# include <openssl/evp.h>
# include <openssl/bio.h>
# include <openssl/asn1.h>
# include <openssl/safestack.h>
# include <openssl/ec.h>

# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#   include <openssl/rsa.h>
#   include <openssl/dsa.h>
#
#   include <openssl/dh.h>
# endif

# include <openssl/sha.h>
# include <openssl/x509err.h>

#ifdef __cplusplus
extern "C" {
#endif

/* Needed stacks for types defined in other headers */
SKM_DEFINE_STACK_OF_INTERNAL(X509_NAME, X509_NAME, X509_NAME)
#define sk_X509_NAME_num(sk) OPENSSSL_sk_num(ossl_check_const_X509_NAME_sk_type(sk))
#define sk_X509_NAME_value(sk, idx) ((X509_NAME
*)OPENSSSL_sk_value(ossl_check_const_X509_NAME_sk_type(sk), (idx)))
#define sk_X509_NAME_new(cmp) ((STACK_OF(X509_NAME)
*)OPENSSSL_sk_new(ossl_check_X509_NAME_compfunc_type(cmp)))
#define sk_X509_NAME_new_null() ((STACK_OF(X509_NAME) *)OPENSSSL_sk_new_null())
#define sk_X509_NAME_new_reserve(cmp, n) ((STACK_OF(X509_NAME)
*)OPENSSSL_sk_new_reserve(ossl_check_X509_NAME_compfunc_type(cmp), (n)))
#define sk_X509_NAME_reserve(sk, n) OPENSSSL_sk_reserve(ossl_check_X509_NAME_sk_type(sk), (n))
#define sk_X509_NAME_free(sk) OPENSSSL_sk_free(ossl_check_X509_NAME_sk_type(sk))
#define sk_X509_NAME_zero(sk) OPENSSSL_sk_zero(ossl_check_X509_NAME_sk_type(sk))
#define

```

```

sk_X509_NAME_delete(sk, i) ((X509_NAME *)OPENSSL_sk_delete(ssl_check_X509_NAME_sk_type(sk),
(i)))
#define sk_X509_NAME_delete_ptr(sk, ptr) ((X509_NAME
*)OPENSSL_sk_delete_ptr(ssl_check_X509_NAME_sk_type(sk), ssl_check_X509_NAME_type(ptr)))
#define sk_X509_NAME_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_pop(sk) ((X509_NAME *)OPENSSL_sk_pop(ssl_check_X509_NAME_sk_type(sk)))
#define sk_X509_NAME_shift(sk) ((X509_NAME *)OPENSSL_sk_shift(ssl_check_X509_NAME_sk_type(sk)))
#define sk_X509_NAME_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_NAME_sk_type(sk),ssl_check_X509_NAME_freefunc_type(freefunc)
)
#define sk_X509_NAME_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr), (idx))
#define sk_X509_NAME_set(sk,
idx, ptr) ((X509_NAME *)OPENSSL_sk_set(ssl_check_X509_NAME_sk_type(sk), (idx),
ssl_check_X509_NAME_type(ptr)))
#define sk_X509_NAME_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr), pnum)
#define sk_X509_NAME_sort(sk) OPENSSL_sk_sort(ssl_check_X509_NAME_sk_type(sk))
#define sk_X509_NAME_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_NAME_sk_type(sk))
#define sk_X509_NAME_dup(sk) ((STACK_OF(X509_NAME)
*)OPENSSL_sk_dup(ssl_check_const_X509_NAME_sk_type(sk)))
#define sk_X509_NAME_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_NAME)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_copyfunc_type(copyfunc), ssl_check_X509_NAME_freefunc_type(freefunc)))
#define
sk_X509_NAME_set_cmp_func(sk, cmp)
((sk_X509_NAME_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509, X509, X509)
#define sk_X509_num(sk) OPENSSL_sk_num(ssl_check_const_X509_sk_type(sk))
#define sk_X509_value(sk, idx) ((X509 *)OPENSSL_sk_value(ssl_check_const_X509_sk_type(sk), (idx)))
#define sk_X509_new(cmp) ((STACK_OF(X509) *)OPENSSL_sk_new(ssl_check_X509_compfunc_type(cmp)))
#define sk_X509_new_null() ((STACK_OF(X509) *)OPENSSL_sk_new_null())
#define sk_X509_new_reserve(cmp, n) ((STACK_OF(X509)
*)OPENSSL_sk_new_reserve(ssl_check_X509_compfunc_type(cmp), (n)))
#define sk_X509_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_sk_type(sk), (n))
#define sk_X509_free(sk) OPENSSL_sk_free(ssl_check_X509_sk_type(sk))
#define sk_X509_zero(sk) OPENSSL_sk_zero(ssl_check_X509_sk_type(sk))
#define sk_X509_delete(sk, i) ((X509 *)OPENSSL_sk_delete(ssl_check_X509_sk_type(sk),
(i)))
#define sk_X509_delete_ptr(sk, ptr) ((X509 *)OPENSSL_sk_delete_ptr(ssl_check_X509_sk_type(sk),

```

```

ossl_check_X509_type(ptr)))
#define sk_X509_push(sk, ptr) OPENSSL_sk_push(ossl_check_X509_sk_type(sk), ossl_check_X509_type(ptr))
#define sk_X509_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_X509_sk_type(sk),
ossl_check_X509_type(ptr))
#define sk_X509_pop(sk) ((X509 *)OPENSSL_sk_pop(ossl_check_X509_sk_type(sk)))
#define sk_X509_shift(sk) ((X509 *)OPENSSL_sk_shift(ossl_check_X509_sk_type(sk)))
#define sk_X509_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_X509_sk_type(sk),ossl_check_X509_freefunc_type(freefunc))
#define sk_X509_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_X509_sk_type(sk),
ossl_check_X509_type(ptr), (idx))
#define sk_X509_set(sk, idx, ptr) ((X509 *)OPENSSL_sk_set(ossl_check_X509_sk_type(sk), (idx),
ossl_check_X509_type(ptr)))
#define sk_X509_find(sk, ptr) OPENSSL_sk_find(ossl_check_X509_sk_type(sk), ossl_check_X509_type(ptr))
#define sk_X509_find_ex(sk,
ptr) OPENSSL_sk_find_ex(ossl_check_X509_sk_type(sk), ossl_check_X509_type(ptr))
#define sk_X509_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_X509_sk_type(sk),
ossl_check_X509_type(ptr), pnum)
#define sk_X509_sort(sk) OPENSSL_sk_sort(ossl_check_X509_sk_type(sk))
#define sk_X509_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_X509_sk_type(sk))
#define sk_X509_dup(sk) ((STACK_OF(X509) *)OPENSSL_sk_dup(ossl_check_const_X509_sk_type(sk)))
#define sk_X509_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509)
*)OPENSSL_sk_deep_copy(ossl_check_const_X509_sk_type(sk), ossl_check_X509_copyfunc_type(copyfunc),
ossl_check_X509_freefunc_type(freefunc)))
#define sk_X509_set_cmp_func(sk, cmp)
((sk_X509_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_X509_sk_type(sk),
ossl_check_X509_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_REVOKED, X509_REVOKED, X509_REVOKED)
#define sk_X509_REVOKED_num(sk) OPENSSL_sk_num(ossl_check_const_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_value(sk,
idx) ((X509_REVOKED *)OPENSSL_sk_value(ossl_check_const_X509_REVOKED_sk_type(sk), (idx)))
#define sk_X509_REVOKED_new(cmp) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_new(ossl_check_X509_REVOKED_compfunc_type(cmp)))
#define sk_X509_REVOKED_new_null() ((STACK_OF(X509_REVOKED) *)OPENSSL_sk_new_null())
#define sk_X509_REVOKED_new_reserve(cmp, n) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_new_reserve(ossl_check_X509_REVOKED_compfunc_type(cmp), (n)))
#define sk_X509_REVOKED_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_X509_REVOKED_sk_type(sk),
(n))
#define sk_X509_REVOKED_free(sk) OPENSSL_sk_free(ossl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_zero(sk) OPENSSL_sk_zero(ossl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_delete(sk, i) ((X509_REVOKED
*)OPENSSL_sk_delete(ossl_check_X509_REVOKED_sk_type(sk), (i)))
#define sk_X509_REVOKED_delete_ptr(sk, ptr) ((X509_REVOKED
*)OPENSSL_sk_delete_ptr(ossl_check_X509_REVOKED_sk_type(sk), ossl_check_X509_REVOKED_type(ptr)))
#define sk_X509_REVOKED_push(sk,
ptr) OPENSSL_sk_push(ossl_check_X509_REVOKED_sk_type(sk), ossl_check_X509_REVOKED_type(ptr))
#define sk_X509_REVOKED_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_X509_REVOKED_sk_type(sk),
ossl_check_X509_REVOKED_type(ptr))
#define sk_X509_REVOKED_pop(sk) ((X509_REVOKED

```

```

*)OPENSSL_sk_pop(ssl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_shift(sk) ((X509_REVOKED
*)OPENSSL_sk_shift(ssl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_REVOKED_sk_type(sk),ssl_check_X509_REVOKED_freefunc_type(
freefunc))
#define sk_X509_REVOKED_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_REVOKED_sk_type(sk),
ssl_check_X509_REVOKED_type(ptr), (idx))
#define sk_X509_REVOKED_set(sk, idx, ptr) ((X509_REVOKED
*)OPENSSL_sk_set(ssl_check_X509_REVOKED_sk_type(sk), (idx), ssl_check_X509_REVOKED_type(ptr)))
#define sk_X509_REVOKED_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_REVOKED_sk_type(sk),
ssl_check_X509_REVOKED_type(ptr))
#define
sk_X509_REVOKED_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_REVOKED_sk_type(sk),
ssl_check_X509_REVOKED_type(ptr))
#define sk_X509_REVOKED_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_REVOKED_sk_type(sk), ssl_check_X509_REVOKED_type(ptr),
pnum)
#define sk_X509_REVOKED_sort(sk) OPENSSL_sk_sort(ssl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_dup(sk) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_dup(ssl_check_const_X509_REVOKED_sk_type(sk)))
#define sk_X509_REVOKED_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_REVOKED_sk_type(sk),
ssl_check_X509_REVOKED_copyfunc_type(copyfunc),
ssl_check_X509_REVOKED_freefunc_type(freefunc)))
#define sk_X509_REVOKED_set_cmp_func(sk, cmp)
((sk_X509_REVOKED_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_REVOKED_sk_type(sk),
ssl_check_X509_REVOKED_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_CRL,
X509_CRL, X509_CRL)
#define sk_X509_CRL_num(sk) OPENSSL_sk_num(ssl_check_const_X509_CRL_sk_type(sk))
#define sk_X509_CRL_value(sk, idx) ((X509_CRL
*)OPENSSL_sk_value(ssl_check_const_X509_CRL_sk_type(sk), (idx)))
#define sk_X509_CRL_new(cmp) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_new(ssl_check_X509_CRL_compfunc_type(cmp)))
#define sk_X509_CRL_new_null() ((STACK_OF(X509_CRL) *)OPENSSL_sk_new_null())
#define sk_X509_CRL_new_reserve(cmp, n) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_new_reserve(ssl_check_X509_CRL_compfunc_type(cmp), (n)))
#define sk_X509_CRL_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_CRL_sk_type(sk), (n))
#define sk_X509_CRL_free(sk) OPENSSL_sk_free(ssl_check_X509_CRL_sk_type(sk))
#define sk_X509_CRL_zero(sk) OPENSSL_sk_zero(ssl_check_X509_CRL_sk_type(sk))
#define sk_X509_CRL_delete(sk, i) ((X509_CRL *)OPENSSL_sk_delete(ssl_check_X509_CRL_sk_type(sk),
(i)))
#define sk_X509_CRL_delete_ptr(sk, ptr) ((X509_CRL
*)OPENSSL_sk_delete_ptr(ssl_check_X509_CRL_sk_type(sk), ssl_check_X509_CRL_type(ptr)))
#define sk_X509_CRL_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_CRL_sk_type(sk),

```



```

ossl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_X509_CRL_sk_type(sk),
ossl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_pop(sk) ((X509_CRL *)OPENSSL_sk_pop(ossl_check_X509_CRL_sk_type(sk)))
#define sk_X509_CRL_shift(sk) ((X509_CRL *)OPENSSL_sk_shift(ossl_check_X509_CRL_sk_type(sk)))
#define sk_X509_CRL_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_X509_CRL_sk_type(sk),ossl_check_X509_CRL_freefunc_type(freefunc))
#define sk_X509_CRL_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_X509_CRL_sk_type(sk),
ossl_check_X509_CRL_type(ptr), (idx))
#define sk_X509_CRL_set(sk, idx, ptr) ((X509_CRL *)OPENSSL_sk_set(ossl_check_X509_CRL_sk_type(sk),
(idx), ossl_check_X509_CRL_type(ptr)))
#define sk_X509_CRL_find(sk, ptr) OPENSSL_sk_find(ossl_check_X509_CRL_sk_type(sk),
ossl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_X509_CRL_sk_type(sk),
ossl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_X509_CRL_sk_type(sk),
ossl_check_X509_CRL_type(ptr), pnum)
#define sk_X509_CRL_sort(sk) OPENSSL_sk_sort(ossl_check_X509_CRL_sk_type(sk))
#define sk_X509_CRL_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_X509_CRL_sk_type(sk))
#define sk_X509_CRL_dup(sk) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_dup(ossl_check_const_X509_CRL_sk_type(sk)))
#define sk_X509_CRL_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_deep_copy(ossl_check_const_X509_CRL_sk_type(sk),
ossl_check_X509_CRL_copyfunc_type(copyfunc), ossl_check_X509_CRL_freefunc_type(freefunc)))
#define sk_X509_CRL_set_cmp_func(sk, cmp)
((sk_X509_CRL_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_X509_CRL_sk_type(sk),
ossl_check_X509_CRL_compfunc_type(cmp)))

/* Flags for X509_get_signature_info()
 */
/* Signature info is valid */
#define X509_SIG_INFO_VALID    0x1
/* Signature is suitable for TLS use */
#define X509_SIG_INFO_TLS     0x2

#define X509_FILETYPE_PEM      1
#define X509_FILETYPE_ASN1     2
#define X509_FILETYPE_DEFAULT  3

#define X509v3_KU_DIGITAL_SIGNATURE    0x0080
#define X509v3_KU_NON_REPUDIATION     0x0040
#define X509v3_KU_KEY_ENCIPHERMENT    0x0020
#define X509v3_KU_DATA_ENCIPHERMENT   0x0010
#define X509v3_KU_KEY_AGREEMENT       0x0008
#define X509v3_KU_KEY_CERT_SIGN       0x0004
#define X509v3_KU_CRL_SIGN            0x0002
#define X509v3_KU_ENCIPHER_ONLY       0x0001

```

```

#define X509v3_KU_DECIPHER_ONLY    0x8000
#define X509v3_KU_UNDEF            0xffff

struct X509_algor_st {
    ASN1_OBJECT *algorithm;
    ASN1_TYPE *parameter;
} /* X509_ALGOR */;

typedef STACK_OF(X509_ALGOR) X509_ALGORS;

typedef struct X509_val_st {
    ASN1_TIME *notBefore;
    ASN1_TIME *notAfter;
} X509_VAL;

typedef struct X509_sig_st
X509_SIG;

typedef struct X509_name_entry_st X509_NAME_ENTRY;

SKM_DEFINE_STACK_OF_INTERNAL(X509_NAME_ENTRY, X509_NAME_ENTRY,
X509_NAME_ENTRY)
#define sk_X509_NAME_ENTRY_num(sk)
OPENSSL_sk_num(ssl_check_const_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_value(sk, idx) ((X509_NAME_ENTRY
*)OPENSSL_sk_value(ssl_check_const_X509_NAME_ENTRY_sk_type(sk), (idx)))
#define sk_X509_NAME_ENTRY_new(cmp) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_new(ssl_check_X509_NAME_ENTRY_compfunc_type(cmp)))
#define sk_X509_NAME_ENTRY_new_null() ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_new_null())
#define sk_X509_NAME_ENTRY_new_reserve(cmp, n) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_new_reserve(ssl_check_X509_NAME_ENTRY_compfunc_type(cmp), (n)))
#define sk_X509_NAME_ENTRY_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_NAME_ENTRY_sk_type(sk), (n))
#define sk_X509_NAME_ENTRY_free(sk) OPENSSL_sk_free(ssl_check_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_zero(sk) OPENSSL_sk_zero(ssl_check_X509_NAME_ENTRY_sk_type(sk))
#define
sk_X509_NAME_ENTRY_delete(sk, i) ((X509_NAME_ENTRY
*)OPENSSL_sk_delete(ssl_check_X509_NAME_ENTRY_sk_type(sk), (i)))
#define sk_X509_NAME_ENTRY_delete_ptr(sk, ptr) ((X509_NAME_ENTRY
*)OPENSSL_sk_delete_ptr(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr)))
#define sk_X509_NAME_ENTRY_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))
#define sk_X509_NAME_ENTRY_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))

```

```

#define sk_X509_NAME_ENTRY_pop(sk) ((X509_NAME_ENTRY
*)OPENSSL_sk_pop(ssl_check_X509_NAME_ENTRY_sk_type(sk)))
#define sk_X509_NAME_ENTRY_shift(sk) ((X509_NAME_ENTRY
*)OPENSSL_sk_shift(ssl_check_X509_NAME_ENTRY_sk_type(sk)))
#define sk_X509_NAME_ENTRY_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_NAME_ENTRY_sk_type(sk),ssl_check_X509_NAME_ENTRY_freef
unc_type(freefunc))
#define sk_X509_NAME_ENTRY_insert(sk,
ptr, idx) OPENSSL_sk_insert(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr), (idx))
#define sk_X509_NAME_ENTRY_set(sk, idx, ptr) ((X509_NAME_ENTRY
*)OPENSSL_sk_set(ssl_check_X509_NAME_ENTRY_sk_type(sk), (idx),
ssl_check_X509_NAME_ENTRY_type(ptr)))
#define sk_X509_NAME_ENTRY_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))
#define sk_X509_NAME_ENTRY_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))
#define sk_X509_NAME_ENTRY_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr), pnum)
#define sk_X509_NAME_ENTRY_sort(sk) OPENSSL_sk_sort(ssl_check_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_dup(sk) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_dup(ssl_check_const_X509_NAME_ENTRY_sk_type(sk)))
#define sk_X509_NAME_ENTRY_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_copyfunc_type(copyfunc),
ssl_check_X509_NAME_ENTRY_freefunc_type(freefunc)))
#define sk_X509_NAME_ENTRY_set_cmp_func(sk, cmp)
((sk_X509_NAME_ENTRY_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_NAME_ENTRY_sk_type
(sk), ssl_check_X509_NAME_ENTRY_compfunc_type(cmp)))

```

```

# define X509_EX_V_NETSCAPE_HACK      0x8000
# define X509_EX_V_INIT                0x0001
typedef struct X509_extension_st X509_EXTENSION;
SKM_DEFINE_STACK_OF_INTERNAL(X509_EXTENSION, X509_EXTENSION, X509_EXTENSION)
#define sk_X509_EXTENSION_num(sk) OPENSSL_sk_num(ssl_check_const_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_value(sk, idx) ((X509_EXTENSION
*)OPENSSL_sk_value(ssl_check_const_X509_EXTENSION_sk_type(sk), (idx)))
#define sk_X509_EXTENSION_new(cmp)
((STACK_OF(X509_EXTENSION)
*)OPENSSL_sk_new(ssl_check_X509_EXTENSION_compfunc_type(cmp)))
#define sk_X509_EXTENSION_new_null() ((STACK_OF(X509_EXTENSION) *)OPENSSL_sk_new_null())
#define sk_X509_EXTENSION_new_reserve(cmp, n) ((STACK_OF(X509_EXTENSION)

```

```

*)OPENSSL_sk_new_reserve(ssl_check_X509_EXTENSION_compfunc_type(cmp), (n))
#define sk_X509_EXTENSION_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_EXTENSION_sk_type(sk), (n))
#define sk_X509_EXTENSION_free(sk) OPENSSL_sk_free(ssl_check_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_zero(sk) OPENSSL_sk_zero(ssl_check_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_delete(sk, i) ((X509_EXTENSION
*)OPENSSL_sk_delete(ssl_check_X509_EXTENSION_sk_type(sk), (i)))
#define sk_X509_EXTENSION_delete_ptr(sk, ptr) ((X509_EXTENSION
*)OPENSSL_sk_delete_ptr(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr)))
#define sk_X509_EXTENSION_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define
sk_X509_EXTENSION_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define sk_X509_EXTENSION_pop(sk) ((X509_EXTENSION
*)OPENSSL_sk_pop(ssl_check_X509_EXTENSION_sk_type(sk)))
#define sk_X509_EXTENSION_shift(sk) ((X509_EXTENSION
*)OPENSSL_sk_shift(ssl_check_X509_EXTENSION_sk_type(sk)))
#define sk_X509_EXTENSION_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_EXTENSION_sk_type(sk),ssl_check_X509_EXTENSION_freefunc_t
ype(freefunc))
#define sk_X509_EXTENSION_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_X509_EXTENSION_sk_type(sk), ssl_check_X509_EXTENSION_type(ptr),
(idx))
#define sk_X509_EXTENSION_set(sk, idx, ptr) ((X509_EXTENSION
*)OPENSSL_sk_set(ssl_check_X509_EXTENSION_sk_type(sk), (idx),
ssl_check_X509_EXTENSION_type(ptr)))
#define sk_X509_EXTENSION_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define
sk_X509_EXTENSION_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define sk_X509_EXTENSION_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_EXTENSION_sk_type(sk), ssl_check_X509_EXTENSION_type(ptr),
pnum)
#define sk_X509_EXTENSION_sort(sk) OPENSSL_sk_sort(ssl_check_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_dup(sk) ((STACK_OF(X509_EXTENSION)
*)OPENSSL_sk_dup(ssl_check_const_X509_EXTENSION_sk_type(sk)))
#define sk_X509_EXTENSION_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_EXTENSION)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_copyfunc_type(copyfunc),
ssl_check_X509_EXTENSION_freefunc_type(freefunc)))
#define sk_X509_EXTENSION_set_cmp_func(sk, cmp)
((sk_X509_EXTENSION_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_EXTENSION_sk_type(sk),

```

```

ossl_check_X509_EXTENSION_compfunc_type(cmp)))

typedef STACK_OF(X509_EXTENSION) X509_EXTENSIONS;
typedef struct x509_attributes_st X509_ATTRIBUTE;
SKM_DEFINE_STACK_OF_INTERNAL(X509_ATTRIBUTE, X509_ATTRIBUTE, X509_ATTRIBUTE)
#define sk_X509_ATTRIBUTE_num(sk) OPENSSL_sk_num(ossl_check_const_X509_ATTRIBUTE_sk_type(sk))
#define sk_X509_ATTRIBUTE_value(sk, idx) ((X509_ATTRIBUTE
*)OPENSSL_sk_value(ossl_check_const_X509_ATTRIBUTE_sk_type(sk), (idx)))
#define sk_X509_ATTRIBUTE_new(cmp) ((STACK_OF(X509_ATTRIBUTE)
*)OPENSSL_sk_new(ossl_check_X509_ATTRIBUTE_compfunc_type(cmp)))
#define sk_X509_ATTRIBUTE_new_null() ((STACK_OF(X509_ATTRIBUTE) *)OPENSSL_sk_new_null())
#define sk_X509_ATTRIBUTE_new_reserve(cmp, n) ((STACK_OF(X509_ATTRIBUTE)
*)OPENSSL_sk_new_reserve(ossl_check_X509_ATTRIBUTE_compfunc_type(cmp), (n)))
#define sk_X509_ATTRIBUTE_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_X509_ATTRIBUTE_sk_type(sk), (n))
#define sk_X509_ATTRIBUTE_free(sk) OPENSSL_sk_free(ossl_check_X509_ATTRIBUTE_sk_type(sk))
#define
sk_X509_ATTRIBUTE_zero(sk) OPENSSL_sk_zero(ossl_check_X509_ATTRIBUTE_sk_type(sk))
#define sk_X509_ATTRIBUTE_delete(sk, i) ((X509_ATTRIBUTE
*)OPENSSL_sk_delete(ossl_check_X509_ATTRIBUTE_sk_type(sk), (i)))
#define sk_X509_ATTRIBUTE_delete_ptr(sk, ptr) ((X509_ATTRIBUTE
*)OPENSSL_sk_delete_ptr(ossl_check_X509_ATTRIBUTE_sk_type(sk),
ossl_check_X509_ATTRIBUTE_type(ptr)))
#define sk_X509_ATTRIBUTE_push(sk, ptr) OPENSSL_sk_push(ossl_check_X509_ATTRIBUTE_sk_type(sk),
ossl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_X509_ATTRIBUTE_sk_type(sk), ossl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_pop(sk) ((X509_ATTRIBUTE
*)OPENSSL_sk_pop(ossl_check_X509_ATTRIBUTE_sk_type(sk)))
#define sk_X509_ATTRIBUTE_shift(sk) ((X509_ATTRIBUTE
*)OPENSSL_sk_shift(ossl_check_X509_ATTRIBUTE_sk_type(sk)))
#define sk_X509_ATTRIBUTE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_X509_ATTRIBUTE_sk_type(sk), ossl_check_X509_ATTRIBUTE_freefunc_t
ype(freefunc))
#define
sk_X509_ATTRIBUTE_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_X509_ATTRIBUTE_sk_type(sk),
ossl_check_X509_ATTRIBUTE_type(ptr), (idx))
#define sk_X509_ATTRIBUTE_set(sk, idx, ptr) ((X509_ATTRIBUTE
*)OPENSSL_sk_set(ossl_check_X509_ATTRIBUTE_sk_type(sk), (idx),
ossl_check_X509_ATTRIBUTE_type(ptr)))
#define sk_X509_ATTRIBUTE_find(sk, ptr) OPENSSL_sk_find(ossl_check_X509_ATTRIBUTE_sk_type(sk),
ossl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ossl_check_X509_ATTRIBUTE_sk_type(sk), ossl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_X509_ATTRIBUTE_sk_type(sk), ossl_check_X509_ATTRIBUTE_type(ptr),
pnum)
#define sk_X509_ATTRIBUTE_sort(sk) OPENSSL_sk_sort(ossl_check_X509_ATTRIBUTE_sk_type(sk))

```

```

#define sk_X509_ATTRIBUTE_is_sorted(sk)
OPENSSL_sk_is_sorted(openssl_check_const_X509_ATTRIBUTE_sk_type(sk))
#define sk_X509_ATTRIBUTE_dup(sk) ((STACK_OF(X509_ATTRIBUTE)
*)OPENSSL_sk_dup(openssl_check_const_X509_ATTRIBUTE_sk_type(sk)))
#define sk_X509_ATTRIBUTE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_ATTRIBUTE)
*)OPENSSL_sk_deep_copy(openssl_check_const_X509_ATTRIBUTE_sk_type(sk),
openssl_check_X509_ATTRIBUTE_copyfunc_type(copyfunc),
openssl_check_X509_ATTRIBUTE_freefunc_type(freefunc)))
#define sk_X509_ATTRIBUTE_set_cmp_func(sk, cmp)
((sk_X509_ATTRIBUTE_compfunc)OPENSSL_sk_set_cmp_func(openssl_check_X509_ATTRIBUTE_sk_type(sk),
openssl_check_X509_ATTRIBUTE_compfunc_type(cmp)))

typedef struct X509_req_info_st X509_REQ_INFO;
typedef struct X509_req_st X509_REQ;
typedef struct x509_cert_aux_st X509_CERT_AUX;
typedef struct x509_cinf_st X509_CINF;

/* Flags for X509_print_ex() */

# define X509_FLAG_COMPAT          0
# define X509_FLAG_NO_HEADER       1L
# define X509_FLAG_NO_VERSION      (1L << 1)
# define X509_FLAG_NO_SERIAL       (1L << 2)
# define X509_FLAG_NO_SIGNAME      (1L << 3)
# define X509_FLAG_NO_ISSUER
    (1L << 4)
# define X509_FLAG_NO_VALIDITY      (1L << 5)
# define X509_FLAG_NO_SUBJECT      (1L << 6)
# define X509_FLAG_NO_PUBKEY       (1L << 7)
# define X509_FLAG_NO_EXTENSIONS   (1L << 8)
# define X509_FLAG_NO_SIGDUMP      (1L << 9)
# define X509_FLAG_NO_AUX          (1L << 10)
# define X509_FLAG_NO_ATTRIBUTES   (1L << 11)
# define X509_FLAG_NO_IDS           (1L << 12)
# define X509_FLAG_EXTENSIONS_ONLY_KID (1L << 13)

/* Flags specific to X509_NAME_print_ex() */

/* The field separator information */

# define XN_FLAG_SEP_MASK          (0xf << 16)

# define XN_FLAG_COMPAT            0/* Traditional; use old X509_NAME_print */
# define XN_FLAG_SEP_COMMA_PLUS   (1 << 16)/* RFC2253 ,+ */
# define XN_FLAG_SEP_CPLUS_SPC    (2 << 16)/* ,+ spaced: more readable */
# define XN_FLAG_SEP_SPLUS_SPC    (3 << 16)/* ;+ spaced */
# define XN_FLAG_SEP_MULTILINE     (4 << 16)/* One line per field */

```

```

# define XN_FLAG_DN_REV      (1 << 20)/*
Reverse DN order */

/* How the field name is shown */

# define XN_FLAG_FN_MASK      (0x3 << 21)

# define XN_FLAG_FN_SN        0/* Object short name */
# define XN_FLAG_FN_LN        (1 << 21)/* Object long name */
# define XN_FLAG_FN_OID        (2 << 21)/* Always use OIDs */
# define XN_FLAG_FN_NONE      (3 << 21)/* No field names */

# define XN_FLAG_SPC_EQ        (1 << 23)/* Put spaces round '=' */

/*
* This determines if we dump fields we don't recognise: RFC2253 requires
* this.
*/

# define XN_FLAG_DUMP_UNKNOWN_FIELDS (1 << 24)

# define XN_FLAG_FN_ALIGN      (1 << 25)/* Align field names to 20
* characters */

/* Complete set of RFC2253 flags */

# define XN_FLAG_RFC2253 (ASN1_STRFLGS_RFC2253 | \
    XN_FLAG_SEP_COMMA_PLUS | \
    XN_FLAG_DN_REV | \
    XN_FLAG_FN_SN | \
    XN_FLAG_DUMP_UNKNOWN_FIELDS)

/* readable oneline form */

#
define XN_FLAG_ONELINE (ASN1_STRFLGS_RFC2253 | \
    ASN1_STRFLGS_ESC_QUOTE | \
    XN_FLAG_SEP_CPLUS_SPC | \
    XN_FLAG_SPC_EQ | \
    XN_FLAG_FN_SN)

/* readable multiline form */

# define XN_FLAG_MULTILINE (ASN1_STRFLGS_ESC_CTRL | \
    ASN1_STRFLGS_ESC_MSB | \
    XN_FLAG_SEP_MULTILINE | \
    XN_FLAG_SPC_EQ | \
    XN_FLAG_FN_LN | \

```

XN_FLAG_FN_ALIGN)

```
typedef struct X509_crl_info_st X509_CRL_INFO;
```

```
typedef struct private_key_st {
    int version;
    /* The PKCS#8 data types */
    X509_ALGOR *enc_algor;
    ASN1_OCTET_STRING *enc_pkey; /* encrypted pub key */
    /* When decrypted, the following will not be NULL */
    EVP_PKEY *dec_pkey;
    /* used to encrypt and decrypt */
    int key_length;
    char *key_data;
    int key_free;          /* true if we should auto free key_data */
    /*
    expanded version of 'enc_algor' */
    EVP_CIPHER_INFO cipher;
} X509_PKEY;
```

```
typedef struct X509_info_st {
    X509 *x509;
    X509_CRL *crl;
    X509_PKEY *x_pkey;
    EVP_CIPHER_INFO enc_cipher;
    int enc_len;
    char *enc_data;
} X509_INFO;

SKM_DEFINE_STACK_OF_INTERNAL(X509_INFO, X509_INFO, X509_INFO)
#define sk_X509_INFO_num(sk) OPENSSL_sk_num(ssl_check_const_X509_INFO_sk_type(sk))
#define sk_X509_INFO_value(sk, idx) ((X509_INFO
*)OPENSSL_sk_value(ssl_check_const_X509_INFO_sk_type(sk), (idx)))
#define sk_X509_INFO_new(cmp) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_new(ssl_check_X509_INFO_compfunc_type(cmp)))
#define sk_X509_INFO_new_null() ((STACK_OF(X509_INFO) *)OPENSSL_sk_new_null())
#define sk_X509_INFO_new_reserve(cmp, n) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_new_reserve(ssl_check_X509_INFO_compfunc_type(cmp), (n)))
#define sk_X509_INFO_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_INFO_sk_type(sk), (n))
#define sk_X509_INFO_free(sk) OPENSSL_sk_free(ssl_check_X509_INFO_sk_type(sk))
#define
    sk_X509_INFO_zero(sk) OPENSSL_sk_zero(ssl_check_X509_INFO_sk_type(sk))
#define sk_X509_INFO_delete(sk, i) ((X509_INFO *)OPENSSL_sk_delete(ssl_check_X509_INFO_sk_type(sk),
(i)))
#define sk_X509_INFO_delete_ptr(sk, ptr) ((X509_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_X509_INFO_sk_type(sk), ssl_check_X509_INFO_type(ptr)))
#define sk_X509_INFO_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_type(ptr))
#define sk_X509_INFO_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_INFO_sk_type(sk),
```



```

ossl_check_X509_INFO_type(ptr))
#define sk_X509_INFO_pop(sk) ((X509_INFO *)OPENSSL_sk_pop(ossl_check_X509_INFO_sk_type(sk)))
#define sk_X509_INFO_shift(sk) ((X509_INFO *)OPENSSL_sk_shift(ossl_check_X509_INFO_sk_type(sk)))
#define sk_X509_INFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_X509_INFO_sk_type(sk),ossl_check_X509_INFO_freefunc_type(freefunc))
#define sk_X509_INFO_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_X509_INFO_sk_type(sk),
    ossl_check_X509_INFO_type(ptr), (idx))
#define sk_X509_INFO_set(sk, idx, ptr) ((X509_INFO *)OPENSSL_sk_set(ossl_check_X509_INFO_sk_type(sk),
    (idx), ossl_check_X509_INFO_type(ptr)))
#define sk_X509_INFO_find(sk, ptr) OPENSSL_sk_find(ossl_check_X509_INFO_sk_type(sk),
    ossl_check_X509_INFO_type(ptr))
#define sk_X509_INFO_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_X509_INFO_sk_type(sk),
    ossl_check_X509_INFO_type(ptr))
#define sk_X509_INFO_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_X509_INFO_sk_type(sk),
    ossl_check_X509_INFO_type(ptr), pnum)
#define sk_X509_INFO_sort(sk) OPENSSL_sk_sort(ossl_check_X509_INFO_sk_type(sk))
#define sk_X509_INFO_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_X509_INFO_sk_type(sk))
#define sk_X509_INFO_dup(sk) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_dup(ossl_check_const_X509_INFO_sk_type(sk)))
#define sk_X509_INFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_deep_copy(ossl_check_const_X509_INFO_sk_type(sk),
    ossl_check_X509_INFO_copyfunc_type(copyfunc),
    ossl_check_X509_INFO_freefunc_type(freefunc)))
#define sk_X509_INFO_set_cmp_func(sk, cmp)
((sk_X509_INFO_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_X509_INFO_sk_type(sk),
    ossl_check_X509_INFO_compfunc_type(cmp)))

```

/*

* The next 2 structures and their 8 routines are used to manipulate Netscape's

* spki structures - useful if you are writing a CA web page

*/

```

typedef struct Netscape_spkac_st {
    X509_PUBKEY *pubkey;
    ASN1_IA5STRING *challenge; /* challenge sent in atlas >= PR2 */
} NETSCAPE_SPKAC;

```

```

typedef struct Netscape_spki_st {
    NETSCAPE_SPKAC *spkac; /* signed public key and challenge */
    X509_ALGOR sig_algor;
    ASN1_BIT_STRING *signature;
} NETSCAPE_SPKI;

```

/* Netscape certificate sequence structure */

```

typedef struct Netscape_certificate_sequence {
    ASN1_OBJECT *type;
    STACK_OF(X509) *certs;
} NETSCAPE_CERT_SEQUENCE;

```

```

/*- Unused (and iv length is wrong)
typedef struct CBCParameter_st
{
    unsigned char iv[8];
} CBC_PARAM;
*/

/* Password based encryption structure */

typedef struct PBEPARAM_st {
    ASN1_OCTET_STRING *salt;
    ASN1_INTEGER *iter;
} PBEPARAM;

/* Password based encryption V2 structures */

typedef struct PBE2PARAM_st {
    X509_ALGOR *keyfunc;
    X509_ALGOR *encryption;
} PBE2PARAM;

typedef struct PBKDF2PARAM_st {
/* Usually OCTET STRING but could be anything */
    ASN1_TYPE *salt;
    ASN1_INTEGER *iter;
    ASN1_INTEGER *keylength;
    X509_ALGOR *prf;
} PBKDF2PARAM;

#ifndef OPENSSL_NO_SCRYPT
typedef struct SCRYPT_PARAMS_st {
    ASN1_OCTET_STRING *salt;
    ASN1_INTEGER *costParameter;
    ASN1_INTEGER *blockSize;
    ASN1_INTEGER *parallelizationParameter;
    ASN1_INTEGER *keyLength;
} SCRYPT_PARAMS;
#endif

#ifdef __cplusplus
}
#endif

# include <openssl/x509_vfy.h>
# include <openssl/pkcs7.h>

#ifdef __cplusplus

```

```

extern "C" {
#endif

# define X509_EXT_PACK_UNKNOWN  1
# define X509_EXT_PACK_STRING   2

# define      X509_extract_key(x)  X509_get_pubkey(x)/*****/
#
# define      X509_REQ_extract_key(a) X509_REQ_get_pubkey(a)
# define      X509_name_cmp(a,b)    X509_NAME_cmp((a),(b))

void X509_CRL_set_default_method(const X509_CRL_METHOD *meth);
X509_CRL_METHOD *X509_CRL_METHOD_new(int (*crl_init) (X509_CRL *crl),
int (*crl_free) (X509_CRL *crl),
int (*crl_lookup) (X509_CRL *crl,
X509_REVOKED **ret,
const
ASN1_INTEGER *serial,
const
X509_NAME *issuer),
int (*crl_verify) (X509_CRL *crl,
EVP_PKEY *pk));
void X509_CRL_METHOD_free(X509_CRL_METHOD *m);

void X509_CRL_set_meth_data(X509_CRL
*crl, void *dat);
void *X509_CRL_get_meth_data(X509_CRL *crl);

const char *X509_verify_cert_error_string(long n);

int X509_verify(X509 *a, EVP_PKEY *r);
int X509_self_signed(X509 *cert, int verify_signature);

int X509_REQ_verify_ex(X509_REQ *a, EVP_PKEY *r, OSSL_LIB_CTX *libctx,
const char *propq);
int X509_REQ_verify(X509_REQ *a, EVP_PKEY *r);
int X509_CRL_verify(X509_CRL *a, EVP_PKEY *r);
int NETSCAPE_SPKI_verify(NETSCAPE_SPKI *a, EVP_PKEY *r);

NETSCAPE_SPKI *NETSCAPE_SPKI_b64_decode(const char *str, int len);
char *NETSCAPE_SPKI_b64_encode(NETSCAPE_SPKI *x);
EVP_PKEY *NETSCAPE_SPKI_get_pubkey(NETSCAPE_SPKI *x);
int NETSCAPE_SPKI_set_pubkey(NETSCAPE_SPKI *x, EVP_PKEY *pkey);

int NETSCAPE_SPKI_print(BIO *out, NETSCAPE_SPKI *spki);

int X509_signature_dump(BIO *bp, const ASN1_STRING *sig, int indent);
int X509_signature_print(BIO *bp, const X509_ALGOR *alg,

```

```

const ASN1_STRING *sig);

int X509_sign(X509 *x, EVP_PKEY *pkey, const EVP_MD
    *md);
int X509_sign_ctx(X509 *x, EVP_MD_CTX *ctx);
int X509_REQ_sign(X509_REQ *x, EVP_PKEY *pkey, const EVP_MD *md);
int X509_REQ_sign_ctx(X509_REQ *x, EVP_MD_CTX *ctx);
int X509_CRL_sign(X509_CRL *x, EVP_PKEY *pkey, const EVP_MD *md);
int X509_CRL_sign_ctx(X509_CRL *x, EVP_MD_CTX *ctx);
int NETSCAPE_SPKI_sign(NETSCAPE_SPKI *x, EVP_PKEY *pkey, const EVP_MD *md);

int X509_pubkey_digest(const X509 *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
int X509_digest(const X509 *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
ASN1_OCTET_STRING *X509_digest_sig(const X509 *cert,
    EVP_MD **md_used, int *md_is_fallback);
int X509_CRL_digest(const X509_CRL *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
int X509_REQ_digest(const X509_REQ *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
int X509_NAME_digest(const
    X509_NAME *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);

X509 *X509_load_http(const char *url, BIO *bio, BIO *rbio, int timeout);
X509_CRL *X509_CRL_load_http(const char *url, BIO *bio, BIO *rbio, int timeout);
# ifndef OPENSSL_NO_DEPRECATED_3_0
#   include <openssl/http.h> /* OSSL_HTTP_REQ_CTX_nbio_d2i */
#   define X509_http_nbio(rctx, pcert) \
        OSSL_HTTP_REQ_CTX_nbio_d2i(rctx, pcert, ASN1_ITEM_rptr(X509))
#   define X509_CRL_http_nbio(rctx, pcr) \
        OSSL_HTTP_REQ_CTX_nbio_d2i(rctx, pcr, ASN1_ITEM_rptr(X509_CRL))
# endif

# ifndef OPENSSL_NO_STDIO
X509 *d2i_X509_fp(FILE *fp, X509 **x509);
int i2d_X509_fp(FILE *fp, const X509 *x509);
X509_CRL *d2i_X509_CRL_fp(FILE *fp, X509_CRL **crl);
int i2d_X509_CRL_fp(FILE *fp, const X509_CRL *crl);
X509_REQ *d2i_X509_REQ_fp(FILE *fp, X509_REQ **req);
int i2d_X509_REQ_fp(FILE *fp, const X509_REQ *req);
#   ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPrivateKey_fp(FILE *fp, RSA
    **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSAPrivateKey_fp(FILE *fp, const RSA *rsa);
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPublicKey_fp(FILE *fp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSAPublicKey_fp(FILE *fp, const RSA *rsa);

```

```

OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSA_PUBKEY_fp(FILE *fp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSA_PUBKEY_fp(FILE *fp, const RSA *rsa);
# endif
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#   ifndef OPENSSSL_NO_DSA
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSA_PUBKEY_fp(FILE *fp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSA_PUBKEY_fp(FILE *fp, const DSA *dsa);
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSAPrivateKey_fp(FILE *fp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSAPrivateKey_fp(FILE *fp, const DSA *dsa);
#   endif
#   endif
#   ifndef OPENSSSL_NO_DEPRECATED_3_0
#   ifndef OPENSSSL_NO_EC
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_EC_PUBKEY_fp(FILE *fp, EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0 int i2d_EC_PUBKEY_fp(FILE *fp, const EC_KEY *eckey);
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_ECPrivateKey_fp(FILE *fp,
    EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0 int i2d_ECPrivateKey_fp(FILE *fp, const EC_KEY *eckey);
#   endif /* OPENSSSL_NO_EC */
#   endif /* OPENSSSL_NO_DEPRECATED_3_0 */
X509_SIG *d2i_PKCS8_fp(FILE *fp, X509_SIG **p8);
int i2d_PKCS8_fp(FILE *fp, const X509_SIG *p8);
X509_PUBKEY *d2i_X509_PUBKEY_fp(FILE *fp, X509_PUBKEY **xpk);
int i2d_X509_PUBKEY_fp(FILE *fp, const X509_PUBKEY *xpk);
PKCS8_PRIV_KEY_INFO *d2i_PKCS8_PRIV_KEY_INFO_fp(FILE *fp,
    PKCS8_PRIV_KEY_INFO **p8inf);
int i2d_PKCS8_PRIV_KEY_INFO_fp(FILE *fp, const PKCS8_PRIV_KEY_INFO *p8inf);
int i2d_PKCS8PrivateKeyInfo_fp(FILE *fp, const EVP_PKEY *key);
int i2d_PrivateKey_fp(FILE *fp, const EVP_PKEY *pkey);
EVP_PKEY *d2i_PrivateKey_ex_fp(FILE *fp, EVP_PKEY **a, OSSL_LIB_CTX *libctx,
    const char *propq);
EVP_PKEY *d2i_PrivateKey_fp(FILE *fp, EVP_PKEY **a);
int i2d_PUBKEY_fp(FILE *fp, const EVP_PKEY *pkey);
EVP_PKEY *d2i_PUBKEY_fp(FILE *fp, EVP_PKEY **a);
#
endif

X509 *d2i_X509_bio(BIO *bp, X509 **x509);
int i2d_X509_bio(BIO *bp, const X509 *x509);
X509_CRL *d2i_X509_CRL_bio(BIO *bp, X509_CRL **crl);
int i2d_X509_CRL_bio(BIO *bp, const X509_CRL *crl);
X509_REQ *d2i_X509_REQ_bio(BIO *bp, X509_REQ **req);
int i2d_X509_REQ_bio(BIO *bp, const X509_REQ *req);
# ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPrivateKey_bio(BIO *bp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSAPrivateKey_bio(BIO *bp, const RSA *rsa);
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPublicKey_bio(BIO *bp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSAPublicKey_bio(BIO *bp, const RSA *rsa);

```

```

OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSA_PUBKEY_bio(BIO *bp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSA_PUBKEY_bio(BIO *bp, const RSA *rsa);
# endif
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#   ifndef OPENSSSL_NO_DSA
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSA_PUBKEY_bio(BIO *bp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSA_PUBKEY_bio(BIO *bp, const DSA *dsa);
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSAPrivateKey_bio(BIO
*bp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSAPrivateKey_bio(BIO *bp, const DSA *dsa);
#   endif
#   endif

#   ifndef OPENSSSL_NO_DEPRECATED_3_0
#   ifndef OPENSSSL_NO_EC
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_EC_PUBKEY_bio(BIO *bp, EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0 int i2d_EC_PUBKEY_bio(BIO *bp, const EC_KEY *eckey);
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_ECPrivateKey_bio(BIO *bp, EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0 int i2d_ECPrivateKey_bio(BIO *bp, const EC_KEY *eckey);
#   endif /* OPENSSSL_NO_EC */
#   endif /* OPENSSSL_NO_DEPRECATED_3_0 */

X509_SIG *d2i_PKCS8_bio(BIO *bp, X509_SIG **p8);
int i2d_PKCS8_bio(BIO *bp, const X509_SIG *p8);
X509_PUBKEY *d2i_X509_PUBKEY_bio(BIO *bp, X509_PUBKEY **xpk);
int i2d_X509_PUBKEY_bio(BIO *bp, const X509_PUBKEY *xpk);
PKCS8_PRIV_KEY_INFO *d2i_PKCS8_PRIV_KEY_INFO_bio(BIO *bp,
PKCS8_PRIV_KEY_INFO **p8inf);
int i2d_PKCS8_PRIV_KEY_INFO_bio(BIO *bp, const PKCS8_PRIV_KEY_INFO *p8inf);
int
i2d_PKCS8PrivateKeyInfo_bio(BIO *bp, const EVP_PKEY *key);
int i2d_PrivateKey_bio(BIO *bp, const EVP_PKEY *pkey);
EVP_PKEY *d2i_PrivateKey_ex_bio(BIO *bp, EVP_PKEY **a, OSSL_LIB_CTX *libctx,
const char *propq);
EVP_PKEY *d2i_PrivateKey_bio(BIO *bp, EVP_PKEY **a);
int i2d_PUBKEY_bio(BIO *bp, const EVP_PKEY *pkey);
EVP_PKEY *d2i_PUBKEY_bio(BIO *bp, EVP_PKEY **a);

DECLARE_ASN1_DUP_FUNCTION(X509)
DECLARE_ASN1_DUP_FUNCTION(X509_ALGOR)
DECLARE_ASN1_DUP_FUNCTION(X509_ATTRIBUTE)
DECLARE_ASN1_DUP_FUNCTION(X509_CRL)
DECLARE_ASN1_DUP_FUNCTION(X509_EXTENSION)
DECLARE_ASN1_DUP_FUNCTION(X509_PUBKEY)
DECLARE_ASN1_DUP_FUNCTION(X509_REQ)
DECLARE_ASN1_DUP_FUNCTION(X509_REVOKED)
int X509_ALGOR_set0(X509_ALGOR *alg, ASN1_OBJECT *aobj, int ptype,
void *pval);

```

```

void X509_ALGOR_get0(const ASN1_OBJECT **paobj, int *pptype,
                    const void **ppval, const X509_ALGOR *algor);
void X509_ALGOR_set_md(X509_ALGOR *alg, const EVP_MD *md);
int
X509_ALGOR_cmp(const X509_ALGOR *a, const X509_ALGOR *b);
int X509_ALGOR_copy(X509_ALGOR *dest, const X509_ALGOR *src);

DECLARE_ASN1_FUNCTIONS(X509_NAME)
DECLARE_ASN1_FUNCTIONS(X509_NAME_ENTRY)

int X509_cmp_time(const ASN1_TIME *s, time_t *t);
int X509_cmp_current_time(const ASN1_TIME *s);
int X509_cmp_timeframe(const X509_VERIFY_PARAM *vpm,
                      const ASN1_TIME *start, const ASN1_TIME *end);
ASN1_TIME *X509_time_adj(ASN1_TIME *s, long adj, time_t *t);
ASN1_TIME *X509_time_adj_ex(ASN1_TIME *s,
                          int offset_day, long offset_sec, time_t *t);
ASN1_TIME *X509_gmtime_adj(ASN1_TIME *s, long adj);

const char *X509_get_default_cert_area(void);
const char *X509_get_default_cert_dir(void);
const char *X509_get_default_cert_file(void);
const char *X509_get_default_cert_dir_env(void);
const char *X509_get_default_cert_file_env(void);
const char *X509_get_default_private_dir(void);

X509_REQ *X509_to_X509_REQ(X509 *x, EVP_PKEY *pkey, const EVP_MD
                          *md);
X509 *X509_REQ_to_X509(X509_REQ *r, int days, EVP_PKEY *pkey);

DECLARE_ASN1_FUNCTIONS(X509_ALGOR)
DECLARE_ASN1_ENCODE_FUNCTIONS(X509_ALGORS, X509_ALGORS, X509_ALGORS)
DECLARE_ASN1_FUNCTIONS(X509_VAL)

DECLARE_ASN1_FUNCTIONS(X509_PUBKEY)

X509_PUBKEY *X509_PUBKEY_new_ex(OSSL_LIB_CTX *libctx, const char *propq);
int X509_PUBKEY_set(X509_PUBKEY **x, EVP_PKEY *pkey);
EVP_PKEY *X509_PUBKEY_get0(const X509_PUBKEY *key);
EVP_PKEY *X509_PUBKEY_get(const X509_PUBKEY *key);
int X509_get_pubkey_parameters(EVP_PKEY *pkey, STACK_OF(X509) *chain);
long X509_get_pathlen(X509 *x);
DECLARE_ASN1_ENCODE_FUNCTIONS_only(EVP_PKEY, PUBKEY)
EVP_PKEY *d2i_PUBKEY_ex(EVP_PKEY **a, const unsigned char **pp, long length,
                      OSSL_LIB_CTX *libctx, const char *propq);
#ifndef OPENSSL_NO_DEPRECATED_3_0
DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(OSSL_DEPRECATEDIN_3_0, RSA, RSA_PUBKEY)
#endif

```

```

# ifndef OPENSSSL_NO_DEPRECATED_3_0
# ifndef OPENSSSL_NO_DSA
DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(OSSL_DEPRECATEDIN_3_0,DSA,
    DSA_PUBKEY)
# endif
# endif
# ifndef OPENSSSL_NO_DEPRECATED_3_0
# ifndef OPENSSSL_NO_EC
DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(OSSL_DEPRECATEDIN_3_0, EC_KEY, EC_PUBKEY)
# endif
# endif

DECLARE_ASN1_FUNCTIONS(X509_SIG)
void X509_SIG_get0(const X509_SIG *sig, const X509_ALGOR **palg,
    const ASN1_OCTET_STRING **pdigest);
void X509_SIG_getm(X509_SIG *sig, X509_ALGOR **palg,
    ASN1_OCTET_STRING **pdigest);

DECLARE_ASN1_FUNCTIONS(X509_REQ_INFO)
DECLARE_ASN1_FUNCTIONS(X509_REQ)
X509_REQ *X509_REQ_new_ex(OSSL_LIB_CTX *libctx, const char *propq);

DECLARE_ASN1_FUNCTIONS(X509_ATTRIBUTE)
X509_ATTRIBUTE *X509_ATTRIBUTE_create(int nid, int atrtype, void *value);

DECLARE_ASN1_FUNCTIONS(X509_EXTENSION)
DECLARE_ASN1_ENCODE_FUNCTIONS(X509_EXTENSIONS, X509_EXTENSIONS, X509_EXTENSIONS)

DECLARE_ASN1_FUNCTIONS(X509_NAME_ENTRY)

DECLARE_ASN1_FUNCTIONS(X509_NAME)

int X509_NAME_set(X509_NAME **xn, const X509_NAME *name);

DECLARE_ASN1_FUNCTIONS(X509_CINF)
DECLARE_ASN1_FUNCTIONS(X509)
X509
*X509_new_ex(OSSL_LIB_CTX *libctx, const char *propq);
DECLARE_ASN1_FUNCTIONS(X509_CERT_AUX)

#define X509_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_X509, l, p, newf, dupf, freef)
int X509_set_ex_data(X509 *r, int idx, void *arg);
void *X509_get_ex_data(const X509 *r, int idx);
DECLARE_ASN1_ENCODE_FUNCTIONS_only(X509,X509_AUX)

int i2d_re_X509_tbs(X509 *x, unsigned char **pp);

```



```

int X509_SIG_INFO_get(const X509_SIG_INFO *siginf, int *mdnid, int *pknid,
    int *secbits, uint32_t *flags);
void X509_SIG_INFO_set(X509_SIG_INFO *siginf, int mdnid, int pknid,
    int secbits, uint32_t flags);

int X509_get_signature_info(X509 *x, int *mdnid, int *pknid, int *secbits,
    uint32_t *flags);

void X509_get0_signature(const ASN1_BIT_STRING **psig,
    const X509_ALGOR **palg, const X509 *x);
int X509_get_signature_nid(const
    X509 *x);

void X509_set0_distinguishing_id(X509 *x, ASN1_OCTET_STRING *d_id);
ASN1_OCTET_STRING *X509_get0_distinguishing_id(X509 *x);
void X509_REQ_set0_distinguishing_id(X509_REQ *x, ASN1_OCTET_STRING *d_id);
ASN1_OCTET_STRING *X509_REQ_get0_distinguishing_id(X509_REQ *x);

int X509_alias_set1(X509 *x, const unsigned char *name, int len);
int X509_keyid_set1(X509 *x, const unsigned char *id, int len);
unsigned char *X509_alias_get0(X509 *x, int *len);
unsigned char *X509_keyid_get0(X509 *x, int *len);

DECLARE_ASN1_FUNCTIONS(X509_REVOKED)
DECLARE_ASN1_FUNCTIONS(X509_CRL_INFO)
DECLARE_ASN1_FUNCTIONS(X509_CRL)
X509_CRL *X509_CRL_new_ex(OSSL_LIB_CTX *libctx, const char *propq);

int X509_CRL_add0_revoked(X509_CRL *crl, X509_REVOKED *rev);
int X509_CRL_get0_by_serial(X509_CRL *crl,
    X509_REVOKED **ret, const ASN1_INTEGER *serial);
int X509_CRL_get0_by_cert(X509_CRL *crl, X509_REVOKED **ret, X509 *x);

X509_PKEY *X509_PKEY_new(void);
void X509_PKEY_free(X509_PKEY
    *a);

DECLARE_ASN1_FUNCTIONS(NETSCAPE_SPKI)
DECLARE_ASN1_FUNCTIONS(NETSCAPE_SPKAC)
DECLARE_ASN1_FUNCTIONS(NETSCAPE_CERT_SEQUENCE)

X509_INFO *X509_INFO_new(void);
void X509_INFO_free(X509_INFO *a);
char *X509_NAME_oneline(const X509_NAME *a, char *buf, int size);

#ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
int ASN1_verify(i2d_of_void *i2d, X509_ALGOR *algor1,

```

```

        ASN1_BIT_STRING *signature, char *data, EVP_PKEY *pkey);
OSSL_DEPRECATEDIN_3_0
int ASN1_digest(i2d_of_void *i2d, const EVP_MD *type, char *data,
                unsigned char *md, unsigned int *len);
OSSL_DEPRECATEDIN_3_0
int ASN1_sign(i2d_of_void *i2d, X509_ALGOR *algor1, X509_ALGOR *algor2,
              ASN1_BIT_STRING *signature, char *data, EVP_PKEY *pkey,
              const EVP_MD *type);
#endif
int ASN1_item_digest(const ASN1_ITEM *it, const EVP_MD *type, void *data,
                    unsigned char *md, unsigned int *len);
int ASN1_item_verify(const ASN1_ITEM *it, const X509_ALGOR *alg,
                    const ASN1_BIT_STRING *signature, const void *data,
                    EVP_PKEY *pkey);
int ASN1_item_verify_ctx(const ASN1_ITEM *it, const X509_ALGOR *alg,
                        const ASN1_BIT_STRING *signature, const void *data,
                        EVP_MD_CTX *ctx);
int ASN1_item_sign(const ASN1_ITEM *it, X509_ALGOR *algor1, X509_ALGOR *algor2,
                  ASN1_BIT_STRING *signature, const void *data,
                  EVP_PKEY *pkey, const EVP_MD *md);
int ASN1_item_sign_ctx(const ASN1_ITEM *it, X509_ALGOR *algor1,
                      X509_ALGOR *algor2, ASN1_BIT_STRING *signature,
                      const void *data, EVP_MD_CTX *ctx);

#define X509_VERSION_1 0
#define X509_VERSION_2 1
#define X509_VERSION_3 2

long X509_get_version(const X509 *x);
int X509_set_version(X509 *x, long version);
int X509_set_serialNumber(X509 *x, ASN1_INTEGER *serial);
ASN1_INTEGER *X509_get_serialNumber(X509 *x);
const ASN1_INTEGER *X509_get0_serialNumber(const
X509 *x);
int X509_set_issuer_name(X509 *x, const X509_NAME *name);
X509_NAME *X509_get_issuer_name(const X509 *a);
int X509_set_subject_name(X509 *x, const X509_NAME *name);
X509_NAME *X509_get_subject_name(const X509 *a);
const ASN1_TIME *X509_get0_notBefore(const X509 *x);
ASN1_TIME *X509_getm_notBefore(const X509 *x);
int X509_set1_notBefore(X509 *x, const ASN1_TIME *tm);
const ASN1_TIME *X509_get0_notAfter(const X509 *x);
ASN1_TIME *X509_getm_notAfter(const X509 *x);
int X509_set1_notAfter(X509 *x, const ASN1_TIME *tm);
int X509_set_pubkey(X509 *x, EVP_PKEY *pkey);
int X509_up_ref(X509 *x);
int X509_get_signature_type(const X509 *x);

```

```

# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#  define X509_get_notBefore X509_getm_notBefore
#  define X509_get_notAfter X509_getm_notAfter
#  define X509_set_notBefore X509_set1_notBefore
#  define X509_set_notAfter X509_set1_notAfter
#endif

/*
 * This one is only used so that a binary form can output, as in
 * i2d_X509_PUBKEY(X509_get_X509_PUBKEY(x),
 * &buf)
 */
X509_PUBKEY *X509_get_X509_PUBKEY(const X509 *x);
const STACK_OF(X509_EXTENSION) *X509_get0_extensions(const X509 *x);
void X509_get0_uids(const X509 *x, const ASN1_BIT_STRING **piuid,
                    const ASN1_BIT_STRING **psuid);
const X509_ALGOR *X509_get0_tbs_sigalg(const X509 *x);

EVP_PKEY *X509_get0_pubkey(const X509 *x);
EVP_PKEY *X509_get_pubkey(X509 *x);
ASN1_BIT_STRING *X509_get0_pubkey_bitstr(const X509 *x);

#define X509_REQ_VERSION_1 0

long X509_REQ_get_version(const X509_REQ *req);
int X509_REQ_set_version(X509_REQ *x, long version);
X509_NAME *X509_REQ_get_subject_name(const X509_REQ *req);
int X509_REQ_set_subject_name(X509_REQ *req, const X509_NAME *name);
void X509_REQ_get0_signature(const X509_REQ *req, const ASN1_BIT_STRING **psig,
                             const X509_ALGOR **palg);
void X509_REQ_set0_signature(X509_REQ *req, ASN1_BIT_STRING *psig);
int X509_REQ_set1_signature_algo(X509_REQ *req, X509_ALGOR *palg);
int X509_REQ_get_signature_nid(const
    X509_REQ *req);
int i2d_re_X509_REQ_tbs(X509_REQ *req, unsigned char **pp);
int X509_REQ_set_pubkey(X509_REQ *x, EVP_PKEY *pkey);
EVP_PKEY *X509_REQ_get_pubkey(X509_REQ *req);
EVP_PKEY *X509_REQ_get0_pubkey(X509_REQ *req);
X509_PUBKEY *X509_REQ_get_X509_PUBKEY(X509_REQ *req);
int X509_REQ_extension_nid(int nid);
int *X509_REQ_get_extension_nids(void);
void X509_REQ_set_extension_nids(int *nids);
STACK_OF(X509_EXTENSION) *X509_REQ_get_extensions(X509_REQ *req);
int X509_REQ_add_extensions_nid(X509_REQ *req,
                                const STACK_OF(X509_EXTENSION) *exts, int nid);
int X509_REQ_add_extensions(X509_REQ *req, const STACK_OF(X509_EXTENSION) *ext);
int X509_REQ_get_attr_count(const X509_REQ *req);

```

```

int X509_REQ_get_attr_by_NID(const X509_REQ *req, int nid, int lastpos);
int X509_REQ_get_attr_by_OBJ(const X509_REQ *req, const ASN1_OBJECT *obj,
    int lastpos);
X509_ATTRIBUTE *X509_REQ_get_attr(const X509_REQ *req, int loc);
X509_ATTRIBUTE
*X509_REQ_delete_attr(X509_REQ *req, int loc);
int X509_REQ_add1_attr(X509_REQ *req, X509_ATTRIBUTE *attr);
int X509_REQ_add1_attr_by_OBJ(X509_REQ *req,
    const ASN1_OBJECT *obj, int type,
    const unsigned char *bytes, int len);
int X509_REQ_add1_attr_by_NID(X509_REQ *req,
    int nid, int type,
    const unsigned char *bytes, int len);
int X509_REQ_add1_attr_by_txt(X509_REQ *req,
    const char *attrname, int type,
    const unsigned char *bytes, int len);

#define X509_CRL_VERSION_1 0
#define X509_CRL_VERSION_2 1

int X509_CRL_set_version(X509_CRL *x, long version);
int X509_CRL_set_issuer_name(X509_CRL *x, const X509_NAME *name);
int X509_CRL_set1_lastUpdate(X509_CRL *x, const ASN1_TIME *tm);
int X509_CRL_set1_nextUpdate(X509_CRL *x, const ASN1_TIME *tm);
int X509_CRL_sort(X509_CRL *crl);
int X509_CRL_up_ref(X509_CRL *crl);

#
# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#  define X509_CRL_set_lastUpdate X509_CRL_set1_lastUpdate
#  define X509_CRL_set_nextUpdate X509_CRL_set1_nextUpdate
# endif

long X509_CRL_get_version(const X509_CRL *crl);
const ASN1_TIME *X509_CRL_get0_lastUpdate(const X509_CRL *crl);
const ASN1_TIME *X509_CRL_get0_nextUpdate(const X509_CRL *crl);
# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#  define X509_CRL_get_lastUpdate(X509_CRL *crl) \
    OSSL_DEPRECATEDIN_1_1_0 ASN1_TIME *X509_CRL_get_lastUpdate(X509_CRL *crl);
#  define X509_CRL_get_nextUpdate(X509_CRL *crl) \
    OSSL_DEPRECATEDIN_1_1_0 ASN1_TIME *X509_CRL_get_nextUpdate(X509_CRL *crl);
# endif
X509_NAME *X509_CRL_get_issuer(const X509_CRL *crl);
const STACK_OF(X509_EXTENSION) *X509_CRL_get0_extensions(const X509_CRL *crl);
STACK_OF(X509_REVOKED) *X509_CRL_get_REVOKED(X509_CRL *crl);
void X509_CRL_get0_signature(const X509_CRL *crl, const ASN1_BIT_STRING **psig,
    const X509_ALGOR **palg);
int X509_CRL_get_signature_nid(const X509_CRL *crl);
int i2d_re_X509_CRL_tbs(X509_CRL *req, unsigned char **pp);

```

```

const ASN1_INTEGER *X509_REVOKED_get0_serialNumber(const
X509_REVOKED *x);
int X509_REVOKED_set_serialNumber(X509_REVOKED *x, ASN1_INTEGER *serial);
const ASN1_TIME *X509_REVOKED_get0_revocationDate(const X509_REVOKED *x);
int X509_REVOKED_set_revocationDate(X509_REVOKED *r, ASN1_TIME *tm);
const STACK_OF(X509_EXTENSION) *
X509_REVOKED_get0_extensions(const X509_REVOKED *r);

X509_CRL *X509_CRL_diff(X509_CRL *base, X509_CRL *newer,
                        EVP_PKEY *skey, const EVP_MD *md, unsigned int flags);

int X509_REQ_check_private_key(X509_REQ *x509, EVP_PKEY *pkey);

int X509_check_private_key(const X509 *x509, const EVP_PKEY *pkey);
int X509_chain_check_suitesb(int *perror_depth,
                            X509 *x, STACK_OF(X509) *chain,
                            unsigned long flags);
int X509_CRL_check_suitesb(X509_CRL *crl, EVP_PKEY *pk, unsigned long flags);
STACK_OF(X509) *X509_chain_up_ref(STACK_OF(X509) *chain);

int X509_issuer_and_serial_cmp(const X509 *a, const X509 *b);
unsigned long X509_issuer_and_serial_hash(X509
*a);

int X509_issuer_name_cmp(const X509 *a, const X509 *b);
unsigned long X509_issuer_name_hash(X509 *a);

int X509_subject_name_cmp(const X509 *a, const X509 *b);
unsigned long X509_subject_name_hash(X509 *x);

#ifdef OPENSSL_NO_MD5
unsigned long X509_issuer_name_hash_old(X509 *a);
unsigned long X509_subject_name_hash_old(X509 *x);
#endif

#define X509_ADD_FLAG_DEFAULT 0
#define X509_ADD_FLAG_UP_REF 0x1
#define X509_ADD_FLAG_PREPEND 0x2
#define X509_ADD_FLAG_NO_DUP 0x4
#define X509_ADD_FLAG_NO_SS 0x8
int X509_add_cert(STACK_OF(X509) *sk, X509 *cert, int flags);
int X509_add_certs(STACK_OF(X509) *sk, STACK_OF(X509) *certs, int flags);

int X509_cmp(const X509 *a, const X509 *b);
int X509_NAME_cmp(const X509_NAME *a, const X509_NAME *b);
#ifdef OPENSSL_NO_DEPRECATED_3_0
#define X509_NAME_hash(x) X509_NAME_hash_ex(x, NULL, NULL, NULL)
OSSL_DEPRECATEDIN_3_0 int X509_certificate_type(const X509 *x,

```

```

    const EVP_PKEY *pubkey);
#endif

unsigned long X509_NAME_hash_ex(const X509_NAME *x, OSSL_LIB_CTX *libctx,
                                const char *propq, int *ok);
unsigned long X509_NAME_hash_old(const X509_NAME *x);

int X509_CRL_cmp(const X509_CRL *a, const X509_CRL *b);
int X509_CRL_match(const X509_CRL *a, const X509_CRL *b);
int X509_aux_print(BIO *out, X509 *x, int indent);
#ifdef OPENSSL_NO_STDIO
int X509_print_ex_fp(FILE *bp, X509 *x, unsigned long nmflag,
                    unsigned long cflag);
int X509_print_fp(FILE *bp, X509 *x);
int X509_CRL_print_fp(FILE *bp, X509_CRL *x);
int X509_REQ_print_fp(FILE *bp, X509_REQ *req);
int X509_NAME_print_ex_fp(FILE *fp, const X509_NAME *nm, int indent,
                        unsigned long flags);
#endif

int X509_NAME_print(BIO *bp, const X509_NAME *name, int obase);
int X509_NAME_print_ex(BIO *out, const X509_NAME *nm, int indent,
                    unsigned long flags);
int X509_print_ex(BIO *bp, X509 *x, unsigned
long nmflag,
                unsigned long cflag);
int X509_print(BIO *bp, X509 *x);
int X509_ocspid_print(BIO *bp, X509 *x);
int X509_CRL_print_ex(BIO *out, X509_CRL *x, unsigned long nmflag);
int X509_CRL_print(BIO *bp, X509_CRL *x);
int X509_REQ_print_ex(BIO *bp, X509_REQ *x, unsigned long nmflag,
                    unsigned long cflag);
int X509_REQ_print(BIO *bp, X509_REQ *req);

int X509_NAME_entry_count(const X509_NAME *name);
int X509_NAME_get_text_by_NID(const X509_NAME *name, int nid,
                            char *buf, int len);
int X509_NAME_get_text_by_OBJ(const X509_NAME *name, const ASN1_OBJECT *obj,
                            char *buf, int len);

/*
 * NOTE: you should be passing -1, not 0 as lastpos. The functions that use
 * lastpos, search after that position on.
 */
int X509_NAME_get_index_by_NID(const X509_NAME *name, int nid, int lastpos);
int X509_NAME_get_index_by_OBJ(const X509_NAME *name, const ASN1_OBJECT *obj,

```

```

int lastpos);
X509_NAME_ENTRY *X509_NAME_get_entry(const X509_NAME *name, int loc);
X509_NAME_ENTRY *X509_NAME_delete_entry(X509_NAME *name, int loc);
int X509_NAME_add_entry(X509_NAME *name, const X509_NAME_ENTRY *ne,
    int loc, int set);
int X509_NAME_add_entry_by_OBJ(X509_NAME *name, const ASN1_OBJECT *obj, int type,
    const unsigned char *bytes, int len, int loc,
    int set);
int X509_NAME_add_entry_by_NID(X509_NAME *name, int nid, int type,
    const unsigned char *bytes, int len, int loc,
    int set);
X509_NAME_ENTRY *X509_NAME_ENTRY_create_by_txt(X509_NAME_ENTRY **ne,
    const char *field, int type,
    const unsigned char *bytes,
    int len);
X509_NAME_ENTRY *X509_NAME_ENTRY_create_by_NID(X509_NAME_ENTRY **ne, int nid,
    int type,
    const unsigned char *bytes,
    int len);
int X509_NAME_add_entry_by_txt(X509_NAME *name, const char *field, int type,
    const unsigned char *bytes, int len, int loc,
    int set);
X509_NAME_ENTRY *X509_NAME_ENTRY_create_by_OBJ(X509_NAME_ENTRY **ne,
    const ASN1_OBJECT *obj, int type,
    const unsigned char *bytes,
    int len);
int X509_NAME_ENTRY_set_object(X509_NAME_ENTRY *ne, const ASN1_OBJECT *obj);
int X509_NAME_ENTRY_set_data(X509_NAME_ENTRY *ne, int type,
    const unsigned char *bytes, int len);
ASN1_OBJECT *X509_NAME_ENTRY_get_object(const X509_NAME_ENTRY *ne);
ASN1_STRING *X509_NAME_ENTRY_get_data(const X509_NAME_ENTRY
    *ne);
int X509_NAME_ENTRY_set(const X509_NAME_ENTRY *ne);

int X509_NAME_get0_der(const X509_NAME *nm, const unsigned char **pder,
    size_t *pderlen);

int X509v3_get_ext_count(const STACK_OF(X509_EXTENSION) *x);
int X509v3_get_ext_by_NID(const STACK_OF(X509_EXTENSION) *x,
    int nid, int lastpos);
int X509v3_get_ext_by_OBJ(const STACK_OF(X509_EXTENSION) *x,
    const ASN1_OBJECT *obj, int lastpos);
int X509v3_get_ext_by_critical(const STACK_OF(X509_EXTENSION) *x,
    int crit, int lastpos);
X509_EXTENSION *X509v3_get_ext(const STACK_OF(X509_EXTENSION) *x, int loc);
X509_EXTENSION *X509v3_delete_ext(STACK_OF(X509_EXTENSION) *x, int loc);
STACK_OF(X509_EXTENSION) *X509v3_add_ext(STACK_OF(X509_EXTENSION) **x,
    X509_EXTENSION *ex, int loc);

```

```

int X509_get_ext_count(const X509 *x);
int X509_get_ext_by_NID(const X509 *x, int nid, int lastpos);
int X509_get_ext_by_OBJ(const
    X509 *x, const ASN1_OBJECT *obj, int lastpos);
int X509_get_ext_by_critical(const X509 *x, int crit, int lastpos);
X509_EXTENSION *X509_get_ext(const X509 *x, int loc);
X509_EXTENSION *X509_delete_ext(X509 *x, int loc);
int X509_add_ext(X509 *x, X509_EXTENSION *ex, int loc);
void *X509_get_ext_d2i(const X509 *x, int nid, int *crit, int *idx);
int X509_add1_ext_i2d(X509 *x, int nid, void *value, int crit,
    unsigned long flags);

int X509_CRL_get_ext_count(const X509_CRL *x);
int X509_CRL_get_ext_by_NID(const X509_CRL *x, int nid, int lastpos);
int X509_CRL_get_ext_by_OBJ(const X509_CRL *x, const ASN1_OBJECT *obj,
    int lastpos);
int X509_CRL_get_ext_by_critical(const X509_CRL *x, int crit, int lastpos);
X509_EXTENSION *X509_CRL_get_ext(const X509_CRL *x, int loc);
X509_EXTENSION *X509_CRL_delete_ext(X509_CRL *x, int loc);
int X509_CRL_add_ext(X509_CRL *x, X509_EXTENSION *ex, int loc);
void *X509_CRL_get_ext_d2i(const X509_CRL
    *x, int nid, int *crit, int *idx);
int X509_CRL_add1_ext_i2d(X509_CRL *x, int nid, void *value, int crit,
    unsigned long flags);

int X509_REVOKED_get_ext_count(const X509_REVOKED *x);
int X509_REVOKED_get_ext_by_NID(const X509_REVOKED *x, int nid, int lastpos);
int X509_REVOKED_get_ext_by_OBJ(const X509_REVOKED *x, const ASN1_OBJECT *obj,
    int lastpos);
int X509_REVOKED_get_ext_by_critical(const X509_REVOKED *x, int crit,
    int lastpos);
X509_EXTENSION *X509_REVOKED_get_ext(const X509_REVOKED *x, int loc);
X509_EXTENSION *X509_REVOKED_delete_ext(X509_REVOKED *x, int loc);
int X509_REVOKED_add_ext(X509_REVOKED *x, X509_EXTENSION *ex, int loc);
void *X509_REVOKED_get_ext_d2i(const X509_REVOKED *x, int nid, int *crit,
    int *idx);
int X509_REVOKED_add1_ext_i2d(X509_REVOKED *x, int nid, void *value, int crit,
    unsigned long flags);

X509_EXTENSION
*X509_EXTENSION_create_by_NID(X509_EXTENSION **ex,
    int nid, int crit,
    ASN1_OCTET_STRING *data);
X509_EXTENSION *X509_EXTENSION_create_by_OBJ(X509_EXTENSION **ex,
    const ASN1_OBJECT *obj, int crit,
    ASN1_OCTET_STRING *data);
int X509_EXTENSION_set_object(X509_EXTENSION *ex, const ASN1_OBJECT *obj);

```



```

int X509_EXTENSION_set_critical(X509_EXTENSION *ex, int crit);
int X509_EXTENSION_set_data(X509_EXTENSION *ex, ASN1_OCTET_STRING *data);
ASN1_OBJECT *X509_EXTENSION_get_object(X509_EXTENSION *ex);
ASN1_OCTET_STRING *X509_EXTENSION_get_data(X509_EXTENSION *ne);
int X509_EXTENSION_get_critical(const X509_EXTENSION *ex);

int X509at_get_attr_count(const STACK_OF(X509_ATTRIBUTE) *x);
int X509at_get_attr_by_NID(const STACK_OF(X509_ATTRIBUTE) *x, int nid,
    int lastpos);
int X509at_get_attr_by_OBJ(const
    STACK_OF(X509_ATTRIBUTE) *sk,
    const ASN1_OBJECT *obj, int lastpos);
X509_ATTRIBUTE *X509at_get_attr(const STACK_OF(X509_ATTRIBUTE) *x, int loc);
X509_ATTRIBUTE *X509at_delete_attr(STACK_OF(X509_ATTRIBUTE) *x, int loc);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr(STACK_OF(X509_ATTRIBUTE) **x,
    X509_ATTRIBUTE *attr);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr_by_OBJ(STACK_OF(X509_ATTRIBUTE)
    **x, const ASN1_OBJECT *obj,
    int type,
    const unsigned char *bytes,
    int len);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr_by_NID(STACK_OF(X509_ATTRIBUTE)
    **x, int nid, int type,
    const unsigned char *bytes,
    int len);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr_by_txt(STACK_OF(X509_ATTRIBUTE)
    **x, const char *attrname,
    int type,
    const unsigned char *bytes,
    int len);
void *X509at_get0_data_by_OBJ(const STACK_OF(X509_ATTRIBUTE) *x,
    const ASN1_OBJECT *obj, int lastpos, int type);
X509_ATTRIBUTE *X509_ATTRIBUTE_create_by_NID(X509_ATTRIBUTE **attr, int nid,
    int atrtype, const void *data,
    int len);
X509_ATTRIBUTE *X509_ATTRIBUTE_create_by_OBJ(X509_ATTRIBUTE **attr,
    const ASN1_OBJECT *obj,
    int atrtype, const void *data,
    int len);
X509_ATTRIBUTE
*X509_ATTRIBUTE_create_by_txt(X509_ATTRIBUTE **attr,
    const char *atname, int type,
    const unsigned char *bytes,
    int len);
int X509_ATTRIBUTE_set1_object(X509_ATTRIBUTE *attr, const ASN1_OBJECT *obj);
int X509_ATTRIBUTE_set1_data(X509_ATTRIBUTE *attr, int atrtype,
    const void *data, int len);

```

```

void *X509_ATTRIBUTE_get0_data(X509_ATTRIBUTE *attr, int idx, int atrtype,
                               void *data);
int X509_ATTRIBUTE_count(const X509_ATTRIBUTE *attr);
ASN1_OBJECT *X509_ATTRIBUTE_get0_object(X509_ATTRIBUTE *attr);
ASN1_TYPE *X509_ATTRIBUTE_get0_type(X509_ATTRIBUTE *attr, int idx);

int EVP_PKEY_get_attr_count(const EVP_PKEY *key);
int EVP_PKEY_get_attr_by_NID(const EVP_PKEY *key, int nid, int lastpos);
int EVP_PKEY_get_attr_by_OBJ(const EVP_PKEY *key, const ASN1_OBJECT *obj,

                               int lastpos);
X509_ATTRIBUTE *EVP_PKEY_get_attr(const EVP_PKEY *key, int loc);
X509_ATTRIBUTE *EVP_PKEY_delete_attr(EVP_PKEY *key, int loc);
int EVP_PKEY_add1_attr(EVP_PKEY *key, X509_ATTRIBUTE *attr);
int EVP_PKEY_add1_attr_by_OBJ(EVP_PKEY *key,
                               const ASN1_OBJECT *obj, int type,
                               const unsigned char *bytes, int len);
int EVP_PKEY_add1_attr_by_NID(EVP_PKEY *key,
                               int nid, int type,
                               const unsigned char *bytes, int len);
int EVP_PKEY_add1_attr_by_txt(EVP_PKEY *key,
                               const char *attrname, int type,
                               const unsigned char *bytes, int len);

/* lookup a cert from a X509 STACK */
X509 *X509_find_by_issuer_and_serial(STACK_OF(X509) *sk, const X509_NAME *name,
                                     const ASN1_INTEGER *serial);
X509 *X509_find_by_subject(STACK_OF(X509) *sk, const X509_NAME *name);

DECLARE_ASN1_FUNCTIONS(PBEPARAM)
DECLARE_ASN1_FUNCTIONS(PBE2PARAM)
DECLARE_ASN1_FUNCTIONS(PBKDF2PARAM)
#ifdef
    OPENSSL_NO_SCRYPT
DECLARE_ASN1_FUNCTIONS(SCRYPT_PARAMS)
#endif

int PKCS5_pbe_set0_algor(X509_ALGOR *algor, int alg, int iter,
                        const unsigned char *salt, int saltlen);
int PKCS5_pbe_set0_algor_ex(X509_ALGOR *algor, int alg, int iter,
                            const unsigned char *salt, int saltlen,
                            OSSL_LIB_CTX *libctx);

X509_ALGOR *PKCS5_pbe_set(int alg, int iter,
                        const unsigned char *salt, int saltlen);
X509_ALGOR *PKCS5_pbe_set_ex(int alg, int iter,
                            const unsigned char *salt, int saltlen,
                            OSSL_LIB_CTX *libctx);

```

```

X509_ALGOR *PKCS5_pbe2_set(const EVP_CIPHER *cipher, int iter,
    unsigned char *salt, int saltlen);
X509_ALGOR *PKCS5_pbe2_set_iv(const EVP_CIPHER *cipher, int iter,
    unsigned char *salt, int saltlen,
    unsigned char *aiv, int prf_nid);
X509_ALGOR *PKCS5_pbe2_set_iv_ex(const EVP_CIPHER *cipher, int iter,
    unsigned char *salt, int saltlen,
    unsigned char *aiv, int prf_nid,
    OSSL_LIB_CTX *libctx);

#ifdef OPENSSL_NO_SCRYPT
X509_ALGOR *PKCS5_pbe2_set_scrypt(const EVP_CIPHER *cipher,
    const unsigned char *salt, int saltlen,
    unsigned char *aiv, uint64_t N, uint64_t r,
    uint64_t p);
#endif

X509_ALGOR *PKCS5_pbkdf2_set(int iter, unsigned char *salt, int saltlen,
    int prf_nid, int keylen);
X509_ALGOR *PKCS5_pbkdf2_set_ex(int iter, unsigned char *salt, int saltlen,
    int prf_nid, int keylen,
    OSSL_LIB_CTX *libctx);

/* PKCS#8 utilities */

DECLARE_ASN1_FUNCTIONS(PKCS8_PRIV_KEY_INFO)

EVP_PKEY
*EVP_PKCS82PKEY(const PKCS8_PRIV_KEY_INFO *p8);
EVP_PKEY *EVP_PKCS82PKEY_ex(const PKCS8_PRIV_KEY_INFO *p8, OSSL_LIB_CTX *libctx,
    const char *propq);
PKCS8_PRIV_KEY_INFO *EVP_PKEY2PKCS8(const EVP_PKEY *pkey);

int PKCS8_pkey_set0(PKCS8_PRIV_KEY_INFO *priv, ASN1_OBJECT *aobj,
    int version, int ptype, void *pval,
    unsigned char *penc, int penclen);
int PKCS8_pkey_get0(const ASN1_OBJECT **ppkalg,
    const unsigned char **pk, int *ppklen,
    const X509_ALGOR **pa, const PKCS8_PRIV_KEY_INFO *p8);

const STACK_OF(X509_ATTRIBUTE) *
PKCS8_pkey_get0_attrs(const PKCS8_PRIV_KEY_INFO *p8);
int PKCS8_pkey_add1_attr(PKCS8_PRIV_KEY_INFO *p8, X509_ATTRIBUTE *attr);
int PKCS8_pkey_add1_attr_by_NID(PKCS8_PRIV_KEY_INFO *p8, int nid, int type,
    const unsigned char *bytes, int len);
int PKCS8_pkey_add1_attr_by_OBJ(PKCS8_PRIV_KEY_INFO *p8, const ASN1_OBJECT *obj,

```

```

        int type, const unsigned char *bytes, int len);

int X509_PUBKEY_set0_param(X509_PUBKEY *pub, ASN1_OBJECT *aobj,
        int ptype, void *pval,
        unsigned char *penc, int penclen);
int X509_PUBKEY_get0_param(ASN1_OBJECT **ppkalg,
        const unsigned char **pk, int *ppklen,
        X509_ALGOR **pa, const X509_PUBKEY *pub);
int X509_PUBKEY_eq(const X509_PUBKEY *a, const X509_PUBKEY *b);

#ifdef __cplusplus
}
#endif
#endif
BSD-2-Clause
The MIT License (MIT)

```

Copyright (c) 2014-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 1994-2006 Sun Microsystems Inc.
All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- Neither the name of Sun Microsystems or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (C) 2012-2022 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006 Apple Computer, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder(s) nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2015-2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',

```

'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',

'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',

'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',

'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',

```

'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

```

```

],

```

```

'openssl_sources_BSD-x86': [
'./config/archs/BSD-x86/asm/crypto/aes/aes-586.S',
'./config/archs/BSD-x86/asm/crypto/aes/aesni-x86.S',
'./config/archs/BSD-x86/asm/crypto/aes/vpaes-x86.S',
'./config/archs/BSD-x86/asm/crypto/bf/bf-586.S',
'./config/archs/BSD-x86/asm/crypto/bn/bn-586.S',
'./config/archs/BSD-x86/asm/crypto/bn/co-586.S',
'./config/archs/BSD-x86/asm/crypto/bn/x86-gf2m.S',
'./config/archs/BSD-x86/asm/crypto/bn/x86-mont.S',
'./config/archs/BSD-x86/asm/crypto/camellia/cml1-x86.S',
'./config/archs/BSD-x86/asm/crypto/chacha/chacha-x86.S',
'./config/archs/BSD-x86/asm/crypto/des/crypt586.S',
'./config/archs/BSD-x86/asm/crypto/des/des-586.S',
'./config/archs/BSD-x86/asm/crypto/ec/ecp_nistz256-x86.S',
'./config/archs/BSD-x86/asm/crypto/x86cpuid.S',
'./config/archs/BSD-x86/asm/crypto/md5/md5-586.S',
'./config/archs/BSD-x86/asm/crypto/modes/ghash-x86.S',
'./config/archs/BSD-x86/asm/crypto/poly1305/poly1305-x86.S',
'./config/archs/BSD-x86/asm/crypto/rc4/rc4-586.S',
'./config/archs/BSD-x86/asm/crypto/ripemd/rmd-586.S',

```

```

'./config/archs/BSD-x86/asm/crypto/sha/sha1-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha256-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha512-586.S',
'./config/archs/BSD-x86/asm/crypto/whrlpool/wp-mmx.S',
'./config/archs/BSD-x86/asm/engines/e_padlock-x86.S',
'./config/archs/BSD-x86/asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/asm/providers/legacy.ld',
'./config/archs/BSD-x86/asm/providers/fips.ld',

],
'openssl_defines_BSD-x86': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'AES_ASM',
  'DES_ASM',
  'ECP_NISTZ256_ASM',
  'FIPS_MODULE',
  'GHASH_ASM',
  'OPENSSL_BN_ASM_GF2m',
  'OPENSSL_BN_ASM_MONT',
  'OPENSSL_BN_ASM_PART_WORDS',
  'OPENSSL_CPUID_OBJ',
  'OPENSSL_IA32_SSE2',
  'SHA1_ASM',
  'SHA256_ASM',
  'SHA512_ASM',
  'VPAES_ASM',
  'FIPS_MODULE',
],
'openssl_cflags_BSD-x86': [
  '-Wa,--noexecstack',
  '-Wall -O3 -fomit-frame-pointer',
  '-pthread',
  '-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
  '-pthread',
],
'linker_script': ''
},
'include_dirs': [

```

```

    '..',
    './include',
    './crypto',
    './crypto/include/internal',
    './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
    'include_dirs': ['./include', '.'],
    'defines': ['<@(openssl_defines_BSD-x86)'],
},
}
#endif SRC_PERMISSION_PERMISSION_BASE_H_
#define SRC_PERMISSION_PERMISSION_BASE_H_

#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS

#include <map>
#include <string>
#include <string_view>
#include "v8.h"

namespace node {

namespace permission {

#define FILESYSTEM_PERMISSIONS(V) \
    V(FileSystem, "fs", PermissionsRoot) \
    V(FileSystemRead, "fs.read", FileSystem) \
    V(FileSystemWrite, "fs.write", FileSystem)

#define CHILD_PROCESS_PERMISSIONS(V) V(ChildProcess, "child", PermissionsRoot)

#define WORKER_THREADS_PERMISSIONS(V) \
    V(WorkerThreads, "worker", PermissionsRoot)

#define PERMISSIONS(V) \
    FILESYSTEM_PERMISSIONS(V) \
    CHILD_PROCESS_PERMISSIONS(V) \
    WORKER_THREADS_PERMISSIONS(V)

#define
    V(name, _, __) k##name,
enum class PermissionScope {

```

```

kPermissionsRoot = -1,
PERMISSIONS(V) kPermissionsCount
};
#undef V

class PermissionBase {
public:
virtual void Apply(const std::string& allow, PermissionScope scope) = 0;
virtual bool is_granted(PermissionScope perm,
                      const std::string_view& param = "") = 0;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_PERMISSION_BASE_H_
The ISC License

```

Copyright (c) 2010-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

c-ares license

MIT License

Copyright (c) 1998 Massachusetts Institute of Technology

Copyright (c) 2007 - 2023 Daniel Stenberg with many contributors, see AUTHORS file.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/opensslv.h.in

*

* Copyright 1999-2020 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_OPENSSLV_H

define OPENSSL_OPENSSLV_H

pragma once

ifdef __cplusplus

extern "C" {

endif

/*

* SECTION 1: VERSION DATA. These will change for each release

*/

/*

* Base version macros

*

* These macros express version number MAJOR.MINOR.PATCH exactly

*/

define OPENSSL_VERSION_MAJOR 3

define OPENSSL_VERSION_MINOR 0

define OPENSSL_VERSION_PATCH 16

/*

* Additional version information


```

*
* These are also part of the new version scheme, but aren't part
* of the version number itself.
*/

/* Could be: #define OPENSSL_VERSION_PRE_RELEASE
"-alpha.1" */
# define OPENSSL_VERSION_PRE_RELEASE ""
/* Could be: #define OPENSSL_VERSION_BUILD_METADATA "+fips" */
/* Could be: #define OPENSSL_VERSION_BUILD_METADATA "+vendor.1" */
# define OPENSSL_VERSION_BUILD_METADATA ""

/*
* Note: The OpenSSL Project will never define OPENSSL_VERSION_BUILD_METADATA
* to be anything but the empty string. Its use is entirely reserved for
* others
*/

/*
* Shared library version
*
* This is strictly to express ABI version, which may or may not
* be related to the API version expressed with the macros above.
* This is defined in free form.
*/
# define OPENSSL_SHLIB_VERSION 3

/*
* SECTION 2: USEFUL MACROS
*/

/* For checking general API compatibility when preprocessing */
# define OPENSSL_VERSION_PREREQ(maj,min) \
((OPENSSL_VERSION_MAJOR << 16) + OPENSSL_VERSION_MINOR >= ((maj) << 16) + (min))

/*
* Macros to get the version in easily digested string form, both the short
* "MAJOR.MINOR.PATCH" variant
* (where MAJOR, MINOR and PATCH are replaced
* with the values from the corresponding OPENSSL_VERSION_ macros) and the
* longer variant with OPENSSL_VERSION_PRE_RELEASE_STR and
* OPENSSL_VERSION_BUILD_METADATA_STR appended.
*/
# define OPENSSL_VERSION_STR "3.0.16"
# define OPENSSL_FULL_VERSION_STR "3.0.16"

/*
* SECTION 3: ADDITIONAL METADATA

```

```

*
* These strings are defined separately to allow them to be parsable.
*/
# define OPENSSL_RELEASE_DATE "11 Feb 2025"

/*
* SECTION 4: BACKWARD COMPATIBILITY
*/

# define OPENSSL_VERSION_TEXT "OpenSSL 3.0.16 11 Feb 2025"

/* Synthesize OPENSSL_VERSION_NUMBER with the layout 0xMNN00PPSL */
# ifdef OPENSSL_VERSION_PRE_RELEASE
# define _OPENSSL_VERSION_PRE_RELEASE 0x0L
# else
# define _OPENSSL_VERSION_PRE_RELEASE 0xfL
# endif
# define OPENSSL_VERSION_NUMBER      \
    ( (OPENSSL_VERSION_MAJOR<<28)    \
      |(OPENSSL_VERSION_MINOR<<20)    \
      |(OPENSSL_VERSION_PATCH<<4)     \
      |_OPENSSL_VERSION_PRE_RELEASE )

#
# ifdef __cplusplus
}
# endif

# include <openssl/macros.h>
# ifndef OPENSSL_NO_DEPRECATED_3_0
# define HEADER_OPENSSLV_H
# endif

# endif          /* OPENSSL_OPENSSLV_H */
MIT License

```

Copyright (c) 2018 Toru Nagashima

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This library bundles a version of the `fs.realpath` and `fs.realpathSync` methods from Node.js v0.10 under the terms of the Node.js MIT license.

Node's license follows, also included at the header of `old.js` which contains the licensed code:

Copyright Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(The MIT License)

Copyright (c) 2015 Titus Wormer <tituswormer@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2015 Roy Riojas

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The << Software identified by reference to the Ecma Standard* (Software)>> is protected by copyright and is being

made available under the BSD License, included below. This Software may be subject to third party rights (rights from parties other than Ecma International), including patent rights, and no licenses under such third party rights are granted under this license even if the third party concerned is a member of Ecma International. SEE THE ECMA

CODE OF CONDUCT IN PATENT MATTERS AVAILABLE AT <http://www.ecma-international.org/memento/codeofconduct.htm> FOR

INFORMATION REGARDING THE LICENSING OF PATENT CLAIMS THAT ARE REQUIRED TO IMPLEMENT ECMA INTERNATIONAL STANDARDS*.

Copyright <<2012>> <<Ecma International>>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the authors nor Ecma International may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE ECMA INTERNATIONAL "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL ECMA INTERNATIONAL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* Ecma International Standards hereafter means Ecma International Standards as well as Ecma Technical Reports
Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
Copyright (c) Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
  'variables': {
    'openssl_defines_BSD-x86': [
      'NDEBUG',
      'L_ENDIAN',
      'OPENSSL_BUILDING_OPENSSL',
      'AES_ASM',
      'CMLL_ASM',
      'DES_ASM',
      'ECP_NISTZ256_ASM',
      'GHASH_ASM',
      'MD5_ASM',
```

```

'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wa,--noexecstack',
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',
'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',

```

'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86/asm_avx2/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',

'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',


```

'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86)'],
'include_dirs': [
    './include',
],
'cflags' : ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86)'],
}

```

The ISC License

Copyright (c) 2015, 2019 Elan Shanker, 2021 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) Isaac Z. Schlueter and Contributors

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Note: This is a derivative work based on "node-fetch" by David Frank,
modified and distributed under the terms of the MIT license above.

<https://github.com/bitinn/node-fetch>

```
#ifndef SRC_PERMISSION_WORKER_PERMISSION_H_
```

```
#define SRC_PERMISSION_WORKER_PERMISSION_H_
```

```
#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#include <vector>
```

```
#include "permission/permission_base.h"
```

```
namespace node {
```

```
namespace permission {
```

```
class WorkerPermission final : public PermissionBase {
```

```
public:
```

```
void Apply(const std::string& allow, PermissionScope scope) override;
```

```
bool is_granted(PermissionScope perm,  
                const std::string_view& param = "") override;
```

```
private:
```

```
bool deny_all_;
```

```
};
```

```
} // namespace permission
```

```
} // namespace node
```

```
#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#endif // SRC_PERMISSION_WORKER_PERMISSION_H_
```

Python/Jython

The MIT License (MIT)

Copyright (c) Denis Malinochkin

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <<https://blueoakcouncil.org/license/1.0.0>>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your

license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.
Attribution 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by

copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public: wiki.creativecommons.org/Considerations_for_licensees

=====

Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material

- and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material

available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.

j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.

k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable

license to

exercise the Licensed Rights in the Licensed Material to:

- a. reproduce and Share the Licensed Material, in whole or in part; and

- b. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a) (4) never produces Adapted Material.

5. Downstream recipients.

- a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.
- b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.
2. Patent and trademark rights are not licensed under this Public License.
3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if

designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.

3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.

4. If You Share Adapted Material You produce, the Adapter's

License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE.

WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

- b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR

DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.

- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 -- Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:
 - 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
 - 2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

```
#ifndef SRC_PERMISSION_CHILD_PROCESS_PERMISSION_H_
```

```
#define SRC_PERMISSION_CHILD_PROCESS_PERMISSION_H_
```

```
#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#include <vector>
```

```
#include "permission/permission_base.h"
```



```

namespace node {

namespace permission {

class ChildProcessPermission final : public PermissionBase {
public:
    void Apply(const std::string& allow, PermissionScope scope) override;
    bool is_granted(PermissionScope perm,
        const std::string_view& param = "") override;

private:
    bool deny_all_;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_CHILD_PROCESS_PERMISSION_H_
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/cmp.h.in
 *
 * Copyright 2007-2023 The OpenSSL Project Authors. All Rights Reserved.
 * Copyright Nokia 2007-2019
 * Copyright Siemens AG 2015-2019
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#ifndef OPENSSL_CMP_H
# define OPENSSL_CMP_H

# include <openssl/opensslconf.h>
# ifndef OPENSSL_NO_CMP

# include <openssl/crmf.h>
# include <openssl/cmperr.h>
# include <openssl/cmp_util.h>
# include <openssl/http.h>

```

```

/* explicit #includes not strictly needed since implied by the above: */
# include <openssl/types.h>
# include <openssl/safestack.h>
# include <openssl/x509.h>
# include <openssl/x509v3.h>

# ifdef __cplusplus
extern "C" {
# endif

# define OSSL_CMP_PVNO 2

/*-
 * PKIFailureInfo ::=
 * BIT STRING {
 *   -- since we can fail in more than one way!
 *   -- More codes may be added in the future if/when required.
 *   badAlg          (0),
 *   -- unrecognized or unsupported Algorithm Identifier
 *   badMessageCheck (1),
 *   -- integrity check failed (e.g., signature did not verify)
 *   badRequest      (2),
 *   -- transaction not permitted or supported
 *   badTime         (3),
 *   -- messageTime was not sufficiently close to the system time,
 *   -- as defined by local policy
 *   badCertId       (4),
 *   -- no certificate could be found matching the provided criteria
 *   badDataFormat   (5),
 *   -- the data submitted has the wrong format
 *   wrongAuthority  (6),
 *   -- the authority indicated in the request is different from the
 *   -- one creating the response token
 *   incorrectData   (7),
 *   -- the requester's data is incorrect (for notary services)
 *
 *   missingTimeStamp (8),
 *   -- when the timestamp is missing but should be there
 *   -- (by policy)
 *   badPOP          (9),
 *   -- the proof-of-possession failed
 *   certRevoked     (10),
 *   -- the certificate has already been revoked
 *   certConfirmed   (11),
 *   -- the certificate has already been confirmed
 *   wrongIntegrity  (12),
 *   -- invalid integrity, password based instead of signature or
 *   -- vice versa

```

```

*   badRecipientNonce (13),
*       -- invalid recipient nonce, either missing or wrong value
*   timeNotAvailable (14),
*       -- the TSA's time source is not available
*   unacceptedPolicy (15),
*       -- the requested TSA policy is not supported by the TSA.
*   unacceptedExtension (16),
*       -- the requested extension is not supported by the TSA.
*   addInfoNotAvailable (17),
*       -- the additional information requested
    could not be
*       -- understood or is not available
*   badSenderNonce (18),
*       -- invalid sender nonce, either missing or wrong size
*   badCertTemplate (19),
*       -- invalid cert. template or missing mandatory information
*   signerNotTrusted (20),
*       -- signer of the message unknown or not trusted
*   transactionIdInUse (21),
*       -- the transaction identifier is already in use
*   unsupportedVersion (22),
*       -- the version of the message is not supported
*   notAuthorized (23),
*       -- the sender was not authorized to make the preceding
*       -- request or perform the preceding action
*   systemUnavail (24),
*       -- the request cannot be handled due to system unavailability
*   systemFailure (25),
*       -- the request cannot be handled due to system failure
*   duplicateCertReq (26)
*       -- certificate cannot be issued because a duplicate
*       -- certificate already exists
* }
*/

# define OSSL_CMP_PKIFAILUREINFO_badAlg 0
# define OSSL_CMP_PKIFAILUREINFO_badMessageCheck 1
# define OSSL_CMP_PKIFAILUREINFO_badRequest 2
# define OSSL_CMP_PKIFAILUREINFO_badTime 3
# define OSSL_CMP_PKIFAILUREINFO_badCertId 4
# define OSSL_CMP_PKIFAILUREINFO_badDataFormat 5
# define OSSL_CMP_PKIFAILUREINFO_wrongAuthority 6
# define OSSL_CMP_PKIFAILUREINFO_incorrectData 7
# define OSSL_CMP_PKIFAILUREINFO_missingTimeStamp 8
# define OSSL_CMP_PKIFAILUREINFO_badPOP 9
# define OSSL_CMP_PKIFAILUREINFO_certRevoked 10
# define OSSL_CMP_PKIFAILUREINFO_certConfirmed 11
# define OSSL_CMP_PKIFAILUREINFO_wrongIntegrity 12
# define OSSL_CMP_PKIFAILUREINFO_badRecipientNonce 13

```

```

# define OSSL_CMP_PKIFAILUREINFO_timeNotAvailable 14
# define OSSL_CMP_PKIFAILUREINFO_unacceptedPolicy 15
# define OSSL_CMP_PKIFAILUREINFO_unacceptedExtension 16
# define OSSL_CMP_PKIFAILUREINFO_addInfoNotAvailable 17
# define OSSL_CMP_PKIFAILUREINFO_badSenderNonce
18
# define OSSL_CMP_PKIFAILUREINFO_badCertTemplate 19
# define OSSL_CMP_PKIFAILUREINFO_signerNotTrusted 20
# define OSSL_CMP_PKIFAILUREINFO_transactionIdInUse 21
# define OSSL_CMP_PKIFAILUREINFO_unsupportedVersion 22
# define OSSL_CMP_PKIFAILUREINFO_notAuthorized 23
# define OSSL_CMP_PKIFAILUREINFO_systemUnavail 24
# define OSSL_CMP_PKIFAILUREINFO_systemFailure 25
# define OSSL_CMP_PKIFAILUREINFO_duplicateCertReq 26
# define OSSL_CMP_PKIFAILUREINFO_MAX 26
# define OSSL_CMP_PKIFAILUREINFO_MAX_BIT_PATTERN \
((1 << (OSSL_CMP_PKIFAILUREINFO_MAX + 1)) - 1)
# if OSSL_CMP_PKIFAILUREINFO_MAX_BIT_PATTERN > INT_MAX
# error CMP_PKIFAILUREINFO_MAX bit pattern does not fit in type int
# endif

```

```
typedef ASN1_BIT_STRING OSSL_CMP_PKIFAILUREINFO;
```

```

# define OSSL_CMP_CTX_FAILINFO_badAlg (1 << 0)
# define OSSL_CMP_CTX_FAILINFO_badMessageCheck (1 << 1)
# define OSSL_CMP_CTX_FAILINFO_badRequest (1 << 2)
# define OSSL_CMP_CTX_FAILINFO_badTime (1 << 3)
# define OSSL_CMP_CTX_FAILINFO_badCertId
(1 << 4)
# define OSSL_CMP_CTX_FAILINFO_badDataFormat (1 << 5)
# define OSSL_CMP_CTX_FAILINFO_wrongAuthority (1 << 6)
# define OSSL_CMP_CTX_FAILINFO_incorrectData (1 << 7)
# define OSSL_CMP_CTX_FAILINFO_missingTimeStamp (1 << 8)
# define OSSL_CMP_CTX_FAILINFO_badPOP (1 << 9)
# define OSSL_CMP_CTX_FAILINFO_certRevoked (1 << 10)
# define OSSL_CMP_CTX_FAILINFO_certConfirmed (1 << 11)
# define OSSL_CMP_CTX_FAILINFO_wrongIntegrity (1 << 12)
# define OSSL_CMP_CTX_FAILINFO_badRecipientNonce (1 << 13)
# define OSSL_CMP_CTX_FAILINFO_timeNotAvailable (1 << 14)
# define OSSL_CMP_CTX_FAILINFO_unacceptedPolicy (1 << 15)
# define OSSL_CMP_CTX_FAILINFO_unacceptedExtension (1 << 16)
# define OSSL_CMP_CTX_FAILINFO_addInfoNotAvailable (1 << 17)
# define OSSL_CMP_CTX_FAILINFO_badSenderNonce (1 << 18)
# define OSSL_CMP_CTX_FAILINFO_badCertTemplate (1 << 19)
# define OSSL_CMP_CTX_FAILINFO_signerNotTrusted (1 << 20)
# define OSSL_CMP_CTX_FAILINFO_transactionIdInUse (1
<< 21)
# define OSSL_CMP_CTX_FAILINFO_unsupportedVersion (1 << 22)

```

```

# define OSSL_CMP_CTX_FAILINFO_notAuthorized (1 << 23)
# define OSSL_CMP_CTX_FAILINFO_systemUnavail (1 << 24)
# define OSSL_CMP_CTX_FAILINFO_systemFailure (1 << 25)
# define OSSL_CMP_CTX_FAILINFO_duplicateCertReq (1 << 26)

/*-
 * PKIStatus ::= INTEGER {
 *     accepted          (0),
 *     -- you got exactly what you asked for
 *     grantedWithMods    (1),
 *     -- you got something like what you asked for; the
 *     -- requester is responsible for ascertaining the differences
 *     rejection          (2),
 *     -- you don't get it, more information elsewhere in the message
 *     waiting            (3),
 *     -- the request body part has not yet been processed; expect to
 *     -- hear more later (note: proper handling of this status
 *     -- response MAY use the polling req/rep PKIMessages specified
 *     -- in Section 5.3.22; alternatively, polling in the underlying
 *     -- transport layer MAY have some utility in this regard)
 *     revocationWarning  (4),
 *     -- this message contains a warning that a revocation is
 *     -- imminent
 *     revocationNotification (5),
 *     -- notification that a revocation has occurred
 *     keyUpdateWarning    (6)
 *     -- update already done for the oldCertId specified in
 *     -- CertReqMsg
 * }
 */
# define OSSL_CMP_PKISTATUS_request      -3
# define OSSL_CMP_PKISTATUS_trans        -2
# define OSSL_CMP_PKISTATUS_unspecified  -1
# define OSSL_CMP_PKISTATUS_accepted      0
# define OSSL_CMP_PKISTATUS_grantedWithMods  1
# define OSSL_CMP_PKISTATUS_rejection      2
# define OSSL_CMP_PKISTATUS_waiting        3
# define OSSL_CMP_PKISTATUS_revocationWarning  4
# define OSSL_CMP_PKISTATUS_revocationNotification 5
# define OSSL_CMP_PKISTATUS_keyUpdateWarning  6

typedef ASN1_INTEGER OSSL_CMP_PKISTATUS;
DECLARE_ASN1_ITEM(OSSL_CMP_PKISTATUS)

#
# define OSSL_CMP_CERTORENCCERT_CERTIFICATE 0
# define OSSL_CMP_CERTORENCCERT_ENCRYPTEDCERT 1

```

```

/* data type declarations */
typedef struct ossl_cmp_ctx_st OSSL_CMP_CTX;
typedef struct ossl_cmp_pkiheader_st OSSL_CMP_PKIHEADER;
DECLARE_ASN1_FUNCTIONS(OSSL_CMP_PKIHEADER)
typedef struct ossl_cmp_msg_st OSSL_CMP_MSG;
DECLARE_ASN1_FUNCTIONS(OSSL_CMP_MSG)
DECLARE_ASN1_ENCODE_FUNCTIONS(OSSL_CMP_MSG, OSSL_CMP_MSG, OSSL_CMP_MSG)
typedef struct ossl_cmp_certstatus_st OSSL_CMP_CERTSTATUS;
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_CERTSTATUS, OSSL_CMP_CERTSTATUS,
OSSL_CMP_CERTSTATUS)
#define sk_OSSL_CMP_CERTSTATUS_num(sk)
OPENSSL_sk_num(ossl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_value(sk, idx) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_value(ossl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk), (idx)))
#define sk_OSSL_CMP_CERTSTATUS_new(cmp) ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_new(ossl_check_OSSL_CMP_CERTSTATUS_compfunc_type(cmp)))
#define
sk_OSSL_CMP_CERTSTATUS_new_null() ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_CERTSTATUS_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_new_reserve(ossl_check_OSSL_CMP_CERTSTATUS_compfunc_type(cmp), (n)))
#define sk_OSSL_CMP_CERTSTATUS_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), (n))
#define sk_OSSL_CMP_CERTSTATUS_free(sk)
OPENSSL_sk_free(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_zero(sk)
OPENSSL_sk_zero(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_delete(sk, i) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_delete(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), (i)))
#define sk_OSSL_CMP_CERTSTATUS_delete_ptr(sk, ptr) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_delete_ptr(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ossl_check_OSSL_CMP_CERTSTATUS_type(ptr)))
#define sk_OSSL_CMP_CERTSTATUS_push(sk, ptr)
OPENSSL_sk_push(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ossl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define sk_OSSL_CMP_CERTSTATUS_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ossl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define sk_OSSL_CMP_CERTSTATUS_pop(sk) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_pop(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk)))
#define sk_OSSL_CMP_CERTSTATUS_shift(sk) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_shift(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk)))
#define sk_OSSL_CMP_CERTSTATUS_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), ossl_check_OSSL_CMP_CERTST
ATUS_freefunc_type(freefunc))
#define sk_OSSL_CMP_CERTSTATUS_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ossl_check_OSSL_CMP_CERTSTATUS_type(ptr), (idx))

```

```

#define sk_OSSL_CMP_CERTSTATUS_set(sk, idx, ptr) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), (idx),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr)))
#define sk_OSSL_CMP_CERTSTATUS_find(sk,
ptr) OPENSSL_sk_find(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define sk_OSSL_CMP_CERTSTATUS_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define sk_OSSL_CMP_CERTSTATUS_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr), pnum)
#define sk_OSSL_CMP_CERTSTATUS_sort(sk)
OPENSSL_sk_sort(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_dup(sk) ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk)))
#define sk_OSSL_CMP_CERTSTATUS_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_CERTSTATUS_freefunc_type(freefunc)))
#define sk_OSSL_CMP_CERTSTATUS_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_CERTSTATUS_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_CERTSTAT
US_sk_type(sk), ssl_check_OSSL_CMP_CERTSTATUS_compfunc_type(cmp)))

typedef struct ssl_cmp_itav_st OSSL_CMP_ITAV;
DECLARE_ASN1_DUP_FUNCTION(OSSL_CMP_ITAV)
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_ITAV, OSSL_CMP_ITAV, OSSL_CMP_ITAV)
#define sk_OSSL_CMP_ITAV_num(sk) OPENSSL_sk_num(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_value(sk, idx) ((OSSL_CMP_ITAV
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk), (idx)))
#define sk_OSSL_CMP_ITAV_new(cmp) ((STACK_OF(OSSL_CMP_ITAV)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_ITAV_compfunc_type(cmp)))
#define sk_OSSL_CMP_ITAV_new_null() ((STACK_OF(OSSL_CMP_ITAV) *)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_ITAV_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_ITAV)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_ITAV_compfunc_type(cmp),
(n)))
#define sk_OSSL_CMP_ITAV_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
(n))
#define sk_OSSL_CMP_ITAV_free(sk) OPENSSL_sk_free(ssl_check_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_zero(sk) OPENSSL_sk_zero(ssl_check_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_delete(sk, i) ((OSSL_CMP_ITAV
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_ITAV_sk_type(sk), (i)))
#define sk_OSSL_CMP_ITAV_delete_ptr(sk, ptr) ((OSSL_CMP_ITAV
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_type(ptr)))

```

```

#define sk_OSSL_CMP_ITAV_push(sk, ptr) OPENSSL_sk_push(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OSSL_CMP_ITAV_sk_type(sk), ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_pop(sk) ((OSSL_CMP_ITAV
*)OPENSSL_sk_pop(ssl_check_OSSL_CMP_ITAV_sk_type(sk)))
#define sk_OSSL_CMP_ITAV_shift(sk) ((OSSL_CMP_ITAV
*)OPENSSL_sk_shift(ssl_check_OSSL_CMP_ITAV_sk_type(sk)))
#define sk_OSSL_CMP_ITAV_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CMP_ITAV_sk_type(sk),ssl_check_OSSL_CMP_ITAV_freefunc_ty
pe(freefunc))
#define sk_OSSL_CMP_ITAV_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OSSL_CMP_ITAV_sk_type(sk), ssl_check_OSSL_CMP_ITAV_type(ptr),
(idx))
#define sk_OSSL_CMP_ITAV_set(sk, idx, ptr) ((OSSL_CMP_ITAV
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_ITAV_sk_type(sk), (idx),
ssl_check_OSSL_CMP_ITAV_type(ptr)))
#define sk_OSSL_CMP_ITAV_find(sk, ptr) OPENSSL_sk_find(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_ITAV_sk_type(sk), ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CMP_ITAV_sk_type(sk), ssl_check_OSSL_CMP_ITAV_type(ptr),
pnum)
#define sk_OSSL_CMP_ITAV_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CMP_ITAV_sk_type(sk))
#define
sk_OSSL_CMP_ITAV_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_dup(sk) ((STACK_OF(OSSL_CMP_ITAV)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk)))
#define sk_OSSL_CMP_ITAV_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CMP_ITAV)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_ITAV_freefunc_type(freefunc)))
#define sk_OSSL_CMP_ITAV_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_ITAV_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_compfunc_type(cmp)))

typedef struct ssl_cmp_revrepcontent_st OSSL_CMP_REVREPCONTENT;
typedef struct ssl_cmp_pkisi_st OSSL_CMP_PKISI;
DECLARE_ASN1_FUNCTIONS(OSSL_CMP_PKISI)
DECLARE_ASN1_DUP_FUNCTION(OSSL_CMP_PKISI)
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_PKISI, OSSL_CMP_PKISI, OSSL_CMP_PKISI)
#define sk_OSSL_CMP_PKISI_num(sk) OPENSSL_sk_num(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk))
#define
sk_OSSL_CMP_PKISI_value(sk, idx) ((OSSL_CMP_PKISI
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk), (idx)))
#define sk_OSSL_CMP_PKISI_new(cmp) ((STACK_OF(OSSL_CMP_PKISI)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_PKISI_compfunc_type(cmp)))

```



```

#define sk_OSSL_CMP_PKISI_new_null() ((STACK_OF(OSSL_CMP_PKISI) *)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_PKISI_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_PKISI)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_PKISI_compfunc_type(cmp), (n)))
#define sk_OSSL_CMP_PKISI_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
(n))
#define sk_OSSL_CMP_PKISI_free(sk) OPENSSL_sk_free(ssl_check_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_zero(sk) OPENSSL_sk_zero(ssl_check_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_delete(sk, i) ((OSSL_CMP_PKISI
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_PKISI_sk_type(sk), (i)))
#define sk_OSSL_CMP_PKISI_delete_ptr(sk, ptr)
((OSSL_CMP_PKISI *)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_type(ptr)))
#define sk_OSSL_CMP_PKISI_push(sk, ptr) OPENSSL_sk_push(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_pop(sk) ((OSSL_CMP_PKISI
*)OPENSSL_sk_pop(ssl_check_OSSL_CMP_PKISI_sk_type(sk)))
#define sk_OSSL_CMP_PKISI_shift(sk) ((OSSL_CMP_PKISI
*)OPENSSL_sk_shift(ssl_check_OSSL_CMP_PKISI_sk_type(sk)))
#define sk_OSSL_CMP_PKISI_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_freefunc_ty
pe(freefunc))
#define sk_OSSL_CMP_PKISI_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr),
(idx))
#define sk_OSSL_CMP_PKISI_set(sk, idx, ptr) ((OSSL_CMP_PKISI
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
(idx), ssl_check_OSSL_CMP_PKISI_type(ptr)))
#define sk_OSSL_CMP_PKISI_find(sk, ptr) OPENSSL_sk_find(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr),
pnum)
#define sk_OSSL_CMP_PKISI_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_dup(sk) ((STACK_OF(OSSL_CMP_PKISI)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk)))
#define sk_OSSL_CMP_PKISI_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CMP_PKISI)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_PKISI_freefunc_type(freefunc)))
#define sk_OSSL_CMP_PKISI_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_PKISI_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_compfunc_type(cmp)))

```

```

typedef struct ossl_cmp_certrepmessage_st OSSL_CMP_CERTREPMESSAGE;
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_CERTREPMESSAGE,
OSSL_CMP_CERTREPMESSAGE, OSSL_CMP_CERTREPMESSAGE)
#define sk_OSSL_CMP_CERTREPMESSAGE_num(sk)
OPENSSL_sk_num(ossl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_value(sk, idx) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_value(ossl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (idx)))
#define sk_OSSL_CMP_CERTREPMESSAGE_new(cmp) ((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_new(ossl_check_OSSL_CMP_CERTREPMESSAGE_compfunc_type(cmp)))
#define sk_OSSL_CMP_CERTREPMESSAGE_new_null() ((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_CERTREPMESSAGE_new_reserve(cmp,
n) ((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_new_reserve(ossl_check_OSSL_CMP_CERTREPMESSAGE_compfunc_type(cmp), (n)))
#define sk_OSSL_CMP_CERTREPMESSAGE_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (n))
#define sk_OSSL_CMP_CERTREPMESSAGE_free(sk)
OPENSSL_sk_free(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_zero(sk)
OPENSSL_sk_zero(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_delete(sk, i) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_delete(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (i)))
#define sk_OSSL_CMP_CERTREPMESSAGE_delete_ptr(sk, ptr) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_delete_ptr(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ossl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr)))
#define sk_OSSL_CMP_CERTREPMESSAGE_push(sk, ptr)
OPENSSL_sk_push(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ossl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))
#define sk_OSSL_CMP_CERTREPMESSAGE_unshift(sk,
ptr) OPENSSL_sk_unshift(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ossl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))
#define sk_OSSL_CMP_CERTREPMESSAGE_pop(sk) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_pop(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk)))
#define sk_OSSL_CMP_CERTREPMESSAGE_shift(sk) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_shift(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk)))
#define sk_OSSL_CMP_CERTREPMESSAGE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), ossl_check_OSSL_CMP_CE
RTREPMESSAGE_freefunc_type(freefunc))
#define sk_OSSL_CMP_CERTREPMESSAGE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ossl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr), (idx))
#define sk_OSSL_CMP_CERTREPMESSAGE_set(sk, idx, ptr) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_set(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (idx),
ossl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr)))
#define sk_OSSL_CMP_CERTREPMESSAGE_find(sk,
ptr) OPENSSL_sk_find(ossl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ossl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))

```

```

#define sk_OSSL_CMP_CERTREPMESSAGE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))
#define sk_OSSL_CMP_CERTREPMESSAGE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr), pnum)
#define sk_OSSL_CMP_CERTREPMESSAGE_sort(sk)
OPENSSL_sk_sort(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_dup(sk) ((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk)))
#define sk_OSSL_CMP_CERTREPMESSAGE_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_CERTREPMESSAGE_freefunc_type(freefunc)))
#define sk_OSSL_CMP_CERTREPMESSAGE_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_CERTREPMESSAGE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_CERT
REPMESSAGE_sk_type(sk), ssl_check_OSSL_CMP_CERTREPMESSAGE_compfunc_type(cmp)))

typedef struct ssl_cmp_pollrep_st OSSL_CMP_POLLREP;
typedef STACK_OF(OSSL_CMP_POLLREP) OSSL_CMP_POLLREPCONTENT;
typedef struct ssl_cmp_certresponse_st OSSL_CMP_CERTRESPONSE;
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_CERTRESPONSE, OSSL_CMP_CERTRESPONSE,
OSSL_CMP_CERTRESPONSE)
#define sk_OSSL_CMP_CERTRESPONSE_num(sk)
OPENSSL_sk_num(ssl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_value(sk, idx) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk), (idx)))
#define sk_OSSL_CMP_CERTRESPONSE_new(cmp) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_CERTRESPONSE_compfunc_type(cmp)))
#define sk_OSSL_CMP_CERTRESPONSE_new_null() ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_CERTRESPONSE_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_CERTRESPONSE_compfunc_type(cmp), (n)))
#define sk_OSSL_CMP_CERTRESPONSE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk), (n))
#define sk_OSSL_CMP_CERTRESPONSE_free(sk)
OPENSSL_sk_free(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_zero(sk)
OPENSSL_sk_zero(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_delete(sk, i) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk), (i)))
#define sk_OSSL_CMP_CERTRESPONSE_delete_ptr(sk, ptr) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr)))
#define

```

```

sk_OSSL_CMP_CERTRESPONSE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_pop(sk) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_pop(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk)))
#define sk_OSSL_CMP_CERTRESPONSE_shift(sk) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_shift(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk)))
#define sk_OSSL_CMP_CERTRESPONSE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),ssl_check_OSSL_CMP_CERT
RESPONSE_freefunc_type(freefunc))
#define sk_OSSL_CMP_CERTRESPONSE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr), (idx))
#define sk_OSSL_CMP_CERTRESPONSE_set(sk, idx, ptr) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk), (idx),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr)))
#define sk_OSSL_CMP_CERTRESPONSE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_type(ptr), pnum)
#define sk_OSSL_CMP_CERTRESPONSE_sort(sk)
OPENSSL_sk_sort(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_dup(sk) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk)))
#define sk_OSSL_CMP_CERTRESPONSE_deep_copy(sk,
copyfunc, freefunc) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk),
ssl_check_OSSL_CMP_CERTRESPONSE_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_CERTRESPONSE_freefunc_type(freefunc)))
#define sk_OSSL_CMP_CERTRESPONSE_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_CERTRESPONSE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_CERTRE
SPONSE_sk_type(sk), ssl_check_OSSL_CMP_CERTRESPONSE_compfunc_type(cmp)))

typedef STACK_OF(ASN1_UTF8STRING) OSSL_CMP_PKIFREETEXT;

/*
* function DECLARATIONS
*/

```

```

/* from cmp_asn.c */
OSSL_CMP_ITAV *OSSL_CMP_ITAV_create(ASN1_OBJECT *type, ASN1_TYPE *value);
void OSSL_CMP_ITAV_set0(OSSL_CMP_ITAV *itav, ASN1_OBJECT *type,
                        ASN1_TYPE *value);
ASN1_OBJECT *OSSL_CMP_ITAV_get0_type(const OSSL_CMP_ITAV *itav);
ASN1_TYPE *OSSL_CMP_ITAV_get0_value(const OSSL_CMP_ITAV *itav);
int OSSL_CMP_ITAV_push0_stack_item(STACK_OF(OSSL_CMP_ITAV) **itav_sk_p,

                                OSSL_CMP_ITAV *itav);
void OSSL_CMP_ITAV_free(OSSL_CMP_ITAV *itav);
void OSSL_CMP_MSG_free(OSSL_CMP_MSG *msg);

/* from cmp_ctx.c */
OSSL_CMP_CTX *OSSL_CMP_CTX_new(OSSL_LIB_CTX *libctx, const char *propq);
void OSSL_CMP_CTX_free(OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_reinit(OSSL_CMP_CTX *ctx);
/* CMP general options: */
# define OSSL_CMP_OPT_LOG_VERBOSITY 0
/* CMP transfer options: */
# define OSSL_CMP_OPT_KEEP_ALIVE 10
# define OSSL_CMP_OPT_MSG_TIMEOUT 11
# define OSSL_CMP_OPT_TOTAL_TIMEOUT 12
/* CMP request options: */
# define OSSL_CMP_OPT_VALIDITY_DAYS 20
# define OSSL_CMP_OPT_SUBJECTALTNNAME_NODEFAULT 21
# define OSSL_CMP_OPT_SUBJECTALTNNAME_CRITICAL 22
# define OSSL_CMP_OPT_POLICIES_CRITICAL 23
# define OSSL_CMP_OPT_POPO_METHOD 24
# define OSSL_CMP_OPT_IMPLICIT_CONFIRM 25
# define OSSL_CMP_OPT_DISABLE_CONFIRM 26
# define OSSL_CMP_OPT_REVOCATION_REASON 27
/* CMP protection options: */
# define OSSL_CMP_OPT_UNPROTECTED_SEND 30
# define OSSL_CMP_OPT_UNPROTECTED_ERRORS
31
# define OSSL_CMP_OPT_OWF_ALGNID 32
# define OSSL_CMP_OPT_MAC_ALGNID 33
# define OSSL_CMP_OPT_DIGEST_ALGNID 34
# define OSSL_CMP_OPT_IGNORE_KEYUSAGE 35
# define OSSL_CMP_OPT_PERMIT_TA_IN_EXTRACERTS_FOR_IR 36
int OSSL_CMP_CTX_set_option(OSSL_CMP_CTX *ctx, int opt, int val);
int OSSL_CMP_CTX_get_option(const OSSL_CMP_CTX *ctx, int opt);
/* CMP-specific callback for logging and outputting the error queue: */
int OSSL_CMP_CTX_set_log_cb(OSSL_CMP_CTX *ctx, OSSL_CMP_log_cb_t cb);
# define OSSL_CMP_CTX_set_log_verbosity(ctx, level) \
    OSSL_CMP_CTX_set_option(ctx, OSSL_CMP_OPT_LOG_VERBOSITY, level)
void OSSL_CMP_CTX_print_errors(const OSSL_CMP_CTX *ctx);

```

```

/* message transfer: */
int OSSL_CMP_CTX_set1_serverPath(OSSL_CMP_CTX *ctx, const char *path);
int OSSL_CMP_CTX_set1_server(OSSL_CMP_CTX *ctx, const char *address);
int OSSL_CMP_CTX_set_serverPort(OSSL_CMP_CTX *ctx, int port);
int OSSL_CMP_CTX_set1_proxy(OSSL_CMP_CTX *ctx, const char *name);
int OSSL_CMP_CTX_set1_no_proxy(OSSL_CMP_CTX
    *ctx, const char *names);
int OSSL_CMP_CTX_set_http_cb(OSSL_CMP_CTX *ctx, OSSL_HTTP_bio_cb_t cb);
int OSSL_CMP_CTX_set_http_cb_arg(OSSL_CMP_CTX *ctx, void *arg);
void *OSSL_CMP_CTX_get_http_cb_arg(const OSSL_CMP_CTX *ctx);
typedef OSSL_CMP_MSG *(*OSSL_CMP_transfer_cb_t) (OSSL_CMP_CTX *ctx,
    const OSSL_CMP_MSG *req);
int OSSL_CMP_CTX_set_transfer_cb(OSSL_CMP_CTX *ctx, OSSL_CMP_transfer_cb_t cb);
int OSSL_CMP_CTX_set_transfer_cb_arg(OSSL_CMP_CTX *ctx, void *arg);
void *OSSL_CMP_CTX_get_transfer_cb_arg(const OSSL_CMP_CTX *ctx);
/* server authentication: */
int OSSL_CMP_CTX_set1_srvCert(OSSL_CMP_CTX *ctx, X509 *cert);
int OSSL_CMP_CTX_set1_expected_sender(OSSL_CMP_CTX *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_set0_trustedStore(OSSL_CMP_CTX *ctx, X509_STORE *store);
X509_STORE *OSSL_CMP_CTX_get0_trustedStore(const OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_set1_untrusted(OSSL_CMP_CTX *ctx, STACK_OF(X509) *certs);
STACK_OF(X509)
    *OSSL_CMP_CTX_get0_untrusted(const OSSL_CMP_CTX *ctx);
/* client authentication: */
int OSSL_CMP_CTX_set1_cert(OSSL_CMP_CTX *ctx, X509 *cert);
int OSSL_CMP_CTX_build_cert_chain(OSSL_CMP_CTX *ctx, X509_STORE *own_trusted,
    STACK_OF(X509) *candidates);
int OSSL_CMP_CTX_set1_pkey(OSSL_CMP_CTX *ctx, EVP_PKEY *pkey);
int OSSL_CMP_CTX_set1_referenceValue(OSSL_CMP_CTX *ctx,
    const unsigned char *ref, int len);
int OSSL_CMP_CTX_set1_secretValue(OSSL_CMP_CTX *ctx,
    const unsigned char *sec, int len);
/* CMP message header and extra certificates: */
int OSSL_CMP_CTX_set1_recipient(OSSL_CMP_CTX *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_push0_geninfo_ITAV(OSSL_CMP_CTX *ctx, OSSL_CMP_ITAV *itav);
int OSSL_CMP_CTX_reset_geninfo_ITAVs(OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_set1_extraCertsOut(OSSL_CMP_CTX *ctx,
    STACK_OF(X509) *extraCertsOut);
/* certificate template:
*/
int OSSL_CMP_CTX_set0_newPkey(OSSL_CMP_CTX *ctx, int priv, EVP_PKEY *pkey);
EVP_PKEY *OSSL_CMP_CTX_get0_newPkey(const OSSL_CMP_CTX *ctx, int priv);
int OSSL_CMP_CTX_set1_issuer(OSSL_CMP_CTX *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_set1_subjectName(OSSL_CMP_CTX *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_push1_subjectAltName(OSSL_CMP_CTX *ctx,
    const GENERAL_NAME *name);
int OSSL_CMP_CTX_set0_reqExtensions(OSSL_CMP_CTX *ctx, X509_EXTENSIONS *exts);
int OSSL_CMP_CTX_reqExtensions_have_SAN(OSSL_CMP_CTX *ctx);

```

```

int OSSL_CMP_CTX_push0_policy(OSSL_CMP_CTX *ctx, POLICYINFO *pinfo);
int OSSL_CMP_CTX_set1_oldCert(OSSL_CMP_CTX *ctx, X509 *cert);
int OSSL_CMP_CTX_set1_p10CSR(OSSL_CMP_CTX *ctx, const X509_REQ *csr);
/* misc body contents: */
int OSSL_CMP_CTX_push0_genm_ITAV(OSSL_CMP_CTX *ctx, OSSL_CMP_ITAV *itav);
/* certificate confirmation: */
typedef int (*OSSL_CMP_certConf_cb_t) (OSSL_CMP_CTX *ctx, X509 *cert,

    int fail_info, const char **txt);
int OSSL_CMP_certConf_cb(OSSL_CMP_CTX *ctx, X509 *cert, int fail_info,
    const char **text);
int OSSL_CMP_CTX_set_certConf_cb(OSSL_CMP_CTX *ctx, OSSL_CMP_certConf_cb_t cb);
int OSSL_CMP_CTX_set_certConf_cb_arg(OSSL_CMP_CTX *ctx, void *arg);
void *OSSL_CMP_CTX_get_certConf_cb_arg(const OSSL_CMP_CTX *ctx);
/* result fetching: */
int OSSL_CMP_CTX_get_status(const OSSL_CMP_CTX *ctx);
OSSL_CMP_PKIFREETEXT *OSSL_CMP_CTX_get0_statusString(const OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_get_failInfoCode(const OSSL_CMP_CTX *ctx);
# define OSSL_CMP_PKISI_BUFLen 1024
X509 *OSSL_CMP_CTX_get0_newCert(const OSSL_CMP_CTX *ctx);
STACK_OF(X509) *OSSL_CMP_CTX_get1_newChain(const OSSL_CMP_CTX *ctx);
STACK_OF(X509) *OSSL_CMP_CTX_get1_caPubs(const OSSL_CMP_CTX *ctx);
STACK_OF(X509) *OSSL_CMP_CTX_get1_extraCertsIn(const OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_set1_transactionID(OSSL_CMP_CTX *ctx,
    const ASN1_OCTET_STRING
    *id);
int OSSL_CMP_CTX_set1_senderNonce(OSSL_CMP_CTX *ctx,
    const ASN1_OCTET_STRING *nonce);

/* from cmp_status.c */
char *OSSL_CMP_CTX_snprint_PKIStatus(const OSSL_CMP_CTX *ctx, char *buf,
    size_t bufsize);
char *OSSL_CMP_snprint_PKIStatusInfo(const OSSL_CMP_PKISI *statusInfo,
    char *buf, size_t bufsize);
OSSL_CMP_PKISI *
OSSL_CMP_STATUSINFO_new(int status, int fail_info, const char *text);

/* from cmp_hdr.c */
ASN1_OCTET_STRING *OSSL_CMP_HDR_get0_transactionID(const
    OSSL_CMP_PKIHEADER *hdr);
ASN1_OCTET_STRING *OSSL_CMP_HDR_get0_recipNonce(const OSSL_CMP_PKIHEADER *hdr);

/* from cmp_msg.c */
OSSL_CMP_PKIHEADER *OSSL_CMP_MSG_get0_header(const OSSL_CMP_MSG *msg);
int OSSL_CMP_MSG_get_bodytype(const OSSL_CMP_MSG *msg);
int OSSL_CMP_MSG_update_transactionID(OSSL_CMP_CTX *ctx, OSSL_CMP_MSG *msg);
int OSSL_CMP_MSG_update_recipNonce(OSSL_CMP_CTX

```

```

*ctx, OSSL_CMP_MSG *msg);
OSSL_CRMF_MSG *OSSL_CMP_CTX_setup_CRM(OSSL_CMP_CTX *ctx, int for_KUR, int rid);
OSSL_CMP_MSG *OSSL_CMP_MSG_read(const char *file, OSSL_LIB_CTX *libctx,
                                const char *propq);
int OSSL_CMP_MSG_write(const char *file, const OSSL_CMP_MSG *msg);
OSSL_CMP_MSG *d2i_OSSL_CMP_MSG_bio(BIO *bio, OSSL_CMP_MSG **msg);
int i2d_OSSL_CMP_MSG_bio(BIO *bio, const OSSL_CMP_MSG *msg);

/* from cmp_vfy.c */
int OSSL_CMP_validate_msg(OSSL_CMP_CTX *ctx, const OSSL_CMP_MSG *msg);
int OSSL_CMP_validate_cert_path(const OSSL_CMP_CTX *ctx,
                                X509_STORE *trusted_store, X509 *cert);

/* from cmp_http.c */
OSSL_CMP_MSG *OSSL_CMP_MSG_http_perform(OSSL_CMP_CTX *ctx,
                                          const OSSL_CMP_MSG *req);

/* from cmp_server.c */
typedef struct ossl_cmp_srv_ctx_st OSSL_CMP_SRV_CTX;
OSSL_CMP_MSG *OSSL_CMP_SRV_process_request(OSSL_CMP_SRV_CTX *srv_ctx,

      const OSSL_CMP_MSG *req);
OSSL_CMP_MSG *OSSL_CMP_CTX_server_perform(OSSL_CMP_CTX *client_ctx,
                                          const OSSL_CMP_MSG *req);
OSSL_CMP_SRV_CTX *OSSL_CMP_SRV_CTX_new(OSSL_LIB_CTX *libctx, const char *propq);
void OSSL_CMP_SRV_CTX_free(OSSL_CMP_SRV_CTX *srv_ctx);
typedef OSSL_CMP_PKISI *(*OSSL_CMP_SRV_cert_request_cb_t)
(OSSL_CMP_SRV_CTX *srv_ctx, const OSSL_CMP_MSG *req, int certReqId,
 const OSSL_CRMF_MSG *crm, const X509_REQ *p10cr,
 X509 **certOut, STACK_OF(X509) **chainOut, STACK_OF(X509) **caPubs);
typedef OSSL_CMP_PKISI *(*OSSL_CMP_SRV_rr_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
      const OSSL_CMP_MSG *req,
      const X509_NAME *issuer,
      const ASN1_INTEGER *serial);
typedef int (*OSSL_CMP_SRV_genm_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
      const OSSL_CMP_MSG *req,

      const STACK_OF(OSSL_CMP_ITAV) *in,
      STACK_OF(OSSL_CMP_ITAV) **out);
typedef void (*OSSL_CMP_SRV_error_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
      const OSSL_CMP_MSG *req,
      const OSSL_CMP_PKISI *statusInfo,
      const ASN1_INTEGER *errorCode,
      const OSSL_CMP_PKIFREETEXT *errDetails);
typedef int (*OSSL_CMP_SRV_certConf_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
      const OSSL_CMP_MSG *req,
      int certReqId,
      const ASN1_OCTET_STRING *certHash,

```



```

        const OSSL_CMP_PKISI *si);
typedef int (*OSSL_CMP_SRV_pollReq_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
        const OSSL_CMP_MSG *req, int certReqId,

        OSSL_CMP_MSG **certReq,
        int64_t *check_after);
int OSSL_CMP_SRV_CTX_init(OSSL_CMP_SRV_CTX *srv_ctx, void *custom_ctx,
        OSSL_CMP_SRV_cert_request_cb_t process_cert_request,
        OSSL_CMP_SRV_rr_cb_t process_rr,
        OSSL_CMP_SRV_genm_cb_t process_genm,
        OSSL_CMP_SRV_error_cb_t process_error,
        OSSL_CMP_SRV_certConf_cb_t process_certConf,
        OSSL_CMP_SRV_pollReq_cb_t process_pollReq);
OSSL_CMP_CTX *OSSL_CMP_SRV_CTX_get0_cmp_ctx(const OSSL_CMP_SRV_CTX *srv_ctx);
void *OSSL_CMP_SRV_CTX_get0_custom_ctx(const OSSL_CMP_SRV_CTX *srv_ctx);
int OSSL_CMP_SRV_CTX_set_send_unprotected_errors(OSSL_CMP_SRV_CTX *srv_ctx,
        int val);
int OSSL_CMP_SRV_CTX_set_accept_unprotected(OSSL_CMP_SRV_CTX *srv_ctx, int val);
int OSSL_CMP_SRV_CTX_set_accept_raverified(OSSL_CMP_SRV_CTX
        *srv_ctx, int val);
int OSSL_CMP_SRV_CTX_set_grant_implicit_confirm(OSSL_CMP_SRV_CTX *srv_ctx,
        int val);

/* from cmp_client.c */
X509 *OSSL_CMP_exec_certreq(OSSL_CMP_CTX *ctx, int req_type,
        const OSSL_CRMF_MSG *crm);
# define OSSL_CMP_IR  0
# define OSSL_CMP_CR  2
# define OSSL_CMP_P10CR 4
# define OSSL_CMP_KUR  7
# define OSSL_CMP_exec_IR_ses(ctx) \
        OSSL_CMP_exec_certreq(ctx, OSSL_CMP_IR, NULL)
# define OSSL_CMP_exec_CR_ses(ctx) \
        OSSL_CMP_exec_certreq(ctx, OSSL_CMP_CR, NULL)
# define OSSL_CMP_exec_P10CR_ses(ctx) \
        OSSL_CMP_exec_certreq(ctx, OSSL_CMP_P10CR, NULL)
# define OSSL_CMP_exec_KUR_ses(ctx) \
        OSSL_CMP_exec_certreq(ctx, OSSL_CMP_KUR, NULL)
int OSSL_CMP_try_certreq(OSSL_CMP_CTX *ctx, int req_type,
        const OSSL_CRMF_MSG *crm, int *checkAfter);
int OSSL_CMP_exec_RR_ses(OSSL_CMP_CTX *ctx);
STACK_OF(OSSL_CMP_ITAV) *OSSL_CMP_exec_GENM_ses(OSSL_CMP_CTX
        *ctx);

# ifdef __cplusplus
}
# endif
# endif /* !defined(OPENSSL_NO_CMP) */

```

```
#endif /* !defined(OPENSSL_CMP_H) */
```

Copyright (C) 1993-2004 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

```
/* WARNING: do not edit! */
```

```
/* Generated by Makefile from include/crypto/dso_conf.h.in */
```

```
/*
```

```
* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License 2.0 (the "License"). You may not use
```

```
* this file except in compliance with the License. You can obtain a copy
```

```
* in the file LICENSE in the source distribution or at
```

```
* https://www.openssl.org/source/license.html
```

```
*/
```

```
#ifndef OSSL_CRYPTO_DSO_CONF_H
```

```
# define OSSL_CRYPTO_DSO_CONF_H
```

```
# pragma once
```

```
# define DSO_DLFCN
```

```
# define HAVE_DLFCN_H
```

```
# define DSO_EXTENSION ".so"
```

```
#endif
```

All packages under `src/` are licensed according to the terms in their respective `LICENSE` or `LICENSE.md` files.

The remainder of this project is licensed under the Blue Oak Model License, as follows:

```
# Blue Oak Model License
```

```
Version 1.0.0
```

```
## Purpose
```

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

```
## Acceptance
```

In order to receive this license, you must agree to its rules. The rules of this license are both obligations

under that agreement and conditions to your license.
You must not do anything with this software that triggers
a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this
software that would otherwise infringe that contributor's
copyright in it.

Notices

You must ensure that everyone who gets a copy of
any part of this software from you, with or without
changes, also gets the text of this license or a link to
<<https://blueoakcouncil.org/license/1.0.0>>.

##

Excuse

If anyone notifies you in writing that you have not
complied with [Notices](#notices), you can keep your
license by taking all practical steps to comply within 30
days after the notice. If you do not do so, your license
ends immediately.

Patent

Each contributor licenses you to do everything with this
software that would otherwise infringe any patent claims
they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

***As far as the law allows, this software comes as is,
without any warranty or condition, and no contributor
will be liable to anyone for any damages related to this
software or this license, under any kind of legal claim.***

UNRECOGNIZED LICENSE; MD5 sum: 5f6b5d3d7fba7daf8d8a8c827c8758a8
The ISC License

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2012-2018 Aseem Kishore, and [others].

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[others]: <https://github.com/json5/json5/contributors>

MIT License

Copyright (c) 2020 Kasper Unn Weihe

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: d419584b39f2ab862fb4d190c76d4a2f

MIT License

Copyright (c) Matteo Collina and Undici contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Creative Commons CC0

BSD-3-Clause

MIT License

Copyright (c) 2014 Petka Antonov

2015 Sindre Sorhus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/x509_vfy.h.in

*

* Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_X509_VFY_H

define OPENSSL_X509_VFY_H

pragma once

include <openssl/macros.h>

ifndef OPENSSL_NO_DEPRECATED_3_0

define HEADER_X509_VFY_H

endif

/*

* Protect against recursion, x509.h and x509_vfy.h each include the other.

*/

```
# ifndef OPENSSL_X509_H
# include <openssl/x509.h>
# endif
```

```
# include <openssl/opensslconf.h>
# include <openssl/lhash.h>
# include <openssl/bio.h>
# include <openssl/crypto.h>
# include <openssl/symhacks.h>
```

```
#ifdef __cplusplus
extern "C" {
#endif
```

/*-

```
SSL_CTX -> X509_STORE
        -> X509_LOOKUP

        ->X509_LOOKUP_METHOD
        -> X509_LOOKUP
        ->X509_LOOKUP_METHOD
```

```
SSL    -> X509_STORE_CTX
        ->X509_STORE
```

The X509_STORE holds the tables etc for verification stuff.

A X509_STORE_CTX is used while validating a single certificate.

The X509_STORE has X509_LOOKUPS for looking up certs.

The X509_STORE then calls a function to actually verify the certificate chain.

*/

```
typedef enum {
    X509_LU_NONE = 0,
    X509_LU_X509, X509_LU_CRL
} X509_LOOKUP_TYPE;
```

```
#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#define X509_LU_RETRY  -1
#define X509_LU_FAIL   0
#endif
```

```
SKM_DEFINE_STACK_OF_INTERNAL(X509_LOOKUP, X509_LOOKUP, X509_LOOKUP)
#define sk_X509_LOOKUP_num(sk) OPENSSL_sk_num(ssl_check_const_X509_LOOKUP_sk_type(sk))
#define sk_X509_LOOKUP_value(sk, idx) ((X509_LOOKUP
*)OPENSSL_sk_value(ssl_check_const_X509_LOOKUP_sk_type(sk), (idx)))
```

```

#define sk_X509_LOOKUP_new(cmp) ((STACK_OF(X509_LOOKUP)
*)OPENSSL_sk_new(ssl_check_X509_LOOKUP_compfunc_type(cmp)))
#define
    sk_X509_LOOKUP_new_null() ((STACK_OF(X509_LOOKUP) *)OPENSSL_sk_new_null())
#define sk_X509_LOOKUP_new_reserve(cmp, n) ((STACK_OF(X509_LOOKUP)
*)OPENSSL_sk_new_reserve(ssl_check_X509_LOOKUP_compfunc_type(cmp), (n)))
#define sk_X509_LOOKUP_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_LOOKUP_sk_type(sk), (n))
#define sk_X509_LOOKUP_free(sk) OPENSSL_sk_free(ssl_check_X509_LOOKUP_sk_type(sk))
#define sk_X509_LOOKUP_zero(sk) OPENSSL_sk_zero(ssl_check_X509_LOOKUP_sk_type(sk))
#define sk_X509_LOOKUP_delete(sk, i) ((X509_LOOKUP
*)OPENSSL_sk_delete(ssl_check_X509_LOOKUP_sk_type(sk), (i)))
#define sk_X509_LOOKUP_delete_ptr(sk, ptr) ((X509_LOOKUP
*)OPENSSL_sk_delete_ptr(ssl_check_X509_LOOKUP_sk_type(sk), ssl_check_X509_LOOKUP_type(ptr)))
#define sk_X509_LOOKUP_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr))
#define sk_X509_LOOKUP_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr))
#define
    sk_X509_LOOKUP_pop(sk) ((X509_LOOKUP *)OPENSSL_sk_pop(ssl_check_X509_LOOKUP_sk_type(sk)))
#define sk_X509_LOOKUP_shift(sk) ((X509_LOOKUP
*)OPENSSL_sk_shift(ssl_check_X509_LOOKUP_sk_type(sk)))
#define sk_X509_LOOKUP_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_X509_LOOKUP_sk_type(sk), ssl_check_X509_LOOKUP_freefunc_type(free
func))
#define sk_X509_LOOKUP_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr), (idx))
#define sk_X509_LOOKUP_set(sk, idx, ptr) ((X509_LOOKUP
*)OPENSSL_sk_set(ssl_check_X509_LOOKUP_sk_type(sk), (idx), ssl_check_X509_LOOKUP_type(ptr)))
#define sk_X509_LOOKUP_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr))
#define sk_X509_LOOKUP_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr))
#define sk_X509_LOOKUP_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ssl_check_X509_LOOKUP_sk_type(sk),
    ssl_check_X509_LOOKUP_type(ptr), pnum)
#define sk_X509_LOOKUP_sort(sk) OPENSSL_sk_sort(ssl_check_X509_LOOKUP_sk_type(sk))
#define sk_X509_LOOKUP_is_sorted(sk)
    OPENSSL_sk_is_sorted(ssl_check_const_X509_LOOKUP_sk_type(sk))
#define sk_X509_LOOKUP_dup(sk) ((STACK_OF(X509_LOOKUP)
*)OPENSSL_sk_dup(ssl_check_const_X509_LOOKUP_sk_type(sk)))
#define sk_X509_LOOKUP_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_LOOKUP)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_copyfunc_type(copyfunc), ssl_check_X509_LOOKUP_freefunc_type(freefunc)))
#define sk_X509_LOOKUP_set_cmp_func(sk, cmp)
    ((sk_X509_LOOKUP_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_OBJECT, X509_OBJECT, X509_OBJECT)
#define sk_X509_OBJECT_num(sk) OPENSSL_sk_num(ssl_check_const_X509_OBJECT_sk_type(sk))

```



```

#define sk_X509_OBJECT_value(sk, idx) ((X509_OBJECT
*)OPENSSL_sk_value(ssl_check_const_X509_OBJECT_sk_type(sk),
(idx)))
#define sk_X509_OBJECT_new(cmp) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_new(ssl_check_X509_OBJECT_compfunc_type(cmp)))
#define sk_X509_OBJECT_new_null() ((STACK_OF(X509_OBJECT) *)OPENSSL_sk_new_null())
#define sk_X509_OBJECT_new_reserve(cmp, n) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_new_reserve(ssl_check_X509_OBJECT_compfunc_type(cmp), (n)))
#define sk_X509_OBJECT_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_OBJECT_sk_type(sk), (n))
#define sk_X509_OBJECT_free(sk) OPENSSL_sk_free(ssl_check_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_zero(sk) OPENSSL_sk_zero(ssl_check_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_delete(sk, i) ((X509_OBJECT
*)OPENSSL_sk_delete(ssl_check_X509_OBJECT_sk_type(sk), (i)))
#define sk_X509_OBJECT_delete_ptr(sk, ptr) ((X509_OBJECT
*)OPENSSL_sk_delete_ptr(ssl_check_X509_OBJECT_sk_type(sk), ssl_check_X509_OBJECT_type(ptr)))
#define sk_X509_OBJECT_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_pop(sk) ((X509_OBJECT
*)OPENSSL_sk_pop(ssl_check_X509_OBJECT_sk_type(sk)))
#define sk_X509_OBJECT_shift(sk) ((X509_OBJECT
*)OPENSSL_sk_shift(ssl_check_X509_OBJECT_sk_type(sk)))
#define sk_X509_OBJECT_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_OBJECT_sk_type(sk), ssl_check_X509_OBJECT_freefunc_type(freefunc))
#define sk_X509_OBJECT_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr), (idx))
#define sk_X509_OBJECT_set(sk, idx, ptr) ((X509_OBJECT
*)OPENSSL_sk_set(ssl_check_X509_OBJECT_sk_type(sk), (idx), ssl_check_X509_OBJECT_type(ptr)))
#define sk_X509_OBJECT_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_OBJECT_sk_type(sk), ssl_check_X509_OBJECT_type(ptr), pnum)
#define sk_X509_OBJECT_sort(sk) OPENSSL_sk_sort(ssl_check_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_dup(sk) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_dup(ssl_check_const_X509_OBJECT_sk_type(sk)))
#define sk_X509_OBJECT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_copyfunc_type(copyfunc), ssl_check_X509_OBJECT_freefunc_type(freefunc)))
#define sk_X509_OBJECT_set_cmp_func(sk, cmp)
((sk_X509_OBJECT_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_VERIFY_PARAM, X509_VERIFY_PARAM,
X509_VERIFY_PARAM)

```

```

#define
sk_X509_VERIFY_PARAM_num(sk)
OPENSSL_sk_num(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_value(sk, idx) ((X509_VERIFY_PARAM
*)OPENSSL_sk_value(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk), (idx)))
#define sk_X509_VERIFY_PARAM_new(cmp) ((STACK_OF(X509_VERIFY_PARAM
*)OPENSSL_sk_new(ssl_check_X509_VERIFY_PARAM_compfunc_type(cmp)))
#define sk_X509_VERIFY_PARAM_new_null() ((STACK_OF(X509_VERIFY_PARAM
*)OPENSSL_sk_new_null())
#define sk_X509_VERIFY_PARAM_new_reserve(cmp, n) ((STACK_OF(X509_VERIFY_PARAM
*)OPENSSL_sk_new_reserve(ssl_check_X509_VERIFY_PARAM_compfunc_type(cmp), (n)))
#define sk_X509_VERIFY_PARAM_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_VERIFY_PARAM_sk_type(sk), (n))
#define sk_X509_VERIFY_PARAM_free(sk)
OPENSSL_sk_free(ssl_check_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_zero(sk)
OPENSSL_sk_zero(ssl_check_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_delete(sk, i) ((X509_VERIFY_PARAM
*)OPENSSL_sk_delete(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
(i)))
#define sk_X509_VERIFY_PARAM_delete_ptr(sk, ptr) ((X509_VERIFY_PARAM
*)OPENSSL_sk_delete_ptr(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr)))
#define sk_X509_VERIFY_PARAM_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))
#define sk_X509_VERIFY_PARAM_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))
#define sk_X509_VERIFY_PARAM_pop(sk) ((X509_VERIFY_PARAM
*)OPENSSL_sk_pop(ssl_check_X509_VERIFY_PARAM_sk_type(sk)))
#define sk_X509_VERIFY_PARAM_shift(sk) ((X509_VERIFY_PARAM
*)OPENSSL_sk_shift(ssl_check_X509_VERIFY_PARAM_sk_type(sk)))
#define sk_X509_VERIFY_PARAM_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_VERIFY_PARAM_sk_type(sk), ssl_check_X509_VERIFY_PARAM_
freefunc_type(freefunc))
#define sk_X509_VERIFY_PARAM_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr), (idx))
#define sk_X509_VERIFY_PARAM_set(sk, idx, ptr) ((X509_VERIFY_PARAM
*)OPENSSL_sk_set(ssl_check_X509_VERIFY_PARAM_sk_type(sk), (idx),
ssl_check_X509_VERIFY_PARAM_type(ptr)))
#define sk_X509_VERIFY_PARAM_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))
#define sk_X509_VERIFY_PARAM_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))

```

```

#define sk_X509_VERIFY_PARAM_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr), pnum)
#define sk_X509_VERIFY_PARAM_sort(sk)
OPENSSL_sk_sort(ssl_check_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_dup(sk) ((STACK_OF(X509_VERIFY_PARAM)
*)OPENSSL_sk_dup(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk)))
#define
sk_X509_VERIFY_PARAM_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_VERIFY_PARAM)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_copyfunc_type(copyfunc),
ssl_check_X509_VERIFY_PARAM_freefunc_type(freefunc)))
#define sk_X509_VERIFY_PARAM_set_cmp_func(sk, cmp)
((sk_X509_VERIFY_PARAM_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_VERIFY_PARAM_sk_
type(sk), ssl_check_X509_VERIFY_PARAM_compfunc_type(cmp)))

/* This is used for a table of trust checking functions */
typedef struct x509_trust_st {
    int trust;
    int flags;
    int (*check_trust) (struct x509_trust_st *, X509 *, int);
    char *name;
    int arg1;
    void *arg2;
} X509_TRUST;
SKM_DEFINE_STACK_OF_INTERNAL(X509_TRUST, X509_TRUST, X509_TRUST)
#define sk_X509_TRUST_num(sk) OPENSSL_sk_num(ssl_check_const_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_value(sk, idx) ((X509_TRUST
*)OPENSSL_sk_value(ssl_check_const_X509_TRUST_sk_type(sk),
(idx)))
#define sk_X509_TRUST_new(cmp) ((STACK_OF(X509_TRUST)
*)OPENSSL_sk_new(ssl_check_X509_TRUST_compfunc_type(cmp)))
#define sk_X509_TRUST_new_null() ((STACK_OF(X509_TRUST) *)OPENSSL_sk_new_null())
#define sk_X509_TRUST_new_reserve(cmp, n) ((STACK_OF(X509_TRUST)
*)OPENSSL_sk_new_reserve(ssl_check_X509_TRUST_compfunc_type(cmp), (n)))
#define sk_X509_TRUST_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_TRUST_sk_type(sk), (n))
#define sk_X509_TRUST_free(sk) OPENSSL_sk_free(ssl_check_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_zero(sk) OPENSSL_sk_zero(ssl_check_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_delete(sk, i) ((X509_TRUST
*)OPENSSL_sk_delete(ssl_check_X509_TRUST_sk_type(sk), (i)))
#define sk_X509_TRUST_delete_ptr(sk, ptr) ((X509_TRUST
*)OPENSSL_sk_delete_ptr(ssl_check_X509_TRUST_sk_type(sk), ssl_check_X509_TRUST_type(ptr)))
#define sk_X509_TRUST_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_TRUST_sk_type(sk),
ssl_check_X509_TRUST_type(ptr))
#define

```

```

sk_X509_TRUST_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_X509_TRUST_sk_type(sk),
ossl_check_X509_TRUST_type(ptr))
#define sk_X509_TRUST_pop(sk) ((X509_TRUST *)OPENSSL_sk_pop(ossl_check_X509_TRUST_sk_type(sk)))
#define sk_X509_TRUST_shift(sk) ((X509_TRUST
*)OPENSSL_sk_shift(ossl_check_X509_TRUST_sk_type(sk)))
#define sk_X509_TRUST_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_X509_TRUST_sk_type(sk),ossl_check_X509_TRUST_freefunc_type(freefunc
))
#define sk_X509_TRUST_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_X509_TRUST_sk_type(sk),
ossl_check_X509_TRUST_type(ptr), (idx))
#define sk_X509_TRUST_set(sk, idx, ptr) ((X509_TRUST
*)OPENSSL_sk_set(ossl_check_X509_TRUST_sk_type(sk), (idx), ossl_check_X509_TRUST_type(ptr)))
#define sk_X509_TRUST_find(sk, ptr) OPENSSL_sk_find(ossl_check_X509_TRUST_sk_type(sk),
ossl_check_X509_TRUST_type(ptr))
#define sk_X509_TRUST_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_X509_TRUST_sk_type(sk),
ossl_check_X509_TRUST_type(ptr))
#define
sk_X509_TRUST_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_X509_TRUST_sk_type(sk),
ossl_check_X509_TRUST_type(ptr), pnum)
#define sk_X509_TRUST_sort(sk) OPENSSL_sk_sort(ossl_check_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_dup(sk) ((STACK_OF(X509_TRUST
*)OPENSSL_sk_dup(ossl_check_const_X509_TRUST_sk_type(sk)))
#define sk_X509_TRUST_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_TRUST
*)OPENSSL_sk_deep_copy(ossl_check_const_X509_TRUST_sk_type(sk),
ossl_check_X509_TRUST_copyfunc_type(copyfunc), ossl_check_X509_TRUST_freefunc_type(freefunc)))
#define sk_X509_TRUST_set_cmp_func(sk, cmp)
((sk_X509_TRUST_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_X509_TRUST_sk_type(sk),
ossl_check_X509_TRUST_compfunc_type(cmp)))

/* standard trust ids */
# define X509_TRUST_DEFAULT    0 /* Only valid in purpose settings */
# define X509_TRUST_COMPAT    1
# define X509_TRUST_SSL_CLIENT
    2
# define X509_TRUST_SSL_SERVER 3
# define X509_TRUST_EMAIL      4
# define X509_TRUST_OBJECT_SIGN 5
# define X509_TRUST_OCSP_SIGN  6
# define X509_TRUST_OCSP_REQUEST 7
# define X509_TRUST_TSA        8
/* Keep these up to date! */
# define X509_TRUST_MIN        1
# define X509_TRUST_MAX        8

/* trust_flags values */
# define X509_TRUST_DYNAMIC    (1U << 0)

```

```

#define X509_TRUST_DYNAMIC_NAME (1U << 1)
/* No compat trust if self-signed, preempts "DO_SS" */
#define X509_TRUST_NO_SS_COMPAT (1U << 2)
/* Compat trust if no explicit accepted trust EKUs */
#define X509_TRUST_DO_SS_COMPAT (1U << 3)
/* Accept "anyEKU" as a wildcard rejection OID and as a wildcard trust OID */
#define X509_TRUST_OK_ANY_EKU (1U << 4)

/* check_trust return codes */
#define X509_TRUST_TRUSTED 1
#define X509_TRUST_REJECTED 2
#define X509_TRUST_UNTRUSTED 3

int X509_TRUST_set(int *t, int trust);
int X509_TRUST_get_count(void);
X509_TRUST *X509_TRUST_get0(int idx);
int
    X509_TRUST_get_by_id(int id);
int X509_TRUST_add(int id, int flags, int (*ck) (X509_TRUST *, X509 *, int),
    const char *name, int arg1, void *arg2);
void X509_TRUST_cleanup(void);
int X509_TRUST_get_flags(const X509_TRUST *xp);
char *X509_TRUST_get0_name(const X509_TRUST *xp);
int X509_TRUST_get_trust(const X509_TRUST *xp);

int X509_trusted(const X509 *x);
int X509_add1_trust_object(X509 *x, const ASN1_OBJECT *obj);
int X509_add1_reject_object(X509 *x, const ASN1_OBJECT *obj);
void X509_trust_clear(X509 *x);
void X509_reject_clear(X509 *x);
STACK_OF(ASN1_OBJECT) *X509_get0_trust_objects(X509 *x);
STACK_OF(ASN1_OBJECT) *X509_get0_reject_objects(X509 *x);

int (*X509_TRUST_set_default(int (*trust) (int, X509 *, int))) (int, X509 *,
    int);
int X509_check_trust(X509 *x, int id, int flags);

int X509_verify_cert(X509_STORE_CTX *ctx);
int X509_STORE_CTX_verify(X509_STORE_CTX *ctx);
STACK_OF(X509) *X509_build_chain(X509
    *target, STACK_OF(X509) *certs,
    X509_STORE *store, int with_self_signed,
    OSSL_LIB_CTX *libctx, const char *propq);

int X509_STORE_set_depth(X509_STORE *store, int depth);

typedef int (*X509_STORE_CTX_verify_cb)(int, X509_STORE_CTX *);
int X509_STORE_CTX_print_verify_cb(int ok, X509_STORE_CTX *ctx);

```

```

typedef int (*X509_STORE_CTX_verify_fn)(X509_STORE_CTX *);
typedef int (*X509_STORE_CTX_get_issuer_fn)(X509 **issuer,
                                             X509_STORE_CTX *ctx, X509 *x);
typedef int (*X509_STORE_CTX_check_issued_fn)(X509_STORE_CTX *ctx,
                                              X509 *x, X509 *issuer);
typedef int (*X509_STORE_CTX_check_revocation_fn)(X509_STORE_CTX *ctx);
typedef int (*X509_STORE_CTX_get_crl_fn)(X509_STORE_CTX *ctx,
                                         X509_CRL **crl, X509 *x);
typedef int (*X509_STORE_CTX_check_crl_fn)(X509_STORE_CTX *ctx, X509_CRL *crl);
typedef
int (*X509_STORE_CTX_cert_crl_fn)(X509_STORE_CTX *ctx,
                                   X509_CRL *crl, X509 *x);
typedef int (*X509_STORE_CTX_check_policy_fn)(X509_STORE_CTX *ctx);
typedef STACK_OF(X509)
    (*X509_STORE_CTX_lookup_certs_fn)(X509_STORE_CTX *ctx,
                                       const X509_NAME *nm);
typedef STACK_OF(X509_CRL)
    (*X509_STORE_CTX_lookup_crls_fn)(const X509_STORE_CTX *ctx,
                                       const X509_NAME *nm);
typedef int (*X509_STORE_CTX_cleanup_fn)(X509_STORE_CTX *ctx);

void X509_STORE_CTX_set_depth(X509_STORE_CTX *ctx, int depth);

# define X509_STORE_CTX_set_app_data(ctx,data) \
    X509_STORE_CTX_set_ex_data(ctx,0,data)
# define X509_STORE_CTX_get_app_data(ctx) \
    X509_STORE_CTX_get_ex_data(ctx,0)

# define X509_L_FILE_LOAD      1
# define X509_L_ADD_DIR        2
# define X509_L_ADD_STORE      3
# define X509_L_LOAD_STORE      4

# define X509_LOOKUP_load_file(x,name,type) \

    X509_LOOKUP_ctrl((x),X509_L_FILE_LOAD,(name),(long)(type),NULL)

# define X509_LOOKUP_add_dir(x,name,type) \
    X509_LOOKUP_ctrl((x),X509_L_ADD_DIR,(name),(long)(type),NULL)

# define X509_LOOKUP_add_store(x,name) \
    X509_LOOKUP_ctrl((x),X509_L_ADD_STORE,(name),0,NULL)

# define X509_LOOKUP_load_store(x,name) \
    X509_LOOKUP_ctrl((x),X509_L_LOAD_STORE,(name),0,NULL)

# define X509_LOOKUP_load_file_ex(x, name, type, libctx, propq) \
    X509_LOOKUP_ctrl_ex((x), X509_L_FILE_LOAD, (name), (long)(type), NULL,\

```

```

(libctx), (propq))

# define X509_LOOKUP_load_store_ex(x, name, libctx, propq) \
X509_LOOKUP_ctrl_ex((x), X509_L_LOAD_STORE, (name), 0, NULL, \
(libctx), (propq))

# define X509_LOOKUP_add_store_ex(x, name, libctx, propq) \
X509_LOOKUP_ctrl_ex((x), X509_L_ADD_STORE, (name), 0, NULL, \
(libctx), (propq))

# define X509_V_OK
0
# define X509_V_ERR_UNSPECIFIED 1
# define X509_V_ERR_UNABLE_TO_GET_ISSUER_CERT 2
# define X509_V_ERR_UNABLE_TO_GET_CRL 3
# define X509_V_ERR_UNABLE_TO_DECRYPT_CERT_SIGNATURE 4
# define X509_V_ERR_UNABLE_TO_DECRYPT_CRL_SIGNATURE 5
# define X509_V_ERR_UNABLE_TO_DECODE_ISSUER_PUBLIC_KEY 6
# define X509_V_ERR_CERT_SIGNATURE_FAILURE 7
# define X509_V_ERR_CRL_SIGNATURE_FAILURE 8
# define X509_V_ERR_CERT_NOT_YET_VALID 9
# define X509_V_ERR_CERT_HAS_EXPIRED 10
# define X509_V_ERR_CRL_NOT_YET_VALID 11
# define X509_V_ERR_CRL_HAS_EXPIRED 12
# define X509_V_ERR_ERROR_IN_CERT_NOT_BEFORE_FIELD 13
# define X509_V_ERR_ERROR_IN_CERT_NOT_AFTER_FIELD 14
# define X509_V_ERR_ERROR_IN_CRL_LAST_UPDATE_FIELD 15
# define X509_V_ERR_ERROR_IN_CRL_NEXT_UPDATE_FIELD 16
# define X509_V_ERR_OUT_OF_MEM
17
# define X509_V_ERR_DEPTH_ZERO_SELF_SIGNED_CERT 18
# define X509_V_ERR_SELF_SIGNED_CERT_IN_CHAIN 19
# define X509_V_ERR_UNABLE_TO_GET_ISSUER_CERT_LOCALLY 20
# define X509_V_ERR_UNABLE_TO_VERIFY_LEAF_SIGNATURE 21
# define X509_V_ERR_CERT_CHAIN_TOO_LONG 22
# define X509_V_ERR_CERT_REVOKED 23
# define X509_V_ERR_NO_ISSUER_PUBLIC_KEY 24
# define X509_V_ERR_PATH_LENGTH_EXCEEDED 25
# define X509_V_ERR_INVALID_PURPOSE 26
# define X509_V_ERR_CERT_UNTRUSTED 27
# define X509_V_ERR_CERT_REJECTED 28

/* These are 'informational' when looking for issuer cert */
# define X509_V_ERR_SUBJECT_ISSUER_MISMATCH 29
# define X509_V_ERR_AKID_SKID_MISMATCH 30
# define X509_V_ERR_AKID_ISSUER_SERIAL_MISMATCH 31
# define X509_V_ERR_KEYUSAGE_NO_CERTSIGN 32
# define

```

```

X509_V_ERR_UNABLE_TO_GET_CRL_ISSUER          33
# define X509_V_ERR_UNHANDLED_CRITICAL_EXTENSION 34
# define X509_V_ERR_KEYUSAGE_NO_CRL_SIGN      35
# define X509_V_ERR_UNHANDLED_CRITICAL_CRL_EXTENSION 36
# define X509_V_ERR_INVALID_NON_CA            37
# define X509_V_ERR_PROXY_PATH_LENGTH_EXCEEDED 38
# define X509_V_ERR_KEYUSAGE_NO_DIGITAL_SIGNATURE 39
# define X509_V_ERR_PROXY_CERTIFICATES_NOT_ALLOWED 40
# define X509_V_ERR_INVALID_EXTENSION         41
# define X509_V_ERR_INVALID_POLICY_EXTENSION  42
# define X509_V_ERR_NO_EXPLICIT_POLICY        43
# define X509_V_ERR_DIFFERENT_CRL_SCOPE       44
# define X509_V_ERR_UNSUPPORTED_EXTENSION_FEATURE 45
# define X509_V_ERR_UNNESTED_RESOURCE         46
# define X509_V_ERR_PERMITTED_VIOLATION       47
# define X509_V_ERR_EXCLUDED_VIOLATION        48
# define X509_V_ERR_SUBTREE_MINMAX
49
/* The application is not happy */
# define X509_V_ERR_APPLICATION_VERIFICATION  50
# define X509_V_ERR_UNSUPPORTED_CONSTRAINT_TYPE 51
# define X509_V_ERR_UNSUPPORTED_CONSTRAINT_SYNTAX 52
# define X509_V_ERR_UNSUPPORTED_NAME_SYNTAX   53
# define X509_V_ERR_CRL_PATH_VALIDATION_ERROR 54
/* Another issuer check debug option */
# define X509_V_ERR_PATH_LOOP                  55
/* Suite B mode algorithm violation */
# define X509_V_ERR_SUITE_B_INVALID_VERSION    56
# define X509_V_ERR_SUITE_B_INVALID_ALGORITHM  57
# define X509_V_ERR_SUITE_B_INVALID_CURVE      58
# define X509_V_ERR_SUITE_B_INVALID_SIGNATURE_ALGORITHM 59
# define X509_V_ERR_SUITE_B_LOS_NOT_ALLOWED    60
# define X509_V_ERR_SUITE_B_CANNOT_SIGN_P_384_WITH_P_256 61
/* Host, email and IP check errors */
# define X509_V_ERR_HOSTNAME_MISMATCH          62
# define X509_V_ERR_EMAIL_MISMATCH
63
# define X509_V_ERR_IP_ADDRESS_MISMATCH        64
/* DANE TLSA errors */
# define X509_V_ERR_DANE_NO_MATCH              65
/* security level errors */
# define X509_V_ERR_EE_KEY_TOO_SMALL           66
# define X509_V_ERR_CA_KEY_TOO_SMALL           67
# define X509_V_ERR_CA_MD_TOO_WEAK            68
/* Caller error */
# define X509_V_ERR_INVALID_CALL                69
/* Issuer lookup error */
# define X509_V_ERR_STORE_LOOKUP                70

```



```

/* Certificate transparency */
# define X509_V_ERR_NO_VALID_SCTS 71

# define X509_V_ERR_PROXY_SUBJECT_NAME_VIOLATION 72
/* OCSF status errors */
# define X509_V_ERR_OCSP_VERIFY_NEEDED 73 /* Need OCSP verification */
# define X509_V_ERR_OCSP_VERIFY_FAILED 74 /* Couldn't verify cert through OCSP */
# define X509_V_ERR_OCSP_CERT_UNKNOWN 75 /* Certificate wasn't recognized by the OCSP
responder
*/

# define X509_V_ERR_UNSUPPORTED_SIGNATURE_ALGORITHM 76
# define X509_V_ERR_SIGNATURE_ALGORITHM_MISMATCH 77

/* Errors in case a check in X509_V_FLAG_X509_STRICT mode fails */
# define X509_V_ERR_SIGNATURE_ALGORITHM_INCONSISTENCY 78
# define X509_V_ERR_INVALID_CA 79
# define X509_V_ERR_PATHLEN_INVALID_FOR_NON_CA 80
# define X509_V_ERR_PATHLEN_WITHOUT_KU_KEY_CERT_SIGN 81
# define X509_V_ERR_KU_KEY_CERT_SIGN_INVALID_FOR_NON_CA 82
# define X509_V_ERR_ISSUER_NAME_EMPTY 83
# define X509_V_ERR_SUBJECT_NAME_EMPTY 84
# define X509_V_ERR_MISSING_AUTHORITY_KEY_IDENTIFIER 85
# define X509_V_ERR_MISSING_SUBJECT_KEY_IDENTIFIER 86
# define X509_V_ERR_EMPTY_SUBJECT_ALT_NAME 87
# define X509_V_ERR_EMPTY_SUBJECT_SAN_NOT_CRITICAL 88
# define X509_V_ERR_CA_BCONS_NOT_CRITICAL 89
# define X509_V_ERR_AUTHORITY_KEY_IDENTIFIER_CRITICAL 90
# define X509_V_ERR_SUBJECT_KEY_IDENTIFIER_CRITICAL
91
# define X509_V_ERR_CA_CERT_MISSING_KEY_USAGE 92
# define X509_V_ERR_EXTENSIONS_REQUIRE_VERSION_3 93
# define X509_V_ERR_EC_KEY_EXPLICIT_PARAMS 94

/* Certificate verify flags */
# ifndef OPENSSL_NO_DEPRECATED_1_1_0
# define X509_V_FLAG_CB_ISSUER_CHECK 0x0 /* Deprecated */
# endif
/* Use check time instead of current time */
# define X509_V_FLAG_USE_CHECK_TIME 0x2
/* Lookup CRLs */
# define X509_V_FLAG_CRL_CHECK 0x4
/* Lookup CRLs for whole chain */
# define X509_V_FLAG_CRL_CHECK_ALL 0x8
/* Ignore unhandled critical extensions */
# define X509_V_FLAG_IGNORE_CRITICAL 0x10
/* Disable workarounds for broken certificates */
# define X509_V_FLAG_X509_STRICT 0x20

```

```

/* Enable proxy certificate validation */
#define X509_V_FLAG_ALLOW_PROXY_CERTS      0x40
/* Enable policy checking */
#define X509_V_FLAG_POLICY_CHECK
    0x80
/* Policy variable require-explicit-policy */
#define X509_V_FLAG_EXPLICIT_POLICY        0x100
/* Policy variable inhibit-any-policy */
#define X509_V_FLAG_INHIBIT_ANY            0x200
/* Policy variable inhibit-policy-mapping */
#define X509_V_FLAG_INHIBIT_MAP            0x400
/* Notify callback that policy is OK */
#define X509_V_FLAG_NOTIFY_POLICY          0x800
/* Extended CRL features such as indirect CRLs, alternate CRL signing keys */
#define X509_V_FLAG_EXTENDED_CRL_SUPPORT   0x1000
/* Delta CRL support */
#define X509_V_FLAG_USE_DELTAS              0x2000
/* Check self-signed CA signature */
#define X509_V_FLAG_CHECK_SS_SIGNATURE      0x4000
/* Use trusted store first */
#define X509_V_FLAG_TRUSTED_FIRST           0x8000
/* Suite B 128 bit only mode: not normally used */
#define X509_V_FLAG_SUITEB_128_LOS_ONLY    0x10000
/* Suite B 192 bit only mode */
#define X509_V_FLAG_SUITEB_192_LOS         0x20000
/* Suite B
   128 bit mode allowing 192 bit algorithms */
#define X509_V_FLAG_SUITEB_128_LOS         0x30000
/* Allow partial chains if at least one certificate is in trusted store */
#define X509_V_FLAG_PARTIAL_CHAIN           0x80000
/*
 * If the initial chain is not trusted, do not attempt to build an alternative
 * chain. Alternate chain checking was introduced in 1.1.0. Setting this flag
 * will force the behaviour to match that of previous versions.
 */
#define X509_V_FLAG_NO_ALT_CHAINS           0x100000
/* Do not check certificate/CRL validity against current time */
#define X509_V_FLAG_NO_CHECK_TIME           0x200000

#define X509_VP_FLAG_DEFAULT                0x1
#define X509_VP_FLAG_OVERWRITE              0x2
#define X509_VP_FLAG_RESET_FLAGS           0x4
#define X509_VP_FLAG_LOCKED                0x8
#define X509_VP_FLAG_ONCE                   0x10

/* Internal use: mask of policy related options */
#define X509_V_FLAG_POLICY_MASK (X509_V_FLAG_POLICY_CHECK

```

```

\
    | X509_V_FLAG_EXPLICIT_POLICY \
    | X509_V_FLAG_INHIBIT_ANY \
    | X509_V_FLAG_INHIBIT_MAP)

int X509_OBJECT_idx_by_subject(STACK_OF(X509_OBJECT) *h, X509_LOOKUP_TYPE type,
    const X509_NAME *name);
X509_OBJECT *X509_OBJECT_retrieve_by_subject(STACK_OF(X509_OBJECT) *h,
    X509_LOOKUP_TYPE type,
    const X509_NAME *name);
X509_OBJECT *X509_OBJECT_retrieve_match(STACK_OF(X509_OBJECT) *h,
    X509_OBJECT *x);
int X509_OBJECT_up_ref_count(X509_OBJECT *a);
X509_OBJECT *X509_OBJECT_new(void);
void X509_OBJECT_free(X509_OBJECT *a);
X509_LOOKUP_TYPE X509_OBJECT_get_type(const X509_OBJECT *a);
X509 *X509_OBJECT_get0_X509(const X509_OBJECT *a);
int X509_OBJECT_set1_X509(X509_OBJECT *a, X509 *obj);
X509_CRL *X509_OBJECT_get0_X509_CRL(const
    X509_OBJECT *a);
int X509_OBJECT_set1_X509_CRL(X509_OBJECT *a, X509_CRL *obj);
X509_STORE *X509_STORE_new(void);
void X509_STORE_free(X509_STORE *v);
int X509_STORE_lock(X509_STORE *ctx);
int X509_STORE_unlock(X509_STORE *ctx);
int X509_STORE_up_ref(X509_STORE *v);
STACK_OF(X509_OBJECT) *X509_STORE_get0_objects(const X509_STORE *v);
STACK_OF(X509) *X509_STORE_get1_all_certs(X509_STORE *st);
STACK_OF(X509) *X509_STORE_CTX_get1_certs(X509_STORE_CTX *st,
    const X509_NAME *nm);
STACK_OF(X509_CRL) *X509_STORE_CTX_get1_crls(const X509_STORE_CTX *st,
    const X509_NAME *nm);
int X509_STORE_set_flags(X509_STORE *ctx, unsigned long flags);
int X509_STORE_set_purpose(X509_STORE *ctx, int purpose);
int X509_STORE_set_trust(X509_STORE *ctx, int trust);
int X509_STORE_set1_param(X509_STORE *ctx, const X509_VERIFY_PARAM *pm);
X509_VERIFY_PARAM *X509_STORE_get0_param(const X509_STORE *ctx);

void X509_STORE_set_verify(X509_STORE
    *ctx, X509_STORE_CTX_verify_fn verify);
#define X509_STORE_set_verify_func(ctx, func) \
    X509_STORE_set_verify((ctx),(func))
void X509_STORE_CTX_set_verify(X509_STORE_CTX *ctx,
    X509_STORE_CTX_verify_fn verify);
X509_STORE_CTX_verify_fn X509_STORE_get_verify(const X509_STORE *ctx);
void X509_STORE_set_verify_cb(X509_STORE *ctx,
    X509_STORE_CTX_verify_cb verify_cb);
# define X509_STORE_set_verify_cb_func(ctx,func) \

```

```

X509_STORE_set_verify_cb((ctx),(func))
X509_STORE_CTX_verify_cb X509_STORE_get_verify_cb(const X509_STORE *ctx);
void X509_STORE_set_get_issuer(X509_STORE *ctx,
    X509_STORE_CTX_get_issuer_fn get_issuer);
X509_STORE_CTX_get_issuer_fn X509_STORE_get_get_issuer(const X509_STORE *ctx);
void X509_STORE_set_check_issued(X509_STORE *ctx,
    X509_STORE_CTX_check_issued_fn check_issued);
X509_STORE_CTX_check_issued_fn X509_STORE_get_check_issued(const
    X509_STORE *ctx);
void X509_STORE_set_check_revocation(X509_STORE *ctx,
    X509_STORE_CTX_check_revocation_fn check_revocation);
X509_STORE_CTX_check_revocation_fn
    X509_STORE_get_check_revocation(const X509_STORE *ctx);
void X509_STORE_set_get_crl(X509_STORE *ctx,
    X509_STORE_CTX_get_crl_fn get_crl);
X509_STORE_CTX_get_crl_fn X509_STORE_get_get_crl(const X509_STORE *ctx);
void X509_STORE_set_check_crl(X509_STORE *ctx,
    X509_STORE_CTX_check_crl_fn check_crl);
X509_STORE_CTX_check_crl_fn X509_STORE_get_check_crl(const X509_STORE *ctx);
void X509_STORE_set_cert_crl(X509_STORE *ctx,
    X509_STORE_CTX_cert_crl_fn cert_crl);
X509_STORE_CTX_cert_crl_fn X509_STORE_get_cert_crl(const X509_STORE *ctx);
void X509_STORE_set_check_policy(X509_STORE *ctx,
    X509_STORE_CTX_check_policy_fn check_policy);
X509_STORE_CTX_check_policy_fn
    X509_STORE_get_check_policy(const X509_STORE *ctx);
void X509_STORE_set_lookup_certs(X509_STORE *ctx,
    X509_STORE_CTX_lookup_certs_fn lookup_certs);
X509_STORE_CTX_lookup_certs_fn X509_STORE_get_lookup_certs(const X509_STORE *ctx);
void X509_STORE_set_lookup_crls(X509_STORE *ctx,
    X509_STORE_CTX_lookup_crls_fn lookup_crls);
#define X509_STORE_set_lookup_crls_cb(ctx, func) \
    X509_STORE_set_lookup_crls((ctx), (func))
X509_STORE_CTX_lookup_crls_fn X509_STORE_get_lookup_crls(const X509_STORE *ctx);
void X509_STORE_set_cleanup(X509_STORE *ctx,
    X509_STORE_CTX_cleanup_fn cleanup);
X509_STORE_CTX_cleanup_fn X509_STORE_get_cleanup(const X509_STORE *ctx);

#define X509_STORE_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_X509_STORE, l, p, newf, dupf, freef)
int X509_STORE_set_ex_data(X509_STORE *ctx, int idx, void *data);
void *X509_STORE_get_ex_data(const X509_STORE
    *ctx, int idx);

X509_STORE_CTX *X509_STORE_CTX_new_ex(OSSL_LIB_CTX *libctx, const char *propq);
X509_STORE_CTX *X509_STORE_CTX_new(void);

int X509_STORE_CTX_get1_issuer(X509 **issuer, X509_STORE_CTX *ctx, X509 *x);

```

```

void X509_STORE_CTX_free(X509_STORE_CTX *ctx);
int X509_STORE_CTX_init(X509_STORE_CTX *ctx, X509_STORE *trust_store,
                        X509 *target, STACK_OF(X509) *untrusted);
void X509_STORE_CTX_set0_trusted_stack(X509_STORE_CTX *ctx, STACK_OF(X509) *sk);
void X509_STORE_CTX_cleanup(X509_STORE_CTX *ctx);

X509_STORE *X509_STORE_CTX_get0_store(const X509_STORE_CTX *ctx);
X509 *X509_STORE_CTX_get0_cert(const X509_STORE_CTX *ctx);
STACK_OF(X509)* X509_STORE_CTX_get0_untrusted(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set0_untrusted(X509_STORE_CTX *ctx, STACK_OF(X509) *sk);
void X509_STORE_CTX_set_verify_cb(X509_STORE_CTX *ctx,
                                  X509_STORE_CTX_verify_cb verify);
X509_STORE_CTX_verify_cb X509_STORE_CTX_get_verify_cb(const
X509_STORE_CTX *ctx);
X509_STORE_CTX_verify_fn X509_STORE_CTX_get_verify(const X509_STORE_CTX *ctx);
X509_STORE_CTX_get_issuer_fn X509_STORE_CTX_get_get_issuer(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_issued_fn X509_STORE_CTX_get_check_issued(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_revocation_fn X509_STORE_CTX_get_check_revocation(const X509_STORE_CTX
*ctx);
X509_STORE_CTX_get_crl_fn X509_STORE_CTX_get_get_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_crl_fn X509_STORE_CTX_get_check_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX_cert_crl_fn X509_STORE_CTX_get_cert_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_policy_fn X509_STORE_CTX_get_check_policy(const X509_STORE_CTX *ctx);
X509_STORE_CTX_lookup_certs_fn X509_STORE_CTX_get_lookup_certs(const X509_STORE_CTX *ctx);
X509_STORE_CTX_lookup_crls_fn X509_STORE_CTX_get_lookup_crls(const X509_STORE_CTX *ctx);
X509_STORE_CTX_cleanup_fn X509_STORE_CTX_get_cleanup(const X509_STORE_CTX *ctx);

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#
# define X509_STORE_CTX_get_chain X509_STORE_CTX_get0_chain
# define X509_STORE_CTX_set_chain X509_STORE_CTX_set0_untrusted
# define X509_STORE_CTX_trusted_stack X509_STORE_CTX_set0_trusted_stack
# define X509_STORE_get_by_subject X509_STORE_CTX_get_by_subject
# define X509_STORE_get1_certs X509_STORE_CTX_get1_certs
# define X509_STORE_get1_crls X509_STORE_CTX_get1_crls
/* the following macro is misspelled; use X509_STORE_get1_certs instead */
# define X509_STORE_get1_cert X509_STORE_CTX_get1_certs
/* the following macro is misspelled; use X509_STORE_get1_crls instead */
# define X509_STORE_get1_crl X509_STORE_CTX_get1_crls
#endif

X509_LOOKUP *X509_STORE_add_lookup(X509_STORE *v, X509_LOOKUP_METHOD *m);
X509_LOOKUP_METHOD *X509_LOOKUP_hash_dir(void);
X509_LOOKUP_METHOD *X509_LOOKUP_file(void);
X509_LOOKUP_METHOD *X509_LOOKUP_store(void);

typedef int (*X509_LOOKUP_ctrl_fn)(X509_LOOKUP *ctx, int cmd, const char *argc,

```

```

        long argl, char **ret);

typedef
int (*X509_LOOKUP_ctrl_ex_fn)(
    X509_LOOKUP *ctx, int cmd, const char *argc, long argl, char **ret,
    OSSL_LIB_CTX *libctx, const char *propq);

typedef int (*X509_LOOKUP_get_by_subject_fn)(X509_LOOKUP *ctx,
        X509_LOOKUP_TYPE type,
        const X509_NAME *name,
        X509_OBJECT *ret);
typedef int (*X509_LOOKUP_get_by_subject_ex_fn)(X509_LOOKUP *ctx,
        X509_LOOKUP_TYPE type,
        const X509_NAME *name,
        X509_OBJECT *ret,
        OSSL_LIB_CTX *libctx,
        const char *propq);
typedef int (*X509_LOOKUP_get_by_issuer_serial_fn)(X509_LOOKUP *ctx,

        X509_LOOKUP_TYPE type,
        const X509_NAME *name,
        const ASN1_INTEGER *serial,
        X509_OBJECT *ret);
typedef int (*X509_LOOKUP_get_by_fingerprint_fn)(X509_LOOKUP *ctx,
        X509_LOOKUP_TYPE type,
        const unsigned char* bytes,
        int len,
        X509_OBJECT *ret);
typedef int (*X509_LOOKUP_get_by_alias_fn)(X509_LOOKUP *ctx,
        X509_LOOKUP_TYPE type,
        const char *str,
        int len,
        X509_OBJECT *ret);

X509_LOOKUP_METHOD *X509_LOOKUP_meth_new(const char *name);
void X509_LOOKUP_meth_free(X509_LOOKUP_METHOD
    *method);

int X509_LOOKUP_meth_set_new_item(X509_LOOKUP_METHOD *method,
        int (*new_item) (X509_LOOKUP *ctx));
int (*X509_LOOKUP_meth_get_new_item(const X509_LOOKUP_METHOD* method))
    (X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_free(X509_LOOKUP_METHOD *method,
        void (*free_fn) (X509_LOOKUP *ctx));
void (*X509_LOOKUP_meth_get_free(const X509_LOOKUP_METHOD* method))
    (X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_init(X509_LOOKUP_METHOD *method,

```

```

        int (*init) (X509_LOOKUP *ctx));
int (*X509_LOOKUP_meth_get_init(const X509_LOOKUP_METHOD* method))
    (X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_shutdown(X509_LOOKUP_METHOD *method,
    int (*shutdown) (X509_LOOKUP *ctx));
int (*X509_LOOKUP_meth_get_shutdown(const X509_LOOKUP_METHOD* method))
    (X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_ctrl(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_ctrl_fn
    ctrl_fn);
X509_LOOKUP_ctrl_fn X509_LOOKUP_meth_get_ctrl(const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_subject(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_subject_fn fn);
X509_LOOKUP_get_by_subject_fn X509_LOOKUP_meth_get_get_by_subject(
    const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_issuer_serial(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_issuer_serial_fn fn);
X509_LOOKUP_get_by_issuer_serial_fn X509_LOOKUP_meth_get_get_by_issuer_serial(
    const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_fingerprint(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_fingerprint_fn fn);
X509_LOOKUP_get_by_fingerprint_fn X509_LOOKUP_meth_get_get_by_fingerprint(
    const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_alias(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_alias_fn fn);
X509_LOOKUP_get_by_alias_fn X509_LOOKUP_meth_get_get_by_alias(
    const X509_LOOKUP_METHOD *method);

int X509_STORE_add_cert(X509_STORE *ctx, X509 *x);
int X509_STORE_add_crl(X509_STORE *ctx, X509_CRL *x);

int X509_STORE_CTX_get_by_subject(const X509_STORE_CTX *vs,
    X509_LOOKUP_TYPE type,
    const X509_NAME *name, X509_OBJECT *ret);
X509_OBJECT *X509_STORE_CTX_get_obj_by_subject(X509_STORE_CTX *vs,
    X509_LOOKUP_TYPE type,
    const X509_NAME *name);

int X509_LOOKUP_ctrl(X509_LOOKUP *ctx, int cmd, const char *argc,
    long argl, char **ret);
int X509_LOOKUP_ctrl_ex(X509_LOOKUP *ctx, int cmd, const char *argc, long argl,

```

```

char **ret, OSSL_LIB_CTX *libctx, const char *propq);

int X509_load_cert_file(X509_LOOKUP *ctx, const char *file, int type);
int X509_load_cert_file_ex(X509_LOOKUP *ctx, const char *file, int type,

    OSSL_LIB_CTX *libctx, const char *propq);

int X509_load_crl_file(X509_LOOKUP *ctx, const char *file, int type);
int X509_load_cert_crl_file(X509_LOOKUP *ctx, const char *file, int type);
int X509_load_cert_crl_file_ex(X509_LOOKUP *ctx, const char *file, int type,
    OSSL_LIB_CTX *libctx, const char *propq);

X509_LOOKUP *X509_LOOKUP_new(X509_LOOKUP_METHOD *method);
void X509_LOOKUP_free(X509_LOOKUP *ctx);
int X509_LOOKUP_init(X509_LOOKUP *ctx);
int X509_LOOKUP_by_subject(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
    const X509_NAME *name, X509_OBJECT *ret);
int X509_LOOKUP_by_subject_ex(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
    const X509_NAME *name, X509_OBJECT *ret,
    OSSL_LIB_CTX *libctx, const char *propq);
int X509_LOOKUP_by_issuer_serial(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
    const X509_NAME *name,

    const ASN1_INTEGER *serial,
    X509_OBJECT *ret);
int X509_LOOKUP_by_fingerprint(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
    const unsigned char *bytes, int len,
    X509_OBJECT *ret);
int X509_LOOKUP_by_alias(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
    const char *str, int len, X509_OBJECT *ret);
int X509_LOOKUP_set_method_data(X509_LOOKUP *ctx, void *data);
void *X509_LOOKUP_get_method_data(const X509_LOOKUP *ctx);
X509_STORE *X509_LOOKUP_get_store(const X509_LOOKUP *ctx);
int X509_LOOKUP_shutdown(X509_LOOKUP *ctx);

int X509_STORE_load_file(X509_STORE *ctx, const char *file);
int X509_STORE_load_path(X509_STORE *ctx, const char *path);
int X509_STORE_load_store(X509_STORE *ctx, const char *store);
int X509_STORE_load_locations(X509_STORE *ctx,
    const char *file,
    const char *dir);
int X509_STORE_set_default_paths(X509_STORE
    *ctx);

int X509_STORE_load_file_ex(X509_STORE *ctx, const char *file,
    OSSL_LIB_CTX *libctx, const char *propq);
int X509_STORE_load_store_ex(X509_STORE *ctx, const char *store,
    OSSL_LIB_CTX *libctx, const char *propq);
int X509_STORE_load_locations_ex(X509_STORE *ctx, const char *file,

```



```

        const char *dir, OSSL_LIB_CTX *libctx,
        const char *propq);
int X509_STORE_set_default_paths_ex(X509_STORE *ctx, OSSL_LIB_CTX *libctx,
        const char *propq);

#define X509_STORE_CTX_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_X509_STORE_CTX, l, p, newf, dupf, freef)
int X509_STORE_CTX_set_ex_data(X509_STORE_CTX *ctx, int idx, void *data);
void *X509_STORE_CTX_get_ex_data(const X509_STORE_CTX *ctx, int idx);
int X509_STORE_CTX_get_error(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_error(X509_STORE_CTX
    *ctx, int s);
int X509_STORE_CTX_get_error_depth(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_error_depth(X509_STORE_CTX *ctx, int depth);
X509 *X509_STORE_CTX_get_current_cert(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_current_cert(X509_STORE_CTX *ctx, X509 *x);
X509 *X509_STORE_CTX_get0_current_issuer(const X509_STORE_CTX *ctx);
X509_CRL *X509_STORE_CTX_get0_current_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX *X509_STORE_CTX_get0_parent_ctx(const X509_STORE_CTX *ctx);
STACK_OF(X509) *X509_STORE_CTX_get0_chain(const X509_STORE_CTX *ctx);
STACK_OF(X509) *X509_STORE_CTX_get1_chain(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_cert(X509_STORE_CTX *ctx, X509 *target);
void X509_STORE_CTX_set0_verified_chain(X509_STORE_CTX *c, STACK_OF(X509) *sk);
void X509_STORE_CTX_set0_crls(X509_STORE_CTX *ctx, STACK_OF(X509_CRL) *sk);
int X509_STORE_CTX_set_purpose(X509_STORE_CTX *ctx, int purpose);
int X509_STORE_CTX_set_trust(X509_STORE_CTX
    *ctx, int trust);
int X509_STORE_CTX_purpose_inherit(X509_STORE_CTX *ctx, int def_purpose,
        int purpose, int trust);
void X509_STORE_CTX_set_flags(X509_STORE_CTX *ctx, unsigned long flags);
void X509_STORE_CTX_set_time(X509_STORE_CTX *ctx, unsigned long flags,
        time_t t);

X509_POLICY_TREE *X509_STORE_CTX_get0_policy_tree(const X509_STORE_CTX *ctx);
int X509_STORE_CTX_get_explicit_policy(const X509_STORE_CTX *ctx);
int X509_STORE_CTX_get_num_untrusted(const X509_STORE_CTX *ctx);

X509_VERIFY_PARAM *X509_STORE_CTX_get0_param(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set0_param(X509_STORE_CTX *ctx, X509_VERIFY_PARAM *param);
int X509_STORE_CTX_set_default(X509_STORE_CTX *ctx, const char *name);

/*
 * Bridge opacity barrier between libcrypt and libssl, also needed to support
 * offline testing in test/danetest.c
 */
void X509_STORE_CTX_set0_dane(X509_STORE_CTX *ctx, SSL_DANE *dane);
#define DANE_FLAG_NO_DANE_EE_NAMECHECKS

```

(1L << 0)

/* X509_VERIFY_PARAM functions */

```
X509_VERIFY_PARAM *X509_VERIFY_PARAM_new(void);
void X509_VERIFY_PARAM_free(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_inherit(X509_VERIFY_PARAM *to,
                             const X509_VERIFY_PARAM *from);
int X509_VERIFY_PARAM_set1(X509_VERIFY_PARAM *to,
                           const X509_VERIFY_PARAM *from);
int X509_VERIFY_PARAM_set1_name(X509_VERIFY_PARAM *param, const char *name);
int X509_VERIFY_PARAM_set_flags(X509_VERIFY_PARAM *param,
                                unsigned long flags);
int X509_VERIFY_PARAM_clear_flags(X509_VERIFY_PARAM *param,
                                  unsigned long flags);
unsigned long X509_VERIFY_PARAM_get_flags(const X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_set_purpose(X509_VERIFY_PARAM *param, int purpose);
int X509_VERIFY_PARAM_set_trust(X509_VERIFY_PARAM *param, int trust);
void X509_VERIFY_PARAM_set_depth(X509_VERIFY_PARAM *param, int depth);
void X509_VERIFY_PARAM_set_auth_level(X509_VERIFY_PARAM
                                       *param, int auth_level);
time_t X509_VERIFY_PARAM_get_time(const X509_VERIFY_PARAM *param);
void X509_VERIFY_PARAM_set_time(X509_VERIFY_PARAM *param, time_t t);
int X509_VERIFY_PARAM_add0_policy(X509_VERIFY_PARAM *param,
                                  ASN1_OBJECT *policy);
int X509_VERIFY_PARAM_set1_policies(X509_VERIFY_PARAM *param,
                                    STACK_OF(ASN1_OBJECT) *policies);

int X509_VERIFY_PARAM_set_inh_flags(X509_VERIFY_PARAM *param,
                                    uint32_t flags);
uint32_t X509_VERIFY_PARAM_get_inh_flags(const X509_VERIFY_PARAM *param);

char *X509_VERIFY_PARAM_get0_host(X509_VERIFY_PARAM *param, int idx);
int X509_VERIFY_PARAM_set1_host(X509_VERIFY_PARAM *param,
                                const char *name, size_t namelen);
int X509_VERIFY_PARAM_add1_host(X509_VERIFY_PARAM *param,
                                const char *name, size_t namelen);
void X509_VERIFY_PARAM_set_hostflags(X509_VERIFY_PARAM
                                       *param,
                                       unsigned int flags);
unsigned int X509_VERIFY_PARAM_get_hostflags(const X509_VERIFY_PARAM *param);
char *X509_VERIFY_PARAM_get0_peername(const X509_VERIFY_PARAM *param);
void X509_VERIFY_PARAM_move_peername(X509_VERIFY_PARAM *, X509_VERIFY_PARAM *);
char *X509_VERIFY_PARAM_get0_email(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_set1_email(X509_VERIFY_PARAM *param,
                                  const char *email, size_t emailen);
char *X509_VERIFY_PARAM_get1_ip_asc(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_set1_ip(X509_VERIFY_PARAM *param,
```

```

        const unsigned char *ip, size_t iplen);
int X509_VERIFY_PARAM_set1_ip_asc(X509_VERIFY_PARAM *param,
        const char *ipasc);

int X509_VERIFY_PARAM_get_depth(const X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_get_auth_level(const X509_VERIFY_PARAM *param);
const char *X509_VERIFY_PARAM_get0_name(const X509_VERIFY_PARAM *param);

int
X509_VERIFY_PARAM_add0_table(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_get_count(void);
const X509_VERIFY_PARAM *X509_VERIFY_PARAM_get0(int id);
const X509_VERIFY_PARAM *X509_VERIFY_PARAM_lookup(const char *name);
void X509_VERIFY_PARAM_table_cleanup(void);

/* Non positive return values are errors */
#define X509_PCY_TREE_FAILURE -2 /* Failure to satisfy explicit policy */
#define X509_PCY_TREE_INVALID -1 /* Inconsistent or invalid extensions */
#define X509_PCY_TREE_INTERNAL 0 /* Internal error, most likely malloc */

/*
 * Positive return values form a bit mask, all but the first are internal to
 * the library and don't appear in results from X509_policy_check().
 */
#define X509_PCY_TREE_VALID 1 /* The policy tree is valid */
#define X509_PCY_TREE_EMPTY 2 /* The policy tree is empty */
#define X509_PCY_TREE_EXPLICIT 4 /* Explicit policy required */

int X509_policy_check(X509_POLICY_TREE **ptree, int *pexplicit_policy,
        STACK_OF(X509)
        *certs,
        STACK_OF(ASN1_OBJECT) *policy_oids, unsigned int flags);

void X509_policy_tree_free(X509_POLICY_TREE *tree);

int X509_policy_tree_level_count(const X509_POLICY_TREE *tree);
X509_POLICY_LEVEL *X509_policy_tree_get0_level(const X509_POLICY_TREE *tree,
        int i);

STACK_OF(X509_POLICY_NODE)
        *X509_policy_tree_get0_policies(const X509_POLICY_TREE *tree);

STACK_OF(X509_POLICY_NODE)
        *X509_policy_tree_get0_user_policies(const X509_POLICY_TREE *tree);

int X509_policy_level_node_count(X509_POLICY_LEVEL *level);

X509_POLICY_NODE *X509_policy_level_get0_node(const X509_POLICY_LEVEL *level,

```

```

        int i);

const ASN1_OBJECT *X509_policy_node_get0_policy(const X509_POLICY_NODE *node);

STACK_OF(POLICYQUALINFO)
*X509_policy_node_get0_qualifiers(const X509_POLICY_NODE *node);
const X509_POLICY_NODE
*X509_policy_node_get0_parent(const X509_POLICY_NODE *node);

#ifdef __cplusplus
}
#endif
#endif
UNICODE LICENSE V3

```

COPYRIGHT AND PERMISSION NOTICE

Copyright 2016-2023 Unicode, Inc.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING DATA FILES, AND/OR SOFTWARE, YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of data files and any associated documentation (the "Data Files") or software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the
above copyright notice(s) and this
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization

of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008, Google Inc.
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice,
# this list of conditions and the following disclaimer.
# Redistributions in binary form must reproduce the above
# copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided with
# the distribution.
# Neither
# the name of Google Inc. nor the names of its
# contributors may be used to endorse or promote products derived from
# this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
# CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
# SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
```

```

#
# The word
# list in cjdict.txt are generated by combining three word lists
# listed below with further processing for compound word breaking. The
# frequency is generated with an iterative training against Google web
# corpora.
#
# * Libtabe (Chinese)
# - https://sourceforge.net/project/?group\_id=1519
# - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
# - http://chasen.aist-nara.ac.jp/chasen/distribution.html
# - Its license terms and conditions are shown below.
#
# -----COPYING.libtabe ---- BEGIN-----
#
# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following
# disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA,
# OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

```

```

# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# *      Institute of Information Science, Academia
# *      Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation
# * and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR
# * TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
# University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----

```


Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
and Technology. All Rights Reserved.

Use, reproduction, and distribution of this software is permitted.
Any copy of this software, whether in its original form or modified,
must include both the above copyright notice and the following
paragraphs.

Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability
and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations
of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or

```

# otherwise connected with the program is assumed by the user.
#
# Therefore, neither ICOT, the copyright holder, or any other
# organization that participated in or was otherwise related to the
# development of the program and their respective officials, directors,
# officers and other employees shall be held liable for any and all
# damages, including, without limitation, general, special, incidental
# and consequential damages, arising out of or otherwise in connection
# with the use or inability to use the program or any product, material
# or result produced or otherwise obtained by using the program,
# regardless of whether they have been advised of, or otherwise had
# knowledge of, the possibility of such damages at any time during the
# project or thereafter. Each user will be deemed to have agreed to the
# foregoing by his or her commencement of use of the program. The term
# "use" as used herein includes, but is not limited to, the use,
# modification, copying and distribution of the program and the
#
# production of secondary products from the program.
#
# In the case where the program, whether in its original form or
# modified, was distributed or delivered to or received by a user from
# any person, organization or entity other than ICOT, unless it makes or
# grants independently of ICOT any specific warranty to the user in
# writing, such person, organization or entity, will also be exempted
# from and not be held liable to the user for any such damages as noted
# above as far as the program is concerned.
#
# -----COPYING.ipadic-----END-----

```

Lao Word Break Dictionary Data (laodict.txt)

```

# Copyright (C) 2016 and later: Unicode, Inc. and others.
# License & terms of use: http://www.unicode.org/copyright.html
# Copyright (c) 2015 International Business Machines Corporation
# and others. All Rights Reserved.
#
# Project: https://github.com/rober42539/lao-dictionary
# Dictionary: https://github.com/rober42539/lao-dictionary/laodict.txt
# License: https://github.com/rober42539/lao-dictionary/LICENSE.txt
# (copied below)
#
# This file is derived from the above dictionary version of Nov 22, 2020
# -----
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#

```

```
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice, this
# list of conditions and the following disclaimer. Redistributions in binary
# form must reproduce the above copyright notice, this list of conditions and
# the following disclaimer in the documentation and/or other materials
# provided with the distribution.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# OF THE POSSIBILITY OF SUCH DAMAGE.
# -----
```

Burmese Word Break Dictionary Data (burmesdict.txt)

```
# Copyright (c) 2014 International Business Machines Corporation
# and others. All Rights Reserved.
#
# This list is part of a project hosted at:
# github.com/kanyawtech/myanmar-karen-word-lists
#
# -----
# Copyright (c) 2013, LeRoy Benjamin Sharon
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions
# are met: Redistributions of source code must retain the above
# copyright notice, this list of conditions and the following
# disclaimer. Redistributions in binary form must reproduce the
# above copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided
# with the distribution.
#
# Neither the name Myanmar Karen Word Lists, nor the names of its
# contributors may be used to endorse or promote products derived
```

from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Time Zone Database

ICU

uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

7. Database Ownership

The TZ database itself is not an IETF Contribution or an IETF
document. Rather it is a pre-existing and regularly updated work
that is in the public domain, and is intended to remain in the
public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do
not apply to the TZ Database or contributions that individuals make
to it. Should any claims be made and substantiated against the TZ
Database, the organization that is providing the IANA
Considerations defined in this RFC, under the memorandum of
understanding with the IETF, currently ICANN, may act in accordance
with all competent court orders. No ownership claims will be made
by ICANN or the IETF Trust on the database or the
code. Any person
making a contribution to the database or code waives all rights to
future claims in that contribution or in the TZ Database.

Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

File: aclocal.m4 (only for ICU4C)
Section: pkg.m4 - Macros to locate and utilise pkg-config.

Copyright 2004 Scott James Remnant <scott@netsplit.com>.
Copyright
2012-2015 Dan Nicholson <dbn.lists@gmail.com>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program.

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: config.guess (only for ICU4C)

This file is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see <<https://www.gnu.org/licenses/>>.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program. This Exception is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3").

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: install-sh (only for ICU4C)

Copyright 1991 by the Massachusetts Institute of Technology

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.
(The MIT License)

Copyright (C) 2011-2015 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ISC License

Copyright 2021 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This license applies to all parts of V8 that are not externally maintained libraries. The externally maintained libraries used by V8 are:

- PCRE test suite, located in `test/mjsunit/third_party/regexp-pcre/regexp-pcre.js`. This is based on the test suite from PCRE-7.3, which is copyrighted by the University of Cambridge and Google, Inc. The copyright notice and license are embedded in `regexp-pcre.js`.
- Layout tests, located in `test/mjsunit/third_party/object-keys`. These are based on layout tests from `webkit.org` which are copyrighted by Apple Computer, Inc. and released under a 3-clause BSD license.
- Strongtalk assembler, the basis of the files `assembler-arm-inl.h`, `assembler-arm.cc`, `assembler-arm.h`, `assembler-ia32-inl.h`, `assembler-ia32.cc`, `assembler-ia32.h`, `assembler-x64-inl.h`, `assembler-x64.cc`, `assembler-x64.h`, `assembler-mips-inl.h`, `assembler-mips.cc`, `assembler-mips.h`, `assembler.cc` and `assembler.h`. This code is copyrighted by Sun Microsystems Inc. and released under a 3-clause BSD license.
- Valgrind client API header, located at `src/third_party/valgrind/valgrind.h`. This is released under the BSD license.
- The Wasm C/C++ API headers, located at `third_party/wasm-api/wasm.{h,hh}`. This is released under the Apache license. The API's upstream prototype implementation also formed the basis of V8's implementation in `src/wasm/c-api.cc`.

These libraries have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Further license information can be found in LICENSE files located in sub-directories.

Copyright 2014, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

- * WARNING: do not edit!
- * Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl
- * via Makefile.in
- *
- * Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
- *
- * Licensed under the Apache License 2.0 (the "License"). You may not use
- * this file except in compliance with the License. You can obtain a copy
- * in the file LICENSE in the source distribution or at
- * <https://www.openssl.org/source/license.html>
- */

```
#ifndef OPENSSL_CONFIGURATION_H
# define OPENSSL_CONFIGURATION_H
# pragma once
```

```
# ifdef __cplusplus
extern "C" {
# endif
```

```
# ifdef OPENSSL_ALGORITHM_DEFINES
# error OPENSSL_ALGORITHM_DEFINES no longer supported
```

```

# endif

/*
 * OpenSSL was configured with the following options:
 */

# define OPENSSL_CONFIGURED_API 30000
# ifndef OPENSSL_RAND_SEED_OS
# define OPENSSL_RAND_SEED_OS
# endif
# ifndef OPENSSL_THREADS
# define OPENSSL_THREADS
# endif
# ifndef OPENSSL_NO_AFALGENG
# define OPENSSL_NO_AFALGENG
# endif
# ifndef
OPENSSL_NO_ASAN
# define OPENSSL_NO_ASAN
# endif
# ifndef OPENSSL_NO_COMP
# define OPENSSL_NO_COMP
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG
# define OPENSSL_NO_CRYPTOMDDEBUG
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# define OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# endif
# ifndef OPENSSL_NO_EC_NISTP_64_GCC_128
# define OPENSSL_NO_EC_NISTP_64_GCC_128
# endif
# ifndef OPENSSL_NO_EGD
# define OPENSSL_NO_EGD
# endif
# ifndef OPENSSL_NO_EXTERNAL_TESTS
# define OPENSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSL_NO_FUZZ_AFL
# define OPENSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSL_NO_FUZZ_LIBFUZZER
# define OPENSSL_NO_FUZZ_LIBFUZZER
# endif
# ifndef OPENSSL_NO_KTLS
# define OPENSSL_NO_KTLS
# endif
# ifndef OPENSSL_NO_LOADERENG

```

```

# define OPENSSL_NO_LOADERENG
# endif
# ifndef OPENSSL_NO_MD2
# define OPENSSL_NO_MD2
# endif
# ifndef OPENSSL_NO_MSAN
# define OPENSSL_NO_MSAN
# endif
# ifndef OPENSSL_NO_RC5
# define OPENSSL_NO_RC5
# endif
# ifndef OPENSSL_NO_SCTP
# define OPENSSL_NO_SCTP
#
    endif
# ifndef OPENSSL_NO_SSL3
# define OPENSSL_NO_SSL3
# endif
# ifndef OPENSSL_NO_SSL3_METHOD
# define OPENSSL_NO_SSL3_METHOD
# endif
# ifndef OPENSSL_NO_TRACE
# define OPENSSL_NO_TRACE
# endif
# ifndef OPENSSL_NO_UBSAN
# define OPENSSL_NO_UBSAN
# endif
# ifndef OPENSSL_NO_UNIT_TEST
# define OPENSSL_NO_UNIT_TEST
# endif
# ifndef OPENSSL_NO_UPLINK
# define OPENSSL_NO_UPLINK
# endif
# ifndef OPENSSL_NO_WEAK_SSL_CIPHERS
# define OPENSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSL_NO_DYNAMIC_ENGINE
# define OPENSSL_NO_DYNAMIC_ENGINE
# endif

/* Generate 80386 code? */
# undef I386_ONLY

/*
 * The following are cipher-specific, but are part of the public API.
 */
# if !defined(OPENSSL_SYS_UEFI)

```

```

# define BN_LLONG
/* Only one for the following should be defined */
# undef SIXTY_FOUR_BIT_LONG
# undef SIXTY_FOUR_BIT
# define THIRTY_TWO_BIT
# endif

# define RC4_INT unsigned int

# ifdef __cplusplus
}
# endif

#endif          /* OPENSSL_CONFIGURATION_H
*/

Tests included here are based on build output generated by the six-speed
benchmark suite.

```

Copyright (c) 2015 Kevin Decker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

/*
* WARNING: do not edit!
* Generated by Makefile from providers/common/include/prov/der_dsa.h.in
*
* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html

```

```

*/

#include "internal/der.h"

/* Well known OIDs precompiled */

/*
 * id-dsa OBJECT IDENTIFIER ::= {
 *     iso(1) member-body(2) us(840) x9-57(10040) x9algorithm(4) 1 }
 */
#define DER_OID_V_id_dsa DER_P_OBJECT, 7, 0x2A, 0x86, 0x48, 0xCE, 0x38, 0x04, 0x01
#define DER_OID_SZ_id_dsa 9
extern const unsigned char ossl_der_oid_id_dsa[DER_OID_SZ_id_dsa];

/*
 * id-dsa-with-sha1 OBJECT IDENTIFIER ::= {
 *     iso(1) member-body(2) us(840) x9-57 (10040) x9algorithm(4) 3 }
 */
#define DER_OID_V_id_dsa_with_sha1 DER_P_OBJECT, 7, 0x2A, 0x86, 0x48, 0xCE, 0x38, 0x04,
0x03
#define DER_OID_SZ_id_dsa_with_sha1 9
extern const unsigned char ossl_der_oid_id_dsa_with_sha1[DER_OID_SZ_id_dsa_with_sha1];

/*
 * id-dsa-with-sha224 OBJECT IDENTIFIER ::= { sigAlgs 1 }
 */
#define DER_OID_V_id_dsa_with_sha224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,
0x01
#define DER_OID_SZ_id_dsa_with_sha224 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha224[DER_OID_SZ_id_dsa_with_sha224];

/*
 * id-dsa-with-sha256 OBJECT IDENTIFIER ::= { sigAlgs 2 }
 */
#define DER_OID_V_id_dsa_with_sha256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,
0x02
#define DER_OID_SZ_id_dsa_with_sha256 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha256[DER_OID_SZ_id_dsa_with_sha256];

/*
 * id-dsa-with-sha384 OBJECT IDENTIFIER ::= { sigAlgs 3 }
 */
#define DER_OID_V_id_dsa_with_sha384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,
0x03
#define DER_OID_SZ_id_dsa_with_sha384 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha384[DER_OID_SZ_id_dsa_with_sha384];

/*

```

```

* id-dsa-with-sha512 OBJECT IDENTIFIER ::= { sigAlgs 4 }
*/
#define DER_OID_V_id_dsa_with_sha512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,
0x04
#define DER_OID_SZ_id_dsa_with_sha512 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha512[DER_OID_SZ_id_dsa_with_sha512];

/*
* id-dsa-with-sha3-224 OBJECT IDENTIFIER ::= { sigAlgs 5 }
*/
#define DER_OID_V_id_dsa_with_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x05
#define DER_OID_SZ_id_dsa_with_sha3_224 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_224[DER_OID_SZ_id_dsa_with_sha3_224];

/*
* id-dsa-with-sha3-256 OBJECT IDENTIFIER ::= { sigAlgs 6 }
*/
#define DER_OID_V_id_dsa_with_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x06
#define DER_OID_SZ_id_dsa_with_sha3_256 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_256[DER_OID_SZ_id_dsa_with_sha3_256];

/*
* id-dsa-with-sha3-384
OBJECT IDENTIFIER ::= { sigAlgs 7 }
*/
#define DER_OID_V_id_dsa_with_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x07
#define DER_OID_SZ_id_dsa_with_sha3_384 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_384[DER_OID_SZ_id_dsa_with_sha3_384];

/*
* id-dsa-with-sha3-512 OBJECT IDENTIFIER ::= { sigAlgs 8 }
*/
#define DER_OID_V_id_dsa_with_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x08
#define DER_OID_SZ_id_dsa_with_sha3_512 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_512[DER_OID_SZ_id_dsa_with_sha3_512];

/* Subject Public Key Info */
int ossl_DER_w_algorithmIdentifier_DSA(WPACKET *pkt, int tag, DSA *dsa);
/* Signature */
int ossl_DER_w_algorithmIdentifier_DSA_with_MD(WPACKET *pkt, int tag,
DSA *dsa, int mdnid);
/*
* WARNING: do not edit!

```

* Generated by Makefile from include/openssl/crypto.h.in
*
* Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.
* Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* <https://www.openssl.org/source/license.html>
*/

```
#ifndef OPENSSL_CRYPT_H
# define OPENSSL_CRYPT_H
# pragma once
```

```
# include <openssl/macros.h>
# ifndef OPENSSL_NO_DEPRECATED_3_0
# define HEADER_CRYPT_H
# endif
```

```
# include <stdlib.h>
# include <time.h>
```

```
# include <openssl/e_os2.h>
```

```
# ifndef OPENSSL_NO_STDIO
# include <stdio.h>
# endif
```

```
# include <openssl/safestack.h>
# include <openssl/opensslv.h>
# include <openssl/types.h>
# include <openssl/opensslconf.h>
# include <openssl/cryptoerr.h>
# include <openssl/core.h>
```

```
# ifdef CHARSET_EBCDIC
# include
# include <openssl/ebcdic.h>
# endif
```

```
/*
* Resolve problems on some operating systems with symbol names that clash
* one way or another
*/
# include <openssl/symhacks.h>
```

```

# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
# include <openssl/opensslv.h>
# endif

#ifdef __cplusplus
extern "C" {
#endif

# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
# define SSLeay      OpenSSL_version_num
# define SSLeay_version      OpenSSL_version
# define SSLEAY_VERSION_NUMBER      OPENSSSL_VERSION_NUMBER
# define SSLEAY_VERSION      OPENSSSL_VERSION
# define SSLEAY_CFLAGS      OPENSSSL_CFLAGS
# define SSLEAY_BUILT_ON      OPENSSSL_BUILT_ON
# define SSLEAY_PLATFORM      OPENSSSL_PLATFORM
# define SSLEAY_DIR      OPENSSSL_DIR

/*
 * Old type for allocating dynamic locks. No longer used. Use the new thread
 * API instead.
 */
typedef struct {
    int dummy;
} CRYPTO_dynlock;

# endif /* OPENSSSL_NO_DEPRECATED_1_1_0 */

typedef void CRYPTO_RWLOCK;

CRYPTO_RWLOCK *CRYPTO_THREAD_lock_new(void);
__owur
int CRYPTO_THREAD_read_lock(CRYPTO_RWLOCK *lock);
__owur int CRYPTO_THREAD_write_lock(CRYPTO_RWLOCK *lock);
int CRYPTO_THREAD_unlock(CRYPTO_RWLOCK *lock);
void CRYPTO_THREAD_lock_free(CRYPTO_RWLOCK *lock);

int CRYPTO_atomic_add(int *val, int amount, int *ret, CRYPTO_RWLOCK *lock);
int CRYPTO_atomic_or(uint64_t *val, uint64_t op, uint64_t *ret,
                    CRYPTO_RWLOCK *lock);
int CRYPTO_atomic_load(uint64_t *val, uint64_t *ret, CRYPTO_RWLOCK *lock);

/* No longer needed, so this is a no-op */
#define OPENSSSL_malloc_init() while(0) continue

# define OPENSSSL_malloc(num) \
    CRYPTO_malloc(num, OPENSSSL_FILE, OPENSSSL_LINE)

```



```

# define OPENSSL_zalloc(num) \
    CRYPTO_zalloc(num, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_realloc(addr, num) \
    CRYPTO_realloc(addr, num, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_clear_realloc(addr, old_num, num) \
    CRYPTO_clear_realloc(addr, old_num, num, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_clear_free(addr,
num) \
    CRYPTO_clear_free(addr, num, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_free(addr) \
    CRYPTO_free(addr, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_memdup(str, s) \
    CRYPTO_memdup((str), s, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_strdup(str) \
    CRYPTO_strdup(str, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_strndup(str, n) \
    CRYPTO_strndup(str, n, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_secure_malloc(num) \
    CRYPTO_secure_malloc(num, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_secure_zalloc(num) \
    CRYPTO_secure_zalloc(num, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_secure_free(addr) \
    CRYPTO_secure_free(addr, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_secure_clear_free(addr, num) \
    CRYPTO_secure_clear_free(addr, num, OPENSSL_FILE, OPENSSL_LINE)
# define OPENSSL_secure_actual_size(ptr) \
    CRYPTO_secure_actual_size(ptr)

size_t OPENSSL_strlcpy(char *dst, const char *src, size_t siz);
size_t
    OPENSSL_strlcat(char *dst, const char *src, size_t siz);
size_t OPENSSL_strlen(const char *str, size_t maxlen);
int OPENSSL_buf2hexstr_ex(char *str, size_t str_n, size_t *strlength,
    const unsigned char *buf, size_t buflen,
    const char sep);
char *OPENSSL_buf2hexstr(const unsigned char *buf, long buflen);
int OPENSSL_hexstr2buf_ex(unsigned char *buf, size_t buf_n, size_t *buflen,
    const char *str, const char sep);
unsigned char *OPENSSL_hexstr2buf(const char *str, long *buflen);
int OPENSSL_hexchar2int(unsigned char c);
int OPENSSL_strcasecmp(const char *s1, const char *s2);
int OPENSSL_strncasecmp(const char *s1, const char *s2, size_t n);

# define OPENSSL_MALLOC_MAX_NELEMS(type) (((1U<<(sizeof(int)*8-1))-1)/sizeof(type))

/*
* These functions return the values of OPENSSL_VERSION_MAJOR,
* OPENSSL_VERSION_MINOR, OPENSSL_VERSION_PATCH, OPENSSL_VERSION_PRE_RELEASE

```

```

* and OPENSSL_VERSION_BUILD_METADATA,
respectively.
*/

unsigned int OPENSSL_version_major(void);
unsigned int OPENSSL_version_minor(void);
unsigned int OPENSSL_version_patch(void);
const char *OPENSSL_version_pre_release(void);
const char *OPENSSL_version_build_metadata(void);

unsigned long OpenSSL_version_num(void);
const char *OpenSSL_version(int type);
# define OPENSSL_VERSION          0
# define OPENSSL_CFLAGS           1
# define OPENSSL_BUILT_ON         2
# define OPENSSL_PLATFORM         3
# define OPENSSL_DIR              4
# define OPENSSL_ENGINES_DIR      5
# define OPENSSL_VERSION_STRING   6
# define OPENSSL_FULL_VERSION_STRING 7
# define OPENSSL_MODULES_DIR      8
# define OPENSSL_CPU_INFO         9

const char *OPENSSL_info(int type);
/*
* The series starts at 1001 to avoid confusion with the OpenSSL_version
* types.
*/
# define OPENSSL_INFO_CONFIG_DIR    1001
# define OPENSSL_INFO_ENGINES_DIR  1002
# define OPENSSL_INFO_MODULES_DIR
    1003
# define OPENSSL_INFO_DSO_EXTENSION 1004
# define OPENSSL_INFO_DIR_FILENAME_SEPARATOR 1005
# define OPENSSL_INFO_LIST_SEPARATOR 1006
# define OPENSSL_INFO_SEED_SOURCE   1007
# define OPENSSL_INFO_CPU_SETTINGS  1008

int OPENSSL_issetugid(void);

struct crypto_ex_data_st {
    OSSL_LIB_CTX *ctx;
    STACK_OF(void) *sk;
};

SKM_DEFINE_STACK_OF_INTERNAL(void, void, void)
#define sk_void_num(sk) OPENSSL_sk_num(ossl_check_const_void_sk_type(sk))
#define sk_void_value(sk, idx) ((void *)OPENSSL_sk_value(ossl_check_const_void_sk_type(sk), (idx)))
#define sk_void_new(cmp) ((STACK_OF(void) *)OPENSSL_sk_new(ossl_check_void_compfunc_type(cmp)))

```

```

#define sk_void_new_null() ((STACK_OF(void) *)OPENSSL_sk_new_null())
#define sk_void_new_reserve(cmp, n) ((STACK_OF(void)
*)OPENSSL_sk_new_reserve(ssl_check_void_compfunc_type(cmp), (n)))
#define sk_void_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_void_sk_type(sk), (n))
#define
    sk_void_free(sk) OPENSSL_sk_free(ssl_check_void_sk_type(sk))
#define sk_void_zero(sk) OPENSSL_sk_zero(ssl_check_void_sk_type(sk))
#define sk_void_delete(sk, i) ((void *)OPENSSL_sk_delete(ssl_check_void_sk_type(sk), (i)))
#define sk_void_delete_ptr(sk, ptr) ((void *)OPENSSL_sk_delete_ptr(ssl_check_void_sk_type(sk),
ssl_check_void_type(ptr)))
#define sk_void_push(sk, ptr) OPENSSL_sk_push(ssl_check_void_sk_type(sk), ssl_check_void_type(ptr))
#define sk_void_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_void_sk_type(sk), ssl_check_void_type(ptr))
#define sk_void_pop(sk) ((void *)OPENSSL_sk_pop(ssl_check_void_sk_type(sk)))
#define sk_void_shift(sk) ((void *)OPENSSL_sk_shift(ssl_check_void_sk_type(sk)))
#define sk_void_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_void_sk_type(sk), ssl_check_void_freefunc_type(freefunc))
#define sk_void_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_void_sk_type(sk), ssl_check_void_type(ptr),
(idx))
#define sk_void_set(sk, idx, ptr) ((void
*)OPENSSL_sk_set(ssl_check_void_sk_type(sk), (idx), ssl_check_void_type(ptr)))
#define sk_void_find(sk, ptr) OPENSSL_sk_find(ssl_check_void_sk_type(sk), ssl_check_void_type(ptr))
#define sk_void_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_void_sk_type(sk), ssl_check_void_type(ptr))
#define sk_void_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_void_sk_type(sk),
ssl_check_void_type(ptr), pnum)
#define sk_void_sort(sk) OPENSSL_sk_sort(ssl_check_void_sk_type(sk))
#define sk_void_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_void_sk_type(sk))
#define sk_void_dup(sk) ((STACK_OF(void) *)OPENSSL_sk_dup(ssl_check_const_void_sk_type(sk)))
#define sk_void_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(void)
*)OPENSSL_sk_deep_copy(ssl_check_const_void_sk_type(sk), ssl_check_void_copyfunc_type(copyfunc),
ssl_check_void_freefunc_type(freefunc)))
#define sk_void_set_cmp_func(sk, cmp)
((sk_void_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_void_sk_type(sk),
ssl_check_void_compfunc_type(cmp)))

```

```

/*

```

```

    * Per class, we have a STACK of function pointers.

```

```

*/

```

```

# define CRYPTO_EX_INDEX_SSL          0
# define CRYPTO_EX_INDEX_SSL_CTX      1
# define CRYPTO_EX_INDEX_SSL_SESSION  2
# define CRYPTO_EX_INDEX_X509         3
# define CRYPTO_EX_INDEX_X509_STORE    4
# define CRYPTO_EX_INDEX_X509_STORE_CTX 5
# define CRYPTO_EX_INDEX_DH           6
# define CRYPTO_EX_INDEX_DSA          7
# define CRYPTO_EX_INDEX_EC_KEY       8

```

```

#define CRYPTO_EX_INDEX_RSA          9
#define CRYPTO_EX_INDEX_ENGINE      10
#define CRYPTO_EX_INDEX_UI          11
#define CRYPTO_EX_INDEX_BIO         12
#define CRYPTO_EX_INDEX_APP         13
#define CRYPTO_EX_INDEX_UI_METHOD   14
#define CRYPTO_EX_INDEX_RAND_DRBG    15
#define CRYPTO_EX_INDEX_DRBG         CRYPTO_EX_INDEX_RAND_DRBG
#define CRYPTO_EX_INDEX_OSSL_LIB_CTX 16
#define CRYPTO_EX_INDEX_EVP_PKEY     17
#define CRYPTO_EX_INDEX__COUNT     18

typedef void
CRYPTO_EX_new (void *parent, void *ptr, CRYPTO_EX_DATA *ad,
              int idx, long argl, void *argp);
typedef void CRYPTO_EX_free (void *parent, void *ptr, CRYPTO_EX_DATA *ad,
                             int idx, long argl, void *argp);
typedef int CRYPTO_EX_dup (CRYPTO_EX_DATA *to, const CRYPTO_EX_DATA *from,
                           void **from_d, int idx, long argl, void *argp);
__owur int CRYPTO_get_ex_new_index(int class_index, long argl, void *argp,
                                   CRYPTO_EX_new *new_func,
                                   CRYPTO_EX_dup *dup_func,
                                   CRYPTO_EX_free *free_func);

/* No longer use an index. */
int CRYPTO_free_ex_index(int class_index, int idx);

/*
 * Initialise/duplicate/free CRYPTO_EX_DATA variables corresponding to a
 * given class (invokes whatever per-class callbacks are applicable)
 */
int CRYPTO_new_ex_data(int class_index, void *obj, CRYPTO_EX_DATA *ad);
int CRYPTO_dup_ex_data(int class_index,
                       CRYPTO_EX_DATA *to,
                       const CRYPTO_EX_DATA *from);

void CRYPTO_free_ex_data(int class_index, void *obj, CRYPTO_EX_DATA *ad);

/* Allocate a single item in the CRYPTO_EX_DATA variable */
int CRYPTO_alloc_ex_data(int class_index, void *obj, CRYPTO_EX_DATA *ad,
                         int idx);

/*
 * Get/set data in a CRYPTO_EX_DATA variable corresponding to a particular
 * index (relative to the class type involved)
 */
int CRYPTO_set_ex_data(CRYPTO_EX_DATA *ad, int idx, void *val);
void *CRYPTO_get_ex_data(const CRYPTO_EX_DATA *ad, int idx);

```

```

# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
/*
 * This function cleans up all "ex_data" state. It mustn't be called under
 * potential race-conditions.
 */
# define CRYPTO_cleanup_all_ex_data() while(0) continue

/*
 * The old locking functions have been removed completely without compatibility
 * macros. This is because the old functions either could not properly report
 * errors, or the returned error values were not clearly
 * documented.
 * Replacing the locking functions with no-ops would cause race condition
 * issues in the affected applications. It is far better for them to fail at
 * compile time.
 * On the other hand, the locking callbacks are no longer used. Consequently,
 * the callback management functions can be safely replaced with no-op macros.
 */
# define CRYPTO_num_locks()      (1)
# define CRYPTO_set_locking_callback(func)
# define CRYPTO_get_locking_callback()   (NULL)
# define CRYPTO_set_add_lock_callback(func)
# define CRYPTO_get_add_lock_callback()   (NULL)

/*
 * These defines were used in combination with the old locking callbacks,
 * they are not called anymore, but old code that's not called might still
 * use them.
 */
# define CRYPTO_LOCK      1
# define CRYPTO_UNLOCK    2
# define CRYPTO_READ      4
# define CRYPTO_WRITE     8

/* This structure is no longer used */
typedef struct crypto_threadid_st {
    int dummy;
}
CRYPTO_THREADID;
/* Only use CRYPTO_THREADID_set_[numeric|pointer]() within callbacks */
# define CRYPTO_THREADID_set_numeric(id, val)
# define CRYPTO_THREADID_set_pointer(id, ptr)
# define CRYPTO_THREADID_set_callback(threadid_func) (0)
# define CRYPTO_THREADID_get_callback()              (NULL)
# define CRYPTO_THREADID_current(id)
# define CRYPTO_THREADID_cmp(a, b)                  (-1)
# define CRYPTO_THREADID_cpy(dest, src)
# define CRYPTO_THREADID_hash(id)                   (0UL)

```

```

# ifndef OPENSSSL_NO_DEPRECATED_1_0_0
#  define CRYPTO_set_id_callback(func)
#  define CRYPTO_get_id_callback()      (NULL)
#  define CRYPTO_thread_id()            (0UL)
# endif /* OPENSSSL_NO_DEPRECATED_1_0_0 */

# define CRYPTO_set_dynlock_create_callback(dyn_create_function)
# define CRYPTO_set_dynlock_lock_callback(dyn_lock_function)
# define CRYPTO_set_dynlock_destroy_callback(dyn_destroy_function)
# define CRYPTO_get_dynlock_create_callback()
    (NULL)
# define CRYPTO_get_dynlock_lock_callback()      (NULL)
# define CRYPTO_get_dynlock_destroy_callback()   (NULL)
# endif /* OPENSSSL_NO_DEPRECATED_1_1_0 */

typedef void *(*CRYPTO_malloc_fn)(size_t num, const char *file, int line);
typedef void *(*CRYPTO_realloc_fn)(void *addr, size_t num, const char *file,
    int line);
typedef void (*CRYPTO_free_fn)(void *addr, const char *file, int line);
int CRYPTO_set_mem_functions(CRYPTO_malloc_fn malloc_fn,
    CRYPTO_realloc_fn realloc_fn,
    CRYPTO_free_fn free_fn);
void CRYPTO_get_mem_functions(CRYPTO_malloc_fn *malloc_fn,
    CRYPTO_realloc_fn *realloc_fn,
    CRYPTO_free_fn *free_fn);

void *CRYPTO_malloc(size_t num, const char *file, int line);
void *CRYPTO_zalloc(size_t num, const char *file, int line);
void *CRYPTO_memdup(const void *str, size_t siz, const char *file, int line);
char
    *CRYPTO_strdup(const char *str, const char *file, int line);
char *CRYPTO_strndup(const char *str, size_t s, const char *file, int line);
void CRYPTO_free(void *ptr, const char *file, int line);
void CRYPTO_clear_free(void *ptr, size_t num, const char *file, int line);
void *CRYPTO_realloc(void *addr, size_t num, const char *file, int line);
void *CRYPTO_clear_realloc(void *addr, size_t old_num, size_t num,
    const char *file, int line);

int CRYPTO_secure_malloc_init(size_t sz, size_t minsize);
int CRYPTO_secure_malloc_done(void);
void *CRYPTO_secure_malloc(size_t num, const char *file, int line);
void *CRYPTO_secure_zalloc(size_t num, const char *file, int line);
void CRYPTO_secure_free(void *ptr, const char *file, int line);
void CRYPTO_secure_clear_free(void *ptr, size_t num,
    const char *file, int line);
int CRYPTO_secure_allocated(const void *ptr);
int CRYPTO_secure_malloc_initialized(void);

```

```

size_t CRYPTO_secure_actual_size(void
*ptr);
size_t CRYPTO_secure_used(void);

void OPENSSL_cleanse(void *ptr, size_t len);

#ifndef OPENSSL_NO_CRYPTO_MDEBUG
/*
 * The following can be used to detect memory leaks in the library. If
 * used, it turns on malloc checking
 */
#define CRYPTO_MEM_CHECK_OFF 0x0 /* Control only */
#define CRYPTO_MEM_CHECK_ON 0x1 /* Control and mode bit */
#define CRYPTO_MEM_CHECK_ENABLE 0x2 /* Control and mode bit */
#define CRYPTO_MEM_CHECK_DISABLE 0x3 /* Control only */

void CRYPTO_get_alloc_counts(int *mcount, int *rcount, int *fcount);
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define OPENSSL_mem_debug_push(info) \
    CRYPTO_mem_debug_push(info, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_mem_debug_pop() \
    CRYPTO_mem_debug_pop()
#endif
#ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 int CRYPTO_set_mem_debug(int flag);
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_ctrl(int mode);
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_debug_push(const char *info,
const char *file, int line);
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_debug_pop(void);
OSSL_DEPRECATEDIN_3_0 void CRYPTO_mem_debug_malloc(void *addr, size_t num,
int flag,
const char *file, int line);
OSSL_DEPRECATEDIN_3_0 void CRYPTO_mem_debug_realloc(void *addr1, void *addr2,
size_t num, int flag,
const char *file, int line);
OSSL_DEPRECATEDIN_3_0 void CRYPTO_mem_debug_free(void *addr, int flag,
const char *file, int line);
OSSL_DEPRECATEDIN_3_0
int CRYPTO_mem_leaks_cb(int (*cb)(const char *str, size_t len, void *u),
void *u);
#endif
#ifndef OPENSSL_NO_STDIO
#ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_leaks_fp(FILE *);
#endif
#endif
#endif
#ifndef OPENSSL_NO_DEPRECATED_3_0

```

```

OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_leaks(BIO *bio);
# endif
# endif /* OPENSSSL_NO_CRYPTOMDEBUG */

/* die if we have to */
ossl_noreturn void OPENSSSL_die(const char *assertion, const char *file, int line);
# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#  define OpenSSLDie(f,l,a) OPENSSSL_die((a),(f),(l))
# endif
# define OPENSSSL_assert(e) \
    (void)((e) ? 0 : (OPENSSSL_die("assertion failed: " #e, OPENSSSL_FILE, OPENSSSL_LINE), 1))

int OPENSSSL_isservice(void);

void OPENSSSL_init(void);
# ifdef OPENSSSL_SYS_UNIX
#  ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 void OPENSSSL_fork_prepare(void);
OSSL_DEPRECATEDIN_3_0 void OPENSSSL_fork_parent(void);
OSSL_DEPRECATEDIN_3_0 void OPENSSSL_fork_child(void);
#  endif
# endif

struct tm *OPENSSSL_gmtime(const time_t *timer, struct tm *result);
int OPENSSSL_gmtime_adj(struct tm *tm, int offset_day, long offset_sec);
int OPENSSSL_gmtime_diff(int *pday, int *psec,
    const struct tm *from, const
    struct tm *to);

/*
 * CRYPTO_memcmp returns zero iff the |len| bytes at |a| and |b| are equal.
 * It takes an amount of time dependent on |len|, but independent of the
 * contents of |a| and |b|. Unlike memcmp, it cannot be used to put elements
 * into a defined order as the return value when a != b is undefined, other
 * than to be non-zero.
 */
int CRYPTO_memcmp(const void * in_a, const void * in_b, size_t len);

/* Standard initialisation options */
# define OPENSSSL_INIT_NO_LOAD_CRYPTOSTRINGS 0x00000001L
# define OPENSSSL_INIT_LOAD_CRYPTOSTRINGS 0x00000002L
# define OPENSSSL_INIT_ADD_ALL_CIPHERS 0x00000004L
# define OPENSSSL_INIT_ADD_ALL_DIGESTS 0x00000008L
# define OPENSSSL_INIT_NO_ADD_ALL_CIPHERS 0x00000010L
# define OPENSSSL_INIT_NO_ADD_ALL_DIGESTS 0x00000020L
# define OPENSSSL_INIT_LOAD_CONFIG 0x00000040L
# define OPENSSSL_INIT_NO_LOAD_CONFIG 0x00000080L
# define OPENSSSL_INIT_ASYNC 0x00000100L

```



```

# define OPENSSL_INIT_ENGINE_RDRAND
    0x00000200L
# define OPENSSL_INIT_ENGINE_DYNAMIC    0x00000400L
# define OPENSSL_INIT_ENGINE_OPENSSL    0x00000800L
# define OPENSSL_INIT_ENGINE_CRYPTODEV  0x00001000L
# define OPENSSL_INIT_ENGINE_CAPI       0x00002000L
# define OPENSSL_INIT_ENGINE_PADLOCK    0x00004000L
# define OPENSSL_INIT_ENGINE_AFALG      0x00008000L
/* FREE:                0x00010000L */
# define OPENSSL_INIT_ATFORK            0x00020000L
/* OPENSSL_INIT_BASE_ONLY    0x00040000L */
# define OPENSSL_INIT_NO_ATEXIT        0x00080000L
/* OPENSSL_INIT flag range 0x03f00000 reserved for OPENSSL_init_ssl() */
/* FREE: 0x04000000L */
/* FREE: 0x08000000L */
/* FREE: 0x10000000L */
/* FREE: 0x20000000L */
/* FREE: 0x40000000L */
/* FREE: 0x80000000L */
/* Max OPENSSL_INIT flag value is 0x80000000 */

/* openssl and dasync not counted as builtin */
# define OPENSSL_INIT_ENGINE_ALL_BUILTIN \
    (OPENSSL_INIT_ENGINE_RDRAND | OPENSSL_INIT_ENGINE_DYNAMIC \
    \
    | OPENSSL_INIT_ENGINE_CRYPTODEV | OPENSSL_INIT_ENGINE_CAPI | \
    OPENSSL_INIT_ENGINE_PADLOCK)

/* Library initialisation functions */
void OPENSSL_cleanup(void);
int OPENSSL_init_crypto(uint64_t opts, const OPENSSL_INIT_SETTINGS *settings);
int OPENSSL_atexit(void (*handler)(void));
void OPENSSL_thread_stop(void);
void OPENSSL_thread_stop_ex(OSSL_LIB_CTX *ctx);

/* Low-level control of initialization */
OPENSSL_INIT_SETTINGS *OPENSSL_INIT_new(void);
# ifndef OPENSSL_NO_STDIO
int OPENSSL_INIT_set_config_filename(OPENSSL_INIT_SETTINGS *settings,
    const char *config_filename);
void OPENSSL_INIT_set_config_file_flags(OPENSSL_INIT_SETTINGS *settings,
    unsigned long flags);
int OPENSSL_INIT_set_config_appname(OPENSSL_INIT_SETTINGS *settings,
    const char *config_appname);
# endif
void OPENSSL_INIT_free(OPENSSL_INIT_SETTINGS *settings);

# if defined(OPENSSL_THREADS)

```

```

&& !defined(CRYPTO_TDEBUG)
# if defined(_WIN32)
# if defined(BASETYPES) || defined(_WINDEF_H)
/* application has to include <windows.h> in order to use this */
typedef DWORD CRYPTO_THREAD_LOCAL;
typedef DWORD CRYPTO_THREAD_ID;

typedef LONG CRYPTO_ONCE;
# define CRYPTO_ONCE_STATIC_INIT 0
# endif
# else
# if defined(__TANDEM) && defined(_SPT_MODEL_)
# define SPT_THREAD_SIGNAL 1
# define SPT_THREAD_AWARE 1
# include <sptthread.h>
# else
# include <pthread.h>
# endif
typedef pthread_once_t CRYPTO_ONCE;
typedef pthread_key_t CRYPTO_THREAD_LOCAL;
typedef pthread_t CRYPTO_THREAD_ID;

# define CRYPTO_ONCE_STATIC_INIT PTHREAD_ONCE_INIT
# endif
# endif

# if !defined(CRYPTO_ONCE_STATIC_INIT)
typedef unsigned int CRYPTO_ONCE;
typedef unsigned int CRYPTO_THREAD_LOCAL;
typedef unsigned int CRYPTO_THREAD_ID;
# define CRYPTO_ONCE_STATIC_INIT 0
# endif

int CRYPTO_THREAD_run_once(CRYPTO_ONCE *once, void (*init)(void));

int CRYPTO_THREAD_init_local(CRYPTO_THREAD_LOCAL
    *key, void (*cleanup)(void *));
void *CRYPTO_THREAD_get_local(CRYPTO_THREAD_LOCAL *key);
int CRYPTO_THREAD_set_local(CRYPTO_THREAD_LOCAL *key, void *val);
int CRYPTO_THREAD_cleanup_local(CRYPTO_THREAD_LOCAL *key);

CRYPTO_THREAD_ID CRYPTO_THREAD_get_current_id(void);
int CRYPTO_THREAD_compare_id(CRYPTO_THREAD_ID a, CRYPTO_THREAD_ID b);

OSSL_LIB_CTX *OSSL_LIB_CTX_new(void);
OSSL_LIB_CTX *OSSL_LIB_CTX_new_from_dispatch(const OSSL_CORE_HANDLE *handle,
    const OSSL_DISPATCH *in);
OSSL_LIB_CTX *OSSL_LIB_CTX_new_child(const OSSL_CORE_HANDLE *handle,

```

```
const OSSL_DISPATCH *in);
int OSSL_LIB_CTX_load_config(OSSL_LIB_CTX *ctx, const char *config_file);
void OSSL_LIB_CTX_free(OSSL_LIB_CTX *);
OSSL_LIB_CTX *OSSL_LIB_CTX_get0_global_default(void);
OSSL_LIB_CTX *OSSL_LIB_CTX_set0_default(OSSL_LIB_CTX *libctx);
```

```
# ifdef __cplusplus
}
# endif
#endif
```

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and

disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

- a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and
- b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.
- d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions

either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,

attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of

the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived
from the Public Domain or from the Copyright Holder. A Package modified in such
a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that
you insert a prominent notice in each changed file stating how and when you
changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them
Freely Available, such as by posting said modifications to Usenet or an
equivalent medium, or placing the modifications on a major archive site
such as ftp.uu.net, or by allowing the Copyright Holder to include your
modifications in the Standard Version of the Package.

b) use the modified
Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with
standard executables, which must also be provided, and provide a separate
manual page for each non-standard executable that clearly documents how it
differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable
form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files,
together with instructions (in the manual page or equivalent) on where to
get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package
with your modifications.

c) accompany any non-standard executables with their corresponding Standard
Version executables, giving the non-standard executables non-standard
names,
and clearly documenting the differences in manual pages (or
equivalent), together with instructions on where to get the Standard
Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this

Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

The ISC License

Copyright (c) Isaac Z. Schlueter, Kat Marchn, npm, Inc., and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Minizlib was created by Isaac Z. Schlueter.

It is a derivative work of the Node.js project.

Copyright Isaac Z. Schlueter and Contributors

Copyright Node.js contributors. All rights reserved.

Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"),

to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
```

'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cbc.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_core.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',

'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',

'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',

'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',

'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',

'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/camellia.c',
'openssl/crypto/camellia/cml_cbc.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_misc.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_key.c',
'openssl/crypto/chacha/chacha_enc.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',

'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',

'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',

'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',

'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',

'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',

'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecx_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',

'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',

'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',

'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',

'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_clr.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2_dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',

'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_pmn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbagg.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',

'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/rc4/rc4_enc.c',
'openssl/crypto/rc4/rc4_skey.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',

'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',

'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',

'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',

'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attr.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',

'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',

'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',

'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',

'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',

```

'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86': [
'./config/archs/BSD-x86/no-asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_wrap_gen.c',

'./config/archs/BSD-x86/no-asm/providers/legacy.ld',
'./config/archs/BSD-x86/no-asm/providers/fips.ld',
],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
},
'include_dirs': [
'',
'./include',

```



```

'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags' : ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86)'],
},
}

```

The MIT License (MIT)

Copyright (c) 2013-2017 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',
'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',

'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
```

```
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86/no-asm/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
```

```
'defines': ['<@(openssl_defines_BSD-x86)'],
'include_dirs': [
    './include',
],
'cflags' : ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86)'],
}
```

Copyright (c) Robert Kowalski and Isaac Z. Schlueter ("Authors")
All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by Makefile from providers/common/include/prov/der_digests.h.in

*

* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

```

#include "internal/der.h"

/* Well known OIDs precompiled */

/*
 * sigAlgs OBJECT IDENTIFIER ::= { nistAlgorithms 3 }
 */
#define DER_OID_V_sigAlgs DER_P_OBJECT, 8, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03
#define DER_OID_SZ_sigAlgs 10
extern const unsigned char ossl_der_oid_sigAlgs[DER_OID_SZ_sigAlgs];

/*
 * id-sha1 OBJECT IDENTIFIER ::= { iso(1)
 *     identified-organization(3) oiw(14)
 *     secsig(3) algorithms(2) 26 }
 */
#define DER_OID_V_id_sha1 DER_P_OBJECT, 5, 0x2B, 0x0E, 0x03, 0x02, 0x1A
#define DER_OID_SZ_id_sha1
7
extern const unsigned char ossl_der_oid_id_sha1[DER_OID_SZ_id_sha1];

/*
 * id-md2 OBJECT IDENTIFIER ::= {
 *     iso(1) member-body(2) us(840) rsadsi(113549) digestAlgorithm(2) 2 }
 */
#define DER_OID_V_id_md2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x02, 0x02
#define DER_OID_SZ_id_md2 10
extern const unsigned char ossl_der_oid_id_md2[DER_OID_SZ_id_md2];

/*
 * id-md5 OBJECT IDENTIFIER ::= {
 *     iso(1) member-body(2) us(840) rsadsi(113549) digestAlgorithm(2) 5 }
 */
#define DER_OID_V_id_md5 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x02, 0x05
#define DER_OID_SZ_id_md5 10
extern const unsigned char ossl_der_oid_id_md5[DER_OID_SZ_id_md5];

/*
 * id-sha256 OBJECT IDENTIFIER ::= { hashAlgs 1 }
 */
#define DER_OID_V_id_sha256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x01
#define DER_OID_SZ_id_sha256 11
extern const unsigned char ossl_der_oid_id_sha256[DER_OID_SZ_id_sha256];

/*
 * id-sha384 OBJECT IDENTIFIER ::= { hashAlgs
 *     2 }
 */

```

```

#define DER_OID_V_id_sha384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x02
#define DER_OID_SZ_id_sha384 11
extern const unsigned char ossl_der_oid_id_sha384[DER_OID_SZ_id_sha384];

/*
 * id-sha512 OBJECT IDENTIFIER ::= { hashAlgs 3 }
 */
#define DER_OID_V_id_sha512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x03
#define DER_OID_SZ_id_sha512 11
extern const unsigned char ossl_der_oid_id_sha512[DER_OID_SZ_id_sha512];

/*
 * id-sha224 OBJECT IDENTIFIER ::= { hashAlgs 4 }
 */
#define DER_OID_V_id_sha224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x04
#define DER_OID_SZ_id_sha224 11
extern const unsigned char ossl_der_oid_id_sha224[DER_OID_SZ_id_sha224];

/*
 * id-sha512-224 OBJECT IDENTIFIER ::= { hashAlgs 5 }
 */
#define DER_OID_V_id_sha512_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x05
#define DER_OID_SZ_id_sha512_224 11
extern const unsigned char ossl_der_oid_id_sha512_224[DER_OID_SZ_id_sha512_224];

/*
 * id-sha512-256 OBJECT IDENTIFIER ::= { hashAlgs 6 }
 */
#define DER_OID_V_id_sha512_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x06
#define DER_OID_SZ_id_sha512_256 11
extern const unsigned char ossl_der_oid_id_sha512_256[DER_OID_SZ_id_sha512_256];

/*
 * id-sha3-224 OBJECT IDENTIFIER ::= { hashAlgs 7 }
 */
#define DER_OID_V_id_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x07
#define DER_OID_SZ_id_sha3_224 11
extern const unsigned char ossl_der_oid_id_sha3_224[DER_OID_SZ_id_sha3_224];

/*
 * id-sha3-256 OBJECT IDENTIFIER ::= { hashAlgs 8 }
 */
#define DER_OID_V_id_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x08
#define DER_OID_SZ_id_sha3_256 11
extern const unsigned char ossl_der_oid_id_sha3_256[DER_OID_SZ_id_sha3_256];

/*
 * id-sha3-384 OBJECT IDENTIFIER ::= { hashAlgs 9 }

```

```

*/
#define DER_OID_V_id_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x09
#define
    DER_OID_SZ_id_sha3_384 11
extern const unsigned char ossl_der_oid_id_sha3_384[DER_OID_SZ_id_sha3_384];

/*
* id-sha3-512 OBJECT IDENTIFIER ::= { hashAlgs 10 }
*/
#define DER_OID_V_id_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x0A
#define DER_OID_SZ_id_sha3_512 11
extern const unsigned char ossl_der_oid_id_sha3_512[DER_OID_SZ_id_sha3_512];

/*
* id-shake128 OBJECT IDENTIFIER ::= { hashAlgs 11 }
*/
#define DER_OID_V_id_shake128 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x0B
#define DER_OID_SZ_id_shake128 11
extern const unsigned char ossl_der_oid_id_shake128[DER_OID_SZ_id_shake128];

/*
* id-shake256 OBJECT IDENTIFIER ::= { hashAlgs 12 }
*/
#define DER_OID_V_id_shake256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x0C
#define DER_OID_SZ_id_shake256 11
extern const unsigned char ossl_der_oid_id_shake256[DER_OID_SZ_id_shake256];

/*
* id-shake128-len OBJECT IDENTIFIER ::= { hashAlgs 17 }
*/
#define DER_OID_V_id_shake128_len
    DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x11
#define DER_OID_SZ_id_shake128_len 11
extern const unsigned char ossl_der_oid_id_shake128_len[DER_OID_SZ_id_shake128_len];

/*
* id-shake256-len OBJECT IDENTIFIER ::= { hashAlgs 18 }
*/
#define DER_OID_V_id_shake256_len DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02,
    0x12
#define DER_OID_SZ_id_shake256_len 11
extern const unsigned char ossl_der_oid_id_shake256_len[DER_OID_SZ_id_shake256_len];

/*
* id-KMACWithSHAKE128 OBJECT IDENTIFIER ::= {hashAlgs 19}
*/
#define DER_OID_V_id_KMACWithSHAKE128 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
    0x02, 0x13

```



```

#define DER_OID_SZ_id_KMACWithSHAKE128 11
extern const unsigned char ossl_der_oid_id_KMACWithSHAKE128[DER_OID_SZ_id_KMACWithSHAKE128];

/*
 * id-KMACWithSHAKE256 OBJECT IDENTIFIER ::= { hashAlgs 20 }
 */
#define DER_OID_V_id_KMACWithSHAKE256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x02, 0x14
#define
DER_OID_SZ_id_KMACWithSHAKE256 11
extern const unsigned char ossl_der_oid_id_KMACWithSHAKE256[DER_OID_SZ_id_KMACWithSHAKE256];
Copyright (c) 2015, npm, Inc

```

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```

/*
 * WARNING: do not edit!
 * Generated by Makefile from providers/common/include/prov/der_ecx.h.in
 *
 * Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

```

```

#include "internal/der.h"
#include "crypto/ecx.h"

```

```

/* Well known OIDs precompiled */

```

```

/*
 * id-X25519 OBJECT IDENTIFIER ::= { id-edwards-curve-algs 110 }
 */
#define DER_OID_V_id_X25519 DER_P_OBJECT, 3, 0x2B, 0x65, 0x6E
#define DER_OID_SZ_id_X25519 5
extern const unsigned char ossl_der_oid_id_X25519[DER_OID_SZ_id_X25519];

```

```

/*
 * id-X448      OBJECT IDENTIFIER ::= { id-edwards-curve-algs 111 }
 */
#define DER_OID_V_id_X448 DER_P_OBJECT, 3, 0x2B, 0x65, 0x6F
#define DER_OID_SZ_id_X448 5
extern const unsigned char ossl_der_oid_id_X448[DER_OID_SZ_id_X448];

/*
 * id-Ed25519   OBJECT IDENTIFIER ::= { id-edwards-curve-algs 112 }
 */
#define DER_OID_V_id_Ed25519 DER_P_OBJECT, 3, 0x2B, 0x65, 0x70
#define DER_OID_SZ_id_Ed25519 5
extern const unsigned char ossl_der_oid_id_Ed25519[DER_OID_SZ_id_Ed25519];

/*
 * id-Ed448     OBJECT IDENTIFIER ::= { id-edwards-curve-algs 113 }
 */
#define DER_OID_V_id_Ed448 DER_P_OBJECT, 3, 0x2B, 0x65, 0x71
#define DER_OID_SZ_id_Ed448 5
extern const unsigned char ossl_der_oid_id_Ed448[DER_OID_SZ_id_Ed448];

int ossl_DER_w_algorithmIdentifier_ED25519(WPACKET *pkt, int cont, ECX_KEY *ec);
int ossl_DER_w_algorithmIdentifier_ED448(WPACKET *pkt, int cont, ECX_KEY *ec);
int ossl_DER_w_algorithmIdentifier_X25519(WPACKET *pkt, int cont, ECX_KEY *ec);
int ossl_DER_w_algorithmIdentifier_X448(WPACKET *pkt, int cont, ECX_KEY *ec);
MIT License
-----

```

Copyright (C) 2018-2020 Guy Bedford

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 0c6fa6970743d71fb1583281dd06600e

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2022 Nicol Ribaud

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the

Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE

OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL- compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes

2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of

the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6.

This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's

License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with

Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs

4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of

agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both
that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

W3C 3-clause BSD License

<http://www.w3.org/Consortium/Legal/2008/03-bsd-license.html>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of works must retain the original copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the original copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

* Neither the name of the W3C nor the names of its contributors may be used to endorse or promote products derived from this work without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/ssl.h.in

*

* Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.

* Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved

* Copyright 2005 Nokia. All rights reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_SSL_H

define OPENSSL_SSL_H

pragma once

include <openssl/macros.h>

ifndef OPENSSL_NO_DEPRECATED_3_0

define HEADER_SSL_H

endif

include <openssl/e_os2.h>

include <openssl/opensslconf.h>

include <openssl/comp.h>

include <openssl/bio.h>

ifndef OPENSSL_NO_DEPRECATED_1_1_0

```

# include <openssl/x509.h>
# include <openssl/crypto.h>
# include <openssl/buffer.h>
# endif
# include <openssl/lhash.h>
# include <openssl/pem.h>
#
# include <openssl/hmac.h>
# include <openssl/async.h>

# include <openssl/safestack.h>
# include <openssl/symhacks.h>
# include <openssl/ct.h>
# include <openssl/sslerr.h>
# include <openssl/prov_ssl.h>

#ifdef __cplusplus
extern "C" {
#endif

/* OpenSSL version number for ASN.1 encoding of the session information */
/*_
* Version 0 - initial version
* Version 1 - added the optional peer certificate
*/
# define SSL_SESSION_ASN1_VERSION 0x0001

# define SSL_MAX_SSL_SESSION_ID_LENGTH      32
# define SSL_MAX_SID_CTX_LENGTH            32

# define SSL_MIN_RSA_MODULUS_LENGTH_IN_BYTES (512/8)
# define SSL_MAX_KEY_ARG_LENGTH            8
/* SSL_MAX_MASTER_KEY_LENGTH is defined in prov_ssl.h */

/* The maximum number of encrypt/decrypt pipelines we can support */
# define SSL_MAX_PIPELINES 32

/* text strings for the ciphers */

/* These are used to specify which ciphers to use and not to use */

# define SSL_TXT_LOW      "LOW"
# define SSL_TXT_MEDIUM   "MEDIUM"
# define SSL_TXT_HIGH     "HIGH"
# define SSL_TXT_FIPS      "FIPS"

# define SSL_TXT_aNULL    "aNULL"

```

```

# define SSL_TXT_eNULL      "eNULL"
# define SSL_TXT_NULL      "NULL"

# define SSL_TXT_kRSA      "kRSA"
# define SSL_TXT_kDHr      "kDHr"/* this cipher class has been removed */
# define SSL_TXT_kDHd      "kDHd"/* this cipher class has been removed */
# define SSL_TXT_kDH       "kDH"/* this cipher class has been removed */
# define SSL_TXT_kEDH      "kEDH"/* alias for kDHE */
# define SSL_TXT_kDHE      "kDHE"
# define SSL_TXT_kECDHr     "kECDHr"/* this cipher class has been removed */
# define SSL_TXT_kECDHe     "kECDHe"/* this cipher class has been removed */
# define SSL_TXT_kECDH      "kECDH"/* this cipher class has been removed */
# define SSL_TXT_kEECDH     "kEECDH"/* alias for kECDHE */
# define SSL_TXT_kECDHE     "kECDHE"
# define SSL_TXT_kPSK       "kPSK"
# define SSL_TXT_kRSAPSK    "kRSAPSK"
# define SSL_TXT_kECDHEPSK  "kECDHEPSK"
# define SSL_TXT_kDHEPSK    "kDHEPSK"
# define SSL_TXT_kGOST       "kGOST"
# define SSL_TXT_kGOST18    "kGOST18"
# define SSL_TXT_kSRP       "kSRP"

# define SSL_TXT_aRSA       "aRSA"
# define SSL_TXT_aDSS       "aDSS"
# define SSL_TXT_aDH        "aDH"/* this cipher class has been removed */
# define SSL_TXT_aECDH      "aECDH"/* this cipher class has been removed */
# define SSL_TXT_aECDSA     "aECDSA"
# define SSL_TXT_aPSK       "aPSK"
# define SSL_TXT_aGOST94    "aGOST94"
# define SSL_TXT_aGOST01    "aGOST01"
# define SSL_TXT_aGOST12    "aGOST12"
# define SSL_TXT_aGOST      "aGOST"
# define SSL_TXT_aSRP       "aSRP"

# define SSL_TXT_DSS        "DSS"
# define SSL_TXT_DH         "DH"
# define SSL_TXT_DHE        "DHE"/* same as "kDHE:-ADH" */
# define SSL_TXT_EDH        "EDH"/* alias for DHE */
# define SSL_TXT_ADH        "ADH"
# define SSL_TXT_RSA        "RSA"
# define SSL_TXT_ECDH       "ECDH"
# define SSL_TXT_EECDH      "EECDH"/* alias for ECDHE */
# define SSL_TXT_ECDHE      "ECDHE"/* same as "kECDHE:-AECDH" */
# define SSL_TXT_AECDH      "AECDH"
# define SSL_TXT_ECDSA      "ECDSA"
# define SSL_TXT_PSK        "PSK"

```

```

# define SSL_TXT_SRP      "SRP"

# define SSL_TXT_DES      "DES"
# define SSL_TXT_3DES     "3DES"
# define SSL_TXT_RC4      "RC4"
# define SSL_TXT_RC2      "RC2"
# define SSL_TXT_IDEA     "IDEA"
# define SSL_TXT_SEED     "SEED"
# define SSL_TXT_AES128   "AES128"
# define SSL_TXT_AES256   "AES256"
# define SSL_TXT_AES      "AES"
# define SSL_TXT_AES_GCM  "AESGCM"
# define SSL_TXT_AES_CCM  "AESCCM"
# define SSL_TXT_AES_CCM_8  "AESCCM8"
# define SSL_TXT_CAMELLIA128  "CAMELLIA128"
# define SSL_TXT_CAMELLIA256  "CAMELLIA256"
# define SSL_TXT_CAMELLIA    "CAMELLIA"
#
# define SSL_TXT_CHACHA20   "CHACHA20"
# define SSL_TXT_GOST      "GOST89"
# define SSL_TXT_ARIA      "ARIA"
# define SSL_TXT_ARIA_GCM  "ARIAGCM"
# define SSL_TXT_ARIA128   "ARIA128"
# define SSL_TXT_ARIA256   "ARIA256"
# define SSL_TXT_GOST2012_GOST8912_GOST8912 "GOST2012-GOST8912-GOST8912"
# define SSL_TXT_CBC       "CBC"

# define SSL_TXT_MD5       "MD5"
# define SSL_TXT_SHA1      "SHA1"
# define SSL_TXT_SHA       "SHA"/* same as "SHA1" */
# define SSL_TXT_GOST94     "GOST94"
# define SSL_TXT_GOST89MAC  "GOST89MAC"
# define SSL_TXT_GOST12     "GOST12"
# define SSL_TXT_GOST89MAC12 "GOST89MAC12"
# define SSL_TXT_SHA256     "SHA256"
# define SSL_TXT_SHA384     "SHA384"

# define SSL_TXT_SSLV3     "SSLv3"
# define SSL_TXT_TLSV1     "TLSv1"
# define SSL_TXT_TLSV1_1   "TLSv1.1"
# define SSL_TXT_TLSV1_2   "TLSv1.2"

# define SSL_TXT_ALL       "ALL"

/*-
* COMPLEMENTOF*
definitions. These identifiers are used to (de-select)
* ciphers normally not being used.

```

```

* Example: "RC4" will activate all ciphers using RC4 including ciphers
* without authentication, which would normally disabled by DEFAULT (due
* the "!ADH" being part of default). Therefore "RC4:!COMPLEMENTOFDEFAULT"
* will make sure that it is also disabled in the specific selection.
* COMPLEMENTOF* identifiers are portable between version, as adjustments
* to the default cipher setup will also be included here.
*
* COMPLEMENTOFDEFAULT does not experience the same special treatment that
* DEFAULT gets, as only selection is being done and no sorting as needed
* for DEFAULT.
*/
# define SSL_TXT_CMPALL      "COMPLEMENTOFALL"
# define SSL_TXT_CMPDEF      "COMPLEMENTOFDEFAULT"

/*
* The following cipher list is used by default. It also is substituted when
* an application-defined cipher list string starts with 'DEFAULT'.
* This applies to ciphersuites for TLSv1.2 and below.
* DEPRECATED IN 3.0.0, in favor of OSSL_default_cipher_list()
* Update both macro and function simultaneously
*/
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#  define SSL_DEFAULT_CIPHER_LIST "ALL:!COMPLEMENTOFDEFAULT:!eNULL"
/*
* This is the default set of TLSv1.3 ciphersuites
* DEPRECATED IN 3.0.0, in favor of OSSL_default_ciphersuites()
* Update both macro and function simultaneously
*/
#  define TLS_DEFAULT_CIPHERSUITES "TLS_AES_256_GCM_SHA384:" \
    "TLS_CHACHA20_POLY1305_SHA256:" \
    "TLS_AES_128_GCM_SHA256"
# endif
/*
* As of OpenSSL 1.0.0, ssl_create_cipher_list() in ssl/ssl_ciph.c always
* starts with a reasonable order, and all we have to do for DEFAULT is
* throwing out anonymous and unencrypted ciphersuites! (The latter are not
* actually enabled by ALL, but "ALL:RSA" would enable some of them.)
*/

/* Used in SSL_set_shutdown()/SSL_get_shutdown(); */
# define SSL_SENT_SHUTDOWN      1
# define SSL_RECEIVED_SHUTDOWN
    2

#ifdef __cplusplus
}
#endif
#endif

```

```

#ifdef __cplusplus
extern "C" {
#endif

#define SSL_FILETYPE_ASN1    X509_FILETYPE_ASN1
#define SSL_FILETYPE_PEM     X509_FILETYPE_PEM

/*
 * This is needed to stop compilers complaining about the 'struct ssl_st *'
 * function parameters used to prototype callbacks in SSL_CTX.
 */
typedef struct ssl_st *ssl_crock_st;
typedef struct tls_session_ticket_ext_st TLS_SESSION_TICKET_EXT;
typedef struct ssl_method_st SSL_METHOD;
typedef struct ssl_cipher_st SSL_CIPHER;
typedef struct ssl_session_st SSL_SESSION;
typedef struct tls_sigalgs_st TLS_SIGALGS;
typedef struct ssl_conf_ctx_st SSL_CONF_CTX;
typedef struct ssl_comp_st SSL_COMP;

STACK_OF(SSL_CIPHER);
STACK_OF(SSL_COMP);

/* SRTP protection profiles for use with the use_srtp extension (RFC 5764)*/
typedef struct srtp_protection_profile_st {
    const char *name;
    unsigned long id;
} SRTP_PROTECTION_PROFILE;
SKM_DEFINE_STACK_OF_INTERNAL(SRTP_PROTECTION_PROFILE, SRTP_PROTECTION_PROFILE,
    SRTP_PROTECTION_PROFILE)
#define sk_SRTP_PROTECTION_PROFILE_num(sk) \
    OPENSSL_sk_num(ssl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_value(sk, idx) ((SRTP_PROTECTION_PROFILE *) \
    OPENSSL_sk_value(ssl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk), (idx)))
#define sk_SRTP_PROTECTION_PROFILE_new(cmp) ((STACK_OF(SRTP_PROTECTION_PROFILE) *) \
    OPENSSL_sk_new(ssl_check_SRTP_PROTECTION_PROFILE_compfunc_type(cmp)))
#define sk_SRTP_PROTECTION_PROFILE_new_null() ((STACK_OF(SRTP_PROTECTION_PROFILE) *) \
    OPENSSL_sk_new_null())
#define sk_SRTP_PROTECTION_PROFILE_new_reserve(cmp, n) \
    ((STACK_OF(SRTP_PROTECTION_PROFILE) *) \
    OPENSSL_sk_new_reserve(ssl_check_SRTP_PROTECTION_PROFILE_compfunc_type(cmp), (n)))
#define sk_SRTP_PROTECTION_PROFILE_reserve(sk, n) \
    OPENSSL_sk_reserve(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk), (n))
#define sk_SRTP_PROTECTION_PROFILE_free(sk) \
    OPENSSL_sk_free(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_zero(sk) \
    OPENSSL_sk_zero(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_delete(sk, i) ((SRTP_PROTECTION_PROFILE

```

```

*)OPENSSL_sk_delete(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk), (i))
#define sk_SRTP_PROTECTION_PROFILE_delete_ptr(sk, ptr) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_delete_ptr(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr)))
#define sk_SRTP_PROTECTION_PROFILE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_pop(sk) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_pop(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk)))
#define sk_SRTP_PROTECTION_PROFILE_shift(sk) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_shift(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk)))
#define
sk_SRTP_PROTECTION_PROFILE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),ssl_check_SRTP_PROTECTI
ON_PROFILE_freefunc_type(freefunc))
#define sk_SRTP_PROTECTION_PROFILE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr), (idx))
#define sk_SRTP_PROTECTION_PROFILE_set(sk, idx, ptr) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_set(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk), (idx),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr)))
#define sk_SRTP_PROTECTION_PROFILE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr), pnum)
#define sk_SRTP_PROTECTION_PROFILE_sort(sk)
OPENSSL_sk_sort(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_dup(sk) ((STACK_OF(SRTP_PROTECTION_PROFILE)
*)OPENSSL_sk_dup(ssl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk)))
#define sk_SRTP_PROTECTION_PROFILE_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(SRTP_PROTECTION_PROFILE)
*)OPENSSL_sk_deep_copy(ssl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_copyfunc_type(copyfunc),
ssl_check_SRTP_PROTECTION_PROFILE_freefunc_type(freefunc)))
#define sk_SRTP_PROTECTION_PROFILE_set_cmp_func(sk, cmp)
((sk_SRTP_PROTECTION_PROFILE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_SRTP_PROTECTION
_PROFILE_sk_type(sk), ssl_check_SRTP_PROTECTION_PROFILE_compfunc_type(cmp)))

```



```

typedef int
(*tls_session_ticket_ext_cb_fn)(SSL *s, const unsigned char *data,
                                int len, void *arg);
typedef int (*tls_session_secret_cb_fn)(SSL *s, void *secret, int *secret_len,
                                       STACK_OF(SSL_CIPHER) *peer_ciphers,
                                       const SSL_CIPHER **cipher, void *arg);

/* Extension context codes */
/* This extension is only allowed in TLS */
#define SSL_EXT_TLS_ONLY          0x0001
/* This extension is only allowed in DTLS */
#define SSL_EXT_DTLS_ONLY        0x0002
/* Some extensions may be allowed in DTLS but we don't implement them for it */
#define SSL_EXT_TLS_IMPLEMENTATION_ONLY 0x0004
/* Most extensions are not defined for SSLv3 but EXT_TYPE_renegotiate is */
#define SSL_EXT_SSL3_ALLOWED     0x0008
/* Extension is only defined for TLS1.2 and below */
#define SSL_EXT_TLS1_2_AND_BELOW_ONLY 0x0010
/* Extension is only defined
for TLS1.3 and above */
#define SSL_EXT_TLS1_3_ONLY      0x0020
/* Ignore this extension during parsing if we are resuming */
#define SSL_EXT_IGNORE_ON_RESUMPTION 0x0040
#define SSL_EXT_CLIENT_HELLO     0x0080
/* Really means TLS1.2 or below */
#define SSL_EXT_TLS1_2_SERVER_HELLO 0x0100
#define SSL_EXT_TLS1_3_SERVER_HELLO 0x0200
#define SSL_EXT_TLS1_3_ENCRYPTED_EXTENSIONS 0x0400
#define SSL_EXT_TLS1_3_HELLO_RETRY_REQUEST 0x0800
#define SSL_EXT_TLS1_3_CERTIFICATE 0x1000
#define SSL_EXT_TLS1_3_NEW_SESSION_TICKET 0x2000
#define SSL_EXT_TLS1_3_CERTIFICATE_REQUEST 0x4000

/* Typedefs for handling custom extensions */

typedef int (*custom_ext_add_cb)(SSL *s, unsigned int ext_type,
                                const unsigned char **out, size_t *outlen,
                                int *al, void *add_arg);

typedef void (*custom_ext_free_cb)(SSL *s, unsigned int ext_type,

                                const unsigned char *out, void *add_arg);

typedef int (*custom_ext_parse_cb)(SSL *s, unsigned int ext_type,
                                const unsigned char *in, size_t inlen,
                                int *al, void *parse_arg);

```

```

typedef int (*SSL_custom_ext_add_cb_ex)(SSL *s, unsigned int ext_type,
                                       unsigned int context,
                                       const unsigned char **out,
                                       size_t *outlen, X509 *x,
                                       size_t chainidx,
                                       int *al, void *add_arg);

typedef void (*SSL_custom_ext_free_cb_ex)(SSL *s, unsigned int ext_type,
                                       unsigned int context,
                                       const unsigned char *out,
                                       void *add_arg);

typedef int (*SSL_custom_ext_parse_cb_ex)(SSL *s, unsigned int ext_type,
                                       unsigned int context,
                                       const unsigned char *in,
                                       size_t inlen, X509 *x,
                                       size_t chainidx,
                                       int *al, void *parse_arg);

/* Typedef for verification callback */
typedef int (*SSL_verify_cb)(int preverify_ok, X509_STORE_CTX *x509_ctx);

/* Typedef for SSL async callback */
typedef int (*SSL_async_callback_fn)(SSL *s, void *arg);

#define SSL_OP_BIT(n) ((uint64_t)1 << (uint64_t)n)

/*
 * SSL/TLS connection options.
 */
/* Disable Extended master secret */
#define SSL_OP_NO_EXTENDED_MASTER_SECRET SSL_OP_BIT(0)
/* Cleanse plaintext copies of data delivered to the application */
#define SSL_OP_CLEANSSE_PLAINTEXT SSL_OP_BIT(1)
/* Allow initial connection to servers that don't support RI */
#define SSL_OP_LEGACY_SERVER_CONNECT SSL_OP_BIT(2)
/* Enable support for Kernel TLS */
#define SSL_OP_ENABLE_KTLS SSL_OP_BIT(3)
#define SSL_OP_TLSEXT_PADDING SSL_OP_BIT(4)
#define SSL_OP_SAFARI_ECDHE_ECDSA_BUG SSL_OP_BIT(6)
#define SSL_OP_IGNORE_UNEXPECTED_EOF SSL_OP_BIT(7)
#define SSL_OP_ALLOW_CLIENT_RENEGOTIATION SSL_OP_BIT(8)
#define SSL_OP_DISABLE_TLSEXT_CA_NAMES SSL_OP_BIT(9)
/* In TLSv1.3 allow a non-(ec)dhe based kex_mode */
#define SSL_OP_ALLOW_NO_DHE_KEX SSL_OP_BIT(10)

```

```

/*
 * Disable SSL 3.0/TLS 1.0 CBC vulnerability workaround that was added
 * in OpenSSL 0.9.6d. Usually (depending on the application protocol)
 * the workaround is not needed. Unfortunately some broken SSL/TLS
 * implementations cannot handle it at all, which is why we include it
 * in SSL_OP_ALL. Added in 0.9.6e
 */
# define SSL_OP_DONT_INSERT_EMPTY_FRAGMENTS          SSL_OP_BIT(11)

/* DTLS options */
# define SSL_OP_NO_QUERY_MTU                        SSL_OP_BIT(12)
/* Turn on Cookie Exchange (on relevant for servers) */
# define SSL_OP_COOKIE_EXCHANGE                    SSL_OP_BIT(13)
/* Don't use RFC4507 ticket extension */
# define SSL_OP_NO_TICKET                          SSL_OP_BIT(14)
# ifndef OPENSSL_NO_DTLS1_METHOD
/*
 * Use Cisco's version identifier of DTLS_BAD_VER
 * (only with deprecated DTLSv1_client_method())
 */
# define SSL_OP_CISCO_ANYCONNECT                    SSL_OP_BIT(15)
# endif
/* As server, disallow session resumption on renegotiation */
# define SSL_OP_NO_SESSION_RESUMPTION_ON_RENEGOTIATION SSL_OP_BIT(16)
/* Don't use compression even if supported */
# define SSL_OP_NO_COMPRESSION                      SSL_OP_BIT(17)
/* Permit unsafe legacy renegotiation */
# define SSL_OP_ALLOW_UNSAFE_LEGACY_RENEGOTIATION    SSL_OP_BIT(18)
/* Disable
encrypt-then-mac */
# define SSL_OP_NO_ENCRYPT_THEN_MAC                  SSL_OP_BIT(19)
/*
 * Enable TLSv1.3 Compatibility mode. This is on by default. A future
 * version of OpenSSL may have this disabled by default.
 */
# define SSL_OP_ENABLE_MIDDLEBOX_COMPAT              SSL_OP_BIT(20)
/*
 * Prioritize Chacha20Poly1305 when client does.
 * Modifies SSL_OP_CIPHER_SERVER_PREFERENCE
 */
# define SSL_OP_PRIORITIZE_CHACHA                    SSL_OP_BIT(21)
/*
 * Set on servers to choose the cipher according to server's preferences.
 */
# define SSL_OP_CIPHER_SERVER_PREFERENCE              SSL_OP_BIT(22)
/*
 * If set, a server will allow a client to issue a SSLv3.0 version
 * number as latest version supported in the premaster secret, even when

```

```

* TLSv1.0 (version 3.1) was announced in the client hello. Normally
* this is forbidden to prevent version rollback attacks.
*/
# define SSL_OP_TLS_ROLLBACK_BUG
        SSL_OP_BIT(23)

/*
* Switches off automatic TLSv1.3 anti-replay protection for early data.
* This is a server-side option only (no effect on the client).
*/
# define SSL_OP_NO_ANTI_REPLAY                SSL_OP_BIT(24)
# define SSL_OP_NO_SSLv3                      SSL_OP_BIT(25)
# define SSL_OP_NO_TLSv1                      SSL_OP_BIT(26)
# define SSL_OP_NO_TLSv1_2                    SSL_OP_BIT(27)
# define SSL_OP_NO_TLSv1_1                    SSL_OP_BIT(28)
# define SSL_OP_NO_TLSv1_3                    SSL_OP_BIT(29)
# define SSL_OP_NO_DTLSv1                     SSL_OP_BIT(26)
# define SSL_OP_NO_DTLSv1_2                   SSL_OP_BIT(27)
/* Disallow all renegotiation */
# define SSL_OP_NO_RENEGOTIATION              SSL_OP_BIT(30)
/*
* Make server add server-hello extension from early version of
* cryptopro draft, when GOST ciphersuite
is negotiated. Required for
* interoperability with CryptoPro CSP 3.x
*/
# define SSL_OP_CRYPTOPRO_TLSEXT_BUG          SSL_OP_BIT(31)

/*
* Option "collections."
*/
# define SSL_OP_NO_SSL_MASK \
        ( SSL_OP_NO_SSLv3 | SSL_OP_NO_TLSv1 | SSL_OP_NO_TLSv1_1 \
          | SSL_OP_NO_TLSv1_2 | SSL_OP_NO_TLSv1_3 )
# define SSL_OP_NO_DTLS_MASK \
        ( SSL_OP_NO_DTLSv1 | SSL_OP_NO_DTLSv1_2 )

/* Various bug workarounds that should be rather harmless. */
# define SSL_OP_ALL \
        ( SSL_OP_CRYPTOPRO_TLSEXT_BUG | SSL_OP_DONT_INSERT_EMPTY_FRAGMENTS \
          | SSL_OP_TLSEXT_PADDING | SSL_OP_SAFARI_ECDHE_ECDSA_BUG )

/*
* OBSOLETE OPTIONS retained for compatibility
*/

# define SSL_OP_MICROSOFT_SESS_ID_BUG        0x0
# define SSL_OP_NETSCAPE_CHALLENGE_BUG      0x0
# define SSL_OP_NETSCAPE_REUSE_CIPHER_CHANGE_BUG 0x0

```

```

#define SSL_OP_SSLREF2_REUSE_CERT_TYPE_BUG          0x0
#define SSL_OP_MICROSOFT_BIG_SSLV3_BUFFER
    0x0
#define SSL_OP_MSIE_SSLV2_RSA_PADDING              0x0
#define SSL_OP_SSLEAY_080_CLIENT_DH_BUG            0x0
#define SSL_OP_TLS_D5_BUG                          0x0
#define SSL_OP_TLS_BLOCK_PADDING_BUG                0x0
#define SSL_OP_SINGLE_ECDH_USE                      0x0
#define SSL_OP_SINGLE_DH_USE                        0x0
#define SSL_OP_EPHEMERAL_RSA                        0x0
#define SSL_OP_NO_SSLv2                            0x0
#define SSL_OP_PKCS1_CHECK_1                        0x0
#define SSL_OP_PKCS1_CHECK_2                        0x0
#define SSL_OP_NETSCAPE_CA_DN_BUG                  0x0
#define SSL_OP_NETSCAPE_DEMO_CIPHER_CHANGE_BUG      0x0

/*
 * Allow SSL_write(..., n) to return r with 0 < r < n (i.e. report success
 * when just a single record has been written):
 */
#define SSL_MODE_ENABLE_PARTIAL_WRITE              0x00000001U
/*
 * Make it possible to retry SSL_write() with changed buffer location
 * (buffer
 * contents must stay the same!); this is not the default to avoid the
 * misconception that non-blocking SSL_write() behaves like non-blocking
 * write():
 */
#define SSL_MODE_ACCEPT_MOVING_WRITE_BUFFER 0x00000002U
/*
 * Never bother the application with retries if the transport is blocking:
 */
#define SSL_MODE_AUTO_RETRY 0x00000004U
/* Don't attempt to automatically build certificate chain */
#define SSL_MODE_NO_AUTO_CHAIN 0x00000008U
/*
 * Save RAM by releasing read and write buffers when they're empty. (SSL3 and
 * TLS only.) Released buffers are freed.
 */
#define SSL_MODE_RELEASE_BUFFERS 0x00000010U
/*
 * Send the current time in the Random fields of the ClientHello and
 * ServerHello records for compatibility with hypothetical implementations
 * that require it.
 */
#define SSL_MODE_SEND_CLIENTHELLO_TIME 0x00000020U
#define SSL_MODE_SEND_SERVERHELLO_TIME 0x00000040U
/*

```

```

* Send TLS_FALLBACK_SCSV in the ClientHello. To be set only by applications
* that reconnect
  with a downgraded protocol version; see
* draft-ietf-tls-downgrade-scsv-00 for details. DO NOT ENABLE THIS if your
* application attempts a normal handshake. Only use this in explicit
* fallback retries, following the guidance in
* draft-ietf-tls-downgrade-scsv-00.
*/
#define SSL_MODE_SEND_FALLBACK_SCSV 0x00000080U
/*
* Support Asynchronous operation
*/
#define SSL_MODE_ASYNC 0x00000100U

/*
* When using DTLS/SCTP, include the terminating zero in the label
* used for computing the endpoint-pair shared secret. Required for
* interoperability with implementations having this bug like these
* older version of OpenSSL:
* - OpenSSL 1.0.0 series
* - OpenSSL 1.0.1 series
* - OpenSSL 1.0.2 series
* - OpenSSL 1.1.0 series
* - OpenSSL 1.1.1 and 1.1.1a
*/
#define SSL_MODE_DTLS_SCTP_LABEL_LENGTH_BUG 0x00000400U

/* Cert related flags */
/*
* Many implementations ignore some aspects of the TLS standards such as
* enforcing certificate chain algorithms. When this is set we enforce
  them.
*/
#define SSL_CERT_FLAG_TLS_STRICT          0x00000001U

/* Suite B modes, takes same values as certificate verify flags */
#define SSL_CERT_FLAG_SUITEB_128_LOS_ONLY 0x10000
/* Suite B 192 bit only mode */
#define SSL_CERT_FLAG_SUITEB_192_LOS      0x20000
/* Suite B 128 bit mode allowing 192 bit algorithms */
#define SSL_CERT_FLAG_SUITEB_128_LOS      0x30000

/* Perform all sorts of protocol violations for testing purposes */
#define SSL_CERT_FLAG_BROKEN_PROTOCOL      0x10000000

/* Flags for building certificate chains */
/* Treat any existing certificates as untrusted CAs */
#define SSL_BUILD_CHAIN_FLAG_UNTRUSTED     0x1

```

```

/* Don't include root CA in chain */
# define SSL_BUILD_CHAIN_FLAG_NO_ROOT      0x2
/* Just check certificates already there */
# define SSL_BUILD_CHAIN_FLAG_CHECK        0x4
/* Ignore verification errors */
# define SSL_BUILD_CHAIN_FLAG_IGNORE_ERROR  0x8
/* Clear verification errors from queue */
#
# define SSL_BUILD_CHAIN_FLAG_CLEAR_ERROR    0x10

/* Flags returned by SSL_check_chain */
/* Certificate can be used with this session */
# define CERT_PKEY_VALID      0x1
/* Certificate can also be used for signing */
# define CERT_PKEY_SIGN      0x2
/* EE certificate signing algorithm OK */
# define CERT_PKEY_EE_SIGNATURE 0x10
/* CA signature algorithms OK */
# define CERT_PKEY_CA_SIGNATURE 0x20
/* EE certificate parameters OK */
# define CERT_PKEY_EE_PARAM     0x40
/* CA certificate parameters OK */
# define CERT_PKEY_CA_PARAM     0x80
/* Signing explicitly allowed as opposed to SHA1 fallback */
# define CERT_PKEY_EXPLICIT_SIGN 0x100
/* Client CA issuer names match (always set for server cert) */
# define CERT_PKEY_ISSUER_NAME   0x200
/* Cert type matches client types (always set for server cert) */
# define CERT_PKEY_CERT_TYPE     0x400
/* Cert chain suitable to Suite B */
# define CERT_PKEY_SUITEB       0x800

# define SSL_CONF_FLAG_CMDLINE    0x1
# define
#   SSL_CONF_FLAG_FILE           0x2
# define SSL_CONF_FLAG_CLIENT     0x4
# define SSL_CONF_FLAG_SERVER     0x8
# define SSL_CONF_FLAG_SHOW_ERRORS 0x10
# define SSL_CONF_FLAG_CERTIFICATE 0x20
# define SSL_CONF_FLAG_REQUIRE_PRIVATE 0x40
/* Configuration value types */
# define SSL_CONF_TYPE_UNKNOWN    0x0
# define SSL_CONF_TYPE_STRING     0x1
# define SSL_CONF_TYPE_FILE       0x2
# define SSL_CONF_TYPE_DIR        0x3
# define SSL_CONF_TYPE_NONE       0x4
# define SSL_CONF_TYPE_STORE      0x5

```

```

/* Maximum length of the application-controlled segment of a TLSv1.3 cookie */
#define SSL_COOKIE_LENGTH          4096

/*
 * Note: SSL[_CTX]_set_{options,mode} use |= op on the previous value, they
 * cannot be used to clear bits.
 */

uint64_t SSL_CTX_get_options(const SSL_CTX *ctx);
uint64_t SSL_get_options(const SSL *s);
uint64_t SSL_CTX_clear_options(SSL_CTX *ctx, uint64_t op);
uint64_t SSL_clear_options(SSL
*s, uint64_t op);
uint64_t SSL_CTX_set_options(SSL_CTX *ctx, uint64_t op);
uint64_t SSL_set_options(SSL *s, uint64_t op);

#define SSL_CTX_set_mode(ctx,op) \
    SSL_CTX_ctrl((ctx),SSL_CTRL_MODE,(op),NULL)
#define SSL_CTX_clear_mode(ctx,op) \
    SSL_CTX_ctrl((ctx),SSL_CTRL_CLEAR_MODE,(op),NULL)
#define SSL_CTX_get_mode(ctx) \
    SSL_CTX_ctrl((ctx),SSL_CTRL_MODE,0,NULL)
#define SSL_clear_mode(ssl,op) \
    SSL_ctrl((ssl),SSL_CTRL_CLEAR_MODE,(op),NULL)
#define SSL_set_mode(ssl,op) \
    SSL_ctrl((ssl),SSL_CTRL_MODE,(op),NULL)
#define SSL_get_mode(ssl) \
    SSL_ctrl((ssl),SSL_CTRL_MODE,0,NULL)
#define SSL_set_mtu(ssl, mtu) \
    SSL_ctrl((ssl),SSL_CTRL_SET_MTU,(mtu),NULL)
#define DTLS_set_link_mtu(ssl, mtu) \
    SSL_ctrl((ssl),DTLS_CTRL_SET_LINK_MTU,(mtu),NULL)
#define DTLS_get_link_min_mtu(ssl) \
    SSL_ctrl((ssl),DTLS_CTRL_GET_LINK_MIN_MTU,0,NULL)

#define SSL_get_secure_renegotiation_support(ssl) \
    SSL_ctrl((ssl), SSL_CTRL_GET_RI_SUPPORT,
0, NULL)

#define SSL_CTX_set_cert_flags(ctx,op) \
    SSL_CTX_ctrl((ctx),SSL_CTRL_CERT_FLAGS,(op),NULL)
#define SSL_set_cert_flags(s,op) \
    SSL_ctrl((s),SSL_CTRL_CERT_FLAGS,(op),NULL)
#define SSL_CTX_clear_cert_flags(ctx,op) \
    SSL_CTX_ctrl((ctx),SSL_CTRL_CLEAR_CERT_FLAGS,(op),NULL)
#define SSL_clear_cert_flags(s,op) \
    SSL_ctrl((s),SSL_CTRL_CLEAR_CERT_FLAGS,(op),NULL)

```



```

void SSL_CTX_set_msg_callback(SSL_CTX *ctx,
                             void (*cb) (int write_p, int version,
                                           int content_type, const void *buf,
                                           size_t len, SSL *ssl, void *arg));
void SSL_set_msg_callback(SSL *ssl,
                         void (*cb) (int write_p, int version,
                                       int content_type, const void *buf,
                                       size_t len, SSL *ssl, void *arg));
# define SSL_CTX_set_msg_callback_arg(ctx, arg) SSL_CTX_ctrl((ctx),
SSL_CTRL_SET_MSG_CALLBACK_ARG,
0, (arg))
# define SSL_set_msg_callback_arg(ssl, arg) SSL_ctrl((ssl), SSL_CTRL_SET_MSG_CALLBACK_ARG, 0, (arg))

# define SSL_get_extms_support(s) \
    SSL_ctrl((s),SSL_CTRL_GET_EXTMS_SUPPORT,0,NULL)

# ifndef OPENSSL_NO_SRP
/* see tls_srp.c */
# ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 __owur int SSL_SRP_CTX_init(SSL *s);
OSSL_DEPRECATEDIN_3_0 __owur int SSL_CTX_SRP_CTX_init(SSL_CTX *ctx);
OSSL_DEPRECATEDIN_3_0 int SSL_SRP_CTX_free(SSL *ctx);
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_SRP_CTX_free(SSL_CTX *ctx);
OSSL_DEPRECATEDIN_3_0 __owur int SSL_srp_server_param_with_username(SSL *s,
                                                                    int *ad);
OSSL_DEPRECATEDIN_3_0 __owur int SRP_Calc_A_param(SSL *s);
# endif
# endif

/* 100k max cert list */
# define SSL_MAX_CERT_LIST_DEFAULT (1024*100)

# define SSL_SESSION_CACHE_MAX_SIZE_DEFAULT (1024*20)

/*
 * This callback type is used inside SSL_CTX, SSL, and in the functions that
 * set them. It is used to override the generation of SSL/TLS session IDs in
 * a server. Return value should be zero on an error, non-zero to proceed.
 * Also, callbacks should themselves check if the id they generate is unique
 * otherwise the SSL handshake will fail with an error - callbacks can do
 * this using the 'ssl' value they're passed by;
 * SSL_has_matching_session_id(ssl, id, *id_len) The length value passed in
 * is set at the maximum size the session ID can be. In SSLv3/TLSv1 it is 32
 * bytes. The callback can alter this length to be less if desired. It is
 * also an error for the callback to set the size to zero.
 */
typedef int (*GEN_SESSION_CB) (SSL *ssl, unsigned char *id,
                              unsigned int *id_len);

```

```

#define SSL_SESS_CACHE_OFF          0x0000
#define SSL_SESS_CACHE_CLIENT      0x0001
#define SSL_SESS_CACHE_SERVER      0x0002
#define SSL_SESS_CACHE_BOTH    (SSL_SESS_CACHE_CLIENT|SSL_SESS_CACHE_SERVER)
#
#define SSL_SESS_CACHE_NO_AUTO_CLEAR    0x0080
/* enough comments already ... see SSL_CTX_set_session_cache_mode(3) */
#define SSL_SESS_CACHE_NO_INTERNAL_LOOKUP    0x0100
#define SSL_SESS_CACHE_NO_INTERNAL_STORE    0x0200
#define SSL_SESS_CACHE_NO_INTERNAL \
    (SSL_SESS_CACHE_NO_INTERNAL_LOOKUP|SSL_SESS_CACHE_NO_INTERNAL_STORE)
#define SSL_SESS_CACHE_UPDATE_TIME    0x0400

LHASH_OF(SSL_SESSION) *SSL_CTX_sessions(SSL_CTX *ctx);
#define SSL_CTX_sess_number(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_NUMBER,0,NULL)
#define SSL_CTX_sess_connect(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_CONNECT,0,NULL)
#define SSL_CTX_sess_connect_good(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_CONNECT_GOOD,0,NULL)
#define SSL_CTX_sess_connect_renegotiate(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_CONNECT_RENEGOTIATE,0,NULL)
#define SSL_CTX_sess_accept(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_ACCEPT,0,NULL)
#define SSL_CTX_sess_accept_renegotiate(ctx) \
    \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_ACCEPT_RENEGOTIATE,0,NULL)
#define SSL_CTX_sess_accept_good(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_ACCEPT_GOOD,0,NULL)
#define SSL_CTX_sess_hits(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_HIT,0,NULL)
#define SSL_CTX_sess_cb_hits(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_CB_HIT,0,NULL)
#define SSL_CTX_sess_misses(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_MISSES,0,NULL)
#define SSL_CTX_sess_timeouts(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_TIMEOUTS,0,NULL)
#define SSL_CTX_sess_cache_full(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SESS_CACHE_FULL,0,NULL)

void SSL_CTX_sess_set_new_cb(SSL_CTX *ctx,
    int (*new_session_cb) (struct ssl_st *ssl,
        SSL_SESSION *sess));
int (*SSL_CTX_sess_get_new_cb(SSL_CTX *ctx)) (struct ssl_st *ssl,
    SSL_SESSION *sess);
void SSL_CTX_sess_set_remove_cb(SSL_CTX *ctx,

```

```

        void (*remove_session_cb) (struct ssl_ctx_st
                                   *ctx,
                                   SSL_SESSION *sess));
void (*SSL_CTX_sess_get_remove_cb(SSL_CTX *ctx)) (struct ssl_ctx_st *ctx,
                                                  SSL_SESSION *sess);
void SSL_CTX_sess_set_get_cb(SSL_CTX *ctx,
                             SSL_SESSION *(*get_session_cb) (struct ssl_st
                                                                *ssl,
                                                                const unsigned char
                                                                *data, int len,
                                                                int *copy));
SSL_SESSION *(*SSL_CTX_sess_get_get_cb(SSL_CTX *ctx)) (struct ssl_st *ssl,
                                                         const unsigned char *data,
                                                         int len,
                                                         int *copy);
void SSL_CTX_set_info_callback(SSL_CTX *ctx,
                               void (*cb) (const SSL *ssl, int type, int val));
void (*SSL_CTX_get_info_callback(SSL_CTX *ctx)) (const SSL *ssl, int type,
                                                  int val);
void SSL_CTX_set_client_cert_cb(SSL_CTX *ctx,
                                int (*client_cert_cb) (SSL *ssl, X509 **x509,
                                                         EVP_PKEY **pkey));
int (*SSL_CTX_get_client_cert_cb(SSL_CTX *ctx)) (SSL *ssl, X509 **x509,
                                                  EVP_PKEY **pkey);
#ifdef OPENSSL_NO_ENGINE
__owur int SSL_CTX_set_client_cert_engine(SSL_CTX *ctx, ENGINE *e);
#endif
void SSL_CTX_set_cookie_generate_cb(SSL_CTX *ctx,
                                     int (*app_gen_cookie_cb) (SSL *ssl,
                                                                unsigned char
                                                                *cookie,

                                                                unsigned int
                                                                *cookie_len));
void SSL_CTX_set_cookie_verify_cb(SSL_CTX *ctx,
                                   int (*app_verify_cookie_cb) (SSL *ssl,
                                                                const unsigned
                                                                char *cookie,
                                                                unsigned int
                                                                cookie_len));

void SSL_CTX_set_stateless_cookie_generate_cb(
    SSL_CTX *ctx,
    int (*gen_stateless_cookie_cb) (SSL *ssl,
                                     unsigned char *cookie,
                                     size_t *cookie_len));
void SSL_CTX_set_stateless_cookie_verify_cb(
    SSL_CTX *ctx,

```

```

int (*verify_stateless_cookie_cb) (SSL *ssl,
                                   const unsigned char *cookie,

                                   size_t cookie_len));
# ifndef OPENSSSL_NO_NEXTPROTONEG

typedef int (*SSL_CTX_npn_advertised_cb_func)(SSL *ssl,
                                             const unsigned char **out,
                                             unsigned int *outlen,
                                             void *arg);
void SSL_CTX_set_next_protos_advertised_cb(SSL_CTX *s,
                                           SSL_CTX_npn_advertised_cb_func cb,
                                           void *arg);
# define SSL_CTX_set_npn_advertised_cb SSL_CTX_set_next_protos_advertised_cb

typedef int (*SSL_CTX_npn_select_cb_func)(SSL *s,
                                           unsigned char **out,
                                           unsigned char *outlen,
                                           const unsigned char *in,
                                           unsigned int inlen,
                                           void *arg);
void SSL_CTX_set_next_proto_select_cb(SSL_CTX *s,
                                      SSL_CTX_npn_select_cb_func cb,
                                      void *arg);
# define SSL_CTX_set_npn_select_cb SSL_CTX_set_next_proto_select_cb

void SSL_get0_next_proto_negotiated(const SSL *s, const unsigned char **data,
                                   unsigned *len);
# define SSL_get0_npn_negotiated SSL_get0_next_proto_negotiated
# endif

__owur int SSL_select_next_proto(unsigned char **out, unsigned char *outlen,
                                const unsigned char *in, unsigned int inlen,
                                const unsigned char *client,
                                unsigned int client_len);

# define OPENSSSL_NPN_UNSUPPORTED 0
# define OPENSSSL_NPN_NEGOTIATED 1
# define OPENSSSL_NPN_NO_OVERLAP 2

__owur int SSL_CTX_set_alpn_protos(SSL_CTX *ctx, const unsigned char *protos,
                                   unsigned int protos_len);
__owur int SSL_set_alpn_protos(SSL *ssl, const unsigned char *protos,
                               unsigned int protos_len);
typedef int (*SSL_CTX_alpn_select_cb_func)(SSL *ssl,
                                           const unsigned char **out,
                                           unsigned char *outlen,

```

```

        const unsigned char *in,
        unsigned int inlen,
        void *arg);
void SSL_CTX_set_alpn_select_cb(SSL_CTX *ctx,
        SSL_CTX_alpn_select_cb_func cb,
        void *arg);
void SSL_get0_alpn_selected(const SSL *ssl, const unsigned char **data,
        unsigned int *len);

#ifdef OPENSSL_NO_PSK
/*
 * the maximum length of the buffer given to callbacks containing the
 * resulting identity/psk
 */
# define PSK_MAX_IDENTITY_LEN 256
# define PSK_MAX_PSK_LEN 512
typedef unsigned int (*SSL_psk_client_cb_func)(SSL *ssl,
        const char
        *hint,
        char *identity,
        unsigned int max_identity_len,
        unsigned char *psk,
        unsigned int max_psk_len);
void SSL_CTX_set_psk_client_callback(SSL_CTX *ctx, SSL_psk_client_cb_func cb);
void SSL_set_psk_client_callback(SSL *ssl, SSL_psk_client_cb_func cb);

typedef unsigned int (*SSL_psk_server_cb_func)(SSL *ssl,
        const char *identity,
        unsigned char *psk,
        unsigned int max_psk_len);
void SSL_CTX_set_psk_server_callback(SSL_CTX *ctx, SSL_psk_server_cb_func cb);
void SSL_set_psk_server_callback(SSL *ssl, SSL_psk_server_cb_func cb);

__owur int SSL_CTX_use_psk_identity_hint(SSL_CTX *ctx, const char *identity_hint);
__owur int SSL_use_psk_identity_hint(SSL *s, const char *identity_hint);
const
char *SSL_get_psk_identity_hint(const SSL *s);
const char *SSL_get_psk_identity(const SSL *s);
#endif

typedef int (*SSL_psk_find_session_cb_func)(SSL *ssl,
        const unsigned char *identity,
        size_t identity_len,
        SSL_SESSION **sess);
typedef int (*SSL_psk_use_session_cb_func)(SSL *ssl, const EVP_MD *md,
        const unsigned char **id,
        size_t *idlen,
        SSL_SESSION **sess);

```

```

void SSL_set_psk_find_session_callback(SSL *s, SSL_psk_find_session_cb_func cb);
void SSL_CTX_set_psk_find_session_callback(SSL_CTX *ctx,
                                           SSL_psk_find_session_cb_func cb);
void SSL_set_psk_use_session_callback(SSL *s, SSL_psk_use_session_cb_func cb);
void SSL_CTX_set_psk_use_session_callback(SSL_CTX *ctx,

                                           SSL_psk_use_session_cb_func cb);

/* Register callbacks to handle custom TLS Extensions for client or server. */

__owur int SSL_CTX_has_client_custom_ext(const SSL_CTX *ctx,
                                          unsigned int ext_type);

__owur int SSL_CTX_add_client_custom_ext(SSL_CTX *ctx,
                                          unsigned int ext_type,
                                          custom_ext_add_cb add_cb,
                                          custom_ext_free_cb free_cb,
                                          void *add_arg,
                                          custom_ext_parse_cb parse_cb,
                                          void *parse_arg);

__owur int SSL_CTX_add_server_custom_ext(SSL_CTX *ctx,
                                          unsigned int ext_type,
                                          custom_ext_add_cb add_cb,
                                          custom_ext_free_cb free_cb,

                                          void *add_arg,
                                          custom_ext_parse_cb parse_cb,
                                          void *parse_arg);

__owur int SSL_CTX_add_custom_ext(SSL_CTX *ctx, unsigned int ext_type,
                                  unsigned int context,
                                  SSL_custom_ext_add_cb_ex add_cb,
                                  SSL_custom_ext_free_cb_ex free_cb,
                                  void *add_arg,
                                  SSL_custom_ext_parse_cb_ex parse_cb,
                                  void *parse_arg);

__owur int SSL_extension_supported(unsigned int ext_type);

# define SSL_NOTHING      1
# define SSL_WRITING      2
# define SSL_READING      3
# define SSL_X509_LOOKUP   4
# define SSL_ASYNC_PAUSED  5
# define SSL_ASYNC_NO_JOBS 6
# define SSL_CLIENT_HELLO_CB 7

```

```

#define SSL_RETRY_VERIFY    8

/* These will only be used when doing non-blocking IO */
#define SSL_want_nothing(s)
    (SSL_want(s) == SSL_NOTHING)
#define SSL_want_read(s)    (SSL_want(s) == SSL_READING)
#define SSL_want_write(s)   (SSL_want(s) == SSL_WRITING)
#define SSL_want_x509_lookup(s) (SSL_want(s) == SSL_X509_LOOKUP)
#define SSL_want_retry_verify(s) (SSL_want(s) == SSL_RETRY_VERIFY)
#define SSL_want_async(s)    (SSL_want(s) == SSL_ASYNC_PAUSED)
#define SSL_want_async_job(s) (SSL_want(s) == SSL_ASYNC_NO_JOBS)
#define SSL_want_client_hello_cb(s) (SSL_want(s) == SSL_CLIENT_HELLO_CB)

#define SSL_MAC_FLAG_READ_MAC_STREAM 1
#define SSL_MAC_FLAG_WRITE_MAC_STREAM 2
#define SSL_MAC_FLAG_READ_MAC_TLSTREE 4
#define SSL_MAC_FLAG_WRITE_MAC_TLSTREE 8

/*
 * A callback for logging out TLS key material. This callback should log out
 * |line| followed by a newline.
 */
typedef void (*SSL_CTX_keylog_cb_func)(const SSL *ssl, const char *line);

/*
 * SSL_CTX_set_keylog_callback configures a callback to log key material. This
 * is intended
 * for debugging use with tools like Wireshark. The cb function
 * should log line followed by a newline.
 */
void SSL_CTX_set_keylog_callback(SSL_CTX *ctx, SSL_CTX_keylog_cb_func cb);

/*
 * SSL_CTX_get_keylog_callback returns the callback configured by
 * SSL_CTX_set_keylog_callback.
 */
SSL_CTX_keylog_cb_func SSL_CTX_get_keylog_callback(const SSL_CTX *ctx);

int SSL_CTX_set_max_early_data(SSL_CTX *ctx, uint32_t max_early_data);
uint32_t SSL_CTX_get_max_early_data(const SSL_CTX *ctx);
int SSL_set_max_early_data(SSL *s, uint32_t max_early_data);
uint32_t SSL_get_max_early_data(const SSL *s);
int SSL_CTX_set_recv_max_early_data(SSL_CTX *ctx, uint32_t recv_max_early_data);
uint32_t SSL_CTX_get_recv_max_early_data(const SSL_CTX *ctx);
int SSL_set_recv_max_early_data(SSL *s, uint32_t recv_max_early_data);
uint32_t SSL_get_recv_max_early_data(const SSL *s);

#ifdef __cplusplus

```

```

}
#endif

#include <openssl/ssl2.h>
#include <openssl/ssl3.h>
#include <openssl/tls1.h> /* This is mostly sslv3
with a few tweaks */
#include <openssl/dtls1.h> /* Datagram TLS */
#include <openssl/srtp.h> /* Support for the use_srtp extension */

#ifdef __cplusplus
extern "C" {
#endif

/*
 * These need to be after the above set of includes due to a compiler bug
 * in VisualStudio 2015
 */
SKM_DEFINE_STACK_OF_INTERNAL(SSL_CIPHER, const SSL_CIPHER, SSL_CIPHER)
#define sk_SSL_CIPHER_num(sk) OPENSSL_sk_num(ssl_check_const_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_value(sk, idx) ((const SSL_CIPHER
*)OPENSSL_sk_value(ssl_check_const_SSL_CIPHER_sk_type(sk), (idx)))
#define sk_SSL_CIPHER_new(cmp) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_new(ssl_check_SSL_CIPHER_compfunc_type(cmp)))
#define sk_SSL_CIPHER_new_null() ((STACK_OF(SSL_CIPHER) *)OPENSSL_sk_new_null())
#define sk_SSL_CIPHER_new_reserve(cmp, n) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_new_reserve(ssl_check_SSL_CIPHER_compfunc_type(cmp), (n)))
#define sk_SSL_CIPHER_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SSL_CIPHER_sk_type(sk),
(n))
#define sk_SSL_CIPHER_free(sk) OPENSSL_sk_free(ssl_check_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_zero(sk) OPENSSL_sk_zero(ssl_check_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_delete(sk, i) ((const SSL_CIPHER
*)OPENSSL_sk_delete(ssl_check_SSL_CIPHER_sk_type(sk), (i)))
#define sk_SSL_CIPHER_delete_ptr(sk, ptr) ((const SSL_CIPHER
*)OPENSSL_sk_delete_ptr(ssl_check_SSL_CIPHER_sk_type(sk), ssl_check_SSL_CIPHER_type(ptr)))
#define sk_SSL_CIPHER_push(sk, ptr) OPENSSL_sk_push(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_pop(sk) ((const SSL_CIPHER
*)OPENSSL_sk_pop(ssl_check_SSL_CIPHER_sk_type(sk)))
#define sk_SSL_CIPHER_shift(sk) ((const SSL_CIPHER
*)OPENSSL_sk_shift(ssl_check_SSL_CIPHER_sk_type(sk)))
#define sk_SSL_CIPHER_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SSL_CIPHER_sk_type(sk), ssl_check_SSL_CIPHER_freefunc_type(freefunc
))
#define

```



```

sk_SSL_CIPHER_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr), (idx))
#define sk_SSL_CIPHER_set(sk, idx, ptr) ((const SSL_CIPHER
*)OPENSSL_sk_set(ssl_check_SSL_CIPHER_sk_type(sk), (idx), ssl_check_SSL_CIPHER_type(ptr)))
#define sk_SSL_CIPHER_find(sk, ptr) OPENSSL_sk_find(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr), pnum)
#define sk_SSL_CIPHER_sort(sk) OPENSSL_sk_sort(ssl_check_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_dup(sk) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_dup(ssl_check_const_SSL_CIPHER_sk_type(sk)))
#define
sk_SSL_CIPHER_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_deep_copy(ssl_check_const_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_copyfunc_type(copyfunc), ssl_check_SSL_CIPHER_freefunc_type(freefunc)))
#define sk_SSL_CIPHER_set_cmp_func(sk, cmp)
((sk_SSL_CIPHER_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(SSL_COMP, SSL_COMP, SSL_COMP)
#define sk_SSL_COMP_num(sk) OPENSSL_sk_num(ssl_check_const_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_value(sk, idx) ((SSL_COMP
*)OPENSSL_sk_value(ssl_check_const_SSL_COMP_sk_type(sk), (idx)))
#define sk_SSL_COMP_new(cmp) ((STACK_OF(SSL_COMP)
*)OPENSSL_sk_new(ssl_check_SSL_COMP_compfunc_type(cmp)))
#define sk_SSL_COMP_new_null() ((STACK_OF(SSL_COMP) *)OPENSSL_sk_new_null())
#define sk_SSL_COMP_new_reserve(cmp, n) ((STACK_OF(SSL_COMP)
*)OPENSSL_sk_new_reserve(ssl_check_SSL_COMP_compfunc_type(cmp), (n)))
#define sk_SSL_COMP_reserve(sk,
n) OPENSSL_sk_reserve(ssl_check_SSL_COMP_sk_type(sk), (n))
#define sk_SSL_COMP_free(sk) OPENSSL_sk_free(ssl_check_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_zero(sk) OPENSSL_sk_zero(ssl_check_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_delete(sk, i) ((SSL_COMP *)OPENSSL_sk_delete(ssl_check_SSL_COMP_sk_type(sk),
(i)))
#define sk_SSL_COMP_delete_ptr(sk, ptr) ((SSL_COMP
*)OPENSSL_sk_delete_ptr(ssl_check_SSL_COMP_sk_type(sk), ssl_check_SSL_COMP_type(ptr)))
#define sk_SSL_COMP_push(sk, ptr) OPENSSL_sk_push(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr))
#define sk_SSL_COMP_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr))
#define sk_SSL_COMP_pop(sk) ((SSL_COMP *)OPENSSL_sk_pop(ssl_check_SSL_COMP_sk_type(sk)))
#define sk_SSL_COMP_shift(sk) ((SSL_COMP *)OPENSSL_sk_shift(ssl_check_SSL_COMP_sk_type(sk)))
#define sk_SSL_COMP_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SSL_COMP_sk_type(sk), ssl_check_SSL_COMP_freefunc_type(freefunc))
#define

```

```

sk_SSL_COMP_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_SSL_COMP_sk_type(sk),
ossl_check_SSL_COMP_type(ptr), (idx))
#define sk_SSL_COMP_set(sk, idx, ptr) ((SSL_COMP *)OPENSSL_sk_set(ossl_check_SSL_COMP_sk_type(sk),
(idx), ossl_check_SSL_COMP_type(ptr)))
#define sk_SSL_COMP_find(sk, ptr) OPENSSL_sk_find(ossl_check_SSL_COMP_sk_type(sk),
ossl_check_SSL_COMP_type(ptr))
#define sk_SSL_COMP_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_SSL_COMP_sk_type(sk),
ossl_check_SSL_COMP_type(ptr))
#define sk_SSL_COMP_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_SSL_COMP_sk_type(sk),
ossl_check_SSL_COMP_type(ptr), pnum)
#define sk_SSL_COMP_sort(sk) OPENSSL_sk_sort(ossl_check_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_dup(sk) ((STACK_OF(SSL_COMP)
*)OPENSSL_sk_dup(ossl_check_const_SSL_COMP_sk_type(sk)))
#define sk_SSL_COMP_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(SSL_COMP) *)OPENSSL_sk_deep_copy(ossl_check_const_SSL_COMP_sk_type(sk),
ossl_check_SSL_COMP_copyfunc_type(copyfunc), ossl_check_SSL_COMP_freefunc_type(freefunc)))
#define sk_SSL_COMP_set_cmp_func(sk, cmp)
((sk_SSL_COMP_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SSL_COMP_sk_type(sk),
ossl_check_SSL_COMP_compfunc_type(cmp)))

```

/* compatibility */

```

# define SSL_set_app_data(s,arg)      (SSL_set_ex_data(s,0,(char *) (arg)))
# define SSL_get_app_data(s)          (SSL_get_ex_data(s,0))
# define SSL_SESSION_set_app_data(s,a) (SSL_SESSION_set_ex_data(s,0, \
(char *) (a)))
# define SSL_SESSION_get_app_data(s)  (SSL_SESSION_get_ex_data(s,0))
# define SSL_CTX_get_app_data(ctx)    (SSL_CTX_get_ex_data(ctx,0))
# define SSL_CTX_set_app_data(ctx,arg) (SSL_CTX_set_ex_data(ctx,0, \
(char *) (arg)))
# ifndef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0
void SSL_set_debug(SSL *s, int debug);
# endif

```

/* TLSv1.3 KeyUpdate message types */

/* -1 used so that this is an invalid value for the on-the-wire protocol */

```

#define SSL_KEY_UPDATE_NONE          -1
/* Values as defined for the on-the-wire protocol */
#define SSL_KEY_UPDATE_NOT_REQUESTED 0
#define SSL_KEY_UPDATE_REQUESTED    1

```

/*

- * The valid handshake states (one for each type message sent and one for each
- * type of message received). There are also two "special" states:
- * TLS = TLS or DTLS state
- * DTLS = DTLS specific state

- * CR/SR = Client Read/Server Read
- * CW/SW = Client Write/Server Write
- *
- * The "special" states are:
- * TLS_ST_BEFORE = No handshake has been initiated yet
- * TLS_ST_OK = A handshake has been successfully completed
- */

```
typedef enum {
    TLS_ST_BEFORE,
    TLS_ST_OK,
    DTLS_ST_CR_HELLO_VERIFY_REQUEST,
    TLS_ST_CR_SRVR_HELLO,
    TLS_ST_CR_CERT,
    TLS_ST_CR_CERT_STATUS,
    TLS_ST_CR_KEY_EXCH,
    TLS_ST_CR_CERT_REQ,
    TLS_ST_CR_SRVR_DONE,
    TLS_ST_CR_SESSION_TICKET,
    TLS_ST_CR_CHANGE,
    TLS_ST_CR_FINISHED,
    TLS_ST_CW_CLNT_HELLO,
    TLS_ST_CW_CERT,
    TLS_ST_CW_KEY_EXCH,
    TLS_ST_CW_CERT_VRFY,
    TLS_ST_CW_CHANGE,
    TLS_ST_CW_NEXT_PROTO,
    TLS_ST_CW_FINISHED,
    TLS_ST_SW_HELLO_REQ,
    TLS_ST_SR_CLNT_HELLO,
    DTLS_ST_SW_HELLO_VERIFY_REQUEST,
    TLS_ST_SW_SRVR_HELLO,
    TLS_ST_SW_CERT,
    TLS_ST_SW_KEY_EXCH,
    TLS_ST_SW_CERT_REQ,
    TLS_ST_SW_SRVR_DONE,
    TLS_ST_SR_CERT,
    TLS_ST_SR_KEY_EXCH,
    TLS_ST_SR_CERT_VRFY,
    TLS_ST_SR_NEXT_PROTO,
    TLS_ST_SR_CHANGE,
    TLS_ST_SR_FINISHED,
    TLS_ST_SW_SESSION_TICKET,
    TLS_ST_SW_CERT_STATUS,
    TLS_ST_SW_CHANGE,
    TLS_ST_SW_FINISHED,
    TLS_ST_SW_ENCRYPTED_EXTENSIONS,
    TLS_ST_CR_ENCRYPTED_EXTENSIONS,
    TLS_ST_CR_CERT_VRFY,
```

```

    TLS_ST_SW_CERT_VRFY,
    TLS_ST_CR_HELLO_REQ,
    TLS_ST_SW_KEY_UPDATE,
    TLS_ST_CW_KEY_UPDATE,
    TLS_ST_SR_KEY_UPDATE,
    TLS_ST_CR_KEY_UPDATE,
    TLS_ST_EARLY_DATA,
    TLS_ST_PENDING_EARLY_DATA_END,
    TLS_ST_CW_END_OF_EARLY_DATA,
    TLS_ST_SR_END_OF_EARLY_DATA
} OSSL_HANDSHAKE_STATE;

/*
 * Most of the following state values are no longer used and are defined to be
 * the closest equivalent value in the current state machine code. Not all
 * defines have an equivalent and are set to a dummy value (-1). SSL_ST_CONNECT
 * and SSL_ST_ACCEPT are still in use in the definition of SSL_CB_ACCEPT_LOOP,
 * SSL_CB_ACCEPT_EXIT, SSL_CB_CONNECT_LOOP and SSL_CB_CONNECT_EXIT.
 */

#define SSL_ST_CONNECT      0x1000
#define SSL_ST_ACCEPT      0x2000

#define SSL_ST_MASK        0x0FFF

#define SSL_CB_LOOP        0x01
#define SSL_CB_EXIT        0x02
#define SSL_CB_READ        0x04
#define SSL_CB_WRITE       0x08
#define SSL_CB_ALERT       0x4000/* used in callback */
#define SSL_CB_READ_ALERT  (SSL_CB_ALERT|SSL_CB_READ)
#define SSL_CB_WRITE_ALERT (SSL_CB_ALERT|SSL_CB_WRITE)
#define SSL_CB_ACCEPT_LOOP (SSL_ST_ACCEPT|SSL_CB_LOOP)
#define SSL_CB_ACCEPT_EXIT (SSL_ST_ACCEPT|SSL_CB_EXIT)
#define SSL_CB_CONNECT_LOOP (SSL_ST_CONNECT|SSL_CB_LOOP)
#define SSL_CB_CONNECT_EXIT (SSL_ST_CONNECT|SSL_CB_EXIT)
#define SSL_CB_HANDSHAKE_START  0x10
#define SSL_CB_HANDSHAKE_DONE   0x20

/* Is the SSL_connection established? */
#define SSL_in_connect_init(a)  (SSL_in_init(a) && !SSL_is_server(a))
#define SSL_in_accept_init(a)  (SSL_in_init(a) && SSL_is_server(a))
int SSL_in_init(const SSL *s);
int SSL_in_before(const SSL *s);
int SSL_is_init_finished(const SSL *s);

/*

```

```

* The following 3 states are kept in ssl->rlayer.rstate when reads fail, you
* should not need these
*/
#define SSL_ST_READ_HEADER      0xF0
#define SSL_ST_READ_BODY       0xF1
#define SSL_ST_READ_DONE       0xF2

/*_
* Obtain latest
  Finished message
* -- that we sent (SSL_get_finished)
* -- that we expected from peer (SSL_get_peer_finished).
* Returns length (0 == no Finished so far), copies up to 'count' bytes.
*/
size_t SSL_get_finished(const SSL *s, void *buf, size_t count);
size_t SSL_get_peer_finished(const SSL *s, void *buf, size_t count);

/*
* use either SSL_VERIFY_NONE or SSL_VERIFY_PEER, the last 3 options are
* 'ored' with SSL_VERIFY_PEER if they are desired
*/
#define SSL_VERIFY_NONE        0x00
#define SSL_VERIFY_PEER        0x01
#define SSL_VERIFY_FAIL_IF_NO_PEER_CERT 0x02
#define SSL_VERIFY_CLIENT_ONCE 0x04
#define SSL_VERIFY_POST_HANDSHAKE 0x08

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
#define OpenSSL_add_ssl_algorithms() SSL_library_init()
#define SSLeay_add_ssl_algorithms() SSL_library_init()
#endif

/* More backward compatibility */
#define SSL_get_cipher(s) \
    SSL_CIPHER_get_name(SSL_get_current_cipher(s))
#define SSL_get_cipher_bits(s,np) \
    \
    SSL_CIPHER_get_bits(SSL_get_current_cipher(s),np)
#define SSL_get_cipher_version(s) \
    SSL_CIPHER_get_version(SSL_get_current_cipher(s))
#define SSL_get_cipher_name(s) \
    SSL_CIPHER_get_name(SSL_get_current_cipher(s))
#define SSL_get_time(a)      SSL_SESSION_get_time(a)
#define SSL_set_time(a,b)    SSL_SESSION_set_time((a),(b))
#define SSL_get_timeout(a)   SSL_SESSION_get_timeout(a)
#define SSL_set_timeout(a,b) SSL_SESSION_set_timeout((a),(b))

#define d2i_SSL_SESSION_bio(bp,s_id)

```

```

ASN1_d2i_bio_of(SSL_SESSION,SSL_SESSION_new,d2i_SSL_SESSION,bp,s_id)
# define i2d_SSL_SESSION_bio(bp,s_id) ASN1_i2d_bio_of(SSL_SESSION,i2d_SSL_SESSION,bp,s_id)

DECLARE_PEM_rw(SSL_SESSION, SSL_SESSION)
# define SSL_AD_REASON_OFFSET      1000/* offset to get SSL_R_... value
        * from SSL_AD_... */
/* These alert types are for SSLv3 and TLSv1 */
# define SSL_AD_CLOSE_NOTIFY
        SSL3_AD_CLOSE_NOTIFY
/* fatal */
# define SSL_AD_UNEXPECTED_MESSAGE  SSL3_AD_UNEXPECTED_MESSAGE
/* fatal */
# define SSL_AD_BAD_RECORD_MAC      SSL3_AD_BAD_RECORD_MAC
# define SSL_AD_DECRYPTION_FAILED   TLS1_AD_DECRYPTION_FAILED
# define SSL_AD_RECORD_OVERFLOW     TLS1_AD_RECORD_OVERFLOW
/* fatal */
# define SSL_AD_DECOMPRESSION_FAILURE SSL3_AD_DECOMPRESSION_FAILURE
/* fatal */
# define SSL_AD_HANDSHAKE_FAILURE   SSL3_AD_HANDSHAKE_FAILURE
/* Not for TLS */
# define SSL_AD_NO_CERTIFICATE      SSL3_AD_NO_CERTIFICATE
# define SSL_AD_BAD_CERTIFICATE     SSL3_AD_BAD_CERTIFICATE
# define SSL_AD_UNSUPPORTED_CERTIFICATE SSL3_AD_UNSUPPORTED_CERTIFICATE
# define SSL_AD_CERTIFICATE_REVOKED SSL3_AD_CERTIFICATE_REVOKED
# define SSL_AD_CERTIFICATE_EXPIRED SSL3_AD_CERTIFICATE_EXPIRED
# define SSL_AD_CERTIFICATE_UNKNOWN SSL3_AD_CERTIFICATE_UNKNOWN
/* fatal */
# define SSL_AD_ILLEGAL_PARAMETER   SSL3_AD_ILLEGAL_PARAMETER
/* fatal */
# define
        SSL_AD_UNKNOWN_CA          TLS1_AD_UNKNOWN_CA
/* fatal */
# define SSL_AD_ACCESS_DENIED       TLS1_AD_ACCESS_DENIED
/* fatal */
# define SSL_AD_DECODE_ERROR        TLS1_AD_DECODE_ERROR
# define SSL_AD_DECRYPT_ERROR        TLS1_AD_DECRYPT_ERROR
/* fatal */
# define SSL_AD_EXPORT_RESTRICTION   TLS1_AD_EXPORT_RESTRICTION
/* fatal */
# define SSL_AD_PROTOCOL_VERSION     TLS1_AD_PROTOCOL_VERSION
/* fatal */
# define SSL_AD_INSUFFICIENT_SECURITY TLS1_AD_INSUFFICIENT_SECURITY
/* fatal */
# define SSL_AD_INTERNAL_ERROR      TLS1_AD_INTERNAL_ERROR
# define SSL_AD_USER_CANCELLED      TLS1_AD_USER_CANCELLED
# define SSL_AD_NO_RENEGOTIATION     TLS1_AD_NO_RENEGOTIATION
# define SSL_AD_MISSING_EXTENSION   TLS13_AD_MISSING_EXTENSION
# define SSL_AD_CERTIFICATE_REQUIRED TLS13_AD_CERTIFICATE_REQUIRED

```

```

# define SSL_AD_UNSUPPORTED_EXTENSION  TLS1_AD_UNSUPPORTED_EXTENSION
# define SSL_AD_CERTIFICATE_UNOBTAINABLE TLS1_AD_CERTIFICATE_UNOBTAINABLE
#
# define SSL_AD_UNRECOGNIZED_NAME      TLS1_AD_UNRECOGNIZED_NAME
# define SSL_AD_BAD_CERTIFICATE_STATUS_RESPONSE
TLS1_AD_BAD_CERTIFICATE_STATUS_RESPONSE
# define SSL_AD_BAD_CERTIFICATE_HASH_VALUE TLS1_AD_BAD_CERTIFICATE_HASH_VALUE
/* fatal */
# define SSL_AD_UNKNOWN_PSK_IDENTITY   TLS1_AD_UNKNOWN_PSK_IDENTITY
/* fatal */
# define SSL_AD_INAPPROPRIATE_FALLBACK TLS1_AD_INAPPROPRIATE_FALLBACK
# define SSL_AD_NO_APPLICATION_PROTOCOL TLS1_AD_NO_APPLICATION_PROTOCOL
# define SSL_ERROR_NONE                0
# define SSL_ERROR_SSL                  1
# define SSL_ERROR_WANT_READ            2
# define SSL_ERROR_WANT_WRITE           3
# define SSL_ERROR_WANT_X509_LOOKUP     4
# define SSL_ERROR_SYSCALL              5/* look at error stack/return
                                         * value/errno */
# define SSL_ERROR_ZERO_RETURN          6
# define SSL_ERROR_WANT_CONNECT          7
# define SSL_ERROR_WANT_ACCEPT           8
# define SSL_ERROR_WANT_ASYNC            9
# define SSL_ERROR_WANT_ASYNC_JOB        10
# define SSL_ERROR_WANT_CLIENT_HELLO_CB 11
# define SSL_ERROR_WANT_RETRY_VERIFY    12

# ifndef OPENSSSL_NO_DEPRECATED_3_0
# define SSL_CTRL_SET_TMP_DH              3
# define SSL_CTRL_SET_TMP_ECDH           4
# define SSL_CTRL_SET_TMP_DH_CB           6
# endif

# define SSL_CTRL_GET_CLIENT_CERT_REQUEST  9
# define SSL_CTRL_GET_NUM_RENEGOTIATIONS   10
# define SSL_CTRL_CLEAR_NUM_RENEGOTIATIONS 11
# define SSL_CTRL_GET_TOTAL_RENEGOTIATIONS 12
# define SSL_CTRL_GET_FLAGS                 13
# define SSL_CTRL_EXTRA_CHAIN_CERT          14
# define SSL_CTRL_SET_MSG_CALLBACK          15
# define SSL_CTRL_SET_MSG_CALLBACK_ARG      16
/* only applies to datagram connections */
# define SSL_CTRL_SET_MTU                   17
/* Stats */
# define SSL_CTRL_SESS_NUMBER               20
# define SSL_CTRL_SESS_CONNECT              21
# define SSL_CTRL_SESS_CONNECT_GOOD         22

```

```

# define SSL_CTRL_SESS_CONNECT_RENEGOTIATE
    23
# define SSL_CTRL_SESS_ACCEPT                24
# define SSL_CTRL_SESS_ACCEPT_GOOD          25
# define SSL_CTRL_SESS_ACCEPT_RENEGOTIATE    26
# define SSL_CTRL_SESS_HIT                   27
# define SSL_CTRL_SESS_CB_HIT                28
# define SSL_CTRL_SESS_MISSES                29
# define SSL_CTRL_SESS_TIMEOUTS              30
# define SSL_CTRL_SESS_CACHE_FULL            31
# define SSL_CTRL_MODE                       33
# define SSL_CTRL_GET_READ_AHEAD             40
# define SSL_CTRL_SET_READ_AHEAD             41
# define SSL_CTRL_SET_SESS_CACHE_SIZE        42
# define SSL_CTRL_GET_SESS_CACHE_SIZE        43
# define SSL_CTRL_SET_SESS_CACHE_MODE        44
# define SSL_CTRL_GET_SESS_CACHE_MODE        45
# define SSL_CTRL_GET_MAX_CERT_LIST          50
# define SSL_CTRL_SET_MAX_CERT_LIST          51
# define SSL_CTRL_SET_MAX_SEND_FRAGMENT      52
/* see tls1.h for macros based
on these */
# define SSL_CTRL_SET_TLSEXT_SERVERNAME_CB    53
# define SSL_CTRL_SET_TLSEXT_SERVERNAME_ARG    54
# define SSL_CTRL_SET_TLSEXT_HOSTNAME          55
# define SSL_CTRL_SET_TLSEXT_DEBUG_CB          56
# define SSL_CTRL_SET_TLSEXT_DEBUG_ARG         57
# define SSL_CTRL_GET_TLSEXT_TICKET_KEYS       58
# define SSL_CTRL_SET_TLSEXT_TICKET_KEYS       59
/*# define SSL_CTRL_SET_TLSEXT_OPAQUE_PRF_INPUT 60 */
/*# define SSL_CTRL_SET_TLSEXT_OPAQUE_PRF_INPUT_CB 61 */
/*# define SSL_CTRL_SET_TLSEXT_OPAQUE_PRF_INPUT_CB_ARG 62 */
# define SSL_CTRL_SET_TLSEXT_STATUS_REQ_CB      63
# define SSL_CTRL_SET_TLSEXT_STATUS_REQ_CB_ARG  64
# define SSL_CTRL_SET_TLSEXT_STATUS_REQ_TYPE    65
# define SSL_CTRL_GET_TLSEXT_STATUS_REQ_EXTS    66
# define SSL_CTRL_SET_TLSEXT_STATUS_REQ_EXTS    67
# define SSL_CTRL_GET_TLSEXT_STATUS_REQ_IDS     68
# define SSL_CTRL_SET_TLSEXT_STATUS_REQ_IDS     69
# define SSL_CTRL_GET_TLSEXT_STATUS_REQ_OCSP_RESP 70
# define SSL_CTRL_SET_TLSEXT_STATUS_REQ_OCSP_RESP
    71
# ifndef OPENSSL_NO_DEPRECATED_3_0
#   define SSL_CTRL_SET_TLSEXT_TICKET_KEY_CB    72
# endif
# define SSL_CTRL_SET_TLS_EXT_SRP_USERNAME_CB   75
# define SSL_CTRL_SET_SRP_VERIFY_PARAM_CB       76
# define SSL_CTRL_SET_SRP_GIVE_CLIENT_PWD_CB    77

```



```

# define SSL_CTRL_SET_SRP_ARG          78
# define SSL_CTRL_SET_TLS_EXT_SRP_USERNAME 79
# define SSL_CTRL_SET_TLS_EXT_SRP_STRENGTH 80
# define SSL_CTRL_SET_TLS_EXT_SRP_PASSWORD 81
# define DTLS_CTRL_GET_TIMEOUT         73
# define DTLS_CTRL_HANDLE_TIMEOUT      74
# define SSL_CTRL_GET_RI_SUPPORT        76
# define SSL_CTRL_CLEAR_MODE            78
# define SSL_CTRL_SET_NOT_RESUMABLE_SESS_CB 79
# define SSL_CTRL_GET_EXTRA_CHAIN_CERTS 82
# define SSL_CTRL_CLEAR_EXTRA_CHAIN_CERTS 83
# define SSL_CTRL_CHAIN                 88
# define SSL_CTRL_CHAIN_CERT            89
# define SSL_CTRL_GET_GROUPS
    90
# define SSL_CTRL_SET_GROUPS            91
# define SSL_CTRL_SET_GROUPS_LIST       92
# define SSL_CTRL_GET_SHARED_GROUP      93
# define SSL_CTRL_SET_SIGALGS           97
# define SSL_CTRL_SET_SIGALGS_LIST      98
# define SSL_CTRL_CERT_FLAGS            99
# define SSL_CTRL_CLEAR_CERT_FLAGS      100
# define SSL_CTRL_SET_CLIENT_SIGALGS    101
# define SSL_CTRL_SET_CLIENT_SIGALGS_LIST 102
# define SSL_CTRL_GET_CLIENT_CERT_TYPES 103
# define SSL_CTRL_SET_CLIENT_CERT_TYPES 104
# define SSL_CTRL_BUILD_CERT_CHAIN      105
# define SSL_CTRL_SET_VERIFY_CERT_STORE 106
# define SSL_CTRL_SET_CHAIN_CERT_STORE  107
# define SSL_CTRL_GET_PEER_SIGNATURE_NID 108
# define SSL_CTRL_GET_PEER_TMP_KEY      109
# define SSL_CTRL_GET_RAW_CIPHERLIST     110
# define SSL_CTRL_GET_EC_POINT_FORMATS   111
# define SSL_CTRL_GET_CHAIN_CERTS
    115
# define SSL_CTRL_SELECT_CURRENT_CERT    116
# define SSL_CTRL_SET_CURRENT_CERT       117
# define SSL_CTRL_SET_DH_AUTO            118
# define DTLS_CTRL_SET_LINK_MTU          120
# define DTLS_CTRL_GET_LINK_MIN_MTU     121
# define SSL_CTRL_GET_EXTMS_SUPPORT      122
# define SSL_CTRL_SET_MIN_PROTO_VERSION  123
# define SSL_CTRL_SET_MAX_PROTO_VERSION  124
# define SSL_CTRL_SET_SPLIT_SEND_FRAGMENT 125
# define SSL_CTRL_SET_MAX_PIPELINES      126
# define SSL_CTRL_GET_TLSEXT_STATUS_REQ_TYPE 127
# define SSL_CTRL_GET_TLSEXT_STATUS_REQ_CB 128
# define SSL_CTRL_GET_TLSEXT_STATUS_REQ_CB_ARG 129

```

```

# define SSL_CTRL_GET_MIN_PROTO_VERSION      130
# define SSL_CTRL_GET_MAX_PROTO_VERSION      131
# define SSL_CTRL_GET_SIGNATURE_NID          132
# define SSL_CTRL_GET_TMP_KEY                133
# define SSL_CTRL_GET_NEGOTIATED_GROUP        134
# define SSL_CTRL_SET_RETRY_VERIFY
    136
# define SSL_CTRL_GET_VERIFY_CERT_STORE      137
# define SSL_CTRL_GET_CHAIN_CERT_STORE        138
# define SSL_CERT_SET_FIRST                   1
# define SSL_CERT_SET_NEXT                   2
# define SSL_CERT_SET_SERVER                 3
# define DTLSv1_get_timeout(ssl, arg) \
    SSL_ctrl(ssl,DTLS_CTRL_GET_TIMEOUT,0, (void *)(arg))
# define DTLSv1_handle_timeout(ssl) \
    SSL_ctrl(ssl,DTLS_CTRL_HANDLE_TIMEOUT,0, NULL)
# define SSL_num_renegotiations(ssl) \
    SSL_ctrl((ssl),SSL_CTRL_GET_NUM_RENEGOTIATIONS,0,NULL)
# define SSL_clear_num_renegotiations(ssl) \
    SSL_ctrl((ssl),SSL_CTRL_CLEAR_NUM_RENEGOTIATIONS,0,NULL)
# define SSL_total_renegotiations(ssl) \
    SSL_ctrl((ssl),SSL_CTRL_GET_TOTAL_RENEGOTIATIONS,0,NULL)
# ifndef OPENSSL_NO_DEPRECATED_3_0
# define SSL_CTX_set_tmp_dh(ctx,dh) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_TMP_DH,0,(char *)(dh))
# endif
# define SSL_CTX_set_dh_auto(ctx, onoff) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_DH_AUTO,onoff,NULL)
# define SSL_set_dh_auto(s, onoff) \
    SSL_ctrl(s,SSL_CTRL_SET_DH_AUTO,onoff,NULL)
# ifndef OPENSSL_NO_DEPRECATED_3_0
# define SSL_set_tmp_dh(ssl,dh) \
    SSL_ctrl(ssl,SSL_CTRL_SET_TMP_DH,0,(char *)(dh))
# endif
# ifndef OPENSSL_NO_DEPRECATED_3_0
# define SSL_CTX_set_tmp_ecdh(ctx,ecdh) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_TMP_ECDH,0,(char *)(ecdh))
# define SSL_set_tmp_ecdh(ssl,ecdh) \
    SSL_ctrl(ssl,SSL_CTRL_SET_TMP_ECDH,0,(char *)(ecdh))
# endif
# define SSL_CTX_add_extra_chain_cert(ctx,x509) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_EXTRA_CHAIN_CERT,0,(char *)(x509))
# define SSL_CTX_get_extra_chain_certs(ctx,px509) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_EXTRA_CHAIN_CERTS,0,px509)
# define SSL_CTX_get_extra_chain_certs_only(ctx,px509) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_EXTRA_CHAIN_CERTS,1,px509)
# define SSL_CTX_clear_extra_chain_certs(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_CLEAR_EXTRA_CHAIN_CERTS,0,NULL)

```

```

#
define SSL_CTX_set0_chain(ctx,sk) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_CHAIN,0,(char *) (sk))
# define SSL_CTX_set1_chain(ctx,sk) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_CHAIN,1,(char *) (sk))
# define SSL_CTX_add0_chain_cert(ctx,x509) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_CHAIN_CERT,0,(char *) (x509))
# define SSL_CTX_add1_chain_cert(ctx,x509) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_CHAIN_CERT,1,(char *) (x509))
# define SSL_CTX_get0_chain_certs(ctx,px509) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_CHAIN_CERTS,0,px509)
# define SSL_CTX_clear_chain_certs(ctx) \
    SSL_CTX_set0_chain(ctx,NULL)
# define SSL_CTX_build_cert_chain(ctx, flags) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_BUILD_CERT_CHAIN, flags, NULL)
# define SSL_CTX_select_current_cert(ctx,x509) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SELECT_CURRENT_CERT,0,(char *) (x509))
# define SSL_CTX_set_current_cert(ctx, op) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_CURRENT_CERT, op, NULL)
# define SSL_CTX_set0_verify_cert_store(ctx,st) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_VERIFY_CERT_STORE,0,(char
*)(st))
# define SSL_CTX_set1_verify_cert_store(ctx,st) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_VERIFY_CERT_STORE,1,(char *) (st))
# define SSL_CTX_get0_verify_cert_store(ctx,st) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_VERIFY_CERT_STORE,0,(char *) (st))
# define SSL_CTX_set0_chain_cert_store(ctx,st) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_CHAIN_CERT_STORE,0,(char *) (st))
# define SSL_CTX_set1_chain_cert_store(ctx,st) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_CHAIN_CERT_STORE,1,(char *) (st))
# define SSL_CTX_get0_chain_cert_store(ctx,st) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_CHAIN_CERT_STORE,0,(char *) (st))
# define SSL_set0_chain(s,sk) \
    SSL_ctrl(s,SSL_CTRL_CHAIN,0,(char *) (sk))
# define SSL_set1_chain(s,sk) \
    SSL_ctrl(s,SSL_CTRL_CHAIN,1,(char *) (sk))
# define SSL_add0_chain_cert(s,x509) \
    SSL_ctrl(s,SSL_CTRL_CHAIN_CERT,0,(char *) (x509))
# define SSL_add1_chain_cert(s,x509) \
    SSL_ctrl(s,SSL_CTRL_CHAIN_CERT,1,(char
*)(x509))
# define SSL_get0_chain_certs(s,px509) \
    SSL_ctrl(s,SSL_CTRL_GET_CHAIN_CERTS,0,px509)
# define SSL_clear_chain_certs(s) \
    SSL_set0_chain(s,NULL)
# define SSL_build_cert_chain(s, flags) \
    SSL_ctrl(s,SSL_CTRL_BUILD_CERT_CHAIN, flags, NULL)
# define SSL_select_current_cert(s,x509) \

```

```

    SSL_ctrl(s,SSL_CTRL_SELECT_CURRENT_CERT,0,(char*)(x509))
#define SSL_set_current_cert(s,op) \
    SSL_ctrl(s,SSL_CTRL_SET_CURRENT_CERT, op, NULL)
#define SSL_set0_verify_cert_store(s,st) \
    SSL_ctrl(s,SSL_CTRL_SET_VERIFY_CERT_STORE,0,(char*)(st))
#define SSL_set1_verify_cert_store(s,st) \
    SSL_ctrl(s,SSL_CTRL_SET_VERIFY_CERT_STORE,1,(char*)(st))
#define SSL_get0_verify_cert_store(s,st) \
    SSL_ctrl(s,SSL_CTRL_GET_VERIFY_CERT_STORE,0,(char*)(st))
#define SSL_set0_chain_cert_store(s,st) \
    SSL_ctrl(s,SSL_CTRL_SET_CHAIN_CERT_STORE,0,(char*)(st))
#define SSL_set1_chain_cert_store(s,st) \
    SSL_ctrl(s,SSL_CTRL_SET_CHAIN_CERT_STORE,1,(char
*)(st))
#define SSL_get0_chain_cert_store(s,st) \
    SSL_ctrl(s,SSL_CTRL_GET_CHAIN_CERT_STORE,0,(char*)(st))

#define SSL_get1_groups(s, glist) \
    SSL_ctrl(s,SSL_CTRL_GET_GROUPS,0,(int*)(glist))
#define SSL_CTX_set1_groups(ctx, glist, glistlen) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_GROUPS,glistlen,(int*)(glist))
#define SSL_CTX_set1_groups_list(ctx, s) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_GROUPS_LIST,0,(char*)(s))
#define SSL_set1_groups(s, glist, glistlen) \
    SSL_ctrl(s,SSL_CTRL_SET_GROUPS,glistlen,(char*)(glist))
#define SSL_set1_groups_list(s, str) \
    SSL_ctrl(s,SSL_CTRL_SET_GROUPS_LIST,0,(char*)(str))
#define SSL_get_shared_group(s, n) \
    SSL_ctrl(s,SSL_CTRL_GET_SHARED_GROUP,n,NULL)
#define SSL_get_negotiated_group(s) \
    SSL_ctrl(s,SSL_CTRL_GET_NEGOTIATED_GROUP,0,NULL)
#define SSL_CTX_set1_sigalgs(ctx, slist, slistlen) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_SIGALGS,slistlen,(int*)(slist))
#define SSL_CTX_set1_sigalgs_list(ctx,
s) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_SIGALGS_LIST,0,(char*)(s))
#define SSL_set1_sigalgs(s, slist, slistlen) \
    SSL_ctrl(s,SSL_CTRL_SET_SIGALGS,slistlen,(int*)(slist))
#define SSL_set1_sigalgs_list(s, str) \
    SSL_ctrl(s,SSL_CTRL_SET_SIGALGS_LIST,0,(char*)(str))
#define SSL_CTX_set1_client_sigalgs(ctx, slist, slistlen) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_CLIENT_SIGALGS,slistlen,(int*)(slist))
#define SSL_CTX_set1_client_sigalgs_list(ctx, s) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_CLIENT_SIGALGS_LIST,0,(char*)(s))
#define SSL_set1_client_sigalgs(s, slist, slistlen) \
    SSL_ctrl(s,SSL_CTRL_SET_CLIENT_SIGALGS,slistlen,(int*)(slist))
#define SSL_set1_client_sigalgs_list(s, str) \
    SSL_ctrl(s,SSL_CTRL_SET_CLIENT_SIGALGS_LIST,0,(char*)(str))

```

```

# define SSL_get0_certificate_types(s, clist) \
    SSL_ctrl(s, SSL_CTRL_GET_CLIENT_CERT_TYPES, 0, (char *)(clist))
# define SSL_CTX_set1_client_certificate_types(ctx, clist, clistlen)
\
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_CLIENT_CERT_TYPES,clistlen,\
        (char *)(clist))
# define SSL_set1_client_certificate_types(s, clist, clistlen) \
    SSL_ctrl(s,SSL_CTRL_SET_CLIENT_CERT_TYPES,clistlen,(char *)(clist))
# define SSL_get_signature_nid(s, pn) \
    SSL_ctrl(s,SSL_CTRL_GET_SIGNATURE_NID,0,pn)
# define SSL_get_peer_signature_nid(s, pn) \
    SSL_ctrl(s,SSL_CTRL_GET_PEER_SIGNATURE_NID,0,pn)
# define SSL_get_peer_tmp_key(s, pk) \
    SSL_ctrl(s,SSL_CTRL_GET_PEER_TMP_KEY,0,pk)
# define SSL_get_tmp_key(s, pk) \
    SSL_ctrl(s,SSL_CTRL_GET_TMP_KEY,0,pk)
# define SSL_get0_raw_cipherlist(s, plst) \
    SSL_ctrl(s,SSL_CTRL_GET_RAW_CIPHERLIST,0,plst)
# define SSL_get0_ec_point_formats(s, plst) \
    SSL_ctrl(s,SSL_CTRL_GET_EC_POINT_FORMATS,0,plst)
# define SSL_CTX_set_min_proto_version(ctx, version) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_MIN_PROTO_VERSION, version, NULL)
# define SSL_CTX_set_max_proto_version(ctx, version)
\
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_MAX_PROTO_VERSION, version, NULL)
# define SSL_CTX_get_min_proto_version(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_MIN_PROTO_VERSION, 0, NULL)
# define SSL_CTX_get_max_proto_version(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_MAX_PROTO_VERSION, 0, NULL)
# define SSL_set_min_proto_version(s, version) \
    SSL_ctrl(s, SSL_CTRL_SET_MIN_PROTO_VERSION, version, NULL)
# define SSL_set_max_proto_version(s, version) \
    SSL_ctrl(s, SSL_CTRL_SET_MAX_PROTO_VERSION, version, NULL)
# define SSL_get_min_proto_version(s) \
    SSL_ctrl(s, SSL_CTRL_GET_MIN_PROTO_VERSION, 0, NULL)
# define SSL_get_max_proto_version(s) \
    SSL_ctrl(s, SSL_CTRL_GET_MAX_PROTO_VERSION, 0, NULL)

const char *SSL_group_to_name(SSL *s, int id);

/* Backwards compatibility, original 1.1.0 names */
# define SSL_CTRL_GET_SERVER_TMP_KEY \
    SSL_CTRL_GET_PEER_TMP_KEY
# define SSL_get_server_tmp_key(s, pk) \
    SSL_get_peer_tmp_key(s, pk)

int SSL_set0_tmp_dh_pkey(SSL

```

```

*s, EVP_PKEY *dhkey);
int SSL_CTX_set0_tmp_dh_pkey(SSL_CTX *ctx, EVP_PKEY *dhkey);

/*
 * The following symbol names are old and obsolete. They are kept
 * for compatibility reasons only and should not be used anymore.
 */
#define SSL_CTRL_GET_CURVES      SSL_CTRL_GET_GROUPS
#define SSL_CTRL_SET_CURVES      SSL_CTRL_SET_GROUPS
#define SSL_CTRL_SET_CURVES_LIST SSL_CTRL_SET_GROUPS_LIST
#define SSL_CTRL_GET_SHARED_CURVE SSL_CTRL_GET_SHARED_GROUP

#define SSL_get1_curves      SSL_get1_groups
#define SSL_CTX_set1_curves  SSL_CTX_set1_groups
#define SSL_CTX_set1_curves_list  SSL_CTX_set1_groups_list
#define SSL_set1_curves      SSL_set1_groups
#define SSL_set1_curves_list  SSL_set1_groups_list
#define SSL_get_shared_curve  SSL_get_shared_group

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
/* Provide some compatibility macros for removed functionality. */
#define SSL_CTX_need_tmp_RSA(ctx)
    0
#define SSL_CTX_set_tmp_rsa(ctx,rsa)      1
#define SSL_need_tmp_RSA(ssl)             0
#define SSL_set_tmp_rsa(ssl,rsa)          1
#define SSL_CTX_set_ecdh_auto(dummy, onoff)  ((onoff) != 0)
#define SSL_set_ecdh_auto(dummy, onoff)     ((onoff) != 0)
/*
 * We "pretend" to call the callback to avoid warnings about unused static
 * functions.
 */
#define SSL_CTX_set_tmp_rsa_callback(ctx, cb)  while(0) (cb)(NULL, 0, 0)
#define SSL_set_tmp_rsa_callback(ssl, cb)     while(0) (cb)(NULL, 0, 0)
#endif
__owur const BIO_METHOD *BIO_f_ssl(void);
__owur BIO *BIO_new_ssl(SSL_CTX *ctx, int client);
__owur BIO *BIO_new_ssl_connect(SSL_CTX *ctx);
__owur BIO *BIO_new_buffer_ssl_connect(SSL_CTX *ctx);
__owur int BIO_ssl_copy_session_id(BIO *to, BIO *from);
void BIO_ssl_shutdown(BIO *ssl_bio);

__owur int SSL_CTX_set_cipher_list(SSL_CTX *, const char *str);
__owur SSL_CTX *SSL_CTX_new(const SSL_METHOD *meth);
__owur SSL_CTX *SSL_CTX_new_ex(OSSL_LIB_CTX
*libctx, const char *propq,
    const SSL_METHOD *meth);

```

```

int SSL_CTX_up_ref(SSL_CTX *ctx);
void SSL_CTX_free(SSL_CTX *);

__owur long SSL_CTX_set_timeout(SSL_CTX *ctx, long t);
__owur long SSL_CTX_get_timeout(const SSL_CTX *ctx);
__owur X509_STORE *SSL_CTX_get_cert_store(const SSL_CTX *);
void SSL_CTX_set_cert_store(SSL_CTX *, X509_STORE *);
void SSL_CTX_set1_cert_store(SSL_CTX *, X509_STORE *);
__owur int SSL_want(const SSL *s);
__owur int SSL_clear(SSL *s);

void SSL_CTX_flush_sessions(SSL_CTX *ctx, long tm);

__owur const SSL_CIPHER *SSL_get_current_cipher(const SSL *s);
__owur const SSL_CIPHER *SSL_get_pending_cipher(const SSL *s);
__owur int SSL_CIPHER_get_bits(const SSL_CIPHER *c, int *alg_bits);
__owur const char *SSL_CIPHER_get_version(const SSL_CIPHER *c);
__owur const char *SSL_CIPHER_get_name(const SSL_CIPHER *c);
__owur const char *SSL_CIPHER_standard_name(const SSL_CIPHER *c);
__owur const char *OPENSSL_cipher_name(const char *rfc_name);
__owur
uint32_t SSL_CIPHER_get_id(const SSL_CIPHER *c);
__owur uint16_t SSL_CIPHER_get_protocol_id(const SSL_CIPHER *c);
__owur int SSL_CIPHER_get_kx_nid(const SSL_CIPHER *c);
__owur int SSL_CIPHER_get_auth_nid(const SSL_CIPHER *c);
__owur const EVP_MD *SSL_CIPHER_get_handshake_digest(const SSL_CIPHER *c);
__owur int SSL_CIPHER_is_aead(const SSL_CIPHER *c);

__owur int SSL_get_fd(const SSL *s);
__owur int SSL_get_rfd(const SSL *s);
__owur int SSL_get_wfd(const SSL *s);
__owur const char *SSL_get_cipher_list(const SSL *s, int n);
__owur char *SSL_get_shared_ciphers(const SSL *s, char *buf, int size);
__owur int SSL_get_read_ahead(const SSL *s);
__owur int SSL_pending(const SSL *s);
__owur int SSL_has_pending(const SSL *s);
#ifdef OPENSSL_NO_SOCK
__owur int SSL_set_fd(SSL *s, int fd);
__owur int SSL_set_rfd(SSL *s, int fd);
__owur int SSL_set_wfd(SSL *s, int fd);
#endif
void SSL_set0_rbio(SSL *s, BIO *rbio);
void SSL_set0_wbio(SSL *s, BIO *wbio);
void SSL_set_bio(SSL *s, BIO *rbio, BIO *wbio);
__owur
BIO *SSL_get_rbio(const SSL *s);
__owur BIO *SSL_get_wbio(const SSL *s);
__owur int SSL_set_cipher_list(SSL *s, const char *str);
__owur int SSL_CTX_set_ciphersuites(SSL_CTX *ctx, const char *str);

```

```

__owur int SSL_set_ciphersuites(SSL *s, const char *str);
void SSL_set_read_ahead(SSL *s, int yes);
__owur int SSL_get_verify_mode(const SSL *s);
__owur int SSL_get_verify_depth(const SSL *s);
__owur SSL_verify_cb SSL_get_verify_callback(const SSL *s);
void SSL_set_verify(SSL *s, int mode, SSL_verify_cb callback);
void SSL_set_verify_depth(SSL *s, int depth);
void SSL_set_cert_cb(SSL *s, int (*cb) (SSL *ssl, void *arg), void *arg);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 __owur int SSL_use_RSAPrivateKey(SSL *ssl, RSA *rsa);
OSSL_DEPRECATEDIN_3_0
__owur int SSL_use_RSAPrivateKey_ASN1(SSL *ssl,
                                     const unsigned char *d, long len);
#endif
__owur int SSL_use_PrivateKey(SSL *ssl, EVP_PKEY *pkey);
__owur int SSL_use_PrivateKey_ASN1(int
pk, SSL *ssl, const unsigned char *d,
                                long len);
__owur int SSL_use_certificate(SSL *ssl, X509 *x);
__owur int SSL_use_certificate_ASN1(SSL *ssl, const unsigned char *d, int len);
__owur int SSL_use_cert_and_key(SSL *ssl, X509 *x509, EVP_PKEY *privatekey,
                                STACK_OF(X509) *chain, int override);

/* serverinfo file format versions */
#define SSL_SERVERINFOV1 1
#define SSL_SERVERINFOV2 2

/* Set serverinfo data for the current active cert. */
__owur int SSL_CTX_use_serverinfo(SSL_CTX *ctx, const unsigned char *serverinfo,
                                size_t serverinfo_length);
__owur int SSL_CTX_use_serverinfo_ex(SSL_CTX *ctx, unsigned int version,
                                const unsigned char *serverinfo,
                                size_t serverinfo_length);
__owur int SSL_CTX_use_serverinfo_file(SSL_CTX *ctx, const char *file);

#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur
int SSL_use_RSAPrivateKey_file(SSL *ssl, const char *file, int type);
#endif

__owur int SSL_use_PrivateKey_file(SSL *ssl, const char *file, int type);
__owur int SSL_use_certificate_file(SSL *ssl, const char *file, int type);

#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_use_RSAPrivateKey_file(SSL_CTX *ctx, const char *file,

```



```

        int type);
#endif

__owur int SSL_CTX_use_PrivateKey_file(SSL_CTX *ctx, const char *file,
        int type);
__owur int SSL_CTX_use_certificate_file(SSL_CTX *ctx, const char *file,
        int type);

/* PEM type */
__owur int SSL_CTX_use_certificate_chain_file(SSL_CTX *ctx, const char *file);
__owur int SSL_use_certificate_chain_file(SSL *ssl, const char *file);
__owur STACK_OF(X509_NAME) *SSL_load_client_CA_file(const char *file);
__owur STACK_OF(X509_NAME)
*SSL_load_client_CA_file_ex(const char *file, OSSL_LIB_CTX *libctx,
        const char *propq);
__owur int SSL_add_file_cert_subjects_to_stack(STACK_OF(X509_NAME) *stackCAs,
        const char *file);
int SSL_add_dir_cert_subjects_to_stack(STACK_OF(X509_NAME) *stackCAs,
        const char *dir);
int SSL_add_store_cert_subjects_to_stack(STACK_OF(X509_NAME) *stackCAs,
        const char *uri);

# ifndef OPENSSL_NO_DEPRECATED_1_1_0
#  define SSL_load_error_strings() \
    OPENSSL_init_ssl(OPENSSL_INIT_LOAD_SSL_STRINGS \
        | OPENSSL_INIT_LOAD_CRYPT_STRINGS, NULL)
# endif

__owur const char *SSL_state_string(const SSL *s);
__owur const char *SSL_rstate_string(const SSL *s);
__owur const char *SSL_state_string_long(const SSL *s);
__owur const char *SSL_rstate_string_long(const SSL *s);
__owur long SSL_SESSION_get_time(const SSL_SESSION *s);
__owur long SSL_SESSION_set_time(SSL_SESSION *s, long t);
__owur long SSL_SESSION_get_timeout(const
SSL_SESSION *s);
__owur long SSL_SESSION_set_timeout(SSL_SESSION *s, long t);
__owur int SSL_SESSION_get_protocol_version(const SSL_SESSION *s);
__owur int SSL_SESSION_set_protocol_version(SSL_SESSION *s, int version);

__owur const char *SSL_SESSION_get0_hostname(const SSL_SESSION *s);
__owur int SSL_SESSION_set1_hostname(SSL_SESSION *s, const char *hostname);
void SSL_SESSION_get0_alpn_selected(const SSL_SESSION *s,
        const unsigned char **alpn,
        size_t *len);
__owur int SSL_SESSION_set1_alpn_selected(SSL_SESSION *s,
        const unsigned char *alpn,
        size_t len);
__owur const SSL_CIPHER *SSL_SESSION_get0_cipher(const SSL_SESSION *s);
__owur int SSL_SESSION_set_cipher(SSL_SESSION *s, const SSL_CIPHER *cipher);

```

```

__owur int SSL_SESSION_has_ticket(const SSL_SESSION *s);
__owur unsigned long SSL_SESSION_get_ticket_lifetime_hint(const
SSL_SESSION *s);
void SSL_SESSION_get0_ticket(const SSL_SESSION *s, const unsigned char **tick,
size_t *len);
__owur uint32_t SSL_SESSION_get_max_early_data(const SSL_SESSION *s);
__owur int SSL_SESSION_set_max_early_data(SSL_SESSION *s,
uint32_t max_early_data);
__owur int SSL_copy_session_id(SSL *to, const SSL *from);
__owur X509 *SSL_SESSION_get0_peer(SSL_SESSION *s);
__owur int SSL_SESSION_set1_id_context(SSL_SESSION *s,
const unsigned char *sid_ctx,
unsigned int sid_ctx_len);
__owur int SSL_SESSION_set1_id(SSL_SESSION *s, const unsigned char *sid,
unsigned int sid_len);
__owur int SSL_SESSION_is_resumable(const SSL_SESSION *s);

__owur SSL_SESSION *SSL_SESSION_new(void);
__owur SSL_SESSION *SSL_SESSION_dup(const SSL_SESSION *src);
const unsigned char *SSL_SESSION_get_id(const SSL_SESSION *s,
unsigned int *len);
const unsigned char *SSL_SESSION_get0_id_context(const SSL_SESSION *s,
unsigned int *len);
__owur unsigned int SSL_SESSION_get_compress_id(const SSL_SESSION *s);
#ifdef OPENSSL_NO_STDIO
int SSL_SESSION_print_fp(FILE *fp, const SSL_SESSION *ses);
#else
int SSL_SESSION_print(BIO *fp, const SSL_SESSION *ses);
int SSL_SESSION_print_keylog(BIO *bp, const SSL_SESSION *x);
int SSL_SESSION_up_ref(SSL_SESSION *ses);
void SSL_SESSION_free(SSL_SESSION *ses);
__owur int i2d_SSL_SESSION(const SSL_SESSION *in, unsigned char **pp);
__owur int SSL_set_session(SSL *to, SSL_SESSION *session);
int SSL_CTX_add_session(SSL_CTX *ctx, SSL_SESSION *session);
int SSL_CTX_remove_session(SSL_CTX *ctx, SSL_SESSION *session);
__owur int SSL_CTX_set_generate_session_id(SSL_CTX *ctx, GEN_SESSION_CB cb);
__owur int SSL_set_generate_session_id(SSL *s, GEN_SESSION_CB cb);
__owur int SSL_has_matching_session_id(const
SSL *s,
const unsigned char *id,
unsigned int id_len);
SSL_SESSION *d2i_SSL_SESSION(SSL_SESSION **a, const unsigned char **pp,
long length);

#ifdef OPENSSL_X509_H
__owur X509 *SSL_get0_peer_certificate(const SSL *s);
__owur X509 *SSL_get1_peer_certificate(const SSL *s);

```

```

/* Deprecated in 3.0.0 */
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#  define SSL_get_peer_certificate SSL_get1_peer_certificate
# endif
# endif

__owur STACK_OF(X509) *SSL_get_peer_cert_chain(const SSL *s);

__owur int SSL_CTX_get_verify_mode(const SSL_CTX *ctx);
__owur int SSL_CTX_get_verify_depth(const SSL_CTX *ctx);
__owur SSL_verify_cb SSL_CTX_get_verify_callback(const SSL_CTX *ctx);
void SSL_CTX_set_verify(SSL_CTX *ctx, int mode, SSL_verify_cb callback);
void SSL_CTX_set_verify_depth(SSL_CTX *ctx, int depth);
void SSL_CTX_set_cert_verify_callback(SSL_CTX *ctx,
                                     int (*cb)
                                     (X509_STORE_CTX *, void *),
                                     void *arg);
void SSL_CTX_set_cert_cb(SSL_CTX *c, int (*cb) (SSL *ssl, void *arg),
                        void *arg);
# ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_use_RSAPrivateKey(SSL_CTX *ctx, RSA *rsa);
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_use_RSAPrivateKey_ASN1(SSL_CTX *ctx, const unsigned char *d,
                                           long len);
# endif
__owur int SSL_CTX_use_PrivateKey(SSL_CTX *ctx, EVP_PKEY *pkey);
__owur int SSL_CTX_use_PrivateKey_ASN1(int pk, SSL_CTX *ctx,
                                       const unsigned char *d, long len);
__owur int SSL_CTX_use_certificate(SSL_CTX *ctx, X509 *x);
__owur int SSL_CTX_use_certificate_ASN1(SSL_CTX *ctx, int len,
                                       const unsigned char *d);
__owur int SSL_CTX_use_cert_and_key(SSL_CTX *ctx, X509 *x509, EVP_PKEY *privatekey,
                                   STACK_OF(X509) *chain,
                                   int override);

void SSL_CTX_set_default_passwd_cb(SSL_CTX *ctx, pem_password_cb *cb);
void SSL_CTX_set_default_passwd_cb_userdata(SSL_CTX *ctx, void *u);
pem_password_cb *SSL_CTX_get_default_passwd_cb(SSL_CTX *ctx);
void *SSL_CTX_get_default_passwd_cb_userdata(SSL_CTX *ctx);
void SSL_set_default_passwd_cb(SSL *s, pem_password_cb *cb);
void SSL_set_default_passwd_cb_userdata(SSL *s, void *u);
pem_password_cb *SSL_get_default_passwd_cb(SSL *s);
void *SSL_get_default_passwd_cb_userdata(SSL *s);

__owur int SSL_CTX_check_private_key(const SSL_CTX *ctx);
__owur int SSL_check_private_key(const SSL *ctx);

```

```

__owur int SSL_CTX_set_session_id_context(SSL_CTX *ctx,
                                         const unsigned char *sid_ctx,
                                         unsigned int sid_ctx_len);

SSL *SSL_new(SSL_CTX *ctx);
int SSL_up_ref(SSL *s);
int SSL_is_dtls(const SSL *s);
__owur int SSL_set_session_id_context(SSL *ssl, const unsigned char *sid_ctx,
                                     unsigned int sid_ctx_len);

__owur int SSL_CTX_set_purpose(SSL_CTX *ctx, int purpose);
__owur int SSL_set_purpose(SSL *ssl, int purpose);
__owur int SSL_CTX_set_trust(SSL_CTX *ctx, int trust);
__owur int SSL_set_trust(SSL *ssl, int trust);

__owur int SSL_set1_host(SSL *s, const char *hostname);
__owur int SSL_add1_host(SSL *s, const char *hostname);
__owur const char *SSL_get0_peername(SSL *s);
void SSL_set_hostflags(SSL *s, unsigned int flags);

__owur int SSL_CTX_dane_enable(SSL_CTX *ctx);
__owur int SSL_CTX_dane_mtype_set(SSL_CTX *ctx, const EVP_MD *md,
                                  uint8_t mtype, uint8_t ord);
__owur int SSL_dane_enable(SSL *s, const char *basedomain);
__owur int SSL_dane_tlsa_add(SSL *s, uint8_t usage, uint8_t selector,
                             uint8_t mtype, const unsigned char *data, size_t dlen);
__owur int SSL_get0_dane_authority(SSL *s, X509 **mcert, EVP_PKEY **mspki);
__owur int SSL_get0_dane_tlsa(SSL *s, uint8_t *usage, uint8_t *selector,
                              uint8_t *mtype, const unsigned char **data,
                              size_t *dlen);
/*
 * Bridge opacity barrier between libcrypt and libssl, also needed to support
 * offline testing in test/danetest.c
 */
SSL_DANE *SSL_get0_dane(SSL *ssl);
/*
 * DANE flags
 */
unsigned long SSL_CTX_dane_set_flags(SSL_CTX *ctx, unsigned long flags);
unsigned long SSL_CTX_dane_clear_flags(SSL_CTX *ctx, unsigned long flags);
unsigned long SSL_dane_set_flags(SSL *ssl, unsigned long flags);
unsigned long SSL_dane_clear_flags(SSL *ssl, unsigned long flags);

__owur int SSL_CTX_set1_param(SSL_CTX *ctx, X509_VERIFY_PARAM *vpm);
__owur int SSL_set1_param(SSL *ssl, X509_VERIFY_PARAM *vpm);

```

```

__owur X509_VERIFY_PARAM *SSL_CTX_get0_param(SSL_CTX *ctx);
__owur X509_VERIFY_PARAM *SSL_get0_param(SSL *ssl);

# ifndef OPENSSL_NO_SRP
#  ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_username(SSL_CTX *ctx, char *name);
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_password(SSL_CTX
    *ctx, char *password);
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_strength(SSL_CTX *ctx, int strength);
OSSL_DEPRECATEDIN_3_0
int SSL_CTX_set_srp_client_pwd_callback(SSL_CTX *ctx,
    char *(*cb) (SSL *, void *));
OSSL_DEPRECATEDIN_3_0
int SSL_CTX_set_srp_verify_param_callback(SSL_CTX *ctx,
    int (*cb) (SSL *, void *));
OSSL_DEPRECATEDIN_3_0
int SSL_CTX_set_srp_username_callback(SSL_CTX *ctx,
    int (*cb) (SSL *, int *, void *));
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_cb_arg(SSL_CTX *ctx, void *arg);

OSSL_DEPRECATEDIN_3_0
int SSL_set_srp_server_param(SSL *s, const BIGNUM *N, const BIGNUM *g,
    BIGNUM *sa, BIGNUM *v, char *info);
OSSL_DEPRECATEDIN_3_0
int SSL_set_srp_server_param_pw(SSL *s, const char *user, const char *pass,
    const char *grp);

OSSL_DEPRECATEDIN_3_0 __owur BIGNUM *SSL_get_srp_g(SSL *s);
OSSL_DEPRECATEDIN_3_0
__owur BIGNUM *SSL_get_srp_N(SSL *s);

OSSL_DEPRECATEDIN_3_0 __owur char *SSL_get_srp_username(SSL *s);
OSSL_DEPRECATEDIN_3_0 __owur char *SSL_get_srp_userinfo(SSL *s);
# endif
# endif

/*
 * ClientHello callback and helpers.
 */

# define SSL_CLIENT_HELLO_SUCCESS 1
# define SSL_CLIENT_HELLO_ERROR 0
# define SSL_CLIENT_HELLO_RETRY (-1)

typedef int (*SSL_client_hello_cb_fn) (SSL *s, int *al, void *arg);
void SSL_CTX_set_client_hello_cb(SSL_CTX *c, SSL_client_hello_cb_fn cb,
    void *arg);
int SSL_client_hello_isv2(SSL *s);

```

```

unsigned int SSL_client_hello_get0_legacy_version(SSL *s);
size_t SSL_client_hello_get0_random(SSL *s, const unsigned char **out);
size_t SSL_client_hello_get0_session_id(SSL *s, const unsigned char **out);
size_t SSL_client_hello_get0_ciphers(SSL *s, const unsigned char **out);
size_t SSL_client_hello_get0_compression_methods(SSL *s,
                                                const unsigned char **out);

int
SSL_client_hello_get1_extensions_present(SSL *s, int **out, size_t *outlen);
int SSL_client_hello_get0_ext(SSL *s, unsigned int type,
                             const unsigned char **out, size_t *outlen);

void SSL_certs_clear(SSL *s);
void SSL_free(SSL *ssl);
#ifdef OSSL_ASYNC_FD
/*
 * Windows application developer has to include windows.h to use these.
 */
__owur int SSL_waiting_for_async(SSL *s);
__owur int SSL_get_all_async_fds(SSL *s, OSSL_ASYNC_FD *fds, size_t *numfds);
__owur int SSL_get_changed_async_fds(SSL *s, OSSL_ASYNC_FD *addfd,
                                     size_t *numaddfds, OSSL_ASYNC_FD *delfd,
                                     size_t *numdelfds);
__owur int SSL_CTX_set_async_callback(SSL_CTX *ctx, SSL_async_callback_fn callback);
__owur int SSL_CTX_set_async_callback_arg(SSL_CTX *ctx, void *arg);
__owur int SSL_set_async_callback(SSL *s, SSL_async_callback_fn callback);
__owur int SSL_set_async_callback_arg(SSL *s, void *arg);
__owur int SSL_get_async_status(SSL
*s, int *status);

#endif
__owur int SSL_accept(SSL *ssl);
__owur int SSL_stateless(SSL *s);
__owur int SSL_connect(SSL *ssl);
__owur int SSL_read(SSL *ssl, void *buf, int num);
__owur int SSL_read_ex(SSL *ssl, void *buf, size_t num, size_t *readbytes);

#define SSL_READ_EARLY_DATA_ERROR 0
#define SSL_READ_EARLY_DATA_SUCCESS 1
#define SSL_READ_EARLY_DATA_FINISH 2

__owur int SSL_read_early_data(SSL *s, void *buf, size_t num,
                              size_t *readbytes);
__owur int SSL_peek(SSL *ssl, void *buf, int num);
__owur int SSL_peek_ex(SSL *ssl, void *buf, size_t num, size_t *readbytes);
__owur ossl_ssize_t SSL_sendfile(SSL *s, int fd, off_t offset, size_t size,
                                int flags);
__owur int SSL_write(SSL *ssl, const void *buf, int num);
__owur int SSL_write_ex(SSL *s, const void *buf, size_t num, size_t *written);

```

```

__owur int SSL_write_early_data(SSL *s, const void *buf, size_t num,
                                size_t *written);

long
SSL_ctrl(SSL *ssl, int cmd, long larg, void *parg);
long SSL_callback_ctrl(SSL *, int, void (*)(void));
long SSL_CTX_ctrl(SSL_CTX *ctx, int cmd, long larg, void *parg);
long SSL_CTX_callback_ctrl(SSL_CTX *, int, void (*)(void));

# define SSL_EARLY_DATA_NOT_SENT  0
# define SSL_EARLY_DATA_REJECTED  1
# define SSL_EARLY_DATA_ACCEPTED  2

__owur int SSL_get_early_data_status(const SSL *s);

__owur int SSL_get_error(const SSL *s, int ret_code);
__owur const char *SSL_get_version(const SSL *s);

/* This sets the 'default' SSL version that SSL_new() will create */
# ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_set_ssl_version(SSL_CTX *ctx, const SSL_METHOD *meth);
# endif

# ifndef OPENSSSL_NO_SSL3_METHOD
#  ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *SSLv3_method(void); /* SSLv3 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *SSLv3_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *SSLv3_client_method(void);
#  #endif
#  endif

# define SSLv23_method      TLS_method
# define SSLv23_server_method  TLS_server_method
# define SSLv23_client_method TLS_client_method

/* Negotiate highest available SSL/TLS version */
__owur const SSL_METHOD *TLS_method(void);
__owur const SSL_METHOD *TLS_server_method(void);
__owur const SSL_METHOD *TLS_client_method(void);

# ifndef OPENSSSL_NO_TLS1_METHOD
#  ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_method(void); /* TLSv1.0 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_client_method(void);
#  #endif
#  endif

```

```

# ifndef OPENSSSL_NO_TLS1_1_METHOD
#  ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_1_method(void); /* TLSv1.1 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_1_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_1_client_method(void);
#
    endif
# endif

# ifndef OPENSSSL_NO_TLS1_2_METHOD
#  ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_2_method(void); /* TLSv1.2 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_2_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_2_client_method(void);
#  endif
# endif

# ifndef OPENSSSL_NO_DTLS1_METHOD
#  ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_method(void); /* DTLSv1.0 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_client_method(void);
#  endif
# endif

# ifndef OPENSSSL_NO_DTLS1_2_METHOD
/* DTLSv1.2 */
#  ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_2_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_2_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_2_client_method(void);
#  endif
    endif
# endif

__owur const SSL_METHOD *DTLS_method(void); /* DTLS 1.0 and 1.2 */
__owur const SSL_METHOD *DTLS_server_method(void); /* DTLS 1.0 and 1.2 */
__owur const SSL_METHOD *DTLS_client_method(void); /* DTLS 1.0 and 1.2 */

__owur size_t DTLS_get_data_mtu(const SSL *s);

__owur STACK_OF(SSL_CIPHER) *SSL_get_ciphers(const SSL *s);
__owur STACK_OF(SSL_CIPHER) *SSL_CTX_get_ciphers(const SSL_CTX *ctx);
__owur STACK_OF(SSL_CIPHER) *SSL_get_client_ciphers(const SSL *s);
__owur STACK_OF(SSL_CIPHER) *SSL_get1_supported_ciphers(SSL *s);

__owur int SSL_do_handshake(SSL *s);

```



```

int SSL_key_update(SSL *s, int updatetype);
int SSL_get_key_update_type(const SSL *s);
int SSL_renegotiate(SSL *s);
int SSL_renegotiate_abbreviated(SSL *s);
__owur int SSL_renegotiate_pending(const SSL *s);
int SSL_new_session_ticket(SSL *s);
int SSL_shutdown(SSL *s);
__owur int SSL_verify_client_post_handshake(SSL *s);
void SSL_CTX_set_post_handshake_auth(SSL_CTX *ctx, int val);
void SSL_set_post_handshake_auth(SSL
*s, int val);

__owur const SSL_METHOD *SSL_CTX_get_ssl_method(const SSL_CTX *ctx);
__owur const SSL_METHOD *SSL_get_ssl_method(const SSL *s);
__owur int SSL_set_ssl_method(SSL *s, const SSL_METHOD *method);
__owur const char *SSL_alert_type_string_long(int value);
__owur const char *SSL_alert_type_string(int value);
__owur const char *SSL_alert_desc_string_long(int value);
__owur const char *SSL_alert_desc_string(int value);

void SSL_set0_CA_list(SSL *s, STACK_OF(X509_NAME) *name_list);
void SSL_CTX_set0_CA_list(SSL_CTX *ctx, STACK_OF(X509_NAME) *name_list);
__owur const STACK_OF(X509_NAME) *SSL_get0_CA_list(const SSL *s);
__owur const STACK_OF(X509_NAME) *SSL_CTX_get0_CA_list(const SSL_CTX *ctx);
__owur int SSL_add1_to_CA_list(SSL *ssl, const X509 *x);
__owur int SSL_CTX_add1_to_CA_list(SSL_CTX *ctx, const X509 *x);
__owur const STACK_OF(X509_NAME) *SSL_get0_peer_CA_list(const SSL *s);

void SSL_set_client_CA_list(SSL *s, STACK_OF(X509_NAME) *name_list);
void SSL_CTX_set_client_CA_list(SSL_CTX
*ctx, STACK_OF(X509_NAME) *name_list);
__owur STACK_OF(X509_NAME) *SSL_get_client_CA_list(const SSL *s);
__owur STACK_OF(X509_NAME) *SSL_CTX_get_client_CA_list(const SSL_CTX *s);
__owur int SSL_add_client_CA(SSL *ssl, X509 *x);
__owur int SSL_CTX_add_client_CA(SSL_CTX *ctx, X509 *x);

void SSL_set_connect_state(SSL *s);
void SSL_set_accept_state(SSL *s);

__owur long SSL_get_default_timeout(const SSL *s);

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
#define SSL_library_init() OPENSSL_init_ssl(0, NULL)
#endif

__owur char *SSL_CIPHER_description(const SSL_CIPHER *, char *buf, int size);
__owur STACK_OF(X509_NAME) *SSL_dup_CA_list(const STACK_OF(X509_NAME) *sk);

```

```

__owur SSL *SSL_dup(SSL *ssl);

__owur X509 *SSL_get_certificate(const SSL *ssl);
/*
 * EVP_PKEY
 */
struct evp_pkey_st *SSL_get_privatekey(const SSL *ssl);

__owur X509 *SSL_CTX_get0_certificate(const SSL_CTX *ctx);
__owur EVP_PKEY *SSL_CTX_get0_privatekey(const SSL_CTX *ctx);

void SSL_CTX_set_quiet_shutdown(SSL_CTX
*ctx, int mode);
__owur int SSL_CTX_get_quiet_shutdown(const SSL_CTX *ctx);
void SSL_set_quiet_shutdown(SSL *ssl, int mode);
__owur int SSL_get_quiet_shutdown(const SSL *ssl);
void SSL_set_shutdown(SSL *ssl, int mode);
__owur int SSL_get_shutdown(const SSL *ssl);
__owur int SSL_version(const SSL *ssl);
__owur int SSL_client_version(const SSL *s);
__owur int SSL_CTX_set_default_verify_paths(SSL_CTX *ctx);
__owur int SSL_CTX_set_default_verify_dir(SSL_CTX *ctx);
__owur int SSL_CTX_set_default_verify_file(SSL_CTX *ctx);
__owur int SSL_CTX_set_default_verify_store(SSL_CTX *ctx);
__owur int SSL_CTX_load_verify_file(SSL_CTX *ctx, const char *CAfile);
__owur int SSL_CTX_load_verify_dir(SSL_CTX *ctx, const char *CApath);
__owur int SSL_CTX_load_verify_store(SSL_CTX *ctx, const char *CAstore);
__owur int SSL_CTX_load_verify_locations(SSL_CTX *ctx,
                                     const char *CAfile,
                                     const
char *CApath);
# define SSL_get0_session SSL_get_session/* just peek at pointer */
__owur SSL_SESSION *SSL_get_session(const SSL *ssl);
__owur SSL_SESSION *SSL_get1_session(SSL *ssl); /* obtain a reference count */
__owur SSL_CTX *SSL_get_SSL_CTX(const SSL *ssl);
SSL_CTX *SSL_set_SSL_CTX(SSL *ssl, SSL_CTX *ctx);
void SSL_set_info_callback(SSL *ssl,
                           void (*cb) (const SSL *ssl, int type, int val));
void (*SSL_get_info_callback(const SSL *ssl)) (const SSL *ssl, int type,
                                               int val);
__owur OSSL_HANDSHAKE_STATE SSL_get_state(const SSL *ssl);

void SSL_set_verify_result(SSL *ssl, long v);
__owur long SSL_get_verify_result(const SSL *ssl);
__owur STACK_OF(X509) *SSL_get0_verified_chain(const SSL *s);

__owur size_t SSL_get_client_random(const SSL *ssl, unsigned char *out,
                                   size_t outlen);

```

```

__owur size_t SSL_get_server_random(const SSL *ssl, unsigned char *out,
    size_t outlen);
__owur size_t SSL_SESSION_get_master_key(const SSL_SESSION *sess,
    unsigned char *out, size_t outlen);
__owur int SSL_SESSION_set1_master_key(SSL_SESSION *sess,
    const unsigned char *in, size_t len);
uint8_t SSL_SESSION_get_max_fragment_length(const SSL_SESSION *sess);

#define SSL_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_SSL, l, p, newf, dupf, freef)
__owur int SSL_set_ex_data(SSL *ssl, int idx, void *data);
void *SSL_get_ex_data(const SSL *ssl, int idx);
#define SSL_SESSION_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_SSL_SESSION, l, p, newf, dupf, freef)
__owur int SSL_SESSION_set_ex_data(SSL_SESSION *ss, int idx, void *data);
void *SSL_SESSION_get_ex_data(const SSL_SESSION *ss, int idx);
#define SSL_CTX_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_SSL_CTX,
    l, p, newf, dupf, freef)
__owur int SSL_CTX_set_ex_data(SSL_CTX *ssl, int idx, void *data);
void *SSL_CTX_get_ex_data(const SSL_CTX *ssl, int idx);

__owur int SSL_get_ex_data_X509_STORE_CTX_idx(void);

# define SSL_CTX_sess_set_cache_size(ctx,t) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_SESS_CACHE_SIZE,t,NULL)
# define SSL_CTX_sess_get_cache_size(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_SESS_CACHE_SIZE,0,NULL)
# define SSL_CTX_set_session_cache_mode(ctx,m) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_SESS_CACHE_MODE,m,NULL)
# define SSL_CTX_get_session_cache_mode(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_SESS_CACHE_MODE,0,NULL)

# define SSL_CTX_get_default_read_ahead(ctx) SSL_CTX_get_read_ahead(ctx)
# define SSL_CTX_set_default_read_ahead(ctx,m) SSL_CTX_set_read_ahead(ctx,m)
# define SSL_CTX_get_read_ahead(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_READ_AHEAD,0,NULL)
# define SSL_CTX_set_read_ahead(ctx,m) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_READ_AHEAD,m,NULL)
# define
SSL_CTX_get_max_cert_list(ctx) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_GET_MAX_CERT_LIST,0,NULL)
# define SSL_CTX_set_max_cert_list(ctx,m) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_MAX_CERT_LIST,m,NULL)
# define SSL_get_max_cert_list(ssl) \
    SSL_ctrl(ssl,SSL_CTRL_GET_MAX_CERT_LIST,0,NULL)
# define SSL_set_max_cert_list(ssl,m) \

```

```

    SSL_ctrl(ssl,SSL_CTRL_SET_MAX_CERT_LIST,m,NULL)

# define SSL_CTX_set_max_send_fragment(ctx,m) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_MAX_SEND_FRAGMENT,m,NULL)
# define SSL_set_max_send_fragment(ssl,m) \
    SSL_ctrl(ssl,SSL_CTRL_SET_MAX_SEND_FRAGMENT,m,NULL)
# define SSL_CTX_set_split_send_fragment(ctx,m) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_SPLIT_SEND_FRAGMENT,m,NULL)
# define SSL_set_split_send_fragment(ssl,m) \
    SSL_ctrl(ssl,SSL_CTRL_SET_SPLIT_SEND_FRAGMENT,m,NULL)
# define SSL_CTX_set_max_pipelines(ctx,m) \
    SSL_CTX_ctrl(ctx,SSL_CTRL_SET_MAX_PIPELINES,m,NULL)
# define SSL_set_max_pipelines(ssl,m) \
    SSL_ctrl(ssl,SSL_CTRL_SET_MAX_PIPELINES,m,NULL)
#
define SSL_set_retry_verify(ssl) \
    (SSL_ctrl(ssl,SSL_CTRL_SET_RETRY_VERIFY,0,NULL) > 0)

void SSL_CTX_set_default_read_buffer_len(SSL_CTX *ctx, size_t len);
void SSL_set_default_read_buffer_len(SSL *s, size_t len);

# ifndef OPENSSL_NO_DH
#   ifndef OPENSSL_NO_DEPRECATED_3_0
/* NB: the |keylength| is only applicable when is_export is true */
OSSL_DEPRECATEDIN_3_0
void SSL_CTX_set_tmp_dh_callback(SSL_CTX *ctx,
                                DH *(*dh) (SSL *ssl, int is_export,
                                             int keylength));
OSSL_DEPRECATEDIN_3_0
void SSL_set_tmp_dh_callback(SSL *ssl,
                             DH *(*dh) (SSL *ssl, int is_export,
                                             int keylength));
#   endif
# endif

__owur const COMP_METHOD *SSL_get_current_compression(const SSL *s);
__owur const COMP_METHOD *SSL_get_current_expansion(const SSL *s);
__owur const char *SSL_COMP_get_name(const COMP_METHOD *comp);
__owur const char *SSL_COMP_get0_name(const
SSL_COMP *comp);
__owur int SSL_COMP_get_id(const SSL_COMP *comp);
STACK_OF(SSL_COMP) *SSL_COMP_get_compression_methods(void);
__owur STACK_OF(SSL_COMP) *SSL_COMP_set0_compression_methods(STACK_OF(SSL_COMP)
                                                             *meths);
# ifndef OPENSSL_NO_DEPRECATED_1_1_0
#   define SSL_COMP_free_compression_methods() while(0) continue
# endif
__owur int SSL_COMP_add_compression_method(int id, COMP_METHOD *cm);

```

```

const SSL_CIPHER *SSL_CIPHER_find(SSL *ssl, const unsigned char *ptr);
int SSL_CIPHER_get_cipher_nid(const SSL_CIPHER *c);
int SSL_CIPHER_get_digest_nid(const SSL_CIPHER *c);
int SSL_bytes_to_cipher_list(SSL *s, const unsigned char *bytes, size_t len,
                             int isv2format, STACK_OF(SSL_CIPHER) **sk,
                             STACK_OF(SSL_CIPHER) **scsvs);

/* TLS extensions functions */
__owur int SSL_set_session_ticket_ext(SSL *s, void *ext_data, int ext_len);

__owur int SSL_set_session_ticket_ext_cb(SSL
*s,
                                     tls_session_ticket_ext_cb_fn cb,
                                     void *arg);

/* Pre-shared secret session resumption functions */
__owur int SSL_set_session_secret_cb(SSL *s,
                                     tls_session_secret_cb_fn session_secret_cb,
                                     void *arg);

void SSL_CTX_set_not_resumable_session_callback(SSL_CTX *ctx,
                                                int (*cb) (SSL *ssl,
                                                         int
                                                         is_forward_secure));

void SSL_set_not_resumable_session_callback(SSL *ssl,
                                             int (*cb) (SSL *ssl,
                                                         int is_forward_secure));

void SSL_CTX_set_record_padding_callback(SSL_CTX *ctx,
                                         size_t (*cb) (SSL *ssl, int type,
                                                         size_t len, void *arg));
void SSL_CTX_set_record_padding_callback_arg(SSL_CTX *ctx, void *arg);
void *SSL_CTX_get_record_padding_callback_arg(const SSL_CTX *ctx);
int SSL_CTX_set_block_padding(SSL_CTX *ctx, size_t block_size);

int SSL_set_record_padding_callback(SSL *ssl,
                                    size_t (*cb) (SSL *ssl, int type,
                                                    size_t len, void *arg));
void SSL_set_record_padding_callback_arg(SSL *ssl, void *arg);
void *SSL_get_record_padding_callback_arg(const SSL *ssl);
int SSL_set_block_padding(SSL *ssl, size_t block_size);

int SSL_set_num_tickets(SSL *s, size_t num_tickets);
size_t SSL_get_num_tickets(const SSL *s);
int SSL_CTX_set_num_tickets(SSL_CTX *ctx, size_t num_tickets);

```

```

size_t SSL_CTX_get_num_tickets(const SSL_CTX *ctx);

# ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#  define SSL_cache_hit(s) SSL_session_reused(s)
# endif

__owur int SSL_session_reused(const SSL *s);
__owur int
SSL_is_server(const SSL *s);

__owur __owur SSL_CONF_CTX *SSL_CONF_CTX_new(void);
int SSL_CONF_CTX_finish(SSL_CONF_CTX *cctx);
void SSL_CONF_CTX_free(SSL_CONF_CTX *cctx);
unsigned int SSL_CONF_CTX_set_flags(SSL_CONF_CTX *cctx, unsigned int flags);
__owur unsigned int SSL_CONF_CTX_clear_flags(SSL_CONF_CTX *cctx,
                                             unsigned int flags);
__owur int SSL_CONF_CTX_set1_prefix(SSL_CONF_CTX *cctx, const char *pre);

void SSL_CONF_CTX_set_ssl(SSL_CONF_CTX *cctx, SSL *ssl);
void SSL_CONF_CTX_set_ssl_ctx(SSL_CONF_CTX *cctx, SSL_CTX *ctx);

__owur int SSL_CONF_cmd(SSL_CONF_CTX *cctx, const char *cmd, const char *value);
__owur int SSL_CONF_cmd_argv(SSL_CONF_CTX *cctx, int *pargc, char ***pargv);
__owur int SSL_CONF_cmd_value_type(SSL_CONF_CTX *cctx, const char *cmd);

void SSL_add_ssl_module(void);
int SSL_config(SSL *s, const char *name);
int SSL_CTX_config(SSL_CTX *ctx, const char *name);

# ifndef OPENSSSL_NO_SSL_TRACE
void SSL_trace(int write_p, int version,
               int content_type,
               const void *buf, size_t len, SSL *ssl, void *arg);
# endif

# ifndef OPENSSSL_NO_SOCK
int DTLSv1_listen(SSL *s, BIO_ADDR *client);
# endif

# ifndef OPENSSSL_NO_CT

/*
 * A callback for verifying that the received SCTs are sufficient.
 * Expected to return 1 if they are sufficient, otherwise 0.
 * May return a negative integer if an error occurs.
 * A connection should be aborted if the SCTs are deemed insufficient.
 */
typedef int (*ssl_ct_validation_cb)(const CT_POLICY_EVAL_CTX *ctx,

```

```

const STACK_OF(SCT) *scts, void *arg);

/*
 * Sets a |callback| that is invoked upon receipt of ServerHelloDone to validate
 * the received SCTs.
 * If the callback returns a non-positive result, the connection is terminated.
 * Call this function before beginning a handshake.
 * If a NULL |callback| is provided, SCT validation is disabled.
 * |arg| is arbitrary userdata that will be passed to the callback whenever it
 * is invoked.
 * Ownership of |arg| remains with the caller.
 *
 * NOTE: A side-effect of setting a CT callback is that an OCSP stapled response
 * will be requested.
 */
int SSL_set_ct_validation_callback(SSL *s, ssl_ct_validation_cb callback,
                                void *arg);
int SSL_CTX_set_ct_validation_callback(SSL_CTX *ctx,
                                ssl_ct_validation_cb callback,
                                void *arg);
#define SSL_disable_ct(s) \
    ((void) SSL_set_validation_callback((s), NULL, NULL))
#define SSL_CTX_disable_ct(ctx) \
    ((void) SSL_CTX_set_validation_callback((ctx), NULL, NULL))

/*
 * The validation type enumerates the available behaviours of the built-in SSL
 * CT validation callback selected via SSL_enable_ct() and SSL_CTX_enable_ct().
 * The underlying callback is a static function in libssl.
 */
enum {
    SSL_CT_VALIDATION_PERMISSIVE = 0,
    SSL_CT_VALIDATION_STRICT
};

/*
 * Enable CT by setting up a callback that implements
 * one of the built-in
 * validation variants. The SSL_CT_VALIDATION_PERMISSIVE variant always
 * continues the handshake, the application can make appropriate decisions at
 * handshake completion. The SSL_CT_VALIDATION_STRICT variant requires at
 * least one valid SCT, or else handshake termination will be requested. The
 * handshake may continue anyway if SSL_VERIFY_NONE is in effect.
 */
int SSL_enable_ct(SSL *s, int validation_mode);
int SSL_CTX_enable_ct(SSL_CTX *ctx, int validation_mode);

/*

```

```

* Report whether a non-NULL callback is enabled.
*/
int SSL_ct_is_enabled(const SSL *s);
int SSL_CTX_ct_is_enabled(const SSL_CTX *ctx);

/* Gets the SCTs received from a connection */
const STACK_OF(SCT) *SSL_get0_peer_scts(SSL *s);

/*
* Loads the CT log list from the default location.
* If a CTLOG_STORE has previously been set using SSL_CTX_set_ctlog_store,
* the log information loaded from this file will be appended to the
* CTLOG_STORE.
* Returns 1 on success, 0 otherwise.
*/
int SSL_CTX_set_default_ctlog_list_file(SSL_CTX *ctx);

/*
* Loads the CT log list from the specified file path.
* If a CTLOG_STORE has previously been set using SSL_CTX_set_ctlog_store,
* the log information loaded from this file will be appended to the
* CTLOG_STORE.
* Returns 1 on success, 0 otherwise.
*/
int SSL_CTX_set_ctlog_list_file(SSL_CTX *ctx, const char *path);

/*
* Sets the CT log list used by all SSL connections created from this SSL_CTX.
* Ownership of the CTLOG_STORE is transferred to the SSL_CTX.
*/
void SSL_CTX_set0_ctlog_store(SSL_CTX *ctx, CTLOG_STORE *logs);

/*
* Gets the CT log list used by all SSL connections created from this SSL_CTX.
* This will be NULL unless one of the following functions has been called:
* - SSL_CTX_set_default_ctlog_list_file
* - SSL_CTX_set_ctlog_list_file
* - SSL_CTX_set_ctlog_store
*/
const CTLOG_STORE *SSL_CTX_get0_ctlog_store(const SSL_CTX *ctx);

# endif /* OPENSSL_NO_CT */

/* What the "other" parameter contains
in security callback */
/* Mask for type */
# define SSL_SECOP_OTHER_TYPE 0xffff0000
# define SSL_SECOP_OTHER_NONE 0

```



```

# define SSL_SECOP_OTHER_CIPHER (1 << 16)
# define SSL_SECOP_OTHER_CURVE (2 << 16)
# define SSL_SECOP_OTHER_DH (3 << 16)
# define SSL_SECOP_OTHER_PKEY (4 << 16)
# define SSL_SECOP_OTHER_SIGALG (5 << 16)
# define SSL_SECOP_OTHER_CERT (6 << 16)

/* Indicated operation refers to peer key or certificate */
# define SSL_SECOP_PEER 0x1000

/* Values for "op" parameter in security callback */

/* Called to filter ciphers */
/* Ciphers client supports */
# define SSL_SECOP_CIPHER_SUPPORTED (1 | SSL_SECOP_OTHER_CIPHER)
/* Cipher shared by client/server */
# define SSL_SECOP_CIPHER_SHARED (2 | SSL_SECOP_OTHER_CIPHER)
/* Sanity check of cipher server selects */
# define SSL_SECOP_CIPHER_CHECK (3 | SSL_SECOP_OTHER_CIPHER)
/* Curves supported by client */
# define SSL_SECOP_CURVE_SUPPORTED (4 | SSL_SECOP_OTHER_CURVE)
/* Curves
shared by client/server */
# define SSL_SECOP_CURVE_SHARED (5 | SSL_SECOP_OTHER_CURVE)
/* Sanity check of curve server selects */
# define SSL_SECOP_CURVE_CHECK (6 | SSL_SECOP_OTHER_CURVE)
/* Temporary DH key */
# define SSL_SECOP_TMP_DH (7 | SSL_SECOP_OTHER_PKEY)
/* SSL/TLS version */
# define SSL_SECOP_VERSION (9 | SSL_SECOP_OTHER_NONE)
/* Session tickets */
# define SSL_SECOP_TICKET (10 | SSL_SECOP_OTHER_NONE)
/* Supported signature algorithms sent to peer */
# define SSL_SECOP_SIGALG_SUPPORTED (11 | SSL_SECOP_OTHER_SIGALG)
/* Shared signature algorithm */
# define SSL_SECOP_SIGALG_SHARED (12 | SSL_SECOP_OTHER_SIGALG)
/* Sanity check signature algorithm allowed */
# define SSL_SECOP_SIGALG_CHECK (13 | SSL_SECOP_OTHER_SIGALG)
/* Used to get mask of supported public key signature algorithms */
# define SSL_SECOP_SIGALG_MASK (14 | SSL_SECOP_OTHER_SIGALG)
/* Use to see if compression is allowed
*/
# define SSL_SECOP_COMPRESSION (15 | SSL_SECOP_OTHER_NONE)
/* EE key in certificate */
# define SSL_SECOP_EE_KEY (16 | SSL_SECOP_OTHER_CERT)
/* CA key in certificate */
# define SSL_SECOP_CA_KEY (17 | SSL_SECOP_OTHER_CERT)
/* CA digest algorithm in certificate */

```

```

#define SSL_SECOPE_CA_MD (18 | SSL_SECOPE_OTHER_CERT)
/* Peer EE key in certificate */
#define SSL_SECOPE_PEER_EE_KEY (SSL_SECOPE_EE_KEY | SSL_SECOPE_PEER)
/* Peer CA key in certificate */
#define SSL_SECOPE_PEER_CA_KEY (SSL_SECOPE_CA_KEY | SSL_SECOPE_PEER)
/* Peer CA digest algorithm in certificate */
#define SSL_SECOPE_PEER_CA_MD (SSL_SECOPE_CA_MD | SSL_SECOPE_PEER)

void SSL_set_security_level(SSL *s, int level);
__owur int SSL_get_security_level(const SSL *s);
void SSL_set_security_callback(SSL *s,
    int (*cb) (const SSL *s, const SSL_CTX *ctx,
        int op, int bits, int nid,
        void *other, void *ex));
int (*SSL_get_security_callback(const SSL *s)) (const SSL *s,
    const SSL_CTX *ctx, int op,
    int bits, int nid, void *other,
    void *ex);
void SSL_set0_security_ex_data(SSL *s, void *ex);
__owur void *SSL_get0_security_ex_data(const SSL *s);

void SSL_CTX_set_security_level(SSL_CTX *ctx, int level);
__owur int SSL_CTX_get_security_level(const SSL_CTX *ctx);
void SSL_CTX_set_security_callback(SSL_CTX *ctx,
    int (*cb) (const SSL *s, const SSL_CTX *ctx,
        int op, int bits, int nid,
        void *other, void *ex));
int (*SSL_CTX_get_security_callback(const SSL_CTX *ctx)) (const SSL *s,
    const SSL_CTX *ctx,

    int op, int bits,
    int nid,
    void *other,
    void *ex);
void SSL_CTX_set0_security_ex_data(SSL_CTX *ctx, void *ex);
__owur void *SSL_CTX_get0_security_ex_data(const SSL_CTX *ctx);

/* OPENSSL_INIT flag 0x010000 reserved for internal use */
#define OPENSSL_INIT_NO_LOAD_SSL_STRINGS 0x00100000L
#define OPENSSL_INIT_LOAD_SSL_STRINGS 0x00200000L

#define OPENSSL_INIT_SSL_DEFAULT \
    (OPENSSL_INIT_LOAD_SSL_STRINGS | OPENSSL_INIT_LOAD_CRYPTO_STRINGS)

int OPENSSL_init_ssl(uint64_t opts, const OPENSSL_INIT_SETTINGS *settings);

#ifdef OPENSSL_NO_UNIT_TEST
__owur const struct openssl_ssl_test_functions *SSL_test_functions(void);

```

```

#endif

__owur int SSL_free_buffers(SSL *ssl);
__owur int SSL_alloc_buffers(SSL *ssl);

/* Status codes passed to the decrypt session
ticket callback. Some of these
* are for internal use only and are never passed to the callback. */
typedef int SSL_TICKET_STATUS;

/* Support for ticket appdata */
/* fatal error, malloc failure */
#define SSL_TICKET_FATAL_ERR_MALLOC 0
/* fatal error, either from parsing or decrypting the ticket */
#define SSL_TICKET_FATAL_ERR_OTHER 1
/* No ticket present */
#define SSL_TICKET_NONE 2
/* Empty ticket present */
#define SSL_TICKET_EMPTY 3
/* the ticket couldn't be decrypted */
#define SSL_TICKET_NO_DECRYPT 4
/* a ticket was successfully decrypted */
#define SSL_TICKET_SUCCESS 5
/* same as above but the ticket needs to be renewed */
#define SSL_TICKET_SUCCESS_RENEW 6

/* Return codes for the decrypt session ticket callback */
typedef int SSL_TICKET_RETURN;

/* An error occurred */
#define SSL_TICKET_RETURN_ABORT 0
/* Do not use the ticket, do not send a renewed ticket to the client */
#define SSL_TICKET_RETURN_IGNORE
1
/* Do not use the ticket, send a renewed ticket to the client */
#define SSL_TICKET_RETURN_IGNORE_RENEW 2
/* Use the ticket, do not send a renewed ticket to the client */
#define SSL_TICKET_RETURN_USE 3
/* Use the ticket, send a renewed ticket to the client */
#define SSL_TICKET_RETURN_USE_RENEW 4

typedef int (*SSL_CTX_generate_session_ticket_fn)(SSL *s, void *arg);
typedef SSL_TICKET_RETURN (*SSL_CTX_decrypt_session_ticket_fn)(SSL *s, SSL_SESSION *ss,
const unsigned char *keyname,
size_t keyname_length,
SSL_TICKET_STATUS status,
void *arg);
int SSL_CTX_set_session_ticket_cb(SSL_CTX *ctx,

```

```

        SSL_CTX_generate_session_ticket_fn gen_cb,
        SSL_CTX_decrypt_session_ticket_fn
dec_cb,
        void *arg);
int SSL_SESSION_set1_ticket_appdata(SSL_SESSION *ss, const void *data, size_t len);
int SSL_SESSION_get0_ticket_appdata(SSL_SESSION *ss, void **data, size_t *len);

typedef unsigned int (*DTLS_timer_cb)(SSL *s, unsigned int timer_us);

void DTLS_set_timer_cb(SSL *s, DTLS_timer_cb cb);

typedef int (*SSL_allow_early_data_cb_fn)(SSL *s, void *arg);
void SSL_CTX_set_allow_early_data_cb(SSL_CTX *ctx,
        SSL_allow_early_data_cb_fn cb,
        void *arg);
void SSL_set_allow_early_data_cb(SSL *s,
        SSL_allow_early_data_cb_fn cb,
        void *arg);

/* store the default cipher strings inside the library */
const char *OSSL_default_cipher_list(void);
const char *OSSL_default_ciphersuites(void);

#ifdef __cplusplus
}
#endif
#endif
UNRECOGNIZED LICENSE; MD5 sum: 1607a85871dcdbb479e915f7363030e3
(The MIT License)

```

Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (C) 2011 by Beau Gunderson

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

```
{  
'variables': {  
'openssl_defines_BSD-x86_64': [  
    'NDEBUG',  
    'L_ENDIAN',  
    'OPENSSL_BUILDING_OPENSSL',  
    'AES_ASM',  
    'BSAES_ASM',  
    'CMLL_ASM',  
    'ECP_NISTZ256_ASM',  
    'GHASH_ASM',  
    'KECCAK1600_ASM',  
    'MD5_ASM',  
    'OPENSSL_BN_ASM_GF2m',  
    'OPENSSL_BN_ASM_MONT',  
    'OPENSSL_BN_ASM_MONT5',  
    'OPENSSL_CPUID_OBJ',  
    'OPENSSL_IA32_SSE2',  
    'PADLOCK_ASM',  
    'POLY1305_ASM',  
    'RC4_ASM',  
    'SHA1_ASM',  
    'SHA256_ASM',  
    'SHA512_ASM',
```

```

'VPAES_ASM',
'WHIRLPOOL_ASM',
'X25519_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
'-Wa,--noexecstack',
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86_64': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',

'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',

```

```

'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86_64/asm/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'include_dirs': [
'./include',
],
'cflags' : ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],

```

```
'sources': ['<@(openssl_cli_srcs_BSD-x86_64)'],
}
```

(The MIT License)

Copyright (c) 2014-2017 TJ Holowaychuk <tj@vision-media.ca>
Copyright (c) 2018-2021 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
```


'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',

'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',

'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_key.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',

'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_misc.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_skey.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',

'openssl/crypto/cms/cms_util.c',
'openssl/crypto/cms/cms_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',
'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',

'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',

'openssl/crypto/des/ecb3_enc.c',

'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',

'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',

'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',

'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',

'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',

'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',

'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',

'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbag.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',

'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',

'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',

'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',

'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',

'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',

'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',

'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',

'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',

```

'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/baes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx2.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm/crypto/camellia/cml1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/whrlpool/wp-x86_64.s',

```

```

'./config/archs/BSD-x86_64/asm/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm/providers/fips.ld',
],
'openssl_defines_BSD-x86_64': [

'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'BSAES_ASM',
'CMLL_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'KECCAK1600_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_MONT5',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'X25519_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
'-Wa,--noexecstack',
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],

```

```

},
'include_dirs': [
    '.',
    './include',
    './crypto',
    './crypto/include/internal',
    './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
    'include_dirs': ['./include', '.'],
    'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}

```

MIT License

Copyright (c) Kevin Mrtensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The MIT License (MIT)

Copyright (c) Roy Riojas and Jared Wray

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa

Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2015 Kyle E. Mitchell & other authors listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2005-2007, Nick Galbreath

Copyright (c) 2015-2018, Wojciech Mua

Copyright (c) 2016-2017, Matthieu Darbois

Copyright (c) 2013-2022, Alfred Klomp

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: 9b06e0787814edfe98666e676afd12e4

This software is dual-licensed under the ISC and MIT licenses.

You may use this software under EITHER of the following licenses.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright Isaac Z. Schlueter and Contributors

All rights reserved.

Permission is

hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The code in this repository code was Written by Gil Tene, Michael Barker, and Matt Warren, and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

For users of this code who wish to consume it under the "BSD" license rather than under the public domain or CC0 contribution text mentioned above, the code found under this directory is **also** provided under the following license (commonly referred to as the BSD 2-Clause License). This license does not detract from the above stated release of the code into the public domain, and simply represents an additional license granted by the Author.

** Beginning of "BSD 2-Clause License" text. **

Copyright (c) 2012, 2013, 2014 Gil Tene
Copyright (c) 2014 Michael Barker
Copyright (c) 2014 Matt Warren
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The 3-Clause BSD License

Copyright 2019 web-platform-tests contributors

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

BSD 3-Clause License

Copyright (c) 2019, Human Who Codes
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN

NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[

"AGPL-1.0",

"AGPL-3.0",

"BSD-2-Clause-FreeBSD",

"BSD-2-Clause-NetBSD",
"GFDL-1.1",
"GFDL-1.2",
"GFDL-1.3",
"GPL-1.0",
"GPL-1.0+",
"GPL-2.0",
"GPL-2.0+",
"GPL-2.0-with-GCC-exception",
"GPL-2.0-with-autoconf-exception",
"GPL-2.0-with-bison-exception",
"GPL-2.0-with-classpath-exception",
"GPL-2.0-with-font-exception",
"GPL-3.0",
"GPL-3.0+",
"GPL-3.0-with-GCC-exception",
"GPL-3.0-with-autoconf-exception",
"LGPL-2.0",
"LGPL-2.0+",
"LGPL-2.1",
"LGPL-2.1+",
"LGPL-3.0",
"LGPL-3.0+",
"Nunit",
"StandardML-NJ",
"bzip2-1.0.5",
"eCos-2.0",
"wxWindows"
]

The MIT License (MIT)

Copyright (c) 2018 Made With MOXY Lda <hello@moxy.studio>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by util/mkbuildinf.pl

*

* Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#define PLATFORM "platform: BSD-x86_64"

#define DATE "built on: Wed Mar 5 21:00:10 2025 UTC"

/*

* Generate compiler_flags as an array of individual characters. This is a

* workaround for the situation where CFLAGS gets too long for a C90 string

* literal

*/

static const char compiler_flags[] = {

'c','o','m','p','i','l','e','r',' ',' ','c',' ',' ','f','p',

't','c',' ',' ','p','t','h','r','e','a','d',' ',' ','w','a','l',

't',' ','o','3',' ',' ','d','l',' ','e','n','d','t','a','n',

' ','d','o','p','e','n','s','s','l',' ','p','t','c',' ',' ','

'd',' ','t','h','r','e','a','d',' ','s','a','f','e',

' ','d',

' ','r','e','e','n','t','r','a','n','t',' ',' ','d','o','p','e',

'n','s','s','l',' ','b','u','t','l','d','t','n','g',' ','o','p',

'E','N','S','S','L',' ','-','D','N','D','E','B','U','G','\0'

};

The MIT License

Copyright (c) 2019 nghttp3 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[

"AGPL-1.0",
"AGPL-3.0",
"BSD-2-Clause-FreeBSD",
"BSD-2-Clause-NetBSD",
"GFDL-1.1",
"GFDL-1.2",
"GFDL-1.3",
"GPL-1.0",
"GPL-2.0",
"GPL-2.0-with-GCC-exception",
"GPL-2.0-with-autoconf-exception",
"GPL-2.0-with-bison-exception",
"GPL-2.0-with-classpath-exception",
"GPL-2.0-with-font-exception",
"GPL-3.0",
"GPL-3.0-with-GCC-exception",
"GPL-3.0-with-autoconf-exception",
"LGPL-2.0",
"LGPL-2.1",
"LGPL-3.0",
"Nunit",
"StandardML-NJ",


```

"bzip2-1.0.5",
"eCos-2.0",
"wxWindows"
]
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/conf.h.in
 *
 * Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#ifndef OPENSSL_CONF_H
# define OPENSSL_CONF_H
# pragma once

# include <openssl/macros.h>
# ifndef OPENSSL_NO_DEPRECATED_3_0
#  define HEADER_CONF_H
# endif

# include <openssl/bio.h>
# include <openssl/lhash.h>
# include <openssl/safestack.h>
# include <openssl/e_os2.h>
# include <openssl/types.h>
# include <openssl/conferr.h>

#ifdef __cplusplus
extern "C" {
#endif

typedef struct {
    char *section;
    char *name;
    char *value;
} CONF_VALUE;

SKM_DEFINE_STACK_OF_INTERNAL(CONF_VALUE, CONF_VALUE, CONF_VALUE)
#define sk_CONF_VALUE_num(sk) OPENSSL_sk_num(ssl_check_const_CONF_VALUE_sk_type(sk))
#define

```

```

sk_CONF_VALUE_value(sk, idx) ((CONF_VALUE
*)OPENSSL_sk_value(ssl_check_const_CONF_VALUE_sk_type(sk), (idx)))
#define sk_CONF_VALUE_new(cmp) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_new(ssl_check_CONF_VALUE_compfunc_type(cmp)))
#define sk_CONF_VALUE_new_null() ((STACK_OF(CONF_VALUE) *)OPENSSL_sk_new_null())
#define sk_CONF_VALUE_new_reserve(cmp, n) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_new_reserve(ssl_check_CONF_VALUE_compfunc_type(cmp), (n)))
#define sk_CONF_VALUE_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_CONF_VALUE_sk_type(sk), (n))
#define sk_CONF_VALUE_free(sk) OPENSSL_sk_free(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_zero(sk) OPENSSL_sk_zero(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_delete(sk, i) ((CONF_VALUE
*)OPENSSL_sk_delete(ssl_check_CONF_VALUE_sk_type(sk), (i)))
#define sk_CONF_VALUE_delete_ptr(sk, ptr) ((CONF_VALUE
*)OPENSSL_sk_delete_ptr(ssl_check_CONF_VALUE_sk_type(sk), ssl_check_CONF_VALUE_type(ptr)))
#define
sk_CONF_VALUE_push(sk, ptr) OPENSSL_sk_push(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_pop(sk) ((CONF_VALUE
*)OPENSSL_sk_pop(ssl_check_CONF_VALUE_sk_type(sk)))
#define sk_CONF_VALUE_shift(sk) ((CONF_VALUE
*)OPENSSL_sk_shift(ssl_check_CONF_VALUE_sk_type(sk)))
#define sk_CONF_VALUE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CONF_VALUE_sk_type(sk), ssl_check_CONF_VALUE_freefunc_type(freef
unc))
#define sk_CONF_VALUE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_type(ptr), (idx))
#define sk_CONF_VALUE_set(sk, idx, ptr) ((CONF_VALUE
*)OPENSSL_sk_set(ssl_check_CONF_VALUE_sk_type(sk), (idx), ssl_check_CONF_VALUE_type(ptr)))
#define sk_CONF_VALUE_find(sk, ptr) OPENSSL_sk_find(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_find_ex(sk,
ptr) OPENSSL_sk_find_ex(ssl_check_CONF_VALUE_sk_type(sk), ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CONF_VALUE_sk_type(sk), ssl_check_CONF_VALUE_type(ptr), pnum)
#define sk_CONF_VALUE_sort(sk) OPENSSL_sk_sort(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_dup(sk) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_dup(ssl_check_const_CONF_VALUE_sk_type(sk)))
#define sk_CONF_VALUE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_deep_copy(ssl_check_const_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_copyfunc_type(copyfunc), ssl_check_CONF_VALUE_freefunc_type(freefunc)))
#define sk_CONF_VALUE_set_cmp_func(sk, cmp)
((sk_CONF_VALUE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_compfunc_type(cmp)))
DEFINE_LHASH_OF_INTERNAL(CONF_VALUE);

```

```

#define
lh_CONF_VALUE_new(hfn, cmp) ((LHASH_OF(CONF_VALUE)
*)OPENSSL_LH_new(ssl_check_CONF_VALUE_lh_hashfunc_type(hfn),
ssl_check_CONF_VALUE_lh_compfunc_type(cmp)))
#define lh_CONF_VALUE_free(lh) OPENSSL_LH_free(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_flush(lh) OPENSSL_LH_flush(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_insert(lh, ptr) ((CONF_VALUE
*)OPENSSL_LH_insert(ssl_check_CONF_VALUE_lh_type(lh),
ssl_check_CONF_VALUE_lh_plain_type(ptr)))
#define lh_CONF_VALUE_delete(lh, ptr) ((CONF_VALUE
*)OPENSSL_LH_delete(ssl_check_CONF_VALUE_lh_type(lh),
ssl_check_const_CONF_VALUE_lh_plain_type(ptr)))
#define lh_CONF_VALUE_retrieve(lh, ptr) ((CONF_VALUE
*)OPENSSL_LH_retrieve(ssl_check_CONF_VALUE_lh_type(lh),
ssl_check_const_CONF_VALUE_lh_plain_type(ptr)))
#define lh_CONF_VALUE_error(lh) OPENSSL_LH_error(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_num_items(lh) OPENSSL_LH_num_items(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_node_stats_bio(lh,
out) OPENSSL_LH_node_stats_bio(ssl_check_const_CONF_VALUE_lh_type(lh), out)
#define lh_CONF_VALUE_node_usage_stats_bio(lh, out)
OPENSSL_LH_node_usage_stats_bio(ssl_check_const_CONF_VALUE_lh_type(lh), out)
#define lh_CONF_VALUE_stats_bio(lh, out)
OPENSSL_LH_stats_bio(ssl_check_const_CONF_VALUE_lh_type(lh), out)
#define lh_CONF_VALUE_get_down_load(lh)
OPENSSL_LH_get_down_load(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_set_down_load(lh, dl)
OPENSSL_LH_set_down_load(ssl_check_CONF_VALUE_lh_type(lh), dl)
#define lh_CONF_VALUE_doall(lh, dfn) OPENSSL_LH_doall(ssl_check_CONF_VALUE_lh_type(lh),
ssl_check_CONF_VALUE_lh_doallfunc_type(dfn))

struct conf_st;
struct conf_method_st;
typedef struct conf_method_st CONF_METHOD;

#ifdef OPENSSL_NO_DEPRECATED_3_0
#include <openssl/confypes.h>
#endif

/* Module definitions */
typedef struct conf_imodule_st CONF_IMODULE;
typedef struct conf_module_st CONF_MODULE;

STACK_OF(CONF_MODULE);
STACK_OF(CONF_IMODULE);

/* DSO module

```

```

function typedefs */
typedef int conf_init_func (CONF_IMODULE *md, const CONF *cnf);
typedef void conf_finish_func (CONF_IMODULE *md);

# define CONF_MFLAGS_IGNORE_ERRORS    0x1
# define CONF_MFLAGS_IGNORE_RETURN_CODES 0x2
# define CONF_MFLAGS_SILENT           0x4
# define CONF_MFLAGS_NO_DSO           0x8
# define CONF_MFLAGS_IGNORE_MISSING_FILE 0x10
# define CONF_MFLAGS_DEFAULT_SECTION  0x20

int CONF_set_default_method(CONF_METHOD *meth);
void CONF_set_nconf(CONF *conf, LHASH_OF(CONF_VALUE) *hash);
LHASH_OF(CONF_VALUE) *CONF_load(LHASH_OF(CONF_VALUE) *conf, const char *file,
                                long *eline);
# ifndef OPENSSL_NO_STDIO
LHASH_OF(CONF_VALUE) *CONF_load_fp(LHASH_OF(CONF_VALUE) *conf, FILE *fp,
                                   long *eline);
# endif
LHASH_OF(CONF_VALUE) *CONF_load_bio(LHASH_OF(CONF_VALUE) *conf, BIO *bp,
                                    long *eline);
STACK_OF(CONF_VALUE) *CONF_get_section(LHASH_OF(CONF_VALUE) *conf,

                                       const char *section);
char *CONF_get_string(LHASH_OF(CONF_VALUE) *conf, const char *group,
                     const char *name);
long CONF_get_number(LHASH_OF(CONF_VALUE) *conf, const char *group,
                    const char *name);
void CONF_free(LHASH_OF(CONF_VALUE) *conf);
# ifndef OPENSSL_NO_STDIO
int CONF_dump_fp(LHASH_OF(CONF_VALUE) *conf, FILE *out);
# endif
int CONF_dump_bio(LHASH_OF(CONF_VALUE) *conf, BIO *out);
# ifndef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 void OPENSSL_config(const char *config_name);
# endif

# ifndef OPENSSL_NO_DEPRECATED_1_1_0
# define OPENSSL_no_config() \
    OPENSSL_init_crypto(OPENSSL_INIT_NO_LOAD_CONFIG, NULL)
# endif

/*
 * New conf code. The semantics are different from the functions above. If
 * that wasn't the case, the above functions would have been replaced
 */

CONF *NCONF_new_ex(OSSL_LIB_CTX *libctx, CONF_METHOD *meth);

```

```

OSSL_LIB_CTX *NCONF_get0_libctx(const CONF *conf);
CONF *NCONF_new(CONF_METHOD
    *meth);
CONF_METHOD *NCONF_default(void);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 CONF_METHOD *NCONF_WIN32(void);
#endif
void NCONF_free(CONF *conf);
void NCONF_free_data(CONF *conf);

int NCONF_load(CONF *conf, const char *file, long *eline);
# ifdef OPENSSL_NO_STDIO
int NCONF_load_fp(CONF *conf, FILE *fp, long *eline);
# endif
int NCONF_load_bio(CONF *conf, BIO *bp, long *eline);
STACK_OF(OPENSSL_CSTRING) *NCONF_get_section_names(const CONF *conf);
STACK_OF(CONF_VALUE) *NCONF_get_section(const CONF *conf,
    const char *section);
char *NCONF_get_string(const CONF *conf, const char *group, const char *name);
int NCONF_get_number_e(const CONF *conf, const char *group, const char *name,
    long *result);
#ifdef OPENSSL_NO_STDIO
int NCONF_dump_fp(const CONF *conf, FILE *out);
#endif
int NCONF_dump_bio(const CONF *conf, BIO *out);

#define NCONF_get_number(c,g,n,r) NCONF_get_number_e(c,g,n,r)

/* Module functions
*/

int CONF_modules_load(const CONF *cnf, const char *appname,
    unsigned long flags);
int CONF_modules_load_file_ex(OSSL_LIB_CTX *libctx, const char *filename,
    const char *appname, unsigned long flags);
int CONF_modules_load_file(const char *filename, const char *appname,
    unsigned long flags);
void CONF_modules_unload(int all);
void CONF_modules_finish(void);
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
# define CONF_modules_free() while(0) continue
#endif
int CONF_module_add(const char *name, conf_init_func *ifunc,
    conf_finish_func *ffunc);

const char *CONF_imodule_get_name(const CONF_IMODULE *md);
const char *CONF_imodule_get_value(const CONF_IMODULE *md);
void *CONF_imodule_get_usr_data(const CONF_IMODULE *md);

```

```

void CONF_imodule_set_usr_data(CONF_IMODULE *md, void *usr_data);
CONF_MODULE *CONF_imodule_get_module(const CONF_IMODULE *md);
unsigned long CONF_imodule_get_flags(const CONF_IMODULE
    *md);
void CONF_imodule_set_flags(CONF_IMODULE *md, unsigned long flags);
void *CONF_module_get_usr_data(CONF_MODULE *pmod);
void CONF_module_set_usr_data(CONF_MODULE *pmod, void *usr_data);

```

```

char *CONF_get1_default_config_file(void);

```

```

int CONF_parse_list(const char *list, int sep, int nospc,
    int (*list_cb) (const char *elem, int len, void *usr),
    void *arg);

```

```

void OPENSSL_load_builtin_modules(void);

```

```

#ifdef __cplusplus
}
#endif
#endif

```

Copyright 2011 Gary Court. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY GARY COURT "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL GARY COURT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Gary Court.

Copyright 2019 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2011-2022 Isaac Z. Schlueter, Ben Noordhuis, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This package contains code originally written by Isaac Z. Schlueter.

Used with permission.

Copyright (c) Meryn Stol ("Author")

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) silverwind

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ISC License

Copyright (c) 2021 Alexey Raspopov, Kostiantyn Denysov, Anton Verinov

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2018 Nikita Skovoroda <chalkerx@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under

the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT

INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6.

This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This

Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs

4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be

bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all
copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/*

* WARNING: do not edit!
* Generated by Makefile from include/openssl/safestack.h.in
*
* Copyright 1999-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* <https://www.openssl.org/source/license.html>
*/

```
#ifndef OPENSSSL_SAFESTACK_H
# define OPENSSSL_SAFESTACK_H
# pragma once
```

```
# include <openssl/macros.h>
# ifndef OPENSSSL_NO_DEPRECATED_3_0
```

```

# define HEADER_SAFESTACK_H
# endif

# include <openssl/stack.h>
# include <openssl/e_os2.h>

#ifdef __cplusplus
extern "C" {
#endif

# define STACK_OF(type) struct stack_st_##type

/* Helper macro for internal use */
# define SKM_DEFINE_STACK_OF_INTERNAL(t1, t2, t3) \
    STACK_OF(t1); \
    typedef int (*sk_##t1##_compfunc)(const t3 * const *a, const t3 *const *b); \
    typedef void (*sk_##t1##_freefunc)(t3 *a); \
    typedef t3 \
    * (*sk_##t1##_copyfunc)(const t3 *a); \
    static ossl_unused ossl_inline t2 *ossl_check_##t1##_type(t2 *ptr) \
    { \
        return ptr; \
    } \
    static ossl_unused ossl_inline const OPENSSL_STACK *ossl_check_const_##t1##_sk_type(const \
STACK_OF(t1) *sk) \
    { \
        return (const OPENSSL_STACK *)sk; \
    } \
    static ossl_unused ossl_inline OPENSSL_STACK *ossl_check_##t1##_sk_type(STACK_OF(t1) *sk) \
    { \
        return (OPENSSL_STACK *)sk; \
    } \
    static ossl_unused ossl_inline OPENSSL_sk_compfunc ossl_check_##t1##_compfunc_type(sk_##t1##_compfunc \
cmp) \
    { \
        return (OPENSSL_sk_compfunc)cmp; \
    } \
    static ossl_unused ossl_inline OPENSSL_sk_copyfunc ossl_check_##t1##_copyfunc_type(sk_##t1##_copyfunc \
cpy) \
    { \
        return (OPENSSL_sk_copyfunc)cpy; \
    } \
    static ossl_unused ossl_inline OPENSSL_sk_freefunc ossl_check_##t1##_freefunc_type(sk_##t1##_freefunc fr) \
    { \
        return (OPENSSL_sk_freefunc)fr; \
    }

# define SKM_DEFINE_STACK_OF(t1,

```



```

t2, t3) \
STACK_OF(t1); \
typedef int (*sk_##t1##_compfunc)(const t3 * const *a, const t3 *const *b); \
typedef void (*sk_##t1##_freefunc)(t3 *a); \
typedef t3 * (*sk_##t1##_copyfunc)(const t3 *a); \
static ossl_unused ossl_inline int sk_##t1##_num(const STACK_OF(t1) *sk) \
{ \
    return OPENSSL_sk_num((const OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline t2 *sk_##t1##_value(const STACK_OF(t1) *sk, int idx) \
{ \
    return (t2 *)OPENSSL_sk_value((const OPENSSL_STACK *)sk, idx); \
} \
static ossl_unused ossl_inline STACK_OF(t1) *sk_##t1##_new(sk_##t1##_compfunc compare) \
{ \
    return (STACK_OF(t1) *)OPENSSL_sk_new((OPENSSL_sk_compfunc)compare); \
} \
static ossl_unused ossl_inline STACK_OF(t1) *sk_##t1##_new_null(void) \
{ \
    return (STACK_OF(t1) *)OPENSSL_sk_new_null(); \
} \
static ossl_unused ossl_inline STACK_OF(t1) *sk_##t1##_new_reserve(sk_##t1##_compfunc compare,
int n) \
{ \
    return (STACK_OF(t1) *)OPENSSL_sk_new_reserve((OPENSSL_sk_compfunc)compare, n); \
} \
static ossl_unused ossl_inline int sk_##t1##_reserve(STACK_OF(t1) *sk, int n) \
{ \
    return OPENSSL_sk_reserve((OPENSSL_STACK *)sk, n); \
} \
static ossl_unused ossl_inline void sk_##t1##_free(STACK_OF(t1) *sk) \
{ \
    OPENSSL_sk_free((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline void sk_##t1##_zero(STACK_OF(t1) *sk) \
{ \
    OPENSSL_sk_zero((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline t2 *sk_##t1##_delete(STACK_OF(t1) *sk, int i) \
{ \
    return (t2 *)OPENSSL_sk_delete((OPENSSL_STACK *)sk, i); \
} \
static ossl_unused ossl_inline t2 *sk_##t1##_delete_ptr(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    return (t2 *)OPENSSL_sk_delete_ptr((OPENSSL_STACK *)sk, \
                                         (const void *)ptr); \
} \
static ossl_unused ossl_inline int

```

```

sk_##t1##_push(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    return OPENSSL_sk_push((OPENSSL_STACK *)sk, (const void *)ptr); \
} \
static ossl_unused ossl_inline int sk_##t1##_unshift(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    return OPENSSL_sk_unshift((OPENSSL_STACK *)sk, (const void *)ptr); \
} \
static ossl_unused ossl_inline t2 *sk_##t1##_pop(STACK_OF(t1) *sk) \
{ \
    return (t2 *)OPENSSL_sk_pop((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline t2 *sk_##t1##_shift(STACK_OF(t1) *sk) \
{ \
    return (t2 *)OPENSSL_sk_shift((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline void sk_##t1##_pop_free(STACK_OF(t1) *sk, sk_##t1##_freefunc freefunc) \
{ \
    OPENSSL_sk_pop_free((OPENSSL_STACK *)sk, (OPENSSL_sk_freefunc)freefunc); \
} \
static ossl_unused ossl_inline int sk_##t1##_insert(STACK_OF(t1) *sk, t2 *ptr, int idx) \
{ \
    return OPENSSL_sk_insert((OPENSSL_STACK *)sk, (const void *)ptr, idx); \
} \
static ossl_unused ossl_inline t2 *sk_##t1##_set(STACK_OF(t1) *sk, int idx, t2 *ptr) \
{ \
    return (t2 *)OPENSSL_sk_set((OPENSSL_STACK *)sk, idx, (const void *)ptr); \
} \
static ossl_unused ossl_inline int sk_##t1##_find(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    return OPENSSL_sk_find((OPENSSL_STACK *)sk, (const void *)ptr); \
} \
static ossl_unused ossl_inline int sk_##t1##_find_ex(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    return OPENSSL_sk_find_ex((OPENSSL_STACK *)sk, (const void *)ptr); \
} \
static ossl_unused ossl_inline int sk_##t1##_find_all(STACK_OF(t1) *sk, t2 *ptr, int *pnum) \
{ \
    return OPENSSL_sk_find_all((OPENSSL_STACK *)sk, (const void *)ptr, pnum); \
} \
static ossl_unused ossl_inline void sk_##t1##_sort(STACK_OF(t1) *sk) \
{ \
    OPENSSL_sk_sort((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline int sk_##t1##_is_sorted(const STACK_OF(t1) *sk) \
{ \
    return

```

```

OPENSSL_sk_is_sorted((const OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline STACK_OF(t1) * sk_##t1##_dup(const STACK_OF(t1) *sk) \
{ \
    return (STACK_OF(t1) *)OPENSSL_sk_dup((const OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline STACK_OF(t1) *sk_##t1##_deep_copy(const STACK_OF(t1) *sk, \
    sk_##t1##_copyfunc copyfunc, \
    sk_##t1##_freefunc freefunc) \
{ \
    return (STACK_OF(t1) *)OPENSSL_sk_deep_copy((const OPENSSL_STACK *)sk, \
        (OPENSSL_sk_copyfunc)copyfunc, \
        (OPENSSL_sk_freefunc)freefunc); \
} \
static ossl_unused ossl_inline sk_##t1##_compfunc sk_##t1##_set_cmp_func(STACK_OF(t1) *sk, \
sk_##t1##_compfunc compare) \
{ \
    return (sk_##t1##_compfunc)OPENSSL_sk_set_cmp_func((OPENSSL_STACK *)sk, \
(OPENSSL_sk_compfunc)compare); \
}

# define DEFINE_STACK_OF(t) SKM_DEFINE_STACK_OF(t, t)
# define DEFINE_STACK_OF_CONST(t) SKM_DEFINE_STACK_OF(t, const t)
# define DEFINE_SPECIAL_STACK_OF(t1, t2) SKM_DEFINE_STACK_OF(t1, t2, t2)
# define DEFINE_SPECIAL_STACK_OF_CONST(t1, t2) \
    SKM_DEFINE_STACK_OF(t1, const t2, t2)

/*-
 * Strings are special: normally an lhash entry will point to a single
 * (somewhat) mutable object. In the case of strings:
 *
 * a) Instead of a single char, there is an array of chars, NUL-terminated.
 * b) The string may have be immutable.
 *
 * So, they need their own declarations. Especially important for
 * type-checking tools, such as Deputy.
 *
 * In practice, however, it appears to be hard to have a const
 * string. For now, I'm settling for dealing with the fact it is a
 * string at all.
 */
typedef char *OPENSSL_STRING;
typedef const char *OPENSSL_CSTRING;

/*-
 * Confusingly, LHASH_OF(STRING) deals with char ** throughout, but
 * STACK_OF(STRING) is really more like STACK_OF(char),

```

only, as mentioned

* above, instead of a single char each entry is a NUL-terminated array of
* chars. So, we have to implement STRING specially for STACK_OF. This is
* dealt with in the autogenerated macros below.

*/

```
SKM_DEFINE_STACK_OF_INTERNAL(OPENSSSL_STRING, char, char)
#define sk_OPENSSSL_STRING_num(sk)
OPENSSSL_sk_num(ssl_check_const_OPENSSSL_STRING_sk_type(sk))
#define sk_OPENSSSL_STRING_value(sk, idx) ((char
*)OPENSSSL_sk_value(ssl_check_const_OPENSSSL_STRING_sk_type(sk), (idx)))
#define sk_OPENSSSL_STRING_new(cmp) ((STACK_OF(OPENSSSL_STRING)
*)OPENSSSL_sk_new(ssl_check_OPENSSSL_STRING_compfunc_type(cmp)))
#define sk_OPENSSSL_STRING_new_null() ((STACK_OF(OPENSSSL_STRING) *)OPENSSSL_sk_new_null())
#define sk_OPENSSSL_STRING_new_reserve(cmp, n) ((STACK_OF(OPENSSSL_STRING)
*)OPENSSSL_sk_new_reserve(ssl_check_OPENSSSL_STRING_compfunc_type(cmp), (n)))
#define sk_OPENSSSL_STRING_reserve(sk, n)
OPENSSSL_sk_reserve(ssl_check_OPENSSSL_STRING_sk_type(sk), (n))
#define sk_OPENSSSL_STRING_free(sk)
OPENSSSL_sk_free(ssl_check_OPENSSSL_STRING_sk_type(sk))
#define sk_OPENSSSL_STRING_zero(sk) OPENSSSL_sk_zero(ssl_check_OPENSSSL_STRING_sk_type(sk))
#define sk_OPENSSSL_STRING_delete(sk, i) ((char
*)OPENSSSL_sk_delete(ssl_check_OPENSSSL_STRING_sk_type(sk), (i)))
#define sk_OPENSSSL_STRING_delete_ptr(sk, ptr) ((char
*)OPENSSSL_sk_delete_ptr(ssl_check_OPENSSSL_STRING_sk_type(sk),
ssl_check_OPENSSSL_STRING_type(ptr)))
#define sk_OPENSSSL_STRING_push(sk, ptr) OPENSSSL_sk_push(ssl_check_OPENSSSL_STRING_sk_type(sk),
ssl_check_OPENSSSL_STRING_type(ptr))
#define sk_OPENSSSL_STRING_unshift(sk, ptr)
OPENSSSL_sk_unshift(ssl_check_OPENSSSL_STRING_sk_type(sk), ssl_check_OPENSSSL_STRING_type(ptr))
#define sk_OPENSSSL_STRING_pop(sk) ((char
*)OPENSSSL_sk_pop(ssl_check_OPENSSSL_STRING_sk_type(sk)))
#define sk_OPENSSSL_STRING_shift(sk) ((char
*)OPENSSSL_sk_shift(ssl_check_OPENSSSL_STRING_sk_type(sk)))
#define sk_OPENSSSL_STRING_pop_free(sk, freefunc)
OPENSSSL_sk_pop_free(ssl_check_OPENSSSL_STRING_sk_type(sk), ssl_check_OPENSSSL_STRING_freefunc_
type(freefunc))
#define
sk_OPENSSSL_STRING_insert(sk, ptr, idx) OPENSSSL_sk_insert(ssl_check_OPENSSSL_STRING_sk_type(sk),
ssl_check_OPENSSSL_STRING_type(ptr), (idx))
#define sk_OPENSSSL_STRING_set(sk, idx, ptr) ((char
*)OPENSSSL_sk_set(ssl_check_OPENSSSL_STRING_sk_type(sk), (idx),
ssl_check_OPENSSSL_STRING_type(ptr)))
#define sk_OPENSSSL_STRING_find(sk, ptr) OPENSSSL_sk_find(ssl_check_OPENSSSL_STRING_sk_type(sk),
ssl_check_OPENSSSL_STRING_type(ptr))
#define sk_OPENSSSL_STRING_find_ex(sk, ptr)
OPENSSSL_sk_find_ex(ssl_check_OPENSSSL_STRING_sk_type(sk), ssl_check_OPENSSSL_STRING_type(ptr))
#define sk_OPENSSSL_STRING_find_all(sk, ptr, pnum)
OPENSSSL_sk_find_all(ssl_check_OPENSSSL_STRING_sk_type(sk), ssl_check_OPENSSSL_STRING_type(ptr),
```

```

pnum)
#define sk_OPENSSL_STRING_sort(sk) OPENSSL_sk_sort(ssl_check_OPENSSL_STRING_sk_type(sk))
#define sk_OPENSSL_STRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OPENSSL_STRING_sk_type(sk))
#define sk_OPENSSL_STRING_dup(sk)
((STACK_OF(OPENSSL_STRING) *)OPENSSL_sk_dup(ssl_check_const_OPENSSL_STRING_sk_type(sk)))
#define sk_OPENSSL_STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OPENSSL_STRING)
*)OPENSSL_sk_deep_copy(ssl_check_const_OPENSSL_STRING_sk_type(sk),
ssl_check_OPENSSL_STRING_copyfunc_type(copyfunc),
ssl_check_OPENSSL_STRING_freefunc_type(freefunc)))
#define sk_OPENSSL_STRING_set_cmp_func(sk, cmp)
((sk_OPENSSL_STRING_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OPENSSL_STRING_sk_type(sk),
ssl_check_OPENSSL_STRING_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(OPENSSL_CSTRING, const char, char)
#define sk_OPENSSL_CSTRING_num(sk)
OPENSSL_sk_num(ssl_check_const_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_value(sk, idx) ((const char
*)OPENSSL_sk_value(ssl_check_const_OPENSSL_CSTRING_sk_type(sk), (idx)))
#define sk_OPENSSL_CSTRING_new(cmp) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_new(ssl_check_OPENSSL_CSTRING_compfunc_type(cmp)))
#define sk_OPENSSL_CSTRING_new_null() ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_new_null())
#define sk_OPENSSL_CSTRING_new_reserve(cmp, n) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_new_reserve(ssl_check_OPENSSL_CSTRING_compfunc_type(cmp), (n)))
#define sk_OPENSSL_CSTRING_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OPENSSL_CSTRING_sk_type(sk), (n))
#define sk_OPENSSL_CSTRING_free(sk) OPENSSL_sk_free(ssl_check_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_zero(sk) OPENSSL_sk_zero(ssl_check_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_delete(sk, i) ((const char
*)OPENSSL_sk_delete(ssl_check_OPENSSL_CSTRING_sk_type(sk), (i)))
#define sk_OPENSSL_CSTRING_delete_ptr(sk, ptr) ((const char
*)OPENSSL_sk_delete_ptr(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr)))
#define sk_OPENSSL_CSTRING_push(sk, ptr)
OPENSSL_sk_push(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_type(ptr))
#define sk_OPENSSL_CSTRING_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr))
#define sk_OPENSSL_CSTRING_pop(sk) ((const char
*)OPENSSL_sk_pop(ssl_check_OPENSSL_CSTRING_sk_type(sk)))
#define sk_OPENSSL_CSTRING_shift(sk) ((const char
*)OPENSSL_sk_shift(ssl_check_OPENSSL_CSTRING_sk_type(sk)))
#define sk_OPENSSL_CSTRING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_freefunc_type(freefunc))
#define sk_OPENSSL_CSTRING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_type(ptr),
(idx))

```

```

#define sk_OPENSSL_CSTRING_set(sk, idx, ptr) ((const char
*)OPENSSL_sk_set(ssl_check_OPENSSL_CSTRING_sk_type(sk), (idx),
ssl_check_OPENSSL_CSTRING_type(ptr)))
#define sk_OPENSSL_CSTRING_find(sk, ptr)
OPENSSL_sk_find(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_type(ptr))
#define sk_OPENSSL_CSTRING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr))
#define
sk_OPENSSL_CSTRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr), pnum)
#define sk_OPENSSL_CSTRING_sort(sk) OPENSSL_sk_sort(ssl_check_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_dup(sk) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_dup(ssl_check_const_OPENSSL_CSTRING_sk_type(sk)))
#define sk_OPENSSL_CSTRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_deep_copy(ssl_check_const_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_copyfunc_type(copyfunc),
ssl_check_OPENSSL_CSTRING_freefunc_type(freefunc)))
#define sk_OPENSSL_CSTRING_set_cmp_func(sk, cmp)
((sk_OPENSSL_CSTRING_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OPENSSL_CSTRING_sk_type(s
k), ssl_check_OPENSSL_CSTRING_compfunc_type(cmp)))

#if !defined(OPENSSL_NO_DEPRECATED_3_0)
/*
 * This
 * is not used by OpenSSL. A block of bytes, NOT nul-terminated.
 * These should also be distinguished from "normal" stacks.
 */
typedef void *OPENSSL_BLOCK;
SKM_DEFINE_STACK_OF_INTERNAL(OPENSSL_BLOCK, void, void)
#define sk_OPENSSL_BLOCK_num(sk) OPENSSL_sk_num(ssl_check_const_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_value(sk, idx) ((void
*)OPENSSL_sk_value(ssl_check_const_OPENSSL_BLOCK_sk_type(sk), (idx)))
#define sk_OPENSSL_BLOCK_new(cmp) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_new(ssl_check_OPENSSL_BLOCK_compfunc_type(cmp)))
#define sk_OPENSSL_BLOCK_new_null() ((STACK_OF(OPENSSL_BLOCK) *)OPENSSL_sk_new_null())
#define sk_OPENSSL_BLOCK_new_reserve(cmp, n) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_new_reserve(ssl_check_OPENSSL_BLOCK_compfunc_type(cmp), (n)))
#define sk_OPENSSL_BLOCK_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OPENSSL_BLOCK_sk_type(sk), (n))
#define sk_OPENSSL_BLOCK_free(sk) OPENSSL_sk_free(ssl_check_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_zero(sk)
OPENSSL_sk_zero(ssl_check_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_delete(sk, i) ((void

```

```

*)OPENSSL_sk_delete(ssl_check_OPENSSL_BLOCK_sk_type(sk), (i)))
#define sk_OPENSSL_BLOCK_delete_ptr(sk, ptr) ((void
*)OPENSSL_sk_delete_ptr(ssl_check_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_type(ptr)))
#define sk_OPENSSL_BLOCK_push(sk, ptr) OPENSSL_sk_push(ssl_check_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OPENSSL_BLOCK_sk_type(sk), ssl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_pop(sk) ((void
*)OPENSSL_sk_pop(ssl_check_OPENSSL_BLOCK_sk_type(sk)))
#define sk_OPENSSL_BLOCK_shift(sk) ((void
*)OPENSSL_sk_shift(ssl_check_OPENSSL_BLOCK_sk_type(sk)))
#define sk_OPENSSL_BLOCK_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OPENSSL_BLOCK_sk_type(sk),ssl_check_OPENSSL_BLOCK_freefunc_t
ype(freefunc))
#define sk_OPENSSL_BLOCK_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_type(ptr), (idx))
#define sk_OPENSSL_BLOCK_set(sk, idx, ptr) ((void
*)OPENSSL_sk_set(ssl_check_OPENSSL_BLOCK_sk_type(sk), (idx),
ssl_check_OPENSSL_BLOCK_type(ptr)))
#define sk_OPENSSL_BLOCK_find(sk, ptr) OPENSSL_sk_find(ssl_check_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OPENSSL_BLOCK_sk_type(sk), ssl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OPENSSL_BLOCK_sk_type(sk), ssl_check_OPENSSL_BLOCK_type(ptr),
pnum)
#define sk_OPENSSL_BLOCK_sort(sk) OPENSSL_sk_sort(ssl_check_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_dup(sk) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_dup(ssl_check_const_OPENSSL_BLOCK_sk_type(sk)))
#define sk_OPENSSL_BLOCK_deep_copy(sk, copyfunc,
freefunc) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_deep_copy(ssl_check_const_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_copyfunc_type(copyfunc),
ssl_check_OPENSSL_BLOCK_freefunc_type(freefunc)))
#define sk_OPENSSL_BLOCK_set_cmp_func(sk, cmp)
((sk_OPENSSL_BLOCK_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_compfunc_type(cmp)))

#endif

# ifdef __cplusplus
}
# endif
#endif

```

Copyright (c) 2020 Node.js contributors. All rights reserved.

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The ISC License

Copyright (c) 2019-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2016-2022 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
{
'variables': {
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'CMLL_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wa,--noexecstack',
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
},
}
```

```
'openssl_cli_srcs_BSD-x86': [  
    'openssl/apps/lib/cmp_mock_srv.c',  
    'openssl/apps/asn1parse.c',  
    'openssl/apps/ca.c',  
    'openssl/apps/ciphers.c',  
    'openssl/apps/cmp.c',  
    'openssl/apps/cms.c',  
    'openssl/apps/crl.c',  
    'openssl/apps/crl2pkcs7.c',  
    'openssl/apps/dgst.c',  
    'openssl/apps/dhparam.c',  
    'openssl/apps/dsa.c',  
    'openssl/apps/dsaparam.c',  
    'openssl/apps/ec.c',  
    'openssl/apps/ecparam.c',  
    'openssl/apps/enc.c',  
    'openssl/apps/engine.c',  
    'openssl/apps/errstr.c',  
    'openssl/apps/fipsinstall.c',  
    'openssl/apps/gendsa.c',  
    'openssl/apps/genpkey.c',  
    'openssl/apps/genrsa.c',  
    'openssl/apps/info.c',  
    'openssl/apps/kdf.c',  
    'openssl/apps/list.c',  
    'openssl/apps/mac.c',  
    'openssl/apps/nseq.c',  
    'openssl/apps/ocsp.c',  
    'openssl/apps/openssl.c',  
    'openssl/apps/passwd.c',  
    'openssl/apps/pkcs12.c',  
    'openssl/apps/pkcs7.c',  
    'openssl/apps/pkcs8.c',  
    'openssl/apps/pkey.c',  
    'openssl/apps/pkeyparam.c',  
    'openssl/apps/pkeyutl.c',  
    'openssl/apps/prime.c',  
    './config/archs/BSD-x86/asm/apps/progs.c',  
  
    'openssl/apps/rand.c',  
    'openssl/apps/rehash.c',  
    'openssl/apps/req.c',  
    'openssl/apps/rsa.c',  
    'openssl/apps/rsautl.c',  
    'openssl/apps/s_client.c',  
    'openssl/apps/s_server.c',  
    'openssl/apps/s_time.c',  
    'openssl/apps/sess_id.c',
```

```

'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86)'],
'include_dirs': [
    './include',
],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86)'],
}
/*-
* WARNING: do not edit!
* Generated by Makefile from include/openssl/crmf.h.in
*
* Copyright 2007-2021 The OpenSSL Project Authors. All Rights Reserved.
* Copyright Nokia 2007-2019
* Copyright Siemens AG 2015-2019
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html

```

```

*
* CRMF (RFC 4211) implementation by M. Peylo, M. Viljanen, and D. von Oheimb.
*/

#ifndef OPENSSL_CRMF_H
#define OPENSSL_CRMF_H

#include <openssl/opensslconf.h>

#ifndef OPENSSL_NO_CRMF
#include <openssl/opensslv.h>
#include <openssl/safestack.h>
#include <openssl/crmferr.h>
#include <openssl/x509v3.h> /* for GENERAL_NAME etc. */

/* explicit #includes not strictly needed since implied by the above: */
#include <openssl/types.h>
#include <openssl/x509.h>

#ifdef __cplusplus
extern "C" {
#endif

#
define OSSL_CRMF_POPOPRIVKEY_THISMESSAGE 0
#define OSSL_CRMF_POPOPRIVKEY_SUBSEQUENTMESSAGE 1
#define OSSL_CRMF_POPOPRIVKEY_DHMAC 2
#define OSSL_CRMF_POPOPRIVKEY_AGREEMAC 3
#define OSSL_CRMF_POPOPRIVKEY_ENCRYPTEDKEY 4

#define OSSL_CRMF_SUBSEQUENTMESSAGE_ENCRCERT 0
#define OSSL_CRMF_SUBSEQUENTMESSAGE_CHALLENGERESP 1

typedef struct ossl_crmf_encryptedvalue_st OSSL_CRMF_ENCRYPTEDVALUE;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_ENCRYPTEDVALUE)
typedef struct ossl_crmf_msg_st OSSL_CRMF_MSG;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_MSG)
DECLARE_ASN1_DUP_FUNCTION(OSSL_CRMF_MSG)
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CRMF_MSG, OSSL_CRMF_MSG, OSSL_CRMF_MSG)
#define sk_OSSL_CRMF_MSG_num(sk)
OPENSSL_sk_num(ossl_check_const_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_value(sk, idx) ((OSSL_CRMF_MSG
*)OPENSSL_sk_value(ossl_check_const_OSSL_CRMF_MSG_sk_type(sk), (idx)))
#define sk_OSSL_CRMF_MSG_new(cmp) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_new(ossl_check_OSSL_CRMF_MSG_compfunc_type(cmp)))
#define

```

```

sk_OSSL_CRMF_MSG_new_null() ((STACK_OF(OSSL_CRMF_MSG) *)OPENSSL_sk_new_null())
#define sk_OSSL_CRMF_MSG_new_reserve(cmp, n) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CRMF_MSG_compfunc_type(cmp), (n)))
#define sk_OSSL_CRMF_MSG_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OSSL_CRMF_MSG_sk_type(sk), (n))
#define sk_OSSL_CRMF_MSG_free(sk) OPENSSL_sk_free(ssl_check_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_zero(sk) OPENSSL_sk_zero(ssl_check_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_delete(sk, i) ((OSSL_CRMF_MSG
*)OPENSSL_sk_delete(ssl_check_OSSL_CRMF_MSG_sk_type(sk), (i)))
#define sk_OSSL_CRMF_MSG_delete_ptr(sk, ptr) ((OSSL_CRMF_MSG
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_type(ptr)))
#define sk_OSSL_CRMF_MSG_push(sk, ptr) OPENSSL_sk_push(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_type(ptr))
#define sk_OSSL_CRMF_MSG_unshift(sk,
ptr) OPENSSL_sk_unshift(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_type(ptr))
#define sk_OSSL_CRMF_MSG_pop(sk) ((OSSL_CRMF_MSG
*)OPENSSL_sk_pop(ssl_check_OSSL_CRMF_MSG_sk_type(sk)))
#define sk_OSSL_CRMF_MSG_shift(sk) ((OSSL_CRMF_MSG
*)OPENSSL_sk_shift(ssl_check_OSSL_CRMF_MSG_sk_type(sk)))
#define sk_OSSL_CRMF_MSG_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CRMF_MSG_sk_type(sk), ssl_check_OSSL_CRMF_MSG_freefunc_t
ype(freefunc))
#define sk_OSSL_CRMF_MSG_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OSSL_CRMF_MSG_sk_type(sk), ssl_check_OSSL_CRMF_MSG_type(ptr),
(idx))
#define sk_OSSL_CRMF_MSG_set(sk, idx, ptr) ((OSSL_CRMF_MSG
*)OPENSSL_sk_set(ssl_check_OSSL_CRMF_MSG_sk_type(sk), (idx),
ssl_check_OSSL_CRMF_MSG_type(ptr)))
#define sk_OSSL_CRMF_MSG_find(sk, ptr) OPENSSL_sk_find(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_type(ptr))
#define sk_OSSL_CRMF_MSG_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_type(ptr))
#define sk_OSSL_CRMF_MSG_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CRMF_MSG_sk_type(sk), ssl_check_OSSL_CRMF_MSG_type(ptr),
pnum)
#define sk_OSSL_CRMF_MSG_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_dup(sk) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CRMF_MSG_sk_type(sk)))
#define sk_OSSL_CRMF_MSG_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_copyfunc_type(copyfunc),
ssl_check_OSSL_CRMF_MSG_freefunc_type(freefunc)))
#define sk_OSSL_CRMF_MSG_set_cmp_func(sk, cmp)

```

```

((sk_OSSL_CRMF_MSG_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_compfunc_type(cmp)))

typedef struct ssl_crmf_attributetypeandvalue_st OSSL_CRMF_ATTRIBUTETYPEANDVALUE;
typedef
    struct ssl_crmf_pbmpparameter_st OSSL_CRMF_PBMPARAMETER;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_PBMPARAMETER)
typedef struct ssl_crmf_poposigningkey_st OSSL_CRMF_POPOSIGNINGKEY;
typedef struct ssl_crmf_certrequest_st OSSL_CRMF_CERTREQUEST;
typedef struct ssl_crmf_certid_st OSSL_CRMF_CERTID;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_CERTID)
DECLARE_ASN1_DUP_FUNCTION(OSSL_CRMF_CERTID)
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CRMF_CERTID, OSSL_CRMF_CERTID,
OSSL_CRMF_CERTID)
#define sk_OSSL_CRMF_CERTID_num(sk)
    OPENSSL_sk_num(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_value(sk, idx) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_value(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk), (idx)))
#define sk_OSSL_CRMF_CERTID_new(cmp) ((STACK_OF(OSSL_CRMF_CERTID)
*)OPENSSL_sk_new(ssl_check_OSSL_CRMF_CERTID_compfunc_type(cmp)))
#define sk_OSSL_CRMF_CERTID_new_null() ((STACK_OF(OSSL_CRMF_CERTID)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CRMF_CERTID_new_reserve(cmp, n) ((STACK_OF(OSSL_CRMF_CERTID)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CRMF_CERTID_compfunc_type(cmp), (n)))
#define sk_OSSL_CRMF_CERTID_reserve(sk, n)
    OPENSSL_sk_reserve(ssl_check_OSSL_CRMF_CERTID_sk_type(sk), (n))
#define sk_OSSL_CRMF_CERTID_free(sk) OPENSSL_sk_free(ssl_check_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_zero(sk)
    OPENSSL_sk_zero(ssl_check_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_delete(sk, i) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_delete(ssl_check_OSSL_CRMF_CERTID_sk_type(sk), (i)))
#define sk_OSSL_CRMF_CERTID_delete_ptr(sk, ptr) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr)))
#define sk_OSSL_CRMF_CERTID_push(sk, ptr)
    OPENSSL_sk_push(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define sk_OSSL_CRMF_CERTID_unshift(sk, ptr)
    OPENSSL_sk_unshift(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define sk_OSSL_CRMF_CERTID_pop(sk)
    ((OSSL_CRMF_CERTID *)OPENSSL_sk_pop(ssl_check_OSSL_CRMF_CERTID_sk_type(sk)))
#define sk_OSSL_CRMF_CERTID_shift(sk) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_shift(ssl_check_OSSL_CRMF_CERTID_sk_type(sk)))
#define sk_OSSL_CRMF_CERTID_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),ssl_check_OSSL_CRMF_CERTID_fre
efunc_type(freefunc))
#define sk_OSSL_CRMF_CERTID_insert(sk, ptr, idx)

```

```

OPENSSL_sk_insert(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr), (idx))
#define sk_OSSL_CRMF_CERTID_set(sk, idx, ptr) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_set(ssl_check_OSSL_CRMF_CERTID_sk_type(sk), (idx),
ssl_check_OSSL_CRMF_CERTID_type(ptr)))
#define sk_OSSL_CRMF_CERTID_find(sk, ptr)
OPENSSL_sk_find(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define sk_OSSL_CRMF_CERTID_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define sk_OSSL_CRMF_CERTID_find_all(sk,
ptr, pnum) OPENSSL_sk_find_all(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr), pnum)
#define sk_OSSL_CRMF_CERTID_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_dup(sk) ((STACK_OF(OSSL_CRMF_CERTID
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk)))
#define sk_OSSL_CRMF_CERTID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CRMF_CERTID
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_copyfunc_type(copyfunc),
ssl_check_OSSL_CRMF_CERTID_freefunc_type(freefunc)))
#define sk_OSSL_CRMF_CERTID_set_cmp_func(sk, cmp)
((sk_OSSL_CRMF_CERTID_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CRMF_CERTID_sk_type
e(sk), ssl_check_OSSL_CRMF_CERTID_compfunc_type(cmp)))

```

```

typedef struct ssl_crmf_pkipublicationinfo_st OSSL_CRMF_PKIPUBLICATIONINFO;

```

```

DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_PKIPUBLICATIONINFO)

```

```

typedef

```

```

    struct ssl_crmf_singlepubinfo_st OSSL_CRMF_SINGLEPUBINFO;

```

```

DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_SINGLEPUBINFO)

```

```

typedef struct ssl_crmf_certtemplate_st OSSL_CRMF_CERTTEMPLATE;

```

```

DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_CERTTEMPLATE)

```

```

typedef STACK_OF(OSSL_CRMF_MSG) OSSL_CRMF_MSGS;

```

```

DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_MSGS)

```

```

typedef struct ssl_crmf_optionalvalidity_st OSSL_CRMF_OPTIONALVALIDITY;

```

```

/* crmf_pbm.c */

```

```

OSSL_CRMF_PBMPARAMETER *OSSL_CRMF_pbmp_new(OSSL_LIB_CTX *libctx, size_t slen,
int owfnid, size_t itercnt,
int macnid);

```

```

int OSSL_CRMF_pbm_new(OSSL_LIB_CTX *libctx, const char *propq,
const OSSL_CRMF_PBMPARAMETER *pbmp,
const unsigned char *msg, size_t msglen,
const unsigned char *sec, size_t seclen,

```

```

        unsigned char **mac, size_t *maclen);

/* crmf_lib.c
*/
int OSSL_CRMF_MSG_set1_regCtrl_regToken(OSSL_CRMF_MSG *msg,
        const ASN1_UTF8STRING *tok);

ASN1_UTF8STRING
*OSSL_CRMF_MSG_get0_regCtrl_regToken(const OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regCtrl_authenticator(OSSL_CRMF_MSG *msg,
        const ASN1_UTF8STRING *auth);

ASN1_UTF8STRING
*OSSL_CRMF_MSG_get0_regCtrl_authenticator(const OSSL_CRMF_MSG *msg);
int
OSSL_CRMF_MSG_PKIPublicationInfo_push0_SinglePubInfo(OSSL_CRMF_PKIPUBLICATIONINFO *pi,
        OSSL_CRMF_SINGLEPUBINFO *spi);
# define OSSL_CRMF_PUB_METHOD_DONTCARE 0
# define OSSL_CRMF_PUB_METHOD_X500    1
# define OSSL_CRMF_PUB_METHOD_WEB     2
# define OSSL_CRMF_PUB_METHOD_LDAP    3
int OSSL_CRMF_MSG_set0_SinglePubInfo(OSSL_CRMF_SINGLEPUBINFO *spi,
        int method, GENERAL_NAME *nm);
# define OSSL_CRMF_PUB_ACTION_DONTPUBLISH 0
# define OSSL_CRMF_PUB_ACTION_PLEASEPUBLISH
1
int OSSL_CRMF_MSG_set_PKIPublicationInfo_action(OSSL_CRMF_PKIPUBLICATIONINFO *pi,
        int action);
int OSSL_CRMF_MSG_set1_regCtrl_pkiPublicationInfo(OSSL_CRMF_MSG *msg,
        const OSSL_CRMF_PKIPUBLICATIONINFO *pi);
OSSL_CRMF_PKIPUBLICATIONINFO
*OSSL_CRMF_MSG_get0_regCtrl_pkiPublicationInfo(const OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regCtrl_protocolEncrKey(OSSL_CRMF_MSG *msg,
        const X509_PUBKEY *pubkey);
X509_PUBKEY
*OSSL_CRMF_MSG_get0_regCtrl_protocolEncrKey(const OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regCtrl_oldCertID(OSSL_CRMF_MSG *msg,
        const OSSL_CRMF_CERTID *cid);
OSSL_CRMF_CERTID
*OSSL_CRMF_MSG_get0_regCtrl_oldCertID(const OSSL_CRMF_MSG *msg);
OSSL_CRMF_CERTID *OSSL_CRMF_CERTID_gen(const X509_NAME *issuer,
        const ASN1_INTEGER *serial);

int OSSL_CRMF_MSG_set1_regInfo_utf8Pairs(OSSL_CRMF_MSG
        *msg,
        const ASN1_UTF8STRING *utf8pairs);
ASN1_UTF8STRING
*OSSL_CRMF_MSG_get0_regInfo_utf8Pairs(const OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regInfo_certReq(OSSL_CRMF_MSG *msg,
        const OSSL_CRMF_CERTREQUEST *cr);

```



```

OSSL_CRMF_CERTREQUEST
*OSSL_CRMF_MSG_get0_regInfo_certReq(const OSSL_CRMF_MSG *msg);

int OSSL_CRMF_MSG_set0_validity(OSSL_CRMF_MSG *crm,
                                ASN1_TIME *notBefore, ASN1_TIME *notAfter);
int OSSL_CRMF_MSG_set_certReqId(OSSL_CRMF_MSG *crm, int rid);
int OSSL_CRMF_MSG_get_certReqId(const OSSL_CRMF_MSG *crm);
int OSSL_CRMF_MSG_set0_extensions(OSSL_CRMF_MSG *crm, X509_EXTENSIONS *exts);

int OSSL_CRMF_MSG_push0_extension(OSSL_CRMF_MSG *crm, X509_EXTENSION *ext);
# define OSSL_CRMF_POPO_NONE      -1
# define OSSL_CRMF_POPO_RAVERIFIED 0
# define OSSL_CRMF_POPO_SIGNATURE 1
# define OSSL_CRMF_POPO_KEYENC     2
# define OSSL_CRMF_POPO_KEYAGREE   3
int OSSL_CRMF_MSG_create_popo(int meth, OSSL_CRMF_MSG *crm,
                              EVP_PKEY *pkey, const EVP_MD *digest,
                              OSSL_LIB_CTX *libctx, const char *propq);
int OSSL_CRMF_MSGS_verify_popo(const OSSL_CRMF_MSGS *reqs,
                                int rid, int acceptRAVerified,
                                OSSL_LIB_CTX *libctx, const char *propq);
OSSL_CRMF_CERTTEMPLATE *OSSL_CRMF_MSG_get0_tmpl(const OSSL_CRMF_MSG *crm);
const ASN1_INTEGER
*OSSL_CRMF_CERTTEMPLATE_get0_serialNumber(const OSSL_CRMF_CERTTEMPLATE *tmpl);
const X509_NAME
*OSSL_CRMF_CERTTEMPLATE_get0_subject(const OSSL_CRMF_CERTTEMPLATE *tmpl);
const X509_NAME
*OSSL_CRMF_CERTTEMPLATE_get0_issuer(const OSSL_CRMF_CERTTEMPLATE *tmpl);
X509_EXTENSIONS
*OSSL_CRMF_CERTTEMPLATE_get0_extensions(const OSSL_CRMF_CERTTEMPLATE *tmpl);
const X509_NAME
*OSSL_CRMF_CERTID_get0_issuer(const OSSL_CRMF_CERTID *cid);
const ASN1_INTEGER
*OSSL_CRMF_CERTID_get0_serialNumber(const
OSSL_CRMF_CERTID *cid);
int OSSL_CRMF_CERTTEMPLATE_fill(OSSL_CRMF_CERTTEMPLATE *tmpl,
                                EVP_PKEY *pubkey,
                                const X509_NAME *subject,
                                const X509_NAME *issuer,
                                const ASN1_INTEGER *serial);

X509
*OSSL_CRMF_ENCRYPTEDVALUE_get1_encCert(const OSSL_CRMF_ENCRYPTEDVALUE *ecert,
                                       OSSL_LIB_CTX *libctx, const char *propq,
                                       EVP_PKEY *pkey);

# ifdef __cplusplus
}

```

```
# endif
# endif /* !defined(OPENSSL_NO_CRMF) */
#endif /* !defined(OPENSSL_CRMF_H) */

        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright contributors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR

CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) GitHub, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<!-- DO NOT EDIT! Generated by `%(generating\_script\_filename)s --spec %(spec\_directory)s/` -->

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
  'variables': {
    'openssl_sources': [
      'openssl/crypto/aes/aes_cbc.c',
      'openssl/crypto/aes/aes_core.c',
      'openssl/crypto/aes/aes_ecb.c',
      'openssl/crypto/aes/aes_misc.c',
      'openssl/crypto/bn/bn_add.c',
```

'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',

'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',

'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',

'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem_clr.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',

'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',

'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',

'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',

'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',

```

'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86': [
'./config/archs/BSD-x86/no-asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/no-asm/providers/legacy.ld',
'./config/archs/BSD-x86/no-asm/providers/fips.ld',

],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'FIPS_MODULE',
'FIPS_MODULE',
],

```

```

'openssl_cflags_BSD-x86': [
  '-Wall -O3 -fomit-frame-pointer',
  '-pthread',
  '-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
  '-pthread',
],
'linker_script': "
},
'include_dirs': [
  '.',
  './include',
  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86)'],
},
}

```

Copyright (c) George Zahariev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE

OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

```
{
  'variables': {
    'openssl_defines_BSD-x86_64': [
      'NDEBUG',
      'L_ENDIAN',
      'OPENSSL_BUILDING_OPENSSL',
      'AES_ASM',
      'BSAES_ASM',
      'CMLL_ASM',
      'ECP_NISTZ256_ASM',
      'GHASH_ASM',
      'KECCAK1600_ASM',
      'MD5_ASM',
      'OPENSSL_BN_ASM_GF2m',
      'OPENSSL_BN_ASM_MONT',
      'OPENSSL_BN_ASM_MONT5',
      'OPENSSL_CPUID_OBJ',
      'OPENSSL_IA32_SSE2',
      'PADLOCK_ASM',
      'POLY1305_ASM',
      'RC4_ASM',
      'SHA1_ASM',
      'SHA256_ASM',
      'SHA512_ASM',
      'VPAES_ASM',
      'WHIRLPOOL_ASM',
      'X25519_ASM',
      'OPENSSL_PIC',
    ],
    'openssl_cflags_BSD-x86_64': [
      '-Wa,--noexecstack',
      '-Wall -O3',
      '-pthread',
      '-Wall -O3',
    ],
    'openssl_ex_libs_BSD-x86_64': [
      '-pthread',
    ],
    'openssl_cli_srcs_BSD-x86_64': [
      'openssl/apps/lib/cmp_mock_srv.c',
      'openssl/apps/asn1parse.c',
      'openssl/apps/ca.c',
      'openssl/apps/ciphers.c',
      'openssl/apps/cmp.c',
    ]
  }
}
```

'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86_64/asm_avx2/apps/progs.c',

'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',


```

'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'include_dirs': [
    './include',
],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86_64)'],
}

```

BSD 2-Clause License

Copyright (c) Open JS Foundation

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The ISC License

Copyright (c) 2011-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/*

* WARNING: do not edit!

* Generated by util/mkbuildinf.pl

*

* Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#define PLATFORM "platform: BSD-x86"

#define DATE "built on: Wed Mar 5 20:59:02 2025 UTC"

/*

* Generate compiler_flags as an array of individual characters. This is a

* workaround for the situation where CFLAGS gets too long for a C90 string

* literal

*/

static const char compiler_flags[] = {

'c','o','m','p','i','l','e','r',' ','g','c',' ',' ','f',

'P','T','C',' ',' ','p','t','h','r','e','a','d',' ',' ','W','a',

',' ',' ','n','o','e','x','e','c','s','t','a','c','k',' ',' ','

'W','a','l','l',' ',' ','O','3',' ',' ','f','o','m','i','t',' ','

```

'f','r','a','m','e','-','p','o','l','i','n','t','e','r','
','-', 'D',
'L','_','E','N','D','T','A','N',' ','-', 'D','O','P','E','N','S',
'S','L','_','P','T','C',' ','-', 'D','_','T','H','R','E','A','D',
'_','S','A','F','E',' ','-', 'D','_','R','E','E','N','T','R','A',
'N','T',' ','-', 'D','O','P','E','N','S','S','L','_','B','U','T',
'L','D','T','N','G','_','O','P','E','N','S','S','L',' ','-', 'D',
'N','D','E','B','U','G','\0'
};
MIT License

```

Copyright (c) 2019 Colin Ihrig and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This software is released under the MIT license:

Copyright (c) 2017 Evgeny Poberezkin
 Copyright (c) 2013 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom
to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each

author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the

terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the

complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source

code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void,

and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any

further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a

consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is

held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries

either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this

License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE

PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this

is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C) <yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General

Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program,

if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2012-2014 Andris Reinman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012, 2013 Thorsten Lorenz <thlorenz@gmx.de>

Copyright (c) 2012 James Halliday <mail@substack.net>

Copyright (c) 2009 Thomas Robinson <280north.com>

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: cfb53bd76796cf419b683a88e036d3ad

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of

any part of this software from you, with or without changes, also gets the text of this license or a link to <<https://blueoakcouncil.org/license/1.0.0>>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.

/*

* WARNING: do not edit!

* Generated by util/mkbuildinf.pl

*

* Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#define PLATFORM "platform: BSD-x86"

#define DATE "built on: Wed Mar 5 20:59:28 2025 UTC"

/*

* Generate compiler_flags as an array of individual characters. This is a

* workaround for the situation where CFLAGS gets too long for a C90 string

* literal

```

*/
static const char compiler_flags[] = {
    'c','o','m','p','i','l','e','r',' ',' ','c',' ',' ','f','p',
    't','c',' ',' ','p','t','h','r','e','a','d',' ',' ','w','a','t',
    't',' ',' ','o','3',' ',' ','f','o','m','i','t',' ','f','r','a',
    'm','e',' ','p','o','i','n','t','e','r',' ',' ','d','l',' ','e',
    'n','d','t','a','n',
    ' ','d','o','p','e','n','s','s','l',' ',
    'p','t','c',' ',' ','d',' ','t','h','r','e','a','d',' ','s','a',
    'f','e',' ',' ','d',' ','r','e','e','n','t','r','a','n','t',' ',
    ' ','d','o','p','e','n','s','s','l',' ','b','u','t','l','d','t',
    'n','g',' ','o','p','e','n','s','s','l',' ',' ','d','n','d','e',
    'b','u','g','\0'
};

```

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2015-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/*

* WARNING: do not edit!

* Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl

* via Makefile.in

```
*
* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/
```

```
#ifndef OPENSSL_CONFIGURATION_H
# define OPENSSL_CONFIGURATION_H
# pragma once
```

```
# ifdef __cplusplus
extern "C" {
# endif
```

```
# ifdef OPENSSL_ALGORITHM_DEFINES
# error OPENSSL_ALGORITHM_DEFINES no longer supported
# endif
```

```
/*
* OpenSSL was configured with the following options:
*/
```

```
# define OPENSSL_CONFIGURED_API 30000
# ifndef OPENSSL_RAND_SEED_OS
# define OPENSSL_RAND_SEED_OS
# endif
# ifndef OPENSSL_THREADS
# define OPENSSL_THREADS
# endif
# ifndef OPENSSL_NO_AFALGENG
# define OPENSSL_NO_AFALGENG
# endif
# ifndef
OPENSSL_NO_ASAN
# define OPENSSL_NO_ASAN
# endif
# ifndef OPENSSL_NO_COMP
# define OPENSSL_NO_COMP
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG
# define OPENSSL_NO_CRYPTOMDDEBUG
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# define OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# endif
```

```

# ifndef OPENSSSL_NO_EC_NISTP_64_GCC_128
#  define OPENSSSL_NO_EC_NISTP_64_GCC_128
# endif
# ifndef OPENSSSL_NO_EGD
#  define OPENSSSL_NO_EGD
# endif
# ifndef OPENSSSL_NO_EXTERNAL_TESTS
#  define OPENSSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSSL_NO_FUZZ_AFL
#  define OPENSSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSSL_NO_FUZZ_LIBFUZZER
#  define OPENSSSL_NO_FUZZ_LIBFUZZER
# endif
# ifndef OPENSSSL_NO_KTLS
#  define OPENSSSL_NO_KTLS
# endif
# ifndef OPENSSSL_NO_LOADERENG
#  define OPENSSSL_NO_LOADERENG
# endif
# ifndef OPENSSSL_NO_MD2
#  define OPENSSSL_NO_MD2
# endif
# ifndef OPENSSSL_NO_MSAN
#  define OPENSSSL_NO_MSAN
# endif
# ifndef OPENSSSL_NO_RC5
#  define OPENSSSL_NO_RC5
# endif
# ifndef OPENSSSL_NO_SCTP
#  define OPENSSSL_NO_SCTP
#
# endif
# ifndef OPENSSSL_NO_SSL3
#  define OPENSSSL_NO_SSL3
# endif
# ifndef OPENSSSL_NO_SSL3_METHOD
#  define OPENSSSL_NO_SSL3_METHOD
# endif
# ifndef OPENSSSL_NO_TRACE
#  define OPENSSSL_NO_TRACE
# endif
# ifndef OPENSSSL_NO_UBSAN
#  define OPENSSSL_NO_UBSAN
# endif
# ifndef OPENSSSL_NO_UNIT_TEST
#  define OPENSSSL_NO_UNIT_TEST

```

```

# endif
# ifndef OPENSSSL_NO_UPLINK
# define OPENSSSL_NO_UPLINK
# endif
# ifndef OPENSSSL_NO_WEAK_SSL_CIPHERS
# define OPENSSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSSL_NO_DYNAMIC_ENGINE
# define OPENSSSL_NO_DYNAMIC_ENGINE
# endif

/* Generate 80386 code? */
# undef I386_ONLY

/*
 * The following are cipher-specific, but are part of the public API.
 */
# if !defined(OPENSSSL_SYS_UEFI)
# undef BN_LLONG
/* Only one for the following should be defined */
# define SIXTY_FOUR_BIT_LONG
# undef SIXTY_FOUR_BIT
# undef THIRTY_TWO_BIT
# endif

# define RC4_INT unsigned int

# ifdef __cplusplus
}
# endif

#endif /* OPENSSSL_CONFIGURATION_H
*/
ISC License

```

Copyright GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE
USE OR PERFORMANCE OF THIS SOFTWARE.

```
{  
'variables': {  
  'openssl_sources': [  
    'openssl/crypto/aes/aes_ecb.c',  
    'openssl/crypto/aes/aes_misc.c',  
    'openssl/crypto/bn/bn_add.c',  
    'openssl/crypto/bn/bn_blind.c',  
    'openssl/crypto/bn/bn_const.c',  
    'openssl/crypto/bn/bn_conv.c',  
    'openssl/crypto/bn/bn_ctx.c',  
    'openssl/crypto/bn/bn_dh.c',  
    'openssl/crypto/bn/bn_div.c',  
    'openssl/crypto/bn/bn_exp.c',  
    'openssl/crypto/bn/bn_exp2.c',  
    'openssl/crypto/bn/bn_gcd.c',  
    'openssl/crypto/bn/bn_gf2m.c',  
    'openssl/crypto/bn/bn_intern.c',  
    'openssl/crypto/bn/bn_kron.c',  
    'openssl/crypto/bn/bn_lib.c',  
    'openssl/crypto/bn/bn_mod.c',  
    'openssl/crypto/bn/bn_mont.c',  
    'openssl/crypto/bn/bn_mpi.c',  
    'openssl/crypto/bn/bn_mul.c',  
    'openssl/crypto/bn/bn_nist.c',  
    'openssl/crypto/bn/bn_prime.c',  
    'openssl/crypto/bn/bn_rand.c',  
    'openssl/crypto/bn/bn_recp.c',  
    'openssl/crypto/bn/bn_rsa_fips186_4.c',  
    'openssl/crypto/bn/bn_shift.c',  
    'openssl/crypto/bn/bn_sqr.c',  
    'openssl/crypto/bn/bn_sqrt.c',  
    'openssl/crypto/bn/bn_word.c',  
    'openssl/crypto/buffer/buffer.c',  
    'openssl/crypto/cmac/cmac.c',  
    'openssl/crypto/des/ecb3_enc.c',  
    'openssl/crypto/des/set_key.c',  
    'openssl/crypto/dh/dh_backend.c',  
    'openssl/crypto/dh/dh_check.c',  
    'openssl/crypto/dh/dh_gen.c',  
    'openssl/crypto/dh/dh_group_params.c',  
    'openssl/crypto/dh/dh_kdf.c',  
    'openssl/crypto/dh/dh_key.c',  
    'openssl/crypto/dh/dh_lib.c',  
    'openssl/crypto/dsa/dsa_backend.c',
```

'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',

'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',

'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',

'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',

```

'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86': [
'./config/archs/BSD-x86/asm_avx2/crypto/aes/aes-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/aes/aesni-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/aes/vpaes-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bf/bf-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/bn-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/co-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/x86-gf2m.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/x86-mont.S',
'./config/archs/BSD-x86/asm_avx2/crypto/camellia/cml1-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/chacha/chacha-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/des/crypt586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/des/des-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/ec/ecp_nistz256-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/x86cpuid.S',
'./config/archs/BSD-x86/asm_avx2/crypto/md5/md5-586.S',

```

```

'./config/archs/BSD-x86/asm_avx2/crypto/modes/ghash-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/poly1305/poly1305-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/rc4/rc4-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/ripemd/rmd-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha1-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha256-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha512-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/whrlpool/wp-mmx.S',
'./config/archs/BSD-x86/asm_avx2/engines/e_padlock-x86.S',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86/asm_avx2/providers/fips.ld',

],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'FIPS_MODULE',
'GHASH_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'FIPS_MODULE',
],
'openssl_cflags_BSD-x86': [
'-Wa,--noexecstack',
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',

```

```

    ],
    'linker_script': "
  },
  'include_dirs': [
    '.',
    './include',
    './crypto',
    './crypto/include/internal',
    './providers/common/include',
  ],
  'defines': ['<@(openssl_defines_BSD-x86)'],
  'cflags': ['<@(openssl_cflags_BSD-x86)'],
  'libraries': ['<@(openssl_ex_libs_BSD-x86)'],

  'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
  'direct_dependent_settings': {
    'include_dirs': ['./include', '.'],
    'defines': ['<@(openssl_defines_BSD-x86)'],
  },
}
UNRECOGNIZED LICENSE; MD5 sum: 39574483a6be9b11884d0cd2812d3cef
(MIT)

```

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* Copyright Joyent, Inc. and other Node contributors. All rights reserved.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to
 * deal in the Software without restriction, including without limitation the

- * rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
- * sell copies of the Software, and to permit persons to whom the Software is
- * furnished to do so, subject to the following conditions:
- *
- * The above copyright notice and this permission notice shall be included in
- * all copies or substantial portions of the Software.
- *
- * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
- * LIABILITY, WHETHER IN
- AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
- * FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
- * IN THE SOFTWARE.
- */

```
#ifndef UV_BSD_H
#define UV_BSD_H
```

```
#define UV_PLATFORM_FS_EVENT_FIELDS \
    uv__io_t event_watcher; \
```

```
#define UV_IO_PRIVATE_PLATFORM_FIELDS \
    int rcount; \
    int wcount; \
```

```
#define UV_HAVE_KQUEUE 1
```

```
#endif /* UV_BSD_H */
```

Copyright 2013 Thorsten Lorenz.
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86_64': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',
'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
```

```
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86_64/no-asm/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
```

```

},
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'include_dirs': [
    './include',
],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86_64)'],
}

```

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/cms.h.in

*

* Copyright 2008-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

```
#ifndef OPENSSSL_CMS_H
```

```
# define OPENSSSL_CMS_H
```

```
# pragma once
```

```

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_CMS_H
#endif

#include <openssl/opensslconf.h>

#ifndef OPENSSL_NO_CMS
#include <openssl/x509.h>
#include <openssl/x509v3.h>
#include <openssl/cmserr.h>
#ifdef __cplusplus
extern "C" {
#endif

typedef struct CMS_ContentInfo_st CMS_ContentInfo;
typedef struct CMS_SignerInfo_st CMS_SignerInfo;
typedef struct CMS_CertificateChoices CMS_CertificateChoices;
typedef struct CMS_RevocationInfoChoice_st CMS_RevocationInfoChoice;
typedef
    struct CMS_RecipientInfo_st CMS_RecipientInfo;
typedef struct CMS_ReceiptRequest_st CMS_ReceiptRequest;
typedef struct CMS_Receipt_st CMS_Receipt;
typedef struct CMS_RecipientEncryptedKey_st CMS_RecipientEncryptedKey;
typedef struct CMS_OtherKeyAttribute_st CMS_OtherKeyAttribute;

SKM_DEFINE_STACK_OF_INTERNAL(CMS_SignerInfo, CMS_SignerInfo, CMS_SignerInfo)
#define sk_CMS_SignerInfo_num(sk) OPENSSL_sk_num(ssl_check_const_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_value(sk, idx) ((CMS_SignerInfo
*)OPENSSL_sk_value(ssl_check_const_CMS_SignerInfo_sk_type(sk), (idx)))
#define sk_CMS_SignerInfo_new(cmp) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_new(ssl_check_CMS_SignerInfo_compfunc_type(cmp)))
#define sk_CMS_SignerInfo_new_null() ((STACK_OF(CMS_SignerInfo) *)OPENSSL_sk_new_null())
#define sk_CMS_SignerInfo_new_reserve(cmp, n) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_SignerInfo_compfunc_type(cmp), (n)))
#define sk_CMS_SignerInfo_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_CMS_SignerInfo_sk_type(sk),
    (n))
#define sk_CMS_SignerInfo_free(sk) OPENSSL_sk_free(ssl_check_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_zero(sk) OPENSSL_sk_zero(ssl_check_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_delete(sk, i) ((CMS_SignerInfo
*)OPENSSL_sk_delete(ssl_check_CMS_SignerInfo_sk_type(sk), (i)))
#define sk_CMS_SignerInfo_delete_ptr(sk, ptr) ((CMS_SignerInfo
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_SignerInfo_sk_type(sk), ssl_check_CMS_SignerInfo_type(ptr)))
#define sk_CMS_SignerInfo_push(sk, ptr) OPENSSL_sk_push(ssl_check_CMS_SignerInfo_sk_type(sk),
    ssl_check_CMS_SignerInfo_type(ptr))
#define sk_CMS_SignerInfo_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_CMS_SignerInfo_sk_type(sk),
    ssl_check_CMS_SignerInfo_type(ptr))

```

```

#define sk_CMS_SignerInfo_pop(sk) ((CMS_SignerInfo
*)OPENSSL_sk_pop(ssl_check_CMS_SignerInfo_sk_type(sk)))
#define sk_CMS_SignerInfo_shift(sk) ((CMS_SignerInfo
*)OPENSSL_sk_shift(ssl_check_CMS_SignerInfo_sk_type(sk)))
#define
    sk_CMS_SignerInfo_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CMS_SignerInfo_sk_type(sk),ssl_check_CMS_SignerInfo_freefunc_type(fre
efunc))
#define sk_CMS_SignerInfo_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_type(ptr), (idx))
#define sk_CMS_SignerInfo_set(sk, idx, ptr) ((CMS_SignerInfo
*)OPENSSL_sk_set(ssl_check_CMS_SignerInfo_sk_type(sk), (idx), ssl_check_CMS_SignerInfo_type(ptr)))
#define sk_CMS_SignerInfo_find(sk, ptr) OPENSSL_sk_find(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_type(ptr))
#define sk_CMS_SignerInfo_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_type(ptr))
#define sk_CMS_SignerInfo_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CMS_SignerInfo_sk_type(sk), ssl_check_CMS_SignerInfo_type(ptr), pnum)
#define sk_CMS_SignerInfo_sort(sk) OPENSSL_sk_sort(ssl_check_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_is_sorted(sk)
    OPENSSL_sk_is_sorted(ssl_check_const_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_dup(sk) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_dup(ssl_check_const_CMS_SignerInfo_sk_type(sk)))
#define sk_CMS_SignerInfo_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_copyfunc_type(copyfunc), ssl_check_CMS_SignerInfo_freefunc_type(freefunc)))
#define sk_CMS_SignerInfo_set_cmp_func(sk, cmp)
((sk_CMS_SignerInfo_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CMS_RecipientEncryptedKey, CMS_RecipientEncryptedKey,
CMS_RecipientEncryptedKey)
#define sk_CMS_RecipientEncryptedKey_num(sk)
OPENSSL_sk_num(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_value(sk, idx) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_value(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk),
(idx)))
#define sk_CMS_RecipientEncryptedKey_new(cmp) ((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_new(ssl_check_CMS_RecipientEncryptedKey_compfunc_type(cmp)))
#define sk_CMS_RecipientEncryptedKey_new_null() ((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_new_null())
#define sk_CMS_RecipientEncryptedKey_new_reserve(cmp, n) ((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_RecipientEncryptedKey_compfunc_type(cmp), (n)))
#define sk_CMS_RecipientEncryptedKey_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk), (n))
#define sk_CMS_RecipientEncryptedKey_free(sk)
OPENSSL_sk_free(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_zero(sk)
OPENSSL_sk_zero(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk))

```

```

#define sk_CMS_RecipientEncryptedKey_delete(sk, i) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_delete(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
(i)))
#define sk_CMS_RecipientEncryptedKey_delete_ptr(sk, ptr) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr)))
#define sk_CMS_RecipientEncryptedKey_push(sk, ptr)
OPENSSL_sk_push(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_pop(sk) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_pop(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk)))
#define sk_CMS_RecipientEncryptedKey_shift(sk) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_shift(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk)))
#define sk_CMS_RecipientEncryptedKey_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),ssl_check_CMS_RecipientEncry
ptedKey_freefunc_type(freefunc))
#define
sk_CMS_RecipientEncryptedKey_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr), (idx))
#define sk_CMS_RecipientEncryptedKey_set(sk, idx, ptr) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_set(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk), (idx),
ssl_check_CMS_RecipientEncryptedKey_type(ptr)))
#define sk_CMS_RecipientEncryptedKey_find(sk, ptr)
OPENSSL_sk_find(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr), pnum)
#define sk_CMS_RecipientEncryptedKey_sort(sk)
OPENSSL_sk_sort(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk))
#define
sk_CMS_RecipientEncryptedKey_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_dup(sk) ((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_dup(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk)))
#define sk_CMS_RecipientEncryptedKey_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_copyfunc_type(copyfunc),
ssl_check_CMS_RecipientEncryptedKey_freefunc_type(freefunc)))
#define sk_CMS_RecipientEncryptedKey_set_cmp_func(sk, cmp)

```

```

((sk_CMS_RecipientEncryptedKey_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_RecipientEncrypted
Key_sk_type(sk), ssl_check_CMS_RecipientEncryptedKey_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CMS_RecipientInfo, CMS_RecipientInfo, CMS_RecipientInfo)
#define sk_CMS_RecipientInfo_num(sk)
    OPENSSL_sk_num(ssl_check_const_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_value(sk, idx) ((CMS_RecipientInfo
*)OPENSSL_sk_value(ssl_check_const_CMS_RecipientInfo_sk_type(sk), (idx)))
#define sk_CMS_RecipientInfo_new(cmp) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_new(ssl_check_CMS_RecipientInfo_compfunc_type(cmp)))
#define sk_CMS_RecipientInfo_new_null() ((STACK_OF(CMS_RecipientInfo) *)OPENSSL_sk_new_null())
#define sk_CMS_RecipientInfo_new_reserve(cmp, n) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_RecipientInfo_compfunc_type(cmp), (n)))
#define sk_CMS_RecipientInfo_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_CMS_RecipientInfo_sk_type(sk),
(n))
#define sk_CMS_RecipientInfo_free(sk) OPENSSL_sk_free(ssl_check_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_zero(sk) OPENSSL_sk_zero(ssl_check_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_delete(sk, i) ((CMS_RecipientInfo
*)OPENSSL_sk_delete(ssl_check_CMS_RecipientInfo_sk_type(sk),
(i)))
#define sk_CMS_RecipientInfo_delete_ptr(sk, ptr) ((CMS_RecipientInfo
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_type(ptr)))
#define sk_CMS_RecipientInfo_push(sk, ptr) OPENSSL_sk_push(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_unshift(sk, ptr)
    OPENSSL_sk_unshift(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_pop(sk) ((CMS_RecipientInfo
*)OPENSSL_sk_pop(ssl_check_CMS_RecipientInfo_sk_type(sk)))
#define sk_CMS_RecipientInfo_shift(sk) ((CMS_RecipientInfo
*)OPENSSL_sk_shift(ssl_check_CMS_RecipientInfo_sk_type(sk)))
#define sk_CMS_RecipientInfo_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_freefunc_ty
pe(freefunc))
#define sk_CMS_RecipientInfo_insert(sk, ptr, idx)
    OPENSSL_sk_insert(ssl_check_CMS_RecipientInfo_sk_type(sk),
    ssl_check_CMS_RecipientInfo_type(ptr), (idx))
#define sk_CMS_RecipientInfo_set(sk, idx, ptr) ((CMS_RecipientInfo
*)OPENSSL_sk_set(ssl_check_CMS_RecipientInfo_sk_type(sk), (idx),
ssl_check_CMS_RecipientInfo_type(ptr)))
#define sk_CMS_RecipientInfo_find(sk, ptr) OPENSSL_sk_find(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_find_ex(sk, ptr)
    OPENSSL_sk_find_ex(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_type(ptr),
pnum)
#define sk_CMS_RecipientInfo_sort(sk) OPENSSL_sk_sort(ssl_check_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_is_sorted(sk)

```



```

OPENSSL_sk_is_sorted(ssl_check_const_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_dup(sk) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_dup(ssl_check_const_CMS_RecipientInfo_sk_type(sk)))
#define
sk_CMS_RecipientInfo_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_copyfunc_type(copyfunc),
ssl_check_CMS_RecipientInfo_freefunc_type(freefunc)))
#define sk_CMS_RecipientInfo_set_cmp_func(sk, cmp)
((sk_CMS_RecipientInfo_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CMS_RevocationInfoChoice, CMS_RevocationInfoChoice,
CMS_RevocationInfoChoice)
#define sk_CMS_RevocationInfoChoice_num(sk)
OPENSSL_sk_num(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_value(sk, idx) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_value(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk), (idx)))
#define sk_CMS_RevocationInfoChoice_new(cmp) ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_new(ssl_check_CMS_RevocationInfoChoice_compfunc_type(cmp)))
#define
sk_CMS_RevocationInfoChoice_new_null() ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_new_null())
#define sk_CMS_RevocationInfoChoice_new_reserve(cmp, n) ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_RevocationInfoChoice_compfunc_type(cmp), (n)))
#define sk_CMS_RevocationInfoChoice_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), (n))
#define sk_CMS_RevocationInfoChoice_free(sk)
OPENSSL_sk_free(ssl_check_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_zero(sk)
OPENSSL_sk_zero(ssl_check_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_delete(sk, i) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_delete(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), (i)))
#define sk_CMS_RevocationInfoChoice_delete_ptr(sk, ptr) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr)))
#define
sk_CMS_RevocationInfoChoice_push(sk, ptr)
OPENSSL_sk_push(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))
#define sk_CMS_RevocationInfoChoice_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))
#define sk_CMS_RevocationInfoChoice_pop(sk) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_pop(ssl_check_CMS_RevocationInfoChoice_sk_type(sk)))
#define sk_CMS_RevocationInfoChoice_shift(sk) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_shift(ssl_check_CMS_RevocationInfoChoice_sk_type(sk)))
#define sk_CMS_RevocationInfoChoice_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), ssl_check_CMS_RevocationInfoC

```

```

hoice_freefunc_type(freefunc))
#define sk_CMS_RevocationInfoChoice_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr), (idx))
#define
sk_CMS_RevocationInfoChoice_set(sk, idx, ptr) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_set(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), (idx),
ssl_check_CMS_RevocationInfoChoice_type(ptr)))
#define sk_CMS_RevocationInfoChoice_find(sk, ptr)
OPENSSL_sk_find(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))
#define sk_CMS_RevocationInfoChoice_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))
#define sk_CMS_RevocationInfoChoice_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr), pnum)
#define sk_CMS_RevocationInfoChoice_sort(sk)
OPENSSL_sk_sort(ssl_check_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_dup(sk) ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_dup(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk)))
#define sk_CMS_RevocationInfoChoice_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_copyfunc_type(copyfunc),
ssl_check_CMS_RevocationInfoChoice_freefunc_type(freefunc)))
#define sk_CMS_RevocationInfoChoice_set_cmp_func(sk, cmp)
((sk_CMS_RevocationInfoChoice_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_RevocationInfoChoice_compfunc_type(sk), ssl_check_CMS_RevocationInfoChoice_compfunc_type(cmp)))

```

```

DECLARE_ASN1_FUNCTIONS(CMS_ContentInfo)
DECLARE_ASN1_FUNCTIONS(CMS_ReceiptRequest)
DECLARE_ASN1_PRINT_FUNCTION(CMS_ContentInfo)

```

```

CMS_ContentInfo *CMS_ContentInfo_new_ex(OSSL_LIB_CTX *libctx, const char *propq);

```

```

# define CMS_SIGNERINFO_ISSUER_SERIAL 0
# define CMS_SIGNERINFO_KEYIDENTIFIER 1

```

```

# define CMS_RECIPINFO_NONE -1
# define CMS_RECIPINFO_TRANS
0
# define CMS_RECIPINFO_AGREE 1
# define CMS_RECIPINFO_KEY 2
# define CMS_RECIPINFO_PASS 3

```

```

# define CMS_RECIPINFO_OTHER      4

/* S/MIME related flags */

# define CMS_TEXT                  0x1
# define CMS_NOCERTS              0x2
# define CMS_NO_CONTENT_VERIFY    0x4
# define CMS_NO_ATTR_VERIFY       0x8
# define CMS_NOSIGS               \
    (CMS_NO_CONTENT_VERIFY|CMS_NO_ATTR_VERIFY)
# define CMS_NOINTERN             0x10
# define CMS_NO_SIGNER_CERT_VERIFY 0x20
# define CMS_NOVERIFY             0x20
# define CMS_DETACHED             0x40
# define CMS_BINARY               0x80
# define CMS_NOATTR              0x100
# define CMS_NOSMIMECAP          0x200
# define CMS_NOOLDMIMETYPE       0x400
# define CMS_CRLFEOI             0x800
# define CMS_STREAM              0x1000
# define CMS_NOCRL              0x2000
# define CMS_PARTIAL             0x4000
# define CMS_REUSE_DIGEST        0x8000
# define CMS_USE_KEYID           0x10000
# define CMS_DEBUG_DECRYPT        0x20000
# define CMS_KEY_PARAM           0x40000
# define CMS_ASCIICRLF           0x80000
# define CMS_CADES               0x100000
# define CMS_USE_ORIGINATOR_KEYID 0x200000

const ASN1_OBJECT *CMS_get0_type(const CMS_ContentInfo *cms);

BIO *CMS_dataInit(CMS_ContentInfo *cms, BIO *icont);
int CMS_dataFinal(CMS_ContentInfo *cms, BIO *bio);

ASN1_OCTET_STRING **CMS_get0_content(CMS_ContentInfo *cms);
int CMS_is_detached(CMS_ContentInfo *cms);
int CMS_set_detached(CMS_ContentInfo *cms, int detached);

# ifdef OPENSSSL_PEM_H
DECLARE_PEM_rw(CMS, CMS_ContentInfo)
# endif

int CMS_stream(unsigned char ***boundary, CMS_ContentInfo *cms);
CMS_ContentInfo *d2i_CMS_bio(BIO *bp, CMS_ContentInfo **cms);
int i2d_CMS_bio(BIO *bp, CMS_ContentInfo *cms);

BIO *BIO_new_CMS(BIO

```

```

*out, CMS_ContentInfo *cms);
int i2d_CMS_bio_stream(BIO *out, CMS_ContentInfo *cms, BIO *in, int flags);
int PEM_write_bio_CMS_stream(BIO *out, CMS_ContentInfo *cms, BIO *in,
                             int flags);
CMS_ContentInfo *SMIME_read_CMS(BIO *bio, BIO **bcont);
CMS_ContentInfo *SMIME_read_CMS_ex(BIO *bio, int flags, BIO **bcont, CMS_ContentInfo **ci);
int SMIME_write_CMS(BIO *bio, CMS_ContentInfo *cms, BIO *data, int flags);

int CMS_final(CMS_ContentInfo *cms, BIO *data, BIO *dcont,
              unsigned int flags);

CMS_ContentInfo *CMS_sign(X509 *signcert, EVP_PKEY *pkey,
                          STACK_OF(X509) *certs, BIO *data,
                          unsigned int flags);
CMS_ContentInfo *CMS_sign_ex(X509 *signcert, EVP_PKEY *pkey,
                             STACK_OF(X509) *certs, BIO *data,
                             unsigned int flags, OSSL_LIB_CTX *ctx,
                             const char *propq);

CMS_ContentInfo *CMS_sign_receipt(CMS_SignerInfo
*si,
                                X509 *signcert, EVP_PKEY *pkey,
                                STACK_OF(X509) *certs, unsigned int flags);

int CMS_data(CMS_ContentInfo *cms, BIO *out, unsigned int flags);
CMS_ContentInfo *CMS_data_create(BIO *in, unsigned int flags);
CMS_ContentInfo *CMS_data_create_ex(BIO *in, unsigned int flags,
                                    OSSL_LIB_CTX *ctx, const char *propq);

int CMS_digest_verify(CMS_ContentInfo *cms, BIO *dcont, BIO *out,
                      unsigned int flags);
CMS_ContentInfo *CMS_digest_create(BIO *in, const EVP_MD *md,
                                   unsigned int flags);
CMS_ContentInfo *CMS_digest_create_ex(BIO *in, const EVP_MD *md,
                                      unsigned int flags, OSSL_LIB_CTX *ctx,
                                      const char *propq);

int CMS_EncryptedData_decrypt(CMS_ContentInfo *cms,
                              const unsigned char *key, size_t keylen,

                              BIO *dcont, BIO *out, unsigned int flags);

CMS_ContentInfo *CMS_EncryptedData_encrypt(BIO *in, const EVP_CIPHER *cipher,
                                             const unsigned char *key,
                                             size_t keylen, unsigned int flags);
CMS_ContentInfo *CMS_EncryptedData_encrypt_ex(BIO *in, const EVP_CIPHER *cipher,
                                                const unsigned char *key,
                                                size_t keylen, unsigned int flags,

```

```

        OSSL_LIB_CTX *ctx,
        const char *propq);

int CMS_EncryptedData_set1_key(CMS_ContentInfo *cms, const EVP_CIPHER *ciph,
        const unsigned char *key, size_t keylen);

int CMS_verify(CMS_ContentInfo *cms, STACK_OF(X509) *certs,
        X509_STORE *store, BIO *dcont, BIO *out, unsigned int flags);

int CMS_verify_receipt(CMS_ContentInfo *rcms, CMS_ContentInfo *ocms,

        STACK_OF(X509) *certs,
        X509_STORE *store, unsigned int flags);

STACK_OF(X509) *CMS_get0_signers(CMS_ContentInfo *cms);

CMS_ContentInfo *CMS_encrypt(STACK_OF(X509) *certs, BIO *in,
        const EVP_CIPHER *cipher, unsigned int flags);
CMS_ContentInfo *CMS_encrypt_ex(STACK_OF(X509) *certs, BIO *in,
        const EVP_CIPHER *cipher, unsigned int flags,
        OSSL_LIB_CTX *ctx, const char *propq);

int CMS_decrypt(CMS_ContentInfo *cms, EVP_PKEY *pkey, X509 *cert,
        BIO *dcont, BIO *out, unsigned int flags);

int CMS_decrypt_set1_pkey(CMS_ContentInfo *cms, EVP_PKEY *pk, X509 *cert);
int CMS_decrypt_set1_pkey_and_peer(CMS_ContentInfo *cms, EVP_PKEY *pk,
        X509 *cert, X509 *peer);
int CMS_decrypt_set1_key(CMS_ContentInfo *cms,
        unsigned char *key, size_t keylen,
        const unsigned char
        *id, size_t idlen);
int CMS_decrypt_set1_password(CMS_ContentInfo *cms,
        unsigned char *pass, ossl_ssize_t passlen);

STACK_OF(CMS_RecipientInfo) *CMS_get0_RecipientInfos(CMS_ContentInfo *cms);
int CMS_RecipientInfo_type(CMS_RecipientInfo *ri);
EVP_PKEY_CTX *CMS_RecipientInfo_get0_pkey_ctx(CMS_RecipientInfo *ri);
CMS_ContentInfo *CMS_AuthEnvelopedData_create(const EVP_CIPHER *cipher);
CMS_ContentInfo *
CMS_AuthEnvelopedData_create_ex(const EVP_CIPHER *cipher, OSSL_LIB_CTX *ctx,
        const char *propq);
CMS_ContentInfo *CMS_EnvelopedData_create(const EVP_CIPHER *cipher);
CMS_ContentInfo *CMS_EnvelopedData_create_ex(const EVP_CIPHER *cipher,
        OSSL_LIB_CTX *ctx,
        const char *propq);

CMS_RecipientInfo *CMS_add1_recipient_cert(CMS_ContentInfo *cms,

```

```

        X509 *recip, unsigned int flags);
CMS_RecipientInfo *CMS_add1_recipient(CMS_ContentInfo
*cms, X509 *recip,
    EVP_PKEY *originatorPrivKey, X509 * originator, unsigned int flags);
int CMS_RecipientInfo_set0_pkey(CMS_RecipientInfo *ri, EVP_PKEY *pkey);
int CMS_RecipientInfo_ktri_cert_cmp(CMS_RecipientInfo *ri, X509 *cert);
int CMS_RecipientInfo_ktri_get0_algs(CMS_RecipientInfo *ri,
    EVP_PKEY **pk, X509 **recip,
    X509_ALGOR **palg);
int CMS_RecipientInfo_ktri_get0_signer_id(CMS_RecipientInfo *ri,
    ASN1_OCTET_STRING **keyid,
    X509_NAME **issuer,
    ASN1_INTEGER **sno);

CMS_RecipientInfo *CMS_add0_recipient_key(CMS_ContentInfo *cms, int nid,
    unsigned char *key, size_t keylen,
    unsigned char *id, size_t idlen,
    ASN1_GENERALIZEDTIME *date,
    ASN1_OBJECT *otherTypeId,
    ASN1_TYPE *otherType);

int CMS_RecipientInfo_kekri_get0_id(CMS_RecipientInfo *ri,
    X509_ALGOR **palg,
    ASN1_OCTET_STRING **pid,
    ASN1_GENERALIZEDTIME **pdate,
    ASN1_OBJECT **pothetid,
    ASN1_TYPE **pothertype);

int CMS_RecipientInfo_set0_key(CMS_RecipientInfo *ri,
    unsigned char *key, size_t keylen);

int CMS_RecipientInfo_kekri_id_cmp(CMS_RecipientInfo *ri,
    const unsigned char *id, size_t idlen);

int CMS_RecipientInfo_set0_password(CMS_RecipientInfo *ri,
    unsigned char *pass,
    openssl_size_t passlen);

CMS_RecipientInfo *CMS_add0_recipient_password(CMS_ContentInfo *cms,
    int iter, int wrap_nid,
    int pbe_nid,
    unsigned char *pass,
    openssl_size_t passlen,
    const EVP_CIPHER *kekcip);

int CMS_RecipientInfo_decrypt(CMS_ContentInfo *cms, CMS_RecipientInfo *ri);
int CMS_RecipientInfo_encrypt(const CMS_ContentInfo *cms, CMS_RecipientInfo *ri);

```

```

int CMS_uncompress(CMS_ContentInfo *cms, BIO *dcont, BIO *out,
    unsigned int flags);
CMS_ContentInfo *CMS_compress(BIO *in, int comp_nid, unsigned int flags);

int CMS_set1_eContentType(CMS_ContentInfo *cms, const ASN1_OBJECT *oid);
const ASN1_OBJECT *CMS_get0_eContentType(CMS_ContentInfo *cms);

CMS_CertificateChoices *CMS_add0_CertificateChoices(CMS_ContentInfo *cms);
int CMS_add0_cert(CMS_ContentInfo *cms, X509 *cert);
int CMS_add1_cert(CMS_ContentInfo *cms, X509 *cert);
STACK_OF(X509)
    *CMS_get1_certs(CMS_ContentInfo *cms);

CMS_RevocationInfoChoice *CMS_add0_RevocationInfoChoice(CMS_ContentInfo *cms);
int CMS_add0_crl(CMS_ContentInfo *cms, X509_CRL *crl);
int CMS_add1_crl(CMS_ContentInfo *cms, X509_CRL *crl);
STACK_OF(X509_CRL) *CMS_get1_crls(CMS_ContentInfo *cms);

int CMS_SignedData_init(CMS_ContentInfo *cms);
CMS_SignerInfo *CMS_add1_signer(CMS_ContentInfo *cms,
    X509 *signer, EVP_PKEY *pk, const EVP_MD *md,
    unsigned int flags);
EVP_PKEY_CTX *CMS_SignerInfo_get0_pkey_ctx(CMS_SignerInfo *si);
EVP_MD_CTX *CMS_SignerInfo_get0_md_ctx(CMS_SignerInfo *si);
STACK_OF(CMS_SignerInfo) *CMS_get0_SignerInfos(CMS_ContentInfo *cms);

void CMS_SignerInfo_set1_signer_cert(CMS_SignerInfo *si, X509 *signer);
int CMS_SignerInfo_get0_signer_id(CMS_SignerInfo *si,
    ASN1_OCTET_STRING **keyid,
    X509_NAME **issuer, ASN1_INTEGER **sno);
int CMS_SignerInfo_cert_cmp(CMS_SignerInfo
    *si, X509 *cert);
int CMS_set1_signers_certs(CMS_ContentInfo *cms, STACK_OF(X509) *certs,
    unsigned int flags);
void CMS_SignerInfo_get0_algs(CMS_SignerInfo *si, EVP_PKEY **pk,
    X509 **signer, X509_ALGOR **pdig,
    X509_ALGOR **psig);
ASN1_OCTET_STRING *CMS_SignerInfo_get0_signature(CMS_SignerInfo *si);
int CMS_SignerInfo_sign(CMS_SignerInfo *si);
int CMS_SignerInfo_verify(CMS_SignerInfo *si);
int CMS_SignerInfo_verify_content(CMS_SignerInfo *si, BIO *chain);

int CMS_add_smimecap(CMS_SignerInfo *si, STACK_OF(X509_ALGOR) *algs);
int CMS_add_simple_smimecap(STACK_OF(X509_ALGOR) **algs,
    int algnid, int keysize);
int CMS_add_standard_smimecap(STACK_OF(X509_ALGOR) **smcap);

int CMS_signed_get_attr_count(const CMS_SignerInfo *si);

```

```

int CMS_signed_get_attr_by_NID(const CMS_SignerInfo *si, int nid,
                               int lastpos);
int CMS_signed_get_attr_by_OBJ(const
    CMS_SignerInfo *si, const ASN1_OBJECT *obj,
                               int lastpos);
X509_ATTRIBUTE *CMS_signed_get_attr(const CMS_SignerInfo *si, int loc);
X509_ATTRIBUTE *CMS_signed_delete_attr(CMS_SignerInfo *si, int loc);
int CMS_signed_add1_attr(CMS_SignerInfo *si, X509_ATTRIBUTE *attr);
int CMS_signed_add1_attr_by_OBJ(CMS_SignerInfo *si,
    const ASN1_OBJECT *obj, int type,
    const void *bytes, int len);
int CMS_signed_add1_attr_by_NID(CMS_SignerInfo *si,
    int nid, int type,
    const void *bytes, int len);
int CMS_signed_add1_attr_by_txt(CMS_SignerInfo *si,
    const char *attrname, int type,
    const void *bytes, int len);
void *CMS_signed_get0_data_by_OBJ(const CMS_SignerInfo *si,
    const ASN1_OBJECT *oid,

    int lastpos, int type);

int CMS_unsigned_get_attr_count(const CMS_SignerInfo *si);
int CMS_unsigned_get_attr_by_NID(const CMS_SignerInfo *si, int nid,
    int lastpos);
int CMS_unsigned_get_attr_by_OBJ(const CMS_SignerInfo *si,
    const ASN1_OBJECT *obj, int lastpos);
X509_ATTRIBUTE *CMS_unsigned_get_attr(const CMS_SignerInfo *si, int loc);
X509_ATTRIBUTE *CMS_unsigned_delete_attr(CMS_SignerInfo *si, int loc);
int CMS_unsigned_add1_attr(CMS_SignerInfo *si, X509_ATTRIBUTE *attr);
int CMS_unsigned_add1_attr_by_OBJ(CMS_SignerInfo *si,
    const ASN1_OBJECT *obj, int type,
    const void *bytes, int len);
int CMS_unsigned_add1_attr_by_NID(CMS_SignerInfo *si,
    int nid, int type,
    const void *bytes, int len);
int CMS_unsigned_add1_attr_by_txt(CMS_SignerInfo *si,
    const char
    *attrname, int type,
    const void *bytes, int len);
void *CMS_unsigned_get0_data_by_OBJ(CMS_SignerInfo *si, ASN1_OBJECT *oid,
    int lastpos, int type);

int CMS_get1_ReceiptRequest(CMS_SignerInfo *si, CMS_ReceiptRequest **pr);
CMS_ReceiptRequest *CMS_ReceiptRequest_create0(
    unsigned char *id, int idlen, int allorfirst,
    STACK_OF(GENERAL_NAMES) *receiptList,
    STACK_OF(GENERAL_NAMES) *receiptsTo);

```



```

CMS_ReceiptRequest *CMS_ReceiptRequest_create0_ex(
    unsigned char *id, int idlen, int allorfirst,
    STACK_OF(GENERAL_NAMES) *receiptList,
    STACK_OF(GENERAL_NAMES) *receiptsTo,
    OSSL_LIB_CTX *ctx);

int CMS_add1_ReceiptRequest(CMS_SignerInfo *si, CMS_ReceiptRequest *rr);
void CMS_ReceiptRequest_get0_values(CMS_ReceiptRequest *rr,
    ASN1_STRING **pcid,
    int *pallorfirst,
    STACK_OF(GENERAL_NAMES) **plist,

    STACK_OF(GENERAL_NAMES) **prto);
int CMS_RecipientInfo_kari_get0_alg(CMS_RecipientInfo *ri,
    X509_ALGOR **palg,
    ASN1_OCTET_STRING **pukm);
STACK_OF(CMS_RecipientEncryptedKey)
*CMS_RecipientInfo_kari_get0_reks(CMS_RecipientInfo *ri);

int CMS_RecipientInfo_kari_get0_orig_id(CMS_RecipientInfo *ri,
    X509_ALGOR **pubalg,
    ASN1_BIT_STRING **pubkey,
    ASN1_OCTET_STRING **keyid,
    X509_NAME **issuer,
    ASN1_INTEGER **sno);

int CMS_RecipientInfo_kari_orig_id_cmp(CMS_RecipientInfo *ri, X509 *cert);

int CMS_RecipientEncryptedKey_get0_id(CMS_RecipientEncryptedKey *rek,
    ASN1_OCTET_STRING **keyid,
    ASN1_GENERALIZEDTIME **tm,

    CMS_OtherKeyAttribute **other,
    X509_NAME **issuer, ASN1_INTEGER **sno);
int CMS_RecipientEncryptedKey_cert_cmp(CMS_RecipientEncryptedKey *rek,
    X509 *cert);
int CMS_RecipientInfo_kari_set0_pkey(CMS_RecipientInfo *ri, EVP_PKEY *pk);
int CMS_RecipientInfo_kari_set0_pkey_and_peer(CMS_RecipientInfo *ri, EVP_PKEY *pk, X509 *peer);
EVP_CIPHER_CTX *CMS_RecipientInfo_kari_get0_ctx(CMS_RecipientInfo *ri);
int CMS_RecipientInfo_kari_decrypt(CMS_ContentInfo *cms,
    CMS_RecipientInfo *ri,
    CMS_RecipientEncryptedKey *rek);

int CMS_SharedInfo_encode(unsigned char **pder, X509_ALGOR *kealg,
    ASN1_OCTET_STRING *ukm, int keylen);

/* Backward compatibility for spelling errors. */
#define CMS_R_UNKNOWN_DIGEST_ALGORITHM CMS_R_UNKNOWN_DIGEST_ALGORITHM

```

```
# define CMS_R_UNSUPPORTED_RECPIENTINFO_TYPE \
    CMS_R_UNSUPPORTED_RECPIENTINFO_TYPE

#
    ifdef __cplusplus
    }
# endif
# endif
#endif
(The MIT License)
```

Copyright (c) 2015 Titus Wormer <<mailto:tituswormer@gmail.com>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright OpenJS Foundation and other contributors, <www.openjsf.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/asn1.h.in

*

* Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_ASN1_H

define OPENSSL_ASN1_H

pragma once

include <openssl/macros.h>

ifndef OPENSSL_NO_DEPRECATED_3_0

define HEADER_ASN1_H

endif

include <time.h>

include <openssl/e_os2.h>

include <openssl/opensslconf.h>

include <openssl/bio.h>

include <openssl/safestack.h>

include <openssl/asn1err.h>

include <openssl/symhacks.h>

include <openssl/types.h>

include <openssl/bn.h>

ifdef OPENSSL_BUILD_SHLIBCRYPTO

undef OPENSSL_EXTERN

define OPENSSL_EXTERN OPENSSL_EXPORT

endif

#ifdef __cplusplus

extern "C" {

#endif

define V_ASN1_UNIVERSAL

```

0x00
# define V_ASN1_APPLICATION      0x40
# define V_ASN1_CONTEXT_SPECIFIC 0x80
# define V_ASN1_PRIVATE          0xc0

# define V_ASN1_CONSTRUCTED      0x20
# define V_ASN1_PRIMITIVE_TAG    0x1f
# define V_ASN1_PRIMITIVE_TAG /*compat*/ V_ASN1_PRIMITIVE_TAG

# define V_ASN1_APP_CHOOSE      -2/* let the recipient choose */
# define V_ASN1_OTHER           -3/* used in ASN1_TYPE */
# define V_ASN1_ANY             -4/* used in ASN1 template code */

# define V_ASN1_UNDEF           -1
/* ASN.1 tag values */
# define V_ASN1_EOC              0
# define V_ASN1_BOOLEAN         1 /**/
# define V_ASN1_INTEGER         2
# define V_ASN1_BIT_STRING      3
# define V_ASN1_OCTET_STRING    4
# define V_ASN1_NULL            5
# define V_ASN1_OBJECT          6
# define V_ASN1_OBJECT_DESCRIPTOR 7
# define V_ASN1_EXTERNAL        8
#
# define V_ASN1_REAL             9
# define V_ASN1_ENUMERATED      10
# define V_ASN1_UTF8STRING      12
# define V_ASN1_SEQUENCE        16
# define V_ASN1_SET              17
# define V_ASN1_NUMERICSTRING   18 /**/
# define V_ASN1_PRINTABLESTRING 19
# define V_ASN1_T61STRING       20
# define V_ASN1_TELETEXSTRING   20/* alias */
# define V_ASN1_VIDEOTEXSTRING  21 /**/
# define V_ASN1_IA5STRING       22
# define V_ASN1_UTCTIME         23
# define V_ASN1_GENERALIZEDTIME 24 /**/
# define V_ASN1_GRAPHICSTRING   25 /**/
# define V_ASN1_ISO64STRING     26 /**/
# define V_ASN1_VISIBLESTRING   26/* alias */
# define V_ASN1_GENERALSTRING   27 /**/
# define V_ASN1_UNIVERSALSTRING 28 /**/
# define V_ASN1_BMPSTRING       30

/*
* NB the constants below are used internally by ASN1_INTEGER
* and ASN1_ENUMERATED to indicate the sign.

```

They are **not** on
* the wire tag values.
*/

```
# define V_ASN1_NEG          0x100
# define V_ASN1_NEG_INTEGER  (2 | V_ASN1_NEG)
# define V_ASN1_NEG_ENUMERATED (10 | V_ASN1_NEG)

/* For use with d2i_ASN1_type_bytes() */
# define B_ASN1_NUMERICSTRING  0x0001
# define B_ASN1_PRINTABLESTRING 0x0002
# define B_ASN1_T61STRING      0x0004
# define B_ASN1_TELETEXSTRING  0x0004
# define B_ASN1_VIDEOTEXSTRING 0x0008
# define B_ASN1_IA5STRING       0x0010
# define B_ASN1_GRAPHICSTRING  0x0020
# define B_ASN1_ISO64STRING     0x0040
# define B_ASN1_VISIBLESTRING  0x0040
# define B_ASN1_GENERALSTRING   0x0080
# define B_ASN1_UNIVERSALSTRING 0x0100
# define B_ASN1_OCTET_STRING    0x0200
# define B_ASN1_BIT_STRING      0x0400
# define B_ASN1_BMPSTRING       0x0800
# define B_ASN1_UNKNOWN         0x1000
# define B_ASN1_UTF8STRING      0x2000
# define B_ASN1_UTCTIME         0x4000
# define B_ASN1_GENERALIZEDTIME 0x8000
# define B_ASN1_SEQUENCE
    0x10000

/* For use with ASN1_mbstring_copy() */
# define MBSTRING_FLAG        0x1000
# define MBSTRING_UTF8        (MBSTRING_FLAG)
# define MBSTRING_ASC         (MBSTRING_FLAG|1)
# define MBSTRING_BMP         (MBSTRING_FLAG|2)
# define MBSTRING_UNIV        (MBSTRING_FLAG|4)
# define SMIME_OLDMIME        0x400
# define SMIME_CRLFEO         0x800
# define SMIME_STREAM         0x1000

/* Stacks for types not otherwise defined in this header */
SKM_DEFINE_STACK_OF_INTERNAL(X509_ALGOR, X509_ALGOR, X509_ALGOR)
# define sk_X509_ALGOR_num(sk) OPENSSL_sk_num(ssl_check_const_X509_ALGOR_sk_type(sk))
# define sk_X509_ALGOR_value(sk, idx) ((X509_ALGOR
*)OPENSSL_sk_value(ssl_check_const_X509_ALGOR_sk_type(sk), (idx)))
# define sk_X509_ALGOR_new(cmp) ((STACK_OF(X509_ALGOR)
*)OPENSSL_sk_new(ssl_check_X509_ALGOR_compfunc_type(cmp)))
# define sk_X509_ALGOR_new_null() ((STACK_OF(X509_ALGOR) *)OPENSSL_sk_new_null())
# define sk_X509_ALGOR_new_reserve(cmp, n) ((STACK_OF(X509_ALGOR)
```

```

*)OPENSSL_sk_new_reserve(ssl_check_X509_ALGOR_compfunc_type(cmp), (n)))
#define sk_X509_ALGOR_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_ALGOR_sk_type(sk), (n))
#define sk_X509_ALGOR_free(sk) OPENSSL_sk_free(ssl_check_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_zero(sk) OPENSSL_sk_zero(ssl_check_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_delete(sk, i) ((X509_ALGOR
*)OPENSSL_sk_delete(ssl_check_X509_ALGOR_sk_type(sk), (i)))
#define sk_X509_ALGOR_delete_ptr(sk, ptr) ((X509_ALGOR
*)OPENSSL_sk_delete_ptr(ssl_check_X509_ALGOR_sk_type(sk), ssl_check_X509_ALGOR_type(ptr)))
#define sk_X509_ALGOR_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_pop(sk) ((X509_ALGOR
*)OPENSSL_sk_pop(ssl_check_X509_ALGOR_sk_type(sk)))
#define sk_X509_ALGOR_shift(sk) ((X509_ALGOR
*)OPENSSL_sk_shift(ssl_check_X509_ALGOR_sk_type(sk)))
#define
sk_X509_ALGOR_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_ALGOR_sk_type(sk),ssl_check_X509_ALGOR_freefunc_type(freefunc))
#define sk_X509_ALGOR_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr), (idx))
#define sk_X509_ALGOR_set(sk, idx, ptr) ((X509_ALGOR
*)OPENSSL_sk_set(ssl_check_X509_ALGOR_sk_type(sk), (idx), ssl_check_X509_ALGOR_type(ptr)))
#define sk_X509_ALGOR_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr), pnum)
#define sk_X509_ALGOR_sort(sk) OPENSSL_sk_sort(ssl_check_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_ALGOR_sk_type(sk))
#define
sk_X509_ALGOR_dup(sk) ((STACK_OF(X509_ALGOR)
*)OPENSSL_sk_dup(ssl_check_const_X509_ALGOR_sk_type(sk)))
#define sk_X509_ALGOR_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_ALGOR)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_copyfunc_type(copyfunc), ssl_check_X509_ALGOR_freefunc_type(freefunc)))
#define sk_X509_ALGOR_set_cmp_func(sk, cmp)
((sk_X509_ALGOR_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_compfunc_type(cmp)))

# define ASN1_STRING_FLAG_BITS_LEFT 0x08/* Set if 0x07 has bits left value */
/*
* This indicates that the ASN1_STRING is not a real value but just a place
* holder for the location where indefinite length constructed data should be

```

```

* inserted in the memory buffer
*/
# define ASN1_STRING_FLAG_NDEF 0x010

/*
* This flag is used by the CMS code to indicate that a string is not
* complete and is a place holder for content when it had
* all been accessed.
* The flag will be reset when content has been written to it.
*/

# define ASN1_STRING_FLAG_CONT 0x020
/*
* This flag is used by ASN1 code to indicate an ASN1_STRING is an MSTRING
* type.
*/
# define ASN1_STRING_FLAG_MSTRING 0x040
/* String is embedded and only content should be freed */
# define ASN1_STRING_FLAG_EMBED 0x080
/* String should be parsed in RFC 5280's time format */
# define ASN1_STRING_FLAG_X509_TIME 0x100
/* This is the base type that holds just about everything :-) */
struct asn1_string_st {
    int length;
    int type;
    unsigned char *data;
/*
* The value of the following field depends on the type being held. It
* is mostly being used for BIT_STRING so if the input data has a
* non-zero 'unused bits' value, it will be handled correctly
*/
    long flags;
};

/*
* ASN1_ENCODING structure: this is used to save the received encoding of an
* ASN1 type. This is useful to get round problems with invalid encodings
* which
* can break signatures.
*/

typedef struct ASN1_ENCODING_st {
    unsigned char *enc; /* DER encoding */
    long len; /* Length of encoding */
    int modified; /* set to 1 if 'enc' is invalid */
} ASN1_ENCODING;

/* Used with ASN1 LONG type: if a long is set to this it is omitted */

```

```

# define ASN1_LONG_UNDEF 0x7fffffffL

# define STABLE_FLAGS_MALLOC    0x01
/*
 * A zero passed to ASN1_STRING_TABLE_new_add for the flags is interpreted
 * as "don't change" and STABLE_FLAGS_MALLOC is always set. By setting
 * STABLE_FLAGS_MALLOC only we can clear the existing value. Use the alias
 * STABLE_FLAGS_CLEAR to reflect this.
 */
# define STABLE_FLAGS_CLEAR    STABLE_FLAGS_MALLOC
# define STABLE_NO_MASK        0x02
# define DIRSTRING_TYPE \
(B_ASN1_PRINTABLESTRING|B_ASN1_T61STRING|B_ASN1_BMPSTRING|B_ASN1_UTF8STRING)
# define PKCS9STRING_TYPE (DIRSTRING_TYPE|B_ASN1_IA5STRING)

struct asn1_string_table_st {
    int nid;
    long minsize;
    long maxsize;
    unsigned long mask;
    unsigned long flags;
};

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_STRING_TABLE, ASN1_STRING_TABLE,
ASN1_STRING_TABLE)
#define sk_ASN1_STRING_TABLE_num(sk)
OPENSSL_sk_num(ssl_check_const_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_value(sk, idx) ((ASN1_STRING_TABLE
*)OPENSSL_sk_value(ssl_check_const_ASN1_STRING_TABLE_sk_type(sk), (idx)))
#define sk_ASN1_STRING_TABLE_new(cmp) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_new(ssl_check_ASN1_STRING_TABLE_compfunc_type(cmp)))
#define sk_ASN1_STRING_TABLE_new_null() ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_new_null())
#define sk_ASN1_STRING_TABLE_new_reserve(cmp, n) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_STRING_TABLE_compfunc_type(cmp), (n)))
#define sk_ASN1_STRING_TABLE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_ASN1_STRING_TABLE_sk_type(sk), (n))
#define sk_ASN1_STRING_TABLE_free(sk)
OPENSSL_sk_free(ssl_check_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_zero(sk)
OPENSSL_sk_zero(ssl_check_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_delete(sk, i) ((ASN1_STRING_TABLE
*)OPENSSL_sk_delete(ssl_check_ASN1_STRING_TABLE_sk_type(sk), (i)))
#define sk_ASN1_STRING_TABLE_delete_ptr(sk, ptr) ((ASN1_STRING_TABLE
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr)))
#define sk_ASN1_STRING_TABLE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_ASN1_STRING_TABLE_sk_type(sk),

```



```

ossl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_ASN1_STRING_TABLE_sk_type(sk),
ossl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_pop(sk) ((ASN1_STRING_TABLE
*)OPENSSL_sk_pop(ossl_check_ASN1_STRING_TABLE_sk_type(sk)))
#define sk_ASN1_STRING_TABLE_shift(sk) ((ASN1_STRING_TABLE
*)OPENSSL_sk_shift(ossl_check_ASN1_STRING_TABLE_sk_type(sk)))
#define sk_ASN1_STRING_TABLE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_ASN1_STRING_TABLE_sk_type(sk),ossl_check_ASN1_STRING_TABLE_
freefunc_type(freefunc))
#define
sk_ASN1_STRING_TABLE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_ASN1_STRING_TABLE_sk_type(sk),
ossl_check_ASN1_STRING_TABLE_type(ptr), (idx))
#define sk_ASN1_STRING_TABLE_set(sk, idx, ptr) ((ASN1_STRING_TABLE
*)OPENSSL_sk_set(ossl_check_ASN1_STRING_TABLE_sk_type(sk), (idx),
ossl_check_ASN1_STRING_TABLE_type(ptr)))
#define sk_ASN1_STRING_TABLE_find(sk, ptr)
OPENSSL_sk_find(ossl_check_ASN1_STRING_TABLE_sk_type(sk),
ossl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ossl_check_ASN1_STRING_TABLE_sk_type(sk),
ossl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_ASN1_STRING_TABLE_sk_type(sk),
ossl_check_ASN1_STRING_TABLE_type(ptr), pnum)
#define sk_ASN1_STRING_TABLE_sort(sk)
OPENSSL_sk_sort(ossl_check_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_ASN1_STRING_TABLE_sk_type(sk))
#define
sk_ASN1_STRING_TABLE_dup(sk) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_dup(ossl_check_const_ASN1_STRING_TABLE_sk_type(sk)))
#define sk_ASN1_STRING_TABLE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_deep_copy(ossl_check_const_ASN1_STRING_TABLE_sk_type(sk),
ossl_check_ASN1_STRING_TABLE_copyfunc_type(copyfunc),
ossl_check_ASN1_STRING_TABLE_freefunc_type(freefunc)))
#define sk_ASN1_STRING_TABLE_set_cmp_func(sk, cmp)
((sk_ASN1_STRING_TABLE_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_STRING_TABLE_sk_t
ype(sk), ossl_check_ASN1_STRING_TABLE_compfunc_type(cmp)))

/* size limits: this stuff is taken straight from RFC2459 */

# define ub_name                32768
# define ub_common_name         64
# define ub_locality_name       128

```

```

# define ub_state_name          128
# define ub_organization_name    64
# define ub_organization_unit_name  64
#
# define ub_title                64
# define ub_email_address        128

/*
 * Declarations for template structures: for full definitions see asn1t.h
 */
typedef struct ASN1_TEMPLATE_st ASN1_TEMPLATE;
typedef struct ASN1_TLC_st ASN1_TLC;
/* This is just an opaque pointer */
typedef struct ASN1_VALUE_st ASN1_VALUE;

/* Declare ASN1 functions: the implement macro in in asn1t.h */

/*
 * The mysterious 'extern' that's passed to some macros is innocuous,
 * and is there to quiet pre-C99 compilers that may complain about empty
 * arguments in macro calls.
 */

# define DECLARE_ASN1_FUNCTIONS_attr(attr, type)          \
    DECLARE_ASN1_FUNCTIONS_name_attr(attr, type, type)
# define DECLARE_ASN1_FUNCTIONS(type)                    \
    DECLARE_ASN1_FUNCTIONS_attr(extern, type)

# define DECLARE_ASN1_ALLOC_FUNCTIONS_attr(attr, type)   \
    DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(attr, type, type)
# define DECLARE_ASN1_ALLOC_FUNCTIONS(type)              \
    \
    DECLARE_ASN1_ALLOC_FUNCTIONS_attr(extern, type)

# define DECLARE_ASN1_FUNCTIONS_name_attr(attr, type, name) \
    DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(attr, type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_name_attr(attr, type, name)
# define DECLARE_ASN1_FUNCTIONS_name(type, name)         \
    DECLARE_ASN1_FUNCTIONS_name_attr(extern, type, name)

# define DECLARE_ASN1_ENCODE_FUNCTIONS_attr(attr, type, itname, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(attr, type, name) \
    DECLARE_ASN1_ITEM_attr(attr, itname)
# define DECLARE_ASN1_ENCODE_FUNCTIONS(type, itname, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_attr(extern, type, itname, name)

# define DECLARE_ASN1_ENCODE_FUNCTIONS_name_attr(attr, type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_attr(attr, type, name, name)

```

```

# define DECLARE_ASN1_ENCODE_FUNCTIONS_name(type, name)
\
DECLARE_ASN1_ENCODE_FUNCTIONS_name_attr(extern, type, name)

# define DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(attr, type, name) \
attr type *d2i_##name(type **a, const unsigned char **in, long len); \
attr int i2d_##name(const type *a, unsigned char **out);
# define DECLARE_ASN1_ENCODE_FUNCTIONS_only(type, name) \
DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(extern, type, name)

# define DECLARE_ASN1_NDEF_FUNCTION_attr(attr, name) \
attr int i2d_##name##_NDEF(const name *a, unsigned char **out);
# define DECLARE_ASN1_NDEF_FUNCTION(name) \
DECLARE_ASN1_NDEF_FUNCTION_attr(extern, name)

# define DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(attr, type, name) \
attr type *name##_new(void); \
attr void name##_free(type *a);
# define DECLARE_ASN1_ALLOC_FUNCTIONS_name(type, name) \
DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(extern,
type, name)

# define DECLARE_ASN1_DUP_FUNCTION_attr(attr, type) \
DECLARE_ASN1_DUP_FUNCTION_name_attr(attr, type, type)
# define DECLARE_ASN1_DUP_FUNCTION(type) \
DECLARE_ASN1_DUP_FUNCTION_attr(extern, type)

# define DECLARE_ASN1_DUP_FUNCTION_name_attr(attr, type, name) \
attr type *name##_dup(const type *a);
# define DECLARE_ASN1_DUP_FUNCTION_name(type, name) \
DECLARE_ASN1_DUP_FUNCTION_name_attr(extern, type, name)

# define DECLARE_ASN1_PRINT_FUNCTION_attr(attr, stname) \
DECLARE_ASN1_PRINT_FUNCTION_fname_attr(attr, stname, stname)
# define DECLARE_ASN1_PRINT_FUNCTION(stname) \
DECLARE_ASN1_PRINT_FUNCTION_attr(extern, stname)

# define DECLARE_ASN1_PRINT_FUNCTION_fname_attr(attr, stname, fname) \
attr int fname##_print_ctx(BIO *out, const stname *x, int indent, \
\
const ASN1_PCTX *pctx);
# define DECLARE_ASN1_PRINT_FUNCTION_fname(stname, fname) \
DECLARE_ASN1_PRINT_FUNCTION_fname_attr(extern, stname, fname)

# define D2I_OF(type) type (*)(type **,const unsigned char **,long)
# define I2D_OF(type) int (*)(const type *,unsigned char **)

# define CHECKED_D2I_OF(type, d2i) \

```

```

((d2i_of_void*) (1 ? d2i : ((D2I_OF(type))0)))
# define CHECKED_I2D_OF(type, i2d) \
    ((i2d_of_void*) (1 ? i2d : ((I2D_OF(type))0)))
# define CHECKED_NEW_OF(type, xnew) \
    ((void *(*)(void)) (1 ? xnew : ((type *(*)(void))0)))
# define CHECKED_PTR_OF(type, p) \
    ((void*) (1 ? p : (type*)0))
# define CHECKED_PPTR_OF(type, p) \
    ((void**) (1 ? p : (type**)0))

# define TYPEDEF_D2I_OF(type) typedef type *d2i_of_##type(type **,const unsigned char **,long)
# define TYPEDEF_I2D_OF(type) typedef int i2d_of_##type(const type *,unsigned char **)
# define TYPEDEF_D2I2D_OF(type) TYPEDEF_D2I_OF(type); TYPEDEF_I2D_OF(type)

typedef
void *d2i_of_void(void **, const unsigned char **, long);
typedef int i2d_of_void(const void *, unsigned char **);

/*-
 * The following macros and typedefs allow an ASN1_ITEM
 * to be embedded in a structure and referenced. Since
 * the ASN1_ITEM pointers need to be globally accessible
 * (possibly from shared libraries) they may exist in
 * different forms. On platforms that support it the
 * ASN1_ITEM structure itself will be globally exported.
 * Other platforms will export a function that returns
 * an ASN1_ITEM pointer.
 *
 * To handle both cases transparently the macros below
 * should be used instead of hard coding an ASN1_ITEM
 * pointer in a structure.
 *
 * The structure will look like this:
 *
 * typedef struct SOMETHING_st {
 *     ...
 *     ASN1_ITEM_EXP *iptr;
 *     ...
 * } SOMETHING;
 *
 * It would be initialised as e.g.:
 *
 * SOMETHING somevar = {...,ASN1_ITEM_ref(X509),...};
 *
 * and the actual pointer extracted with:
 *
 * const ASN1_ITEM *it = ASN1_ITEM_ptr(somevar.iptr);

```

```

*
* Finally an ASN1_ITEM pointer can be extracted from an
* appropriate reference with: ASN1_ITEM_rptr(X509). This
* would be used when a function takes an ASN1_ITEM * argument.
*
*/

/*
* Platforms that can't easily handle shared global variables are declared as
* functions returning ASN1_ITEM pointers.
*/

/* ASN1_ITEM pointer exported type */
typedef const ASN1_ITEM *ASN1_ITEM_EXP (void);

/* Macro to obtain ASN1_ITEM pointer from exported type */
#define ASN1_ITEM_ptr(iptr) (iptr())

/* Macro to include ASN1_ITEM pointer from base type */
#define ASN1_ITEM_ref(iptr) (iptr##_it)

#define ASN1_ITEM_rptr(ref) (ref##_it())

#define DECLARE_ASN1_ITEM_attr(attr, name) \
    attr const ASN1_ITEM * name##_it(void);
#define DECLARE_ASN1_ITEM(name) \
    DECLARE_ASN1_ITEM_attr(extern, name)

/* Parameters used by ASN1_STRING_print_ex() */

/*
* These determine which characters to escape:
* RFC2253 special characters,
* control characters and MSB set characters
*/

#define ASN1_STRFLGS_ESC_2253    1
#define ASN1_STRFLGS_ESC_CTRL    2
#define ASN1_STRFLGS_ESC_MSB     4

/* Lower 8 bits are reserved as an output type specifier */
#define ASN1_DTFGLGS_TYPE_MASK    0x0FUL
#define ASN1_DTFGLGS_RFC822      0x00UL
#define ASN1_DTFGLGS_ISO8601     0x01UL

/*
* This flag determines how we do escaping: normally RFC2253 backslash only,

```

```

* set this to use backslash and quote.
*/

# define ASN1_STRFLGS_ESC_QUOTE      8

/* These three flags are internal use only. */

/* Character is a valid PrintableString character */
# define CHARTYPE_PRINTABLESTRING    0x10
/* Character needs escaping if it is the first character */
# define CHARTYPE_FIRST_ESC_2253     0x20
/* Character needs escaping if it is the last character */
# define CHARTYPE_LAST_ESC_2253      0x40

/*
* NB the internal flags are safely reused below by flags handled at the top
* level.
*/

/*
* If this is set we convert all character strings to UTF8 first
*/

# define ASN1_STRFLGS_UTF8_CONVERT   0x10

/*
* If this is set we don't attempt to interpret content: just assume all
* strings are 1 byte per character. This will produce some pretty odd
* looking output!
*/

# define ASN1_STRFLGS_IGNORE_TYPE    0x20

/* If this is set we include the string type in the output */
# define ASN1_STRFLGS_SHOW_TYPE      0x40

/*
* This determines which strings to display and which to 'dump' (hex dump of
* content octets or DER encoding). We can only dump non character strings or
* everything. If we don't dump 'unknown' they are interpreted as character
* strings with 1 octet per character and are subject to the usual escaping
* options.
*/

# define ASN1_STRFLGS_DUMP_ALL       0x80
# define ASN1_STRFLGS_DUMP_UNKNOWN   0x100

/*

```

```

* These determine what 'dumping' does, we can dump the content octets or the
* DER encoding; both use the RFC2253
#XXXXX notation.
*/

#define ASN1_STRFLGS_DUMP_DER      0x200

/*
* This flag specifies that RC2254 escaping shall be performed.
*/
#define ASN1_STRFLGS_ESC_2254      0x400

/*
* All the string flags consistent with RFC2253, escaping control characters
* isn't essential in RFC2253 but it is advisable anyway.
*/

#define ASN1_STRFLGS_RFC2253  (ASN1_STRFLGS_ESC_2253 | \
                                ASN1_STRFLGS_ESC_CTRL | \
                                ASN1_STRFLGS_ESC_MSB | \
                                ASN1_STRFLGS_UTF8_CONVERT | \
                                ASN1_STRFLGS_DUMP_UNKNOWN | \
                                ASN1_STRFLGS_DUMP_DER)

struct asn1_type_st {
    int type;
    union {
        char *ptr;
        ASN1_BOOLEAN boolean;
        ASN1_STRING *asn1_string;
        ASN1_OBJECT *object;
        ASN1_INTEGER *integer;
        ASN1_ENUMERATED *enumerated;
        ASN1_BIT_STRING *bit_string;
        ASN1_OCTET_STRING *octet_string;

        ASN1_PRINTABLESTRING *printablestring;
        ASN1_T61STRING *t61string;
        ASN1_IA5STRING *ia5string;
        ASN1_GENERALSTRING *generalstring;
        ASN1_BMPSTRING *bmpstring;
        ASN1_UNIVERSALSTRING *universalstring;
        ASN1_UTCTIME *utctime;
        ASN1_GENERALIZEDTIME *generalizedtime;
        ASN1_VISIBLESTRING *visiblestring;
        ASN1_UTF8STRING *utf8string;
    }
};
/*

```

```

    * set and sequence are left complete and still contain the set or
    * sequence bytes
    */
    ASN1_STRING *set;
    ASN1_STRING *sequence;
    ASN1_VALUE *asn1_value;
} value;
};

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_TYPE, ASN1_TYPE, ASN1_TYPE)
#define sk_ASN1_TYPE_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_value(sk, idx) ((ASN1_TYPE
*)OPENSSL_sk_value(ssl_check_const_ASN1_TYPE_sk_type(sk), (idx)))
#define sk_ASN1_TYPE_new(cmp) ((STACK_OF(ASN1_TYPE)
*)OPENSSL_sk_new(ssl_check_ASN1_TYPE_compfunc_type(cmp)))
#define
sk_ASN1_TYPE_new_null() ((STACK_OF(ASN1_TYPE) *)OPENSSL_sk_new_null())
#define sk_ASN1_TYPE_new_reserve(cmp, n) ((STACK_OF(ASN1_TYPE)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_TYPE_compfunc_type(cmp), (n)))
#define sk_ASN1_TYPE_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_TYPE_sk_type(sk), (n))
#define sk_ASN1_TYPE_free(sk) OPENSSL_sk_free(ssl_check_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_delete(sk, i) ((ASN1_TYPE
*)OPENSSL_sk_delete(ssl_check_ASN1_TYPE_sk_type(sk), (i)))
#define sk_ASN1_TYPE_delete_ptr(sk, ptr) ((ASN1_TYPE
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_TYPE_sk_type(sk), ssl_check_ASN1_TYPE_type(ptr)))
#define sk_ASN1_TYPE_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))
#define sk_ASN1_TYPE_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))
#define sk_ASN1_TYPE_pop(sk) ((ASN1_TYPE *)OPENSSL_sk_pop(ssl_check_ASN1_TYPE_sk_type(sk)))
#define
sk_ASN1_TYPE_shift(sk) ((ASN1_TYPE *)OPENSSL_sk_shift(ssl_check_ASN1_TYPE_sk_type(sk)))
#define sk_ASN1_TYPE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_TYPE_sk_type(sk), ssl_check_ASN1_TYPE_freefunc_type(freefunc))
#define sk_ASN1_TYPE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr), (idx))
#define sk_ASN1_TYPE_set(sk, idx, ptr) ((ASN1_TYPE
*)OPENSSL_sk_set(ssl_check_ASN1_TYPE_sk_type(sk), (idx), ssl_check_ASN1_TYPE_type(ptr)))
#define sk_ASN1_TYPE_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))
#define sk_ASN1_TYPE_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))
#define sk_ASN1_TYPE_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr), pnum)
#define sk_ASN1_TYPE_sort(sk) OPENSSL_sk_sort(ssl_check_ASN1_TYPE_sk_type(sk))
#define

```



```

sk_ASN1_TYPE_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_dup(sk) ((STACK_OF(ASN1_TYPE)
*)OPENSSL_sk_dup(ssl_check_const_ASN1_TYPE_sk_type(sk)))
#define sk_ASN1_TYPE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_TYPE)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_copyfunc_type(copyfunc), ssl_check_ASN1_TYPE_freefunc_type(freefunc)))
#define sk_ASN1_TYPE_set_cmp_func(sk, cmp)
((sk_ASN1_TYPE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_compfunc_type(cmp)))

typedef STACK_OF(ASN1_TYPE) ASN1_SEQUENCE_ANY;

DECLARE_ASN1_ENCODE_FUNCTIONS_name(ASN1_SEQUENCE_ANY, ASN1_SEQUENCE_ANY)
DECLARE_ASN1_ENCODE_FUNCTIONS_name(ASN1_SEQUENCE_ANY, ASN1_SET_ANY)

/* This is used to contain a list of bit names */
typedef struct BIT_STRING_BITNAME_st {
    int bitnum;
    const char *lname;
    const char *sname;
} BIT_STRING_BITNAME;

# define
B_ASN1_TIME \
        B_ASN1_UTCTIME | \
        B_ASN1_GENERALIZEDTIME

# define B_ASN1_PRINTABLE \
        B_ASN1_NUMERICSTRING| \
        B_ASN1_PRINTABLESTRING| \
        B_ASN1_T61STRING| \
        B_ASN1_IA5STRING| \
        B_ASN1_BIT_STRING| \
        B_ASN1_UNIVERSALSTRING| \
        B_ASN1_BMPSTRING| \
        B_ASN1_UTF8STRING| \
        B_ASN1_SEQUENCE| \
        B_ASN1_UNKNOWN

# define B_ASN1_DIRECTORYSTRING \
        B_ASN1_PRINTABLESTRING| \
        B_ASN1_TELETEXSTRING| \
        B_ASN1_BMPSTRING| \
        B_ASN1_UNIVERSALSTRING| \
        B_ASN1_UTF8STRING

# define B_ASN1_DISPLAYTEXT \

```

```

B_ASN1_IA5STRING|\
B_ASN1_VISIBLESTRING|\
B_ASN1_BMPSTRING|\
B_ASN1_UTF8STRING

```

```

DECLARE_ASN1_ALLOC_FUNCTIONS_name(ASN1_TYPE, ASN1_TYPE)
DECLARE_ASN1_ENCODE_FUNCTIONS(ASN1_TYPE, ASN1_ANY, ASN1_TYPE)

```

```

int ASN1_TYPE_get(const ASN1_TYPE *a);
void ASN1_TYPE_set(ASN1_TYPE *a, int type, void *value);
int ASN1_TYPE_set1(ASN1_TYPE *a, int type, const void *value);
int ASN1_TYPE_cmp(const ASN1_TYPE *a, const ASN1_TYPE *b);

```

```

ASN1_TYPE *ASN1_TYPE_pack_sequence(const ASN1_ITEM *it, void *s, ASN1_TYPE **t);
void *ASN1_TYPE_unpack_sequence(const ASN1_ITEM *it, const ASN1_TYPE *t);

```

```

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_OBJECT, ASN1_OBJECT, ASN1_OBJECT)
#define sk_ASN1_OBJECT_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_value(sk, idx) ((ASN1_OBJECT
*)OPENSSL_sk_value(ssl_check_const_ASN1_OBJECT_sk_type(sk), (idx)))
#define sk_ASN1_OBJECT_new(cmp) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_new(ssl_check_ASN1_OBJECT_compfunc_type(cmp)))
#define sk_ASN1_OBJECT_new_null() ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_new_null())
#define sk_ASN1_OBJECT_new_reserve(cmp, n) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_OBJECT_compfunc_type(cmp), (n)))
#define sk_ASN1_OBJECT_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_OBJECT_sk_type(sk), (n))
#define sk_ASN1_OBJECT_free(sk) OPENSSL_sk_free(ssl_check_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_delete(sk, i) ((ASN1_OBJECT
*)OPENSSL_sk_delete(ssl_check_ASN1_OBJECT_sk_type(sk), (i)))
#define sk_ASN1_OBJECT_delete_ptr(sk, ptr) ((ASN1_OBJECT
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_OBJECT_sk_type(sk), ssl_check_ASN1_OBJECT_type(ptr)))
#define sk_ASN1_OBJECT_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_OBJECT_sk_type(sk),
ssl_check_ASN1_OBJECT_type(ptr))
#define sk_ASN1_OBJECT_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_OBJECT_sk_type(sk),
ssl_check_ASN1_OBJECT_type(ptr))
#define sk_ASN1_OBJECT_pop(sk) ((ASN1_OBJECT
*)OPENSSL_sk_pop(ssl_check_ASN1_OBJECT_sk_type(sk)))
#define
sk_ASN1_OBJECT_shift(sk) ((ASN1_OBJECT *)OPENSSL_sk_shift(ssl_check_ASN1_OBJECT_sk_type(sk)))
#define sk_ASN1_OBJECT_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_OBJECT_sk_type(sk), ssl_check_ASN1_OBJECT_freefunc_type(free
func))
#define sk_ASN1_OBJECT_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_OBJECT_sk_type(sk),
ssl_check_ASN1_OBJECT_type(ptr), (idx))
#define sk_ASN1_OBJECT_set(sk, idx, ptr) ((ASN1_OBJECT
*)OPENSSL_sk_set(ssl_check_ASN1_OBJECT_sk_type(sk), (idx), ssl_check_ASN1_OBJECT_type(ptr)))

```

```

#define sk_ASN1_OBJECT_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_OBJECT_sk_type(sk),
ssl_check_ASN1_OBJECT_type(ptr))
#define sk_ASN1_OBJECT_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_OBJECT_sk_type(sk),
ssl_check_ASN1_OBJECT_type(ptr))
#define sk_ASN1_OBJECT_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ASN1_OBJECT_sk_type(sk), ssl_check_ASN1_OBJECT_type(ptr), pnum)
#define sk_ASN1_OBJECT_sort(sk)
OPENSSL_sk_sort(ssl_check_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_dup(sk) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_dup(ssl_check_const_ASN1_OBJECT_sk_type(sk)))
#define sk_ASN1_OBJECT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_OBJECT_sk_type(sk),
ssl_check_ASN1_OBJECT_copyfunc_type(copyfunc), ssl_check_ASN1_OBJECT_freefunc_type(freefunc)))
#define sk_ASN1_OBJECT_set_cmp_func(sk, cmp)
((sk_ASN1_OBJECT_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASN1_OBJECT_sk_type(sk),
ssl_check_ASN1_OBJECT_compfunc_type(cmp)))

```

DECLARE_ASN1_FUNCTIONS(ASN1_OBJECT)

```

ASN1_STRING *ASN1_STRING_new(void);
void ASN1_STRING_free(ASN1_STRING *a);
void ASN1_STRING_clear_free(ASN1_STRING *a);
int ASN1_STRING_copy(ASN1_STRING *dst, const ASN1_STRING *str);
DECLARE_ASN1_DUP_FUNCTION(ASN1_STRING)
ASN1_STRING *ASN1_STRING_type_new(int
type);
int ASN1_STRING_cmp(const ASN1_STRING *a, const ASN1_STRING *b);
/*
 * Since this is used to store all sorts of things, via macros, for now,
 * make its data void *
 */
int ASN1_STRING_set(ASN1_STRING *str, const void *data, int len);
void ASN1_STRING_set0(ASN1_STRING *str, void *data, int len);
int ASN1_STRING_length(const ASN1_STRING *x);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 void ASN1_STRING_length_set(ASN1_STRING *x, int n);
#endif
int ASN1_STRING_type(const ASN1_STRING *x);
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 unsigned char *ASN1_STRING_data(ASN1_STRING *x);
#endif
const unsigned char *ASN1_STRING_get0_data(const ASN1_STRING *x);

```

DECLARE_ASN1_FUNCTIONS(ASN1_BIT_STRING)

```

int ASN1_BIT_STRING_set(ASN1_BIT_STRING *a, unsigned char *d, int length);

```

```

int ASN1_BIT_STRING_set_bit(ASN1_BIT_STRING *a, int n, int value);
int ASN1_BIT_STRING_get_bit(const ASN1_BIT_STRING *a, int n);
int ASN1_BIT_STRING_check(const ASN1_BIT_STRING
*a,
                const unsigned char *flags, int flags_len);

int ASN1_BIT_STRING_name_print(BIO *out, ASN1_BIT_STRING *bs,
                BIT_STRING_BITNAME *tbl, int indent);
int ASN1_BIT_STRING_num_asc(const char *name, BIT_STRING_BITNAME *tbl);
int ASN1_BIT_STRING_set_asc(ASN1_BIT_STRING *bs, const char *name, int value,
                BIT_STRING_BITNAME *tbl);

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_INTEGER, ASN1_INTEGER, ASN1_INTEGER)
#define sk_ASN1_INTEGER_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_value(sk, idx) ((ASN1_INTEGER
*)OPENSSL_sk_value(ssl_check_const_ASN1_INTEGER_sk_type(sk), (idx)))
#define sk_ASN1_INTEGER_new(cmp) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_new(ssl_check_ASN1_INTEGER_compfunc_type(cmp)))
#define sk_ASN1_INTEGER_new_null() ((STACK_OF(ASN1_INTEGER) *)OPENSSL_sk_new_null())
#define sk_ASN1_INTEGER_new_reserve(cmp, n) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_INTEGER_compfunc_type(cmp),
(n)))
#define sk_ASN1_INTEGER_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_INTEGER_sk_type(sk),
(n))
#define sk_ASN1_INTEGER_free(sk) OPENSSL_sk_free(ssl_check_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_delete(sk, i) ((ASN1_INTEGER
*)OPENSSL_sk_delete(ssl_check_ASN1_INTEGER_sk_type(sk), (i)))
#define sk_ASN1_INTEGER_delete_ptr(sk, ptr) ((ASN1_INTEGER
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_INTEGER_sk_type(sk), ssl_check_ASN1_INTEGER_type(ptr)))
#define sk_ASN1_INTEGER_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_pop(sk) ((ASN1_INTEGER
*)OPENSSL_sk_pop(ssl_check_ASN1_INTEGER_sk_type(sk)))
#define sk_ASN1_INTEGER_shift(sk) ((ASN1_INTEGER
*)OPENSSL_sk_shift(ssl_check_ASN1_INTEGER_sk_type(sk)))
#define sk_ASN1_INTEGER_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_INTEGER_sk_type(sk), ssl_check_ASN1_INTEGER_freefunc_type(f
reefunc))
#define sk_ASN1_INTEGER_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr), (idx))
#define sk_ASN1_INTEGER_set(sk, idx, ptr) ((ASN1_INTEGER
*)OPENSSL_sk_set(ssl_check_ASN1_INTEGER_sk_type(sk), (idx), ssl_check_ASN1_INTEGER_type(ptr)))
#define sk_ASN1_INTEGER_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_INTEGER_sk_type(sk),

```

```

ossl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_ASN1_INTEGER_sk_type(sk), ossl_check_ASN1_INTEGER_type(ptr), pnum)
#define sk_ASN1_INTEGER_sort(sk) OPENSSL_sk_sort(ossl_check_ASN1_INTEGER_sk_type(sk))
#define
    sk_ASN1_INTEGER_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_dup(sk) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_dup(ossl_check_const_ASN1_INTEGER_sk_type(sk)))
#define sk_ASN1_INTEGER_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_deep_copy(ossl_check_const_ASN1_INTEGER_sk_type(sk),
ossl_check_ASN1_INTEGER_copyfunc_type(copyfunc), ossl_check_ASN1_INTEGER_freefunc_type(freefunc)))
#define sk_ASN1_INTEGER_set_cmp_func(sk, cmp)
((sk_ASN1_INTEGER_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_INTEGER_sk_type(sk),
ossl_check_ASN1_INTEGER_compfunc_type(cmp)))

DECLARE_ASN1_FUNCTIONS(ASN1_INTEGER)
ASN1_INTEGER *d2i_ASN1_INTEGER(ASN1_INTEGER **a, const unsigned char **pp,
    long length);
DECLARE_ASN1_DUP_FUNCTION(ASN1_INTEGER)
int ASN1_INTEGER_cmp(const ASN1_INTEGER *x, const ASN1_INTEGER *y);

DECLARE_ASN1_FUNCTIONS(ASN1_ENUMERATED)

int ASN1_UTCTIME_check(const ASN1_UTCTIME *a);
ASN1_UTCTIME
    *ASN1_UTCTIME_set(ASN1_UTCTIME *s, time_t t);
ASN1_UTCTIME *ASN1_UTCTIME_adj(ASN1_UTCTIME *s, time_t t,
    int offset_day, long offset_sec);
int ASN1_UTCTIME_set_string(ASN1_UTCTIME *s, const char *str);
int ASN1_UTCTIME_cmp_time_t(const ASN1_UTCTIME *s, time_t t);

int ASN1_GENERALIZEDTIME_check(const ASN1_GENERALIZEDTIME *a);
ASN1_GENERALIZEDTIME *ASN1_GENERALIZEDTIME_set(ASN1_GENERALIZEDTIME *s,
    time_t t);
ASN1_GENERALIZEDTIME *ASN1_GENERALIZEDTIME_adj(ASN1_GENERALIZEDTIME *s,
    time_t t, int offset_day,
    long offset_sec);
int ASN1_GENERALIZEDTIME_set_string(ASN1_GENERALIZEDTIME *s, const char *str);

int ASN1_TIME_diff(int *pday, int *psec,
    const ASN1_TIME *from, const ASN1_TIME *to);

DECLARE_ASN1_FUNCTIONS(ASN1_OCTET_STRING)
DECLARE_ASN1_DUP_FUNCTION(ASN1_OCTET_STRING)
int ASN1_OCTET_STRING_cmp(const

```

```

ASN1_OCTET_STRING *a,
    const ASN1_OCTET_STRING *b);
int ASN1_OCTET_STRING_set(ASN1_OCTET_STRING *str, const unsigned char *data,
    int len);

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_UTF8STRING, ASN1_UTF8STRING, ASN1_UTF8STRING)
#define sk_ASN1_UTF8STRING_num(sk)
OPENSSL_sk_num(ssl_check_const_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_value(sk, idx) ((ASN1_UTF8STRING
*)OPENSSL_sk_value(ssl_check_const_ASN1_UTF8STRING_sk_type(sk), (idx)))
#define sk_ASN1_UTF8STRING_new(cmp) ((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_new(ssl_check_ASN1_UTF8STRING_compfunc_type(cmp)))
#define sk_ASN1_UTF8STRING_new_null() ((STACK_OF(ASN1_UTF8STRING) *)OPENSSL_sk_new_null())
#define sk_ASN1_UTF8STRING_new_reserve(cmp, n) ((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_UTF8STRING_compfunc_type(cmp), (n)))
#define sk_ASN1_UTF8STRING_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_ASN1_UTF8STRING_sk_type(sk), (n))
#define
sk_ASN1_UTF8STRING_free(sk) OPENSSL_sk_free(ssl_check_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_delete(sk, i) ((ASN1_UTF8STRING
*)OPENSSL_sk_delete(ssl_check_ASN1_UTF8STRING_sk_type(sk), (i)))
#define sk_ASN1_UTF8STRING_delete_ptr(sk, ptr) ((ASN1_UTF8STRING
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr)))
#define sk_ASN1_UTF8STRING_push(sk, ptr)
OPENSSL_sk_push(ssl_check_ASN1_UTF8STRING_sk_type(sk), ssl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_pop(sk) ((ASN1_UTF8STRING
*)OPENSSL_sk_pop(ssl_check_ASN1_UTF8STRING_sk_type(sk)))
#define sk_ASN1_UTF8STRING_shift(sk) ((ASN1_UTF8STRING
*)OPENSSL_sk_shift(ssl_check_ASN1_UTF8STRING_sk_type(sk)))
#define sk_ASN1_UTF8STRING_pop_free(sk,
    freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_UTF8STRING_sk_type(sk), ssl_check_ASN1_UTF8STRING_freefunc_type(freefunc))
#define sk_ASN1_UTF8STRING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_ASN1_UTF8STRING_sk_type(sk), ssl_check_ASN1_UTF8STRING_type(ptr),
    (idx))
#define sk_ASN1_UTF8STRING_set(sk, idx, ptr) ((ASN1_UTF8STRING
*)OPENSSL_sk_set(ssl_check_ASN1_UTF8STRING_sk_type(sk), (idx),
ssl_check_ASN1_UTF8STRING_type(ptr)))
#define sk_ASN1_UTF8STRING_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ASN1_UTF8STRING_sk_type(sk),

```

```

ossl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_ASN1_UTF8STRING_sk_type(sk),
ossl_check_ASN1_UTF8STRING_type(ptr), pnum)
#define sk_ASN1_UTF8STRING_sort(sk) OPENSSL_sk_sort(ossl_check_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_dup(sk) ((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_dup(ossl_check_const_ASN1_UTF8STRING_sk_type(sk)))
#define sk_ASN1_UTF8STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_deep_copy(ossl_check_const_ASN1_UTF8STRING_sk_type(sk),
ossl_check_ASN1_UTF8STRING_copyfunc_type(copyfunc),
ossl_check_ASN1_UTF8STRING_freefunc_type(freefunc)))
#define sk_ASN1_UTF8STRING_set_cmp_func(sk, cmp)
((sk_ASN1_UTF8STRING_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_UTF8STRING_sk_type(sk)
), ossl_check_ASN1_UTF8STRING_compfunc_type(cmp)))

```

```

DECLARE_ASN1_FUNCTIONS(ASN1_VISIBLESTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_UNIVERSALSTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_UTF8STRING)
DECLARE_ASN1_FUNCTIONS(ASN1_NULL)
DECLARE_ASN1_FUNCTIONS(ASN1_BMPSTRING)

```

```

int UTF8_getc(const unsigned char *str, int len, unsigned long *val);
int UTF8_putc(unsigned char *str, int len, unsigned long value);

```

```

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_GENERALSTRING,
ASN1_GENERALSTRING, ASN1_GENERALSTRING)
#define sk_ASN1_GENERALSTRING_num(sk)
OPENSSL_sk_num(ossl_check_const_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_value(sk, idx) ((ASN1_GENERALSTRING
*)OPENSSL_sk_value(ossl_check_const_ASN1_GENERALSTRING_sk_type(sk), (idx)))
#define sk_ASN1_GENERALSTRING_new(cmp) ((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_new(ossl_check_ASN1_GENERALSTRING_compfunc_type(cmp)))
#define sk_ASN1_GENERALSTRING_new_null() ((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_new_null())
#define sk_ASN1_GENERALSTRING_new_reserve(cmp, n) ((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_new_reserve(ossl_check_ASN1_GENERALSTRING_compfunc_type(cmp), (n)))
#define sk_ASN1_GENERALSTRING_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_ASN1_GENERALSTRING_sk_type(sk), (n))
#define sk_ASN1_GENERALSTRING_free(sk)
OPENSSL_sk_free(ossl_check_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_zero(sk)
OPENSSL_sk_zero(ossl_check_ASN1_GENERALSTRING_sk_type(sk))
#define
sk_ASN1_GENERALSTRING_delete(sk, i) ((ASN1_GENERALSTRING
*)OPENSSL_sk_delete(ossl_check_ASN1_GENERALSTRING_sk_type(sk), (i)))

```

```

#define sk_ASN1_GENERALSTRING_delete_ptr(sk, ptr) ((ASN1_GENERALSTRING
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_type(ptr)))
#define sk_ASN1_GENERALSTRING_push(sk, ptr)
OPENSSL_sk_push(ssl_check_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_type(ptr))
#define sk_ASN1_GENERALSTRING_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_type(ptr))
#define sk_ASN1_GENERALSTRING_pop(sk) ((ASN1_GENERALSTRING
*)OPENSSL_sk_pop(ssl_check_ASN1_GENERALSTRING_sk_type(sk)))
#define sk_ASN1_GENERALSTRING_shift(sk) ((ASN1_GENERALSTRING
*)OPENSSL_sk_shift(ssl_check_ASN1_GENERALSTRING_sk_type(sk)))
#define sk_ASN1_GENERALSTRING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_GENERALSTRING_sk_type(sk),ssl_check_ASN1_GENERALSTRIN
G_freefunc_type(freefunc))
#define
sk_ASN1_GENERALSTRING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_type(ptr), (idx))
#define sk_ASN1_GENERALSTRING_set(sk, idx, ptr) ((ASN1_GENERALSTRING
*)OPENSSL_sk_set(ssl_check_ASN1_GENERALSTRING_sk_type(sk), (idx),
ssl_check_ASN1_GENERALSTRING_type(ptr)))
#define sk_ASN1_GENERALSTRING_find(sk, ptr)
OPENSSL_sk_find(ssl_check_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_type(ptr))
#define sk_ASN1_GENERALSTRING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_type(ptr))
#define sk_ASN1_GENERALSTRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_type(ptr), pnum)
#define sk_ASN1_GENERALSTRING_sort(sk)
OPENSSL_sk_sort(ssl_check_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_dup(sk) ((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_dup(ssl_check_const_ASN1_GENERALSTRING_sk_type(sk)))
#define sk_ASN1_GENERALSTRING_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_GENERALSTRING_sk_type(sk),
ssl_check_ASN1_GENERALSTRING_copyfunc_type(copyfunc),
ssl_check_ASN1_GENERALSTRING_freefunc_type(freefunc)))
#define sk_ASN1_GENERALSTRING_set_cmp_func(sk, cmp)
((sk_ASN1_GENERALSTRING_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASN1_GENERALSTRING
_sk_type(sk), ssl_check_ASN1_GENERALSTRING_compfunc_type(cmp)))

```



```

DECLARE_ASN1_FUNCTIONS_name(ASN1_STRING, ASN1_PRINTABLE)

DECLARE_ASN1_FUNCTIONS_name(ASN1_STRING, DIRECTORYSTRING)
DECLARE_ASN1_FUNCTIONS_name(ASN1_STRING, DISPLAYTEXT)
DECLARE_ASN1_FUNCTIONS(ASN1_PRINTABLESTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_T61STRING)
DECLARE_ASN1_FUNCTIONS(ASN1_IA5STRING)
DECLARE_ASN1_FUNCTIONS(ASN1_GENERALSTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_UTCTIME)
DECLARE_ASN1_FUNCTIONS(ASN1_GENERALIZEDTIME)
DECLARE_ASN1_FUNCTIONS(ASN1_TIME)

DECLARE_ASN1_DUP_FUNCTION(ASN1_TIME)
DECLARE_ASN1_DUP_FUNCTION(ASN1_UTCTIME)
DECLARE_ASN1_DUP_FUNCTION(ASN1_GENERALIZEDTIME)

DECLARE_ASN1_ITEM(ASN1_OCTET_STRING_NDEF)

ASN1_TIME
*ASN1_TIME_set(ASN1_TIME *s, time_t t);
ASN1_TIME *ASN1_TIME_adj(ASN1_TIME *s, time_t t,
                        int offset_day, long offset_sec);
int ASN1_TIME_check(const ASN1_TIME *t);
ASN1_GENERALIZEDTIME *ASN1_TIME_to_generalizedtime(const ASN1_TIME *t,
                                                ASN1_GENERALIZEDTIME **out);
int ASN1_TIME_set_string(ASN1_TIME *s, const char *str);
int ASN1_TIME_set_string_X509(ASN1_TIME *s, const char *str);
int ASN1_TIME_to_tm(const ASN1_TIME *s, struct tm *tm);
int ASN1_TIME_normalize(ASN1_TIME *s);
int ASN1_TIME_cmp_time_t(const ASN1_TIME *s, time_t t);
int ASN1_TIME_compare(const ASN1_TIME *a, const ASN1_TIME *b);

int
i2a_ASN1_INTEGER(BIO *bp, const ASN1_INTEGER *a);
int a2i_ASN1_INTEGER(BIO *bp, ASN1_INTEGER *bs, char *buf, int size);
int i2a_ASN1_ENUMERATED(BIO *bp, const ASN1_ENUMERATED *a);
int a2i_ASN1_ENUMERATED(BIO *bp, ASN1_ENUMERATED *bs, char *buf, int size);
int i2a_ASN1_OBJECT(BIO *bp, const ASN1_OBJECT *a);
int a2i_ASN1_STRING(BIO *bp, ASN1_STRING *bs, char *buf, int size);
int i2a_ASN1_STRING(BIO *bp, const ASN1_STRING *a, int type);
int i2t_ASN1_OBJECT(char *buf, int buf_len, const ASN1_OBJECT *a);

int a2d_ASN1_OBJECT(unsigned char *out, int olen, const char *buf, int num);
ASN1_OBJECT *ASN1_OBJECT_create(int nid, unsigned char *data, int len,
                                const char *sn, const char *ln);

int ASN1_INTEGER_get_int64(int64_t *pr, const ASN1_INTEGER *a);
int ASN1_INTEGER_set_int64(ASN1_INTEGER *a, int64_t r);

```

```

int ASN1_INTEGER_get_uint64(uint64_t *pr, const ASN1_INTEGER *a);
int ASN1_INTEGER_set_uint64(ASN1_INTEGER *a, uint64_t r);

int ASN1_INTEGER_set(ASN1_INTEGER
*a, long v);
long ASN1_INTEGER_get(const ASN1_INTEGER *a);
ASN1_INTEGER *BN_to_ASN1_INTEGER(const BIGNUM *bn, ASN1_INTEGER *ai);
BIGNUM *ASN1_INTEGER_to_BN(const ASN1_INTEGER *ai, BIGNUM *bn);

int ASN1_ENUMERATED_get_int64(int64_t *pr, const ASN1_ENUMERATED *a);
int ASN1_ENUMERATED_set_int64(ASN1_ENUMERATED *a, int64_t r);

int ASN1_ENUMERATED_set(ASN1_ENUMERATED *a, long v);
long ASN1_ENUMERATED_get(const ASN1_ENUMERATED *a);
ASN1_ENUMERATED *BN_to_ASN1_ENUMERATED(const BIGNUM *bn, ASN1_ENUMERATED *ai);
BIGNUM *ASN1_ENUMERATED_to_BN(const ASN1_ENUMERATED *ai, BIGNUM *bn);

/* General */
/* given a string, return the correct type, max is the maximum length */
int ASN1_PRINTABLE_type(const unsigned char *s, int max);

unsigned long ASN1_tag2bit(int tag);

/* SPECIALS */
int ASN1_get_object(const unsigned char **pp, long *plength, int *ptag,
int *pclass, long omax);
int ASN1_check_infinite_end(unsigned char **p, long len);
int ASN1_const_check_infinite_end(const unsigned
char **p, long len);
void ASN1_put_object(unsigned char **pp, int constructed, int length,
int tag, int xclass);
int ASN1_put_eoc(unsigned char **pp);
int ASN1_object_size(int constructed, int length, int tag);

/* Used to implement other functions */
void *ASN1_dup(i2d_of_void *i2d, d2i_of_void *d2i, const void *x);

# define ASN1_dup_of(type,i2d,d2i,x) \
((type*)ASN1_dup(CHECKED_I2D_OF(type, i2d), \
CHECKED_D2I_OF(type, d2i), \
CHECKED_PTR_OF(const type, x)))

void *ASN1_item_dup(const ASN1_ITEM *it, const void *x);
int ASN1_item_sign_ex(const ASN1_ITEM *it, X509_ALGOR *algor1,
X509_ALGOR *algor2, ASN1_BIT_STRING *signature,
const void *data, const ASN1_OCTET_STRING *id,
EVP_PKEY *pkey, const EVP_MD *md, OSSL_LIB_CTX *libctx,

```

```

        const char *propq);
int ASN1_item_verify_ex(const ASN1_ITEM *it, const X509_ALGOR *alg,

        const ASN1_BIT_STRING *signature, const void *data,
        const ASN1_OCTET_STRING *id, EVP_PKEY *pkey,
        OSSL_LIB_CTX *libctx, const char *propq);

/* ASN1 alloc/free macros for when a type is only used internally */

# define M_ASN1_new_of(type) (type *)ASN1_item_new(ASN1_ITEM_rptr(type))
# define M_ASN1_free_of(x, type) \
        ASN1_item_free(CHECKED_PTR_OF(type, x), ASN1_ITEM_rptr(type))

# ifndef OPENSSL_NO_STDIO
void *ASN1_d2i_fp(void *(*xnew) (void), d2i_of_void *d2i, FILE *in, void **x);

# define ASN1_d2i_fp_of(type,xnew,d2i,in,x) \
        ((type*)ASN1_d2i_fp(CHECKED_NEW_OF(type, xnew), \
                CHECKED_D2I_OF(type, d2i), \
                in, \
                CHECKED_PPTR_OF(type, x)))

void *ASN1_item_d2i_fp_ex(const ASN1_ITEM *it, FILE *in, void *x,
        OSSL_LIB_CTX *libctx, const char *propq);
void *ASN1_item_d2i_fp(const ASN1_ITEM *it, FILE *in, void *x);
int
ASN1_i2d_fp(i2d_of_void *i2d, FILE *out, const void *x);

# define ASN1_i2d_fp_of(type,i2d,out,x) \
        (ASN1_i2d_fp(CHECKED_I2D_OF(type, i2d), \
                out, \
                CHECKED_PTR_OF(const type, x)))

int ASN1_item_i2d_fp(const ASN1_ITEM *it, FILE *out, const void *x);
int ASN1_STRING_print_ex_fp(FILE *fp, const ASN1_STRING *str, unsigned long flags);
# endif

int ASN1_STRING_to_UTF8(unsigned char **out, const ASN1_STRING *in);

void *ASN1_d2i_bio(void *(*xnew) (void), d2i_of_void *d2i, BIO *in, void **x);

# define ASN1_d2i_bio_of(type,xnew,d2i,in,x) \
        ((type*)ASN1_d2i_bio( CHECKED_NEW_OF(type, xnew), \
                CHECKED_D2I_OF(type, d2i), \
                in, \
                CHECKED_PPTR_OF(type, x)))

void *ASN1_item_d2i_bio_ex(const ASN1_ITEM *it, BIO *in, void *pval,

```

```

        OSSL_LIB_CTX *libctx, const char *propq);
void *ASN1_item_d2i_bio(const ASN1_ITEM *it, BIO *in, void *pval);
int ASN1_i2d_bio(i2d_of_void
    *i2d, BIO *out, const void *x);

# define ASN1_i2d_bio_of(type,i2d,out,x) \
    (ASN1_i2d_bio(CHECKED_I2D_OF(type, i2d), \
        out, \
        CHECKED_PTR_OF(const type, x)))

int ASN1_item_i2d_bio(const ASN1_ITEM *it, BIO *out, const void *x);
BIO *ASN1_item_i2d_mem_bio(const ASN1_ITEM *it, const ASN1_VALUE *val);
int ASN1_UTCTIME_print(BIO *fp, const ASN1_UTCTIME *a);
int ASN1_GENERALIZEDTIME_print(BIO *fp, const ASN1_GENERALIZEDTIME *a);
int ASN1_TIME_print(BIO *bp, const ASN1_TIME *tm);
int ASN1_TIME_print_ex(BIO *bp, const ASN1_TIME *tm, unsigned long flags);
int ASN1_STRING_print(BIO *bp, const ASN1_STRING *v);
int ASN1_STRING_print_ex(BIO *out, const ASN1_STRING *str, unsigned long flags);
int ASN1_buf_print(BIO *bp, const unsigned char *buf, size_t buflen, int off);
int ASN1_bn_print(BIO *bp, const char *number, const BIGNUM *num,
    unsigned char *buf, int off);
int ASN1_parse(BIO *bp, const unsigned char *pp, long len, int indent);
int
    ASN1_parse_dump(BIO *bp, const unsigned char *pp, long len, int indent,
        int dump);
const char *ASN1_tag2str(int tag);

/* Used to load and write Netscape format cert */

int ASN1_UNIVERSALSTRING_to_string(ASN1_UNIVERSALSTRING *s);

int ASN1_TYPE_set_octetstring(ASN1_TYPE *a, unsigned char *data, int len);
int ASN1_TYPE_get_octetstring(const ASN1_TYPE *a, unsigned char *data, int max_len);
int ASN1_TYPE_set_int_octetstring(ASN1_TYPE *a, long num,
    unsigned char *data, int len);
int ASN1_TYPE_get_int_octetstring(const ASN1_TYPE *a, long *num,
    unsigned char *data, int max_len);

void *ASN1_item_unpack(const ASN1_STRING *oct, const ASN1_ITEM *it);

ASN1_STRING *ASN1_item_pack(void *obj, const ASN1_ITEM *it,
    ASN1_OCTET_STRING **oct);

void ASN1_STRING_set_default_mask(unsigned long mask);
int ASN1_STRING_set_default_mask_asc(const char *p);
unsigned long ASN1_STRING_get_default_mask(void);
int

```

```

ASN1_mbstring_copy(ASN1_STRING **out, const unsigned char *in, int len,
                    int inform, unsigned long mask);
int ASN1_mbstring_ncopy(ASN1_STRING **out, const unsigned char *in, int len,
                        int inform, unsigned long mask,
                        long minsize, long maxsize);

ASN1_STRING *ASN1_STRING_set_by_NID(ASN1_STRING **out,
                                    const unsigned char *in, int inlen,
                                    int inform, int nid);
ASN1_STRING_TABLE *ASN1_STRING_TABLE_get(int nid);
int ASN1_STRING_TABLE_add(int, long, long, unsigned long, unsigned long);
void ASN1_STRING_TABLE_cleanup(void);

/* ASN1 template functions */

/* Old API compatible functions */
ASN1_VALUE *ASN1_item_new(const ASN1_ITEM *it);
ASN1_VALUE *ASN1_item_new_ex(const ASN1_ITEM *it, OSSL_LIB_CTX *libctx,
                             const char *propq);
void ASN1_item_free(ASN1_VALUE *val, const ASN1_ITEM *it);
ASN1_VALUE *ASN1_item_d2i_ex(ASN1_VALUE
**val, const unsigned char **in,
                             long len, const ASN1_ITEM *it,
                             OSSL_LIB_CTX *libctx, const char *propq);
ASN1_VALUE *ASN1_item_d2i(ASN1_VALUE **val, const unsigned char **in,
                           long len, const ASN1_ITEM *it);
int ASN1_item_i2d(const ASN1_VALUE *val, unsigned char **out, const ASN1_ITEM *it);
int ASN1_item_ndef_i2d(const ASN1_VALUE *val, unsigned char **out,
                       const ASN1_ITEM *it);

void ASN1_add_oid_module(void);
void ASN1_add_stable_module(void);

ASN1_TYPE *ASN1_generate_nconf(const char *str, CONF *nconf);
ASN1_TYPE *ASN1_generate_v3(const char *str, X509V3_CTX *cnf);
int ASN1_str2mask(const char *str, unsigned long *pmask);

/* ASN1 Print flags */

/* Indicate missing OPTIONAL fields */
#define ASN1_PCTX_FLAGS_SHOW_ABSENT      0x001
/* Mark start and end of SEQUENCE */
#define ASN1_PCTX_FLAGS_SHOW_SEQUENCE    0x002
/* Mark start and end
of SEQUENCE/SET OF */
#define ASN1_PCTX_FLAGS_SHOW_SSOF        0x004
/* Show the ASN1 type of primitives */
#define ASN1_PCTX_FLAGS_SHOW_TYPE        0x008

```

```

/* Don't show ASN1 type of ANY */
# define ASN1_PCTX_FLAGS_NO_ANY_TYPE          0x010
/* Don't show ASN1 type of MSTRINGs */
# define ASN1_PCTX_FLAGS_NO_MSTRING_TYPE      0x020
/* Don't show field names in SEQUENCE */
# define ASN1_PCTX_FLAGS_NO_FIELD_NAME        0x040
/* Show structure names of each SEQUENCE field */
# define ASN1_PCTX_FLAGS_SHOW_FIELD_STRUCT_NAME 0x080
/* Don't show structure name even at top level */
# define ASN1_PCTX_FLAGS_NO_STRUCT_NAME       0x100

int ASN1_item_print(BIO *out, const ASN1_VALUE *ifld, int indent,
                   const ASN1_ITEM *it, const ASN1_PCTX *pctx);
ASN1_PCTX *ASN1_PCTX_new(void);
void ASN1_PCTX_free(ASN1_PCTX *p);
unsigned long ASN1_PCTX_get_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_flags(ASN1_PCTX *p, unsigned long flags);
unsigned long ASN1_PCTX_get_nm_flags(const
ASN1_PCTX *p);
void ASN1_PCTX_set_nm_flags(ASN1_PCTX *p, unsigned long flags);
unsigned long ASN1_PCTX_get_cert_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_cert_flags(ASN1_PCTX *p, unsigned long flags);
unsigned long ASN1_PCTX_get_oid_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_oid_flags(ASN1_PCTX *p, unsigned long flags);
unsigned long ASN1_PCTX_get_str_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_str_flags(ASN1_PCTX *p, unsigned long flags);

ASN1_SCTX *ASN1_SCTX_new(int (*scan_cb) (ASN1_SCTX *ctx));
void ASN1_SCTX_free(ASN1_SCTX *p);
const ASN1_ITEM *ASN1_SCTX_get_item(ASN1_SCTX *p);
const ASN1_TEMPLATE *ASN1_SCTX_get_template(ASN1_SCTX *p);
unsigned long ASN1_SCTX_get_flags(ASN1_SCTX *p);
void ASN1_SCTX_set_app_data(ASN1_SCTX *p, void *data);
void *ASN1_SCTX_get_app_data(ASN1_SCTX *p);

const BIO_METHOD *BIO_f_asn1(void);

/* cannot constify val because of CMS_stream() */
BIO *BIO_new_NDEF(BIO *out, ASN1_VALUE *val, const ASN1_ITEM *it);

int i2d_ASN1_bio_stream(BIO
*out, ASN1_VALUE *val, BIO *in, int flags,
const ASN1_ITEM *it);
int PEM_write_bio_ASN1_stream(BIO *out, ASN1_VALUE *val, BIO *in, int flags,
const char *hdr, const ASN1_ITEM *it);
/* cannot constify val because of CMS_dataFinal() */
int SMIME_write_ASN1(BIO *bio, ASN1_VALUE *val, BIO *data, int flags,
int ctype_nid, int econid,

```

```

        STACK_OF(X509_ALGOR) *mdalgs, const ASN1_ITEM *it);
int SMIME_write_ASN1_ex(BIO *bio, ASN1_VALUE *val, BIO *data, int flags,
        int ctype_nid, int econ_nid,
        STACK_OF(X509_ALGOR) *mdalgs, const ASN1_ITEM *it,
        OSSL_LIB_CTX *libctx, const char *propq);
ASN1_VALUE *SMIME_read_ASN1(BIO *bio, BIO **bcont, const ASN1_ITEM *it);
ASN1_VALUE *SMIME_read_ASN1_ex(BIO *bio, int flags, BIO **bcont,
        const ASN1_ITEM *it, ASN1_VALUE **x,
        OSSL_LIB_CTX
        *libctx, const char *propq);
int SMIME_crlf_copy(BIO *in, BIO *out, int flags);
int SMIME_text(BIO *in, BIO *out);

const ASN1_ITEM *ASN1_ITEM_lookup(const char *name);
const ASN1_ITEM *ASN1_ITEM_get(size_t i);

/* Legacy compatibility */
# define DECLARE_ASN1_FUNCTIONS_fname(type, itname, name) \
    DECLARE_ASN1_ALLOC_FUNCTIONS_name(type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS(type, itname, name)
# define DECLARE_ASN1_FUNCTIONS_const(type) DECLARE_ASN1_FUNCTIONS(type)
# define DECLARE_ASN1_ENCODE_FUNCTIONS_const(type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS(type, name)
# define I2D_OF_const(type) I2D_OF(type)
# define ASN1_dup_of_const(type,i2d,d2i,x) ASN1_dup_of(type,i2d,d2i,x)
# define ASN1_i2d_fp_of_const(type,i2d,out,x) ASN1_i2d_fp_of(type,i2d,out,x)
# define ASN1_i2d_bio_of_const(type,i2d,out,x) ASN1_i2d_bio_of(type,i2d,out,x)

# ifdef __cplusplus
}
# endif
#endif
Copyright npm, Inc

```

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2020 Vercel, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/*
 * WARNING: do not edit!
 * Generated by util/mkbuildinf.pl
 *
 * Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */
```

```
#define PLATFORM "platform: BSD-x86_64"
#define DATE "built on: Wed Mar 5 20:59:39 2025 UTC"
```

```
/*
 * Generate compiler_flags as an array of individual characters. This is a
 * workaround for the situation where CFLAGS gets too long for a C90 string
 * literal
 */
```

```
static const char compiler_flags[] = {
    'c','o','m','p','i','l','e','r',' ','g','c',' ',' ','f',
    'P','T','C',' ',' ','p','t','h','r','e','a','d',' ',' ','W','a',
    ' ',' ','n','o','e','x','e','c','s','t','a','c','k',' ',' ',
    'W','a','l','l',' ',' ','O','3',' ',' ','D','L',' ','E','N','D',
    'T','A','N',' ',' ','D','O','P','E','N','S','S','L',' ','P','T',
    'C',' ',' ','D',' ','T','H','R','E','A','D',' ','S','A','F','E',
    ' ',' ','D',' ','R','E','E','N','T','R','A','N','T',' ',' ','D',
    'O','P','E','N','S','S','L',' ','B','U','T','L','D','T','N','G',
    ' ','O','P','E','N','S','S','L',' ',' ','D','N','D','E','B','U',

```



```
'G','\0'
```

```
};
```

Copyright (c) Donald Stuftt and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: License update

on:

schedule:

```
# 00:00:00 every Monday
```

```
# https://crontab.guru/#0_0_*_*_1
```

```
- cron: 0 0 * * 1
```

workflow_dispatch:

permissions:

contents: read

jobs:

update_license:

permissions:

contents: write # for gr2m/create-or-update-pull-request-action to push local changes

pull-requests: write # for gr2m/create-or-update-pull-request-action to create a PR

if: github.repository == 'nodejs/node'

runs-on: ubuntu-latest

steps:

```
- uses: actions/checkout@8ade135a41bc03ea155e62e844d188df1ea18608 # v4.1.0
```

with:

persist-credentials: false

```

- run: ./tools/license-builder.sh # Run the license builder tool
- uses: gr2m/create-or-update-pull-request-action@77596e3166f328b24613f7082ab30bf2d93079d5
  # Creates a PR or update the Action's existing PR, or
  # no-op if the base branch is already up-to-date.
env:
  GITHUB_TOKEN: ${ secrets.GITHUB_TOKEN }
with:
  author:
Node.js GitHub Bot <github-bot@iojs.org>
  branch: actions/license-builder
  title: 'doc: run license-builder'
  body: >
    License is likely out of date. This is an automatically generated PR by
    the `license-builder.yml` GitHub Action, which runs `license-builder.sh`
    and submits a new PR or updates an existing PR.
  commit-message: 'doc: run license-builder'
  labels: meta

```

The MIT License (MIT)

Copyright 2022 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/* WARNING: do not edit! */

/* Generated by Makefile from include/crypto/bn_conf.h.in */

/*

* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OSSL_CRYPTO_BN_CONF_H

define OSSL_CRYPTO_BN_CONF_H

pragma once

/*

* The contents of this file are not used in the UEFI build, as

* both 32-bit and 64-bit builds are supported from a single run

* of the Configure script.

*/

/* Should we define BN_DIV2W here? */

/* Only one for the following should be defined */

#undef SIXTY_FOUR_BIT_LONG

#undef SIXTY_FOUR_BIT

#define THIRTY_TWO_BIT

```

#endif
/*
 * WARNING: do not edit!
 * Generated by Makefile from providers/common/include/prov/der_rsa.h.in
 *
 * Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#include "crypto/rsa.h"
#include "internal/der.h"

/* Well known OIDs precompiled */

/*
 * hashAlgs OBJECT IDENTIFIER ::= { nistAlgorithms 2 }
 */
#define DER_OID_V_hashAlgs DER_P_OBJECT, 8, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02
#define DER_OID_SZ_hashAlgs 10
extern const unsigned char ossl_der_oid_hashAlgs[DER_OID_SZ_hashAlgs];

/*
 * rsaEncryption OBJECT IDENTIFIER ::= { pkcs-1 1 }
 */
#define DER_OID_V_rsaEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x01
#define DER_OID_SZ_rsaEncryption 11
extern const unsigned
char ossl_der_oid_rsaEncryption[DER_OID_SZ_rsaEncryption];

/*
 * id-RSAES-OAEP OBJECT IDENTIFIER ::= { pkcs-1 7 }
 */
#define DER_OID_V_id_RSAES_OAEP DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01,
0x07
#define DER_OID_SZ_id_RSAES_OAEP 11
extern const unsigned char ossl_der_oid_id_RSAES_OAEP[DER_OID_SZ_id_RSAES_OAEP];

/*
 * id-pSpecified OBJECT IDENTIFIER ::= { pkcs-1 9 }
 */
#define DER_OID_V_id_pSpecified DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x09
#define DER_OID_SZ_id_pSpecified 11
extern const unsigned char ossl_der_oid_id_pSpecified[DER_OID_SZ_id_pSpecified];

```



```

/*
 * id-RSASSA-PSS OBJECT IDENTIFIER ::= { pkcs-1 10 }
 */
#define DER_OID_V_id_RSASSA_PSS DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01,
0x0A
#define DER_OID_SZ_id_RSASSA_PSS 11
extern const unsigned char ossl_der_oid_id_RSASSA_PSS[DER_OID_SZ_id_RSASSA_PSS];

/*
 * md2WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 2 }
 */
#define DER_OID_V_md2WithRSAEncryption
DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x02
#define DER_OID_SZ_md2WithRSAEncryption 11
extern const unsigned char ossl_der_oid_md2WithRSAEncryption[DER_OID_SZ_md2WithRSAEncryption];

/*
 * md5WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 4 }
 */
#define DER_OID_V_md5WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01,
0x01, 0x04
#define DER_OID_SZ_md5WithRSAEncryption 11
extern const unsigned char ossl_der_oid_md5WithRSAEncryption[DER_OID_SZ_md5WithRSAEncryption];

/*
 * sha1WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 5 }
 */
#define DER_OID_V_sha1WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01,
0x01, 0x05
#define DER_OID_SZ_sha1WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha1WithRSAEncryption[DER_OID_SZ_sha1WithRSAEncryption];

/*
 * sha224WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 14 }
 */
#define DER_OID_V_sha224WithRSAEncryption DER_P_OBJECT,
9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x0E
#define DER_OID_SZ_sha224WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha224WithRSAEncryption[DER_OID_SZ_sha224WithRSAEncryption];

/*
 * sha256WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 11 }
 */
#define DER_OID_V_sha256WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D,
0x01, 0x01, 0x0B
#define DER_OID_SZ_sha256WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha256WithRSAEncryption[DER_OID_SZ_sha256WithRSAEncryption];

```

```

/*
 * sha384WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 12 }
 */
#define DER_OID_V_sha384WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D,
0x01, 0x01, 0x0C
#define DER_OID_SZ_sha384WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha384WithRSAEncryption[DER_OID_SZ_sha384WithRSAEncryption];

/*
 * sha512WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 13 }
 */
#define DER_OID_V_sha512WithRSAEncryption
DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x0D
#define DER_OID_SZ_sha512WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha512WithRSAEncryption[DER_OID_SZ_sha512WithRSAEncryption];

/*
 * sha512-224WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 15 }
 */
#define DER_OID_V_sha512_224WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D,
0x01, 0x01, 0x0F
#define DER_OID_SZ_sha512_224WithRSAEncryption 11
extern const unsigned char
ossl_der_oid_sha512_224WithRSAEncryption[DER_OID_SZ_sha512_224WithRSAEncryption];

/*
 * sha512-256WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 16 }
 */
#define DER_OID_V_sha512_256WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D,
0x01, 0x01, 0x10
#define DER_OID_SZ_sha512_256WithRSAEncryption 11
extern const unsigned char
ossl_der_oid_sha512_256WithRSAEncryption[DER_OID_SZ_sha512_256WithRSAEncryption];

/*
 * id-mgf1 OBJECT IDENTIFIER ::= { pkcs-1 8 }
 */
#define DER_OID_V_id_mgf1
DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x08
#define DER_OID_SZ_id_mgf1 11
extern const unsigned char ossl_der_oid_id_mgf1[DER_OID_SZ_id_mgf1];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-224 OBJECT IDENTIFIER ::= { sigAlgs 13 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,
0x03, 0x04, 0x03, 0x0D

```

```

#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_224 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_224[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_224];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-256 OBJECT IDENTIFIER ::= { sigAlgs 14 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,
0x03, 0x04, 0x03, 0x0E
#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_256 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_256[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_256];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-384 OBJECT IDENTIFIER
 ::= { sigAlgs 15 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,
0x03, 0x04, 0x03, 0x0F
#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_384 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_384[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_384];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-512 OBJECT IDENTIFIER ::= { sigAlgs 16 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,
0x03, 0x04, 0x03, 0x10
#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_512 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_512[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_512];

/*
 * md4WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 3 }
 */
#define DER_OID_V_md4WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01,
0x01, 0x03
#define DER_OID_SZ_md4WithRSAEncryption 11
extern const unsigned char ossl_der_oid_md4WithRSAEncryption[DER_OID_SZ_md4WithRSAEncryption];

/*
 * ripemd160WithRSAEncryption OBJECT IDENTIFIER ::= {
 *   iso(1) identified-organization(3) teletrust(36) algorithm(3) signatureAlgorithm(3) rsaSignature(1) 2
 * }
 */
#define DER_OID_V_ripemd160WithRSAEncryption DER_P_OBJECT, 6, 0x2B, 0x24, 0x03, 0x03, 0x01, 0x02
#define DER_OID_SZ_ripemd160WithRSAEncryption 8
extern const unsigned char

```

```

ossl_der_oid_ripemd160WithRSAEncryption[DER_OID_SZ_ripemd160WithRSAEncryption];

/*
 * mdc2WithRSASignature OBJECT IDENTIFIER ::= {
 *   iso(1) identified-organization(3) oiw(14) secsig(3) algorithms(2) mdc2WithRSASignature(14)
 * }
 */

#define DER_OID_V_mdc2WithRSASignature DER_P_OBJECT, 5, 0x2B, 0x0E, 0x03, 0x02, 0x0E
#define DER_OID_SZ_mdc2WithRSASignature 7
extern const unsigned char ossl_der_oid_mdc2WithRSASignature[DER_OID_SZ_mdc2WithRSASignature];

/* PSS parameters */
int ossl_DER_w_RSASSA_PSS_params(WPACKET *pkt, int tag,
                                const RSA_PSS_PARAMS_30 *pss);

/* Subject Public
Key Info */
int ossl_DER_w_algorithmIdentifier_RSA(WPACKET *pkt, int tag, RSA *rsa);
int ossl_DER_w_algorithmIdentifier_RSA_PSS(WPACKET *pkt, int tag,
                                           int rsa_type,
                                           const RSA_PSS_PARAMS_30 *pss);

/* Signature */
int ossl_DER_w_algorithmIdentifier_MDWithRSAEncryption(WPACKET *pkt, int tag,
                                                       int mdnid);

```

ISC License

Copyright 2017-2022 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

Copyright 2017 Kat Marchn

Copyright npm, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This library is a fork of 'better-json-errors' by Kat Marchn, extended and distributed under the terms of the MIT license above.

(MIT License)

Copyright (c) 2013 [Ramesh Nair](<http://www.hiddentao.com/>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,

copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Node.js is licensed for use as follows:

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The Node.js license applies to all parts of Node.js that are not externally maintained libraries.

The externally maintained libraries used by Node.js are:

- Acorn, located at `deps/acorn`, is licensed as follows:

MIT License

Copyright (C) 2012-2022 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- c-ares, located at deps/cares, is licensed as follows:

""""

MIT License

Copyright (c) 1998 Massachusetts Institute of Technology

Copyright (c) 2007 - 2023 Daniel Stenberg with many contributors, see AUTHORS file.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- cjs-module-lexer, located at deps/cjs-module-lexer, is licensed as follows:

""""

MIT License

Copyright (C) 2018-2020 Guy Bedford

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE

AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- ittpi, located at deps/v8/third_party/ittapi, is licensed as follows:

""""

Copyright (c) 2019 Intel Corporation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- ICU, located at deps/icu-small, is licensed as follows:

""""

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use

for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2023 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of
this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, and/or sell copies of the Software, and to permit persons
to whom the Software is furnished to do so, provided that the above
copyright notice(s) and this permission notice appear in all copies of
the Software and that both the above copyright notice(s) and this
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT
OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY
SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER
RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF
CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale, use
or other dealings in this Software without prior written authorization
of the copyright holder.

All trademarks and registered trademarks mentioned herein are the
property of their respective owners.

Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008,
```

Google Inc.

#

All rights reserved.

#

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

#

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with
the distribution.

Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

#

#

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#

#

The word list in cjdict.txt are generated by combining three word lists
listed below with further processing for compound word breaking. The
frequency is generated with an iterative training against Google web
corpora.

#

* Libtabe (Chinese)

- https://sourceforge.net/project/?group_id=1519

- Its license terms and conditions are shown below.

#

* IPADIC (Japanese)

- <http://chasen.aist-nara.ac.jp/chasen/distribution.html>

- Its license terms and conditions are shown below.

#

-----COPYING.libtabe ---- BEGIN-----

#

```

# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials
provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# * Institute of Information Science, Academia
# * Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in

```

```

# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
#   University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software, whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
# Nara Institute of Science and Technology (NAIST),
# the copyright holders, disclaims all warranties
with regard to this
# software, including all implied warranties of merchantability and
# fitness, in no event shall NAIST be liable for
# any special, indirect or consequential damages or any damages
# whatsoever resulting from loss of use, data or profits, whether in an
# action of contract, negligence or other tortuous action, arising out
# of or in connection with the use or performance of this software.

```


A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein
and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and
be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project
or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the

```
# production of secondary products from the program.
#
# In the case where the program, whether in its original form or
# modified, was distributed or delivered to or received by a user from
# any person, organization or entity other than ICOT, unless it makes or
# grants independently of ICOT any specific warranty to the user in
# writing, such person, organization or entity, will also be exempted
# from and not be held liable to the user for any such damages as noted
# above as far as the program is concerned.
#
# -----COPYING.ipadic-----END-----
```

Lao Word Break Dictionary Data (laodict.txt)

```
# Copyright (C) 2016 and later: Unicode, Inc. and others.
# License & terms of use: http://www.unicode.org/copyright.html
# Copyright (c) 2015 International Business Machines Corporation
# and others. All Rights Reserved.
#
# Project: https://github.com/rober42539/lao-dictionary
# Dictionary: https://github.com/rober42539/lao-dictionary/laodict.txt
# License: https://github.com/rober42539/lao-dictionary/LICENSE.txt
# (copied below)
#
# This file is derived from the above dictionary version of Nov 22, 2020
# -----
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
#
# Redistributions of source code must retain the above copyright notice, this
# list of conditions and the following disclaimer. Redistributions in binary
# form must reproduce the above copyright notice, this list of conditions and
# the following disclaimer in the documentation and/or other materials
# provided with the distribution.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
```


SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Burmese Word Break Dictionary Data (burmesdict.txt)

Copyright (c) 2014 International Business Machines Corporation
and others. All Rights Reserved.

This list is part of a project hosted at:
github.com/kanyawtech/myanmar-karen-word-lists

Copyright (c) 2013, LeRoy Benjamin Sharon
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met: Redistributions
of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer. Redistributions in binary form must reproduce the
above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

Neither the name Myanmar Karen Word Lists, nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

SUCH DAMAGE.

Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

7. Database Ownership

#

The TZ database itself is not an IETF Contribution or an IETF

#

document. Rather it is a pre-existing and regularly updated work

that is in the public domain, and is intended to remain in the

public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do

not apply to the TZ Database or contributions that individuals make

to it. Should any claims be made and substantiated against the TZ

Database, the organization that is providing the IANA

Considerations defined in this RFC, under the memorandum of

understanding with the IETF, currently ICANN, may act in accordance

with all competent court orders. No ownership claims will be made

by ICANN or the IETF Trust on the database or the code. Any person

making a contribution to the database or code waives all rights to

future claims in that contribution or in the TZ Database.

Google double-conversion

Copyright

2006-2011, the V8 project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

File: aclocal.m4 (only for ICU4C)

Section: pkg.m4 - Macros to locate and utilise pkg-config.

Copyright 2004 Scott James Remnant .

Copyright 2012-2015 Dan Nicholson

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License
as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.

As a special exception to the GNU General Public License, if you
distribute this file as part of a program that contains a
configuration script generated by Autoconf, you may include it under
the same distribution terms that you use for the rest of that
program.

(The condition for the exception is fulfilled because
ICU4C includes a configuration script generated by Autoconf,
namely the `configure` script.)

File: config.guess (only for ICU4C)

This file is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see .

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program. This Exception is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3").

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: install-sh (only for ICU4C)

Copyright 1991 by the Massachusetts Institute of Technology

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

- libuv, located at deps/uv, is licensed as follows:

""""

Copyright (c) 2015-present libuv project contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to parts of libuv originating from the <https://github.com/joyent/libuv> repository:

=====

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

This license applies to all parts of libuv that are not externally maintained libraries.

The externally maintained libraries used by libuv are:

- tree.h (from FreeBSD), copyright Niels Provos. Two clause BSD license.

- inet_pton and inet_ntop implementations, contained in src/inet.c, are copyright the

Internet Systems Consortium, Inc., and licensed under the ISC license.

- llhttp, located at deps/llhttp, is licensed as follows:

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2018.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- corepack, located at deps/corepack, is licensed as follows:

****Copyright Corepack contributors****

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

- undici, located at deps/undici, is licensed as follows:

""

MIT License

Copyright (c) Matteo Collina and Undici contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

- postject, located at test/fixtures/postject-copy, is licensed as follows:

""

Postject is licensed for use as follows:

""

MIT License

Copyright (c) 2022 Postman, Inc

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The Postject license applies to all parts of Postject that are not externally maintained libraries.

The externally maintained libraries used by Postject are:

- LIEF, located at vendor/LIEF, is licensed as follows:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 - 2022 R. Thomas
Copyright 2017 - 2022 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

OpenSSL, located at deps/openssl, is licensed as follows:

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim

in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution

notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do

not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License,

without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS

FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

- Punycode.js, located at lib/punycode.js, is licensed as follows:

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby
granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- V8, located at deps/v8, is licensed as follows:

This license applies to all parts of V8 that are not externally
maintained libraries. The externally maintained libraries used by V8
are:

- PCRE test suite, located in
test/mjsunit/third_party/regexp-pcre/regexp-pcre.js. This is based on the
test suite from PCRE-7.3, which is copyrighted by the University
of Cambridge and Google, Inc. The copyright notice and license
are embedded in regexp-pcre.js.

- Layout tests, located in test/mjsunit/third_party/object-keys. These are
based on layout tests from webkit.org which are copyrighted by
Apple Computer, Inc. and released under a 3-clause BSD license.

- Strongtalk assembler, the basis of the files assembler-arm-inl.h,
assembler-arm.cc, assembler-arm.h, assembler-ia32-inl.h,
assembler-ia32.cc, assembler-ia32.h, assembler-x64-inl.h,
assembler-x64.cc, assembler-x64.h, assembler.cc and assembler.h.
This code is copyrighted by Sun Microsystems Inc. and released
under a 3-clause BSD license.

- Valgrind client API header, located at `src/third_party/valgrind/valgrind.h`

This is released under the BSD license.

- The Wasm C/C++ API headers, located at `third_party/wasm-api/wasm.{h,hh}`

This is released under the Apache license. The API's upstream prototype implementation also formed the basis of V8's implementation in `src/wasm/c-api.cc`.

These libraries have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Further license information can be found in LICENSE files located in sub-directories.

Copyright 2014, the V8 project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- SipHash, located at `deps/v8/src/third_party/siphash`, is licensed as follows:

""""

SipHash reference C implementation

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

""

- zlib, located at deps/zlib, is licensed as follows:

""

zlib.h -- interface of the 'zlib' general purpose compression library
version 1.2.13.1, October xxth, 2022

Copyright (C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark
Adler
jloup@gzip.org madler@alumni.caltech.edu
""

- simdutf, located at deps/simdutf, is licensed as follows:

""

Copyright 2021 The simdutf authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- ada, located at deps/ada, is licensed as follows:

Copyright 2023 Yagiz Nizipli and Daniel Lemire

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- minimatch, located at deps/minimatch, is licensed as follows:

The ISC License

Copyright (c) 2011-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY

AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

- npm, located at deps/npm, is licensed as follows:

The npm application
Copyright (c) npm, Inc. and Contributors
Licensed on the terms of The Artistic License 2.0

Node package dependencies of the npm application
Copyright (c) their respective copyright owners
Licensed on their respective license terms

The npm public registry at <https://registry.npmjs.org>
and the npm website at <https://www.npmjs.com>
Operated by npm, Inc.
Use governed by terms published on <https://www.npmjs.com>

"Node.js"
Trademark Joyent, Inc., <https://joyent.com>
Neither npm nor npm, Inc. are affiliated with Joyent,
Inc.

The Node.js application
Project of Node Foundation, <https://nodejs.org>

The npm Logo
Copyright (c) Mathias Pettersson and Brian Hammond

"Gubblebum Blocky" typeface
Copyright (c) Tjarda Koster, <https://jelloween.deviantart.com>
Used with permission

The Artistic License 2.0

Copyright (c) 2000-2006, The Perl Foundation.

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

This license establishes the terms under which a given free software Package may be copied, modified, distributed, and/or redistributed. The intent is that the Copyright Holder maintains some artistic control over the development of that Package while still keeping the Package available as open source and free software.

You are always permitted to make arrangements wholly outside of this license directly with the Copyright Holder of a given Package. If the terms of this license do not permit the full use that you propose to make of the Package, you should contact the Copyright Holder and seek a different licensing arrangement.

Definitions

"Copyright Holder" means the individual(s) or organization(s) named in the copyright notice for the entire Package.

"Contributor" means any party that has contributed code or other material to the Package, in accordance with the Copyright Holder's procedures.

"You" and "your" means any person who would like to copy, distribute, or modify the Package.

"Package" means the collection of files distributed by the Copyright Holder, and derivatives of that collection and/or of those files. A given Package may consist of either the Standard Version, or a Modified Version.

"Distribute" means providing a copy of the Package or making it accessible to anyone else, or in the case of a company or organization, to others outside of your company or organization.

"Distributor Fee" means any fee that you charge for Distributing this Package or providing support for this Package to another party. It does not mean licensing fees.

"Standard Version" refers to the Package if it has not been modified, or has been modified only in ways explicitly requested by the Copyright Holder.

"Modified Version" means the Package, if it has been changed, and such changes were not explicitly requested by the Copyright Holder.

"Original License" means this Artistic License as Distributed with

the Standard Version of the Package, in its current version or as it may be modified by The Perl Foundation in the future.

"Source" form means the source code, documentation source, and configuration files for the Package.

"Compiled" form means the compiled bytecode, object code, binary, or any other form resulting from mechanical transformation or translation of the Source form.

Permission for Use and Modification Without Distribution

(1) You are permitted to use the Standard Version and create and use Modified Versions for any purpose without restriction, provided that you do not Distribute the Modified Version.

Permissions for Redistribution of the Standard Version

(2) You may Distribute verbatim copies of the Source form of the Standard Version of this Package in any medium without restriction, either gratis or for a Distributor Fee, provided that you duplicate all of the original copyright notices and associated disclaimers. At your discretion, such verbatim copies may or may not include a Compiled form of the Package.

(3) You may apply any bug fixes, portability changes, and other modifications made available from the Copyright Holder. The resulting Package will still be considered the Standard Version, and as such will be subject to the Original License.

Distribution of Modified Versions of the Package as Source

(4) You may Distribute your Modified Version as Source (either gratis or for a Distributor Fee, and with or without a Compiled form of the Modified Version) provided that you clearly document how it differs from the Standard Version, including, but not limited to, documenting any non-standard features, executables, or modules, and provided that you do at least ONE of the following:

(a) make the Modified Version available to the Copyright Holder of the Standard Version, under the Original License, so that the Copyright Holder may include your modifications in the Standard Version.

(b) ensure that installation of your Modified Version does not prevent the user installing or running the Standard Version. In

addition, the Modified Version must bear a name that is different from the name of the Standard Version.

(c) allow anyone who receives a copy of the Modified Version to make the Source form of the Modified Version available to others under

(i) the Original License or

(ii) a license that permits the licensee to freely copy, modify and redistribute the Modified Version using the same licensing terms that apply to the copy that the licensee received, and requires that the Source form of the Modified Version, and of any works derived from it, be made freely available in that license fees are prohibited but Distributor Fees are allowed.

Distribution of Compiled Forms of the Standard Version or Modified Versions without the Source

(5) You may Distribute Compiled forms of the Standard Version without the Source, provided that you include complete instructions on how to get the Source of the Standard Version. Such instructions must be valid at the time of your distribution. If these instructions, at any time while you are carrying out such distribution, become invalid, you must provide new instructions on demand or cease further distribution. If you provide valid instructions or cease distribution within thirty days after you become aware that the instructions are invalid, then you do not forfeit any of your rights under this license.

(6) You may Distribute a Modified Version in Compiled form without the Source, provided that you comply with Section 4 with respect to the Source of the Modified Version.

Aggregating or Linking the Package

(7) You may aggregate the Package (either the Standard Version or Modified Version) with other packages and Distribute the resulting aggregation provided that you do not charge a licensing fee for the Package. Distributor Fees are permitted, and licensing fees for other components in the aggregation are permitted. The terms of this license apply to the use and Distribution of the Standard or Modified Versions as included in the aggregation.

(8) You are permitted to link Modified and Standard Versions with other works, to embed the Package in a larger work of your own, or to

build stand-alone binary or bytecode versions of applications that include the Package, and Distribute the result without restriction, provided the result does not expose a direct interface to the Package.

Items That are Not Considered Part of a Modified Version

(9) Works (including, but not limited to, modules and scripts) that merely extend or make use of the Package, do not, by themselves, cause the Package to be a Modified Version. In addition, such works are not considered parts of the Package itself, and are not subject to the terms of this license.

General Provisions

(10) Any use, modification, and distribution of the Standard or Modified Versions is governed by this Artistic License. By using, modifying or distributing the Package, you accept this license. Do not use, modify, or distribute the Package, if you do not accept this license.

(11) If your Modified Version has been derived from a Modified Version made by someone other than you, you are nevertheless required to ensure that your Modified Version complies with the requirements of this license.

(12) This license does not grant you the right to use any trademark, service mark, tradename, or logo of the Copyright Holder.

(13) This license includes the non-exclusive, worldwide, free-of-charge patent license to make, have made, use, offer to sell, sell, import and otherwise transfer the Package with respect to any patent claims licensable by the Copyright Holder that are necessarily infringed by the Package. If you institute patent litigation (including a cross-claim or counterclaim) against any party alleging that the Package constitutes direct or contributory patent infringement, then this Artistic License to you shall terminate on the date that such litigation is filed.

(14) Disclaimer of Warranty:

THE PACKAGE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES. THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT ARE DISCLAIMED TO THE EXTENT PERMITTED BY YOUR LOCAL LAW. UNLESS REQUIRED BY LAW, NO COPYRIGHT HOLDER OR CONTRIBUTOR WILL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING IN ANY WAY OUT OF THE USE OF THE PACKAGE, EVEN IF

ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- GYP, located at tools/gyp, is licensed as follows:

""""

Copyright (c) 2020 Node.js contributors. All rights reserved.
Copyright (c) 2009 Google
Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- inspector_protocol, located at tools/inspector_protocol, is licensed as follows:

""""

```
// Copyright 2016 The Chromium Authors. All rights reserved.  
//  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// met:  
//  
// * Redistributions of source code must retain the above copyright
```

```
// notice, this list of conditions and the
following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
""""
```

- jinja2, located at tools/inspector_protocol/jinja2, is licensed as follows:

```
""""
```

Copyright (c) 2009 by the Jinja Team, see AUTHORS for more details.

Some rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * The names of the contributors may not be used to endorse or
promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- markupsafe, located at tools/inspector_protocol/markupsafe, is licensed as follows:

Copyright (c) 2010 by Armin Ronacher and contributors. See AUTHORS for more details.

Some rights reserved.

Redistribution and use in source and binary forms of the software as well as documentation, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE AND DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- cpplint.py, located at tools/cpplint.py, is licensed as follows:

""""

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms,
with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- ESLint, located at tools/node_modules/eslint, is licensed as follows:

""""

Copyright OpenJS Foundation and other contributors, <www.openjsf.org>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- gtest, located at deps/googletest, is licensed as follows:

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- nghttp2, located at deps/nghttp2, is licensed as follows:

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- large_pages, located at src/large_pages, is licensed as follows:

Copyright (C) 2018 Intel Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation

the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- caja, located at lib/internal/freeze_intrinsics.js, is licensed as follows:

""

Adapted from SES/Caja - Copyright
(C) 2011 Google Inc.
Copyright (C) 2018 Agoric

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

""

- brotli, located at deps/brotli, is licensed as follows:

""

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

""

- HdrHistogram, located at deps/histogram, is licensed as follows:

""

The code in this repository was written by Gil Tene, Michael Barker,
and Matt Warren, and released to the public domain, as explained at
<http://creativecommons.org/publicdomain/zero/1.0/>

For users of this code who wish to consume it under the "BSD" license

rather than under the public domain or CC0 contribution text mentioned above, the code found under this directory is **also** provided under the following license (commonly referred to as the BSD 2-Clause License). This license does not detract from the above stated release of the code into the public domain, and simply represents an additional license granted by the Author.

** Beginning of "BSD 2-Clause License" text. **

Copyright (c) 2012, 2013, 2014 Gil Tene
Copyright (c) 2014 Michael Barker
Copyright (c) 2014 Matt Warren
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- highlight.js, located at doc/api_assets/highlight.pack.js, is licensed as follows:

BSD 3-Clause License

Copyright (c) 2006, Ivan Sagalaev.
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- node-heapdump, located at src/heap_utils.cc, is licensed as follows:

""""

ISC License

Copyright (c) 2012, Ben Noordhuis <info@bnoordhuis.nl>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=== src/compat.h src/compat-inl.h ===

ISC License

Copyright (c) 2014, StrongLoop Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

- rimraf, located at lib/internal/fs/rimraf.js, is licensed as follows:

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

- uvwasi, located at deps/uvwasi, is licensed as follows:

MIT License

Copyright (c) 2019 Colin Ihrig and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- ngtcp2, located at deps/ngtcp2/ngtcp2/, is licensed as follows:

""""

The MIT License

Copyright (c) 2016 ngtcp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- nghttp3, located at deps/ngtcp2/nghttp3/, is licensed as follows:

""""

The MIT License

Copyright (c) 2019 nghttp3 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- node-fs-extra, located at lib/internal/fs/cp, is licensed as follows:

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files

(the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify,

merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE

WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- base64, located at deps/base64/base64/, is licensed as follows:

""""

Copyright (c) 2005-2007, Nick Galbreath
Copyright (c) 2013-2019, Alfred Klomp
Copyright (c) 2015-2017, Wojciech Mula
Copyright (c) 2016-2017, Matthieu Darbois
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright notice,
this list of conditions
and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

libuv is licensed for use as follows:

====

Copyright (c) 2015-present libuv project contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

This license applies to parts of libuv originating from the <https://github.com/joyent/libuv> repository:

====

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

This license applies to all parts of libuv that are not externally maintained libraries.

The externally maintained libraries used by libuv are:

- tree.h (from FreeBSD), copyright Niels Provos. Two clause BSD license.
- inet_pton and inet_ntop implementations, contained in src/inet.c, are copyright the Internet Systems Consortium, Inc., and licensed under the ISC license.
- stdint-msvc2008.h (from msinttypes), copyright Alexander Chemeris. Three

clause BSD license.

- pthread-fixes.c, copyright Google Inc. and Sony Mobile Communications AB.

Three clause BSD license.

The MIT License (MIT)

Copyright (c) 2016-2017 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(The MIT License)

Copyright (c) 2020 Titus Wormer <tituswormer@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 886e25a0cbf75817bfed29dfb2b9823a

```
{
  global:
    OSSL_provider_init;
  local: *;
};
/*
* WARNING: do not edit!
* Generated by Makefile from include/openssl/x509v3.h.in
*
* Copyright 1999-2023 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/
```

```
#ifndef OPENSSL_X509V3_H
# define OPENSSL_X509V3_H
# pragma once
```

```

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_X509V3_H
#endif

#include <openssl/bio.h>
#include <openssl/x509.h>
#include <openssl/conf.h>
#include <openssl/x509v3err.h>

#ifdef __cplusplus
extern "C" {
#endif

/* Forward reference */
struct v3_ext_method;
struct v3_ext_ctx;

/* Useful typedefs */

typedef void (*X509V3_EXT_NEW)(void);
typedef void (*X509V3_EXT_FREE)(void *);
typedef void (*X509V3_EXT_D2I)(void *, const unsigned char **, long);
typedef int (*X509V3_EXT_I2D)
    (const void *, unsigned char **);
typedef STACK_OF(CONF_VALUE) *
    (*X509V3_EXT_I2V) (const struct v3_ext_method *method, void *ext,
        STACK_OF(CONF_VALUE) *extlist);
typedef void (*X509V3_EXT_V2I)(const struct v3_ext_method *method,
    struct v3_ext_ctx *ctx,
    STACK_OF(CONF_VALUE) *values);
typedef char (*X509V3_EXT_I2S)(const struct v3_ext_method *method,
    void *ext);
typedef void (*X509V3_EXT_S2I)(const struct v3_ext_method *method,
    struct v3_ext_ctx *ctx, const char *str);
typedef int (*X509V3_EXT_I2R) (const struct v3_ext_method *method, void *ext,
    BIO *out, int indent);
typedef void (*X509V3_EXT_R2I)(const struct v3_ext_method *method,
    struct v3_ext_ctx *ctx, const char *str);

/* V3 extension structure */

struct v3_ext_method {
    int ext_nid;
    int ext_flags;
/*
If this is set the following four fields are ignored */
    ASN1_ITEM_EXP *it;

```

```

/* Old style ASN1 calls */
X509V3_EXT_NEW ext_new;
X509V3_EXT_FREE ext_free;
X509V3_EXT_D2I d2i;
X509V3_EXT_I2D i2d;
/* The following pair is used for string extensions */
X509V3_EXT_I2S i2s;
X509V3_EXT_S2I s2i;
/* The following pair is used for multi-valued extensions */
X509V3_EXT_I2V i2v;
X509V3_EXT_V2I v2i;
/* The following are used for raw extensions */
X509V3_EXT_I2R i2r;
X509V3_EXT_R2I r2i;
void *usr_data;      /* Any extension specific data */
};

typedef struct X509V3_CONF_METHOD_st {
    char *(*get_string) (void *db, const char *section, const char *value);
    STACK_OF(CONF_VALUE) *(*get_section) (void *db, const char *section);
    void (*free_string) (void *db, char *string);
    void (*free_section) (void *db, STACK_OF(CONF_VALUE) *section);
} X509V3_CONF_METHOD;

/* Context specific info for producing X509 v3 extensions*/
struct v3_ext_ctx
{
    # define X509V3_CTX_TEST 0x1
    # ifndef OPENSSL_NO_DEPRECATED_3_0
    # define CTX_TEST X509V3_CTX_TEST
    # endif
    # define X509V3_CTX_REPLACE 0x2
    int flags;
    X509 *issuer_cert;
    X509 *subject_cert;
    X509_REQ *subject_req;
    X509_CRL *crl;
    X509V3_CONF_METHOD *db_meth;
    void *db;
    EVP_PKEY *issuer_pkey;
    /* Maybe more here */
};

typedef struct v3_ext_method X509V3_EXT_METHOD;

SKM_DEFINE_STACK_OF_INTERNAL(X509V3_EXT_METHOD, X509V3_EXT_METHOD,
X509V3_EXT_METHOD)
#define sk_X509V3_EXT_METHOD_num(sk)

```

```

OPENSSL_sk_num(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_value(sk, idx) ((X509V3_EXT_METHOD
*)OPENSSL_sk_value(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk), (idx)))
#define sk_X509V3_EXT_METHOD_new(cmp) ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_new(ssl_check_X509V3_EXT_METHOD_compfunc_type(cmp)))
#define sk_X509V3_EXT_METHOD_new_null() ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_new_null())
#define sk_X509V3_EXT_METHOD_new_reserve(cmp,
n) ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_new_reserve(ssl_check_X509V3_EXT_METHOD_compfunc_type(cmp), (n)))
#define sk_X509V3_EXT_METHOD_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509V3_EXT_METHOD_sk_type(sk), (n))
#define sk_X509V3_EXT_METHOD_free(sk)
OPENSSL_sk_free(ssl_check_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_zero(sk)
OPENSSL_sk_zero(ssl_check_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_delete(sk, i) ((X509V3_EXT_METHOD
*)OPENSSL_sk_delete(ssl_check_X509V3_EXT_METHOD_sk_type(sk), (i)))
#define sk_X509V3_EXT_METHOD_delete_ptr(sk, ptr) ((X509V3_EXT_METHOD
*)OPENSSL_sk_delete_ptr(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr)))
#define sk_X509V3_EXT_METHOD_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr))
#define sk_X509V3_EXT_METHOD_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr))
#define
sk_X509V3_EXT_METHOD_pop(sk) ((X509V3_EXT_METHOD
*)OPENSSL_sk_pop(ssl_check_X509V3_EXT_METHOD_sk_type(sk)))
#define sk_X509V3_EXT_METHOD_shift(sk) ((X509V3_EXT_METHOD
*)OPENSSL_sk_shift(ssl_check_X509V3_EXT_METHOD_sk_type(sk)))
#define sk_X509V3_EXT_METHOD_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509V3_EXT_METHOD_sk_type(sk), ssl_check_X509V3_EXT_METHOD
_freefunc_type(freefunc))
#define sk_X509V3_EXT_METHOD_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr), (idx))
#define sk_X509V3_EXT_METHOD_set(sk, idx, ptr) ((X509V3_EXT_METHOD
*)OPENSSL_sk_set(ssl_check_X509V3_EXT_METHOD_sk_type(sk), (idx),
ssl_check_X509V3_EXT_METHOD_type(ptr)))
#define sk_X509V3_EXT_METHOD_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr))
#define sk_X509V3_EXT_METHOD_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr))
#define sk_X509V3_EXT_METHOD_find_all(sk, ptr, pnum)

```

```

OPENSSL_sk_find_all(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr), pnum)
#define sk_X509V3_EXT_METHOD_sort(sk)
OPENSSL_sk_sort(ssl_check_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_dup(sk) ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_dup(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk)))
#define sk_X509V3_EXT_METHOD_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_copyfunc_type(copyfunc),
ssl_check_X509V3_EXT_METHOD_freefunc_type(freefunc)))
#define sk_X509V3_EXT_METHOD_set_cmp_func(sk, cmp)
((sk_X509V3_EXT_METHOD_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509V3_EXT_METHOD_sk
_type(sk), ssl_check_X509V3_EXT_METHOD_compfunc_type(cmp)))

/*
ext_flags values */
# define X509V3_EXT_DYNAMIC    0x1
# define X509V3_EXT_CTX_DEP    0x2
# define X509V3_EXT_MULTILINE  0x4

typedef BIT_STRING_BITNAME ENUMERATED_NAMES;

typedef struct BASIC_CONSTRAINTS_st {
    int ca;
    ASN1_INTEGER *pathlen;
} BASIC_CONSTRAINTS;

typedef struct PKEY_USAGE_PERIOD_st {
    ASN1_GENERALIZEDTIME *notBefore;
    ASN1_GENERALIZEDTIME *notAfter;
} PKEY_USAGE_PERIOD;

typedef struct otherName_st {
    ASN1_OBJECT *type_id;
    ASN1_TYPE *value;
} OTHERNAME;

typedef struct EDIPartyName_st {
    ASN1_STRING *nameAssigner;
    ASN1_STRING *partyName;
} EDIPARTYNAME;

typedef struct GENERAL_NAME_st {
# define GEN_OTHERNAME 0

```

```

#define GEN_EMAIL    1
#define GEN_DNS      2
#define GEN_X400     3
#define GEN_DIRNAME  4
#define GEN_EDIPARTY 5
#define GEN_URI      6
#define GEN_IPADD    7
#define GEN_RID      8

int type;
union {
    char *ptr;
    OTHERNAME *otherName; /* otherName */
    ASN1_IA5STRING *rfc822Name;
    ASN1_IA5STRING *dNSName;
    ASN1_STRING *x400Address;
    X509_NAME *directoryName;
    EDIPARTYNAME *ediPartyName;
    ASN1_IA5STRING *uniformResourceIdentifier;
    ASN1_OCTET_STRING *iPAddress;
    ASN1_OBJECT *registeredID;
    /* Old names */
    ASN1_OCTET_STRING *ip; /* iPAddress */
    X509_NAME *dirn;      /* dirn */
    ASN1_IA5STRING *ia5; /* rfc822Name, dNSName,
                          * uniformResourceIdentifier */
    ASN1_OBJECT *rid;     /* registeredID */
    ASN1_TYPE *other;     /* x400Address */
} d;
} GENERAL_NAME;

typedef struct ACCESS_DESCRIPTION_st {
    ASN1_OBJECT *method;
    GENERAL_NAME *location;
} ACCESS_DESCRIPTION;

SKM_DEFINE_STACK_OF_INTERNAL(ACCESS_DESCRIPTION, ACCESS_DESCRIPTION,
ACCESS_DESCRIPTION)
#define sk_ACCESS_DESCRIPTION_num(sk)
OPENSSL_sk_num(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_value(sk,
idx) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_value(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk), (idx)))
#define sk_ACCESS_DESCRIPTION_new(cmp) ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_new(ssl_check_ACCESS_DESCRIPTION_compfunc_type(cmp)))
#define sk_ACCESS_DESCRIPTION_new_null() ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_new_null())
#define sk_ACCESS_DESCRIPTION_new_reserve(cmp, n) ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_new_reserve(ssl_check_ACCESS_DESCRIPTION_compfunc_type(cmp), (n)))

```

```

#define sk_ACCESS_DESCRIPTION_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), (n))
#define sk_ACCESS_DESCRIPTION_free(sk)
OPENSSL_sk_free(ssl_check_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_zero(sk)
OPENSSL_sk_zero(ssl_check_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_delete(sk, i) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_delete(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), (i)))
#define sk_ACCESS_DESCRIPTION_delete_ptr(sk, ptr) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_delete_ptr(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr)))
#define sk_ACCESS_DESCRIPTION_push(sk, ptr)
OPENSSL_sk_push(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_pop(sk) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_pop(ssl_check_ACCESS_DESCRIPTION_sk_type(sk)))
#define sk_ACCESS_DESCRIPTION_shift(sk) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_shift(ssl_check_ACCESS_DESCRIPTION_sk_type(sk)))
#define sk_ACCESS_DESCRIPTION_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), ssl_check_ACCESS_DESCRIPTOR
N_freefunc_type(freefunc))
#define sk_ACCESS_DESCRIPTION_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr), (idx))
#define
sk_ACCESS_DESCRIPTION_set(sk, idx, ptr) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_set(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), (idx),
ssl_check_ACCESS_DESCRIPTION_type(ptr)))
#define sk_ACCESS_DESCRIPTION_find(sk, ptr)
OPENSSL_sk_find(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr), pnum)
#define sk_ACCESS_DESCRIPTION_sort(sk)
OPENSSL_sk_sort(ssl_check_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_dup(sk) ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_dup(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk)))
#define sk_ACCESS_DESCRIPTION_deep_copy(sk,

```

```

copyfunc, freefunc) ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_deep_copy(ossl_check_const_ACCESS_DESCRIPTION_sk_type(sk),
ossl_check_ACCESS_DESCRIPTION_copyfunc_type(copyfunc),
ossl_check_ACCESS_DESCRIPTION_freefunc_type(freefunc)))
#define sk_ACCESS_DESCRIPTION_set_cmp_func(sk, cmp)
((sk_ACCESS_DESCRIPTION_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ACCESS_DESCRIPTION_s
k_type(sk), ossl_check_ACCESS_DESCRIPTION_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(GENERAL_NAME, GENERAL_NAME, GENERAL_NAME)
#define sk_GENERAL_NAME_num(sk) OPENSSL_sk_num(ossl_check_const_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_value(sk, idx) ((GENERAL_NAME
*)OPENSSL_sk_value(ossl_check_const_GENERAL_NAME_sk_type(sk), (idx)))
#define sk_GENERAL_NAME_new(cmp) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_new(ossl_check_GENERAL_NAME_compfunc_type(cmp)))
#define sk_GENERAL_NAME_new_null() ((STACK_OF(GENERAL_NAME) *)OPENSSL_sk_new_null())
#define sk_GENERAL_NAME_new_reserve(cmp, n) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_new_reserve(ossl_check_GENERAL_NAME_compfunc_type(cmp), (n)))
#define sk_GENERAL_NAME_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_GENERAL_NAME_sk_type(sk),
(n))
#define sk_GENERAL_NAME_free(sk) OPENSSL_sk_free(ossl_check_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_zero(sk) OPENSSL_sk_zero(ossl_check_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_delete(sk, i) ((GENERAL_NAME
*)OPENSSL_sk_delete(ossl_check_GENERAL_NAME_sk_type(sk), (i)))
#define sk_GENERAL_NAME_delete_ptr(sk, ptr) ((GENERAL_NAME
*)OPENSSL_sk_delete_ptr(ossl_check_GENERAL_NAME_sk_type(sk),
ossl_check_GENERAL_NAME_type(ptr)))
#define sk_GENERAL_NAME_push(sk, ptr) OPENSSL_sk_push(ossl_check_GENERAL_NAME_sk_type(sk),
ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_pop(sk) ((GENERAL_NAME
*)OPENSSL_sk_pop(ossl_check_GENERAL_NAME_sk_type(sk)))
#define
sk_GENERAL_NAME_shift(sk) ((GENERAL_NAME
*)OPENSSL_sk_shift(ossl_check_GENERAL_NAME_sk_type(sk)))
#define sk_GENERAL_NAME_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_freefunc_ty
pe(freefunc))
#define sk_GENERAL_NAME_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_type(ptr),
(idx))
#define sk_GENERAL_NAME_set(sk, idx, ptr) ((GENERAL_NAME
*)OPENSSL_sk_set(ossl_check_GENERAL_NAME_sk_type(sk), (idx),
ossl_check_GENERAL_NAME_type(ptr)))
#define sk_GENERAL_NAME_find(sk, ptr) OPENSSL_sk_find(ossl_check_GENERAL_NAME_sk_type(sk),
ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_find_all(sk, ptr, pnum)

```



```

OPENSSL_sk_find_all(ssl_check_GENERAL_NAME_sk_type(sk), ssl_check_GENERAL_NAME_type(ptr),
pnum)
#define sk_GENERAL_NAME_sort(sk) OPENSSL_sk_sort(ssl_check_GENERAL_NAME_sk_type(sk))
#define
sk_GENERAL_NAME_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_dup(sk) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_dup(ssl_check_const_GENERAL_NAME_sk_type(sk)))
#define sk_GENERAL_NAME_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_deep_copy(ssl_check_const_GENERAL_NAME_sk_type(sk),
ssl_check_GENERAL_NAME_copyfunc_type(copyfunc),
ssl_check_GENERAL_NAME_freefunc_type(freefunc)))
#define sk_GENERAL_NAME_set_cmp_func(sk, cmp)
((sk_GENERAL_NAME_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_GENERAL_NAME_sk_type(sk),
ssl_check_GENERAL_NAME_compfunc_type(cmp)))

```

```

typedef STACK_OF(ACCESS_DESCRIPTION) AUTHORITY_INFO_ACCESS;
typedef STACK_OF(ASN1_OBJECT) EXTENDED_KEY_USAGE;
typedef STACK_OF(ASN1_INTEGER) TLS_FEATURE;
typedef STACK_OF(GENERAL_NAME) GENERAL_NAMES;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(GENERAL_NAMES, GENERAL_NAMES, GENERAL_NAMES)
#define sk_GENERAL_NAMES_num(sk)
OPENSSL_sk_num(ssl_check_const_GENERAL_NAMES_sk_type(sk))
#define
sk_GENERAL_NAMES_value(sk, idx) ((GENERAL_NAMES
*)OPENSSL_sk_value(ssl_check_const_GENERAL_NAMES_sk_type(sk), (idx)))
#define sk_GENERAL_NAMES_new(cmp) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_new(ssl_check_GENERAL_NAMES_compfunc_type(cmp)))
#define sk_GENERAL_NAMES_new_null() ((STACK_OF(GENERAL_NAMES) *)OPENSSL_sk_new_null())
#define sk_GENERAL_NAMES_new_reserve(cmp, n) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_new_reserve(ssl_check_GENERAL_NAMES_compfunc_type(cmp), (n)))
#define sk_GENERAL_NAMES_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_GENERAL_NAMES_sk_type(sk), (n))
#define sk_GENERAL_NAMES_free(sk) OPENSSL_sk_free(ssl_check_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_zero(sk) OPENSSL_sk_zero(ssl_check_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_delete(sk, i) ((GENERAL_NAMES
*)OPENSSL_sk_delete(ssl_check_GENERAL_NAMES_sk_type(sk), (i)))
#define sk_GENERAL_NAMES_delete_ptr(sk, ptr) ((GENERAL_NAMES
*)OPENSSL_sk_delete_ptr(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_type(ptr)))
#define sk_GENERAL_NAMES_push(sk, ptr) OPENSSL_sk_push(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_type(ptr))
#define sk_GENERAL_NAMES_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_GENERAL_NAMES_sk_type(sk), ssl_check_GENERAL_NAMES_type(ptr))
#define sk_GENERAL_NAMES_pop(sk) ((GENERAL_NAMES
*)OPENSSL_sk_pop(ssl_check_GENERAL_NAMES_sk_type(sk)))

```

```

#define sk_GENERAL_NAMES_shift(sk) ((GENERAL_NAMES
*)OPENSSL_sk_shift(ssl_check_GENERAL_NAMES_sk_type(sk)))
#define sk_GENERAL_NAMES_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_GENERAL_NAMES_sk_type(sk),ssl_check_GENERAL_NAMES_freefunc
_type(freefunc))
#define sk_GENERAL_NAMES_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_GENERAL_NAMES_sk_type(sk), ssl_check_GENERAL_NAMES_type(ptr),
(idx))
#define sk_GENERAL_NAMES_set(sk, idx, ptr) ((GENERAL_NAMES
*)OPENSSL_sk_set(ssl_check_GENERAL_NAMES_sk_type(sk), (idx),
ssl_check_GENERAL_NAMES_type(ptr)))
#define
sk_GENERAL_NAMES_find(sk, ptr) OPENSSL_sk_find(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_type(ptr))
#define sk_GENERAL_NAMES_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_GENERAL_NAMES_sk_type(sk), ssl_check_GENERAL_NAMES_type(ptr))
#define sk_GENERAL_NAMES_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_GENERAL_NAMES_sk_type(sk), ssl_check_GENERAL_NAMES_type(ptr),
pnum)
#define sk_GENERAL_NAMES_sort(sk) OPENSSL_sk_sort(ssl_check_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_dup(sk) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_dup(ssl_check_const_GENERAL_NAMES_sk_type(sk)))
#define sk_GENERAL_NAMES_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_deep_copy(ssl_check_const_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_copyfunc_type(copyfunc),
ssl_check_GENERAL_NAMES_freefunc_type(freefunc)))
#define
sk_GENERAL_NAMES_set_cmp_func(sk, cmp)
((sk_GENERAL_NAMES_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_compfunc_type(cmp)))

typedef struct DIST_POINT_NAME_st {
    int type;
    union {
        GENERAL_NAMES *fullname;
        STACK_OF(X509_NAME_ENTRY) *relativename;
    } name;
    /* If relativename then this contains the full distribution point name */
    X509_NAME *dpname;
} DIST_POINT_NAME;
/* All existing reasons */
# define CRLDP_ALL_REASONS    0x807f

# define CRL_REASON_NONE      -1
# define CRL_REASON_UNSPECIFIED    0

```

```

#define CRL_REASON_KEY_COMPROMISE 1
#define CRL_REASON_CA_COMPROMISE 2
#define CRL_REASON_AFFILIATION_CHANGED 3
#define CRL_REASON_SUPERSEDED 4
#define CRL_REASON_CESSATION_OF_OPERATION 5
#define CRL_REASON_CERTIFICATE_HOLD 6
#define CRL_REASON_REMOVE_FROM_CRL 8
#
define CRL_REASON_PRIVILEGE_WITHDRAWN 9
#define CRL_REASON_AA_COMPROMISE 10

struct DIST_POINT_st {
    DIST_POINT_NAME *distpoint;
    ASN1_BIT_STRING *reasons;
    GENERAL_NAMES *CRLissuer;
    int dp_reasons;
};

SKM_DEFINE_STACK_OF_INTERNAL(DIST_POINT, DIST_POINT, DIST_POINT)
#define sk_DIST_POINT_num(sk) OPENSSL_sk_num(ssl_check_const_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_value(sk, idx) ((DIST_POINT *)OPENSSL_sk_value(ssl_check_const_DIST_POINT_sk_type(sk), (idx)))
#define sk_DIST_POINT_new(cmp) ((STACK_OF(DIST_POINT) *)OPENSSL_sk_new(ssl_check_DIST_POINT_compfunc_type(cmp)))
#define sk_DIST_POINT_new_null() ((STACK_OF(DIST_POINT) *)OPENSSL_sk_new_null())
#define sk_DIST_POINT_new_reserve(cmp, n) ((STACK_OF(DIST_POINT) *)OPENSSL_sk_new_reserve(ssl_check_DIST_POINT_compfunc_type(cmp), (n)))
#define sk_DIST_POINT_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_DIST_POINT_sk_type(sk), (n))
#define sk_DIST_POINT_free(sk) OPENSSL_sk_free(ssl_check_DIST_POINT_sk_type(sk))
#define
    sk_DIST_POINT_zero(sk) OPENSSL_sk_zero(ssl_check_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_delete(sk, i) ((DIST_POINT *)OPENSSL_sk_delete(ssl_check_DIST_POINT_sk_type(sk), (i)))
#define sk_DIST_POINT_delete_ptr(sk, ptr) ((DIST_POINT *)OPENSSL_sk_delete_ptr(ssl_check_DIST_POINT_sk_type(sk), ssl_check_DIST_POINT_type(ptr)))
#define sk_DIST_POINT_push(sk, ptr) OPENSSL_sk_push(ssl_check_DIST_POINT_sk_type(sk), ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_DIST_POINT_sk_type(sk), ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_pop(sk) ((DIST_POINT *)OPENSSL_sk_pop(ssl_check_DIST_POINT_sk_type(sk)))
#define sk_DIST_POINT_shift(sk) ((DIST_POINT *)OPENSSL_sk_shift(ssl_check_DIST_POINT_sk_type(sk)))
#define sk_DIST_POINT_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_DIST_POINT_sk_type(sk), ssl_check_DIST_POINT_freefunc_type(freefunc))
)
#define sk_DIST_POINT_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_DIST_POINT_sk_type(sk), ssl_check_DIST_POINT_type(ptr), (idx))
#define sk_DIST_POINT_set(sk, idx, ptr) ((DIST_POINT *)OPENSSL_sk_set(ssl_check_DIST_POINT_sk_type(sk), (idx), ssl_check_DIST_POINT_type(ptr)))

```

```

#define sk_DIST_POINT_find(sk, ptr) OPENSSL_sk_find(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr), pnum)
#define sk_DIST_POINT_sort(sk) OPENSSL_sk_sort(ssl_check_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_dup(sk) ((STACK_OF(DIST_POINT)
*)OPENSSL_sk_dup(ssl_check_const_DIST_POINT_sk_type(sk)))
#define sk_DIST_POINT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(DIST_POINT)
*)OPENSSL_sk_deep_copy(ssl_check_const_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_copyfunc_type(copyfunc), ssl_check_DIST_POINT_freefunc_type(freefunc)))
#define sk_DIST_POINT_set_cmp_func(sk, cmp)
((sk_DIST_POINT_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_compfunc_type(cmp)))

```

```

typedef STACK_OF(DIST_POINT) CRL_DIST_POINTS;

```

```

struct AUTHORITY_KEYID_st {
    ASN1_OCTET_STRING *keyid;
    GENERAL_NAMES *issuer;
    ASN1_INTEGER *serial;
};

```

```

/* Strong extranet structures */

```

```

typedef struct SXNET_ID_st {
    ASN1_INTEGER *zone;
    ASN1_OCTET_STRING *user;
} SXNETID;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(SXNETID, SXNETID, SXNETID)
#define sk_SXNETID_num(sk) OPENSSL_sk_num(ssl_check_const_SXNETID_sk_type(sk))
#define sk_SXNETID_value(sk, idx) ((SXNETID
*)OPENSSL_sk_value(ssl_check_const_SXNETID_sk_type(sk), (idx)))
#define sk_SXNETID_new(cmp) ((STACK_OF(SXNETID)
*)OPENSSL_sk_new(ssl_check_SXNETID_compfunc_type(cmp)))
#define sk_SXNETID_new_null() ((STACK_OF(SXNETID)
*)OPENSSL_sk_new_null())
#define sk_SXNETID_new_reserve(cmp, n) ((STACK_OF(SXNETID)
*)OPENSSL_sk_new_reserve(ssl_check_SXNETID_compfunc_type(cmp), (n)))
#define sk_SXNETID_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SXNETID_sk_type(sk), (n))
#define sk_SXNETID_free(sk) OPENSSL_sk_free(ssl_check_SXNETID_sk_type(sk))
#define sk_SXNETID_zero(sk) OPENSSL_sk_zero(ssl_check_SXNETID_sk_type(sk))
#define sk_SXNETID_delete(sk, i) ((SXNETID *)OPENSSL_sk_delete(ssl_check_SXNETID_sk_type(sk), (i)))
#define sk_SXNETID_delete_ptr(sk, ptr) ((SXNETID

```

```

*)OPENSSL_sk_delete_ptr(oss1_check_SXNETID_sk_type(sk), oss1_check_SXNETID_type(ptr)))
#define sk_SXNETID_push(sk, ptr) OPENSSL_sk_push(oss1_check_SXNETID_sk_type(sk),
oss1_check_SXNETID_type(ptr))
#define sk_SXNETID_unshift(sk, ptr) OPENSSL_sk_unshift(oss1_check_SXNETID_sk_type(sk),
oss1_check_SXNETID_type(ptr))
#define sk_SXNETID_pop(sk) ((SXNETID *)OPENSSL_sk_pop(oss1_check_SXNETID_sk_type(sk)))
#define sk_SXNETID_shift(sk) ((SXNETID *)OPENSSL_sk_shift(oss1_check_SXNETID_sk_type(sk)))
#define
sk_SXNETID_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(oss1_check_SXNETID_sk_type(sk),oss1_check_SXNETID_freefunc_type(freefunc))
#define sk_SXNETID_insert(sk, ptr, idx) OPENSSL_sk_insert(oss1_check_SXNETID_sk_type(sk),
oss1_check_SXNETID_type(ptr), (idx))
#define sk_SXNETID_set(sk, idx, ptr) ((SXNETID *)OPENSSL_sk_set(oss1_check_SXNETID_sk_type(sk), (idx),
oss1_check_SXNETID_type(ptr)))
#define sk_SXNETID_find(sk, ptr) OPENSSL_sk_find(oss1_check_SXNETID_sk_type(sk),
oss1_check_SXNETID_type(ptr))
#define sk_SXNETID_find_ex(sk, ptr) OPENSSL_sk_find_ex(oss1_check_SXNETID_sk_type(sk),
oss1_check_SXNETID_type(ptr))
#define sk_SXNETID_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(oss1_check_SXNETID_sk_type(sk),
oss1_check_SXNETID_type(ptr), pnum)
#define sk_SXNETID_sort(sk) OPENSSL_sk_sort(oss1_check_SXNETID_sk_type(sk))
#define sk_SXNETID_is_sorted(sk) OPENSSL_sk_is_sorted(oss1_check_const_SXNETID_sk_type(sk))
#define sk_SXNETID_dup(sk)
((STACK_OF(SXNETID) *)OPENSSL_sk_dup(oss1_check_const_SXNETID_sk_type(sk)))
#define sk_SXNETID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SXNETID)
*)OPENSSL_sk_deep_copy(oss1_check_const_SXNETID_sk_type(sk),
oss1_check_SXNETID_copyfunc_type(copyfunc), oss1_check_SXNETID_freefunc_type(freefunc)))
#define sk_SXNETID_set_cmp_func(sk, cmp)
((sk_SXNETID_compfunc)OPENSSL_sk_set_cmp_func(oss1_check_SXNETID_sk_type(sk),
oss1_check_SXNETID_compfunc_type(cmp)))

```

```

typedef struct SXNET_st {
    ASN1_INTEGER *version;
    STACK_OF(SXNETID) *ids;
} SXNET;

```

```

typedef struct ISSUER_SIGN_TOOL_st {
    ASN1_UTF8STRING *signTool;
    ASN1_UTF8STRING *cATool;
    ASN1_UTF8STRING *signToolCert;
    ASN1_UTF8STRING *cAToolCert;
} ISSUER_SIGN_TOOL;

```

```

typedef struct NOTICEREF_st {
    ASN1_STRING *organization;
    STACK_OF(ASN1_INTEGER) *noticenos;
}

```

```
} NOTICEREF;
```

```
typedef struct USERNOTICE_st {  
    NOTICEREF *noticeref;  
    ASN1_STRING *exptext;  
} USERNOTICE;
```

```
typedef struct POLICYQUALINFO_st {  
    ASN1_OBJECT  
    *pqualid;  
    union {  
        ASN1_IA5STRING *cpsuri;  
        USERNOTICE *usernotice;  
        ASN1_TYPE *other;  
    } d;  
} POLICYQUALINFO;
```

```
SKM_DEFINE_STACK_OF_INTERNAL(POLICYQUALINFO, POLICYQUALINFO, POLICYQUALINFO)  
#define sk_POLICYQUALINFO_num(sk)  
OPENSSL_sk_num(ssl_check_const_POLICYQUALINFO_sk_type(sk))  
#define sk_POLICYQUALINFO_value(sk, idx) ((POLICYQUALINFO  
*)OPENSSL_sk_value(ssl_check_const_POLICYQUALINFO_sk_type(sk), (idx)))  
#define sk_POLICYQUALINFO_new(cmp) ((STACK_OF(POLICYQUALINFO)  
*)OPENSSL_sk_new(ssl_check_POLICYQUALINFO_compfunc_type(cmp)))  
#define sk_POLICYQUALINFO_new_null() ((STACK_OF(POLICYQUALINFO) *)OPENSSL_sk_new_null())  
#define sk_POLICYQUALINFO_new_reserve(cmp, n) ((STACK_OF(POLICYQUALINFO)  
*)OPENSSL_sk_new_reserve(ssl_check_POLICYQUALINFO_compfunc_type(cmp), (n)))  
#define sk_POLICYQUALINFO_reserve(sk, n)  
OPENSSL_sk_reserve(ssl_check_POLICYQUALINFO_sk_type(sk), (n))  
#define sk_POLICYQUALINFO_free(sk) OPENSSL_sk_free(ssl_check_POLICYQUALINFO_sk_type(sk))  
#define  
    sk_POLICYQUALINFO_zero(sk) OPENSSL_sk_zero(ssl_check_POLICYQUALINFO_sk_type(sk))  
#define sk_POLICYQUALINFO_delete(sk, i) ((POLICYQUALINFO  
*)OPENSSL_sk_delete(ssl_check_POLICYQUALINFO_sk_type(sk), (i)))  
#define sk_POLICYQUALINFO_delete_ptr(sk, ptr) ((POLICYQUALINFO  
*)OPENSSL_sk_delete_ptr(ssl_check_POLICYQUALINFO_sk_type(sk),  
ssl_check_POLICYQUALINFO_type(ptr)))  
#define sk_POLICYQUALINFO_push(sk, ptr) OPENSSL_sk_push(ssl_check_POLICYQUALINFO_sk_type(sk),  
ssl_check_POLICYQUALINFO_type(ptr))  
#define sk_POLICYQUALINFO_unshift(sk, ptr)  
OPENSSL_sk_unshift(ssl_check_POLICYQUALINFO_sk_type(sk), ssl_check_POLICYQUALINFO_type(ptr))  
#define sk_POLICYQUALINFO_pop(sk) ((POLICYQUALINFO  
*)OPENSSL_sk_pop(ssl_check_POLICYQUALINFO_sk_type(sk)))  
#define sk_POLICYQUALINFO_shift(sk) ((POLICYQUALINFO  
*)OPENSSL_sk_shift(ssl_check_POLICYQUALINFO_sk_type(sk)))  
#define sk_POLICYQUALINFO_pop_free(sk, freefunc)  
OPENSSL_sk_pop_free(ssl_check_POLICYQUALINFO_sk_type(sk), ssl_check_POLICYQUALINFO_freefunc  
_type(freefunc))
```

```

#define
sk_POLICYQUALINFO_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_type(ptr), (idx))
#define sk_POLICYQUALINFO_set(sk, idx, ptr) ((POLICYQUALINFO
*)OPENSSL_sk_set(ssl_check_POLICYQUALINFO_sk_type(sk), (idx),
ssl_check_POLICYQUALINFO_type(ptr)))
#define sk_POLICYQUALINFO_find(sk, ptr) OPENSSL_sk_find(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_type(ptr))
#define sk_POLICYQUALINFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_type(ptr))
#define sk_POLICYQUALINFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_POLICYQUALINFO_sk_type(sk), ssl_check_POLICYQUALINFO_type(ptr),
pnum)
#define sk_POLICYQUALINFO_sort(sk) OPENSSL_sk_sort(ssl_check_POLICYQUALINFO_sk_type(sk))
#define sk_POLICYQUALINFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_POLICYQUALINFO_sk_type(sk))
#define sk_POLICYQUALINFO_dup(sk) ((STACK_OF(POLICYQUALINFO)
*)OPENSSL_sk_dup(ssl_check_const_POLICYQUALINFO_sk_type(sk)))
#define sk_POLICYQUALINFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(POLICYQUALINFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_copyfunc_type(copyfunc),
ssl_check_POLICYQUALINFO_freefunc_type(freefunc)))
#define sk_POLICYQUALINFO_set_cmp_func(sk, cmp)
((sk_POLICYQUALINFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_compfunc_type(cmp)))

```

```

typedef struct POLICYINFO_st {
    ASN1_OBJECT *policyid;
    STACK_OF(POLICYQUALINFO) *qualifiers;
} POLICYINFO;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(POLICYINFO, POLICYINFO, POLICYINFO)
#define sk_POLICYINFO_num(sk) OPENSSL_sk_num(ssl_check_const_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_value(sk, idx) ((POLICYINFO
*)OPENSSL_sk_value(ssl_check_const_POLICYINFO_sk_type(sk), (idx)))
#define sk_POLICYINFO_new(cmp) ((STACK_OF(POLICYINFO)
*)OPENSSL_sk_new(ssl_check_POLICYINFO_compfunc_type(cmp)))
#define
sk_POLICYINFO_new_null() ((STACK_OF(POLICYINFO) *)OPENSSL_sk_new_null())
#define sk_POLICYINFO_new_reserve(cmp, n) ((STACK_OF(POLICYINFO)
*)OPENSSL_sk_new_reserve(ssl_check_POLICYINFO_compfunc_type(cmp), (n)))
#define sk_POLICYINFO_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_POLICYINFO_sk_type(sk), (n))
#define sk_POLICYINFO_free(sk) OPENSSL_sk_free(ssl_check_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_zero(sk) OPENSSL_sk_zero(ssl_check_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_delete(sk, i) ((POLICYINFO

```

```

*)OPENSSL_sk_delete(ssl_check_POLICYINFO_sk_type(sk), (i)))
#define sk_POLICYINFO_delete_ptr(sk, ptr) ((POLICYINFO
*)OPENSSL_sk_delete_ptr(ssl_check_POLICYINFO_sk_type(sk), ssl_check_POLICYINFO_type(ptr)))
#define sk_POLICYINFO_push(sk, ptr) OPENSSL_sk_push(ssl_check_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_type(ptr))
#define sk_POLICYINFO_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_type(ptr))
#define
sk_POLICYINFO_pop(sk) ((POLICYINFO *)OPENSSL_sk_pop(ssl_check_POLICYINFO_sk_type(sk)))
#define sk_POLICYINFO_shift(sk) ((POLICYINFO
*)OPENSSL_sk_shift(ssl_check_POLICYINFO_sk_type(sk)))
#define sk_POLICYINFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_POLICYINFO_sk_type(sk),ssl_check_POLICYINFO_freefunc_type(freefunc))
#define sk_POLICYINFO_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_type(ptr), (idx))
#define sk_POLICYINFO_set(sk, idx, ptr) ((POLICYINFO
*)OPENSSL_sk_set(ssl_check_POLICYINFO_sk_type(sk), (idx), ssl_check_POLICYINFO_type(ptr)))
#define sk_POLICYINFO_find(sk, ptr) OPENSSL_sk_find(ssl_check_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_type(ptr))
#define sk_POLICYINFO_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_type(ptr))
#define sk_POLICYINFO_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_type(ptr),
pnum)
#define sk_POLICYINFO_sort(sk) OPENSSL_sk_sort(ssl_check_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_dup(sk) ((STACK_OF(POLICYINFO)
*)OPENSSL_sk_dup(ssl_check_const_POLICYINFO_sk_type(sk)))
#define sk_POLICYINFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(POLICYINFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_copyfunc_type(copyfunc), ssl_check_POLICYINFO_freefunc_type(freefunc)))
#define sk_POLICYINFO_set_cmp_func(sk, cmp)
((sk_POLICYINFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_POLICYINFO_sk_type(sk),
ssl_check_POLICYINFO_compfunc_type(cmp)))

```

```

typedef STACK_OF(POLICYINFO) CERTIFICATEPOLICIES;

```

```

typedef struct POLICY_MAPPING_st {
    ASN1_OBJECT *issuerDomainPolicy;
    ASN1_OBJECT *subjectDomainPolicy;
} POLICY_MAPPING;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(POLICY_MAPPING, POLICY_MAPPING, POLICY_MAPPING)
#define sk_POLICY_MAPPING_num(sk)
OPENSSL_sk_num(ssl_check_const_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_value(sk, idx) ((POLICY_MAPPING

```



```

*)OPENSSL_sk_value(ssl_check_const_POLICY_MAPPING_sk_type(sk), (idx)))
#define sk_POLICY_MAPPING_new(cmp) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_new(ssl_check_POLICY_MAPPING_compfunc_type(cmp)))
#define sk_POLICY_MAPPING_new_null() ((STACK_OF(POLICY_MAPPING) *)OPENSSL_sk_new_null())
#define sk_POLICY_MAPPING_new_reserve(cmp, n) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_new_reserve(ssl_check_POLICY_MAPPING_compfunc_type(cmp), (n)))
#define sk_POLICY_MAPPING_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_POLICY_MAPPING_sk_type(sk), (n))
#define sk_POLICY_MAPPING_free(sk) OPENSSL_sk_free(ssl_check_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_zero(sk) OPENSSL_sk_zero(ssl_check_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_delete(sk, i) ((POLICY_MAPPING
*)OPENSSL_sk_delete(ssl_check_POLICY_MAPPING_sk_type(sk), (i)))
#define sk_POLICY_MAPPING_delete_ptr(sk,
ptr) ((POLICY_MAPPING *)OPENSSL_sk_delete_ptr(ssl_check_POLICY_MAPPING_sk_type(sk),
ssl_check_POLICY_MAPPING_type(ptr)))
#define sk_POLICY_MAPPING_push(sk, ptr) OPENSSL_sk_push(ssl_check_POLICY_MAPPING_sk_type(sk),
ssl_check_POLICY_MAPPING_type(ptr))
#define sk_POLICY_MAPPING_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_POLICY_MAPPING_sk_type(sk), ssl_check_POLICY_MAPPING_type(ptr))
#define sk_POLICY_MAPPING_pop(sk) ((POLICY_MAPPING
*)OPENSSL_sk_pop(ssl_check_POLICY_MAPPING_sk_type(sk)))
#define sk_POLICY_MAPPING_shift(sk) ((POLICY_MAPPING
*)OPENSSL_sk_shift(ssl_check_POLICY_MAPPING_sk_type(sk)))
#define sk_POLICY_MAPPING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_POLICY_MAPPING_sk_type(sk),ssl_check_POLICY_MAPPING_freefunc
_type(freefunc))
#define sk_POLICY_MAPPING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_POLICY_MAPPING_sk_type(sk), ssl_check_POLICY_MAPPING_type(ptr),
(idx))
#define sk_POLICY_MAPPING_set(sk, idx, ptr) ((POLICY_MAPPING
*)OPENSSL_sk_set(ssl_check_POLICY_MAPPING_sk_type(sk),
(idx), ssl_check_POLICY_MAPPING_type(ptr)))
#define sk_POLICY_MAPPING_find(sk, ptr) OPENSSL_sk_find(ssl_check_POLICY_MAPPING_sk_type(sk),
ssl_check_POLICY_MAPPING_type(ptr))
#define sk_POLICY_MAPPING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_POLICY_MAPPING_sk_type(sk), ssl_check_POLICY_MAPPING_type(ptr))
#define sk_POLICY_MAPPING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_POLICY_MAPPING_sk_type(sk), ssl_check_POLICY_MAPPING_type(ptr),
pnum)
#define sk_POLICY_MAPPING_sort(sk) OPENSSL_sk_sort(ssl_check_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_dup(sk) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_dup(ssl_check_const_POLICY_MAPPING_sk_type(sk)))
#define sk_POLICY_MAPPING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_deep_copy(ssl_check_const_POLICY_MAPPING_sk_type(sk),
ssl_check_POLICY_MAPPING_copyfunc_type(copyfunc),

```

```

    openssl_check_POLICY_MAPPING_freefunc_type(freefunc)))
#define sk_POLICY_MAPPING_set_cmp_func(sk, cmp)
((sk_POLICY_MAPPING_compfunc)OPENSSL_sk_set_cmp_func(openssl_check_POLICY_MAPPING_sk_type(sk),
openssl_check_POLICY_MAPPING_compfunc_type(cmp)))

```

```

typedef STACK_OF(POLICY_MAPPING) POLICY_MAPPINGS;

```

```

typedef struct GENERAL_SUBTREE_st {
    GENERAL_NAME *base;
    ASN1_INTEGER *minimum;
    ASN1_INTEGER *maximum;
} GENERAL_SUBTREE;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(GENERAL_SUBTREE, GENERAL_SUBTREE,
GENERAL_SUBTREE)

```

```

#define sk_GENERAL_SUBTREE_num(sk)
OPENSSL_sk_num(openssl_check_const_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_value(sk, idx) ((GENERAL_SUBTREE
*)OPENSSL_sk_value(openssl_check_const_GENERAL_SUBTREE_sk_type(sk), (idx)))
#define sk_GENERAL_SUBTREE_new(cmp) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_new(openssl_check_GENERAL_SUBTREE_compfunc_type(cmp)))
#define sk_GENERAL_SUBTREE_new_null() ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_new_null())
#define
    sk_GENERAL_SUBTREE_new_reserve(cmp, n) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_new_reserve(openssl_check_GENERAL_SUBTREE_compfunc_type(cmp), (n)))
#define sk_GENERAL_SUBTREE_reserve(sk, n)
OPENSSL_sk_reserve(openssl_check_GENERAL_SUBTREE_sk_type(sk), (n))
#define sk_GENERAL_SUBTREE_free(sk) OPENSSL_sk_free(openssl_check_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_zero(sk) OPENSSL_sk_zero(openssl_check_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_delete(sk, i) ((GENERAL_SUBTREE
*)OPENSSL_sk_delete(openssl_check_GENERAL_SUBTREE_sk_type(sk), (i)))
#define sk_GENERAL_SUBTREE_delete_ptr(sk, ptr) ((GENERAL_SUBTREE
*)OPENSSL_sk_delete_ptr(openssl_check_GENERAL_SUBTREE_sk_type(sk),
openssl_check_GENERAL_SUBTREE_type(ptr)))
#define sk_GENERAL_SUBTREE_push(sk, ptr)
OPENSSL_sk_push(openssl_check_GENERAL_SUBTREE_sk_type(sk),
openssl_check_GENERAL_SUBTREE_type(ptr))
#define sk_GENERAL_SUBTREE_unshift(sk, ptr)
OPENSSL_sk_unshift(openssl_check_GENERAL_SUBTREE_sk_type(sk),
openssl_check_GENERAL_SUBTREE_type(ptr))
#define
    sk_GENERAL_SUBTREE_pop(sk) ((GENERAL_SUBTREE
*)OPENSSL_sk_pop(openssl_check_GENERAL_SUBTREE_sk_type(sk)))
#define sk_GENERAL_SUBTREE_shift(sk) ((GENERAL_SUBTREE
*)OPENSSL_sk_shift(openssl_check_GENERAL_SUBTREE_sk_type(sk)))
#define sk_GENERAL_SUBTREE_pop_free(sk, freefunc)

```

```

OPENSSL_sk_pop_free(ssl_check_GENERAL_SUBTREE_sk_type(sk),ssl_check_GENERAL_SUBTREE_free
func_type(freefunc))
#define sk_GENERAL_SUBTREE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr), (idx))
#define sk_GENERAL_SUBTREE_set(sk, idx, ptr) ((GENERAL_SUBTREE
*)OPENSSL_sk_set(ssl_check_GENERAL_SUBTREE_sk_type(sk), (idx),
ssl_check_GENERAL_SUBTREE_type(ptr)))
#define sk_GENERAL_SUBTREE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr))
#define sk_GENERAL_SUBTREE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr))
#define sk_GENERAL_SUBTREE_find_all(sk,
ptr, pnum) OPENSSL_sk_find_all(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr), pnum)
#define sk_GENERAL_SUBTREE_sort(sk) OPENSSL_sk_sort(ssl_check_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_dup(sk) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_dup(ssl_check_const_GENERAL_SUBTREE_sk_type(sk)))
#define sk_GENERAL_SUBTREE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_deep_copy(ssl_check_const_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_copyfunc_type(copyfunc),
ssl_check_GENERAL_SUBTREE_freefunc_type(freefunc)))
#define sk_GENERAL_SUBTREE_set_cmp_func(sk, cmp)
((sk_GENERAL_SUBTREE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_GENERAL_SUBTREE_sk_type
(sk), ssl_check_GENERAL_SUBTREE_compfunc_type(cmp)))

struct NAME_CONSTRAINTS_st {
    STACK_OF(GENERAL_SUBTREE) *permittedSubtrees;
    STACK_OF(GENERAL_SUBTREE) *excludedSubtrees;
};

typedef struct POLICY_CONSTRAINTS_st {
    ASN1_INTEGER *requireExplicitPolicy;
    ASN1_INTEGER *inhibitPolicyMapping;
} POLICY_CONSTRAINTS;

/* Proxy certificate structures, see RFC 3820 */
typedef struct PROXY_POLICY_st {
    ASN1_OBJECT *policyLanguage;
    ASN1_OCTET_STRING *policy;
} PROXY_POLICY;

typedef struct PROXY_CERT_INFO_EXTENSION_st {

```

```

ASN1_INTEGER *pcPathLengthConstraint;
PROXY_POLICY *proxyPolicy;
} PROXY_CERT_INFO_EXTENSION;

DECLARE_ASN1_FUNCTIONS(PROXY_POLICY)
DECLARE_ASN1_FUNCTIONS(PROXY_CERT_INFO_EXTENSION)

struct ISSUING_DIST_POINT_st {
    DIST_POINT_NAME *distpoint;
    int onlyuser;
    int onlyCA;
    ASN1_BIT_STRING *onlysomereasons;
    int indirectCRL;
    int onlyattr;
};

/* Values in idp_flags field */
/* IDP present */
# define IDP_PRESENT    0x1
/* IDP values inconsistent */
# define IDP_INVALID    0x2
/* onlyuser true */
# define IDP_ONLYUSER    0x4
/* onlyCA true */
# define IDP_ONLYCA
    0x8
/* onlyattr true */
# define IDP_ONLYYATTR    0x10
/* indirectCRL true */
# define IDP_INDIRECT    0x20
/* onlysomereasons present */
# define IDP_REASONS    0x40

# define X509V3_conf_err(val) ERR_add_error_data(6, \
    "section:", (val)->section, \
    ",name:", (val)->name, ",value:", (val)->value)

# define X509V3_set_ctx_test(ctx) \
    X509V3_set_ctx(ctx, NULL, NULL, NULL, NULL, X509V3_CTX_TEST)
# define X509V3_set_ctx_nodb(ctx) (ctx)->db = NULL;

# define EXT_BITSTRING(nid, table) { nid, 0, ASN1_ITEM_ref(ASN1_BIT_STRING), \
    0,0,0,0, \
    0,0, \
    (X509V3_EXT_I2V)i2v_ASN1_BIT_STRING, \
    (X509V3_EXT_V2I)v2i_ASN1_BIT_STRING, \
    NULL, NULL, \
    table}

```

```

# define EXT_IA5STRING(nid) { nid, 0, ASN1_ITEM_ref(ASN1_IA5STRING), \
    0,0,0,0, \
    (X509V3_EXT_I2S)i2s_ASN1_IA5STRING, \
    (X509V3_EXT_S2I)s2i_ASN1_IA5STRING, \
    0,0,0,0, \
    NULL}

#define EXT_UTF8STRING(nid) { nid, 0, ASN1_ITEM_ref(ASN1_UTF8STRING), \
    0,0,0,0, \
    (X509V3_EXT_I2S)i2s_ASN1_UTF8STRING, \
    (X509V3_EXT_S2I)s2i_ASN1_UTF8STRING, \
    0,0,0,0, \
    NULL}

# define EXT_END { -1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0}

/* X509_PURPOSE stuff */

# define EXFLAG_BCONS      0x1
# define EXFLAG_KUSAGE     0x2
# define EXFLAG_XKUSAGE    0x4
# define EXFLAG_NSCERT     0x8

# define EXFLAG_CA         0x10
# define EXFLAG_SI         0x20 /* self-issued, maybe not self-signed */
# define EXFLAG_V1         0x40
# define EXFLAG_INVALID    0x80
/* EXFLAG_SET is set to indicate that some values have been precomputed */
# define EXFLAG_SET        0x100
# define
    EXFLAG_CRITICAL       0x200
# define EXFLAG_PROXY      0x400

# define EXFLAG_INVALID_POLICY 0x800
# define EXFLAG_FRESHEST     0x1000
# define EXFLAG_SS           0x2000 /* cert is apparently self-signed */

# define EXFLAG_BCONS_CRITICAL 0x10000
# define EXFLAG_AKID_CRITICAL  0x20000
# define EXFLAG_SKID_CRITICAL  0x40000
# define EXFLAG_SAN_CRITICAL   0x80000
# define EXFLAG_NO_FINGERPRINT 0x100000

# define KU_DIGITAL_SIGNATURE  0x0080
# define KU_NON_REPUDIATION    0x0040
# define KU_KEY_ENCIPHERMENT  0x0020

```

```

#define KU_DATA_ENCIPHERMENT 0x0010
#define KU_KEY_AGREEMENT 0x0008
#define KU_KEY_CERT_SIGN 0x0004
#define KU_CRL_SIGN 0x0002
#define KU_ENCIPHER_ONLY 0x0001
#define KU_DECIPHER_ONLY 0x8000

#define NS_SSL_CLIENT 0x80
#define NS_SSL_SERVER 0x40
#define NS_SMIME 0x20
#define NS_OBJSIGN 0x10
#define NS_SSL_CA 0x04
#define NS_SMIME_CA 0x02
#define NS_OBJSIGN_CA 0x01
#define NS_ANY_CA (NS_SSL_CA|NS_SMIME_CA|NS_OBJSIGN_CA)

#define XKU_SSL_SERVER 0x1
#define XKU_SSL_CLIENT 0x2
#define XKU_SMIME 0x4
#define XKU_CODE_SIGN 0x8
#define XKU_SGC 0x10 /* Netscape or MS Server-Gated Crypto */
#define XKU_OCSP_SIGN 0x20
#define XKU_TIMESTAMP 0x40
#define XKU_DVCS 0x80
#define XKU_ANYEKU 0x100

#define X509_PURPOSE_DYNAMIC 0x1
#define X509_PURPOSE_DYNAMIC_NAME 0x2

typedef struct x509_purpose_st {
    int purpose;
    int trust; /* Default trust ID */
    int flags;
    int (*check_purpose) (const struct x509_purpose_st *, const X509 *, int);
    char *name;
    char *sname;
    void *usr_data;
} X509_PURPOSE;

SKM_DEFINE_STACK_OF_INTERNAL(X509_PURPOSE, X509_PURPOSE, X509_PURPOSE)
#define sk_X509_PURPOSE_num(sk) OPENSSL_sk_num(ssl_check_const_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_value(sk, idx) ((X509_PURPOSE *)OPENSSL_sk_value(ssl_check_const_X509_PURPOSE_sk_type(sk), (idx)))
#define sk_X509_PURPOSE_new(cmp) ((STACK_OF(X509_PURPOSE) *)OPENSSL_sk_new(ssl_check_X509_PURPOSE_compfunc_type(cmp)))
#define sk_X509_PURPOSE_new_null() ((STACK_OF(X509_PURPOSE) *)OPENSSL_sk_new_null())

```

```

#define sk_X509_PURPOSE_new_reserve(cmp, n) ((STACK_OF(X509_PURPOSE)
*)OPENSSL_sk_new_reserve(ssl_check_X509_PURPOSE_compfunc_type(cmp), (n)))
#define sk_X509_PURPOSE_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_PURPOSE_sk_type(sk), (n))
#define sk_X509_PURPOSE_free(sk) OPENSSL_sk_free(ssl_check_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_zero(sk) OPENSSL_sk_zero(ssl_check_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_delete(sk, i) ((X509_PURPOSE
*)OPENSSL_sk_delete(ssl_check_X509_PURPOSE_sk_type(sk), (i)))
#define sk_X509_PURPOSE_delete_ptr(sk, ptr) ((X509_PURPOSE
*)OPENSSL_sk_delete_ptr(ssl_check_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_type(ptr)))
#define sk_X509_PURPOSE_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_type(ptr))
#define sk_X509_PURPOSE_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_type(ptr))
#define sk_X509_PURPOSE_pop(sk) ((X509_PURPOSE
*)OPENSSL_sk_pop(ssl_check_X509_PURPOSE_sk_type(sk)))
#define sk_X509_PURPOSE_shift(sk) ((X509_PURPOSE
*)OPENSSL_sk_shift(ssl_check_X509_PURPOSE_sk_type(sk)))
#define sk_X509_PURPOSE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_PURPOSE_sk_type(sk), ssl_check_X509_PURPOSE_freefunc_type(fr
eefunc))
#define sk_X509_PURPOSE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_type(ptr), (idx))
#define sk_X509_PURPOSE_set(sk, idx, ptr) ((X509_PURPOSE
*)OPENSSL_sk_set(ssl_check_X509_PURPOSE_sk_type(sk), (idx), ssl_check_X509_PURPOSE_type(ptr)))
#define sk_X509_PURPOSE_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_type(ptr))
#define sk_X509_PURPOSE_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_type(ptr))
#define sk_X509_PURPOSE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_PURPOSE_sk_type(sk), ssl_check_X509_PURPOSE_type(ptr), pnum)
#define sk_X509_PURPOSE_sort(sk) OPENSSL_sk_sort(ssl_check_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_dup(sk) ((STACK_OF(X509_PURPOSE)
*)OPENSSL_sk_dup(ssl_check_const_X509_PURPOSE_sk_type(sk)))
#define sk_X509_PURPOSE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_PURPOSE)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_copyfunc_type(copyfunc), ssl_check_X509_PURPOSE_freefunc_type(freefunc)))
#define sk_X509_PURPOSE_set_cmp_func(sk, cmp)
((sk_X509_PURPOSE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_PURPOSE_sk_type(sk),
ssl_check_X509_PURPOSE_compfunc_type(cmp)))

# define X509_PURPOSE_SSL_CLIENT      1
# define X509_PURPOSE_SSL_SERVER     2
# define X509_PURPOSE_NS_SSL_SERVER  3

```

```

#define X509_PURPOSE_SMIME_SIGN      4
#define X509_PURPOSE_SMIME_ENCRYPT    5
#define X509_PURPOSE_CRL_SIGN        6
#define X509_PURPOSE_ANY              7
#define X509_PURPOSE_OCSP_HELPER      8
#define X509_PURPOSE_TIMESTAMP_SIGN   9

#define X509_PURPOSE_MIN              1
#define X509_PURPOSE_MAX              9

/* Flags for X509V3_EXT_print() */

#define X509V3_EXT_UNKNOWN_MASK      (0xfL << 16)
/* Return error for unknown extensions */
#define X509V3_EXT_DEFAULT            0
/* Print error for unknown extensions */
#define X509V3_EXT_ERROR_UNKNOWN     (1L << 16)
/* ASN1 parse unknown extensions */
#define X509V3_EXT_PARSE_UNKNOWN     (2L << 16)
/* BIO_dump unknown extensions */
#define X509V3_EXT_DUMP_UNKNOWN      (3L << 16)

/* Flags for X509V3_add1_i2d */

#define X509V3_ADD_OP_MASK            0xfL
#define X509V3_ADD_DEFAULT            0L
#define X509V3_ADD_APPEND             1L
#define X509V3_ADD_REPLACE            2L
#define X509V3_ADD_REPLACE_EXISTING  3L
#define X509V3_ADD_KEEP_EXISTING      4L
#define X509V3_ADD_DELETE             5L
#define X509V3_ADD_SILENT             0x10

DECLARE_ASN1_FUNCTIONS(BASIC_CONSTRAINTS)

DECLARE_ASN1_FUNCTIONS(SXNET)
DECLARE_ASN1_FUNCTIONS(SXNETID)

DECLARE_ASN1_FUNCTIONS(ISSUER_SIGN_TOOL)

int SXNET_add_id_asc(SXNET **psx, const char *zone, const char *user, int userlen);
int SXNET_add_id_ulong(SXNET **psx, unsigned long lzone, const char *user,
    int userlen);
int SXNET_add_id_INTEGER(SXNET **psx, ASN1_INTEGER *izone, const char *user,
    int userlen);

ASN1_OCTET_STRING *SXNET_get_id_asc(SXNET *sx, const char *zone);

```



```

ASN1_OCTET_STRING *SXNET_get_id_ulong(SXNET *sx, unsigned long lzone);
ASN1_OCTET_STRING
*SXNET_get_id_INTEGER(SXNET *sx, ASN1_INTEGER *zone);

DECLARE_ASN1_FUNCTIONS(AUTHORITY_KEYID)

DECLARE_ASN1_FUNCTIONS(PKEY_USAGE_PERIOD)

DECLARE_ASN1_FUNCTIONS(GENERAL_NAME)
DECLARE_ASN1_DUP_FUNCTION(GENERAL_NAME)
int GENERAL_NAME_cmp(GENERAL_NAME *a, GENERAL_NAME *b);

ASN1_BIT_STRING *v2i_ASN1_BIT_STRING(X509V3_EXT_METHOD *method,
                                     X509V3_CTX *ctx,
                                     STACK_OF(CONF_VALUE) *nval);
STACK_OF(CONF_VALUE) *i2v_ASN1_BIT_STRING(X509V3_EXT_METHOD *method,
                                     ASN1_BIT_STRING *bits,
                                     STACK_OF(CONF_VALUE) *extlist);
char *i2s_ASN1_IA5STRING(X509V3_EXT_METHOD *method, ASN1_IA5STRING *ia5);
ASN1_IA5STRING *s2i_ASN1_IA5STRING(X509V3_EXT_METHOD *method,
                                     X509V3_CTX *ctx, const char *str);
char *i2s_ASN1_UTF8STRING(X509V3_EXT_METHOD *method, ASN1_UTF8STRING *utf8);
ASN1_UTF8STRING *s2i_ASN1_UTF8STRING(X509V3_EXT_METHOD
                                     *method,
                                     X509V3_CTX *ctx, const char *str);

STACK_OF(CONF_VALUE) *i2v_GENERAL_NAME(X509V3_EXT_METHOD *method,
                                     GENERAL_NAME *gen,
                                     STACK_OF(CONF_VALUE) *ret);
int GENERAL_NAME_print(BIO *out, GENERAL_NAME *gen);

DECLARE_ASN1_FUNCTIONS(GENERAL_NAMES)

STACK_OF(CONF_VALUE) *i2v_GENERAL_NAMES(X509V3_EXT_METHOD *method,
                                     GENERAL_NAMES *gen,
                                     STACK_OF(CONF_VALUE) *extlist);
GENERAL_NAMES *v2i_GENERAL_NAMES(const X509V3_EXT_METHOD *method,
                                     X509V3_CTX *ctx, STACK_OF(CONF_VALUE) *nval);

DECLARE_ASN1_FUNCTIONS(OTHERNAME)
DECLARE_ASN1_FUNCTIONS(EDIPARTYNAME)
int OTHERNAME_cmp(OTHERNAME *a, OTHERNAME *b);
void GENERAL_NAME_set0_value(GENERAL_NAME *a, int type, void *value);
void *GENERAL_NAME_get0_value(const GENERAL_NAME *a, int *ptype);
int GENERAL_NAME_set0_othername(GENERAL_NAME
                                *gen,
                                ASN1_OBJECT *oid, ASN1_TYPE *value);
int GENERAL_NAME_get0_otherName(const GENERAL_NAME *gen,

```

```

ASN1_OBJECT **poid, ASN1_TYPE **pvalue);

char *i2s_ASN1_OCTET_STRING(X509V3_EXT_METHOD *method,
                             const ASN1_OCTET_STRING *ia5);
ASN1_OCTET_STRING *s2i_ASN1_OCTET_STRING(X509V3_EXT_METHOD *method,
                                           X509V3_CTX *ctx, const char *str);

DECLARE_ASN1_FUNCTIONS(EXTENDED_KEY_USAGE)
int i2a_ACCESS_DESCRIPTION(BIO *bp, const ACCESS_DESCRIPTION *a);

DECLARE_ASN1_ALLOC_FUNCTIONS(TLS_FEATURE)

DECLARE_ASN1_FUNCTIONS(CERTIFICATEPOLICIES)
DECLARE_ASN1_FUNCTIONS(POLICYINFO)
DECLARE_ASN1_FUNCTIONS(POLICYQUALINFO)
DECLARE_ASN1_FUNCTIONS(USERNOTICE)
DECLARE_ASN1_FUNCTIONS(NOTICEREF)

DECLARE_ASN1_FUNCTIONS(CRL_DIST_POINTS)
DECLARE_ASN1_FUNCTIONS(DIST_POINT)
DECLARE_ASN1_FUNCTIONS(DIST_POINT_NAME)
DECLARE_ASN1_FUNCTIONS(ISSUING_DIST_POINT)

int
DIST_POINT_set_dpname(DIST_POINT_NAME *dpn, const X509_NAME *iname);

int NAME_CONSTRAINTS_check(X509 *x, NAME_CONSTRAINTS *nc);
int NAME_CONSTRAINTS_check_CN(X509 *x, NAME_CONSTRAINTS *nc);

DECLARE_ASN1_FUNCTIONS(ACCESS_DESCRIPTION)
DECLARE_ASN1_FUNCTIONS(AUTHORITY_INFO_ACCESS)

DECLARE_ASN1_ITEM(POLICY_MAPPING)
DECLARE_ASN1_ALLOC_FUNCTIONS(POLICY_MAPPING)
DECLARE_ASN1_ITEM(POLICY_MAPPINGS)

DECLARE_ASN1_ITEM(GENERAL_SUBTREE)
DECLARE_ASN1_ALLOC_FUNCTIONS(GENERAL_SUBTREE)

DECLARE_ASN1_ITEM(NAME_CONSTRAINTS)
DECLARE_ASN1_ALLOC_FUNCTIONS(NAME_CONSTRAINTS)

DECLARE_ASN1_ALLOC_FUNCTIONS(POLICY_CONSTRAINTS)
DECLARE_ASN1_ITEM(POLICY_CONSTRAINTS)

GENERAL_NAME *a2i_GENERAL_NAME(GENERAL_NAME *out,
                                const X509V3_EXT_METHOD *method,
                                X509V3_CTX *ctx, int gen_type,

```

```

        const char *value, int is_nc);

#ifdef OPENSSL_CONF_H
GENERAL_NAME *v2i_GENERAL_NAME(const X509V3_EXT_METHOD *method,

        X509V3_CTX *ctx, CONF_VALUE *cnf);
GENERAL_NAME *v2i_GENERAL_NAME_ex(GENERAL_NAME *out,
        const X509V3_EXT_METHOD *method,
        X509V3_CTX *ctx, CONF_VALUE *cnf,
        int is_nc);

void X509V3_conf_free(CONF_VALUE *val);

X509_EXTENSION *X509V3_EXT_nconf_nid(CONF *conf, X509V3_CTX *ctx, int ext_nid,
        const char *value);
X509_EXTENSION *X509V3_EXT_nconf(CONF *conf, X509V3_CTX *ctx, const char *name,
        const char *value);
int X509V3_EXT_add_nconf_sk(CONF *conf, X509V3_CTX *ctx, const char *section,
        STACK_OF(X509_EXTENSION) **sk);
int X509V3_EXT_add_nconf(CONF *conf, X509V3_CTX *ctx, const char *section,
        X509 *cert);
int X509V3_EXT_REQ_add_nconf(CONF *conf, X509V3_CTX *ctx, const char *section,
        X509_REQ *req);
int X509V3_EXT_CRL_add_nconf(CONF
        *conf, X509V3_CTX *ctx, const char *section,
        X509_CRL *crl);

X509_EXTENSION *X509V3_EXT_conf_nid(LHASH_OF(CONF_VALUE) *conf,
        X509V3_CTX *ctx, int ext_nid,
        const char *value);
X509_EXTENSION *X509V3_EXT_conf(LHASH_OF(CONF_VALUE) *conf, X509V3_CTX *ctx,
        const char *name, const char *value);
int X509V3_EXT_add_conf(LHASH_OF(CONF_VALUE) *conf, X509V3_CTX *ctx,
        const char *section, X509 *cert);
int X509V3_EXT_REQ_add_conf(LHASH_OF(CONF_VALUE) *conf, X509V3_CTX *ctx,
        const char *section, X509_REQ *req);
int X509V3_EXT_CRL_add_conf(LHASH_OF(CONF_VALUE) *conf, X509V3_CTX *ctx,
        const char *section, X509_CRL *crl);

int X509V3_add_value_bool_nf(const char *name, int asn1_bool,
        STACK_OF(CONF_VALUE) **extlist);
int X509V3_get_value_bool(const CONF_VALUE *value,
        int *asn1_bool);
int X509V3_get_value_int(const CONF_VALUE *value, ASN1_INTEGER **aint);
void X509V3_set_nconf(X509V3_CTX *ctx, CONF *conf);
void X509V3_set_conf_lhash(X509V3_CTX *ctx, LHASH_OF(CONF_VALUE) *lhash);
#endif

```

```

char *X509V3_get_string(X509V3_CTX *ctx, const char *name, const char *section);
STACK_OF(CONF_VALUE) *X509V3_get_section(X509V3_CTX *ctx, const char *section);
void X509V3_string_free(X509V3_CTX *ctx, char *str);
void X509V3_section_free(X509V3_CTX *ctx, STACK_OF(CONF_VALUE) *section);
void X509V3_set_ctx(X509V3_CTX *ctx, X509 *issuer, X509 *subject,
                    X509_REQ *req, X509_CRL *crl, int flags);
/* For API backward compatibility, this is separate from X509V3_set_ctx(): */
int X509V3_set_issuer_pkey(X509V3_CTX *ctx, EVP_PKEY *pkey);

int X509V3_add_value(const char *name, const char *value,
                    STACK_OF(CONF_VALUE) **extlist);
int X509V3_add_value_uchar(const char *name, const unsigned char *value,
                           STACK_OF(CONF_VALUE)
                           **extlist);
int X509V3_add_value_bool(const char *name, int asn1_bool,
                          STACK_OF(CONF_VALUE) **extlist);
int X509V3_add_value_int(const char *name, const ASN1_INTEGER *aint,
                        STACK_OF(CONF_VALUE) **extlist);
char *i2s_ASN1_INTEGER(X509V3_EXT_METHOD *meth, const ASN1_INTEGER *aint);
ASN1_INTEGER *s2i_ASN1_INTEGER(X509V3_EXT_METHOD *meth, const char *value);
char *i2s_ASN1_ENUMERATED(X509V3_EXT_METHOD *meth, const ASN1_ENUMERATED *aint);
char *i2s_ASN1_ENUMERATED_TABLE(X509V3_EXT_METHOD *meth,
                                 const ASN1_ENUMERATED *aint);
int X509V3_EXT_add(X509V3_EXT_METHOD *ext);
int X509V3_EXT_add_list(X509V3_EXT_METHOD *extlist);
int X509V3_EXT_add_alias(int nid_to, int nid_from);
void X509V3_EXT_cleanup(void);

const X509V3_EXT_METHOD *X509V3_EXT_get(X509_EXTENSION *ext);
const X509V3_EXT_METHOD *X509V3_EXT_get_nid(int nid);
int X509V3_add_standard_extensions(void);
STACK_OF(CONF_VALUE) *X509V3_parse_list(const
char *line);
void *X509V3_EXT_d2i(X509_EXTENSION *ext);
void *X509V3_get_d2i(const STACK_OF(X509_EXTENSION) *x, int nid, int *crit,
                    int *idx);

X509_EXTENSION *X509V3_EXT_i2d(int ext_nid, int crit, void *ext_struc);
int X509V3_add1_i2d(STACK_OF(X509_EXTENSION) **x, int nid, void *value,
                  int crit, unsigned long flags);

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
/* The new declarations are in crypto.h, but the old ones were here. */
# define hex_to_string OPENSSL_buf2hexstr
# define string_to_hex OPENSSL_hexstr2buf
#endif

void X509V3_EXT_val_prn(BIO *out, STACK_OF(CONF_VALUE) *val, int indent,

```

```

        int ml);
int X509V3_EXT_print(BIO *out, X509_EXTENSION *ext, unsigned long flag,
        int indent);
#ifdef OPENSSL_NO_STDIO
int X509V3_EXT_print_fp(FILE *out, X509_EXTENSION *ext, int flag, int indent);
#endif
int X509V3_extensions_print(BIO *out, const char *title,
        const STACK_OF(X509_EXTENSION)
        *exts,
        unsigned long flag, int indent);

int X509_check_ca(X509 *x);
int X509_check_purpose(X509 *x, int id, int ca);
int X509_supported_extension(X509_EXTENSION *ex);
int X509_PURPOSE_set(int *p, int purpose);
int X509_check_issued(X509 *issuer, X509 *subject);
int X509_check_akid(const X509 *issuer, const AUTHORITY_KEYID *akid);
void X509_set_proxy_flag(X509 *x);
void X509_set_proxy_pathlen(X509 *x, long l);
long X509_get_proxy_pathlen(X509 *x);

uint32_t X509_get_extension_flags(X509 *x);
uint32_t X509_get_key_usage(X509 *x);
uint32_t X509_get_extended_key_usage(X509 *x);
const ASN1_OCTET_STRING *X509_get0_subject_key_id(X509 *x);
const ASN1_OCTET_STRING *X509_get0_authority_key_id(X509 *x);
const GENERAL_NAMES *X509_get0_authority_issuer(X509 *x);
const ASN1_INTEGER *X509_get0_authority_serial(X509 *x);

int X509_PURPOSE_get_count(void);
X509_PURPOSE *X509_PURPOSE_get0(int idx);
int X509_PURPOSE_get_by_sname(const char *sname);
int X509_PURPOSE_get_by_id(int
    id);
int X509_PURPOSE_add(int id, int trust, int flags,
        int (*ck) (const X509_PURPOSE *, const X509 *, int),
        const char *name, const char *sname, void *arg);
char *X509_PURPOSE_get0_name(const X509_PURPOSE *xp);
char *X509_PURPOSE_get0_sname(const X509_PURPOSE *xp);
int X509_PURPOSE_get_trust(const X509_PURPOSE *xp);
void X509_PURPOSE_cleanup(void);
int X509_PURPOSE_get_id(const X509_PURPOSE *);

STACK_OF(OPENSSL_STRING) *X509_get1_email(X509 *x);
STACK_OF(OPENSSL_STRING) *X509_REQ_get1_email(X509_REQ *x);
void X509_email_free(STACK_OF(OPENSSL_STRING) *sk);
STACK_OF(OPENSSL_STRING) *X509_get1_ocsp(X509 *x);
/* Flags for X509_check_* functions */

```

```

/*
 * Always check subject name for host match even if subject alt names present
 */
#define X509_CHECK_FLAG_ALWAYS_CHECK_SUBJECT 0x1
/* Disable wildcard matching for dnsName fields and common name. */
#define X509_CHECK_FLAG_NO_WILDCARDS 0x2
/* Wildcards must not match a partial
label. */
#define X509_CHECK_FLAG_NO_PARTIAL_WILDCARDS 0x4
/* Allow (non-partial) wildcards to match multiple labels. */
#define X509_CHECK_FLAG_MULTI_LABEL_WILDCARDS 0x8
/* Constraint verifier subdomain patterns to match a single labels. */
#define X509_CHECK_FLAG_SINGLE_LABEL_SUBDOMAINS 0x10
/* Never check the subject CN */
#define X509_CHECK_FLAG_NEVER_CHECK_SUBJECT 0x20
/*
 * Match reference identifiers starting with "." to any sub-domain.
 * This is a non-public flag, turned on implicitly when the subject
 * reference identity is a DNS name.
 */
#define _X509_CHECK_FLAG_DOT_SUBDOMAINS 0x8000

int X509_check_host(X509 *x, const char *chk, size_t chklen,
                    unsigned int flags, char **peername);
int X509_check_email(X509 *x, const char *chk, size_t chklen,
                     unsigned int flags);
int X509_check_ip(X509 *x, const unsigned char *chk, size_t chklen,
                  unsigned int flags);
int X509_check_ip_asc(X509 *x, const char *ipasc, unsigned
int flags);

ASN1_OCTET_STRING *a2i_IPADDRESS(const char *ipasc);
ASN1_OCTET_STRING *a2i_IPADDRESS_NC(const char *ipasc);
int X509V3_NAME_from_section(X509_NAME *nm, STACK_OF(CONF_VALUE) *dn_sk,
                             unsigned long ctype);

void X509_POLICY_NODE_print(BIO *out, X509_POLICY_NODE *node, int indent);
SKM_DEFINE_STACK_OF_INTERNAL(X509_POLICY_NODE, X509_POLICY_NODE,
X509_POLICY_NODE)
#define sk_X509_POLICY_NODE_num(sk)
OPENSSL_sk_num(ssl_check_const_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_value(sk, idx) ((X509_POLICY_NODE
*)OPENSSL_sk_value(ssl_check_const_X509_POLICY_NODE_sk_type(sk), (idx)))
#define sk_X509_POLICY_NODE_new(cmp) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_new(ssl_check_X509_POLICY_NODE_compfunc_type(cmp)))
#define sk_X509_POLICY_NODE_new_null() ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_new_null())

```

```

#define sk_X509_POLICY_NODE_new_reserve(cmp, n) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_new_reserve(ssl_check_X509_POLICY_NODE_compfunc_type(cmp),
(n)))
#define sk_X509_POLICY_NODE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_POLICY_NODE_sk_type(sk), (n))
#define sk_X509_POLICY_NODE_free(sk) OPENSSL_sk_free(ssl_check_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_zero(sk) OPENSSL_sk_zero(ssl_check_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_delete(sk, i) ((X509_POLICY_NODE
*)OPENSSL_sk_delete(ssl_check_X509_POLICY_NODE_sk_type(sk), (i)))
#define sk_X509_POLICY_NODE_delete_ptr(sk, ptr) ((X509_POLICY_NODE
*)OPENSSL_sk_delete_ptr(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr)))
#define sk_X509_POLICY_NODE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define sk_X509_POLICY_NODE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define sk_X509_POLICY_NODE_pop(sk) ((X509_POLICY_NODE
*)OPENSSL_sk_pop(ssl_check_X509_POLICY_NODE_sk_type(sk)))
#define
sk_X509_POLICY_NODE_shift(sk) ((X509_POLICY_NODE
*)OPENSSL_sk_shift(ssl_check_X509_POLICY_NODE_sk_type(sk)))
#define sk_X509_POLICY_NODE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_POLICY_NODE_sk_type(sk),ssl_check_X509_POLICY_NODE_free
func_type(freefunc))
#define sk_X509_POLICY_NODE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr), (idx))
#define sk_X509_POLICY_NODE_set(sk, idx, ptr) ((X509_POLICY_NODE
*)OPENSSL_sk_set(ssl_check_X509_POLICY_NODE_sk_type(sk), (idx),
ssl_check_X509_POLICY_NODE_type(ptr)))
#define sk_X509_POLICY_NODE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define sk_X509_POLICY_NODE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define sk_X509_POLICY_NODE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr), pnum)
#define sk_X509_POLICY_NODE_sort(sk) OPENSSL_sk_sort(ssl_check_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_dup(sk) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_dup(ssl_check_const_X509_POLICY_NODE_sk_type(sk)))
#define sk_X509_POLICY_NODE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_POLICY_NODE_sk_type(sk),

```

```

ossl_check_X509_POLICY_NODE_copyfunc_type(copyfunc),
ossl_check_X509_POLICY_NODE_freefunc_type(freefunc)))
#define sk_X509_POLICY_NODE_set_cmp_func(sk, cmp)
((sk_X509_POLICY_NODE_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_X509_POLICY_NODE_sk_type
(sk), ossl_check_X509_POLICY_NODE_compfunc_type(cmp)))

#ifndef OPENSSL_NO_RFC3779
typedef struct ASRange_st {
    ASN1_INTEGER *min, *max;
} ASRange;

# define ASIdOrRange_id      0
# define
ASIdOrRange_range      1

typedef struct ASIdOrRange_st {
    int type;
    union {
        ASN1_INTEGER *id;
        ASRange *range;
    } u;
} ASIdOrRange;

SKM_DEFINE_STACK_OF_INTERNAL(ASIdOrRange, ASIdOrRange, ASIdOrRange)
#define sk_ASIdOrRange_num(sk) OPENSSL_sk_num(ossl_check_const_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_value(sk, idx) ((ASIdOrRange
*)OPENSSL_sk_value(ossl_check_const_ASIdOrRange_sk_type(sk), (idx)))
#define sk_ASIdOrRange_new(cmp) ((STACK_OF(ASIdOrRange)
*)OPENSSL_sk_new(ossl_check_ASIdOrRange_compfunc_type(cmp)))
#define sk_ASIdOrRange_new_null() ((STACK_OF(ASIdOrRange) *)OPENSSL_sk_new_null())
#define sk_ASIdOrRange_new_reserve(cmp, n) ((STACK_OF(ASIdOrRange)
*)OPENSSL_sk_new_reserve(ossl_check_ASIdOrRange_compfunc_type(cmp), (n)))
#define sk_ASIdOrRange_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_ASIdOrRange_sk_type(sk), (n))
#define sk_ASIdOrRange_free(sk) OPENSSL_sk_free(ossl_check_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_zero(sk) OPENSSL_sk_zero(ossl_check_ASIdOrRange_sk_type(sk))
#define
sk_ASIdOrRange_delete(sk, i) ((ASIdOrRange *)OPENSSL_sk_delete(ossl_check_ASIdOrRange_sk_type(sk),
(i)))
#define sk_ASIdOrRange_delete_ptr(sk, ptr) ((ASIdOrRange
*)OPENSSL_sk_delete_ptr(ossl_check_ASIdOrRange_sk_type(sk), ossl_check_ASIdOrRange_type(ptr)))
#define sk_ASIdOrRange_push(sk, ptr) OPENSSL_sk_push(ossl_check_ASIdOrRange_sk_type(sk),
ossl_check_ASIdOrRange_type(ptr))
#define sk_ASIdOrRange_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_ASIdOrRange_sk_type(sk),
ossl_check_ASIdOrRange_type(ptr))
#define sk_ASIdOrRange_pop(sk) ((ASIdOrRange *)OPENSSL_sk_pop(ossl_check_ASIdOrRange_sk_type(sk)))
#define sk_ASIdOrRange_shift(sk) ((ASIdOrRange *)OPENSSL_sk_shift(ossl_check_ASIdOrRange_sk_type(sk)))

```



```

#define sk_ASIdOrRange_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASIdOrRange_sk_type(sk),ssl_check_ASIdOrRange_freefunc_type(freefunc)
)
#define sk_ASIdOrRange_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr), (idx))
#define sk_ASIdOrRange_set(sk, idx, ptr) ((ASIdOrRange
*)OPENSSL_sk_set(ssl_check_ASIdOrRange_sk_type(sk), (idx), ssl_check_ASIdOrRange_type(ptr)))
#define sk_ASIdOrRange_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr))
#define sk_ASIdOrRange_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr))
#define sk_ASIdOrRange_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr), pnum)
#define sk_ASIdOrRange_sort(sk) OPENSSL_sk_sort(ssl_check_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_dup(sk) ((STACK_OF(ASIdOrRange)
*)OPENSSL_sk_dup(ssl_check_const_ASIdOrRange_sk_type(sk)))
#define sk_ASIdOrRange_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASIdOrRange)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_copyfunc_type(copyfunc), ssl_check_ASIdOrRange_freefunc_type(freefunc)))
#define sk_ASIdOrRange_set_cmp_func(sk, cmp)
((sk_ASIdOrRange_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_compfunc_type(cmp)))

```

```

typedef STACK_OF(ASIdOrRange) ASIdOrRanges;

```

```

# define ASIdentifierChoice_inherit      0
# define ASIdentifierChoice_asIdsOrRanges  1

```

```

typedef struct ASIdentifierChoice_st {
    int type;
    union {
        ASN1_NULL *inherit;
        ASIdOrRanges *asIdsOrRanges;
    } u;
} ASIdentifierChoice;

```

```

typedef struct ASIdentifiers_st {
    ASIdentifierChoice *asnum, *rdi;
} ASIdentifiers;

```

```

DECLARE_ASN1_FUNCTIONS(ASRange)
DECLARE_ASN1_FUNCTIONS(ASIdOrRange)
DECLARE_ASN1_FUNCTIONS(ASIdentifierChoice)
DECLARE_ASN1_FUNCTIONS(ASIdentifiers)

```

```

typedef struct IPAddressRange_st {

```

```

ASN1_BIT_STRING *min, *max;
} IPAddressRange;

# define IPAddressOrRange_addressPrefix 0
# define
IPAddressOrRange_addressRange 1

typedef struct IPAddressOrRange_st {
    int type;
    union {
        ASN1_BIT_STRING *addressPrefix;
        IPAddressRange *addressRange;
    } u;
} IPAddressOrRange;

SKM_DEFINE_STACK_OF_INTERNAL(IPAddressOrRange, IPAddressOrRange, IPAddressOrRange)
#define sk_IPAddressOrRange_num(sk) OPENSSL_sk_num(ssl_check_const_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_value(sk, idx) ((IPAddressOrRange
*)OPENSSL_sk_value(ssl_check_const_IPAddressOrRange_sk_type(sk), (idx)))
#define sk_IPAddressOrRange_new(cmp) ((STACK_OF(IPAddressOrRange
*)OPENSSL_sk_new(ssl_check_IPAddressOrRange_compfunc_type(cmp)))
#define sk_IPAddressOrRange_new_null() ((STACK_OF(IPAddressOrRange *)OPENSSL_sk_new_null())
#define sk_IPAddressOrRange_new_reserve(cmp, n) ((STACK_OF(IPAddressOrRange
*)OPENSSL_sk_new_reserve(ssl_check_IPAddressOrRange_compfunc_type(cmp), (n)))
#define sk_IPAddressOrRange_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_IPAddressOrRange_sk_type(sk),
(n))
#define sk_IPAddressOrRange_free(sk) OPENSSL_sk_free(ssl_check_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_zero(sk) OPENSSL_sk_zero(ssl_check_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_delete(sk, i) ((IPAddressOrRange
*)OPENSSL_sk_delete(ssl_check_IPAddressOrRange_sk_type(sk), (i)))
#define sk_IPAddressOrRange_delete_ptr(sk, ptr) ((IPAddressOrRange
*)OPENSSL_sk_delete_ptr(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr)))
#define sk_IPAddressOrRange_push(sk, ptr) OPENSSL_sk_push(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_pop(sk) ((IPAddressOrRange
*)OPENSSL_sk_pop(ssl_check_IPAddressOrRange_sk_type(sk)))
#define sk_IPAddressOrRange_shift(sk) ((IPAddressOrRange
*)OPENSSL_sk_shift(ssl_check_IPAddressOrRange_sk_type(sk)))
#define
sk_IPAddressOrRange_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_freefunc_type
e(freefunc))
#define sk_IPAddressOrRange_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_type(ptr), (idx))
#define sk_IPAddressOrRange_set(sk, idx, ptr) ((IPAddressOrRange

```

```

*)OPENSSL_sk_set(ssl_check_IPAddressOrRange_sk_type(sk), (idx), ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_find(sk, ptr) OPENSSL_sk_find(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_type(ptr),
pnum)
#define sk_IPAddressOrRange_sort(sk) OPENSSL_sk_sort(ssl_check_IPAddressOrRange_sk_type(sk))
#define
sk_IPAddressOrRange_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_dup(sk) ((STACK_OF(IPAddressOrRange)
*)OPENSSL_sk_dup(ssl_check_const_IPAddressOrRange_sk_type(sk)))
#define sk_IPAddressOrRange_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(IPAddressOrRange)
*)OPENSSL_sk_deep_copy(ssl_check_const_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_copyfunc_type(copyfunc),
ssl_check_IPAddressOrRange_freefunc_type(freefunc)))
#define sk_IPAddressOrRange_set_cmp_func(sk, cmp)
((sk_IPAddressOrRange_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_compfunc_type(cmp)))

```

```

typedef STACK_OF(IPAddressOrRange) IPAddressOrRanges;

```

```

# define IPAddressChoice_inherit          0
# define IPAddressChoice_addressesOrRanges 1

```

```

typedef struct IPAddressChoice_st {
    int type;
    union {
        ASN1_NULL *inherit;

        IPAddressOrRanges *addressesOrRanges;
    } u;
} IPAddressChoice;

```

```

typedef struct IPAddressFamily_st {
    ASN1_OCTET_STRING *addressFamily;
    IPAddressChoice *ipAddressChoice;
} IPAddressFamily;

```

```

SKM_DEFINE_STACK_OF_INTERNAL(IPAddressFamily, IPAddressFamily, IPAddressFamily)
#define sk_IPAddressFamily_num(sk) OPENSSL_sk_num(ssl_check_const_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_value(sk, idx) ((IPAddressFamily
*)OPENSSL_sk_value(ssl_check_const_IPAddressFamily_sk_type(sk), (idx)))
#define sk_IPAddressFamily_new(cmp) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_new(ssl_check_IPAddressFamily_compfunc_type(cmp)))
#define sk_IPAddressFamily_new_null() ((STACK_OF(IPAddressFamily) *)OPENSSL_sk_new_null())

```

```

#define sk_IPAddressFamily_new_reserve(cmp, n) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_new_reserve(ssl_check_IPAddressFamily_compfunc_type(cmp), (n)))
#define sk_IPAddressFamily_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_IPAddressFamily_sk_type(sk), (n))
#define sk_IPAddressFamily_free(sk)
    OPENSSL_sk_free(ssl_check_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_zero(sk) OPENSSL_sk_zero(ssl_check_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_delete(sk, i) ((IPAddressFamily
*)OPENSSL_sk_delete(ssl_check_IPAddressFamily_sk_type(sk), (i)))
#define sk_IPAddressFamily_delete_ptr(sk, ptr) ((IPAddressFamily
*)OPENSSL_sk_delete_ptr(ssl_check_IPAddressFamily_sk_type(sk), ssl_check_IPAddressFamily_type(ptr)))
#define sk_IPAddressFamily_push(sk, ptr) OPENSSL_sk_push(ssl_check_IPAddressFamily_sk_type(sk),
    ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_IPAddressFamily_sk_type(sk),
    ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_pop(sk) ((IPAddressFamily
*)OPENSSL_sk_pop(ssl_check_IPAddressFamily_sk_type(sk)))
#define sk_IPAddressFamily_shift(sk) ((IPAddressFamily
*)OPENSSL_sk_shift(ssl_check_IPAddressFamily_sk_type(sk)))
#define sk_IPAddressFamily_pop_free(sk,
    freefunc)
    OPENSSL_sk_pop_free(ssl_check_IPAddressFamily_sk_type(sk), ssl_check_IPAddressFamily_freefunc_type(freefunc))
#define sk_IPAddressFamily_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_IPAddressFamily_sk_type(sk),
    ssl_check_IPAddressFamily_type(ptr), (idx))
#define sk_IPAddressFamily_set(sk, idx, ptr) ((IPAddressFamily
*)OPENSSL_sk_set(ssl_check_IPAddressFamily_sk_type(sk), (idx), ssl_check_IPAddressFamily_type(ptr)))
#define sk_IPAddressFamily_find(sk, ptr) OPENSSL_sk_find(ssl_check_IPAddressFamily_sk_type(sk),
    ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_IPAddressFamily_sk_type(sk),
    ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ssl_check_IPAddressFamily_sk_type(sk), ssl_check_IPAddressFamily_type(ptr), pnum)
#define sk_IPAddressFamily_sort(sk) OPENSSL_sk_sort(ssl_check_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_is_sorted(sk)
    OPENSSL_sk_is_sorted(ssl_check_const_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_dup(sk) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_dup(ssl_check_const_IPAddressFamily_sk_type(sk)))
#define sk_IPAddressFamily_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_deep_copy(ssl_check_const_IPAddressFamily_sk_type(sk),
    ssl_check_IPAddressFamily_copyfunc_type(copyfunc), ssl_check_IPAddressFamily_freefunc_type(freefunc)))
#define sk_IPAddressFamily_set_cmp_func(sk, cmp)
    ((sk_IPAddressFamily_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_IPAddressFamily_sk_type(sk),
    ssl_check_IPAddressFamily_compfunc_type(cmp)))

```

```

typedef STACK_OF(IPAddressFamily) IPAddrBlocks;

```

```

DECLARE_ASN1_FUNCTIONS(IPAddressRange)
DECLARE_ASN1_FUNCTIONS(IPAddressOrRange)
DECLARE_ASN1_FUNCTIONS(IPAddressChoice)
DECLARE_ASN1_FUNCTIONS(IPAddressFamily)

/*
 * API tag for elements of the ASIdentifier SEQUENCE.
 */
#define V3_ASID_ASNUM 0
#define V3_ASID_RDI 1

/*
 * AFI values,
 * assigned by IANA. It'd be nice to make the AFI
 * handling code totally generic, but there are too many little things
 * that would need to be defined for other address families for it to
 * be worth the trouble.
 */
#define IANA_AFI_IPV4 1
#define IANA_AFI_IPV6 2

/*
 * Utilities to construct and extract values from RFC3779 extensions,
 * since some of the encodings (particularly for IP address prefixes
 * and ranges) are a bit tedious to work with directly.
 */
int X509v3_asid_add_inherit(ASIdentifiers *asid, int which);
int X509v3_asid_add_id_or_range(ASIdentifiers *asid, int which,
                                ASN1_INTEGER *min, ASN1_INTEGER *max);
int X509v3_addr_add_inherit(IPAddrBlocks *addr,
                             const unsigned afi, const unsigned *safi);
int X509v3_addr_add_prefix(IPAddrBlocks *addr,
                             const unsigned afi, const unsigned *safi,
                             unsigned char *a, const int prefixlen);
int X509v3_addr_add_range(IPAddrBlocks
                           *addr,
                           const unsigned afi, const unsigned *safi,
                           unsigned char *min, unsigned char *max);
unsigned X509v3_addr_get_afi(const IPAddressFamily *f);
int X509v3_addr_get_range(IPAddressOrRange *aor, const unsigned afi,
                           unsigned char *min, unsigned char *max,
                           const int length);

/*
 * Canonical forms.
 */
int X509v3_asid_is_canonical(ASIdentifiers *asid);
int X509v3_addr_is_canonical(IPAddrBlocks *addr);

```

```

int X509v3_asid_canonize(ASIdentifiers *asid);
int X509v3_addr_canonize(IPAddrBlocks *addr);

/*
 * Tests for inheritance and containment.
 */
int X509v3_asid_inherits(ASIdentifiers *asid);
int X509v3_addr_inherits(IPAddrBlocks *addr);
int X509v3_asid_subset(ASIdentifiers *a, ASIdentifiers *b);
int X509v3_addr_subset(IPAddrBlocks *a, IPAddrBlocks *b);

/*
 * Check whether RFC 3779 extensions nest properly in chains.
 */
int X509v3_asid_validate_path(X509_STORE_CTX *);
int
X509v3_addr_validate_path(X509_STORE_CTX *);
int X509v3_asid_validate_resource_set(STACK_OF(X509) *chain,
                                     ASIdentifiers *ext,
                                     int allow_inheritance);
int X509v3_addr_validate_resource_set(STACK_OF(X509) *chain,
                                     IPAddrBlocks *ext, int allow_inheritance);

#endif          /* OPENSSL_NO_RFC3779 */

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_STRING, ASN1_STRING, ASN1_STRING)
#define sk_ASN1_STRING_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_value(sk, idx) ((ASN1_STRING
*)OPENSSL_sk_value(ssl_check_const_ASN1_STRING_sk_type(sk), (idx)))
#define sk_ASN1_STRING_new(cmp) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_new(ssl_check_ASN1_STRING_compfunc_type(cmp)))
#define sk_ASN1_STRING_new_null() ((STACK_OF(ASN1_STRING) *)OPENSSL_sk_new_null())
#define sk_ASN1_STRING_new_reserve(cmp, n) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_STRING_compfunc_type(cmp),
(n)))
#define sk_ASN1_STRING_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_STRING_sk_type(sk), (n))
#define sk_ASN1_STRING_free(sk) OPENSSL_sk_free(ssl_check_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_delete(sk, i) ((ASN1_STRING
*)OPENSSL_sk_delete(ssl_check_ASN1_STRING_sk_type(sk), (i)))
#define sk_ASN1_STRING_delete_ptr(sk, ptr) ((ASN1_STRING
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_STRING_sk_type(sk), ssl_check_ASN1_STRING_type(ptr)))
#define sk_ASN1_STRING_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_pop(sk) ((ASN1_STRING
*)OPENSSL_sk_pop(ssl_check_ASN1_STRING_sk_type(sk)))

```

```

#define sk_ASN1_STRING_shift(sk) ((ASN1_STRING
*)OPENSSL_sk_shift(ssl_check_ASN1_STRING_sk_type(sk)))
#define
    sk_ASN1_STRING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_STRING_sk_type(sk),ssl_check_ASN1_STRING_freefunc_type(freef
unc))
#define sk_ASN1_STRING_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_type(ptr), (idx))
#define sk_ASN1_STRING_set(sk, idx, ptr) ((ASN1_STRING
*)OPENSSL_sk_set(ssl_check_ASN1_STRING_sk_type(sk), (idx), ssl_check_ASN1_STRING_type(ptr)))
#define sk_ASN1_STRING_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ASN1_STRING_sk_type(sk), ssl_check_ASN1_STRING_type(ptr), pnum)
#define sk_ASN1_STRING_sort(sk) OPENSSL_sk_sort(ssl_check_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ASN1_STRING_sk_type(sk))
#define
    sk_ASN1_STRING_dup(sk) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_dup(ssl_check_const_ASN1_STRING_sk_type(sk)))
#define sk_ASN1_STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_copyfunc_type(copyfunc), ssl_check_ASN1_STRING_freefunc_type(freefunc)))
#define sk_ASN1_STRING_set_cmp_func(sk, cmp)
((sk_ASN1_STRING_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_compfunc_type(cmp)))

/*
 * Admission Syntax
 */

typedef struct NamingAuthority_st NAMING_AUTHORITY;
typedef struct ProfessionInfo_st PROFESSION_INFO;
typedef struct Admissions_st ADMISSIONS;
typedef struct AdmissionSyntax_st ADMISSION_SYNTAX;
DECLARE_ASN1_FUNCTIONS(NAMING_AUTHORITY)
DECLARE_ASN1_FUNCTIONS(PROFESSION_INFO)
DECLARE_ASN1_FUNCTIONS(ADMISSIONS)
DECLARE_ASN1_FUNCTIONS(ADMISSION_SYNTAX)
SKM_DEFINE_STACK_OF_INTERNAL(PROFESSION_INFO,
PROFESSION_INFO, PROFESSION_INFO)
#define sk_PROFESSION_INFO_num(sk)
OPENSSL_sk_num(ssl_check_const_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_value(sk, idx) ((PROFESSION_INFO
*)OPENSSL_sk_value(ssl_check_const_PROFESSION_INFO_sk_type(sk), (idx)))
#define sk_PROFESSION_INFO_new(cmp) ((STACK_OF(PROFESSION_INFO)

```

```

*)OPENSSL_sk_new(ssl_check_PROFESSION_INFO_compfunc_type(cmp)))
#define sk_PROFESSION_INFO_new_null() ((STACK_OF(PROFESSION_INFO) *)OPENSSL_sk_new_null())
#define sk_PROFESSION_INFO_new_reserve(cmp, n) ((STACK_OF(PROFESSION_INFO)
*)OPENSSL_sk_new_reserve(ssl_check_PROFESSION_INFO_compfunc_type(cmp), (n)))
#define sk_PROFESSION_INFO_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_PROFESSION_INFO_sk_type(sk), (n))
#define sk_PROFESSION_INFO_free(sk) OPENSSL_sk_free(ssl_check_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_zero(sk) OPENSSL_sk_zero(ssl_check_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_delete(sk, i) ((PROFESSION_INFO
*)OPENSSL_sk_delete(ssl_check_PROFESSION_INFO_sk_type(sk),
(i)))
#define sk_PROFESSION_INFO_delete_ptr(sk, ptr) ((PROFESSION_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr)))
#define sk_PROFESSION_INFO_push(sk, ptr)
OPENSSL_sk_push(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_pop(sk) ((PROFESSION_INFO
*)OPENSSL_sk_pop(ssl_check_PROFESSION_INFO_sk_type(sk)))
#define sk_PROFESSION_INFO_shift(sk) ((PROFESSION_INFO
*)OPENSSL_sk_shift(ssl_check_PROFESSION_INFO_sk_type(sk)))
#define sk_PROFESSION_INFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_freefun
c_type(freefunc))
#define sk_PROFESSION_INFO_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_type(ptr),
(idx))
#define sk_PROFESSION_INFO_set(sk, idx, ptr) ((PROFESSION_INFO
*)OPENSSL_sk_set(ssl_check_PROFESSION_INFO_sk_type(sk), (idx),
ssl_check_PROFESSION_INFO_type(ptr)))
#define sk_PROFESSION_INFO_find(sk, ptr) OPENSSL_sk_find(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr), pnum)
#define sk_PROFESSION_INFO_sort(sk) OPENSSL_sk_sort(ssl_check_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_dup(sk) ((STACK_OF(PROFESSION_INFO)
*)OPENSSL_sk_dup(ssl_check_const_PROFESSION_INFO_sk_type(sk)))
#define sk_PROFESSION_INFO_deep_copy(sk,
copyfunc, freefunc) ((STACK_OF(PROFESSION_INFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_copyfunc_type(copyfunc),

```



```

ossl_check_PROFESSION_INFO_freefunc_type(freefunc)))
#define sk_PROFESSION_INFO_set_cmp_func(sk, cmp)
((sk_PROFESSION_INFO_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_PROFESSION_INFO_sk_type(sk)
, ossl_check_PROFESSION_INFO_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(ADMISSIONS, ADMISSIONS, ADMISSIONS)
#define sk_ADMISSIONS_num(sk) OPENSSL_sk_num(ossl_check_const_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_value(sk, idx) ((ADMISSIONS
*)OPENSSL_sk_value(ossl_check_const_ADMISSIONS_sk_type(sk), (idx)))
#define sk_ADMISSIONS_new(cmp) ((STACK_OF(ADMISSIONS)
*)OPENSSL_sk_new(ossl_check_ADMISSIONS_compfunc_type(cmp)))
#define sk_ADMISSIONS_new_null() ((STACK_OF(ADMISSIONS) *)OPENSSL_sk_new_null())
#define sk_ADMISSIONS_new_reserve(cmp, n) ((STACK_OF(ADMISSIONS)
*)OPENSSL_sk_new_reserve(ossl_check_ADMISSIONS_compfunc_type(cmp),
(n)))
#define sk_ADMISSIONS_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_ADMISSIONS_sk_type(sk), (n))
#define sk_ADMISSIONS_free(sk) OPENSSL_sk_free(ossl_check_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_zero(sk) OPENSSL_sk_zero(ossl_check_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_delete(sk, i) ((ADMISSIONS
*)OPENSSL_sk_delete(ossl_check_ADMISSIONS_sk_type(sk), (i)))
#define sk_ADMISSIONS_delete_ptr(sk, ptr) ((ADMISSIONS
*)OPENSSL_sk_delete_ptr(ossl_check_ADMISSIONS_sk_type(sk), ossl_check_ADMISSIONS_type(ptr)))
#define sk_ADMISSIONS_push(sk, ptr) OPENSSL_sk_push(ossl_check_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_pop(sk) ((ADMISSIONS
*)OPENSSL_sk_pop(ossl_check_ADMISSIONS_sk_type(sk)))
#define sk_ADMISSIONS_shift(sk) ((ADMISSIONS
*)OPENSSL_sk_shift(ossl_check_ADMISSIONS_sk_type(sk)))
#define sk_ADMISSIONS_pop_free(sk,
freefunc)
OPENSSL_sk_pop_free(ossl_check_ADMISSIONS_sk_type(sk),ossl_check_ADMISSIONS_freefunc_type(freefun
c))
#define sk_ADMISSIONS_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_type(ptr), (idx))
#define sk_ADMISSIONS_set(sk, idx, ptr) ((ADMISSIONS
*)OPENSSL_sk_set(ossl_check_ADMISSIONS_sk_type(sk), (idx), ossl_check_ADMISSIONS_type(ptr)))
#define sk_ADMISSIONS_find(sk, ptr) OPENSSL_sk_find(ossl_check_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_type(ptr), pnum)
#define sk_ADMISSIONS_sort(sk) OPENSSL_sk_sort(ossl_check_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_dup(sk)
((STACK_OF(ADMISSIONS) *)OPENSSL_sk_dup(ossl_check_const_ADMISSIONS_sk_type(sk)))
#define sk_ADMISSIONS_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ADMISSIONS)

```

```

*)OPENSSL_sk_deep_copy(ossl_check_const_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_copyfunc_type(copyfunc), ossl_check_ADMISSIONS_freefunc_type(freefunc)))
#define sk_ADMISSIONS_set_cmp_func(sk, cmp)
((sk_ADMISSIONS_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ADMISSIONS_sk_type(sk),
ossl_check_ADMISSIONS_compfunc_type(cmp)))

```

```

typedef STACK_OF(PROFESSION_INFO) PROFESSION_INFOS;

```

```

const ASN1_OBJECT *NAMING_AUTHORITY_get0_authorityId(
    const NAMING_AUTHORITY *n);
const ASN1_IA5STRING *NAMING_AUTHORITY_get0_authorityURL(
    const NAMING_AUTHORITY *n);
const ASN1_STRING *NAMING_AUTHORITY_get0_authorityText(
    const NAMING_AUTHORITY *n);
void NAMING_AUTHORITY_set0_authorityId(NAMING_AUTHORITY *n,
    ASN1_OBJECT* namingAuthorityId);
void NAMING_AUTHORITY_set0_authorityURL(NAMING_AUTHORITY *n,
    ASN1_IA5STRING* namingAuthorityUrl);
void
NAMING_AUTHORITY_set0_authorityText(NAMING_AUTHORITY *n,
    ASN1_STRING* namingAuthorityText);

const GENERAL_NAME *ADMISSION_SYNTAX_get0_admissionAuthority(
    const ADMISSION_SYNTAX *as);
void ADMISSION_SYNTAX_set0_admissionAuthority(
    ADMISSION_SYNTAX *as, GENERAL_NAME *aa);
const STACK_OF(ADMISSIONS) *ADMISSION_SYNTAX_get0_contentsOfAdmissions(
    const ADMISSION_SYNTAX *as);
void ADMISSION_SYNTAX_set0_contentsOfAdmissions(
    ADMISSION_SYNTAX *as, STACK_OF(ADMISSIONS) *a);
const GENERAL_NAME *ADMISSIONS_get0_admissionAuthority(const ADMISSIONS *a);
void ADMISSIONS_set0_admissionAuthority(ADMISSIONS *a, GENERAL_NAME *aa);
const NAMING_AUTHORITY *ADMISSIONS_get0_namingAuthority(const ADMISSIONS *a);
void ADMISSIONS_set0_namingAuthority(ADMISSIONS *a, NAMING_AUTHORITY *na);
const PROFESSION_INFOS *ADMISSIONS_get0_professionInfos(const ADMISSIONS *a);
void ADMISSIONS_set0_professionInfos(ADMISSIONS *a, PROFESSION_INFOS *pi);
const ASN1_OCTET_STRING *PROFESSION_INFO_get0_addProfessionInfo(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_addProfessionInfo(
    PROFESSION_INFO *pi, ASN1_OCTET_STRING *aos);
const NAMING_AUTHORITY *PROFESSION_INFO_get0_namingAuthority(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_namingAuthority(
    PROFESSION_INFO *pi, NAMING_AUTHORITY *na);
const STACK_OF(ASN1_STRING) *PROFESSION_INFO_get0_professionItems(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_professionItems(
    PROFESSION_INFO *pi, STACK_OF(ASN1_STRING) *as);

```

```

const STACK_OF(ASN1_OBJECT) *PROFESSION_INFO_get0_professionOIDs(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_professionOIDs(
    PROFESSION_INFO *pi, STACK_OF(ASN1_OBJECT) *po);
const ASN1_PRINTABLESTRING *PROFESSION_INFO_get0_registrationNumber(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_registrationNumber(
    PROFESSION_INFO *pi, ASN1_PRINTABLESTRING *rn);

#ifdef __cplusplus
}
#endif
#endif
The ISC License

```

Copyright (c) GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from providers/common/include/prov/der_ec.h.in

*

* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#include "crypto/ec.h"

#include "internal/der.h"

/* Well known OIDs precompiled */

/*

* ecdsa-with-SHA1 OBJECT IDENTIFIER ::= { id-ecSigType 1 }

*/

#define DER_OID_V_ecdsa_with_SHA1 DER_P_OBJECT, 7, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x01

#define DER_OID_SZ_ecdsa_with_SHA1 9

extern const unsigned char ossl_der_oid_ecdsa_with_SHA1[DER_OID_SZ_ecdsa_with_SHA1];

```

/*
 * id-ecPublicKey OBJECT IDENTIFIER ::= { id-publicKeyType 1 }
 */
#define DER_OID_V_id_ecPublicKey DER_P_OBJECT, 7, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x02, 0x01
#define DER_OID_SZ_id_ecPublicKey 9
extern
const unsigned char ossl_der_oid_id_ecPublicKey[DER_OID_SZ_id_ecPublicKey];

/*
 * c2pnb163v1 OBJECT IDENTIFIER ::= { c-TwoCurve 1 }
 */
#define DER_OID_V_c2pnb163v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x01
#define DER_OID_SZ_c2pnb163v1 10
extern const unsigned char ossl_der_oid_c2pnb163v1[DER_OID_SZ_c2pnb163v1];

/*
 * c2pnb163v2 OBJECT IDENTIFIER ::= { c-TwoCurve 2 }
 */
#define DER_OID_V_c2pnb163v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x02
#define DER_OID_SZ_c2pnb163v2 10
extern const unsigned char ossl_der_oid_c2pnb163v2[DER_OID_SZ_c2pnb163v2];

/*
 * c2pnb163v3 OBJECT IDENTIFIER ::= { c-TwoCurve 3 }
 */
#define DER_OID_V_c2pnb163v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x03
#define DER_OID_SZ_c2pnb163v3 10
extern const unsigned char ossl_der_oid_c2pnb163v3[DER_OID_SZ_c2pnb163v3];

/*
 * c2pnb176w1 OBJECT IDENTIFIER ::= { c-TwoCurve 4 }
 */
#define DER_OID_V_c2pnb176w1 DER_P_OBJECT, 8, 0x2A, 0x86,
    0x48, 0xCE, 0x3D, 0x03, 0x00, 0x04
#define DER_OID_SZ_c2pnb176w1 10
extern const unsigned char ossl_der_oid_c2pnb176w1[DER_OID_SZ_c2pnb176w1];

/*
 * c2tnb191v1 OBJECT IDENTIFIER ::= { c-TwoCurve 5 }
 */
#define DER_OID_V_c2tnb191v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x05
#define DER_OID_SZ_c2tnb191v1 10
extern const unsigned char ossl_der_oid_c2tnb191v1[DER_OID_SZ_c2tnb191v1];

/*
 * c2tnb191v2 OBJECT IDENTIFIER ::= { c-TwoCurve 6 }
 */

```

```

#define DER_OID_V_c2tnb191v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x06
#define DER_OID_SZ_c2tnb191v2 10
extern const unsigned char ossl_der_oid_c2tnb191v2[DER_OID_SZ_c2tnb191v2];

/*
 * c2tnb191v3 OBJECT IDENTIFIER ::= { c-TwoCurve 7 }
 */
#define DER_OID_V_c2tnb191v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x07
#define DER_OID_SZ_c2tnb191v3 10
extern const unsigned char ossl_der_oid_c2tnb191v3[DER_OID_SZ_c2tnb191v3];

/*
 * c2onb191v4 OBJECT IDENTIFIER ::= { c-TwoCurve
   8 }
 */
#define DER_OID_V_c2onb191v4 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x08
#define DER_OID_SZ_c2onb191v4 10
extern const unsigned char ossl_der_oid_c2onb191v4[DER_OID_SZ_c2onb191v4];

/*
 * c2onb191v5 OBJECT IDENTIFIER ::= { c-TwoCurve 9 }
 */
#define DER_OID_V_c2onb191v5 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x09
#define DER_OID_SZ_c2onb191v5 10
extern const unsigned char ossl_der_oid_c2onb191v5[DER_OID_SZ_c2onb191v5];

/*
 * c2pnb208w1 OBJECT IDENTIFIER ::= { c-TwoCurve 10 }
 */
#define DER_OID_V_c2pnb208w1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0A
#define DER_OID_SZ_c2pnb208w1 10
extern const unsigned char ossl_der_oid_c2pnb208w1[DER_OID_SZ_c2pnb208w1];

/*
 * c2tnb239v1 OBJECT IDENTIFIER ::= { c-TwoCurve 11 }
 */
#define DER_OID_V_c2tnb239v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0B
#define DER_OID_SZ_c2tnb239v1 10
extern const unsigned char ossl_der_oid_c2tnb239v1[DER_OID_SZ_c2tnb239v1];

/*
 * c2tnb239v2 OBJECT IDENTIFIER ::= { c-TwoCurve 12 }
 */
#define DER_OID_V_c2tnb239v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0C
#define DER_OID_SZ_c2tnb239v2 10
extern const unsigned char ossl_der_oid_c2tnb239v2[DER_OID_SZ_c2tnb239v2];

/*

```

```

* c2tnb239v3 OBJECT IDENTIFIER ::= { c-TwoCurve 13 }
*/

#define DER_OID_V_c2tnb239v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0D
#define DER_OID_SZ_c2tnb239v3 10
extern const unsigned char ossl_der_oid_c2tnb239v3[DER_OID_SZ_c2tnb239v3];

/*
* c2onb239v4 OBJECT IDENTIFIER ::= { c-TwoCurve 14 }
*/

#define DER_OID_V_c2onb239v4 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0E
#define DER_OID_SZ_c2onb239v4 10
extern const unsigned char ossl_der_oid_c2onb239v4[DER_OID_SZ_c2onb239v4];

/*
* c2onb239v5 OBJECT IDENTIFIER ::= { c-TwoCurve 15 }
*/

#define DER_OID_V_c2onb239v5 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0F
#define DER_OID_SZ_c2onb239v5 10
extern
const unsigned char ossl_der_oid_c2onb239v5[DER_OID_SZ_c2onb239v5];

/*
* c2pnb272w1 OBJECT IDENTIFIER ::= { c-TwoCurve 16 }
*/

#define DER_OID_V_c2pnb272w1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x10
#define DER_OID_SZ_c2pnb272w1 10
extern const unsigned char ossl_der_oid_c2pnb272w1[DER_OID_SZ_c2pnb272w1];

/*
* c2pnb304w1 OBJECT IDENTIFIER ::= { c-TwoCurve 17 }
*/

#define DER_OID_V_c2pnb304w1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x11
#define DER_OID_SZ_c2pnb304w1 10
extern const unsigned char ossl_der_oid_c2pnb304w1[DER_OID_SZ_c2pnb304w1];

/*
* c2tnb359v1 OBJECT IDENTIFIER ::= { c-TwoCurve 18 }
*/

#define DER_OID_V_c2tnb359v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x12
#define DER_OID_SZ_c2tnb359v1 10
extern const unsigned char ossl_der_oid_c2tnb359v1[DER_OID_SZ_c2tnb359v1];

/*
* c2pnb368w1 OBJECT IDENTIFIER ::= { c-TwoCurve 19 }
*/

#define DER_OID_V_c2pnb368w1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48,
0xCE, 0x3D, 0x03, 0x00, 0x13
#define DER_OID_SZ_c2pnb368w1 10

```

```

extern const unsigned char ossl_der_oid_c2pnb368w1[DER_OID_SZ_c2pnb368w1];

/*
 * c2tnb431r1 OBJECT IDENTIFIER ::= { c-TwoCurve 20 }
 */
#define DER_OID_V_c2tnb431r1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x14
#define DER_OID_SZ_c2tnb431r1 10
extern const unsigned char ossl_der_oid_c2tnb431r1[DER_OID_SZ_c2tnb431r1];

/*
 * prime192v1 OBJECT IDENTIFIER ::= { primeCurve 1 }
 */
#define DER_OID_V_prime192v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x01
#define DER_OID_SZ_prime192v1 10
extern const unsigned char ossl_der_oid_prime192v1[DER_OID_SZ_prime192v1];

/*
 * prime192v2 OBJECT IDENTIFIER ::= { primeCurve 2 }
 */
#define DER_OID_V_prime192v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x02
#define DER_OID_SZ_prime192v2 10
extern const unsigned char ossl_der_oid_prime192v2[DER_OID_SZ_prime192v2];

/*
 * prime192v3 OBJECT IDENTIFIER ::= { primeCurve 3 }
 */
#define
  DER_OID_V_prime192v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x03
#define DER_OID_SZ_prime192v3 10
extern const unsigned char ossl_der_oid_prime192v3[DER_OID_SZ_prime192v3];

/*
 * prime239v1 OBJECT IDENTIFIER ::= { primeCurve 4 }
 */
#define DER_OID_V_prime239v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x04
#define DER_OID_SZ_prime239v1 10
extern const unsigned char ossl_der_oid_prime239v1[DER_OID_SZ_prime239v1];

/*
 * prime239v2 OBJECT IDENTIFIER ::= { primeCurve 5 }
 */
#define DER_OID_V_prime239v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x05
#define DER_OID_SZ_prime239v2 10
extern const unsigned char ossl_der_oid_prime239v2[DER_OID_SZ_prime239v2];

/*
 * prime239v3 OBJECT IDENTIFIER ::= { primeCurve 6 }
 */

```



```

#define DER_OID_V_prime239v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x06
#define DER_OID_SZ_prime239v3 10
extern const unsigned char ossl_der_oid_prime239v3[DER_OID_SZ_prime239v3];

/*
 * prime256v1 OBJECT IDENTIFIER ::= { primeCurve 7 }
 */
#define DER_OID_V_prime256v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x07
#define DER_OID_SZ_prime256v1 10
extern const unsigned char ossl_der_oid_prime256v1[DER_OID_SZ_prime256v1];

/*
 * ecdsa-with-SHA224 OBJECT IDENTIFIER ::= { iso(1) member-body(2)
 *   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 1 }
 */
#define DER_OID_V_ecdsa_with_SHA224 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x01
#define DER_OID_SZ_ecdsa_with_SHA224 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA224[DER_OID_SZ_ecdsa_with_SHA224];

/*
 * ecdsa-with-SHA256 OBJECT IDENTIFIER ::= { iso(1) member-body(2)
 *   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 2 }
 */
#define DER_OID_V_ecdsa_with_SHA256 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x02
#define DER_OID_SZ_ecdsa_with_SHA256 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA256[DER_OID_SZ_ecdsa_with_SHA256];

/*
 * ecdsa-with-SHA384 OBJECT IDENTIFIER ::= { iso(1) member-body(2)
 *   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 3 }
 */
#define DER_OID_V_ecdsa_with_SHA384 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x03
#define DER_OID_SZ_ecdsa_with_SHA384 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA384[DER_OID_SZ_ecdsa_with_SHA384];

/*
 * ecdsa-with-SHA512 OBJECT IDENTIFIER ::= { iso(1) member-body(2)
 *   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 4 }
 */
#define DER_OID_V_ecdsa_with_SHA512 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x04
#define DER_OID_SZ_ecdsa_with_SHA512 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA512[DER_OID_SZ_ecdsa_with_SHA512];

/*

```

```

* id-ecdsa-with-sha3-224 OBJECT IDENTIFIER ::= { sigAlgs 9 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x09
#define DER_OID_SZ_id_ecdsa_with_sha3_224 11
extern const
unsigned char ossl_der_oid_id_ecdsa_with_sha3_224[DER_OID_SZ_id_ecdsa_with_sha3_224];

/*
* id-ecdsa-with-sha3-256 OBJECT IDENTIFIER ::= { sigAlgs 10 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x0A
#define DER_OID_SZ_id_ecdsa_with_sha3_256 11
extern const unsigned char ossl_der_oid_id_ecdsa_with_sha3_256[DER_OID_SZ_id_ecdsa_with_sha3_256];

/*
* id-ecdsa-with-sha3-384 OBJECT IDENTIFIER ::= { sigAlgs 11 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x0B
#define DER_OID_SZ_id_ecdsa_with_sha3_384 11
extern const unsigned char ossl_der_oid_id_ecdsa_with_sha3_384[DER_OID_SZ_id_ecdsa_with_sha3_384];

/*
* id-ecdsa-with-sha3-512 OBJECT IDENTIFIER ::= { sigAlgs 12 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x0C
#define DER_OID_SZ_id_ecdsa_with_sha3_512 11
extern const unsigned char ossl_der_oid_id_ecdsa_with_sha3_512[DER_OID_SZ_id_ecdsa_with_sha3_512];

/*
Subject Public Key Info */
int ossl_DER_w_algorithmIdentifier_EC(WPACKET *pkt, int cont, EC_KEY *ec);
/* Signature */
int ossl_DER_w_algorithmIdentifier_ECDSA_with_MD(WPACKET *pkt, int cont,
EC_KEY *ec, int mdnid);
MIT License

```

Copyright (c) 2021 Simon Seyock

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

// Copyright 2016 The Chromium Authors. All rights reserved.

//

// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:

//

// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.

// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.

// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.

//

// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2018 Logan Smyth <loganfsmyth@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2015 Rich Harris

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER

CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The 3-Clause BSD License

Copyright web-platform-tests contributors

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following
disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote
products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL

THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 by Armin Ronacher and contributors. See AUTHORS for more details.

Some rights reserved.

Redistribution and use in source and binary forms of the software as well as documentation, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE AND DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/* WARNING: do not edit! */

/* Generated by Makefile from include/crypto/bn_conf.h.in */

/*

* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OSSL_CRYPTO_BN_CONF_H

define OSSL_CRYPTO_BN_CONF_H

pragma once

/*

* The contents of this file are not used in the UEFI build, as

* both 32-bit and 64-bit builds are supported from a single run

* of the Configure script.

*/

/* Should we define BN_DIV2W here? */

/* Only one for the following should be defined */

#define SIXTY_FOUR_BIT_LONG

#undef SIXTY_FOUR_BIT

#undef THIRTY_TWO_BIT

#endif

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```

/*
 * WARNING: do not edit!
 * Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl
 * via Makefile.in
 *
 * Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#ifndef OPENSSL_CONFIGURATION_H
#define OPENSSL_CONFIGURATION_H
#pragma once

#ifdef __cplusplus
extern "C" {
#endif

#ifdef OPENSSL_ALGORITHM_DEFINES
#error OPENSSL_ALGORITHM_DEFINES no longer supported
#endif

/*
 * OpenSSL was configured with the following options:
 */

#define OPENSSL_CONFIGURED_API 30000
#ifndef OPENSSL_RAND_SEED_OS
#define OPENSSL_RAND_SEED_OS
#endif
#ifndef OPENSSL_THREADS
#define OPENSSL_THREADS
#endif
#ifndef OPENSSL_NO_AFALGENG
#define OPENSSL_NO_AFALGENG
#endif
#ifndef
OPENSSL_NO_ASAN
#define OPENSSL_NO_ASAN
#endif
#ifndef OPENSSL_NO_ASM
#define OPENSSL_NO_ASM
#endif
#ifndef OPENSSL_NO_COMP
#define OPENSSL_NO_COMP

```



```

# endif
# ifndef OPENSSSL_NO_CRYPTOMDEBUG
# define OPENSSSL_NO_CRYPTOMDEBUG
# endif
# ifndef OPENSSSL_NO_CRYPTOMDEBUG_BACKTRACE
# define OPENSSSL_NO_CRYPTOMDEBUG_BACKTRACE
# endif
# ifndef OPENSSSL_NO_EC_NISTP_64_GCC_128
# define OPENSSSL_NO_EC_NISTP_64_GCC_128
# endif
# ifndef OPENSSSL_NO_EGD
# define OPENSSSL_NO_EGD
# endif
# ifndef OPENSSSL_NO_EXTERNAL_TESTS
# define OPENSSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSSL_NO_FUZZ_AFL
# define OPENSSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSSL_NO_FUZZ_LIBFUZZER
# define OPENSSSL_NO_FUZZ_LIBFUZZER
# endif
# ifndef OPENSSSL_NO_KTLS
# define OPENSSSL_NO_KTLS
# endif
# ifndef OPENSSSL_NO_LOADERENG
# define OPENSSSL_NO_LOADERENG
# endif
# ifndef OPENSSSL_NO_MD2
# define OPENSSSL_NO_MD2
# endif
# ifndef OPENSSSL_NO_MSAN
# define OPENSSSL_NO_MSAN
# endif
# ifndef OPENSSSL_NO_RC5
# define OPENSSSL_NO_RC5
#
endif
# ifndef OPENSSSL_NO_SCTP
# define OPENSSSL_NO_SCTP
# endif
# ifndef OPENSSSL_NO_SSL3
# define OPENSSSL_NO_SSL3
# endif
# ifndef OPENSSSL_NO_SSL3_METHOD
# define OPENSSSL_NO_SSL3_METHOD
# endif
# ifndef OPENSSSL_NO_TRACE

```

```

# define OPENSSL_NO_TRACE
# endif
# ifndef OPENSSL_NO_UBSAN
# define OPENSSL_NO_UBSAN
# endif
# ifndef OPENSSL_NO_UNIT_TEST
# define OPENSSL_NO_UNIT_TEST
# endif
# ifndef OPENSSL_NO_UPLINK
# define OPENSSL_NO_UPLINK
# endif
# ifndef OPENSSL_NO_WEAK_SSL_CIPHERS
# define OPENSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSL_NO_DYNAMIC_ENGINE
# define OPENSSL_NO_DYNAMIC_ENGINE
# endif

/* Generate 80386 code? */
# undef I386_ONLY

/*
 * The following are cipher-specific, but are part of the public API.
 */
# if !defined(OPENSSL_SYS_UEFI)
# undef BN_LLONG
/* Only one for the following should be defined */
# define SIXTY_FOUR_BIT_LONG
# undef SIXTY_FOUR_BIT
# undef THIRTY_TWO_BIT
# endif

# define RC4_INT unsigned int

# ifdef __cplusplus
}
# endif

#endif

/* OPENSSL_CONFIGURATION_H */

/*
 * WARNING: do not edit!
 * Generated by Makefile from providers/common/include/prov/der_sm2.h.in
 *
 * Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use

```

* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* <https://www.openssl.org/source/license.html>
*/

```
#include "crypto/ec.h"  
#include "internal/der.h"
```

```
/* Well known OIDs precompiled */
```

```
/*
```

```
* sm2-with-SM3 OBJECT IDENTIFIER ::= { sm-scheme 501 }  
*/
```

```
#define DER_OID_V_sm2_with_SM3 DER_P_OBJECT, 8, 0x2A, 0x81, 0x1C, 0xCF, 0x55, 0x01, 0x83, 0x75  
#define DER_OID_SZ_sm2_with_SM3 10  
extern const unsigned char ossl_der_oid_sm2_with_SM3[DER_OID_SZ_sm2_with_SM3];
```

```
/*
```

```
* curveSM2 OBJECT IDENTIFIER ::= { sm-scheme 301 }  
*/
```

```
#define DER_OID_V_curveSM2 DER_P_OBJECT, 8, 0x2A, 0x81, 0x1C, 0xCF, 0x55, 0x01, 0x82, 0x2D  
#define DER_OID_SZ_curveSM2 10  
extern const unsigned char  
    ossl_der_oid_curveSM2[DER_OID_SZ_curveSM2];
```

```
/* Subject Public Key Info */
```

```
int ossl_DER_w_algorithmIdentifier_SM2(WPACKET *pkt, int cont, EC_KEY *ec);
```

```
/* Signature */
```

```
int ossl_DER_w_algorithmIdentifier_SM2_with_MD(WPACKET *pkt, int cont,  
                                                EC_KEY *ec, int mdnid);
```

The MIT License (MIT)

Copyright (c) 2014 Sergii Iavorskyi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License;
and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,

if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be

under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Artistic License 2.0

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The JsonCpp library's source code, including accompanying documentation, tests and demonstration applications, are licensed under the following conditions...

The author (Baptiste Lepilleur) explicitly disclaims copyright in all jurisdictions which recognize such a disclaimer. In such jurisdictions, this software is released into the Public Domain.

In jurisdictions which do not recognize Public Domain property (e.g. Germany as of 2010), this software is Copyright (c) 2007-2010 by Baptiste Lepilleur, and is released under the terms of the MIT License (see below).

In jurisdictions which recognize Public Domain property, the user of this software may choose to accept it either as 1) Public Domain, 2) under the conditions of the MIT License (see below), or 3) under the terms of dual Public Domain/MIT License conditions described here, as they choose.

The MIT License is about as close to Public Domain as a license can get, and is described in clear, concise terms at:

http://en.wikipedia.org/wiki/MIT_License

The full text of the MIT License follows:

=====
Copyright (c) 2007-2010 Baptiste Lepilleur

Permission is hereby granted, free of charge, to any person

obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
(END LICENSE TEXT)

The MIT license is compatible with both the GPL and commercial software, affording one all of the rights of Public Domain with the minor nuisance of being required to keep the above copyright notice and license text in the source code. Note also that by accepting the Public Domain "license" you can re-license your copy using whatever license you like.

The npm application
Copyright (c) npm, Inc. and Contributors
Licensed on the terms of The Artistic License 2.0

Node package dependencies of the npm application
Copyright (c) their respective copyright owners
Licensed on their respective license terms

The npm public registry at <https://registry.npmjs.org>
and the npm website at <https://www.npmjs.com>
Operated by npm, Inc.
Use governed by terms published on <https://www.npmjs.com>

"Node.js"
Trademark Joyent, Inc., <https://joyent.com>
Neither npm nor npm, Inc. are affiliated with Joyent, Inc.

The Node.js application
Project of Node Foundation, <https://nodejs.org>

The npm Logo
Copyright (c) Mathias Pettersson and Brian Hammond

"Gubblebum Blocky" typeface
Copyright (c) Tjarda Koster, <https://jelloween.deviantart.com>
Used with permission

The Artistic License 2.0

Copyright (c) 2000-2006, The Perl Foundation.

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

This

license establishes the terms under which a given free software
Package may be copied, modified, distributed, and/or redistributed.
The intent is that the Copyright Holder maintains some artistic
control over the development of that Package while still keeping the
Package available as open source and free software.

You are always permitted to make arrangements wholly outside of this
license directly with the Copyright Holder of a given Package. If the
terms of this license do not permit the full use that you propose to
make of the Package, you should contact the Copyright Holder and seek
a different licensing arrangement.

Definitions

"Copyright Holder" means the individual(s) or organization(s)
named in the copyright notice for the entire Package.

"Contributor" means any party that has contributed code or other
material to the Package, in accordance with the Copyright Holder's
procedures.

"You" and "your" means any person who would like to copy,
distribute, or modify the Package.

"Package" means the collection of files distributed by the
Copyright Holder, and derivatives of that collection and/or of
those files. A given Package may consist of either the Standard

Version, or a Modified Version.

"Distribute" means providing a copy of the Package or making it accessible to anyone else, or in the case of a company or organization, to others outside of your company or organization.

"Distributor Fee" means any fee that you charge for Distributing this Package or providing support for this Package to another party. It does not mean licensing fees.

"Standard Version" refers to the Package if it has not been modified, or has been modified only in ways explicitly requested by the Copyright Holder.

"Modified Version" means the Package, if it has been changed, and such changes were not explicitly requested by the Copyright Holder.

"Original License" means this Artistic License as Distributed with the Standard Version of the Package, in its current version or as it may be modified by The Perl Foundation in the future.

"Source" form means the source code, documentation source, and configuration files for the Package.

"Compiled" form means the compiled bytecode, object code, binary, or any other form resulting from mechanical transformation or translation of the Source form.

Permission for Use and Modification Without Distribution

(1) You are permitted to use the Standard Version and create and use Modified Versions for any purpose without restriction, provided that you do not Distribute the Modified Version.

Permissions for Redistribution of the Standard Version

(2) You may Distribute verbatim copies of the Source form of the Standard Version of this Package in any medium without restriction, either gratis or for a Distributor Fee, provided that you duplicate all of the original copyright notices and associated disclaimers. At your discretion, such verbatim copies may or may not include a Compiled form of the Package.

(3) You may apply any bug fixes, portability changes, and other modifications made available from the Copyright Holder. The resulting Package will still be considered the Standard Version, and as such will be subject to the Original License.

Distribution of Modified Versions of the Package as Source

(4) You may Distribute your Modified Version as Source (either gratis or for a Distributor Fee, and with or without a Compiled form of the Modified Version) provided that you clearly document how it differs from the Standard Version, including, but not limited to, documenting any non-standard features, executables, or modules, and provided that you do at least ONE of the following:

(a) make the Modified Version available to the Copyright Holder of the Standard Version, under the Original License, so that the Copyright Holder may include your modifications in the Standard Version.

(b) ensure that installation of your Modified Version does not prevent the user installing or running the Standard Version. In addition, the Modified Version must bear a name that is different from the name of the Standard Version.

(c) allow anyone who receives a copy of the Modified Version to make the Source form of the Modified Version available to others under

(i) the Original License or

(ii) a license that permits the licensee to freely copy, modify and redistribute the Modified Version using the same licensing terms that apply to the copy that the licensee received, and requires that the Source form of the Modified Version, and of any works derived from it, be made freely available in that license fees are prohibited but Distributor Fees are allowed.

Distribution of Compiled Forms of the Standard Version or Modified Versions without the Source

(5)

You may Distribute Compiled forms of the Standard Version without the Source, provided that you include complete instructions on how to get the Source of the Standard Version. Such instructions must be

valid at the time of your distribution. If these instructions, at any time while you are carrying out such distribution, become invalid, you must provide new instructions on demand or cease further distribution. If you provide valid instructions or cease distribution within thirty days after you become aware that the instructions are invalid, then you do not forfeit any of your rights under this license.

(6) You may Distribute a Modified Version in Compiled form without the Source, provided that you comply with Section 4 with respect to the Source of the Modified Version.

Aggregating or Linking the Package

(7) You may aggregate the Package (either the Standard Version or Modified Version) with other packages and Distribute the resulting aggregation provided that you do not charge a licensing fee for the Package. Distributor Fees are permitted, and licensing fees for other components in the aggregation are permitted. The terms of this license apply to the use and Distribution of the Standard or Modified Versions as included in the aggregation.

(8) You are permitted to link Modified and Standard Versions with other works, to embed the Package in a larger work of your own, or to build stand-alone binary or bytecode versions of applications that include the Package, and Distribute the result without restriction, provided the result does not expose a direct interface to the Package.

Items That are Not Considered Part of a Modified Version

(9) Works (including, but not limited to, modules and scripts) that merely extend or make use of the Package, do not, by themselves, cause the Package to be a Modified Version. In addition, such works are not considered parts of the Package itself, and are not subject to the terms of this license.

General Provisions

(10)

Any use, modification, and distribution of the Standard or Modified Versions is governed by this Artistic License. By using, modifying or distributing the Package, you accept this license. Do not use, modify, or distribute the Package, if you do not accept this license.

(11) If your Modified Version has been derived from a Modified Version made by someone other than you, you are nevertheless required to ensure that your Modified Version complies with the requirements of this license.

(12) This license does not grant you the right to use any trademark, service mark, tradename, or logo of the Copyright Holder.

(13) This license includes the non-exclusive, worldwide, free-of-charge patent license to make, have made, use, offer to sell, sell, import and otherwise transfer the Package with respect to any patent claims licensable by the Copyright Holder that are necessarily infringed by the Package. If you institute patent litigation (including a cross-claim or counterclaim) against any party alleging that the Package constitutes direct or contributory patent infringement, then this Artistic License to you shall terminate on the date that such litigation is filed.

(14) Disclaimer of Warranty:

THE PACKAGE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES. THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT ARE DISCLAIMED TO THE EXTENT PERMITTED BY YOUR LOCAL LAW. UNLESS REQUIRED BY LAW, NO COPYRIGHT HOLDER OR CONTRIBUTOR WILL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING IN ANY WAY OUT OF THE USE OF THE PACKAGE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensors and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2013 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2013 Kael Zhang <i@kael.me>, contributors
<http://kael.me/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2009-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2018, Gajus Kuizinas (<http://gajus.com/>)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Gajus Kuizinas (<http://gajus.com/>) nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL ANYONE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright JS Foundation and other contributors, <https://js.foundation>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/*
 * WARNING: do not edit!
 * Generated by apps/progs.pl
 *
 * Copyright 1995-2025 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */
```

```
#include "function.h"
```

```
extern int asn1parse_main(int argc, char *argv[]);
extern int ca_main(int argc, char *argv[]);
extern int ciphers_main(int argc, char *argv[]);
extern int cmp_main(int argc, char *argv[]);
extern int cms_main(int argc, char *argv[]);
extern int crl_main(int argc, char *argv[]);
extern int crl2pkcs7_main(int argc, char *argv[]);
extern int dgst_main(int argc, char *argv[]);
extern int dhparam_main(int argc, char *argv[]);
extern int dsa_main(int argc, char *argv[]);
extern int dsaparam_main(int argc, char *argv[]);
extern int ec_main(int argc, char *argv[]);
extern int ecparam_main(int
    argc, char *argv[]);
extern int enc_main(int argc, char *argv[]);
extern int engine_main(int argc, char *argv[]);
extern int errstr_main(int argc, char *argv[]);
extern int fipsinstall_main(int argc, char *argv[]);
extern int gendsa_main(int argc, char *argv[]);
extern int genpkey_main(int argc, char *argv[]);
extern int genrsa_main(int argc, char *argv[]);
extern int help_main(int argc, char *argv[]);
extern int info_main(int argc, char *argv[]);
extern int kdf_main(int argc, char *argv[]);
extern int list_main(int argc, char *argv[]);
extern int mac_main(int argc, char *argv[]);
extern int nseq_main(int argc, char *argv[]);
extern int ocsp_main(int argc, char *argv[]);
extern int passwd_main(int argc, char *argv[]);
extern int pkcs12_main(int argc, char *argv[]);
extern int pkcs7_main(int argc, char *argv[]);
extern int pkcs8_main(int argc, char *argv[]);
extern int pkey_main(int argc, char *argv[]);
extern int pkeyparam_main(int argc, char *argv[]);
```

```

extern int pkeyutl_main(int
    argc, char *argv[]);
extern int prime_main(int argc, char *argv[]);
extern int rand_main(int argc, char *argv[]);
extern int rehash_main(int argc, char *argv[]);
extern int req_main(int argc, char *argv[]);
extern int rsa_main(int argc, char *argv[]);
extern int rsautl_main(int argc, char *argv[]);
extern int s_client_main(int argc, char *argv[]);
extern int s_server_main(int argc, char *argv[]);
extern int s_time_main(int argc, char *argv[]);
extern int sess_id_main(int argc, char *argv[]);
extern int smime_main(int argc, char *argv[]);
extern int speed_main(int argc, char *argv[]);
extern int spkac_main(int argc, char *argv[]);
extern int srp_main(int argc, char *argv[]);
extern int storeutl_main(int argc, char *argv[]);
extern int ts_main(int argc, char *argv[]);
extern int verify_main(int argc, char *argv[]);
extern int version_main(int argc, char *argv[]);
extern int x509_main(int argc, char *argv[]);

```

```

extern const OPTIONS asn1parse_options[];
extern const OPTIONS ca_options[];
extern
    const OPTIONS ciphers_options[];
extern const OPTIONS cmp_options[];
extern const OPTIONS cms_options[];
extern const OPTIONS crl_options[];
extern const OPTIONS crl2pkcs7_options[];
extern const OPTIONS dgst_options[];
extern const OPTIONS dhparam_options[];
extern const OPTIONS dsa_options[];
extern const OPTIONS dsaparam_options[];
extern const OPTIONS ec_options[];
extern const OPTIONS ecpkcs7_options[];
extern const OPTIONS enc_options[];
extern const OPTIONS engine_options[];
extern const OPTIONS errstr_options[];
extern const OPTIONS fipsinstall_options[];
extern const OPTIONS gendsa_options[];
extern const OPTIONS genpkey_options[];
extern const OPTIONS genrsa_options[];
extern const OPTIONS help_options[];
extern const OPTIONS info_options[];
extern const OPTIONS kdf_options[];
extern const OPTIONS list_options[];
extern const OPTIONS mac_options[];

```

```

extern const OPTIONS nseq_options[];
extern const OPTIONS ocsf_options[];
extern const OPTIONS passwd_options[];
extern
    const OPTIONS pkcs12_options[];
extern const OPTIONS pkcs7_options[];
extern const OPTIONS pkcs8_options[];
extern const OPTIONS pkey_options[];
extern const OPTIONS pkeyparam_options[];
extern const OPTIONS pkeyutl_options[];
extern const OPTIONS prime_options[];
extern const OPTIONS rand_options[];
extern const OPTIONS rehash_options[];
extern const OPTIONS req_options[];
extern const OPTIONS rsa_options[];
extern const OPTIONS rsautl_options[];
extern const OPTIONS s_client_options[];
extern const OPTIONS s_server_options[];
extern const OPTIONS s_time_options[];
extern const OPTIONS sess_id_options[];
extern const OPTIONS smime_options[];
extern const OPTIONS speed_options[];
extern const OPTIONS spkac_options[];
extern const OPTIONS srp_options[];
extern const OPTIONS storeutl_options[];
extern const OPTIONS ts_options[];
extern const OPTIONS verify_options[];
extern const OPTIONS version_options[];
extern const OPTIONS x509_options[];

extern FUNCTION functions[];
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/bio.h.in
 *
 * Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#ifdef OPENSSL_BIO_H
# define OPENSSL_BIO_H
# pragma once

```



```

# include <openssl/macros.h>
# ifndef OPENSSL_NO_DEPRECATED_3_0
#   define HEADER_BIO_H
# endif

# include <openssl/e_os2.h>

# ifndef OPENSSL_NO_STDIO
#   include <stdio.h>
# endif
# include <stdarg.h>

# include <openssl/crypto.h>
# include <openssl/bioerr.h>
# include <openssl/core.h>

#ifdef __cplusplus
extern "C" {
#endif

/* There are the classes of BIOs */
# define BIO_TYPE_DESCRIPTOR    0x0100 /* socket, fd, connect or accept */
# define BIO_TYPE_FILTER       0x0200
# define BIO_TYPE_SOURCE_SINK  0x0400

/*
 * These are the 'types' of BIOs */
# define BIO_TYPE_NONE         0
# define BIO_TYPE_MEM           ( 1|BIO_TYPE_SOURCE_SINK)
# define BIO_TYPE_FILE          ( 2|BIO_TYPE_SOURCE_SINK)

# define BIO_TYPE_FD            ( 4|BIO_TYPE_SOURCE_SINK|BIO_TYPE_DESCRIPTOR)
# define BIO_TYPE_SOCKET        ( 5|BIO_TYPE_SOURCE_SINK|BIO_TYPE_DESCRIPTOR)
# define BIO_TYPE_NULL          ( 6|BIO_TYPE_SOURCE_SINK)
# define BIO_TYPE_SSL           ( 7|BIO_TYPE_FILTER)
# define BIO_TYPE_MD             ( 8|BIO_TYPE_FILTER)
# define BIO_TYPE_BUFFER        ( 9|BIO_TYPE_FILTER)
# define BIO_TYPE_CIPHER        (10|BIO_TYPE_FILTER)
# define BIO_TYPE_BASE64        (11|BIO_TYPE_FILTER)
# define BIO_TYPE_CONNECT       (12|BIO_TYPE_SOURCE_SINK|BIO_TYPE_DESCRIPTOR)
# define BIO_TYPE_ACCEPT        (13|BIO_TYPE_SOURCE_SINK|BIO_TYPE_DESCRIPTOR)

# define BIO_TYPE_NBIO_TEST     (16|BIO_TYPE_FILTER)/* server proxy BIO */
# define BIO_TYPE_NULL_FILTER   (17|BIO_TYPE_FILTER)
# define BIO_TYPE_BIO
    (19|BIO_TYPE_SOURCE_SINK)/* half a BIO pair */
# define BIO_TYPE_LINEBUFFER    (20|BIO_TYPE_FILTER)
# define BIO_TYPE_DGRAM         (21|BIO_TYPE_SOURCE_SINK|BIO_TYPE_DESCRIPTOR)

```

```

# define BIO_TYPE_ASN1      (22|BIO_TYPE_FILTER)
# define BIO_TYPE_COMP      (23|BIO_TYPE_FILTER)
# ifndef OPENSSSL_NO_SCTP
#  define BIO_TYPE_DGRAM_SCTP (24|BIO_TYPE_SOURCE_SINK|BIO_TYPE_DESCRIPTOR)
# endif
# define BIO_TYPE_CORE_TO_PROV (25|BIO_TYPE_SOURCE_SINK)

#define BIO_TYPE_START      128

/*
 * BIO_FILENAME_READ|BIO_CLOSE to open or close on free.
 * BIO_set_fp(in,stdin,BIO_NOCLOSE);
 */
# define BIO_NOCLOSE        0x00
# define BIO_CLOSE          0x01

/*
 * These are used in the following macros and are passed to BIO_ctrl()
 */
# define BIO_CTRL_RESET      1/* opt - rewind/zero etc */
# define BIO_CTRL_EOF        2/* opt - are we at the eof */
# define BIO_CTRL_INFO       3/* opt - extra tit-bits */
# define BIO_CTRL_SET        4/* man - set the 'IO'
   type */
# define BIO_CTRL_GET        5/* man - get the 'IO' type */
# define BIO_CTRL_PUSH       6/* opt - internal, used to signify change */
# define BIO_CTRL_POP        7/* opt - internal, used to signify change */
# define BIO_CTRL_GET_CLOSE  8/* man - set the 'close' on free */
# define BIO_CTRL_SET_CLOSE  9/* man - set the 'close' on free */
# define BIO_CTRL_PENDING    10/* opt - is their more data buffered */
# define BIO_CTRL_FLUSH      11/* opt - 'flush' buffered output */
# define BIO_CTRL_DUP        12/* man - extra stuff for 'duped' BIO */
# define BIO_CTRL_WPENDING   13/* opt - number of bytes still to write */
# define BIO_CTRL_SET_CALLBACK 14/* opt - set callback function */
# define BIO_CTRL_GET_CALLBACK 15/* opt - set callback function */

# define BIO_CTRL_PEEK       29/* BIO_f_buffer special */
# define BIO_CTRL_SET_FILENAME 30/* BIO_s_file special */

/* dgram BIO stuff */
# define BIO_CTRL_DGRAM_CONNECT 31/* BIO
   dgram special */
# define BIO_CTRL_DGRAM_SET_CONNECTED 32/* allow for an externally connected
   * socket to be passed in */
# define BIO_CTRL_DGRAM_SET_RECV_TIMEOUT 33/* setsockopt, essentially */
# define BIO_CTRL_DGRAM_GET_RECV_TIMEOUT 34/* getsockopt, essentially */
# define BIO_CTRL_DGRAM_SET_SEND_TIMEOUT 35/* setsockopt, essentially */
# define BIO_CTRL_DGRAM_GET_SEND_TIMEOUT 36/* getsockopt, essentially */

```

```

# define BIO_CTRL_DGRAM_GET_RECV_TIMER_EXP 37/* flag whether the last */
# define BIO_CTRL_DGRAM_GET_SEND_TIMER_EXP 38/* I/O operation timed out */

/* #ifdef IP_MTU_DISCOVER */
# define BIO_CTRL_DGRAM_MTU_DISCOVER      39/* set DF bit on egress packets */
/* #endif */

# define BIO_CTRL_DGRAM_QUERY_MTU          40/* as kernel for current MTU */
# define BIO_CTRL_DGRAM_GET_FALLBACK_MTU  47
# define BIO_CTRL_DGRAM_GET_MTU           41/* get cached value for MTU */
# define BIO_CTRL_DGRAM_SET_MTU           42/* set cached value for MTU.
                                           * want to use this if asking
                                           * the kernel fails */

# define BIO_CTRL_DGRAM_MTU_EXCEEDED      43/* check whether the MTU was
                                           * exceed in the previous write
                                           * operation */

# define BIO_CTRL_DGRAM_GET_PEER          46
# define BIO_CTRL_DGRAM_SET_PEER          44/* Destination for the data */

# define BIO_CTRL_DGRAM_SET_NEXT_TIMEOUT  45/* Next DTLS handshake timeout
                                           * to adjust socket timeouts */
# define BIO_CTRL_DGRAM_SET_DONT_FRAG     48

# define BIO_CTRL_DGRAM_GET_MTU_OVERHEAD  49

/* Deliberately outside of OPENSSL_NO_SCTP - used in bss_dgram.c */
# define BIO_CTRL_DGRAM_SCTP_SET_IN_HANDSHAKE  50
# ifndef OPENSSL_NO_SCTP
/* SCTP stuff */
# define BIO_CTRL_DGRAM_SCTP_ADD_AUTH_KEY      51
# define BIO_CTRL_DGRAM_SCTP_NEXT_AUTH_KEY
    52
# define BIO_CTRL_DGRAM_SCTP_AUTH_CCS_RCVD     53
# define BIO_CTRL_DGRAM_SCTP_GET_SNDINFO       60
# define BIO_CTRL_DGRAM_SCTP_SET_SNDINFO       61
# define BIO_CTRL_DGRAM_SCTP_GET_RCVINFO       62
# define BIO_CTRL_DGRAM_SCTP_SET_RCVINFO       63
# define BIO_CTRL_DGRAM_SCTP_GET_PRINFO        64
# define BIO_CTRL_DGRAM_SCTP_SET_PRINFO        65
# define BIO_CTRL_DGRAM_SCTP_SAVE_SHUTDOWN     70
# endif

# define BIO_CTRL_DGRAM_SET_PEEK_MODE          71

/*

```

```

* internal BIO:
* # define BIO_CTRL_SET_KTLS_SEND          72
* # define BIO_CTRL_SET_KTLS_SEND_CTRL_MSG  74
* # define BIO_CTRL_CLEAR_KTLS_CTRL_MSG     75
*/

# define BIO_CTRL_GET_KTLS_SEND            73
# define BIO_CTRL_GET_KTLS_RECV            76

# define BIO_CTRL_DGRAM_SCTP_WAIT_FOR_DRY  77
# define BIO_CTRL_DGRAM_SCTP_MSG_WAITING   78

/* BIO_f_prefix controls */
# define BIO_CTRL_SET_PREFIX                79
# define
    BIO_CTRL_SET_INDENT                    80
# define BIO_CTRL_GET_INDENT                81

# ifndef OPENSSL_NO_KTLS
#  define BIO_get_ktls_send(b) \
    (BIO_ctrl(b, BIO_CTRL_GET_KTLS_SEND, 0, NULL) > 0)
#  define BIO_get_ktls_rcv(b) \
    (BIO_ctrl(b, BIO_CTRL_GET_KTLS_RECV, 0, NULL) > 0)
# else
#  define BIO_get_ktls_send(b) (0)
#  define BIO_get_ktls_rcv(b) (0)
# endif

/* modifiers */
# define BIO_FP_READ          0x02
# define BIO_FP_WRITE         0x04
# define BIO_FP_APPEND        0x08
# define BIO_FP_TEXT          0x10

# define BIO_FLAGS_READ       0x01
# define BIO_FLAGS_WRITE      0x02
# define BIO_FLAGS_IO_SPECIAL 0x04
# define BIO_FLAGS_RWS (BIO_FLAGS_READ|BIO_FLAGS_WRITE|BIO_FLAGS_IO_SPECIAL)
# define BIO_FLAGS_SHOULD_RETRY 0x08
# ifndef OPENSSL_NO_DEPRECATED_3_0
/* This #define was replaced by an internal constant and should not be used. */
#  define BIO_FLAGS_UPLINK     0
# endif

# define BIO_FLAGS_BASE64_NO_NL 0x100

/*

```

```

* This is used with memory BIOS:
* BIO_FLAGS_MEM_RDONLY means we shouldn't free up or change the data in any way;
* BIO_FLAGS_NONCLEAR_RST means we shouldn't clear data on reset.
*/

#define BIO_FLAGS_MEM_RDONLY    0x200
#define BIO_FLAGS_NONCLEAR_RST  0x400
#define BIO_FLAGS_IN_EOF        0x800

/* the BIO_FLAGS values 0x1000 to 0x4000 are reserved for internal KTLS flags */

typedef union bio_addr_st BIO_ADDR;
typedef struct bio_addrinfo_st BIO_ADDRINFO;

int BIO_get_new_index(void);
void BIO_set_flags(BIO *b, int flags);
int BIO_test_flags(const BIO *b, int flags);
void BIO_clear_flags(BIO *b, int flags);

#define BIO_get_flags(b) BIO_test_flags(b, ~(0x0))
#define BIO_set_retry_special(b) \
    BIO_set_flags(b, (BIO_FLAGS_IO_SPECIAL|BIO_FLAGS_SHOULD_RETRY))
#define BIO_set_retry_read(b) \
    BIO_set_flags(b, (BIO_FLAGS_READ|BIO_FLAGS_SHOULD_RETRY))
#define BIO_set_retry_write(b) \
    BIO_set_flags(b, (BIO_FLAGS_WRITE|BIO_FLAGS_SHOULD_RETRY))

/*
These are normally used internally in BIOS */
#define BIO_clear_retry_flags(b) \
    BIO_clear_flags(b, (BIO_FLAGS_RWS|BIO_FLAGS_SHOULD_RETRY))
#define BIO_get_retry_flags(b) \
    BIO_test_flags(b, (BIO_FLAGS_RWS|BIO_FLAGS_SHOULD_RETRY))

/* These should be used by the application to tell why we should retry */
#define BIO_should_read(a)      BIO_test_flags(a, BIO_FLAGS_READ)
#define BIO_should_write(a)     BIO_test_flags(a, BIO_FLAGS_WRITE)
#define BIO_should_io_special(a) BIO_test_flags(a, BIO_FLAGS_IO_SPECIAL)
#define BIO_retry_type(a)       BIO_test_flags(a, BIO_FLAGS_RWS)
#define BIO_should_retry(a)     BIO_test_flags(a, BIO_FLAGS_SHOULD_RETRY)

/*
* The next three are used in conjunction with the BIO_should_io_special()
* condition. After this returns true, BIO *BIO_get_retry_BIO(BIO *bio, int
* *reason); will walk the BIO stack and return the 'reason' for the special
* and the offending
BIO. Given a BIO, BIO_get_retry_reason(bio) will return
* the code.
*/

```

```

/*
 * Returned from the SSL bio when the certificate retrieval code had an error
 */
#define BIO_RR_SSL_X509_LOOKUP      0x01
/* Returned from the connect BIO when a connect would have blocked */
#define BIO_RR_CONNECT              0x02
/* Returned from the accept BIO when an accept would have blocked */
#define BIO_RR_ACCEPT               0x03

/* These are passed by the BIO callback */
#define BIO_CB_FREE      0x01
#define BIO_CB_READ      0x02
#define BIO_CB_WRITE     0x03
#define BIO_CB_PUTS      0x04
#define BIO_CB_GETS      0x05
#define BIO_CB_CTRL      0x06

/*
 * The callback is called before and after the underling operation, The
 * BIO_CB_RETURN flag indicates if it is after the call
 */
#define BIO_CB_RETURN     0x80
#define BIO_CB_return(a) ((a)|BIO_CB_RETURN)
#define BIO_cb_pre(a)  (!(a)&BIO_CB_RETURN))
#define BIO_cb_post(a) ((a)&BIO_CB_RETURN)

#ifndef OPENSSL_NO_DEPRECATED_3_0
typedef
long (*BIO_callback_fn)(BIO *b, int oper, const char *argp, int argi,
                        long argl, long ret);
OSSL_DEPRECATEDIN_3_0 BIO_callback_fn BIO_get_callback(const BIO *b);
OSSL_DEPRECATEDIN_3_0 void BIO_set_callback(BIO *b, BIO_callback_fn callback);
OSSL_DEPRECATEDIN_3_0 long BIO_debug_callback(BIO *bio, int cmd,
                                              const char *argp, int argi,
                                              long argl, long ret);
#endif

typedef long (*BIO_callback_fn_ex)(BIO *b, int oper, const char *argp,
                                size_t len, int argi,
                                long argl, int ret, size_t *processed);
BIO_callback_fn_ex BIO_get_callback_ex(const BIO *b);
void BIO_set_callback_ex(BIO *b, BIO_callback_fn_ex callback);
long BIO_debug_callback_ex(BIO *bio, int oper, const char *argp, size_t len,
                          int argi, long argl, int ret, size_t *processed);

char *BIO_get_callback_arg(const
BIO *b);
void BIO_set_callback_arg(BIO *b, char *arg);

```

```

typedef struct bio_method_st BIO_METHOD;

const char *BIO_method_name(const BIO *b);
int BIO_method_type(const BIO *b);

typedef int BIO_info_cb(BIO *, int, int);
typedef BIO_info_cb bio_info_cb; /* backward compatibility */

SKM_DEFINE_STACK_OF_INTERNAL(BIO, BIO, BIO)
#define sk_BIO_num(sk) OPENSSL_sk_num(ssl_check_const_BIO_sk_type(sk))
#define sk_BIO_value(sk, idx) ((BIO *)OPENSSL_sk_value(ssl_check_const_BIO_sk_type(sk), (idx)))
#define sk_BIO_new(cmp) ((STACK_OF(BIO) *)OPENSSL_sk_new(ssl_check_BIO_compfunc_type(cmp)))
#define sk_BIO_new_null() ((STACK_OF(BIO) *)OPENSSL_sk_new_null())
#define sk_BIO_new_reserve(cmp, n) ((STACK_OF(BIO) *)OPENSSL_sk_new_reserve(ssl_check_BIO_compfunc_type(cmp), (n)))
#define sk_BIO_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_BIO_sk_type(sk), (n))
#define sk_BIO_free(sk) OPENSSL_sk_free(ssl_check_BIO_sk_type(sk))
#define sk_BIO_zero(sk) OPENSSL_sk_zero(ssl_check_BIO_sk_type(sk))
#define
    sk_BIO_delete(sk, i) ((BIO *)OPENSSL_sk_delete(ssl_check_BIO_sk_type(sk), (i)))
#define sk_BIO_delete_ptr(sk, ptr) ((BIO *)OPENSSL_sk_delete_ptr(ssl_check_BIO_sk_type(sk),
    ssl_check_BIO_type(ptr)))
#define sk_BIO_push(sk, ptr) OPENSSL_sk_push(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define sk_BIO_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define sk_BIO_pop(sk) ((BIO *)OPENSSL_sk_pop(ssl_check_BIO_sk_type(sk)))
#define sk_BIO_shift(sk) ((BIO *)OPENSSL_sk_shift(ssl_check_BIO_sk_type(sk)))
#define sk_BIO_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_BIO_sk_type(sk), ssl_check_BIO_freefunc_type(freefunc))
#define sk_BIO_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr),
    (idx))
#define sk_BIO_set(sk, idx, ptr) ((BIO *)OPENSSL_sk_set(ssl_check_BIO_sk_type(sk), (idx),
    ssl_check_BIO_type(ptr)))
#define sk_BIO_find(sk, ptr) OPENSSL_sk_find(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define
    sk_BIO_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define sk_BIO_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_BIO_sk_type(sk),
    ssl_check_BIO_type(ptr), pnum)
#define sk_BIO_sort(sk) OPENSSL_sk_sort(ssl_check_BIO_sk_type(sk))
#define sk_BIO_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_BIO_sk_type(sk))
#define sk_BIO_dup(sk) ((STACK_OF(BIO) *)OPENSSL_sk_dup(ssl_check_const_BIO_sk_type(sk)))
#define sk_BIO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(BIO) *)OPENSSL_sk_deep_copy(ssl_check_const_BIO_sk_type(sk), ssl_check_BIO_copyfunc_type(copyfunc),
    ssl_check_BIO_freefunc_type(freefunc)))
#define sk_BIO_set_cmp_func(sk, cmp)
    ((sk_BIO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_BIO_sk_type(sk),
    ssl_check_BIO_compfunc_type(cmp)))

```

```

/* Prefix and suffix callback in ASN1 BIO */
typedef int asn1_ps_func (BIO *b, unsigned char **pbuf, int *plen,
                          void *parg);

typedef void
(*BIO_dgram_sctp_notification_handler_fn) (BIO *b,
                                           void *context,
                                           void *buf);

#ifndef OPENSSL_NO_SCTP
/* SCTP parameter structs */
struct bio_dgram_sctp_sndinfo {
    uint16_t snd_sid;
    uint16_t snd_flags;
    uint32_t snd_ppid;
    uint32_t snd_context;
};

struct bio_dgram_sctp_rcvinfo {
    uint16_t rcv_sid;
    uint16_t rcv_ssn;
    uint16_t rcv_flags;
    uint32_t rcv_ppid;
    uint32_t rcv_tsn;
    uint32_t rcv_cumtsn;
    uint32_t rcv_context;
};

struct bio_dgram_sctp_prinfo {
    uint16_t pr_policy;
    uint32_t pr_value;
};
#endif

/*
 * #define BIO_CONN_get_param_hostname BIO_ctrl
 */

#define BIO_C_SET_CONNECT 100
#define BIO_C_DO_STATE_MACHINE 101
#define BIO_C_SET_NBIO 102
/* #define BIO_C_SET_PROXY_PARAM 103 */
#define BIO_C_SET_FD 104
#define
    BIO_C_GET_FD 105
#define BIO_C_SET_FILE_PTR 106
#define BIO_C_GET_FILE_PTR 107

```



```

# define BIO_C_SET_FILENAME          108
# define BIO_C_SET_SSL               109
# define BIO_C_GET_SSL               110
# define BIO_C_SET_MD                111
# define BIO_C_GET_MD                112
# define BIO_C_GET_CIPHER_STATUS     113
# define BIO_C_SET_BUF_MEM           114
# define BIO_C_GET_BUF_MEM_PTR       115
# define BIO_C_GET_BUFF_NUM_LINES    116
# define BIO_C_SET_BUFF_SIZE         117
# define BIO_C_SET_ACCEPT            118
# define BIO_C_SSL_MODE              119
# define BIO_C_GET_MD_CTX            120
/* # define BIO_C_GET_PROXY_PARAM     121 */
# define BIO_C_SET_BUFF_READ_DATA    122/* data to read first */
# define BIO_C_GET_CONNECT
    123
# define BIO_C_GET_ACCEPT            124
# define BIO_C_SET_SSL_RENEGOTIATE_BYTES 125
# define BIO_C_GET_SSL_NUM_RENEGOTIATES 126
# define BIO_C_SET_SSL_RENEGOTIATE_TIMEOUT 127
# define BIO_C_FILE_SEEK             128
# define BIO_C_GET_CIPHER_CTX        129
# define BIO_C_SET_BUF_MEM_EOF_RETURN 130/* return end of input
    * value */
# define BIO_C_SET_BIND_MODE          131
# define BIO_C_GET_BIND_MODE          132
# define BIO_C_FILE_TELL              133
# define BIO_C_GET SOCKS              134
# define BIO_C_SET SOCKS              135

# define BIO_C_SET_WRITE_BUF_SIZE     136/* for BIO_s_bio */
# define BIO_C_GET_WRITE_BUF_SIZE     137
# define BIO_C_MAKE_BIO_PAIR          138
# define BIO_C_DESTROY_BIO_PAIR       139
# define BIO_C_GET_WRITE_GUARANTEE
    140
# define BIO_C_GET_READ_REQUEST        141
# define BIO_C_SHUTDOWN_WR            142
# define BIO_C_NREAD0                 143
# define BIO_C_NREAD                  144
# define BIO_C_NWRITE0                145
# define BIO_C_NWRITE                 146
# define BIO_C_RESET_READ_REQUEST      147
# define BIO_C_SET_MD_CTX             148

# define BIO_C_SET_PREFIX              149
# define BIO_C_GET_PREFIX              150

```

```

# define BIO_C_SET_SUFFIX          151
# define BIO_C_GET_SUFFIX          152

# define BIO_C_SET_EX_ARG          153
# define BIO_C_GET_EX_ARG          154

# define BIO_C_SET_CONNECT_MODE    155

# define BIO_set_app_data(s,arg)    BIO_set_ex_data(s,0,arg)
# define BIO_get_app_data(s)        BIO_get_ex_data(s,0)

# define BIO_set_nbio(b,n)
    BIO_ctrl(b,BIO_C_SET_NBIO,(n),NULL)

# ifndef OPENSSSL_NO_SOCKET
/* IP families we support, for BIO_s_connect() and BIO_s_accept() */
/* Note: the underlying operating system may not support some of them */
# define BIO_FAMILY_IPV4            4
# define BIO_FAMILY_IPV6            6
# define BIO_FAMILY_IPANY           256

/* BIO_s_connect() */
# define BIO_set_conn_hostname(b,name) BIO_ctrl(b,BIO_C_SET_CONNECT,0, \
    (char*)(name))
# define BIO_set_conn_port(b,port)   BIO_ctrl(b,BIO_C_SET_CONNECT,1, \
    (char*)(port))
# define BIO_set_conn_address(b,addr) BIO_ctrl(b,BIO_C_SET_CONNECT,2, \
    (char*)(addr))
# define BIO_set_conn_ip_family(b,f) BIO_int_ctrl(b,BIO_C_SET_CONNECT,3,f)
# define BIO_get_conn_hostname(b)    ((const char *)BIO_ptr_ctrl(b,BIO_C_GET_CONNECT,0))
# define BIO_get_conn_port(b)
    ((const char *)BIO_ptr_ctrl(b,BIO_C_GET_CONNECT,1))
# define BIO_get_conn_address(b)     ((const BIO_ADDR *)BIO_ptr_ctrl(b,BIO_C_GET_CONNECT,2))
# define BIO_get_conn_ip_family(b)   BIO_ctrl(b,BIO_C_GET_CONNECT,3,NULL)
# define BIO_set_conn_mode(b,n)      BIO_ctrl(b,BIO_C_SET_CONNECT_MODE,(n),NULL)

/* BIO_s_accept() */
# define BIO_set_accept_name(b,name) BIO_ctrl(b,BIO_C_SET_ACCEPT,0, \
    (char*)(name))
# define BIO_set_accept_port(b,port) BIO_ctrl(b,BIO_C_SET_ACCEPT,1, \
    (char*)(port))
# define BIO_get_accept_name(b)      ((const char *)BIO_ptr_ctrl(b,BIO_C_GET_ACCEPT,0))
# define BIO_get_accept_port(b)     ((const char *)BIO_ptr_ctrl(b,BIO_C_GET_ACCEPT,1))
# define BIO_get_peer_name(b)       ((const char *)BIO_ptr_ctrl(b,BIO_C_GET_ACCEPT,2))
# define BIO_get_peer_port(b)       ((const char *)BIO_ptr_ctrl(b,BIO_C_GET_ACCEPT,3))
/* #define
    BIO_set_nbio(b,n) BIO_ctrl(b,BIO_C_SET_NBIO,(n),NULL) */
# define BIO_set_nbio_accept(b,n)    BIO_ctrl(b,BIO_C_SET_ACCEPT,2,(n)?(void *)"a":NULL)

```

```

# define BIO_set_accept_bios(b,bio)  BIO_ctrl(b,BIO_C_SET_ACCEPT,3,\
                                   (char*)(bio))
# define BIO_set_accept_ip_family(b,f) BIO_int_ctrl(b,BIO_C_SET_ACCEPT,4,f)
# define BIO_get_accept_ip_family(b)  BIO_ctrl(b,BIO_C_GET_ACCEPT,4,NULL)

/* Aliases kept for backward compatibility */
# define BIO_BIND_NORMAL              0
# define BIO_BIND_REUSEADDR           BIO_SOCK_REUSEADDR
# define BIO_BIND_REUSEADDR_IF_UNUSED BIO_SOCK_REUSEADDR
# define BIO_set_bind_mode(b,mode) BIO_ctrl(b,BIO_C_SET_BIND_MODE,mode,NULL)
# define BIO_get_bind_mode(b)  BIO_ctrl(b,BIO_C_GET_BIND_MODE,0,NULL)
# endif /* OPENSSSL_NO_SOCKET */

# define BIO_do_connect(b)    BIO_do_handshake(b)
# define BIO_do_accept(b)     BIO_do_handshake(b)

# define BIO_do_handshake(b)  BIO_ctrl(b,BIO_C_DO_STATE_MACHINE,0,NULL)

/*
BIO_s_datagram(), BIO_s_fd(), BIO_s_socket(), BIO_s_accept() and BIO_s_connect() */
# define BIO_set_fd(b,fd,c)    BIO_int_ctrl(b,BIO_C_SET_FD,c,fd)
# define BIO_get_fd(b,c)      BIO_ctrl(b,BIO_C_GET_FD,0,(char*)(c))

/* BIO_s_file() */
# define BIO_set_fp(b,fp,c)    BIO_ctrl(b,BIO_C_SET_FILE_PTR,c,(char*)(fp))
# define BIO_get_fp(b,fpp)     BIO_ctrl(b,BIO_C_GET_FILE_PTR,0,(char*)(fpp))

/* BIO_s_fd() and BIO_s_file() */
# define BIO_seek(b,ofs) (int)BIO_ctrl(b,BIO_C_FILE_SEEK,ofs,NULL)
# define BIO_tell(b)     (int)BIO_ctrl(b,BIO_C_FILE_TELL,0,NULL)

/*
* name is cast to lose const, but might be better to route through a
* function so we can do it safely
*/
# ifdef CONST_STRICT
/*
* If you are wondering why this isn't defined, its because CONST_STRICT is
* purely a compile-time kludge to allow const to be checked.
*/
int BIO_read_filename(BIO *b, const char *name);
# else
# define BIO_read_filename(b,name) (int)BIO_ctrl(b,BIO_C_SET_FILENAME,\
\
        BIO_CLOSE|BIO_FP_READ,(char*)(name))
# endif
# define BIO_write_filename(b,name) (int)BIO_ctrl(b,BIO_C_SET_FILENAME,\
        BIO_CLOSE|BIO_FP_WRITE,name)

```

```

# define BIO_append_filename(b,name) (int)BIO_ctrl(b,BIO_C_SET_FILENAME, \
    BIO_CLOSE|BIO_FP_APPEND,name)
# define BIO_rw_filename(b,name) (int)BIO_ctrl(b,BIO_C_SET_FILENAME, \
    BIO_CLOSE|BIO_FP_READ|BIO_FP_WRITE,name)

/*
* WARNING WARNING, this ups the reference count on the read bio of the SSL
* structure. This is because the ssl read BIO is now pointed to by the
* next_bio field in the bio. So when you free the BIO, make sure you are
* doing a BIO_free_all() to catch the underlying BIO.
*/
# define BIO_set_ssl(b,ssl,c)  BIO_ctrl(b,BIO_C_SET_SSL,c,(char *) (ssl))
# define BIO_get_ssl(b,sslp)  BIO_ctrl(b,BIO_C_GET_SSL,0,(char *) (sslp))
# define BIO_set_ssl_mode(b,client)  BIO_ctrl(b,BIO_C_SSL_MODE,client,NULL)
# define BIO_set_ssl_renegotiate_bytes(b,num) \

    BIO_ctrl(b,BIO_C_SET_SSL_RENEGOTIATE_BYTES,num,NULL)
# define BIO_get_num_renegotiates(b) \
    BIO_ctrl(b,BIO_C_GET_SSL_NUM_RENEGOTIATES,0,NULL)
# define BIO_set_ssl_renegotiate_timeout(b,seconds) \
    BIO_ctrl(b,BIO_C_SET_SSL_RENEGOTIATE_TIMEOUT,seconds,NULL)

/* defined in evp.h */
/* #define BIO_set_md(b,md)  BIO_ctrl(b,BIO_C_SET_MD,1,(char *) (md)) */

# define BIO_get_mem_data(b,pp) BIO_ctrl(b,BIO_CTRL_INFO,0,(char *) (pp))
# define BIO_set_mem_buf(b,bm,c) BIO_ctrl(b,BIO_C_SET_BUF_MEM,c,(char *) (bm))
# define BIO_get_mem_ptr(b,pp) BIO_ctrl(b,BIO_C_GET_BUF_MEM_PTR,0, \
    (char *) (pp))
# define BIO_set_mem_eof_return(b,v) \
    BIO_ctrl(b,BIO_C_SET_BUF_MEM_EOF_RETURN,v,NULL)

/* For the BIO_f_buffer() type */
# define BIO_get_buffer_num_lines(b)  BIO_ctrl(b,BIO_C_GET_BUFF_NUM_LINES,0,NULL)
# define BIO_set_buffer_size(b,size)  BIO_ctrl(b,BIO_C_SET_BUFF_SIZE,size,NULL)
# define BIO_set_read_buffer_size(b,size)
    BIO_int_ctrl(b,BIO_C_SET_BUFF_SIZE,size,0)
# define BIO_set_write_buffer_size(b,size) BIO_int_ctrl(b,BIO_C_SET_BUFF_SIZE,size,1)
# define BIO_set_buffer_read_data(b,buf,num) BIO_ctrl(b,BIO_C_SET_BUFF_READ_DATA,num,buf)

/* Don't use the next one unless you know what you are doing :- */
# define BIO_dup_state(b,ret)  BIO_ctrl(b,BIO_CTRL_DUP,0,(char *) (ret))

# define BIO_reset(b)          (int)BIO_ctrl(b,BIO_CTRL_RESET,0,NULL)
# define BIO_eof(b)            (int)BIO_ctrl(b,BIO_CTRL_EOF,0,NULL)
# define BIO_set_close(b,c)    (int)BIO_ctrl(b,BIO_CTRL_SET_CLOSE,(c),NULL)
# define BIO_get_close(b)      (int)BIO_ctrl(b,BIO_CTRL_GET_CLOSE,0,NULL)
# define BIO_pending(b)        (int)BIO_ctrl(b,BIO_CTRL_PENDING,0,NULL)

```

```

#define BIO_wpending(b)      (int)BIO_ctrl(b,BIO_CTRL_WPENDING,0,NULL)
/* ...pending macros have inappropriate return type */
size_t BIO_ctrl_pending(BIO *b);
size_t BIO_ctrl_wpending(BIO *b);
#define BIO_flush(b)        (int)BIO_ctrl(b,BIO_CTRL_FLUSH,0,NULL)
#
define BIO_get_info_callback(b,cbp) (int)BIO_ctrl(b,BIO_CTRL_GET_CALLBACK,0,\
                                         cbp)
#define BIO_set_info_callback(b,cb) (int)BIO_ctrl(b,BIO_CTRL_SET_CALLBACK,cb)

/* For the BIO_f_buffer() type */
#define BIO_buffer_get_num_lines(b) BIO_ctrl(b,BIO_CTRL_GET,0,NULL)
#define BIO_buffer_peek(b,s,l) BIO_ctrl(b,BIO_CTRL_PEEK,(l),(s))

/* For BIO_s_bio() */
#define BIO_set_write_buf_size(b,size) (int)BIO_ctrl(b,BIO_C_SET_WRITE_BUF_SIZE,size,NULL)
#define BIO_get_write_buf_size(b,size) (size_t)BIO_ctrl(b,BIO_C_GET_WRITE_BUF_SIZE,size,NULL)
#define BIO_make_bio_pair(b1,b2) (int)BIO_ctrl(b1,BIO_C_MAKE_BIO_PAIR,0,b2)
#define BIO_destroy_bio_pair(b) (int)BIO_ctrl(b,BIO_C_DESTROY_BIO_PAIR,0,NULL)
#define BIO_shutdown_wr(b) (int)BIO_ctrl(b, BIO_C_SHUTDOWN_WR, 0, NULL)
/* macros with inappropriate type -- but ...pending macros use int too: */
#define BIO_get_write_guarantee(b) (int)BIO_ctrl(b,BIO_C_GET_WRITE_GUARANTEE,0,NULL)
#
define BIO_get_read_request(b) (int)BIO_ctrl(b,BIO_C_GET_READ_REQUEST,0,NULL)
size_t BIO_ctrl_get_write_guarantee(BIO *b);
size_t BIO_ctrl_get_read_request(BIO *b);
int BIO_ctrl_reset_read_request(BIO *b);

/* ctrl macros for dgram */
#define BIO_ctrl_dgram_connect(b,peer) \
    (int)BIO_ctrl(b,BIO_CTRL_DGRAM_CONNECT,0, (char*)(peer))
#define BIO_ctrl_set_connected(b,peer) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_SET_CONNECTED, 0, (char*)(peer))
#define BIO_dgram_rcv_timeout(b) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_GET_RECV_TIMER_EXP, 0, NULL)
#define BIO_dgram_snd_timeout(b) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_GET_SEND_TIMER_EXP, 0, NULL)
#define BIO_dgram_get_peer(b,peer) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_GET_PEER, 0, (char*)(peer))
#define BIO_dgram_set_peer(b,peer) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_SET_PEER, 0, (char*)(peer))
#define BIO_dgram_get_mtu_overhead(b) \
    (unsigned int)BIO_ctrl((b),
    BIO_CTRL_DGRAM_GET_MTU_OVERHEAD, 0, NULL)

/* ctrl macros for BIO_f_prefix */
#define BIO_set_prefix(b,p) BIO_ctrl((b), BIO_CTRL_SET_PREFIX, 0, (void*)(p))
#define BIO_set_indent(b,i) BIO_ctrl((b), BIO_CTRL_SET_INDENT, (i), NULL)

```

```

#define BIO_get_indent(b) BIO_ctrl((b), BIO_CTRL_GET_INDENT, 0, NULL)

#define BIO_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_BIO, l, p, newf, dupf, freef)
int BIO_set_ex_data(BIO *bio, int idx, void *data);
void *BIO_get_ex_data(const BIO *bio, int idx);
uint64_t BIO_number_read(BIO *bio);
uint64_t BIO_number_written(BIO *bio);

/* For BIO_f_asn1() */
int BIO_asn1_set_prefix(BIO *b, asn1_ps_func *prefix,
                        asn1_ps_func *prefix_free);
int BIO_asn1_get_prefix(BIO *b, asn1_ps_func **pprefix,
                        asn1_ps_func **pprefix_free);
int BIO_asn1_set_suffix(BIO *b, asn1_ps_func *suffix,
                        asn1_ps_func *suffix_free);
int BIO_asn1_get_suffix(BIO *b,
                        asn1_ps_func **psuffix,
                        asn1_ps_func **psuffix_free);

const BIO_METHOD *BIO_s_file(void);
BIO *BIO_new_file(const char *filename, const char *mode);
BIO *BIO_new_from_core_bio(OSSL_LIB_CTX *libctx, OSSL_CORE_BIO *corebio);
#ifdef OPENSSL_NO_STDIO
BIO *BIO_new_fp(FILE *stream, int close_flag);
#endif
BIO *BIO_new_ex(OSSL_LIB_CTX *libctx, const BIO_METHOD *method);
BIO *BIO_new(const BIO_METHOD *type);
int BIO_free(BIO *a);
void BIO_set_data(BIO *a, void *ptr);
void *BIO_get_data(BIO *a);
void BIO_set_init(BIO *a, int init);
int BIO_get_init(BIO *a);
void BIO_set_shutdown(BIO *a, int shut);
int BIO_get_shutdown(BIO *a);
void BIO_vfree(BIO *a);
int BIO_up_ref(BIO *a);
int BIO_read(BIO *b, void *data, int dlen);
int BIO_read_ex(BIO *b, void *data, size_t dlen, size_t *readbytes);
int BIO_gets(BIO *bp, char *buf, int size);
int BIO_get_line(BIO *bio, char *buf, int size);
int BIO_write(BIO *b, const void *data, int dlen);
int BIO_write_ex(BIO *b, const void *data,
                size_t dlen, size_t *written);
int BIO_puts(BIO *bp, const char *buf);
int BIO_indent(BIO *b, int indent, int max);
long BIO_ctrl(BIO *bp, int cmd, long larg, void *parg);
long BIO_callback_ctrl(BIO *b, int cmd, BIO_info_cb *fp);

```

```

void *BIO_ptr_ctrl(BIO *bp, int cmd, long larg);
long BIO_int_ctrl(BIO *bp, int cmd, long larg, int iarg);
BIO *BIO_push(BIO *b, BIO *append);
BIO *BIO_pop(BIO *b);
void BIO_free_all(BIO *a);
BIO *BIO_find_type(BIO *b, int bio_type);
BIO *BIO_next(BIO *b);
void BIO_set_next(BIO *b, BIO *next);
BIO *BIO_get_retry_BIO(BIO *bio, int *reason);
int BIO_get_retry_reason(BIO *bio);
void BIO_set_retry_reason(BIO *bio, int reason);
BIO *BIO_dup_chain(BIO *in);

int BIO_nread0(BIO *bio, char **buf);
int BIO_nread(BIO *bio, char **buf, int num);
int BIO_nwrite0(BIO *bio, char **buf);
int BIO_nwrite(BIO *bio, char **buf, int num);

const BIO_METHOD *BIO_s_mem(void);
const BIO_METHOD *BIO_s_secmem(void);
BIO *BIO_new_mem_buf(const void *buf, int len);
#ifdef OPENSSL_NO_SOCKET
const
    BIO_METHOD *BIO_s_socket(void);
const BIO_METHOD *BIO_s_connect(void);
const BIO_METHOD *BIO_s_accept(void);
#endif
const BIO_METHOD *BIO_s_fd(void);
const BIO_METHOD *BIO_s_log(void);
const BIO_METHOD *BIO_s_bio(void);
const BIO_METHOD *BIO_s_null(void);
const BIO_METHOD *BIO_f_null(void);
const BIO_METHOD *BIO_f_buffer(void);
const BIO_METHOD *BIO_f_readbuffer(void);
const BIO_METHOD *BIO_f_linebuffer(void);
const BIO_METHOD *BIO_f_nbio_test(void);
const BIO_METHOD *BIO_f_prefix(void);
const BIO_METHOD *BIO_s_core(void);
#ifdef OPENSSL_NO_DGRAM
const BIO_METHOD *BIO_s_datagram(void);
int BIO_dgram_non_fatal_error(int error);
BIO *BIO_new_dgram(int fd, int close_flag);
#endif
#ifdef OPENSSL_NO_SCTP
const BIO_METHOD *BIO_s_datagram_sctp(void);
BIO *BIO_new_dgram_sctp(int fd, int close_flag);
int BIO_dgram_is_sctp(BIO *bio);
int BIO_dgram_sctp_notification_cb(BIO *b,
    BIO_dgram_sctp_notification_handler_fn handle_notifications,

```

```

        void *context);

int
    BIO_dgram_sctp_wait_for_dry(BIO *b);
int BIO_dgram_sctp_msg_waiting(BIO *b);
# endif
# endif

# ifndef OPENSSL_NO_SOCKET
int BIO_sock_should_retry(int i);
int BIO_sock_non_fatal_error(int error);
int BIO_socket_wait(int fd, int for_read, time_t max_time);
# endif
int BIO_wait(BIO *bio, time_t max_time, unsigned int nap_milliseconds);
int BIO_do_connect_retry(BIO *bio, int timeout, int nap_milliseconds);

int BIO_fd_should_retry(int i);
int BIO_fd_non_fatal_error(int error);
int BIO_dump_cb(int (*cb) (const void *data, size_t len, void *u),
    void *u, const void *s, int len);
int BIO_dump_indent_cb(int (*cb) (const void *data, size_t len, void *u),
    void *u, const void *s, int len, int indent);
int BIO_dump(BIO *b, const void *bytes, int len);
int BIO_dump_indent(BIO *b, const void *bytes, int len, int indent);
# ifndef OPENSSL_NO_STDIO
int BIO_dump_fp(FILE *fp, const void *s, int len);
int BIO_dump_indent_fp(FILE *fp, const void *s, int len, int indent);
#
    endif
int BIO_hex_string(BIO *out, int indent, int width, const void *data,
    int datalen);

# ifndef OPENSSL_NO_SOCKET
BIO_ADDR *BIO_ADDR_new(void);
int BIO_ADDR_rawmake(BIO_ADDR *ap, int family,
    const void *where, size_t where_len, unsigned short port);
void BIO_ADDR_free(BIO_ADDR *);
void BIO_ADDR_clear(BIO_ADDR *ap);
int BIO_ADDR_family(const BIO_ADDR *ap);
int BIO_ADDR_rawaddress(const BIO_ADDR *ap, void *p, size_t *l);
unsigned short BIO_ADDR_rawport(const BIO_ADDR *ap);
char *BIO_ADDR_hostname_string(const BIO_ADDR *ap, int numeric);
char *BIO_ADDR_service_string(const BIO_ADDR *ap, int numeric);
char *BIO_ADDR_path_string(const BIO_ADDR *ap);

const BIO_ADDRINFO *BIO_ADDRINFO_next(const BIO_ADDRINFO *bai);
int BIO_ADDRINFO_family(const BIO_ADDRINFO *bai);
int BIO_ADDRINFO_socktype(const BIO_ADDRINFO *bai);
int BIO_ADDRINFO_protocol(const BIO_ADDRINFO *bai);

```



```

const BIO_ADDR *BIO_ADDRINFO_address(const BIO_ADDRINFO *bai);
void BIO_ADDRINFO_free(BIO_ADDRINFO
*bai);

enum BIO_hostserv_priorities {
    BIO_PARSE_PRIO_HOST, BIO_PARSE_PRIO_SERV
};
int BIO_parse_hostserv(const char *hostserv, char **host, char **service,
    enum BIO_hostserv_priorities hostserv_prio);
enum BIO_lookup_type {
    BIO_LOOKUP_CLIENT, BIO_LOOKUP_SERVER
};
int BIO_lookup(const char *host, const char *service,
    enum BIO_lookup_type lookup_type,
    int family, int socktype, BIO_ADDRINFO **res);
int BIO_lookup_ex(const char *host, const char *service,
    int lookup_type, int family, int socktype, int protocol,
    BIO_ADDRINFO **res);
int BIO_sock_error(int sock);
int BIO_socket_ioctl(int fd, long type, void *arg);
int BIO_socket_nbio(int fd, int mode);
int BIO_sock_init(void);
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
#define BIO_sock_cleanup() while(0) continue
#endif
int BIO_set_tcp_ndelay(int sock, int turn_on);
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 struct
    hostent *BIO_gethostbyname(const char *name);
OSSL_DEPRECATEDIN_1_1_0 int BIO_get_port(const char *str, unsigned short *port_ptr);
OSSL_DEPRECATEDIN_1_1_0 int BIO_get_host_ip(const char *str, unsigned char *ip);
OSSL_DEPRECATEDIN_1_1_0 int BIO_get_accept_socket(char *host_port, int mode);
OSSL_DEPRECATEDIN_1_1_0 int BIO_accept(int sock, char **ip_port);
#endif

union BIO_sock_info_u {
    BIO_ADDR *addr;
};
enum BIO_sock_info_type {
    BIO_SOCKET_INFO_ADDRESS
};
int BIO_sock_info(int sock,
    enum BIO_sock_info_type type, union BIO_sock_info_u *info);

#define BIO_SOCKET_REUSEADDR 0x01
#define BIO_SOCKET_V6_ONLY 0x02
#define BIO_SOCKET_KEEPALIVE 0x04
#define BIO_SOCKET_NONBLOCK 0x08

```

```

# define BIO_SOCKET_NODELAY    0x10

int BIO_socket(int domain, int socktype, int protocol, int options);
int BIO_connect(int sock, const BIO_ADDR *addr, int options);
int BIO_bind(int sock, const BIO_ADDR *addr, int options);
int BIO_listen(int sock, const BIO_ADDR *addr,
    int options);
int BIO_accept_ex(int accept_sock, BIO_ADDR *addr, int options);
int BIO_closesocket(int sock);

BIO *BIO_new_socket(int sock, int close_flag);
BIO *BIO_new_connect(const char *host_port);
BIO *BIO_new_accept(const char *host_port);
# endif /* OPENSSSL_NO_SOCKET */

BIO *BIO_new_fd(int fd, int close_flag);

int BIO_new_bio_pair(BIO **bio1, size_t writebuf1,
    BIO **bio2, size_t writebuf2);
/*
 * If successful, returns 1 and in *bio1, *bio2 two BIO pair endpoints.
 * Otherwise returns 0 and sets *bio1 and *bio2 to NULL. Size 0 uses default
 * value.
 */

void BIO_copy_next_retry(BIO *b);

/*
 * long BIO_ghbn_ctrl(int cmd,int iarg,char *parg);
 */

# define openssl_bio_attr__(x)
# if defined(__GNUC__) && defined(__STDC_VERSION__) \
    && !defined(__MINGW32__) && !defined(__MINGW64__) \
    && !defined(__APPLE__)
/*
 * Because we support the 'z' modifier, which made its appearance in C99,
 * we can't use __attribute__ with pre C99 dialects.
 */
# if __STDC_VERSION__ >= 199901L
#   undef openssl_bio_attr__
#   define openssl_bio_attr__ __attribute__
#   if __GNUC__ * 10 + __GNUC_MINOR__ >= 44
#     define openssl_bio_printf__ __gnu_printf__
#   else
#     define openssl_bio_printf__ __printf__
#   endif
# endif

```

```

# endif
# endif
int BIO_printf(BIO *bio, const char *format, ...)
    ossl_bio_attr__((__format__(ossl_bio_printf__, 2, 3)));
int BIO_vprintf(BIO *bio, const char *format, va_list args)
    ossl_bio_attr__((__format__(ossl_bio_printf__, 2, 0)));
int BIO_snprintf(char *buf, size_t n, const char *format, ...)
    ossl_bio_attr__((__format__(ossl_bio_printf__, 3, 4)));
int BIO_vsnprintf(char *buf, size_t n, const char *format, va_list args)
    ossl_bio_attr__((__format__(ossl_bio_printf__, 3, 0)));
# undef ossl_bio_attr__
# undef ossl_bio_printf__

BIO_METHOD *BIO_meth_new(int type, const char *name);
void BIO_meth_free(BIO_METHOD *biom);
int (*BIO_meth_get_write(const BIO_METHOD *biom)) (BIO *, const char *, int);
int (*BIO_meth_get_write_ex(const
    BIO_METHOD *biom)) (BIO *, const char *, size_t,
                        size_t *);
int BIO_meth_set_write(BIO_METHOD *biom,
    int (*write) (BIO *, const char *, int));
int BIO_meth_set_write_ex(BIO_METHOD *biom,
    int (*bwrite) (BIO *, const char *, size_t, size_t *));
int (*BIO_meth_get_read(const BIO_METHOD *biom)) (BIO *, char *, int);
int (*BIO_meth_get_read_ex(const BIO_METHOD *biom)) (BIO *, char *, size_t, size_t *);
int BIO_meth_set_read(BIO_METHOD *biom,
    int (*read) (BIO *, char *, int));
int BIO_meth_set_read_ex(BIO_METHOD *biom,
    int (*bread) (BIO *, char *, size_t, size_t *));
int (*BIO_meth_get_puts(const BIO_METHOD *biom)) (BIO *, const char *);
int BIO_meth_set_puts(BIO_METHOD *biom,
    int (*puts) (BIO *, const char *));
int (*BIO_meth_get_gets(const BIO_METHOD *biom)) (BIO *, char *, int);
int BIO_meth_set_gets(BIO_METHOD *biom,
    int (*ossl_gets) (BIO *, char *, int));
long (*BIO_meth_get_ctrl(const BIO_METHOD *biom)) (BIO *, int, long, void *);
int BIO_meth_set_ctrl(BIO_METHOD *biom,
    long (*ctrl) (BIO *, int, long, void *));
int (*BIO_meth_get_create(const BIO_METHOD *biom)) (BIO *);
int BIO_meth_set_create(BIO_METHOD *biom, int (*create) (BIO *));
int (*BIO_meth_get_destroy(const BIO_METHOD *biom)) (BIO *);
int BIO_meth_set_destroy(BIO_METHOD *biom, int (*destroy) (BIO *));
long (*BIO_meth_get_callback_ctrl(const BIO_METHOD *biom))
    (BIO *, int, BIO_info_cb *);
int BIO_meth_set_callback_ctrl(BIO_METHOD *biom,
    long (*callback_ctrl) (BIO *, int,

```

BIO_info_cb *));

```
# ifdef __cplusplus
}
# endif
#endif
The MIT License
```

Copyright (c) 2016 ngtcp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

CC0 1.0 Universal

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For

these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known

or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes

the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved

to the maximum extent permitted taking into account

Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and

in such case Affirmer hereby

affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons

that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Glob Logo

Glob's logo created by Tanya Brassie <<http://tanyabrassie.com/>>, licensed under a Creative Commons Attribution-ShareAlike 4.0 International License <https://creativecommons.org/licenses/by-sa/4.0/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/srp.h.in

*

* Copyright 2004-2021 The OpenSSL Project Authors. All Rights Reserved.

* Copyright (c) 2004, EdelKey Project. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*

* Originally written by Christophe Renou and Peter Sylvester,

* for the EdelKey project.

*/

#ifndef OPENSSL_SRP_H

define OPENSSL_SRP_H

pragma once

include <openssl/macros.h>

ifndef OPENSSL_NO_DEPRECATED_3_0

define HEADER_SRP_H

endif

#include <openssl/opensslconf.h>


```

#ifndef OPENSSL_NO_SRP
#include <stdio.h>
#include <string.h>
#include <openssl/safestack.h>
#include <openssl/bn.h>
#include <openssl/crypto.h>

#ifdef __cplusplus
extern "C" {
#endif

#ifndef OPENSSL_NO_DEPRECATED_3_0

typedef
struct SRP_gN_cache_st {
    char *b64_bn;
    BIGNUM *bn;
} SRP_gN_cache;
SKM_DEFINE_STACK_OF_INTERNAL(SRP_gN_cache, SRP_gN_cache, SRP_gN_cache)
#define sk_SRP_gN_cache_num(sk) OPENSSL_sk_num(ossl_check_const_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_value(sk, idx) ((SRP_gN_cache *)OPENSSL_sk_value(ossl_check_const_SRP_gN_cache_sk_type(sk), (idx)))
#define sk_SRP_gN_cache_new(cmp) ((STACK_OF(SRP_gN_cache) *)OPENSSL_sk_new(ossl_check_SRP_gN_cache_compfunc_type(cmp)))
#define sk_SRP_gN_cache_new_null() ((STACK_OF(SRP_gN_cache) *)OPENSSL_sk_new_null())
#define sk_SRP_gN_cache_new_reserve(cmp, n) ((STACK_OF(SRP_gN_cache) *)OPENSSL_sk_new_reserve(ossl_check_SRP_gN_cache_compfunc_type(cmp), (n)))
#define sk_SRP_gN_cache_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_SRP_gN_cache_sk_type(sk), (n))
#define sk_SRP_gN_cache_free(sk) OPENSSL_sk_free(ossl_check_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_zero(sk) OPENSSL_sk_zero(ossl_check_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_delete(sk, i) ((SRP_gN_cache *)OPENSSL_sk_delete(ossl_check_SRP_gN_cache_sk_type(sk), (i)))
#define sk_SRP_gN_cache_delete_ptr(sk, ptr) ((SRP_gN_cache *)OPENSSL_sk_delete_ptr(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_type(ptr)))
#define sk_SRP_gN_cache_push(sk, ptr) OPENSSL_sk_push(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_pop(sk) ((SRP_gN_cache *)OPENSSL_sk_pop(ossl_check_SRP_gN_cache_sk_type(sk)))
#define sk_SRP_gN_cache_shift(sk) ((SRP_gN_cache *)OPENSSL_sk_shift(ossl_check_SRP_gN_cache_sk_type(sk)))
#define sk_SRP_gN_cache_pop_free(sk, freefunc) OPENSSL_sk_pop_free(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_freefunc_type(freefunc))
#define sk_SRP_gN_cache_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_type(ptr),

```

```

(idx))
#define sk_SRP_gN_cache_set(sk, idx, ptr) ((SRP_gN_cache
*)OPENSSL_sk_set(ssl_check_SRP_gN_cache_sk_type(sk), (idx), ssl_check_SRP_gN_cache_type(ptr)))
#define sk_SRP_gN_cache_find(sk, ptr) OPENSSL_sk_find(ssl_check_SRP_gN_cache_sk_type(sk),
ssl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_SRP_gN_cache_sk_type(sk),
ssl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_SRP_gN_cache_sk_type(sk), ssl_check_SRP_gN_cache_type(ptr), pnum)
#define sk_SRP_gN_cache_sort(sk) OPENSSL_sk_sort(ssl_check_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_dup(sk) ((STACK_OF(SRP_gN_cache)
*)OPENSSL_sk_dup(ssl_check_const_SRP_gN_cache_sk_type(sk)))
#define sk_SRP_gN_cache_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SRP_gN_cache)
*)OPENSSL_sk_deep_copy(ssl_check_const_SRP_gN_cache_sk_type(sk),
ssl_check_SRP_gN_cache_copyfunc_type(copyfunc), ssl_check_SRP_gN_cache_freefunc_type(freefunc)))
#define sk_SRP_gN_cache_set_cmp_func(sk, cmp)
((sk_SRP_gN_cache_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_SRP_gN_cache_sk_type(sk),
ssl_check_SRP_gN_cache_compfunc_type(cmp)))

```

```

typedef struct SRP_user_pwd_st {
    /* Owned by us. */
    char *id;
    BIGNUM *s;
    BIGNUM *v;
    /* Not owned by us. */
    const BIGNUM *g;
    const BIGNUM *N;
    /* Owned by us. */
    char *info;
} SRP_user_pwd;
SKM_DEFINE_STACK_OF_INTERNAL(SRP_user_pwd, SRP_user_pwd, SRP_user_pwd)
#define sk_SRP_user_pwd_num(sk) OPENSSL_sk_num(ssl_check_const_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_value(sk, idx) ((SRP_user_pwd
*)OPENSSL_sk_value(ssl_check_const_SRP_user_pwd_sk_type(sk), (idx)))
#define sk_SRP_user_pwd_new(cmp) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_new(ssl_check_SRP_user_pwd_compfunc_type(cmp)))
#define sk_SRP_user_pwd_new_null() ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_new_null())
#define sk_SRP_user_pwd_new_reserve(cmp, n) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_new_reserve(ssl_check_SRP_user_pwd_compfunc_type(cmp), (n)))
#define sk_SRP_user_pwd_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SRP_user_pwd_sk_type(sk), (n))
#define sk_SRP_user_pwd_free(sk) OPENSSL_sk_free(ssl_check_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_zero(sk) OPENSSL_sk_zero(ssl_check_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_delete(sk, i) ((SRP_user_pwd
*)OPENSSL_sk_delete(ssl_check_SRP_user_pwd_sk_type(sk), (i)))

```

```

#define sk_SRP_user_pwd_delete_ptr(sk, ptr) ((SRP_user_pwd
*)OPENSSL_sk_delete_ptr(ssl_check_SRP_user_pwd_sk_type(sk), ssl_check_SRP_user_pwd_type(ptr)))
#define sk_SRP_user_pwd_push(sk, ptr) OPENSSL_sk_push(ssl_check_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_pop(sk)
((SRP_user_pwd *)OPENSSL_sk_pop(ssl_check_SRP_user_pwd_sk_type(sk)))
#define sk_SRP_user_pwd_shift(sk) ((SRP_user_pwd
*)OPENSSL_sk_shift(ssl_check_SRP_user_pwd_sk_type(sk)))
#define sk_SRP_user_pwd_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SRP_user_pwd_sk_type(sk),ssl_check_SRP_user_pwd_freefunc_type(freefu
nc))
#define sk_SRP_user_pwd_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_type(ptr), (idx))
#define sk_SRP_user_pwd_set(sk, idx, ptr) ((SRP_user_pwd
*)OPENSSL_sk_set(ssl_check_SRP_user_pwd_sk_type(sk), (idx), ssl_check_SRP_user_pwd_type(ptr)))
#define sk_SRP_user_pwd_find(sk, ptr) OPENSSL_sk_find(ssl_check_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_type(ptr),
pnum)
#define sk_SRP_user_pwd_sort(sk) OPENSSL_sk_sort(ssl_check_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_dup(sk) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_dup(ssl_check_const_SRP_user_pwd_sk_type(sk)))
#define sk_SRP_user_pwd_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_deep_copy(ssl_check_const_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_copyfunc_type(copyfunc), ssl_check_SRP_user_pwd_freefunc_type(freefunc)))
#define sk_SRP_user_pwd_set_cmp_func(sk, cmp)
((sk_SRP_user_pwd_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_SRP_user_pwd_sk_type(sk),
ssl_check_SRP_user_pwd_compfunc_type(cmp)))

```

OSSL_DEPRECATEDIN_3_0

SRP_user_pwd *SRP_user_pwd_new(void);

OSSL_DEPRECATEDIN_3_0

void SRP_user_pwd_free(SRP_user_pwd *user_pwd);

OSSL_DEPRECATEDIN_3_0

void SRP_user_pwd_set_gN(SRP_user_pwd *user_pwd, const BIGNUM *g,

const BIGNUM *N);

OSSL_DEPRECATEDIN_3_0

int SRP_user_pwd_set1_ids(SRP_user_pwd *user_pwd, const char *id,

const char *info);

OSSL_DEPRECATEDIN_3_0

```
int SRP_user_pwd_set0_sv(SRP_user_pwd *user_pwd, BIGNUM *s, BIGNUM *v);
```

```
typedef struct SRP_VBASE_st {  
    STACK_OF(SRP_user_pwd) *users_pwd;  
    STACK_OF(SRP_gN_cache) *gN_cache;  
/* to simulate a user */  
    char *seed_key;  
    const BIGNUM *default_g;  
    const BIGNUM *default_N;  
} SRP_VBASE;
```

```
/*
```

```
* Internal structure storing N and g pair
```

```
*/
```

```
typedef struct SRP_gN_st {  
    char *id;  
    const BIGNUM *g;  
    const BIGNUM *N;  
} SRP_gN;  
SKM_DEFINE_STACK_OF_INTERNAL(SRP_gN, SRP_gN, SRP_gN)  
#define sk_SRP_gN_num(sk) OPENSSL_sk_num(ssl_check_const_SRP_gN_sk_type(sk))  
#define sk_SRP_gN_value(sk, idx) ((SRP_gN *)OPENSSL_sk_value(ssl_check_const_SRP_gN_sk_type(sk),  
(idx)))  
#define sk_SRP_gN_new(cmp) ((STACK_OF(SRP_gN)  
*)OPENSSL_sk_new(ssl_check_SRP_gN_compfunc_type(cmp)))  
#define sk_SRP_gN_new_null() ((STACK_OF(SRP_gN)  
*)OPENSSL_sk_new_null())  
#define sk_SRP_gN_new_reserve(cmp, n) ((STACK_OF(SRP_gN)  
*)OPENSSL_sk_new_reserve(ssl_check_SRP_gN_compfunc_type(cmp), (n)))  
#define sk_SRP_gN_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SRP_gN_sk_type(sk), (n))  
#define sk_SRP_gN_free(sk) OPENSSL_sk_free(ssl_check_SRP_gN_sk_type(sk))  
#define sk_SRP_gN_zero(sk) OPENSSL_sk_zero(ssl_check_SRP_gN_sk_type(sk))  
#define sk_SRP_gN_delete(sk, i) ((SRP_gN *)OPENSSL_sk_delete(ssl_check_SRP_gN_sk_type(sk), (i)))  
#define sk_SRP_gN_delete_ptr(sk, ptr) ((SRP_gN *)OPENSSL_sk_delete_ptr(ssl_check_SRP_gN_sk_type(sk),  
ssl_check_SRP_gN_type(ptr)))  
#define sk_SRP_gN_push(sk, ptr) OPENSSL_sk_push(ssl_check_SRP_gN_sk_type(sk),  
ssl_check_SRP_gN_type(ptr))  
#define sk_SRP_gN_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SRP_gN_sk_type(sk),  
ssl_check_SRP_gN_type(ptr))  
#define sk_SRP_gN_pop(sk) ((SRP_gN *)OPENSSL_sk_pop(ssl_check_SRP_gN_sk_type(sk)))  
#define sk_SRP_gN_shift(sk) ((SRP_gN *)OPENSSL_sk_shift(ssl_check_SRP_gN_sk_type(sk)))  
#define  
    sk_SRP_gN_pop_free(sk, freefunc)  
OPENSSL_sk_pop_free(ssl_check_SRP_gN_sk_type(sk), ssl_check_SRP_gN_freefunc_type(freefunc))  
#define sk_SRP_gN_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SRP_gN_sk_type(sk),  
ssl_check_SRP_gN_type(ptr), (idx))  
#define sk_SRP_gN_set(sk, idx, ptr) ((SRP_gN *)OPENSSL_sk_set(ssl_check_SRP_gN_sk_type(sk), (idx),
```

```

ossl_check_SRP_gN_type(ptr)))
#define sk_SRP_gN_find(sk, ptr) OPENSSL_sk_find(ossl_check_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_type(ptr))
#define sk_SRP_gN_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_type(ptr))
#define sk_SRP_gN_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_type(ptr), pnum)
#define sk_SRP_gN_sort(sk) OPENSSL_sk_sort(ossl_check_SRP_gN_sk_type(sk))
#define sk_SRP_gN_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_SRP_gN_sk_type(sk))
#define sk_SRP_gN_dup(sk) ((STACK_OF(SRP_gN)
*)OPENSSL_sk_dup(ossl_check_const_SRP_gN_sk_type(sk)))
#define
sk_SRP_gN_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SRP_gN)
*)OPENSSL_sk_deep_copy(ossl_check_const_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_copyfunc_type(copyfunc), ossl_check_SRP_gN_freefunc_type(freefunc)))
#define sk_SRP_gN_set_cmp_func(sk, cmp)
((sk_SRP_gN_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_compfunc_type(cmp)))

```

OSSL_DEPRECATEDIN_3_0

SRP_VBASE *SRP_VBASE_new(char *seed_key);

OSSL_DEPRECATEDIN_3_0

void SRP_VBASE_free(SRP_VBASE *vb);

OSSL_DEPRECATEDIN_3_0

int SRP_VBASE_init(SRP_VBASE *vb, char *verifier_file);

OSSL_DEPRECATEDIN_3_0

int SRP_VBASE_add0_user(SRP_VBASE *vb, SRP_user_pwd *user_pwd);

/* NOTE: unlike in SRP_VBASE_get_by_user, caller owns the returned pointer.*/

OSSL_DEPRECATEDIN_3_0

SRP_user_pwd *SRP_VBASE_get1_by_user(SRP_VBASE *vb, char *username);

OSSL_DEPRECATEDIN_3_0

char *SRP_create_verifier_ex(const char *user, const char *pass, char **salt,
char **verifier,

const char *N, const char *g,

OSSL_LIB_CTX *libctx, const char *propq);

OSSL_DEPRECATEDIN_3_0

char *SRP_create_verifier(const char *user, const char *pass, char **salt,
char **verifier, const char *N, const char *g);

OSSL_DEPRECATEDIN_3_0

int SRP_create_verifier_BN_ex(const char *user, const char *pass, BIGNUM **salt,
BIGNUM **verifier, const BIGNUM *N,
const BIGNUM *g, OSSL_LIB_CTX *libctx,
const char *propq);

```

OSSL_DEPRECATEDIN_3_0
int SRP_create_verifier_BN(const char *user, const char *pass, BIGNUM **salt,
                           BIGNUM **verifier, const BIGNUM *N,
                           const BIGNUM *g);

# define SRP_NO_ERROR 0
# define SRP_ERR_VBASE_INCOMPLETE_FILE 1
# define SRP_ERR_VBASE_BN_LIB 2
# define SRP_ERR_OPEN_FILE 3
# define SRP_ERR_MEMORY 4

# define DB_srptype    0
# define DB_srpverifier 1
# define DB_srpsalt
    2
# define DB_srpuid     3
# define DB_srpinfo    4
# define DB_srpinfo    5
# undef DB_NUMBER
# define DB_NUMBER     6

# define DB_SRP_INDEX   'I'
# define DB_SRP_VALID   'V'
# define DB_SRP_REVOKED 'R'
# define DB_SRP_MODIF   'v'

/* see srp.c */
OSSL_DEPRECATEDIN_3_0
char *SRP_check_known_gN_param(const BIGNUM *g, const BIGNUM *N);
OSSL_DEPRECATEDIN_3_0
SRP_gN *SRP_get_default_gN(const char *id);

/* server side .... */
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_server_key(const BIGNUM *A, const BIGNUM *v, const BIGNUM *u,
                             const BIGNUM *b, const BIGNUM *N);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_B_ex(const BIGNUM *b, const BIGNUM *N, const BIGNUM *g,
                       const BIGNUM *v, OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_B(const BIGNUM *b, const BIGNUM *N, const BIGNUM *g,
                    const BIGNUM *v);

OSSL_DEPRECATEDIN_3_0
int SRP_Verify_A_mod_N(const BIGNUM *A, const
                       BIGNUM *N);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_u_ex(const BIGNUM *A, const BIGNUM *B, const BIGNUM *N,

```

```

        OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_u(const BIGNUM *A, const BIGNUM *B, const BIGNUM *N);

/* client side .... */

OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_x_ex(const BIGNUM *s, const char *user, const char *pass,
        OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_x(const BIGNUM *s, const char *user, const char *pass);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_A(const BIGNUM *a, const BIGNUM *N, const BIGNUM *g);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_client_key_ex(const BIGNUM *N, const BIGNUM *B, const BIGNUM *g,
        const BIGNUM *x, const BIGNUM *a, const BIGNUM *u,
        OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_client_key(const BIGNUM *N, const BIGNUM *B, const BIGNUM *g,
        const BIGNUM *x, const BIGNUM *a, const BIGNUM *u);
OSSL_DEPRECATEDIN_3_0
int SRP_Verify_B_mod_N(const BIGNUM *B, const BIGNUM *N);

# define SRP_MINIMAL_N 1024

# endif /* OPENSSL_NO_DEPRECATED_3_0 */

/* This method ignores the configured seed and fails for an unknown user. */
# ifndef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0
SRP_user_pwd *SRP_VBASE_get_by_user(SRP_VBASE *vb, char *username);
# endif

# ifdef __cplusplus
}
# endif
# endif

#endif
The MIT License

```

Copyright (c) 2012 Tim Caswell

Permission is hereby granted, free of charge,
to any person obtaining a copy of this software and
associated documentation files (the "Software"), to
deal in the Software without restriction, including

without limitation the rights to use, copy, modify,
merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom
the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice
shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT
OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2009 by the Jinja Team, see AUTHORS for more details.

Some rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * The names of the contributors may not be used to endorse or
promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2023 Yagiz Nizipli and Daniel Lemire

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License 2.0

MIT License

Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2020 Ethan Arrowood

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2016-2018 Kornel Lesiski

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2015 Dmitry Ivanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[

"0BSD",
"AAL",
"ADSL",
"AFL-1.1",
"AFL-1.2",
"AFL-2.0",
"AFL-2.1",
"AFL-3.0",
"AGPL-1.0-only",
"AGPL-1.0-or-later",
"AGPL-3.0-only",
"AGPL-3.0-or-later",
"AMDPLPA",
"AML",
"AMPAS",
"ANTLR-PD",
"ANTLR-PD-fallback",
"APAFML",
"APL-1.0",
"APSL-1.0",
"APSL-1.1",
"APSL-1.2",
"APSL-2.0",
"ASWF-Digital-Assets-1.0",
"ASWF-Digital-Assets-1.1",
"Abstyles",
"AdaCore-doc",
"Adobe-2006",
"Adobe-Glyph",
"Adobe-Utopia",
"Afmparse",
"Aladdin",
"Apache-1.0",
"Apache-1.1",
"Apache-2.0",
"App-s2p",
"Arphic-1999",
"Artistic-1.0",
"Artistic-1.0-Perl",
"Artistic-1.0-cl8",
"Artistic-2.0",
"BSD-1-Clause",

"BSD-2-Clause",
"BSD-2-Clause-Patent",
"BSD-2-Clause-Views",
"BSD-3-Clause",
"BSD-3-Clause-Attribution",
"BSD-3-Clause-Clear",
"BSD-3-Clause-HP",
"BSD-3-Clause-LBNL",
"BSD-3-Clause-Modification",
"BSD-3-Clause-No-Military-License",
"BSD-3-Clause-No-Nuclear-License",
"BSD-3-Clause-No-Nuclear-License-2014",
"BSD-3-Clause-No-Nuclear-Warranty",
"BSD-3-Clause-Open-MPI",
"BSD-3-Clause-Sun",
"BSD-3-Clause-flex",
"BSD-4-Clause",
"BSD-4-Clause-Shortened",
"BSD-4-Clause-UC",
"BSD-4.3RENO",
"BSD-4.3TAHOE",
"BSD-Advertising-Acknowledgement",
"BSD-Attribution-HPND-disclaimer",
"BSD-Inferno-Nettverk",
"BSD-Protection",
"BSD-Source-Code",
"BSD-Systemics",
"BSL-1.0",
"BUSL-1.1",
"Baekmuk",
"Bahyph",
"Barr",
"Beerware",
"BitTorrent-1.0",
"BitTorrent-1.1",
"Bitstream-Charter",
"Bitstream-Vera",
"BlueOak-1.0.0",
"Boehm-GC",
"Borceux",
"Brian-Gladman-3-Clause",
"C-UDA-1.0",
"CAL-1.0",
"CAL-1.0-Combined-Work-Exception",
"CATOSL-1.1",
"CC-BY-1.0",
"CC-BY-2.0",
"CC-BY-2.5",

"CC-BY-2.5-AU",
"CC-BY-3.0",
"CC-BY-3.0-AT",
"CC-BY-3.0-DE",
"CC-BY-3.0-IGO",
"CC-BY-3.0-NL",
"CC-BY-3.0-US",
"CC-BY-4.0",
"CC-BY-NC-1.0",
"CC-BY-NC-2.0",
"CC-BY-NC-2.5",
"CC-BY-NC-3.0",
"CC-BY-NC-3.0-DE",
"CC-BY-NC-4.0",
"CC-BY-NC-ND-1.0",
"CC-BY-NC-ND-2.0",
"CC-BY-NC-ND-2.5",
"CC-BY-NC-ND-3.0",
"CC-BY-NC-ND-3.0-DE",
"CC-BY-NC-ND-3.0-IGO",
"CC-BY-NC-ND-4.0",
"CC-BY-NC-SA-1.0",
"CC-BY-NC-SA-2.0",
"CC-BY-NC-SA-2.0-DE",
"CC-BY-NC-SA-2.0-FR",
"CC-BY-NC-SA-2.0-UK",
"CC-BY-NC-SA-2.5",
"CC-BY-NC-SA-3.0",
"CC-BY-NC-SA-3.0-DE",
"CC-BY-NC-SA-3.0-IGO",
"CC-BY-NC-SA-4.0",
"CC-BY-ND-1.0",
"CC-BY-ND-2.0",
"CC-BY-ND-2.5",
"CC-BY-ND-3.0",
"CC-BY-ND-3.0-DE",
"CC-BY-ND-4.0",
"CC-BY-SA-1.0",
"CC-BY-SA-2.0",
"CC-BY-SA-2.0-UK",
"CC-BY-SA-2.1-JP",
"CC-BY-SA-2.5",
"CC-BY-SA-3.0",
"CC-BY-SA-3.0-AT",
"CC-BY-SA-3.0-DE",
"CC-BY-SA-3.0-IGO",
"CC-BY-SA-4.0",
"CC-PDDC",

"CC0-1.0",
"CDDL-1.0",
"CDDL-1.1",
"CDL-1.0",
"CDLA-Permissive-1.0",
"CDLA-Permissive-2.0",
"CDLA-Sharing-1.0",
"CECILL-1.0",
"CECILL-1.1",
"CECILL-2.0",
"CECILL-2.1",
"CECILL-B",
"CECILL-C",
"CERN-OHL-1.1",
"CERN-OHL-1.2",
"CERN-OHL-P-2.0",
"CERN-OHL-S-2.0",
"CERN-OHL-W-2.0",
"CFITSIO",
"CMU-Mach",
"CNRI-Jython",
"CNRI-Python",
"CNRI-Python-GPL-Compatible",
"COIL-1.0",
"CPAL-1.0",
"CPL-1.0",
"CPOL-1.02",
"CUA-OPL-1.0",
"Caldera",
"ClArtistic",
"Clips",
"Community-Spec-1.0",
"Condor-1.1",
"Cornell-Lossless-JPEG",
"Cronyx",
"Crossword",
"CrystalStacker",
"Cube",
"D-FSL-1.0",
"DL-DE-BY-2.0",
"DL-DE-ZERO-2.0",
"DOC",
"DRL-1.0",
"DSDP",
"Dotseqn",
"ECL-1.0",
"ECL-2.0",
"EFL-1.0",

"EFL-2.0",
"EPICS",
"EPL-1.0",
"EPL-2.0",
"EUDatagrid",
"EUPL-1.0",
"EUPL-1.1",
"EUPL-1.2",
"Elastic-2.0",
"Entessa",
"ErlPL-1.1",
"Eurosymb",
"FBM",
"FDK-AAC",
"FSFAP",
"FSFUL",
"FSFULLR",
"FSFULLRWD",
"FTL",
"Fair",
"Ferguson-Twofish",
"Frameworx-1.0",
"FreeBSD-DOC",
"FreeImage",
"Furuseth",
"GD",
"GFDL-1.1-invariants-only",
"GFDL-1.1-invariants-or-later",
"GFDL-1.1-no-invariants-only",
"GFDL-1.1-no-invariants-or-later",
"GFDL-1.1-only",
"GFDL-1.1-or-later",
"GFDL-1.2-invariants-only",
"GFDL-1.2-invariants-or-later",
"GFDL-1.2-no-invariants-only",
"GFDL-1.2-no-invariants-or-later",
"GFDL-1.2-only",
"GFDL-1.2-or-later",
"GFDL-1.3-invariants-only",
"GFDL-1.3-invariants-or-later",
"GFDL-1.3-no-invariants-only",
"GFDL-1.3-no-invariants-or-later",
"GFDL-1.3-only",
"GFDL-1.3-or-later",
"GL2PS",
"GLWTPL",
"GPL-1.0-only",
"GPL-1.0-or-later",

"GPL-2.0-only",
"GPL-2.0-or-later",
"GPL-3.0-only",
"GPL-3.0-or-later",
"Giftware",
"Glide",
"Glulxe",
"Graphics-Gems",
"HP-1986",
"HP-1989",
"HPND",
"HPND-DEC",
"HPND-Markus-Kuhn",
"HPND-Pbmplus",
"HPND-UC",
"HPND-doc",
"HPND-doc-sell",
"HPND-export-US",
"HPND-export-US-modify",
"HPND-sell-regexpr",
"HPND-sell-variant",
"HPND-sell-variant-MIT-disclaimer",
"HTMLTIDY",
"HaskellReport",
"Hippocratic-2.1",
"IBM-pibs",
"ICU",
"IEC-Code-Components-EULA",
"IJG",
"IJG-short",
"IPA",
"IPL-1.0",
"ISC",
"ImageMagick",
"Imlib2",
"Info-ZIP",
"Inner-Net-2.0",
"Intel",
"Intel-ACPI",
"Interbase-1.0",
"JPL-image",
"JPNIC",
"JSON",
"Jam",
"JasPer-2.0",
"Kastrup",
"Kazlib",
"Knuth-CTAN",

"LAL-1.2",
"LAL-1.3",
"LGPL-2.0-only",
"LGPL-2.0-or-later",
"LGPL-2.1-only",
"LGPL-2.1-or-later",
"LGPL-3.0-only",
"LGPL-3.0-or-later",
"LGPLLR",
"LOOP",
"LPL-1.0",
"LPL-1.02",
"LPPL-1.0",
"LPPL-1.1",
"LPPL-1.2",
"LPPL-1.3a",
"LPPL-1.3c",
"LZMA-SDK-9.11-to-9.20",
"LZMA-SDK-9.22",
"Latex2e",
"Latex2e-translated-notice",
"Leptonica",
"LiLiQ-P-1.1",
"LiLiQ-R-1.1",
"LiLiQ-Rplus-1.1",
"Libpng",
"Linux-OpenIB",
"Linux-man-pages-1-para",
"Linux-man-pages-copyleft",
"Linux-man-pages-copyleft-2-para",
"Linux-man-pages-copyleft-var",
"Lucida-Bitmap-Fonts",
"MIT",
"MIT-0",
"MIT-CMU",
"MIT-Festival",
"MIT-Modern-Variant",
"MIT-Wu",
"MIT-advertising",
"MIT-enna",
"MIT-feh",
"MIT-open-group",
"MIT-testregex",
"MITNFA",
"MMIXware",
"MPEG-SSG",
"MPL-1.0",
"MPL-1.1",

"MPL-2.0",
"MPL-2.0-no-copyleft-exception",
"MS-LPL",
"MS-PL",
"MS-RL",
"MTLL",
"MakeIndex",
"Martin-Birgmeier",
"McPhee-slideshow",
"Minpack",
"MirOS",
"Motosoto",
"MulanPSL-1.0",
"MulanPSL-2.0",
"Multics",
"Mup",
"NAIST-2003",
"NASA-1.3",
"NBPL-1.0",
"NCGL-UK-2.0",
"NCSA",
"NGPL",
"NICTA-1.0",
"NIST-PD",
"NIST-PD-fallback",
"NIST-Software",
"NLOD-1.0",
"NLOD-2.0",
"NLPL",
"NOSL",
"NPL-1.0",
"NPL-1.1",
"NPOSL-3.0",
"NRL",
"NTP",
"NTP-0",
"Naumen",
"Net-SNMP",
"NetCDF",
"Newsletr",
"Nokia",
"Noweb",
"O-UDA-1.0",
"OCCT-PL",
"OCLC-2.0",
"ODC-By-1.0",
"ODbL-1.0",
"OFFIS",

"OFL-1.0",
"OFL-1.0-RFN",
"OFL-1.0-no-RFN",
"OFL-1.1",
"OFL-1.1-RFN",
"OFL-1.1-no-RFN",
"OGC-1.0",
"OGDL-Taiwan-1.0",
"OGL-Canada-2.0",
"OGL-UK-1.0",
"OGL-UK-2.0",
"OGL-UK-3.0",
"OGTSL",
"OLDAP-1.1",
"OLDAP-1.2",
"OLDAP-1.3",
"OLDAP-1.4",
"OLDAP-2.0",
"OLDAP-2.0.1",
"OLDAP-2.1",
"OLDAP-2.2",
"OLDAP-2.2.1",
"OLDAP-2.2.2",
"OLDAP-2.3",
"OLDAP-2.4",
"OLDAP-2.5",
"OLDAP-2.6",
"OLDAP-2.7",
"OLDAP-2.8",
"OLFL-1.3",
"OML",
"OPL-1.0",
"OPL-UK-3.0",
"OPUBL-1.0",
"OSET-PL-2.1",
"OSL-1.0",
"OSL-1.1",
"OSL-2.0",
"OSL-2.1",
"OSL-3.0",
"OpenPBS-2.3",
"OpenSSL",
"PADL",
"PDDL-1.0",
"PHP-3.0",
"PHP-3.01",
"PSF-2.0",
"Parity-6.0.0",

"Parity-7.0.0",
"Plexus",
"PolyForm-Noncommercial-1.0.0",
"PolyForm-Small-Business-1.0.0",
"PostgreSQL",
"Python-2.0",
"Python-2.0.1",
"QPL-1.0",
"QPL-1.0-INRIA-2004",
"Qhull",
"RHeCos-1.1",
"RPL-1.1",
"RPL-1.5",
"RPSL-1.0",
"RSA-MD",
"RSCPL",
"Rdisc",
"Ruby",
"SAX-PD",
"SCEA",
"SGI-B-1.0",
"SGI-B-1.1",
"SGI-B-2.0",
"SGI-OpenGL",
"SGP4",
"SHL-0.5",
"SHL-0.51",
"SISSL",
"SISSL-1.2",
"SL",
"SMLNJ",
"SMPPL",
"SNIA",
"SPL-1.0",
"SSH-OpenSSH",
"SSH-short",
"SSPL-1.0",
"SWL",
"Saxpath",
"SchemeReport",
"Sendmail",
"Sendmail-8.23",
"SimPL-2.0",
"Sleepycat",
"Soundex",
"Spencer-86",
"Spencer-94",
"Spencer-99",

"SugarCRM-1.1.3",
"SunPro",
"Symlinks",
"TAPR-OHL-1.0",
"TCL",
"TCP-wrappers",
"TMate",
"TORQUE-1.1",
"TOSL",
"TPDL",
"TPL-1.0",
"TTWL",
"TTYPO",
"TU-Berlin-1.0",
"TU-Berlin-2.0",
"TermReadKey",
"UCAR",
"UCL-1.0",
"UPL-1.0",
"URT-RLE",
"Unicode-DFS-2015",
"Unicode-DFS-2016",
"Unicode-TOU",
"UnixCrypt",
"Unlicense",
"VOSTROM",
"VSL-1.0",
"Vim",
"W3C",
"W3C-19980720",
"W3C-20150513",
"WTFPL",
"Watcom-1.0",
"Widget-Workshop",
"Wsuipa",
"X11",
"X11-distribute-modifications-variant",
"XFree86-1.1",
"XSkat",
"Xdebug-1.03",
"Xerox",
"Xfig",
"Xnet",
"YPL-1.0",
"YPL-1.1",
"ZPL-1.1",
"ZPL-2.0",
"ZPL-2.1",

"Zed",
"Zeff",
"Zend-2.0",
"Zimbra-1.3",
"Zimbra-1.4",
"Zlib",
"blessing",
"bzip2-1.0.6",
"check-cvs",
"checkmk",
"copleft-next-0.3.0",
"copleft-next-0.3.1",
"curl",
"diffmark",
"dtoa",
"dvipdfm",
"eGenix",
"etalab-2.0",
"fwlw",
"gSOAP-1.3b",
"gnuplot",
"iMatix",
"libpng-2.0",
"libselinux-1.0",
"libtiff",
"libutil-David-Nugent",
"lsof",
"magaz",
"metamail",
"mpi-permissive",
"mpich2",
"mplus",
"pnmstitch",
"psfrag",
"psutils",
"python-ldap",
"snprintf",
"ssh-keyscan",
"swrule",
"ulem",
"w3m",
"xinetd",
"xlock",
"xpp",
"zlib-acknowledgement"

]

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_cbc.c',
'openssl/crypto/aes/aes_core.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
```

'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recpr.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',

'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',

'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',

'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem_clr.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',

'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',

'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',

'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',

'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',

```

'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/legacy.ld',
'./config/archs/BSD-x86_64/no-asm/providers/fips.ld',

],
'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'FIPS_MODULE',
'FIPS_MODULE',
],
'openssl_cflags_BSD-x86_64': [
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
'linker_script': "
},
'include_dirs': [
'',
'./include',
'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],

```

```

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}
/*
* WARNING: do not edit!
* Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl
* via Makefile.in
*
* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

#ifndef OPENSSL_CONFIGURATION_H
# define OPENSSL_CONFIGURATION_H
# pragma once

# ifdef __cplusplus
extern "C" {
# endif

# ifdef OPENSSL_ALGORITHM_DEFINES
# error OPENSSL_ALGORITHM_DEFINES no longer supported
# endif

/*
* OpenSSL was configured with the following options:
*/

# define OPENSSL_CONFIGURED_API 30000
# ifndef OPENSSL_RAND_SEED_OS
# define OPENSSL_RAND_SEED_OS
# endif
# ifndef OPENSSL_THREADS
# define OPENSSL_THREADS
# endif
# ifndef OPENSSL_NO_AFALGENG
# define OPENSSL_NO_AFALGENG
# endif
# ifndef

```

```

OPENSSL_NO_ASAN
# define OPENSSL_NO_ASAN
# endif
# ifndef OPENSSL_NO_ASM
# define OPENSSL_NO_ASM
# endif
# ifndef OPENSSL_NO_COMP
# define OPENSSL_NO_COMP
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG
# define OPENSSL_NO_CRYPTOMDDEBUG
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# define OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# endif
# ifndef OPENSSL_NO_EC_NISTP_64_GCC_128
# define OPENSSL_NO_EC_NISTP_64_GCC_128
# endif
# ifndef OPENSSL_NO_EGD
# define OPENSSL_NO_EGD
# endif
# ifndef OPENSSL_NO_EXTERNAL_TESTS
# define OPENSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSL_NO_FUZZ_AFL
# define OPENSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSL_NO_FUZZ_LIBFUZZER
# define OPENSSL_NO_FUZZ_LIBFUZZER
# endif
# ifndef OPENSSL_NO_KTLS
# define OPENSSL_NO_KTLS
# endif
# ifndef OPENSSL_NO_LOADERENG
# define OPENSSL_NO_LOADERENG
# endif
# ifndef OPENSSL_NO_MD2
# define OPENSSL_NO_MD2
# endif
# ifndef OPENSSL_NO_MSAN
# define OPENSSL_NO_MSAN
# endif
# ifndef OPENSSL_NO_RC5
# define OPENSSL_NO_RC5
#
# endif
# ifndef OPENSSL_NO_SCTP
# define OPENSSL_NO_SCTP

```

```

# endif
# ifndef OPENSSSL_NO_SSL3
#  define OPENSSSL_NO_SSL3
# endif
# ifndef OPENSSSL_NO_SSL3_METHOD
#  define OPENSSSL_NO_SSL3_METHOD
# endif
# ifndef OPENSSSL_NO_TRACE
#  define OPENSSSL_NO_TRACE
# endif
# ifndef OPENSSSL_NO_UBSAN
#  define OPENSSSL_NO_UBSAN
# endif
# ifndef OPENSSSL_NO_UNIT_TEST
#  define OPENSSSL_NO_UNIT_TEST
# endif
# ifndef OPENSSSL_NO_UPLINK
#  define OPENSSSL_NO_UPLINK
# endif
# ifndef OPENSSSL_NO_WEAK_SSL_CIPHERS
#  define OPENSSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSSL_NO_DYNAMIC_ENGINE
#  define OPENSSSL_NO_DYNAMIC_ENGINE
# endif

/* Generate 80386 code? */
# undef I386_ONLY

/*
 * The following are cipher-specific, but are part of the public API.
 */
# if !defined(OPENSSSL_SYS_UEFI)
#  define BN_LLONG
/* Only one for the following should be defined */
#  undef SIXTY_FOUR_BIT_LONG
#  undef SIXTY_FOUR_BIT
#  define THIRTY_TWO_BIT
# endif

# define RC4_INT unsigned int

# ifdef __cplusplus
}
# endif

#endif

```


/* OPENSSL_CONFIGURATION_H */

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2022 GitHub and the TUF Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Licensing

This software is covered under the following copyright:

/*

* Copyright (c) 2003-2005 Tom Wu

* All Rights Reserved.

*

- * Permission is hereby granted, free of charge, to any person obtaining
- * a copy of this software and associated documentation files (the
- * "Software"), to deal in the Software without restriction, including
- * without limitation the rights to use, copy, modify, merge, publish,
- * distribute, sublicense, and/or sell copies of the Software, and to
- * permit persons to whom the Software is furnished to do so, subject to
- * the following conditions:
- *
- * The above copyright notice and this permission notice shall be
- * included in all copies or substantial portions of the Software.
- *
- * THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,
- * EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY
- * WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- *
- * IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL, INCIDENTAL,
- * INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER
- * RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF
- * THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT
- * OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- *
- * In addition, the following condition applies:
- *
- * All redistributions must retain an intact copy of this copyright notice
- * and disclaimer.
- */

Address all questions regarding this license to:

Tom Wu

tjw@cs.Stanford.EDU

All files in this directory are provided by the following license if not stated otherwise in the individual file:

=====

This file is provided under a dual BSD/GPLv2 license. When using or redistributing this file, you may do so under either license.

GPL LICENSE SUMMARY

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the terms of version 2 of the GNU General Public License as published by the Free Software Foundation.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St - Fifth Floor, Boston, MA 02110-1301 USA. The full GNU General Public License is included in this distribution in the file called LICENSE.GPL.

Contact Information:

<http://software.intel.com/en-us/articles/intel-vtune-amplifier-xe/>

BSD LICENSE

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS
AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

/*

- * WARNING: do not edit!
- * Generated by Makefile from include/openssl/asn1t.h.in
- *

* Copyright 2000-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* <https://www.openssl.org/source/license.html>
*/

```
#ifndef OPENSSSL_ASN1T_H
# define OPENSSSL_ASN1T_H
# pragma once
```

```
# include <openssl/macros.h>
# ifndef OPENSSSL_NO_DEPRECATED_3_0
#  define HEADER_ASN1T_H
# endif
```

```
# include <stddef.h>
# include <openssl/e_os2.h>
# include <openssl/asn1.h>
```

```
# ifdef OPENSSSL_BUILD_SHLIBCRYPTO
#  undef OPENSSSL_EXTERN
#  define OPENSSSL_EXTERN OPENSSSL_EXPORT
# endif
```

/* ASN1 template defines, structures and functions */

```
#ifdef __cplusplus
extern "C" {
#endif
```

/*-

* These are the possible values for the itype field of the
* ASN1_ITEM structure and determine how it is interpreted.
*

* For PRIMITIVE
types the underlying type
* determines the behaviour if items is NULL.
*

* Otherwise templates must contain a single
* template and the type is treated in the
* same way as the type specified in the template.
*

* For SEQUENCE types the templates field points
* to the members, the size field is the

```

* structure size.
*
* For CHOICE types the templates field points
* to each possible member (typically a union)
* and the 'size' field is the offset of the
* selector.
*
* The 'funcs' field is used for application-specific
* data and functions.
*
* The EXTERN type uses a new style d2i/i2d.
* The new style should be used where possible
* because it avoids things like the d2i IMPLICIT
* hack.
*
* MSTRING is a multiple string type, it is used
* for a CHOICE of character strings where the
* actual strings all occupy an ASN1_STRING
* structure. In this case the 'utype' field
* has a special meaning, it is used as a mask
* of acceptable types using the B_ASN1 constants.
*
* NDEF_SEQUENCE is the same as SEQUENCE except
* that it will use indefinite length constructed
* encoding if requested.
*
*/

#define ASN1_ITYPE_PRIMITIVE      0x0
#define ASN1_ITYPE_SEQUENCE      0x1
#define ASN1_ITYPE_CHOICE        0x2
/* unused value          0x3 */
#define ASN1_ITYPE_EXTERN        0x4
#define ASN1_ITYPE_MSTRING       0x5
#define ASN1_ITYPE_NDEF_SEQUENCE 0x6

/* Macro to obtain ASN1_ADB pointer from a type (only used internally) */
#define ASN1_ADB_ptr(iptr) ((const ASN1_ADB *)((iptr)()))

/* Macros for start and end of ASN1_ITEM definition */

#define ASN1_ITEM_start(itname) \
    const ASN1_ITEM * itname##_it(void) \
    { \
        static const ASN1_ITEM local_it = {

#define static_ASN1_ITEM_start(itname) \
    static ASN1_ITEM_start(itname)

```

```

# define ASN1_ITEM_end(itname) \
    }; \
    return &local_it; \
}

/* Macros to aid ASN1 template
writing */

# define ASN1_ITEM_TEMPLATE(tname) \
    static const ASN1_TEMPLATE tname##_item_tt

# define ASN1_ITEM_TEMPLATE_END(tname) \
    ;\
    ASN1_ITEM_start(tname) \
        ASN1_ITYPE_PRIMITIVE,\
        -1,\
        &tname##_item_tt,\
        0,\
        NULL,\
        0,\
        #tname \
    ASN1_ITEM_end(tname)
# define static_ASN1_ITEM_TEMPLATE_END(tname) \
    ;\
    static_ASN1_ITEM_start(tname) \
        ASN1_ITYPE_PRIMITIVE,\
        -1,\
        &tname##_item_tt,\
        0,\
        NULL,\
        0,\
        #tname \
    ASN1_ITEM_end(tname)

/* This is a ASN1 type which just embeds a template */

/*-
* This pair helps declare a SEQUENCE. We can do:
*
*   ASN1_SEQUENCE(stname) = {
*       ... SEQUENCE components ...
*   } ASN1_SEQUENCE_END(stname)
*
* This will produce an ASN1_ITEM called stname_it
* for a structure called stname.
*
* If you want the same structure but a different

```

```

*   name then use:
*
*   ASN1_SEQUENCE(itname) = {
*       ... SEQUENCE components ...
*   } ASN1_SEQUENCE_END_name(stname, itname)
*
*   This will create an item called itname_it using
*   a structure called stname.
*/

# define ASN1_SEQUENCE(tname) \
    static const ASN1_TEMPLATE tname##_seq_tt[]

# define ASN1_SEQUENCE_END(stname) ASN1_SEQUENCE_END_name(stname, stname)

# define static_ASN1_SEQUENCE_END(stname) static_ASN1_SEQUENCE_END_name(stname, stname)

# define ASN1_SEQUENCE_END_name(stname, tname) \
    ;\
    ASN1_ITEM_start(tname) \
        ASN1_ITYPE_SEQUENCE,\
        V_ASN1_SEQUENCE,\
        tname##_seq_tt,\
        sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE),\
        NULL,\
        sizeof(stname),\
        #tname \
    ASN1_ITEM_end(tname)

# define static_ASN1_SEQUENCE_END_name(stname,
tname) \
    ;\
    static_ASN1_ITEM_start(tname) \
        ASN1_ITYPE_SEQUENCE,\
        V_ASN1_SEQUENCE,\
        tname##_seq_tt,\
        sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE),\
        NULL,\
        sizeof(stname),\
        #stname \
    ASN1_ITEM_end(tname)

# define ASN1_NDEF_SEQUENCE(tname) \
    ASN1_SEQUENCE(tname)

# define ASN1_NDEF_SEQUENCE_cb(tname, cb) \
    ASN1_SEQUENCE_cb(tname, cb)

```

```

# define ASN1_SEQUENCE_cb(tname, cb) \
    static const ASN1_AUX tname##_aux = {NULL, 0, 0, 0, cb, 0, NULL}; \
    ASN1_SEQUENCE(tname)

# define ASN1_SEQUENCE_const_cb(tname, const_cb) \
    static const ASN1_AUX tname##_aux = \
        {NULL, ASN1_AFLG_CONST_CB, 0, 0, NULL, 0, const_cb}; \
    ASN1_SEQUENCE(tname)

# define ASN1_SEQUENCE_cb_const_cb(tname, cb, const_cb) \
    static const ASN1_AUX tname##_aux = \
        {NULL, ASN1_AFLG_CONST_CB, 0, 0, cb, \
0, const_cb}; \
    ASN1_SEQUENCE(tname)

# define ASN1_SEQUENCE_ref(tname, cb) \
    static const ASN1_AUX tname##_aux = {NULL, ASN1_AFLG_REFCOUNT, offsetof(tname, references), \
    offsetof(tname, lock), cb, 0, NULL}; \
    ASN1_SEQUENCE(tname)

# define ASN1_SEQUENCE_enc(tname, enc, cb) \
    static const ASN1_AUX tname##_aux = {NULL, ASN1_AFLG_ENCODING, 0, 0, cb, offsetof(tname, enc), \
    NULL}; \
    ASN1_SEQUENCE(tname)

# define ASN1_NDEF_SEQUENCE_END(tname) \
    ;\
    ASN1_ITEM_start(tname) \
        ASN1_ITYPE_NDEF_SEQUENCE,\
        V_ASN1_SEQUENCE,\
        tname##_seq_tt,\
        sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE),\
        NULL,\
        sizeof(tname),\
        #tname \
    ASN1_ITEM_end(tname)
# define static_ASN1_NDEF_SEQUENCE_END(tname) \
    ;\
    static_ASN1_ITEM_start(tname) \
        ASN1_ITYPE_NDEF_SEQUENCE,\
        V_ASN1_SEQUENCE,\

tname##_seq_tt,\
        sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE),\
        NULL,\
        sizeof(tname),\
        #tname \
    ASN1_ITEM_end(tname)

```



```

# define ASN1_SEQUENCE_END_enc(stname, tname) ASN1_SEQUENCE_END_ref(stname, tname)

# define ASN1_SEQUENCE_END_cb(stname, tname) ASN1_SEQUENCE_END_ref(stname, tname)
# define static_ASN1_SEQUENCE_END_cb(stname, tname) static_ASN1_SEQUENCE_END_ref(stname, tname)

# define ASN1_SEQUENCE_END_ref(stname, tname) \
    ;\
    ASN1_ITEM_start(tname) \
        ASN1_ITYPE_SEQUENCE,\
        V_ASN1_SEQUENCE,\
        tname##_seq_tt,\
        sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE),\
        &tname##_aux,\
        sizeof(stname),\
        #tname \
    ASN1_ITEM_end(tname)
# define static_ASN1_SEQUENCE_END_ref(stname, tname) \
    ;\
    static_ASN1_ITEM_start(tname) \
        ASN1_ITYPE_SEQUENCE,\

V_ASN1_SEQUENCE,\
    tname##_seq_tt,\
    sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE),\
    &tname##_aux,\
    sizeof(stname),\
    #stname \
    ASN1_ITEM_end(tname)

# define ASN1_NDEF_SEQUENCE_END_cb(stname, tname) \
    ;\
    ASN1_ITEM_start(tname) \
        ASN1_ITYPE_NDEF_SEQUENCE,\
        V_ASN1_SEQUENCE,\
        tname##_seq_tt,\
        sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE),\
        &tname##_aux,\
        sizeof(stname),\
        #stname \
    ASN1_ITEM_end(tname)

/*-
* This pair helps declare a CHOICE type. We can do:
*
*   ASN1_CHOICE(chname) = {
*       ... CHOICE options ...

```

```

*   ASN1_CHOICE_END(chname)
*
*   This will produce an ASN1_ITEM called chname_it
*   for a structure called chname. The structure
*   definition must look like this:
*   typedef struct {
*       int type;
*
*       union {
*           ASN1_SOMETHING *opt1;
*           ASN1_SOMEOTHER *opt2;
*       } value;
*   } chname;
*
*   the name of the selector must be 'type'.
*   to use an alternative selector name use the
*   ASN1_CHOICE_END_selector() version.
*/

# define ASN1_CHOICE(tname) \
    static const ASN1_TEMPLATE tname##_ch_tt[]

# define ASN1_CHOICE_cb(tname, cb) \
    static const ASN1_AUX tname##_aux = {NULL, 0, 0, 0, cb, 0, NULL}; \
    ASN1_CHOICE(tname)

# define ASN1_CHOICE_END(stname) ASN1_CHOICE_END_name(stname, stname)

# define static_ASN1_CHOICE_END(stname) static_ASN1_CHOICE_END_name(stname, stname)

# define ASN1_CHOICE_END_name(stname, tname) ASN1_CHOICE_END_selector(stname, tname, type)

# define static_ASN1_CHOICE_END_name(stname, tname) static_ASN1_CHOICE_END_selector(stname, tname,
type)

# define ASN1_CHOICE_END_selector(stname, tname, selname) \
    ;\
    ASN1_ITEM_start(tname) \

    ASN1_ITYPE_CHOICE,\
        offsetof(stname,selname) ,\
        tname##_ch_tt,\
        sizeof(tname##_ch_tt) / sizeof(ASN1_TEMPLATE),\
        NULL,\
        sizeof(stname),\
        #stname \
    ASN1_ITEM_end(tname)

```

```

# define static_ASN1_CHOICE_END_selector(stname, tname, selname) \
;\
static_ASN1_ITEM_start(tname) \
    ASN1_ITYPE_CHOICE,\
    offsetof(stname,selname) ,\
    tname##_ch_tt,\
    sizeof(tname##_ch_tt) / sizeof(ASN1_TEMPLATE),\
    NULL,\
    sizeof(stname),\
    #stname \
ASN1_ITEM_end(tname)

# define ASN1_CHOICE_END_cb(stname, tname, selname) \
;\
ASN1_ITEM_start(tname) \
    ASN1_ITYPE_CHOICE,\
    offsetof(stname,selname) ,\
    tname##_ch_tt,\
    sizeof(tname##_ch_tt) / sizeof(ASN1_TEMPLATE),\
    &tname##_aux,\
\
    sizeof(stname),\
    #stname \
ASN1_ITEM_end(tname)

/* This helps with the template wrapper form of ASN1_ITEM */

# define ASN1_EX_TEMPLATE_TYPE(flags, tag, name, type) { \
    (flags), (tag), 0,\
    #name, ASN1_ITEM_ref(type) }

/* These help with SEQUENCE or CHOICE components */

/* used to declare other types */

# define ASN1_EX_TYPE(flags, tag, stname, field, type) { \
    (flags), (tag), offsetof(stname, field),\
    #field, ASN1_ITEM_ref(type) }

/* implicit and explicit helper macros */

# define ASN1_IMP_EX(stname, field, type, tag, ex) \
    ASN1_EX_TYPE(ASN1_TFLG_IMPLICIT | (ex), tag, stname, field, type)

# define ASN1_EXP_EX(stname, field, type, tag, ex) \
    ASN1_EX_TYPE(ASN1_TFLG_EXPLICIT | (ex), tag, stname, field, type)

/* Any defined by macros: the field used is in the table itself */

```

```

# define ASN1_ADB_OBJECT(tblname) { ASN1_TFLG_ADB_OID, -1, 0, #tblname, tblname##_adb }
# define ASN1_ADB_INTEGER(tblname) { ASN1_TFLG_ADB_INT,
-1, 0, #tblname, tblname##_adb }

/* Plain simple type */
# define ASN1_SIMPLE(stname, field, type) ASN1_EX_TYPE(0,0, stname, field, type)
/* Embedded simple type */
# define ASN1_EMBED(stname, field, type) ASN1_EX_TYPE(ASN1_TFLG_EMBED,0, stname, field, type)

/* OPTIONAL simple type */
# define ASN1_OPT(stname, field, type) ASN1_EX_TYPE(ASN1_TFLG_OPTIONAL, 0, stname, field, type)
# define ASN1_OPT_EMBED(stname, field, type)
ASN1_EX_TYPE(ASN1_TFLG_OPTIONAL|ASN1_TFLG_EMBED, 0, stname, field, type)

/* IMPLICIT tagged simple type */
# define ASN1_IMP(stname, field, type, tag) ASN1_IMP_EX(stname, field, type, tag, 0)
# define ASN1_IMP_EMBED(stname, field, type, tag) ASN1_IMP_EX(stname, field, type, tag,
ASN1_TFLG_EMBED)

/* IMPLICIT tagged OPTIONAL simple type */
# define ASN1_IMP_OPT(stname, field, type, tag) ASN1_IMP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL)
# define ASN1_IMP_OPT_EMBED(stname, field, type, tag) ASN1_IMP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL|ASN1_TFLG_EMBED)

/*
Same as above but EXPLICIT */

# define ASN1_EXP(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag, 0)
# define ASN1_EXP_EMBED(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag,
ASN1_TFLG_EMBED)
# define ASN1_EXP_OPT(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL)
# define ASN1_EXP_OPT_EMBED(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL|ASN1_TFLG_EMBED)

/* SEQUENCE OF type */
# define ASN1_SEQUENCE_OF(stname, field, type) \
ASN1_EX_TYPE(ASN1_TFLG_SEQUENCE_OF, 0, stname, field, type)

/* OPTIONAL SEQUENCE OF */
# define ASN1_SEQUENCE_OF_OPT(stname, field, type) \
ASN1_EX_TYPE(ASN1_TFLG_SEQUENCE_OF|ASN1_TFLG_OPTIONAL, 0, stname, field, type)

/* Same as above but for SET OF */

# define ASN1_SET_OF(stname, field, type) \

```

```

ASN1_EX_TYPE(ASN1_TFLG_SET_OF, 0, stname, field, type)

# define ASN1_SET_OF_OPT(stname, field, type)
\
    ASN1_EX_TYPE(ASN1_TFLG_SET_OF|ASN1_TFLG_OPTIONAL, 0, stname, field, type)

/* Finally compound types of SEQUENCE, SET, IMPLICIT, EXPLICIT and OPTIONAL */

# define ASN1_IMP_SET_OF(stname, field, type, tag) \
    ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF)

# define ASN1_EXP_SET_OF(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF)

# define ASN1_IMP_SET_OF_OPT(stname, field, type, tag) \
    ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF|ASN1_TFLG_OPTIONAL)

# define ASN1_EXP_SET_OF_OPT(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF|ASN1_TFLG_OPTIONAL)

# define ASN1_IMP_SEQUENCE_OF(stname, field, type, tag) \
    ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_SEQUENCE_OF)

# define ASN1_IMP_SEQUENCE_OF_OPT(stname, field, type, tag) \
    ASN1_IMP_EX(stname,
field, type, tag, ASN1_TFLG_SEQUENCE_OF|ASN1_TFLG_OPTIONAL)

# define ASN1_EXP_SEQUENCE_OF(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_SEQUENCE_OF)

# define ASN1_EXP_SEQUENCE_OF_OPT(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag,
ASN1_TFLG_SEQUENCE_OF|ASN1_TFLG_OPTIONAL)

/* EXPLICIT using indefinite length constructed form */
# define ASN1_NDEF_EXP(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_NDEF)

/* EXPLICIT OPTIONAL using indefinite length constructed form */
# define ASN1_NDEF_EXP_OPT(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_OPTIONAL|ASN1_TFLG_NDEF)

/* Macros for the ASN1_ADB structure */

# define ASN1_ADB(name) \
    static const ASN1_ADB_TABLE name##_adbtbl[]

# define ASN1_ADB_END(name, flags, field, adb_cb, def, none) \

```

```

;\
static const ASN1_ITEM
*name##_adb(void) \
{ \
static const ASN1_ADB internal_adb = \
    {\
    flags,\
    offsetof(name, field),\
    adb_cb,\
    name##_adbtbl,\
    sizeof(name##_adbtbl) / sizeof(ASN1_ADB_TABLE),\
    def,\
    none\
    };\
return (const ASN1_ITEM *) &internal_adb; \
} \
void dummy_function(void)

# define ADB_ENTRY(val, template) {val, template}

# define ASN1_ADB_TEMPLATE(name) \
    static const ASN1_TEMPLATE name##_tt

/*
 * This is the ASN1 template structure that defines a wrapper round the
 * actual type. It determines the actual position of the field in the value
 * structure, various flags such as OPTIONAL and the field name.
 */

struct ASN1_TEMPLATE_st {
    unsigned long flags; /* Various flags */
    long tag; /* tag, not used if no tagging */
    unsigned long offset; /* Offset
of this field in structure */
    const char *field_name; /* Field name */
    ASN1_ITEM_EXP *item; /* Relevant ASN1_ITEM or ASN1_ADB */
};

/* Macro to extract ASN1_ITEM and ASN1_ADB pointer from ASN1_TEMPLATE */

# define ASN1_TEMPLATE_item(t) (t->item_ptr)
# define ASN1_TEMPLATE_adb(t) (t->item_ptr)

typedef struct ASN1_ADB_TABLE_st ASN1_ADB_TABLE;
typedef struct ASN1_ADB_st ASN1_ADB;

struct ASN1_ADB_st {
    unsigned long flags; /* Various flags */

```

```

unsigned long offset;    /* Offset of selector field */
int (*adb_cb)(long *psel); /* Application callback */
const ASN1_ADB_TABLE *tbl; /* Table of possible types */
long tblcount;          /* Number of entries in tbl */
const ASN1_TEMPLATE *default_tt; /* Type to use if no match */
const ASN1_TEMPLATE *null_tt; /* Type to use if selector is NULL */
};

struct ASN1_ADB_TABLE_st {
    long value;          /* NID for an object or value for an int */
    const ASN1_TEMPLATE tt;
    /* item for this value */
};

/* template flags */

/* Field is optional */
#define ASN1_TFLG_OPTIONAL    (0x1)

/* Field is a SET OF */
#define ASN1_TFLG_SET_OF      (0x1 << 1)

/* Field is a SEQUENCE OF */
#define ASN1_TFLG_SEQUENCE_OF (0x2 << 1)

/*
 * Special case: this refers to a SET OF that will be sorted into DER order
 * when encoded *and* the corresponding STACK will be modified to match the
 * new order.
 */
#define ASN1_TFLG_SET_ORDER    (0x3 << 1)

/* Mask for SET OF or SEQUENCE OF */
#define ASN1_TFLG_SK_MASK      (0x3 << 1)

/*
 * These flags mean the tag should be taken from the tag field. If EXPLICIT
 * then the underlying type is used for the inner tag.
 */

/* IMPLICIT tagging */
#define ASN1_TFLG_IMPTAG      (0x1 << 3)

/* EXPLICIT tagging, inner tag from underlying type */
#define ASN1_TFLG_EXPTAG      (0x2 << 3)

#define ASN1_TFLG_TAG_MASK      (0x3 << 3)

```

```

/* context specific IMPLICIT */
#define ASN1_TFLG_IMPLICIT (ASN1_TFLG_IMPTAG|ASN1_TFLG_CONTEXT)

/*
context specific EXPLICIT */
#define ASN1_TFLG_EXPLICIT (ASN1_TFLG_EXPTAG|ASN1_TFLG_CONTEXT)

/*
* If tagging is in force these determine the type of tag to use. Otherwise
* the tag is determined by the underlying type. These values reflect the
* actual octet format.
*/

/* Universal tag */
#define ASN1_TFLG_UNIVERSAL (0x0<<6)
/* Application tag */
#define ASN1_TFLG_APPLICATION (0x1<<6)
/* Context specific tag */
#define ASN1_TFLG_CONTEXT (0x2<<6)
/* Private tag */
#define ASN1_TFLG_PRIVATE (0x3<<6)

#define ASN1_TFLG_TAG_CLASS (0x3<<6)

/*
* These are for ANY DEFINED BY type. In this case the 'item' field points to
* an ASN1_ADB structure which contains a table of values to decode the
* relevant type
*/

#define ASN1_TFLG_ADB_MASK (0x3<<8)

#define ASN1_TFLG_ADB_OID (0x1<<8)

#define ASN1_TFLG_ADB_INT (0x1<<9)

/*
* This flag when present in a SEQUENCE OF, SET OF or EXPLICIT causes
* indefinite length constructed
encoding to be used if required.
*/

#define ASN1_TFLG_NDEF (0x1<<11)

/* Field is embedded and not a pointer */
#define ASN1_TFLG_EMBED (0x1 << 12)

/* This is the actual ASN1 item itself */

```



```

struct ASN1_ITEM_st {
    char itype;          /* The item type, primitive, SEQUENCE, CHOICE
                        * or extern */
    long utype;          /* underlying type */
    const ASN1_TEMPLATE *templates; /* If SEQUENCE or CHOICE this contains
                        * the contents */
    long tcount;         /* Number of templates if SEQUENCE or CHOICE */
    const void *funcs;    /* further data and type-specific functions */
    /* funcs can be ASN1_PRIMITIVE_FUNCS*, ASN1_EXTERN_FUNCS*, or ASN1_AUX* */
    long size;           /* Structure size (usually) */
    const char *sname;    /* Structure name */
};

/*
 * Cache for ASN1 tag and length, so we don't keep re-reading it for things
 * like
 * CHOICE
 */

struct ASN1_TLC_st {
    char valid;          /* Values below are valid */
    int ret;             /* return value */
    long plen;           /* length */
    int ptag;            /* class value */
    int pclass;          /* class value */
    int hdrlen;          /* header length */
};

/* Typedefs for ASN1 function pointers */
typedef int ASN1_ex_d2i(ASN1_VALUE **pval, const unsigned char **in, long len,
    const ASN1_ITEM *it, int tag, int aclass, char opt,
    ASN1_TLC *ctx);

typedef int ASN1_ex_d2i_ex(ASN1_VALUE **pval, const unsigned char **in, long len,
    const ASN1_ITEM *it, int tag, int aclass, char opt,
    ASN1_TLC *ctx, OSSL_LIB_CTX *libctx,
    const char *propq);
typedef int ASN1_ex_i2d(const ASN1_VALUE **pval, unsigned char **out,
    const ASN1_ITEM *it, int tag, int aclass);
typedef
    int ASN1_ex_new_func(ASN1_VALUE **pval, const ASN1_ITEM *it);
typedef int ASN1_ex_new_ex_func(ASN1_VALUE **pval, const ASN1_ITEM *it,
    OSSL_LIB_CTX *libctx, const char *propq);
typedef void ASN1_ex_free_func(ASN1_VALUE **pval, const ASN1_ITEM *it);

typedef int ASN1_ex_print_func(BIO *out, const ASN1_VALUE **pval,
    int indent, const char *fname,

```

```

const ASN1_PCTX *pctx);

typedef int ASN1_primitive_i2c(const ASN1_VALUE **pval, unsigned char *cont,
                               int *putype, const ASN1_ITEM *it);
typedef int ASN1_primitive_c2i(ASN1_VALUE **pval, const unsigned char *cont,
                               int len, int utype, char *free_cont,
                               const ASN1_ITEM *it);
typedef int ASN1_primitive_print(BIO *out, const ASN1_VALUE **pval,
                                 const ASN1_ITEM *it, int indent,
                                 const ASN1_PCTX *pctx);

typedef
struct ASN1_EXTERN_FUNCS_st {
    void *app_data;
    ASN1_ex_new_func *asn1_ex_new;
    ASN1_ex_free_func *asn1_ex_free;
    ASN1_ex_free_func *asn1_ex_clear;
    ASN1_ex_d2i *asn1_ex_d2i;
    ASN1_ex_i2d *asn1_ex_i2d;
    ASN1_ex_print_func *asn1_ex_print;
    ASN1_ex_new_ex_func *asn1_ex_new_ex;
    ASN1_ex_d2i_ex *asn1_ex_d2i_ex;
} ASN1_EXTERN_FUNCS;

typedef struct ASN1_PRIMITIVE_FUNCS_st {
    void *app_data;
    unsigned long flags;
    ASN1_ex_new_func *prim_new;
    ASN1_ex_free_func *prim_free;
    ASN1_ex_free_func *prim_clear;
    ASN1_primitive_c2i *prim_c2i;
    ASN1_primitive_i2c *prim_i2c;
    ASN1_primitive_print *prim_print;
} ASN1_PRIMITIVE_FUNCS;

/*
 * This is the ASN1_AUX structure: it handles various miscellaneous
 * requirements. For example the use of reference counts and an informational
 * callback. The "informational callback" is called at various points during
 * the ASN1 encoding and decoding. It can be used to provide minor
 * customisation of the
 * structures used. This is most useful where the
 * supplied routines *almost* do the right thing but need some extra help at
 * a few points. If the callback returns zero then it is assumed a fatal
 * error has occurred and the main operation should be abandoned. If major
 * changes in the default behaviour are required then an external type is
 * more appropriate.
 * For the operations ASN1_OP_I2D_PRE, ASN1_OP_I2D_POST, ASN1_OP_PRINT_PRE, and

```

* ASN1_OP_PRINT_POST, meanwhile a variant of the callback with const parameter
 * 'in' is provided to make clear statically that its input is not modified. If
 * and only if this variant is in use the flag ASN1_AFLG_CONST_CB must be set.
 */

```
typedef int ASN1_aux_cb(int operation, ASN1_VALUE **in, const ASN1_ITEM *it,
    void *exarg);
```

```
typedef int ASN1_aux_const_cb(int operation, const ASN1_VALUE **in,
    const ASN1_ITEM *it, void *exarg);
```

```
typedef struct ASN1_AUX_st {
    void *app_data;
    int flags;
    int ref_offset;      /* Offset of reference value */
    int ref_lock;        /* Offset of lock value */
    ASN1_aux_cb *asn1_cb;
    int enc_offset;      /* Offset of ASN1_ENCODING structure */
    ASN1_aux_const_cb *asn1_const_cb; /* for ASN1_OP_I2D_ and ASN1_OP_PRINT_ */
} ASN1_AUX;
```

/* For print related callbacks exarg points to this structure */

```
typedef struct ASN1_PRINT_ARG_st {
    BIO *out;
    int indent;
    const ASN1_PCTX *pctx;
} ASN1_PRINT_ARG;
```

/* For streaming related callbacks exarg points to this structure */

```
typedef struct ASN1_STREAM_ARG_st {
    /* BIO to stream through */
    BIO *out;
    /* BIO with filters appended */
    BIO *ndef_bio;
    /* Streaming I/O boundary */
    unsigned char **boundary;
} ASN1_STREAM_ARG;
```

/* Flags in ASN1_AUX */

/* Use a reference count */

```
# define ASN1_AFLG_REFCOUNT    1
```

/* Save the encoding of structure (useful for signatures) */

```
# define ASN1_AFLG_ENCODING    2
```

/* The Sequence length is invalid

*/

```
# define ASN1_AFLG_BROKEN      4
```

/* Use the new asn1_const_cb */

```
# define ASN1_AFLG_CONST_CB    8
```

```
/* operation values for asn1_cb */
```

```
# define ASN1_OP_NEW_PRE      0
# define ASN1_OP_NEW_POST    1
# define ASN1_OP_FREE_PRE     2
# define ASN1_OP_FREE_POST    3
# define ASN1_OP_D2I_PRE      4
# define ASN1_OP_D2I_POST     5
# define ASN1_OP_I2D_PRE      6
# define ASN1_OP_I2D_POST     7
# define ASN1_OP_PRINT_PRE    8
# define ASN1_OP_PRINT_POST   9
# define ASN1_OP_STREAM_PRE   10
# define ASN1_OP_STREAM_POST  11
# define ASN1_OP_DETACHED_PRE 12
# define ASN1_OP_DETACHED_POST 13
# define ASN1_OP_DUP_PRE      14
# define ASN1_OP_DUP_POST     15
# define ASN1_OP_GET0_LIBCTX   16
# define ASN1_OP_GET0_PRO PQ   17
```

```
/* Macro to implement a primitive type */
```

```
# define IMPLEMENT_ASN1_TYPE(sname) IMPLEMENT_ASN1_TYPE_ex(sname, sname, 0)
# define IMPLEMENT_ASN1_TYPE_ex(itname, vname, ex) \
    ASN1_ITEM_start(itname) \
    \
    ASN1_ITYPE_PRIMITIVE, V_##vname, NULL, 0, NULL, ex, #itname \
    ASN1_ITEM_end(itname)
```

```
/* Macro to implement a multi string type */
```

```
# define IMPLEMENT_ASN1_MSTRING(itname, mask) \
    ASN1_ITEM_start(itname) \
    ASN1_ITYPE_MSTRING, mask, NULL, 0, NULL, sizeof(ASN1_STRING), #itname \
    ASN1_ITEM_end(itname)
```

```
# define IMPLEMENT_EXTERN_ASN1(sname, tag, fptrs) \
```

```
    ASN1_ITEM_start(sname) \
    ASN1_ITYPE_EXTERN, \
    tag, \
    NULL, \
    0, \
    &fptrs, \
    0, \
    #sname \
    ASN1_ITEM_end(sname)
```

```
/* Macro to implement standard functions in terms of ASN1_ITEM structures */
```

```

# define IMPLEMENT_ASN1_FUNCTIONS(stname) IMPLEMENT_ASN1_FUNCTIONS_fname(stname,
stname, stname)

# define IMPLEMENT_ASN1_FUNCTIONS_name(stname,
itname) IMPLEMENT_ASN1_FUNCTIONS_fname(stname, itname, itname)

# define IMPLEMENT_ASN1_FUNCTIONS_ENCODE_name(stname, itname) \
IMPLEMENT_ASN1_FUNCTIONS_ENCODE_fname(stname, itname, itname)

# define IMPLEMENT_STATIC_ASN1_ALLOC_FUNCTIONS(stname) \
IMPLEMENT_ASN1_ALLOC_FUNCTIONS_pfname(static, stname, stname, stname)

# define IMPLEMENT_ASN1_ALLOC_FUNCTIONS(stname) \
IMPLEMENT_ASN1_ALLOC_FUNCTIONS_fname(stname, stname, stname)

# define IMPLEMENT_ASN1_ALLOC_FUNCTIONS_pfname(pre, stname, itname, fname) \
pre stname *fname##_new(void) \
{ \
    return (stname *)ASN1_item_new(ASN1_ITEM_rptr(itname)); \
} \
pre void fname##_free(stname *a) \
{ \
    ASN1_item_free((ASN1_VALUE *)a, ASN1_ITEM_rptr(itname)); \
}

# define IMPLEMENT_ASN1_ALLOC_FUNCTIONS_fname(stname, itname, fname) \
stname *fname##_new(void) \
{ \
    return (stname *)ASN1_item_new(ASN1_ITEM_rptr(itname)); \
} \
void fname##_free(stname *a) \
{ \
    ASN1_item_free((ASN1_VALUE *)a, ASN1_ITEM_rptr(itname)); \
}

# define IMPLEMENT_ASN1_FUNCTIONS_fname(stname, itname, fname) \
IMPLEMENT_ASN1_ENCODE_FUNCTIONS_fname(stname, itname, fname) \
IMPLEMENT_ASN1_ALLOC_FUNCTIONS_fname(stname, itname, fname)

# define IMPLEMENT_ASN1_ENCODE_FUNCTIONS_fname(stname, itname, fname) \
stname *d2i_###fname(stname **a, const unsigned char **in, long len) \
{ \
    return (stname *)ASN1_item_d2i((ASN1_VALUE **)a, in, len, ASN1_ITEM_rptr(itname)); \
} \
int i2d_###fname(const stname *a, unsigned char **out) \
{ \

```

```

        return ASN1_item_i2d((const ASN1_VALUE *)a, out, ASN1_ITEM_rptr(itname));\
    }

# define IMPLEMENT_ASN1_NDEF_FUNCTION(stname) \
    int i2d_##stname##_NDEF(const stname *a, unsigned char **out) \
    { \
        return \
        ASN1_item_ndef_i2d((const ASN1_VALUE *)a, out, ASN1_ITEM_rptr(stname));\
    }

# define IMPLEMENT_STATIC_ASN1_ENCODE_FUNCTIONS(stname) \
    static stname *d2i_##stname(stname **a, \
        const unsigned char **in, long len) \
    { \
        return (stname *)ASN1_item_d2i((ASN1_VALUE **)a, in, len, \
            ASN1_ITEM_rptr(stname)); \
    } \
    static int i2d_##stname(const stname *a, unsigned char **out) \
    { \
        return ASN1_item_i2d((const ASN1_VALUE *)a, out, \
            ASN1_ITEM_rptr(stname)); \
    }

# define IMPLEMENT_ASN1_DUP_FUNCTION(stname) \
    stname * stname##_dup(const stname *x) \
    { \
        return ASN1_item_dup(ASN1_ITEM_rptr(stname), x); \
    }

# define IMPLEMENT_ASN1_PRINT_FUNCTION(stname) \
    IMPLEMENT_ASN1_PRINT_FUNCTION_fname(stname, stname, stname)

# define IMPLEMENT_ASN1_PRINT_FUNCTION_fname(stname, \
    itname, fname) \
    int fname##_print_ctx(BIO *out, const stname *x, int indent, \
        const ASN1_PCTX *pctx) \
    { \
        return ASN1_item_print(out, (const ASN1_VALUE *)x, indent, \
            ASN1_ITEM_rptr(itname), pctx); \
    }

/* external definitions for primitive types */

DECLARE_ASN1_ITEM(ASN1_BOOLEAN)
DECLARE_ASN1_ITEM(ASN1_TBOOLEAN)
DECLARE_ASN1_ITEM(ASN1_FBOOLEAN)
DECLARE_ASN1_ITEM(ASN1_SEQUENCE)
DECLARE_ASN1_ITEM(CBIGNUM)

```

```

DECLARE_ASN1_ITEM(BIGNUM)
DECLARE_ASN1_ITEM(INT32)
DECLARE_ASN1_ITEM(ZINT32)
DECLARE_ASN1_ITEM(UINT32)
DECLARE_ASN1_ITEM(ZUINT32)
DECLARE_ASN1_ITEM(INT64)
DECLARE_ASN1_ITEM(ZINT64)
DECLARE_ASN1_ITEM(UINT64)
DECLARE_ASN1_ITEM(ZUINT64)

# ifndef OPENSSSL_NO_DEPRECATED_3_0
/*
 * LONG and ZLONG are strongly discouraged for use as stored data, as the
 * underlying C type (long) differs in size depending on the architecture.
 * They are designed with 32-bit longs
 * in mind.
 */
DECLARE_ASN1_ITEM(LONG)
DECLARE_ASN1_ITEM(ZLONG)
# endif

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_VALUE, ASN1_VALUE, ASN1_VALUE)
#define sk_ASN1_VALUE_num(sk) OPENSSSL_sk_num(ssl_check_const_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_value(sk, idx) ((ASN1_VALUE
*)OPENSSSL_sk_value(ssl_check_const_ASN1_VALUE_sk_type(sk), (idx)))
#define sk_ASN1_VALUE_new(cmp) ((STACK_OF(ASN1_VALUE)
*)OPENSSSL_sk_new(ssl_check_ASN1_VALUE_compfunc_type(cmp)))
#define sk_ASN1_VALUE_new_null() ((STACK_OF(ASN1_VALUE) *)OPENSSSL_sk_new_null())
#define sk_ASN1_VALUE_new_reserve(cmp, n) ((STACK_OF(ASN1_VALUE)
*)OPENSSSL_sk_new_reserve(ssl_check_ASN1_VALUE_compfunc_type(cmp), (n)))
#define sk_ASN1_VALUE_reserve(sk, n) OPENSSSL_sk_reserve(ssl_check_ASN1_VALUE_sk_type(sk), (n))
#define sk_ASN1_VALUE_free(sk) OPENSSSL_sk_free(ssl_check_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_zero(sk) OPENSSSL_sk_zero(ssl_check_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_delete(sk, i) ((ASN1_VALUE
*)OPENSSSL_sk_delete(ssl_check_ASN1_VALUE_sk_type(sk),
(i)))
#define sk_ASN1_VALUE_delete_ptr(sk, ptr) ((ASN1_VALUE
*)OPENSSSL_sk_delete_ptr(ssl_check_ASN1_VALUE_sk_type(sk), ssl_check_ASN1_VALUE_type(ptr)))
#define sk_ASN1_VALUE_push(sk, ptr) OPENSSSL_sk_push(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define sk_ASN1_VALUE_unshift(sk, ptr) OPENSSSL_sk_unshift(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define sk_ASN1_VALUE_pop(sk) ((ASN1_VALUE
*)OPENSSSL_sk_pop(ssl_check_ASN1_VALUE_sk_type(sk)))
#define sk_ASN1_VALUE_shift(sk) ((ASN1_VALUE
*)OPENSSSL_sk_shift(ssl_check_ASN1_VALUE_sk_type(sk)))
#define sk_ASN1_VALUE_pop_free(sk, freefunc)
OPENSSSL_sk_pop_free(ssl_check_ASN1_VALUE_sk_type(sk), ssl_check_ASN1_VALUE_freefunc_type(freef

```

```

unc))
#define sk_ASN1_VALUE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr), (idx))
#define sk_ASN1_VALUE_set(sk, idx, ptr) ((ASN1_VALUE
*)OPENSSL_sk_set(ssl_check_ASN1_VALUE_sk_type(sk),
(idx), ssl_check_ASN1_VALUE_type(ptr)))
#define sk_ASN1_VALUE_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define sk_ASN1_VALUE_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define sk_ASN1_VALUE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ASN1_VALUE_sk_type(sk), ssl_check_ASN1_VALUE_type(ptr), pnum)
#define sk_ASN1_VALUE_sort(sk) OPENSSL_sk_sort(ssl_check_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_dup(sk) ((STACK_OF(ASN1_VALUE)
*)OPENSSL_sk_dup(ssl_check_const_ASN1_VALUE_sk_type(sk)))
#define sk_ASN1_VALUE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_VALUE)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_copyfunc_type(copyfunc), ssl_check_ASN1_VALUE_freefunc_type(freefunc)))
#define sk_ASN1_VALUE_set_cmp_func(sk,
cmp) ((sk_ASN1_VALUE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_compfunc_type(cmp)))

```

/* Functions used internally by the ASN1 code */

```

int ASN1_item_ex_new(ASN1_VALUE **pval, const ASN1_ITEM *it);
void ASN1_item_ex_free(ASN1_VALUE **pval, const ASN1_ITEM *it);

```

```

int ASN1_item_ex_d2i(ASN1_VALUE **pval, const unsigned char **in, long len,
const ASN1_ITEM *it, int tag, int aclass, char opt,
ASN1_TLC *ctx);

```

```

int ASN1_item_ex_i2d(const ASN1_VALUE **pval, unsigned char **out,
const ASN1_ITEM *it, int tag, int aclass);

```

/* Legacy compatibility */

```

# define IMPLEMENT_ASN1_FUNCTIONS_const(name) IMPLEMENT_ASN1_FUNCTIONS(name)
# define IMPLEMENT_ASN1_ENCODE_FUNCTIONS_const_fname(stname, itname, fname) \
IMPLEMENT_ASN1_ENCODE_FUNCTIONS_fname(stname, itname, fname)

```

```

#ifdef __cplusplus
}
#endif
#endif

```

Postject is licensed for use as follows:

MIT License

Copyright (c) 2022 Postman, Inc

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The Postject license applies to all parts of Postject that are not externally maintained libraries.

The externally maintained libraries used by Postject are:

- LIEF, located at vendor/LIEF, is licensed as follows:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities

that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along

with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this

License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 - 2022 R. Thomas

Copyright 2017 - 2022 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License

at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

""""

```
{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
```

'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymciph.c',

'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',

'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',

'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',

```

'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/bsaes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx2.s',

```

```

'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/camellia/cml1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/whrlpool/wp-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm_avx2/providers/fips.ld',

```

```

],

```

```

'openssl_defines_BSD-x86_64': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'AES_ASM',
  'BSAES_ASM',
  'ECP_NISTZ256_ASM',
  'FIPS_MODULE',
  'GHASH_ASM',
  'KECCAK1600_ASM',
  'OPENSSL_BN_ASM_GF2m',
  'OPENSSL_BN_ASM_MONT',
  'OPENSSL_BN_ASM_MONT5',

```

```

'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'X25519_ASM',
'FIPS_MODULE',
],
'openssl_cflags_BSD-x86_64': [
'-Wa,--noexecstack',
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
'linker_script': "
},
'include_dirs': [
'',
'./include',
'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
'include_dirs': ['./include', ''],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}

```

Copyright (c) 2011:

Tim Koschitzki (tim@debuggable.com)

Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) Shannon Moeller <me@shannonmoeller.com> (shannonmoeller.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Release 7 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the same terms as the software itself.

The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2007 University of Cambridge
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2007, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in
source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the name of Google
Inc. nor the names of their contributors may be used to endorse or
promote products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

End

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/fipskey.h.in

*

* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_FIPSKEY_H

define OPENSSL_FIPSKEY_H

pragma once

ifdef __cplusplus

extern "C" {

endif

/*

* The FIPS validation HMAC key, usable as an array initializer.

*/

#define FIPS_KEY_ELEMENTS \

0xf4, 0x55, 0x66, 0x50, 0xac, 0x31, 0xd3, 0x54, 0x61, 0x61, 0x0b, 0xac, 0x4e, 0xd8, 0x1b, 0x1a, 0x18, 0x1b, 0x2d, 0x8a, 0x43, 0xea, 0x28, 0x54, 0xcb, 0xae, 0x22, 0xca, 0x74, 0x56, 0x08, 0x13

/*

* The FIPS validation key, as a string.

*/

#define FIPS_KEY_STRING "f4556650ac31d35461610bac4ed81b1a181b2d8a43ea2854cbae22ca74560813"

ifdef __cplusplus

}

endif

#endif

Copyright (c) 2013, Joel Feenstra

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the ESQuery nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL JOEL FEENSTRA BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice that the following BSD-style license applies to this one file (valgrind.h) only. The rest of Valgrind is licensed under the terms of the GNU General Public License, version 2, unless otherwise indicated. See the COPYING file in the source distribution for details.

This file is part of Valgrind, a dynamic binary instrumentation framework.

Copyright (C) 2000-2010 Julian Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice that the above BSD-style license applies to this one file (valgrind.h) only. The entire rest of Valgrind is licensed under the terms of the GNU General Public License, version 2. See the COPYING file in the source distribution for details.

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2015-2020, Matteo Collina <matteo.collina@gmail.com>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Robert Kowalski

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.378 jdk-zulu 11.86+21

1.378.1 Available under license :

```
## c-libutl 20160225
```

```
### c-libutl License
```

```
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU

UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Apache Xerces v2.12.2

Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

Pako v1.0

Pako License

<pre>

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the

following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version
number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and

- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not

price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do

these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with

the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs

enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices

stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the

ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline

functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at

least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or

distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that

system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims  
all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.
```

```
<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice
```

That's all there is to it!

```
</pre>  
## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1
```

```
### IAIK License  
<pre>
```

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## Eastman Kodak Company: Portions of color management and imaging software
```

```
### Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
```

```
<pre>
/* *****
*****
*****
*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.
*****
*****
*****/
</pre>
```

```
## Mozilla Public Suffix List
```

```
### Public Suffix Notice
``
```

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public_suffix_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at

https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

MPL v2.0

...

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered

Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,

to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available,
modify, display, perform, distribute, and otherwise exploit its
Contributions, either on an unmodified basis, with Modifications, or
as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer
for sale, have made, import, and otherwise transfer either its
Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for
each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a
Contributor:

- (a) for any code that a Contributor has removed from Covered Software;
or
- (b) for infringements caused by: (i) Your and any other third party's
modifications of Covered Software, or (ii) the combination of its
Contributions with other software (except as part of its Contributor
Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of
its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*

*

* 6. Disclaimer of Warranty

*

* -----

*

*
* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
*
essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
*

*
* 7. Limitation of Liability *
* ----- *
*
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any *
character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
*

8. Litigation

Any litigation relating to this License may be brought only in the
courts
of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3 license.

The MIT License

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GPL version 3

...

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such

abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based

on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means

all

the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted

under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts,

regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially,

and

only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you

add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover,
your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other
than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an

organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a

covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

OASIS PKCS #11 Cryptographic Token Interface v3.1

OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<https://www.oasis-open.org/policies-guidelines/ipr/>].

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or

assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document

or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications, OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes

no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

Double-conversion v1.1.5

Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

jQuery v3.7.1

jQuery License

...

jQuery v 3.7.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

Please see ..\java.base\ASSEMBLY_EXCEPTION

Thai Dictionary

Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

The FreeType Project: Freetype v2.13.3

FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

FreeType License

...

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2007-2024 by Dereg Clegg and Michael Toftdal.

Copyright (C) 1996-2024 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and

Copyright (C) 2004-2024 by Masatake YAMATO and Redhat K.K.

Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.
Copyright (C) 2003-2024 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Röttsches.
Copyright (C) 2007-2024 by David Turner.
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2024 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Suzuki Toshiya.
Copyright (C) 2013-2024 by Google, Inc.
Copyright (C) 2019-2024 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2024 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2024 by David Turner, Robert Wilhelm, Dominik Röttsches, and Werner Lemberg.
Copyright (C) 2004-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)

o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and

documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid

to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we

want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion

of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may

add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,

INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it

under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

...

Additional Freetype Attributions
...

The below applies to the following file(s):

libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrap.c
libfreetype/src/psaux/psintrap.h
libfreetype/src/psaux/psread.c

libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright

(C) 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

MIT License

...

The below applies to the following file(s):
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright (C) 2000 Computing Research Labs, New Mexico State University
Copyright (C) 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

zlib v1.3.1

zlib License

<pre>

Copyright (C) 1995-2024 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

Apache Santuario v3.0.3

Apache 2.0 License

...

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the

following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within

the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying

information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

...

Apache Santuario Notice

...

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.

...

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).

All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

```
</pre>
```

```
### W3C License
<pre>
```

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided
by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

- 1.The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and
conditions. If none exist, the W3C Software Short Notice should be included
(hypertext is preferred, text is permitted) within the body of any
redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date
changes were made.
(We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS
MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT
LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR
PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY

THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>
Cryptix AES v3.2.0

Cryptix General License
<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\cldr.md

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE

WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Please see ..\java.base\LICENSE

jopt-simple v5.0.4

MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Independent JPEG Group: JPEG release 6b

JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)
If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this
distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead

by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

Apache Xalan v2.7.2

Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution. The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty

disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and

fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

</pre>

JLine v3.26.1

JLine License

<pre>

Copyright (c) 2002-2023, the original author or authors.
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\ADDITIONAL_LICENSE_INFO

SipHash v1.0-68c8a7c

Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright
and related and neighboring rights to this software to the public domain
worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along
with
this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

Licenses

The code is dual-licensed CCO and MIT

MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work

and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work,

subject to the limitations in paragraph 4(a), below;

v. rights protecting the extraction, dissemination, use and reuse of data in a Work;

vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby

affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

JRuby Joni v2.1.16

MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>
The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to

know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating

that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be

licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to

give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the

rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,

then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion

of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following

clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

libpng v1.6.54

libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

Copyright (C) 1995-2026 The PNG Reference Library Authors.

Copyright (C) 2018-2026 Cosmin Truta

Copyright (C) 1998-2018 Glenn Randers-Pehrson

Copyright (C) 1996-1997 Andreas Dilger

Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby
granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabudde
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat

Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information

...

PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing

Authors, for copyright and licensing purposes.

- * Adam Richter
- * Alexander Smorkalov
- * Andreas Dilger
- * Chris Blume
- * Cosmin Truta
- * Dave Martindale
- * Eric S. Raymond
- * Gilles Vollant
- * Glenn Randers-Pehrson
- * Greg Roelofs
- * Guy Eric Schalnat
- * James Yu
- * John Bowler
- * Kevin Bracey
- * Lucas Chollet
- * Magnus Holmgren
- * Mandar Sahastrabudhe
- * Manfred Schlaegl
- * Mans Rullgard
- * Matt Sarett
- * Mike Klein
- * Pascal Massimino
- * Paul Schmidt
- * Petr Simecek
- * Philippe Antoine
- * Qiang Zhou
- * Sam Bushell
- * Samuel Williams
- * Simon-Pierre Cadieux
- * Tim Wegner
- * Tobias Stoeckmann
- * Tom Lane
- * Tom Tanner
- * Vadim Barkov
- * Willem van Schaik
- * Zhijie Liang
- * Apple Inc.
 - Zixu Wang ()
- * Arm Holdings
 - Richard Townsend
- * Google LLC
 - Dan Field
 - Drago Tiselice
 - Leon Scroggins III
 - Matt Sarett
 - Mike Klein

- Sami Boukortt
- Wan-Teh Chang
- * Loongson Technology Corporation Ltd.
 - GuXiWei ()
 - JinBo ()
 - ZhangLixia ()
- * Samsung Group
 - Filip Wasil
- * SpacemiT Hangzhou Technology, Co.
 - Liang Junzhao ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

Harfbuzz 11.2.0

Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.

For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2024 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)
Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2025 Behdad Esfahbod
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.
Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

For full copyright notices consult
the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,
is licensed as above. The one
exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

The below applies to the following file(s):
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The below applies to the following file(s):
libharfbuzz/hb-unicode-emoji-table.hh

2024 Unicode, Inc.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc. in the U.S. and other countries.

For terms of use and license, see https://www.unicode.org/terms_of_use.html

</pre>

AUTHORS File Information

```

Behdad Esfahbod  
David Corbett  
David Turner  
Ebrahim Byagowi  
Garret Rieger  
Jonathan Kew  
Khaled Hosny  
Lars Knoll  
Martin Hosken  
Owen Taylor  
Roderick Sheeter  
Roozbeh Pournader



Simon Hausmann

Werner Lemberg

...

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery UI v1.14.1

### jQuery UI License

...

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as

documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## ASM Bytecode Manipulation Framework v9.6

### ASM License

<pre>

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at

[http://www.azulsystems.com/license/zulu\\_third\\_party\\_licenses.html](http://www.azulsystems.com/license/zulu_third_party_licenses.html)  
to understand your rights under them. In the event that no such third party  
license agreements exist, the restrictions contained in this Agreement shall  
apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source  
Materials directly from the applicable Third Party Licensors including the  
right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open  
Source Licenses and the  
provisions of this Agreement, the provisions of the  
Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED  
WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL  
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR  
CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE  
GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION,  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT  
LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the  
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL  
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN

ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms  
of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution  
and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
|                |                    |                |
| Gallium code   | src/gallium/       | MIT            |
|                |                    |                |
| Ext headers    | GL/glxt.h          | Khronos        |
|                | GL/glxt.h          | Khronos        |
|                | GL/wglxt.h         | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the  
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

include/GL/glex.h  
include/GL/glxext.h  
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including

without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Materials, and to  
permit persons to whom the Materials are furnished to do  
so, subject to  
the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.17

### LCMS License

<pre>

MIT License

Copyright (C) 1998-2025 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the Software  
is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO  
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER  
IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
The below applies to the following file(s):

liblcms/cmssm.c

Copyright (C) 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose  
providing that this copyright notice is included with it.  
SoftSurfer makes no warranty for this code, and cannot be held  
liable for any real or imagined damage resulting from its use.  
Users of this code must verify correctness for their application.

</pre>

### AUTHORS File Information

...

Main Author

-----

Marti Maria

Contributors

-----

Bob Friesenhahn

Kai-Uwe Behrmann

Stuart Nixon

Jordi Vilar

Richard Hughes

Auke Nauta

Chris Evans (Google)

Lorenzo Ridolfi

Robin Watts (Artifex)

Shawn Pedersen

Andrew Brygin

Samuli Suominen

Florian Hch

Aurelien Jarno

Claudiu Cebuc

Michael Vhrel (Artifex)

Michal Cihar

Daniel Kaneider

Mateusz

Jurczyk (Google)

Paul Miller

Sbastien Lon

Christian Schmitz

XhmikosR



Stanislav Brabec (SuSe)  
Leonhard Gruenschloss (Google)  
Patrick Noffke  
Christopher James Halse Rogers  
John Hein  
Thomas Weber (Debian)  
Mark Allen  
Noel Carboni  
Sergei Trofimovic  
Philipp Knechtges  
Amyspark  
Lovell Fuller  
Eli Schwartz  
Diogo Teles Sant'Anna

#### Special Thanks

-----

Artifex software  
AlienSkin software  
libVIPS  
Jan Morovic  
Jos Vernon (WebSupergoo)  
Harald Schneider (Maxon)  
Christian Albrecht  
Dimitrios Anastassakis  
Lemke Software  
Tim Zaman  
Amir Montazery and Open Source Technology Improvement Fund (ostif.org), Google, for fuzzer fundings.  
...

## GIFLIB v5.2.2

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>  
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>  
uncompressed gif writing code  
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>  
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT

...

## ASM Bytecode Manipulation Framework v6.0

### ASM License  
<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## 1.379 zulu11-ca 11.0.30-3

### 1.379.1 Available under license :

```
c-libutl 20160225
```

```
c-libutl License
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS



IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## Apache Xerces v2.12.2

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

```

 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean  
an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with

the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## The Unicode Standard, Unicode Character Database, Version 10.0.0

### Unicode Character Database

...

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the  
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard  
or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU

UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,

copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

(a) this copyright and permission notice appear with all copies of the Data Files or Software, or

(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## Mozilla Elliptic Curve Cryptography (ECC)

### Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a [copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA\_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA\_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA\_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.  
Attn: Associate General Counsel,  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version  
number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare



parts or customer support for that product model.

</pre>

### LGPL 2.1

<pre>

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document,  
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not  
price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of  
it in new free programs; and that you are informed that you can do  
these things.

To protect your rights, we need to make restrictions that forbid  
distributors to deny you these rights or to ask you to surrender these  
rights. These restrictions translate to certain responsibilities for  
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses

the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all

subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above

specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or



distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU

FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims  
all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

```
</pre>
xwd v1.0.7

xwd utility
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.  
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its  
documentation for any purpose is hereby granted without fee, provided that  
the above copyright notice appear in all copies and that both that  
copyright notice and this permission notice appear in supporting  
documentation.

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR  
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING  
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall  
not be used in advertising or otherwise to promote the sale, use or  
other dealings in this Software without prior written authorization  
from The Open Group.

```
</pre>
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
```

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

```
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
```

```
<pre>
/* *****

*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.

*****/
</pre>
```

## Mozilla Public Suffix List

### Public Suffix Notice  
...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat). If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.  
...

### MPL v2.0  
...

Mozilla Public License Version 2.0  
=====

## 1. Definitions -----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer



for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software

under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such

Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an

\*

essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

\* 7. Limitation of Liability

\*

\* -----

\*

\*  
\*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any  
character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\*  
\*  
\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or

publish new versions of this License.

Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

## PC/SC Lite v1.9.5

### PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

</pre>

## OASIS PKCS #11 Cryptographic Token Interface v3.1

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website:

[<https://www.oasis-open.org/policies-guidelines/ipr/>].

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications, OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but



disclaims any obligation to do so.]

[OASIS takes

no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## Double-conversion v1.1.5

### Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## The FreeType Project: Freetype v2.13.3

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.  
Copyright (C) 1996-2024 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and  
Copyright (C) 2004-2024 by Masatake YAMATO and Redhat K.K.  
Copyright (C) 2007-2024 by Derek Clegg and  
Michael Toftdal.  
Copyright (C) 2003-2024 by Masatake YAMATO, Red Hat K.K.,  
Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttches.  
Copyright (C) 2007-2024 by David Turner.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.  
Copyright (C) 2007-2024 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.  
Copyright (C) 2008-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.  
Copyright (C) 2013-2024 by Google, Inc.  
Copyright (C) 2019-2024 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2009-2024 by Oran Agra and Mickey Gabel.  
Copyright (C) 2018-2024 by David Turner, Robert Wilhelm, Dominik Rttches, and Werner Lemberg.  
Copyright (C) 2004-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (‘as is’ distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (‘royalty-free’ usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (‘credits’)

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile,

display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----  
There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

---

### GPL v2

---

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom

to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you

these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with



modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation

of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate

parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

...

### ### Additional Freetype Attributions

...

-----

The below applies to the following file(s):

libfreetype/src/psaux/psarrst.c  
libfreetype/src/psaux/psarrst.h  
libfreetype/src/psaux/psblues.c  
libfreetype/src/psaux/psblues.h  
libfreetype/src/psaux/pserror.c  
libfreetype/src/psaux/pserror.h  
libfreetype/src/psaux/psfixed.h  
libfreetype/src/psaux/psfont.c  
libfreetype/src/psaux/psfont.h  
libfreetype/src/psaux/psft.c  
libfreetype/src/psaux/psft.h  
libfreetype/src/psaux/psglue.h  
libfreetype/src/psaux/pshints.c  
libfreetype/src/psaux/pshints.h  
libfreetype/src/psaux/psintrp.c  
libfreetype/src/psaux/psintrp.h  
libfreetype/src/psaux/psread.c  
libfreetype/src/psaux/psread.h  
libfreetype/src/psaux/psstack.c  
libfreetype/src/psaux/psstack.h  
libfreetype/src/psaux/pstypes.h

### Copyright

(C) 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was

submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

### MIT License

...

-----

The below applies to the following file(s):  
libfreetype/include/freetype/internal/fthash.h  
libfreetype/src/base/fthash.c

Copyright (C) 2000 Computing Research Labs, New Mexico State University  
Copyright (C) 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,  
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



...

## ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

## Apache Santuario v3.0.3

### Apache 2.0 License

...

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### 5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

...

### Apache Santuario Notice

...

Apache Santuario - XML Security for Java  
Copyright 1999-2023  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is  
copyright (c) 2021, Oracle and/or its affiliates.

...

## DOM Level 3 Core Specification v1.0

### W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,  
European Research Consortium for Informatics and Mathematics, Keio University).  
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.  
The software license requires "Notice of any changes or modifications to the W3C  
files, including the date changes were made." Consequently, modified versions of

the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

### W3C License

<pre>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee)

agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

- 3.Notice of any changes or modifications to the files, including the date changes were made.

(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used

in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This

version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

#### OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at [openjdk.java.net](http://openjdk.java.net) ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.



## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## International Components for Unicode (ICU4J) v60.2

### ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## Independent JPEG Group: JPEG release 6b

### JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name

in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```
 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare  
Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement,  
then any patent licenses  
granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or  
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices  
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works  
that You distribute, all copyright, patent, trademark, and  
attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement

to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any



risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to  
in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and

fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

</pre>

## JLine v3.26.1

### JLine License

<pre>

Copyright (c) 2002-2023, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or  
without modification, are permitted provided that the following  
conditions are met:

Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## SipHash v1.0-68c8a7c

### Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with

this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

### Licenses

The code is dual-licensed CCO and MIT

#### MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

#### CC0 1.0 Universal

...

#### Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

#### Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be

protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver

is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

## JRuby Joni v2.1.16

### MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

---

---

---

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

---

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that  
you have the freedom to  
distribute copies of free software (and charge for this service if you wish),  
that you receive source code or can get it if you want it, that you can change  
the software or use pieces of it in new free programs; and that you know you  
can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2)



offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections

1 and

2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to

do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body

of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

## to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General Public  
License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are  
subject to the following  
clarification and special exception to the GPL, but  
only where Oracle has expressly included in the particular source file's header  
the words "Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making  
a combined work based on this library. Thus, the terms and conditions of  
the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent modules,  
and to copy and distribute the resulting executable under terms of your  
choice, provided that you also meet, for each linked independent module,  
the terms and conditions of the license of that module. An independent  
module is a module  
which is not derived from or based on this library. If  
you modify this library, you may extend this exception to your version of  
the library, but you are not obligated to do so. If you do not wish to do  
so, delete this exception statement from your version.

## libpng v1.6.54

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----  
Copyright (C) 1995-2026 The PNG Reference Library Authors.  
Copyright (C) 2018-2026 Cosmin Truta  
Copyright (C) 1998-2018 Glenn Randers-Pehrson  
Copyright (C) 1996-1997 Andreas Dilger  
Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby  
granted to use, copy, modify, and distribute  
this software, or portions hereof, for any purpose, without fee,  
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)  
-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are  
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are  
derived from libpng-1.0.6, and are distributed according to the  
same  
disclaimer and license as libpng-1.0.6 with the following individuals  
added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard



Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are

Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

### AUTHORS File Information

...

PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- \* Adam Richter
- \* Alexander Smorkalov
- \* Andreas Dilger
- \* Chris Blume
- \* Cosmin Truta
- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schalnat
- \* James Yu
- \* John Bowler
- \* Kevin Bracey
- \* Lucas Chollet
- \* Magnus Holmgren
- \* Mandar Sahastrabudhe
- \* Manfred Schlaegl
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino
- \* Paul Schmidt
- \* Petr Simecek
- \* Philippe Antoine
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tobias Stoeckmann
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Apple Inc.
  - Zixu Wang ()

- \* Arm Holdings
  - Richard Townsend
- \* Google LLC
  - Dan Field
  - Drago Tiselice
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang
- \* Loongson Technology Corporation Ltd.
  - GuXiWei ()
  - JinBo ()
  - ZhangLixia ()
- \* Samsung Group
  - Filip Wasil
- \* SpacemiT Hangzhou Technology, Co.
  - Liang Junzhao ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

## Unicode Common Local Data Repository (CLDR) v33

### CLDR License

...

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,  
<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT,  
AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission  
notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

...

## Harfbuzz 11.2.0

### Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual  
files names COPYING in subdirectories where applicable.

Copyright 2010-2024 Google, Inc.  
Copyright 2018-2020 Ebrahim Byagowi  
Copyright 2004-2013 Red Hat, Inc.  
Copyright 2019 Facebook, Inc.  
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)  
Copyright 2007 Chris Wilson  
Copyright 2018-2019 Adobe Inc.  
Copyright 2006-2025 Behdad Esfahbod  
Copyright 1998-2004 David Turner and Werner Lemberg  
Copyright 2009 Keith Stribley  
Copyright 2018 Khaled Hosny  
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>  
Copyright 2016 Igalia S.L.  
Copyright 2015 Mozilla Foundation.  
Copyright 1999 David Turner  
Copyright 2005 Werner Lemberg  
Copyright 2013-2015 Alexei Podtelezhnikov  
Copyright 2022 Matthias Clasen  
Copyright 2011 Codethink Limited

For full copyright notices consult  
the individual files in the package.

Permission is hereby granted, without written agreement and without  
license or royalty fees, to use, copy, modify, and distribute this  
software and its documentation for any purpose, provided that the  
above copyright notice and the following two paragraphs appear in  
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR  
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES  
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN  
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,  
is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

-----  
The below applies to the following file(s):  
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

-----  
The below applies to the following file(s):  
libharfbuzz/hb-unicode-emoji-table.hh

2024 Unicode, Inc.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc. in the U.S. and other countries.  
For terms of use and license, see [https://www.unicode.org/terms\\_of\\_use.html](https://www.unicode.org/terms_of_use.html)

</pre>

### AUTHORS File Information  
``

Behdad Esfahbod  
David Corbett  
David Turner  
Ebrahim Byagowi

Garret Rieger  
Jonathan Kew  
Khaled Hosny  
Lars Knoll  
Martin Hosken  
Owen Taylor  
Roderick Sheeter  
Roozbeh Pournader  
Simon Hausmann  
Werner Lemberg

...

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## ASM Bytecode Manipulation Framework v9.6

### ASM License



<pre>

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain

software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at [http://www.azulsystems.com/license/zulu\\_third\\_party\\_licenses.html](http://www.azulsystems.com/license/zulu_third_party_licenses.html) to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.  
The following section lists the primary components of the Mesa distribution and their respective licenses.  
Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/glxt.h          | Khronos        |
|                | GL/glxt.h          | Khronos        |
|                | GL/wglxt.h         | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,

and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.17

### LCMS License

<pre>

MIT License

Copyright (C) 1998-2025 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER  
IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
The below applies to the following file(s):  
liblcms/cmssm.c

Copyright (C) 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose  
providing that this copyright notice is included with it.  
SoftSurfer makes no warranty for this code, and cannot be held  
liable for any real or imagined damage resulting from its use.  
Users of this code must verify correctness for their application.

</pre>

### AUTHORS File Information  
...

Main Author

-----  
Marti Maria

Contributors

-----  
Bob Friesenhahn  
Kai-Uwe Behrmann  
Stuart Nixon  
Jordi Vilar  
Richard Hughes  
Auke Nauta  
Chris Evans (Google)  
Lorenzo Ridolfi  
Robin Watts (Artifex)  
Shawn Pedersen  
Andrew Brygin  
Samuli Suominen  
Florian Hch  
Aurelien Jarno  
Claudiu Cebuc  
Michael Vhrel (Artifex)  
Michal Cihar  
Daniel Kaneider

Mateusz  
Jurczyk (Google)  
Paul Miller  
Sbastien Lon  
Christian Schmitz  
XhmikosR  
Stanislav Brabec (SuSe)  
Leonhard Gruenschloss (Google)  
Patrick Noffke  
Christopher James Halse Rogers  
John Hein  
Thomas Weber (Debian)  
Mark Allen  
Noel Carboni  
Sergei Trofimovic  
Philipp Knechtges  
Amyspark  
Lovell Fuller  
Eli Schwartz  
Diogo Teles Sant'Anna

#### Special Thanks

-----

Artifex software  
AlienSkin software  
libVIPS  
Jan Morovic  
Jos Vernon (WebSupergoo)  
Harald Schneider (Maxon)  
Christian Albrecht  
Dimitrios Anastassakis  
Lemke Software  
Tim Zaman  
Amir Montazery and Open Source Technology Improvement Fund (ostif.org), Google, for fuzzer fundings.  
...

## GIFLIB v5.2.2

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>  
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>  
uncompressed gif writing code  
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>  
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT

...

## ASM Bytecode Manipulation Framework v6.0

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions



are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## 1.380 zulu17-ca 17.0.18-3

### 1.380.1 Available under license :

```
c-libutl 20160225
```

```
c-libutl License
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensors for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## Apache Xerces v2.12.2

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the



Licensors for the purpose of discussing and improving the Work,  
but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make,  
have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the  
Work or Derivative Works thereof in any medium, with or without  
modifications, and in Source or Object form, provided that You  
meet the following conditions:

(a) You must give any other recipients  
of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices  
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works  
that You distribute, all copyright, patent, trademark, and  
attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with

the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE

LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
Eastman Kodak Company: Portions of color management and imaging software
```

```
Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
```

```
<pre>
/* *****

*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.

*****/
</pre>
OASIS PKCS #11 Cryptographic Token Interface v3.1
```

```
OASIS PKCS #11 Cryptographic Token Interface License
<pre>
```

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [\[https://www.oasis-open.org/policies-guidelines/ipr/\]](https://www.oasis-open.org/policies-guidelines/ipr/).

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of

developing any document  
or deliverable produced by an OASIS Technical  
Committee (in which case the rules applicable to copyrights, as set  
forth in the OASIS IPR Policy, must be followed) or as required to  
translate it into languages other than English.

The limited permissions granted above are perpetual and will not be  
revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an  
"AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED,  
INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE  
INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED  
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS  
AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR  
CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY  
PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in  
brackets apply to OASIS Standards Final Deliverable documents (Committee  
Specifications,  
OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that  
believes it has patent claims that would necessarily be infringed by  
implementations of this OASIS Standards Final Deliverable, to notify  
OASIS TC Administrator and provide an indication of its willingness to  
grant patent licenses to such patent claims in a manner consistent with  
the IPR Mode of the OASIS Technical Committee that produced this  
deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it  
is aware of a claim of ownership of any patent claims that would  
necessarily be infringed by implementations of this OASIS Standards  
Final Deliverable by a patent holder that is not willing to provide a  
license to such patent claims in a manner consistent with the IPR Mode  
of the OASIS Technical Committee that produced this OASIS Standards  
Final Deliverable. OASIS may include such claims on its website, but  
disclaims any obligation to do so.]

[OASIS takes  
no position regarding the validity or scope of any  
intellectual property or other rights that might be claimed to pertain  
to the implementation or use of the technology described in this OASIS  
Standards Final Deliverable or the extent to which any license under  
such rights might or might not be available; neither does it represent  
that it has made any effort to identify any such rights. Information on  
OASIS' procedures with respect to rights in any document or deliverable

produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

---

## Mozilla Public Suffix List

### Public Suffix Notice

---

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

---

### MPL v2.0

---

Mozilla Public License Version 2.0

=====



## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

### 1.8. "License"

means this document.

### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

### 1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its

Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for

the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*  
\*  
\*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\*  
\*\*\*\*\*

```

* *
* *
* 7. Limitation of Liability *
* ----- *
* *
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any *
* character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *

```

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

## 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as



defined by the Mozilla Public License, v. 2.0.

...

Please see ..\java.base\ASSEMBLY\_EXCEPTION

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## The FreeType Project: Freetype v2.13.3

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the

GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.  
Copyright (C) 1996-2024 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and  
Copyright (C) 2004-2024 by Masatake YAMATO and Redhat K.K.  
Copyright (C) 2007-2024 by Derek Clegg and  
Michael Toftdal.  
Copyright (C) 2003-2024 by Masatake YAMATO, Red Hat K.K.,  
Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rtsches.  
Copyright (C) 2007-2024 by David Turner.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.  
Copyright (C) 2007-2024 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.  
Copyright (C) 2008-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.  
Copyright (C) 2013-2024 by Google, Inc.  
Copyright (C) 2019-2024 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2009-2024 by Oran Agra and Mickey Gabel.  
Copyright (C) 2018-2024 by David Turner, Robert Wilhelm, Dominik Rtsches, and Werner Lemberg.  
Copyright (C) 2004-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages;  
some of them may contain, in addition to the FreeType font engine,  
various tools and contributions which rely on, or relate to, the

FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

## 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file

(`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you

these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a

notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of



this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

...

### Additional Freetype Attributions  
...

-----

The below applies to the following file(s):

libfreetype/src/psaux/psarrst.c  
libfreetype/src/psaux/psarrst.h  
libfreetype/src/psaux/psblues.c  
libfreetype/src/psaux/psblues.h  
libfreetype/src/psaux/pserror.c  
libfreetype/src/psaux/pserror.h  
libfreetype/src/psaux/psfixed.h  
libfreetype/src/psaux/psfont.c  
libfreetype/src/psaux/psfont.h  
libfreetype/src/psaux/psft.c  
libfreetype/src/psaux/psft.h  
libfreetype/src/psaux/psglue.h  
libfreetype/src/psaux/pshints.c  
libfreetype/src/psaux/pshints.h  
libfreetype/src/psaux/psintrap.c  
libfreetype/src/psaux/psintrap.h  
libfreetype/src/psaux/psread.c  
libfreetype/src/psaux/psread.h  
libfreetype/src/psaux/psstack.c  
libfreetype/src/psaux/psstack.h  
libfreetype/src/psaux/pstypes.h

#### Copyright

(C) 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

### MIT License

...

-----  
The below applies to the following file(s):  
libfreetype/include/freetype/internal/fthash.h  
libfreetype/src/base/fthash.c

Copyright (C) 2000 Computing Research Labs, New Mexico State University  
Copyright (C) 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

## zlib v1.3.1

### zlib License

<pre>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

</pre>  
## Apache Santuario v3.0.5

### Apache 2.0 License  
...

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial



ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within

the Source form or

documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### 5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

...

### Apache Santuario Notice

...

Apache Santuario - XML Security for Java  
Copyright 1999-2024  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is  
copyright (c) 2021, 2023, Oracle and/or its affiliates.  
...

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are  
subject to the following clarification and special exception to the GPLv2,  
based on the GNU Project exception for its Classpath libraries, known as the  
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software  
package. Some of those programs are provided under licenses deemed  
incompatible with the GPLv2 by the Free Software Foundation and others.  
For example, the package includes programs licensed under the Apache  
License, Version 2.0 and may include FreeType. Such programs are licensed  
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the  
Classpath Exception to the necessary parts of its GPLv2 code, which permits  
you to use that code in combination with other independent modules not  
licensed under the GPLv2. However, note that this would  
not permit you to  
commingle code under an incompatible license with Oracle's GPLv2 licensed  
code by, for example, cutting and pasting such code into a file also  
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the  
files to which it applies and distribute the result, you would likely be  
required to license some or all of the other code in that distribution under  
the GPLv2 as well, and since the GPLv2 is incompatible with the license terms  
of some items included in the distribution by Oracle, removing the Classpath  
Exception could therefore effectively compromise your ability to further  
distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications

to this package which may subsequently be redistributed and/or involve the use of third party software.

## DOM Level 3 Core Specification v1.0

### W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3.Notice of any changes or modifications to the files, including the date changes were made.

(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

Please see `..\java.base\cldr.md`

#### OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at [openjdk.java.net](http://openjdk.java.net) ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2

only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE



LIABLE FOR ANY DIRECT,  
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN  
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\LICENSE

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing

the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to  
in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and

fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

</pre>

Please see `..\java.base\ADDITIONAL_LICENSE_INFO`

## SipHash v1.0-68c8a7c

### Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with this software. If not, see <<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

### ### Licenses

The code is dual-licensed CCO and MIT

#### #### MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

#### #### CC0 1.0 Universal

...

#### Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later

claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright



and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer  
understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see  
<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

...

---

...

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

...

# The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that  
you have the freedom to  
distribute copies of free software (and charge for this service if you wish),  
that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced

by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be

licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically

performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by

third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,

then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later

version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How  
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a



pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following

clarification and special exception to the GPL, but

only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If

you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## Unicode Common Local Data Repository (CLDR) v39

### CLDR License

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----  
-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>  
<https://www.unicode.org/reports/>  
<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

## Unicode

Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

## Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions

(Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

## Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government

is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

## Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR

SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and

damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

#### Entire

Agreement. This Agreement constitutes the entire agreement between the parties.

...

## libpng v1.6.54

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

Copyright (C) 1995-2026 The PNG Reference Library Authors.

Copyright (C) 2018-2026 Cosmin Truta

Copyright (C) 1998-2018 Glenn Randers-Pehrson

Copyright (C) 1996-1997 Andreas Dilger

Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby

granted to use, copy, modify, and distribute

this software, or portions hereof, for any purpose, without fee,

subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux

Eric S. Raymond

Mans Rullgard

Cosmin Truta

Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>



### ### AUTHORS File Information

...

### PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- \* Adam Richter
- \* Alexander Smorkalov
- \* Andreas Dilger
- \* Chris Blume
- \* Cosmin Truta
- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schalnat
- \* James Yu
- \* John Bowler
- \* Kevin Bracey
- \* Lucas Chollet
- \* Magnus Holmgren
- \* Mandar Sahastrabuddhe
- \* Manfred Schlaegl
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino
- \* Paul Schmidt
- \* Petr Simecek
- \* Philippe Antoine
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tobias Stoeckmann
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Apple Inc.
  - Zixu Wang ()
- \* Arm Holdings

- Richard Townsend
- \* Google LLC
  - Dan Field
  - Drago Tiselice
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang
- \* Loongson Technology Corporation Ltd.
  - GuXiWei ()
  - JinBo ()
  - ZhangLixia ()
- \* Samsung Group
  - Filip Wasil
- \* SpacemiT Hangzhou Technology, Co.
  - Liang Junzhao ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

## Harfbuzz 11.2.0

### Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2024 Google, Inc.  
 Copyright 2018-2020 Ebrahim Byagowi  
 Copyright 2004-2013 Red Hat, Inc.  
 Copyright 2019 Facebook, Inc.  
 Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)  
 Copyright 2007 Chris Wilson  
 Copyright 2018-2019 Adobe Inc.  
 Copyright 2006-2025 Behdad Esfahbod  
 Copyright 1998-2004 David Turner and Werner Lemberg  
 Copyright 2009 Keith Stribley

Copyright 2018 Khaled Hosny  
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>  
Copyright 2016 Igalia S.L.  
Copyright 2015 Mozilla Foundation.  
Copyright 1999 David Turner  
Copyright 2005 Werner Lemberg  
Copyright 2013-2015 Alexei Podtelezhnikov  
Copyright 2022 Matthias Clasen  
Copyright 2011 Codethink Limited

For full copyright notices consult  
the individual files in the package.

Permission is hereby granted, without written agreement and without  
license or royalty fees, to use, copy, modify, and distribute this  
software and its documentation for any purpose, provided that the  
above copyright notice and the following two paragraphs appear in  
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR  
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES  
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN  
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS  
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO  
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,  
is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

-----  
The below applies to the following file(s):  
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any  
purpose with or without fee is hereby granted, provided that the above  
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

-----  
The below applies to the following file(s):  
libharfbuzz/hb-unicode-emoji-table.hh

2024 Unicode, Inc.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc. in the U.S. and other countries.  
For terms of use and license, see [https://www.unicode.org/terms\\_of\\_use.html](https://www.unicode.org/terms_of_use.html)

</pre>

### AUTHORS File Information  
...

Behdad Esfahbod  
David Corbett  
David Turner  
Ebrahim Byagowi  
Garret Rieger  
Jonathan Kew  
Khaled Hosny  
Lars Knoll  
Martin Hosken  
Owen Taylor  
Roderick Sheeter  
Roozbeh Pournader  
Simon Hausmann  
Werner Lemberg

...

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License  
<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>  
## Dynalink v.5

### Dynalink License  
<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## ASM Bytecode Manipulation Framework v9.6

### ASM License

<pre>

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Independent JPEG Group: JPEG release 6b

### ### JPEG License

^^^

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG

Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*  
^^^

## International Components for Unicode (ICU4J) v67.1

### ICU4J License  
^^^

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies



of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED  
"AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional  
terms for licensed third-party software  
components included within ICU  
libraries.

#### 1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, and/or sell copies of the Software, and to permit persons  
to whom the Software is furnished to do so, provided that the above  
copyright notice(s) and this permission notice appear in all copies of  
the Software and that both the above copyright notice(s) and this  
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020

Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the

Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain

software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at

[http://www.azulsystems.com/license/zulu\\_third\\_party\\_licenses.html](http://www.azulsystems.com/license/zulu_third_party_licenses.html)  
to understand your rights under them. In the event that no such third party  
license agreements exist, the restrictions contained in this Agreement shall  
apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source  
Materials directly from the applicable Third Party Licensors including the  
right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open  
Source Licenses and the  
provisions of this Agreement, the provisions of the  
Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED  
WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL  
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR  
CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE  
GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION,  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT  
LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the  
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL  
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN

ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms  
of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution  
and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
|                |                    |                |
| Gallium code   | src/gallium/       | MIT            |
|                |                    |                |
| Ext headers    | GL/glxt.h          | Khronos        |
|                | GL/glxt.h          | Khronos        |
|                | GL/wglxt.h         | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the  
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including

without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Materials, and to  
permit persons to whom the Materials are furnished to do  
so, subject to  
the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.17

### LCMS License

<pre>

MIT License

Copyright (C) 1998-2025 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the Software  
is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO  
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER  
IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



-----  
The below applies to the following file(s):

liblcms/cmssm.c

Copyright (C) 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose  
providing that this copyright notice is included with it.  
SoftSurfer makes no warranty for this code, and cannot be held  
liable for any real or imagined damage resulting from its use.  
Users of this code must verify correctness for their application.

</pre>

### AUTHORS File Information

...

Main Author

-----

Marti Maria

Contributors

-----

Bob Friesenhahn

Kai-Uwe Behrmann

Stuart Nixon

Jordi Vilar

Richard Hughes

Auke Nauta

Chris Evans (Google)

Lorenzo Ridolfi

Robin Watts (Artifex)

Shawn Pedersen

Andrew Brygin

Samuli Suominen

Florian Hch

Aurelien Jarno

Claudiu Cebuc

Michael Vhrel (Artifex)

Michal Cihar

Daniel Kaneider

Mateusz

Jurczyk (Google)

Paul Miller

Sbastien Lon

Christian Schmitz

XhmikosR

Stanislav Brabec (SuSe)  
Leonhard Gruenschloss (Google)  
Patrick Noffke  
Christopher James Halse Rogers  
John Hein  
Thomas Weber (Debian)  
Mark Allen  
Noel Carboni  
Sergei Trofimovic  
Philipp Knechtges  
Amyspark  
Lovell Fuller  
Eli Schwartz  
Diogo Teles Sant'Anna

#### Special Thanks

-----

Artifex software  
AlienSkin software  
libVIPS  
Jan Morovic  
Jos Vernon (WebSupergoo)  
Harald Schneider (Maxon)  
Christian Albrecht  
Dimitrios Anastassakis  
Lemke Software  
Tim Zaman  
Amir Montazery and Open Source Technology Improvement Fund (ostif.org), Google, for fuzzer fundings.  
...

## GIFLIB v5.2.2

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>  
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>  
uncompressed gif writing code  
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>  
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT

...

## Bert Belder: wepoll v 1.5.8

### wepoll License  
...

wepoll - epoll for Windows  
<https://github.com/piscisaureus/wepoll>

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

...

## 1.381 jdk-zulu 17.64+17

### 1.381.1 Available under license :

## c-libutl 20160225

### c-libutl License

...

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be



liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and limitations under the License.

```
</pre>
Apache Xerces v2.12.2

Apache Xerces Notice
<pre>
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
 Apache Software Foundation that were originally developed at iClick, Inc.,
 software copyright (c) 1999.
</pre>
```

```
Apache 2.0 License
<pre>
```

```

 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean  
an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
Eastman Kodak Company: Portions of color management and imaging software
```

```
Eastman Kodak Notice
```

```
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
```

```
<pre>
/* *****

*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.

*****/
</pre>
```

```
OASIS PKCS #11 Cryptographic Token Interface v3.1
```

```
OASIS PKCS #11 Cryptographic Token Interface License
```

```
<pre>
```

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<https://www.oasis-open.org/policies-guidelines/ipr/>].

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.



This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications, OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any

time be complete, or that any  
claims in such list are, in fact, Essential Claims.]

</pre>

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database  
...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the  
"Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,

DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE  
OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

...

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following  
file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the  
Oracle license do NOT apply to this file; it is licensed under the  
Mozilla Public License 2.0, separately from the Oracle programs you receive.  
If you do not wish to use the Public Suffix List, you may remove the  
<java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the  
Mozilla Public License, v. 2.0 and is located at  
[https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public\\_suffix\\_li  
st.dat](https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one  
at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis,  
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
for the specific language governing rights and limitations  
under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to  
the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,

to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from



a particular

Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

## \* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" \*

\* basis, without warranty of any kind, either expressed, implied, or \*

\* statutory, including, without limitation, warranties that the \*

\* Covered Software is free of defects, merchantable, fit for a \*

\* particular purpose or non-infringing. The entire risk as to the \*

\* quality and performance of the Covered Software is with You. \*

\* Should any Covered Software prove defective in any respect, You \*

\* (not any Contributor) assume the cost of any necessary servicing, \*

\* repair, or correction. This disclaimer of warranty constitutes an \*

\*

essential part of this License. No use of any Covered Software is \*

\* authorized under this License except under this disclaimer. \*

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

## \* 7. Limitation of Liability

\*

\* -----

\*

\*

\*

\* Under no circumstances and under no legal theory, whether tort \*

\* (including negligence), contract, or otherwise, shall any \*

\* Contributor, or anyone who distributes Covered Software as \*

\* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any  
 character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \*  
 \*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

## jQuery v3.7.1

### jQuery License

---

jQuery v 3.7.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
...

Please see ..\java.base\ASSEMBLY\_EXCEPTION

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES

OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

</pre>

## The FreeType Project: Freetype v2.13.3

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one  
which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is  
a BSD-style license with a credit clause and thus compatible with  
the GNU Public License (GPL) version 3, but not with the  
GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all  
projects which use the GPLv2 also, or which need a license  
compatible to the GPLv2.

...

### FreeType License

...

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.  
Copyright (C) 1996-2024 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and  
Copyright (C) 2004-2024 by Masatake YAMATO and Redhat K.K.  
Copyright (C) 2007-2024 by Derek Clegg and  
Michael Toftdal.  
Copyright (C) 2003-2024 by Masatake YAMATO, Red Hat K.K.,  
Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rtsches.  
Copyright (C) 2007-2024 by David Turner.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.  
Copyright (C) 2007-2024 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.  
Copyright (C) 2008-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.  
Copyright (C) 2013-2024 by Google, Inc.  
Copyright (C) 2019-2024 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2009-2024 by Oran Agra and Mickey Gabel.  
Copyright (C) 2018-2024 by David Turner, Robert Wilhelm, Dominik Rtsches, and Werner Lemberg.

## The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

### Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ( 'as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ( 'royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ( 'credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

## 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine',



`FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your

freedom

to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany

it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest

possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:



Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

...

### Additional Freetype Attributions  
...

-----

The below applies to the following file(s):

libfreetype/src/psaux/psarrst.c  
libfreetype/src/psaux/psarrst.h  
libfreetype/src/psaux/psblues.c  
libfreetype/src/psaux/psblues.h  
libfreetype/src/psaux/pserror.c  
libfreetype/src/psaux/pserror.h  
libfreetype/src/psaux/psfixed.h  
libfreetype/src/psaux/psfont.c  
libfreetype/src/psaux/psfont.h  
libfreetype/src/psaux/psft.c  
libfreetype/src/psaux/psft.h  
libfreetype/src/psaux/psglue.h  
libfreetype/src/psaux/pshints.c  
libfreetype/src/psaux/pshints.h  
libfreetype/src/psaux/psintrp.c  
libfreetype/src/psaux/psintrp.h  
libfreetype/src/psaux/psread.c  
libfreetype/src/psaux/psread.h  
libfreetype/src/psaux/psstack.c  
libfreetype/src/psaux/psstack.h  
libfreetype/src/psaux/psypes.h

Copyright  
(C) 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or  
object code form as indicated by the copyright notice(s) included  
herein (collectively, the "Work") is made available, and may only be  
used, modified, and distributed under the FreeType Project License,

LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual,  
worldwide, non-exclusive, no-charge,  
royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section,  
and you accept them fully.

...

### MIT License  
...

-----  
The below applies to the following file(s):  
libfreetype/include/freetype/internal/fthash.h  
libfreetype/src/base/fthash.c

Copyright (C) 2000 Computing Research Labs, New Mexico State University  
Copyright (C) 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,  
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL  
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT  
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR  
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

## zlib v1.3.1

### zlib License

<pre>

Copyright (C) 1995-2024 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied  
warranty. In no event will the authors be held liable for any damages  
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,  
including commercial applications, and to alter it and redistribute it  
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not  
claim that you wrote the original software. If you use this software  
in a product, an acknowledgment in the product documentation would be  
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be  
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

</pre>

## Apache Santuario v3.0.5

### Apache 2.0 License

...

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

## 5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

## 6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

...

### Apache Santuario Notice

...

Apache Santuario - XML Security for Java  
Copyright 1999-2024  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is  
copyright (c) 2021, 2023, Oracle and/or its affiliates.

...

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are  
subject to the following clarification and special exception to the GPLv2,  
based on the GNU Project exception for its Classpath libraries, known as the  
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software  
package. Some of those programs are provided under licenses deemed  
incompatible with the GPLv2 by the Free Software Foundation and others.  
For example, the package includes programs licensed under the Apache



License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

## DOM Level 3 Core Specification v1.0

### W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

### W3C License

<pre>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made.  
(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This

version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>  
## Cryptix AES v3.2.0

### Cryptix General License  
<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\cldr.md

## OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at [openjdk.java.net](http://openjdk.java.net) ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

Please see ..\java.base\LICENSE

## jopt-simple v5.0.4

### MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing



the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to  
in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and

fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

</pre>

## JLine v3.26.1

### JLine License

<pre>

Copyright (c) 2002-2023, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\ADDITIONAL\_LICENSE\_INFO

## SipHash v1.0-68c8a7c

### Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with this software. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.

...

### ### Licenses

The code is dual-licensed CCO and MIT

### #### MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

### #### CC0 1.0 Universal

...

### Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

### Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and

efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
  - ii. moral rights retained by the original author(s) and/or performer(s);
  - iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
  - iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
  - v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
  - vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
  - vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.
2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer  
understands and acknowledges that Creative Commons is not a  
party to this document and has no duty or obligation with respect to this  
CC0 or use of the Work.

For more information, please see  
<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its  
documentation for any purpose and without fee is hereby granted, provided  
that the above copyright notice appear in all copies and that both  
the copyright notice and this permission notice and warranty disclaimer  
appear in supporting documentation, and that the names of the authors or  
their employers not be used in advertising or publicity pertaining to  
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability and  
fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether  
in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software.

...

---

...

This is an open source license. It is also GPL-Compatible (see entry for  
"Standard ML of New Jersey"). The portions of CUP output which are hard-coded  
into the CUP source code are (naturally) covered by this same license, as is  
the CUP runtime code linked with the generated parser.

...

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:  
<http://www.theFixx.org/Jeff>

# The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that  
you have the freedom to  
distribute copies of free software (and charge for this service if you wish),  
that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced



by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be

licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically

performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by

third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,

then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later

version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How  
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a

pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following

clarification and special exception to the GPL, but

only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If

you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## Unicode Common Local Data Repository (CLDR) v39

### CLDR License

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,

ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----  
-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:



<https://www.unicode.org/Public/>  
<https://www.unicode.org/reports/>  
<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

## Unicode

Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

## Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions

(Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

## Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government

is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

## Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR

SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and

damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

#### Entire

Agreement. This Agreement constitutes the entire agreement between the parties.

...

## libpng v1.6.54

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

Copyright (C) 1995-2026 The PNG Reference Library Authors.

Copyright (C) 2018-2026 Cosmin Truta

Copyright (C) 1998-2018 Glenn Randers-Pehrson

Copyright (C) 1996-1997 Andreas Dilger

Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby

granted to use, copy, modify, and distribute

this software, or portions hereof, for any purpose, without fee,

subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux

Eric S. Raymond

Mans Rullgard

Cosmin Truta

Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

### ### AUTHORS File Information

...

### PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- \* Adam Richter
- \* Alexander Smorkalov
- \* Andreas Dilger
- \* Chris Blume
- \* Cosmin Truta
- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schalnat
- \* James Yu
- \* John Bowler
- \* Kevin Bracey
- \* Lucas Chollet
- \* Magnus Holmgren
- \* Mandar Sahastrabuddhe
- \* Manfred Schlaegl
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino
- \* Paul Schmidt
- \* Petr Simecek
- \* Philippe Antoine
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tobias Stoeckmann
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Apple Inc.
  - Zixu Wang ()
- \* Arm Holdings

- Richard Townsend
- \* Google LLC
  - Dan Field
  - Drago Tiselice
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang
- \* Loongson Technology Corporation Ltd.
  - GuXiWei ()
  - JinBo ()
  - ZhangLixia ()
- \* Samsung Group
  - Filip Wasil
- \* SpacemiT Hangzhou Technology, Co.
  - Liang Junzhao ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

## Harfbuzz 11.2.0

### Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2024 Google, Inc.  
 Copyright 2018-2020 Ebrahim Byagowi  
 Copyright 2004-2013 Red Hat, Inc.  
 Copyright 2019 Facebook, Inc.  
 Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)  
 Copyright 2007 Chris Wilson  
 Copyright 2018-2019 Adobe Inc.  
 Copyright 2006-2025 Behdad Esfahbod  
 Copyright 1998-2004 David Turner and Werner Lemberg  
 Copyright 2009 Keith Stribley

Copyright 2018 Khaled Hosny  
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>  
Copyright 2016 Igalia S.L.  
Copyright 2015 Mozilla Foundation.  
Copyright 1999 David Turner  
Copyright 2005 Werner Lemberg  
Copyright 2013-2015 Alexei Podtelezhnikov  
Copyright 2022 Matthias Clasen  
Copyright 2011 Codethink Limited

For full copyright notices consult  
the individual files in the package.

Permission is hereby granted, without written agreement and without  
license or royalty fees, to use, copy, modify, and distribute this  
software and its documentation for any purpose, provided that the  
above copyright notice and the following two paragraphs appear in  
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR  
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES  
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN  
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS  
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO  
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,  
is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

-----

The below applies to the following file(s):  
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any  
purpose with or without fee is hereby granted, provided that the above  
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES



WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

-----  
The below applies to the following file(s):  
libharfbuzz/hb-unicode-emoji-table.hh

2024 Unicode, Inc.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc. in the U.S. and other countries.  
For terms of use and license, see [https://www.unicode.org/terms\\_of\\_use.html](https://www.unicode.org/terms_of_use.html)

</pre>

### AUTHORS File Information  
...

Behdad Esfahbod  
David Corbett  
David Turner  
Ebrahim Byagowi  
Garret Rieger  
Jonathan Kew  
Khaled Hosny  
Lars Knoll  
Martin Hosken  
Owen Taylor  
Roderick Sheeter  
Roozbeh Pournader  
Simon Hausmann  
Werner Lemberg

...

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License  
<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
Dynalink v.5
```

```
Dynalink License
<pre>
```

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery UI v1.14.1

### jQuery UI License

``

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## ASM Bytecode Manipulation Framework v9.6

### ASM License

<pre>

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Independent JPEG Group: JPEG release 6b

### JPEG License

^^^

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products

derived  
from it. This software may be referred to only as "the Independent JPEG  
Group's software".

We specifically permit and encourage the use of this software as the basis  
of commercial products, provided that all warranty or liability claims are  
assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered  
by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding  
cannot legally be used without obtaining one or more licenses. For this  
reason, support for arithmetic coding has been removed from the free  
JPEG software. (Since arithmetic coding provides only a marginal gain  
over the unpatented Huffman mode, it is unlikely that very many  
implementations will support it.) So far as we are aware, there are  
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.  
To avoid entanglement with the Unisys LZW patent, GIF reading support  
has been removed altogether, and the  
GIF writer has been simplified to  
produce "uncompressed GIFs". This technique does not use the LZW algorithm;  
the resulting GIF files are larger than usual, but are readable by all  
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is  
the Copyright property of CompuServe Incorporated. GIF(sm) is a  
Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

\*\*\*

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

\*\*\*

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files

or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED  
"AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional  
terms for licensed third-party software  
components included within ICU  
libraries.

#### 1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, and/or sell copies of the Software, and to permit persons  
to whom the Software is furnished to do so, provided that the above  
copyright notice(s) and this permission notice appear in all copies of  
the Software and that both the above copyright notice(s) and this  
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright  
Copyright 1991-2020  
Unicode, Inc. All rights reserved.  
Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:  
<https://www.unicode.org/Public/>  
<https://www.unicode.org/reports/>  
<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:  
<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:  
<https://www.unicode.org/Public/PROGRAMS/>  
<https://www.unicode.org/Public/cldr/>  
<http://site.icu-project.org/download/>



## Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

## Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

## Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

## Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

## Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium

and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain

software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that

supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at [http://www.azulsystems.com/license/zulu\\_third\\_party\\_licenses.html](http://www.azulsystems.com/license/zulu_third_party_licenses.html) to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/glext.h         | Khronos        |
|                | GL/glxt.h          | Khronos        |
|                | GL/wglxt.h         | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

include/GL/glex.h  
include/GL/glxext.h  
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the

"Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.17

### LCMS License

<pre>

MIT License

Copyright (C) 1998-2025 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
The below applies to the following file(s):  
liblcms/cmssm.c

Copyright (C) 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose  
providing that this copyright notice is included with it.  
SoftSurfer makes no warranty for this code, and cannot be held  
liable for any real or imagined damage resulting from its use.  
Users of this code must verify correctness for their application.

</pre>

### AUTHORS File Information  
^^^

Main Author

-----  
Marti Maria

Contributors

-----  
Bob Friesenhahn  
Kai-Uwe Behrmann  
Stuart Nixon  
Jordi Vilar  
Richard Hughes  
Auke Nauta  
Chris Evans (Google)  
Lorenzo Ridolfi  
Robin Watts (Artifex)  
Shawn Pedersen  
Andrew Brygin  
Samuli Suominen  
Florian Hch  
Aurelien Jarno  
Claudiu Cebuc  
Michael Vhrel (Artifex)  
Michal Cihar  
Daniel Kaneider  
Mateusz  
Jurczyk (Google)  
Paul Miller  
Sbastien Lon  
Christian Schmitz

XhmikosR  
Stanislav Brabec (SuSe)  
Leonhard Gruenschloss (Google)  
Patrick Noffke  
Christopher James Halse Rogers  
John Hein  
Thomas Weber (Debian)  
Mark Allen  
Noel Carboni  
Sergei Trofimovic  
Philipp Knechtges  
Amyspark  
Lovell Fuller  
Eli Schwartz  
Diogo Teles Sant'Anna

#### Special Thanks

-----

Artifex software  
AlienSkin software  
libVIPS  
Jan Morovic  
Jos Vernon (WebSupergoo)  
Harald Schneider (Maxon)  
Christian Albrecht  
Dimitrios Anastassakis  
Lemke Software  
Tim Zaman  
Amir Montazery and Open Source Technology Improvement Fund (ostif.org), Google, for fuzzer fundings.  
...

## GIFLIB v5.2.2

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR



IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>  
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>  
uncompressed gif writing code  
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>  
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the  
version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT

...

## Bert Belder: wepoll v 1.5.8

### wepoll License

...

wepoll - epoll for Windows  
<https://github.com/piscisaureus/wepoll>

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

\* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

...

## 1.382 zulu21-ca 21.0.10-3

### 1.382.1 Available under license :

## c-libutl 20160225

### c-libutl License

...

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and

limitations under the License.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE



## POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```

 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare

Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to

Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to  
in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and

fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

</pre>

## Apache Xerces v2.12.2

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You



institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution

intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE,

NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9.

Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

<pre>

```
/* *****

*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.


```

\*\*\*\*\*/

</pre>

## International Components for Unicode (ICU4J) v72.1

### ICU4J License

...

#### COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

#### THE DATA FILES AND SOFTWARE ARE PROVIDED

"AS IS", WITHOUT WARRANTY OF

ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software

components included within ICU  
libraries.

## 1. ICU License - ICU 1.8.1 to ICU 57.1

### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, and/or sell copies of the Software, and to permit persons  
to whom the Software is furnished to do so, provided that the above  
copyright notice(s) and this permission notice appear in all copies of  
the Software and that both the above copyright notice(s) and this  
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE  
AND NON-INFRINGEMENT  
OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR  
HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY  
SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER  
RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF  
CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN  
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale, use  
or other dealings in this Software without prior written authorization  
of the copyright holder.

All trademarks and registered trademarks mentioned herein are the  
property of their respective owners.

## 2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

# The Google Chrome software developed by Google is licensed under  
# the BSD license. Other software included in this distribution is  
# provided under other licenses, as set forth  
# below.  
#  
# The BSD License  
# <http://opensource.org/licenses/bsd-license.php>

```

Copyright (C) 2006-2008, Google Inc.
#
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
#
Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with
the distribution.
Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
#
The word list in cjdict.txt are generated by combining three word lists
listed below with further processing for compound word breaking. The
frequency is generated with an iterative training against Google web
corpora.
#
* Libtabe (Chinese)
- https://sourceforge.net/project/?group_id=1519
- Its license terms and conditions
are shown below.
#
* IPADIC (Japanese)
- http://chasen.aist-nara.ac.jp/chasen/distribution.html
- Its license terms and conditions are shown below.
#
-----COPYING.libtabe ---- BEGIN-----

```

```

#
/*
* Copyright (c) 1999 TaBE Project.
* Copyright (c) 1999 Pai-Hsiang Hsiao.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the TaBE Project nor the names of its
* contributors
* may be used to endorse or promote products derived
* from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
/*
* Copyright (c)
* 1999 Computer Systems and Communication Lab,
* Institute of Information Science, Academia
* Sinica. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright

```

```

* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the Computer Systems and Communication Lab
* nor the names of its contributors may be used to endorse or
* promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE
* IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
University of Illinois
c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
-----COPYING.libtabe-----END-----
#
-----COPYING.ipadic-----BEGIN-----
#
Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
and Technology. All Rights Reserved.
#
Use, reproduction, and distribution of this software is permitted.
Any copy of this software, whether in its original form or modified,
must include both the above copyright notice and the following
paragraphs.
#
Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

```



#  
# A large portion of the dictionary entries  
# originate from ICOT Free Software. The following conditions for ICOT  
# Free Software applies to the current dictionary as well.  
#  
# Each User may also freely distribute the Program, whether in its  
# original form or modified, to any third party or parties, PROVIDED  
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
# on, or be attached to, the Program, which is distributed substantially  
# in the same form as set out herein and that such intended  
# distribution, if actually made, will neither violate or otherwise  
# contravene any of the laws and regulations of the countries having  
# jurisdiction over the User or the intended distribution itself.  
#  
# NO WARRANTY  
#  
# The program was produced on an experimental basis in the course of the  
# research and development conducted during the project and is provided  
# to users as so produced on an experimental basis. Accordingly, the  
# program  
# is provided without any warranty whatsoever, whether express,  
# implied, statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation of  
# any right of any third party.  
#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.  
#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special,  
# incidental  
# and consequential damages, arising out of or otherwise in connection  
# with the use or inability to use the program or any product, material  
# or result produced or otherwise obtained by using the program,  
# regardless of whether they have been advised of, or otherwise had  
# knowledge of, the possibility of such damages at any time during the  
# project or thereafter. Each user will be deemed to have agreed to the  
# foregoing by his or her commencement of use of the program. The term  
# "use" as used herein includes, but is not limited to, the use,  
# modification, copying and distribution of the program and the  
# production of secondary products from the program.

```
#
In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.
#
-----COPYING.ipadic-----END-----
```

### 3. Lao Word Break Dictionary Data (laodict.txt)

```
Copyright (C) 2016 and later: Unicode, Inc. and others.
License & terms of use: http://www.unicode.org/copyright.html
Copyright (c) 2015 International Business Machines Corporation
and others. All Rights Reserved.
#
Project: https://github.com/rober42539/lao-dictionary
Dictionary: https://github.com/rober42539/lao-dictionary/laodict.txt
License: https://github.com/rober42539/lao-dictionary/LICENSE.txt
(copied below)
#
This file is derived from the above dictionary version of Nov 22, 2020

Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
All
rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
#
Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer. Redistributions in binary
form must reproduce the above copyright notice, this list of conditions and
the following disclaimer in the documentation and/or other materials
provided with the distribution.
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
```

# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
# OF THE POSSIBILITY OF SUCH DAMAGE.  
# -----

#### 4. Burmese Word Break Dictionary Data (burmesedict.txt)

# Copyright (c) 2014 International Business Machines Corporation  
# and others. All Rights Reserved.  
#  
# This list is part of a project hosted at:  
# [github.com/kanyawtech/myanmar-karen-word-lists](https://github.com/kanyawtech/myanmar-karen-word-lists)  
#  
# -----  
# Copyright (c) 2013, LeRoy Benjamin Sharon  
# All rights reserved.  
#  
# Redistribution and use in source and binary forms, with or without  
# modification, are permitted provided that the following conditions  
# are met: Redistributions of source code  
# must retain the above  
# copyright notice, this list of conditions and the following  
# disclaimer. Redistributions in binary form must reproduce the  
# above copyright notice, this list of conditions and the following  
# disclaimer in the documentation and/or other materials provided  
# with the distribution.  
#  
# Neither the name Myanmar Karen Word Lists, nor the names of its  
# contributors may be used to endorse or promote products derived  
# from this software without specific prior written permission.  
#  
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND  
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS  
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED  
# TO, PROCUREMENT  
# OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR  
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
# SUCH DAMAGE.  
# -----

#### 5. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

#### # 7. Database Ownership

#

# The TZ database itself is not an IETF Contribution or an IETF  
# document. Rather it is a pre-existing and regularly updated work  
# that is in the public domain, and is intended to remain in the  
# public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do  
# not apply to the  
# TZ Database or contributions that individuals make  
# to it. Should any claims be made and substantiated against the TZ  
# Database, the organization that is providing the IANA  
# Considerations defined in this RFC, under the memorandum of  
# understanding with the IETF, currently ICANN, may act in accordance  
# with all competent court orders. No ownership claims will be made  
# by ICANN or the IETF Trust on the database or the code. Any person  
# making a contribution to the database or code waives all rights to  
# future claims in that contribution or in the TZ Database.

#### 6. Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

- \* Redistributions

in binary form must reproduce the above

copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials provided  
with the distribution.

- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

#### Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

#### Unicode Copyright

Copyright 1991-2022 Unicode, Inc. All rights reserved.

#### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

#### Terms of

#### Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation

of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For

technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY

FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

#### The

Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved

solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

=====

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use

for definitions of Unicode Inc.'s Data Files  
and Software.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software,  
and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## OASIS PKCS #11 Cryptographic Token Interface v3.1

### OASIS PKCS #11 Cryptographic Token Interface License  
<pre>

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: <https://www.oasis-open.org/policies-guidelines/ipr/>.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications,



OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes  
no position regarding the validity or scope of any  
intellectual property or other rights that might be claimed to pertain  
to the implementation or use of the technology described in this OASIS  
Standards Final Deliverable or the extent to which any license under  
such rights might or might not be available; neither does it represent  
that it has made any effort to identify any such rights. Information on  
OASIS' procedures with respect to rights in any document or deliverable  
produced by an OASIS Technical Committee can be found on the OASIS  
website. Copies of claims of rights made available for publication and  
any assurances of licenses to be made available, or the result of an  
attempt made to obtain a general license or permission for the use of  
such proprietary rights by implementers or users of this OASIS Standards  
Final Deliverable, can be obtained from the OASIS TC Administrator.  
OASIS makes no representation that any information or list of  
intellectual property rights will at any  
time be complete, or that any  
claims in such list are, in fact, Essential Claims.]

</pre>

Please see ..\java.base\ASSEMBLY\_EXCEPTION

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,

National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## The FreeType Project: Freetype v2.13.3

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.  
Copyright (C) 1996-2024 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and  
Copyright (C) 2004-2024 by Masatake YAMATO and Redhat K.K.  
Copyright (C) 2007-2024 by Derek Clegg and  
Michael Toftdal.  
Copyright (C) 2003-2024 by Masatake YAMATO, Red Hat K.K.,  
Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttches.  
Copyright (C) 2007-2024 by David Turner.  
Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.  
Copyright (C) 2007-2024 by Rahul Bhalariao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.  
Copyright (C) 2008-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.  
Copyright (C) 2013-2024 by Google, Inc.  
Copyright (C) 2019-2024 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2009-2024 by Oran Agra and Mickey Gabel.  
Copyright (C) 2018-2024 by David Turner, Robert Wilhelm, Dominik Rttches, and Werner Lemberg.  
Copyright (C) 2004-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

## The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```

""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""

```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType

engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

## 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

### GPL v2

...

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You



may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License

will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE

DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,  
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
...
```

```
Additional Freetype Attributions
...
```

```

```

The below applies to the following file(s):

```
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
```

libfreetype/src/psaux/psglue.h  
libfreetype/src/psaux/pshints.c  
libfreetype/src/psaux/pshints.h  
libfreetype/src/psaux/psintrp.c  
libfreetype/src/psaux/psintrp.h  
libfreetype/src/psaux/psread.c  
libfreetype/src/psaux/psread.h  
libfreetype/src/psaux/psstack.c  
libfreetype/src/psaux/psstack.h  
libfreetype/src/psaux/pstypes.h

#### Copyright

(C) 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

### MIT License

...

-----  
The below applies to the following file(s):  
libfreetype/include/freetype/internal/fthash.h  
libfreetype/src/base/fthash.c

Copyright (C) 2000 Computing Research Labs, New Mexico State University  
Copyright (C) 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

## zlib v1.3.1

### zlib License

<pre>

Copyright (C) 1995-2024 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not



claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

</pre>

## Apache Santuario v3.0.5

### Apache 2.0 License

``

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

...

### Apache Santuario Notice

...

Apache Santuario - XML Security for Java  
Copyright 1999-2024  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is  
copyright (c) 2021, 2023, Oracle and/or its affiliates.  
``

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would  
not permit you to  
commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications  
to this package which may subsequently be redistributed  
and/or involve the use of third party software.

## The Unicode Standard, Unicode Character Database, Version 15.0.0

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the  
"Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE  
OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=== <http://www.unicode.org/copyright.html> content ===

Unicode (R) Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright (C) 1991-2022 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard

or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS



202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY

OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc.

Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed

solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the

entire agreement between the parties.

...

## DOM Level 3 Core Specification v1.0

### W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,  
European Research Consortium for Informatics and Mathematics, Keio University).  
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.  
The software license requires "Notice of any changes or modifications to the W3C  
files, including the date changes were made." Consequently, modified versions of  
the DOM bindings must document that they do not conform to the W3C standard; in the  
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the  
case of the Java language binding, the package names can no longer be in the  
'org.w3c' package.

</pre>

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other  
related items) is being provided

by the copyright holders under the following  
license. By obtaining, using and/or copying this work, you (the licensee)  
agree that you have read, understood, and will comply with the following terms  
and conditions.

Permission to copy, modify, and distribute this software and its  
documentation, with or without modification, for any purpose and without fee  
or royalty is hereby granted, provided that you include the following on ALL  
copies of the software and documentation or portions thereof, including  
modifications:

- 1.The full text of this NOTICE in a location viewable to users of the  
redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and  
conditions. If none exist, the W3C Software Short Notice should be included  
(hypertext is preferred, text is permitted) within the body of any  
redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made.  
(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

```
</pre>
Please see ..\java.base\cldr.md
Cryptix AES v3.2.0

Cryptix General License
<pre>
```

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.  
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
ASM Bytecode Manipulation Framework v9.3
```

```
ASM License
<pre>
```

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\LICENSE

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.

All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original

files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*  
^^^

## OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at [openjdk.org](https://openjdk.org) ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<https://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <https://openjdk.org/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

Please see `..\java.base\ADDITIONAL_LICENSE_INFO`  
## Unicode Common Local Data Repository (CLDR) v43

### CLDR License

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use <<https://www.unicode.org/copyright.html>>  
for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----  
-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2023 Unicode, Inc. All rights reserved.



## Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

## Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

## Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

## Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described

in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy

for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc.

was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting

it to this website. The user may not assign any part of this Agreement without Unicode, Inc.s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## SipHash v1.0-68c8a7c

### Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with this software. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.

...

### ### Licenses

The code is dual-licensed CCO and MIT

#### #### MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

#### #### CC0 1.0 Universal

...

### Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later

claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright

and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer

understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<http://creativecommons.org/publicdomain/zero/1.0/>

...

## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

...

---

...

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

...

## ## Mozilla Public Suffix List

### ### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### ### MPL v2.0

...

#### Mozilla Public License Version 2.0

=====

#### 1. Definitions

-----

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

##### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered

Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method,

process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU



Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to

You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*  
\*  
\*  
\*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential  
part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\*  
\*\*\*\*\*

\*\*\*\*\*  
\*  
\*  
\* 7. Limitation of Liability \*  
\* ----- \*  
\*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any  
character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*

\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\* \*  
\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a

modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to

most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be



distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is

not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation

of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make  
thoroughly clear what is believed to be a  
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How  
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following

clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## libpng v1.6.54

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

Copyright (C) 1995-2026 The PNG Reference Library Authors.

Copyright (C) 2018-2026 Cosmin Truta

Copyright (C) 1998-2018 Glenn Randers-Pehrson

Copyright (C) 1996-1997 Andreas Dilger

Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you

must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

#### PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and



license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

#### ### AUTHORS File Information

...

#### PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- \* Adam Richter
- \* Alexander Smorkalov
- \* Andreas Dilger
- \* Chris Blume
- \* Cosmin Truta
- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schalnat
- \* James Yu
- \* John Bowler
- \* Kevin Bracey

- \* Lucas Chollet
- \* Magnus Holmgren
- \* Mandar Sahastrabuddhe
- \* Manfred Schlaegl
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino
- \* Paul Schmidt
- \* Petr Simecek
- \* Philippe Antoine
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tobias Stoeckmann
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Apple Inc.
  - Zixu Wang ()
- \* Arm Holdings
  - Richard Townsend
- \* Google LLC
  - Dan Field
  - Drago Tiselice
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang
- \* Loongson Technology Corporation Ltd.
  - GuXiWei ()
  - JinBo ()
  - ZhangLixia ()
- \* Samsung Group
  - Filip Wasil
- \* SpacemiT Hangzhou Technology, Co.
  - Liang Junzhao ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

## Harfbuzz 11.2.0

### Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2024 Google, Inc.  
Copyright 2018-2020 Ebrahim Byagowi  
Copyright 2004-2013 Red Hat, Inc.  
Copyright 2019 Facebook, Inc.  
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)  
Copyright 2007 Chris Wilson  
Copyright 2018-2019 Adobe Inc.  
Copyright 2006-2025 Behdad Esfahbod  
Copyright 1998-2004 David Turner and Werner Lemberg  
Copyright 2009 Keith Stribley  
Copyright 2018 Khaled Hosny  
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>  
Copyright 2016 Igalia S.L.  
Copyright 2015 Mozilla Foundation.  
Copyright 1999 David Turner  
Copyright 2005 Werner Lemberg  
Copyright 2013-2015 Alexei Podtelezhnikov  
Copyright 2022 Matthias Clasen  
Copyright 2011 Codethink Limited

For full copyright notices consult  
the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN

IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,  
is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

-----  
The below applies to the following file(s):  
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

-----  
The below applies to the following file(s):  
libharfbuzz/hb-unicode-emoji-table.hh

2024 Unicode, Inc.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc. in the U.S. and other countries.  
For terms of use and license, see [https://www.unicode.org/terms\\_of\\_use.html](https://www.unicode.org/terms_of_use.html)

</pre>

### AUTHORS File Information  
``

Behdad Esfahbod  
David Corbett  
David Turner  
Ebrahim Byagowi  
Garret Rieger  
Jonathan Kew  
Khaled Hosny  
Lars Knoll  
Martin Hosken  
Owen Taylor  
Roderick Sheeter  
Roozbeh Pournader  
Simon Hausmann  
Werner Lemberg

...

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## ASM Bytecode Manipulation Framework v9.6

### ASM License

<pre>

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at [http://www.azulsystems.com/license/zulu\\_third\\_party\\_licenses.html](http://www.azulsystems.com/license/zulu_third_party_licenses.html) to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/glext.h         | Khronos        |
|                | GL/glxext.h        | Khronos        |
|                | GL/wglext.h        | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.17

### LCMS License

<pre>

MIT License

Copyright (C) 1998-2025 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO  
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER  
IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
The below applies to the following file(s):  
liblcms/cmssm.c

Copyright (C) 2001, softSurfer ([www.softsurfer.com](http://www.softsurfer.com))

This code may be freely used and modified for any purpose  
providing that this copyright notice is included with it.  
SoftSurfer makes no warranty for this code, and cannot be held  
liable for any real or imagined damage resulting from its use.  
Users of this code must verify correctness for their application.

</pre>

### AUTHORS File Information  
^^

Main Author  
-----  
Marti Maria

Contributors  
-----  
Bob Friesenhahn  
Kai-Uwe Behrmann  
Stuart Nixon  
Jordi Vilar  
Richard Hughes  
Auke Nauta  
Chris Evans (Google)  
Lorenzo Ridolfi  
Robin Watts (Artifex)  
Shawn Pedersen  
Andrew Brygin  
Samuli Suominen  
Florian Hch  
Aurelien Jarno  
Claudiu Cebuc

Michael Vhrel (Artifex)  
Michal Cihar  
Daniel Kaneider  
Mateusz  
Jurczyk (Google)  
Paul Miller  
Sbastien Lon  
Christian Schmitz  
XhmikosR  
Stanislav Brabec (SuSe)  
Leonhard Gruenschloss (Google)  
Patrick Noffke  
Christopher James Halse Rogers  
John Hein  
Thomas Weber (Debian)  
Mark Allen  
Noel Carboni  
Sergei Trofimovic  
Philipp Knechtges  
Amyspark  
Lovell Fuller  
Eli Schwartz  
Diogo Teles Sant'Anna

#### Special Thanks

-----

Artifex software  
AlienSkin software  
libVIPS  
Jan Morovic  
Jos Vernon (WebSupergoo)  
Harald Schneider (Maxon)  
Christian Albrecht  
Dimitrios Anastassakis  
Lemke Software  
Tim Zaman  
Amir Montazery and Open Source Technology Improvement Fund (ostif.org), Google, for fuzzer fundings.  
...

## GIFLIB v5.2.2

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>  
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>  
uncompressed gif writing code  
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>  
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT

...

## Bert Belder: wepoll v 1.5.8

### wepoll License  
...

wepoll - epoll for Windows  
<https://github.com/piscisaureus/wepoll>

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

...

## 1.383 jdk-zulu 21.48+17

### 1.383.1 Available under license :

## c-libutl 20160225

### c-libutl License

...

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.



"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS

IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,  
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE  
POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or



Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to

Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing

the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to  
in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.  
The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and  
fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

</pre>

## Apache Xerces v2.12.2

### Apache Xerces Notice

<pre>

=====

== NOTICE file corresponding to section 4(d) of the Apache License, ==

== Version 2.0, in this case for the Apache Xerces Java distribution. ==

=====

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual  
or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the

Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9.

Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

<pre>



```
/* *****

*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.

*****/
```

</pre>

## International Components for Unicode (ICU4J) v72.1

### ICU4J License

...

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED

"AS IS", WITHOUT WARRANTY OF

ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior

written authorization of the copyright holder.

-----

### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

#### 1. ICU License - ICU 1.8.1 to ICU 57.1

### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

#### 2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

# The Google Chrome software developed by Google is licensed under  
# the BSD license. Other software included in this distribution is  
# provided under other licenses, as set forth  
# below.  
#  
# The BSD License  
# <http://opensource.org/licenses/bsd-license.php>  
# Copyright (C) 2006-2008, Google Inc.  
#  
# All rights reserved.  
#  
# Redistribution and use in source and binary forms, with or without  
# modification, are permitted provided that the following conditions are met:  
#  
# Redistributions of source code must retain the above copyright notice,  
# this list of conditions and the following disclaimer.  
# Redistributions in binary form must reproduce the above  
# copyright notice, this list of conditions and the following  
# disclaimer in the documentation and/or other materials provided with  
# the distribution.  
# Neither the name of Google Inc. nor the names of its  
# contributors may be used to endorse or promote products derived from  
# this software without specific prior written permission.  
#  
#  
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND  
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
# INCLUDING, BUT NOT LIMITED  
# TO, THE IMPLIED WARRANTIES OF  
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
# CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
# SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
#  
#  
# The word list in cjdict.txt are generated by combining three word lists  
# listed below with further processing for compound word breaking. The  
# frequency is generated with an iterative training against Google web  
# corpora.  
#  
# \* Libtabe (Chinese)  
# - [https://sourceforge.net/project/?group\\_id=1519](https://sourceforge.net/project/?group_id=1519)

```

- Its license terms and conditions
are shown below.
#
* IPADIC (Japanese)
- http://chasen.aist-nara.ac.jp/chasen/distribution.html
- Its license terms and conditions are shown below.
#
-----COPYING.libtabe ---- BEGIN-----
#
/*
* Copyright (c) 1999 TaBE Project.
* Copyright (c) 1999 Pai-Hsiang Hsiao.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the TaBE Project nor the names of its
* contributors
may be used to endorse or promote products derived
* from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
/*
* Copyright (c)
1999 Computer Systems and Communication Lab,
* Institute of Information Science, Academia
* Sinica. All rights reserved.

```

```

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the Computer Systems and Communication Lab
* nor the names of its contributors may be used to endorse or
* promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE
* IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
University of Illinois
c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
-----COPYING.libtabe-----END-----
#
#
-----COPYING.ipadic-----BEGIN-----
#
Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
and Technology. All Rights Reserved.
#
Use, reproduction, and distribution of this software is permitted.
Any copy of this software, whether in its original form or modified,
must include both the above copyright notice and the following
paragraphs.
#

```

# Nara Institute of Science and Technology (NAIST),  
# the copyright holders, disclaims all warranties with regard to this  
# software, including all implied warranties of merchantability and  
# fitness, in no event shall NAIST be liable for  
# any special, indirect or consequential damages or any damages  
# whatsoever resulting from loss of use, data or profits, whether in an  
# action of contract, negligence or other tortuous action, arising out  
# of or in connection with the use or performance of this software.  
#  
# A large portion of the dictionary entries  
# originate from ICOT Free Software. The following conditions for ICOT  
# Free Software applies to the current dictionary as well.  
#  
# Each User may also freely distribute the Program, whether in its  
# original form or modified, to any third party or parties, PROVIDED  
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
# on, or be attached to, the Program, which is distributed substantially  
# in the same form as set out herein and that such intended  
# distribution, if actually made, will neither violate or otherwise  
# contravene any of the laws and regulations of the countries having  
# jurisdiction over the User or the intended distribution itself.  
#  
# NO WARRANTY  
#  
# The program was produced on an experimental basis in the course of the  
# research and development conducted during the project and is provided  
# to users as so produced on an experimental basis. Accordingly, the  
# program  
# is provided without any warranty whatsoever, whether express,  
# implied, statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation of  
# any right of any third party.  
#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.  
#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special,  
# incidental  
# and consequential damages, arising out of or otherwise in connection  
# with the use or inability to use the program or any product, material

# or result produced or otherwise obtained by using the program,  
# regardless of whether they have been advised of, or otherwise had  
# knowledge of, the possibility of such damages at any time during the  
# project or thereafter. Each user will be deemed to have agreed to the  
# foregoing by his or her commencement of use of the program. The term  
# "use" as used herein includes, but is not limited to, the use,  
# modification, copying and distribution of the program and the  
# production of secondary products from the program.  
#  
# In the case where the program, whether in its original form or  
# modified, was distributed or delivered to or received by a user from  
# any person, organization or entity other than ICOT, unless it makes or  
# grants independently of ICOT any specific warranty to the user in  
# writing, such person, organization or entity, will also be exempted  
# from and not be held liable to the user for any such damages as noted  
# above as far as the program is concerned.  
#  
# -----COPYING.ipadic-----END-----

### 3. Lao Word Break Dictionary Data (laodict.txt)

# Copyright (C) 2016 and later: Unicode, Inc. and others.  
# License & terms of use: <http://www.unicode.org/copyright.html>  
# Copyright (c) 2015 International Business Machines Corporation  
# and others. All Rights Reserved.  
#  
# Project: <https://github.com/rober42539/lao-dictionary>  
# Dictionary: <https://github.com/rober42539/lao-dictionary/laodict.txt>  
# License: <https://github.com/rober42539/lao-dictionary/LICENSE.txt>  
# (copied below)  
#  
# This file is derived from the above dictionary version of Nov 22, 2020  
# -----  
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.  
# All  
# rights reserved.  
#  
# Redistribution and use in source and binary forms, with or without  
# modification, are permitted provided that the following conditions are met:  
#  
# Redistributions of source code must retain the above copyright notice, this  
# list of conditions and the following disclaimer. Redistributions in binary  
# form must reproduce the above copyright notice, this list of conditions and  
# the following disclaimer in the documentation and/or other materials  
# provided with the distribution.  
#  
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS  
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
# OR  
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
# OF THE POSSIBILITY OF SUCH DAMAGE.  
# -----

#### 4. Burmese Word Break Dictionary Data (burmesedict.txt)

# Copyright (c) 2014 International Business Machines Corporation  
# and others. All Rights Reserved.  
#  
# This list is part of a project hosted at:  
# [github.com/kanyawtech/myanmar-karen-word-lists](https://github.com/kanyawtech/myanmar-karen-word-lists)  
#  
# -----  
# Copyright (c) 2013, LeRoy Benjamin Sharon  
# All rights reserved.  
#  
# Redistribution and use in source and binary forms, with or without  
# modification, are permitted provided that the following conditions  
# are met: Redistributions of source code  
# must retain the above  
# copyright notice, this list of conditions and the following  
# disclaimer. Redistributions in binary form must reproduce the  
# above copyright notice, this list of conditions and the following  
# disclaimer in the documentation and/or other materials provided  
# with the distribution.  
#  
# Neither the name Myanmar Karen Word Lists, nor the names of its  
# contributors may be used to endorse or promote products derived  
# from this software without specific prior written permission.  
#  
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND  
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS  
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED  
# TO, PROCUREMENT



OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR  
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
# SUCH DAMAGE.  
# -----

## 5. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

### # 7. Database Ownership

#  
# The TZ database itself is not an IETF Contribution or an IETF  
# document. Rather it is a pre-existing and regularly updated work  
# that is in the public domain, and is intended to remain in the  
# public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do  
# not apply to the  
# TZ Database or contributions that individuals make  
# to it. Should any claims be made and substantiated against the TZ  
# Database, the organization that is providing the IANA  
# Considerations defined in this RFC, under the memorandum of  
# understanding with the IETF, currently ICANN, may act in accordance  
# with all competent court orders. No ownership claims will be made  
# by ICANN or the IETF Trust on the database or the code. Any person  
# making a contribution to the database or code waives all rights to  
# future claims in that contribution or in the TZ Database.

## 6. Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions

in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials provided  
with the distribution.

- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived

from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

#### Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

#### Unicode Copyright

Copyright 1991-2022 Unicode, Inc. All rights reserved.

#### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

#### Terms of

#### Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page

of each PDF code chart.

All other files, including online documentation

of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY

FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The

Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees

that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

=====

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use  
for definitions of Unicode Inc.'s Data Files  
and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software,  
and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE

WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## OASIS PKCS #11 Cryptographic Token Interface v3.1

### OASIS PKCS #11 Cryptographic Token Interface License  
<pre>

Copyright OASIS Open 2023. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<https://www.oasis-open.org/policies-guidelines/ipr/>].

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE

INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications, OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## jQuery v3.7.1

### jQuery License

...

jQuery v 3.7.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

Please see ..\java.base\ASSEMBLY\_EXCEPTION

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## The FreeType Project: Freetype v2.13.3

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.

Copyright (C) 1996-2024 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and

Copyright (C) 2004-2024 by Masatake YAMATO and Redhat K.K.

Copyright (C) 2007-2024 by Derek Clegg and Michael Toftdal.

Copyright (C) 2003-2024 by Masatake YAMATO, Red Hat K.K.,

Copyright (C) 1996-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rtsches.

Copyright (C) 2007-2024 by David Turner.

Copyright (C) 2022-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.

Copyright (C) 2007-2024 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.

Copyright (C) 2008-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.



Copyright (C) 2013-2024 by Google, Inc.

Copyright (C) 2019-2024 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2009-2024 by Oran Agra and Mickey Gabel.

Copyright (C) 2018-2024 by David Turner, Robert Wilhelm, Dominik Rtsches, and Werner Lemberg.

Copyright (C) 2004-2024 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

## The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by

David Turner, Robert Wilhelm, and Werner Lemberg

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (‘as is’ distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (‘royalty-free’ usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (‘credits’)

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

## 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ( `FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

## 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the

program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your

cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the



Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program,  
if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

...

### Additional Freetype Attributions  
...

-----

The below applies to the following file(s):

libfreetype/src/psaux/psarrst.c  
libfreetype/src/psaux/psarrst.h  
libfreetype/src/psaux/psblues.c  
libfreetype/src/psaux/psblues.h  
libfreetype/src/psaux/pserror.c  
libfreetype/src/psaux/pserror.h  
libfreetype/src/psaux/psfixed.h  
libfreetype/src/psaux/psfont.c  
libfreetype/src/psaux/psfont.h  
libfreetype/src/psaux/psft.c  
libfreetype/src/psaux/psft.h  
libfreetype/src/psaux/psglue.h  
libfreetype/src/psaux/pshints.c  
libfreetype/src/psaux/pshints.h  
libfreetype/src/psaux/psintrp.c  
libfreetype/src/psaux/psintrp.h  
libfreetype/src/psaux/psread.c  
libfreetype/src/psaux/psread.h  
libfreetype/src/psaux/psstack.c  
libfreetype/src/psaux/psstack.h  
libfreetype/src/psaux/pstypes.h

Copyright  
(C) 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

### MIT License  
...

-----  
The below applies to the following file(s):  
libfreetype/include/freetype/internal/fthash.h  
libfreetype/src/base/fthash.c

Copyright (C) 2000 Computing Research Labs, New Mexico State University  
Copyright (C) 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation

the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

## zlib v1.3.1

### zlib License

<pre>

Copyright (C) 1995-2024 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

</pre>

## Apache Santuario v3.0.5

### Apache 2.0 License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the



following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within

the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

## 5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying

information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

...

### Apache Santuario Notice

...

Apache Santuario - XML Security for Java  
Copyright 1999-2024  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is  
copyright (c) 2021, 2023, Oracle and/or its affiliates.

...

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

## The Unicode Standard, Unicode Character Database, Version 15.0.0

### Unicode Character Database  
``

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=== <http://www.unicode.org/copyright.html> content ===

Unicode (R) Copyright and Terms of Use

For the general privacy policy governing access to this site, see the Unicode Privacy Policy.

Unicode Copyright

Copyright (C) 1991-2022 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>  
<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:  
<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published  
in the Unicode Standard  
or any source code or compiled code under the directories:  
<https://www.unicode.org/Public/PROGRAMS/>  
<https://www.unicode.org/Public/cldr/>  
<http://site.icu-project.org/download/>

#### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found  
on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY

OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-

INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc.

Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed

solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## DOM Level 3 Core Specification v1.0

### W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).  
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.

The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of

the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

### W3C License

<pre>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made.  
(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used



in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This

version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT,  
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN  
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\cldr.md

## ASM Bytecode Manipulation Framework v9.3

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY  
AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Please see ..\java.base\LICENSE

## jopt-simple v5.0.4

### MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## JLine v3.26.1

### JLine License

<pre>

Copyright (c) 2002-2023, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute

this software (or portions thereof) for any purpose,  
without fee,  
subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*  
...

## OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at [openjdk.org](http://openjdk.org) ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<https://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <https://openjdk.org/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

Please see `..\\java.base\\ADDITIONAL_LICENSE_INFO`  
## Unicode Common Local Data Repository (CLDR) v43

### CLDR License

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use <<https://www.unicode.org/copyright.html>> for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S

DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated  
documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,  
NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

----- Terms of Use -----  
-

## Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

### Unicode Copyright

Copyright 1991-2023 Unicode, Inc. All rights reserved.

### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

### Warranties and Disclaimers



This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc.

was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## SipHash v1.0-68c8a7c

### Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with this software. If not, see <<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

### Licenses

The code is dual-licensed CCO and MIT

#### MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

#### CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of

authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations  
and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

...

---

...

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

...

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/1cbd6e71a9b83620b1d0b11e49d3d9ff48c27e22/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,

to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date



The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4.

#### Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a

particular

Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

## \* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" \*

\* basis, without warranty of any kind, either expressed, implied, or \*

\* statutory, including, without limitation, warranties that the \*

\* Covered Software is free of defects, merchantable, fit for a \*

\* particular purpose or non-infringing. The entire risk as to the \*

\* quality and performance of the Covered Software is with You. \*

\* Should any Covered Software prove defective in any respect, You \*

\* (not any Contributor) assume the cost of any necessary servicing, \*

\* repair, or correction. This disclaimer of warranty constitutes an \*

\* essential

part of this License. No use of any Covered Software is \*

\* authorized under this License except under this disclaimer. \*

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

## \* 7. Limitation of Liability

\*

\* -----

\*

\*

\*

\* Under no circumstances and under no legal theory, whether tort \*

\* (including negligence), contract, or otherwise, shall any \*

\* Contributor, or anyone who distributes Covered Software as \*

\* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any  
 character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \*  
 \*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary.

To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of



this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to

distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

#### The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that

contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,

then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make  
thoroughly clear what is believed to be a  
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the  
terms and conditions either of  
that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following

clarification and special exception to the GPL, but

only where Oracle has expressly included in the particular source file's header

the words "Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If

you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## libpng v1.6.54

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

Copyright (C) 1995-2026 The PNG Reference Library Authors.

Copyright (C) 2018-2026 Cosmin Truta

Copyright (C) 1998-2018 Glenn Randers-Pehrson

Copyright (C) 1996-1997 Andreas Dilger

Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising

from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is

with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of



merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

### AUTHORS File Information

...

#### PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- \* Adam Richter
- \* Alexander Smorkalov
- \* Andreas Dilger
- \* Chris Blume

- \* Cosmin Truta
- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schlnat
- \* James Yu
- \* John Bowler
- \* Kevin Bracey
- \* Lucas Chollet
- \* Magnus Holmgren
- \* Mandar Sahastrabudhe
- \* Manfred Schlaegl
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino
- \* Paul Schmidt
- \* Petr Simecek
- \* Philippe Antoine
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tobias Stoeckmann
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Apple Inc.
  - Zixu Wang ()
- \* Arm Holdings
  - Richard Townsend
- \* Google LLC
  - Dan Field
  - Drago Tiselice
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang
- \* Loongson Technology Corporation Ltd.
  - GuXiWei ()
  - JinBo ()
  - ZhangLixia ()

- \* Samsung Group
  - Filip Wasil
- \* SpacemiT Hangzhou Technology, Co.
  - Liang Junzhao ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

## Harfbuzz 11.2.0

### Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2024 Google, Inc.  
 Copyright 2018-2020 Ebrahim Byagowi  
 Copyright 2004-2013 Red Hat, Inc.  
 Copyright 2019 Facebook, Inc.  
 Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)  
 Copyright 2007 Chris Wilson  
 Copyright 2018-2019 Adobe Inc.  
 Copyright 2006-2025 Behdad Esfahbod  
 Copyright 1998-2004 David Turner and Werner Lemberg  
 Copyright 2009 Keith Stribley  
 Copyright 2018 Khaled Hosny  
 Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>  
 Copyright 2016 Igalia S.L.  
 Copyright 2015 Mozilla Foundation.  
 Copyright 1999 David Turner  
 Copyright 2005 Werner Lemberg  
 Copyright 2013-2015 Alexei Podtelezhnikov  
 Copyright 2022 Matthias Clasen  
 Copyright 2011 Codethink Limited

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,  
is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

-----  
The below applies to the following file(s):  
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

-----  
The below applies to the following file(s):  
libharfbuzz/hb-unicode-emoji-table.hh

2024 Unicode, Inc.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.  
in the U.S. and other countries.  
For terms of use and license, see [https://www.unicode.org/terms\\_of\\_use.html](https://www.unicode.org/terms_of_use.html)

</pre>

### AUTHORS File Information

...

Behdad Esfahbod  
David Corbett  
David Turner  
Ebrahim Byagowi  
Garret Rieger  
Jonathan Kew  
Khaled Hosny  
Lars Knoll  
Martin Hosken  
Owen Taylor  
Roderick Sheeter  
Roozbeh Pournader  
Simon Hausmann  
Werner Lemberg

...

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery UI v1.14.1

### jQuery UI License

``

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## ASM Bytecode Manipulation Framework v9.6

### ASM License

<pre>

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice

files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at [http://www.azulsystems.com/license/zulu\\_third\\_party\\_licenses.html](http://www.azulsystems.com/license/zulu_third_party_licenses.html) to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/glxt.h          | Khronos        |
|                | GL/glxt.h          | Khronos        |
|                | GL/wglxt.h         | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----

include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

include/GL/glex.h  
include/GL/glxext.h  
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT  
WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and/or associated documentation files (the  
"Materials"), to deal in the Materials without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Materials, and to  
permit persons to whom the Materials are furnished to do  
so, subject to  
the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.17

### LCMS License

<pre>

MIT License

Copyright (C) 1998-2025 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----

The below applies to the following file(s):  
liblcms/cmssm.c

Copyright (C) 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose providing that this copyright notice is included with it. SoftSurfer makes no warranty for this code, and cannot be held liable for any real or imagined damage resulting from its use. Users of this code must verify correctness for their application.

</pre>

### AUTHORS File Information  
...

Main Author

-----

Marti Maria

Contributors

-----

Bob Friesenhahn

Kai-Uwe Behrmann

Stuart Nixon  
Jordi Vilar  
Richard Hughes  
Auke Nauta  
Chris Evans (Google)  
Lorenzo Ridolfi  
Robin Watts (Artifex)  
Shawn Pedersen  
Andrew Brygin  
Samuli Suominen  
Florian Hch  
Aurelien Jarno  
Claudiu Cebuc  
Michael Vhrel (Artifex)  
Michal Cihar  
Daniel Kaneider  
Mateusz  
Jurczyk (Google)  
Paul Miller  
Sbastien Lon  
Christian Schmitz  
XhmikosR  
Stanislav Brabec (SuSe)  
Leonhard Gruenschloss (Google)  
Patrick Noffke  
Christopher James Halse Rogers  
John Hein  
Thomas Weber (Debian)  
Mark Allen  
Noel Carboni  
Sergei Trofimovic  
Philipp Knechtges  
Amyspark  
Lovell Fuller  
Eli Schwartz  
Diogo Teles Sant'Anna

#### Special Thanks

-----

Artifex software  
AlienSkin software  
libVIPS  
Jan Morovic  
Jos Vernon (WebSupergoo)  
Harald Schneider (Maxon)  
Christian Albrecht  
Dimitrios Anastassakis  
Lemke Software

Tim Zaman

Amir Montazery and Open Source Technology Improvement Fund (ostif.org), Google, for fuzzer fundings.

...

## GIFLIB v5.2.2

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>  
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>  
uncompressed gif writing code  
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>  
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

...

## Bert Belder: wepoll v 1.5.8

### wepoll License

...

wepoll - epoll for Windows

<https://github.com/piscisaureus/wepoll>

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

...

## 1.384 corepack 0.34.6

## 1.384.1 Available under license :

**\*\*Copyright Corepack contributors\*\***

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.385 libpng 1.6.37-3ubuntu0.4

### 1.385.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: libpng

Source: <http://www.libpng.org/pub/png/>

Files: \*

Copyright: 1995-2019 The PNG Reference Library Authors.

1998-2018 Glenn Randers-Pehrson

2018-2019 Cosmin Truta

License: libpng

Files: arm/arm\_init.c

arm/filter\_neon\_intrinsics.c

arm/palette\_neon\_intrinsics.c

Copyright: 2018 Cosmin Truta

2017-2018 Arm Holdings. All rights reserved.

2014,2016 Glenn Randers-Pehrson

License: libpng

Files: contrib/pngminus/\*

Copyright: 1999-2019 Willem van Schaik

License: expat

Files: contrib/tools/\*

Copyright: 2013-2017 John Cunningham Bowler



License: libpng

Files: pngwutil.c pngstruct.h pngwrite.c pnginfo.h pngrio.c png.h  
pngread.c pngwio.c pngutil.c pngmem.c pngget.c pngtest.c  
pngtran.c pngpriv.h pngset.c pngpread.c  
pngdebug.h pngerror.c pngwtran.c png.c pngtrans.c example.c

Copyright: 1996, 1997 Andreas Dilger

1995,

1996 Guy Eric Schalnat, Group 42, Inc.

1998-2013 Glenn Randers-Pehrson

License: libpng

Files: contrib/gregbook/rpng-win.c contrib/gregbook/rpng2-x.c contrib/gregbook/rpng-x.c  
contrib/gregbook/readpng2.h contrib/gregbook/rpng2-win.c

Copyright: 1998-2008 Greg Roelofs

License: GPL-2+ or BSD-like-with-advertising-clause

Files: contrib/gregbook/writepng.h contrib/gregbook/readppm.c  
contrib/gregbook/readpng.h contrib/gregbook/wpng.c  
contrib/gregbook/readpng.c contrib/gregbook/readpng2.c  
contrib/gregbook/writepng.c contrib/visupng/resource.h  
contrib/visupng/cexcept.h

Copyright: 2000-2008 Adam M. Costello and Cosmin Truta

License: GPL-2+ or BSD-like-with-advertising-clause

Files: contrib/visupng/PngFile.c contrib/visupng/PngFile.h  
contrib/visupng/VisualPng.c

Copyright: 2000,2017 Willem van Schaik

License: libpng

Files: contrib/libtests/tarith.c

Copyright: 2011-2013 John Cunningham Bowler

License: libpng

Files: contrib/oss-fuzz/\*

Copyright:

2017 Glenn Randers-Pehrson

2016 Google Inc.

License: libpng OR Apache-2.0 OR BSD-3-clause

Files: contrib/oss-fuzz/Dockerfile

Copyright: 2016 Google Inc.

License: Apache-2.0

Files: debian/\*

Copyright: 2001 Philippe Troin <phil@fifi.org>

2002 Junichi Uekawa <dancer@debian.org>

2003 Josselin Mouette <joss@debian.org>

2006-2009 Anibal Monsalve Salazar <anibal@debian.org>  
2011-2014 Nobuhiro Iwamatsu <iwamatsu@debian.org>  
2016-2019 Gianfranco Costamagna <locutusofborg@debian.org>  
2016-2017 Tobias Frost <tobi@debian.org>

License: GPL-2+

License: expat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: GPL-2+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This package is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>

.

On Debian systems, the complete text of the GNU General Public License version 2 can be found in "/usr/share/common-licenses/GPL-2".

License: BSD-like-with-advertising-clause

Permission is granted to anyone to use this software for any purpose,

including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

- 1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.
- 2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
- 3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

This product includes software developed by Greg Roelofs and contributors for the book, "PNG: The Definitive Guide," published by O'Reilly and Associates.

License: libpng

Here is the copyright and license for libpng:

libpng versions 1.2.6, August 15, 2004, through 1.5.2, March 31, 2011, are Copyright (c) 2004, 2006-2011 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors

Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors

Simon-Pierre

Cadieux

Eric S. Raymond

Gilles Vollant

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96,

with the following individuals added to the list of Contributing Authors:

- Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik
- (Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)  
(Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)

• Authors and  
maintainers:

libpng versions 0.71, May 1995, through 0.88, January 1996: Guy Schalnat  
libpng versions 0.89c, June 1996, through 0.96, May 1997: Andreas Dilger  
libpng versions 0.97, January 1998, through 1.2.26 - April 2, 2008: Glenn  
See also "Contributing Authors", below.

- 
- COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

• If you modify libpng you may insert additional notices immediately following  
this sentence.

- libpng versions 1.2.6, August 15, 2004, through 1.2.26, April 2, 2008, are  
Copyright (c) 2004, 2006-2008 Glenn Randers-Pehrson, and are  
distributed according to the same disclaimer and license as libpng-1.2.5  
with the following individual added to the list of Contributing Authors:

- Cosmin Truta

• libpng versions 1.0.7, July 1, 2000, through 1.2.5, October 3, 2002, are  
Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are  
distributed according to the same disclaimer and license as libpng-1.0.6  
with the following individuals  
added to the list of Contributing Authors:

- Simon-Pierre Cadieux  
Eric S. Raymond  
Gilles Vollant

• and with the following additions to the disclaimer:

- There is no warranty against interference with your enjoyment of the  
library or against infringement. There is no warranty that our  
efforts or the library will fulfill any of your particular purposes  
or needs. This library is provided with all faults, and the entire  
risk of satisfactory quality, performance, accuracy, and effort is with  
the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998, 1999, 2000 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

- Tom Lane
- Glenn Randers-Pehrson
- Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996, 1997 Andreas Dilger  
Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

- John Bowler
- Kevin Bracey
- Sam Bushell
- Magnus Holmgren
- Greg Roelofs
- Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995, 1996 Guy Eric Schlnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

- Andreas Dilger
- Dave Martindale
- Guy Eric Schlnat
- Paul Schmidt
- Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.

3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

contrib/pngsuite:

-----

(c) Willem van Schaik, 1999, 2011

Permission to use, copy, modify, and distribute these images for any purpose and without fee is hereby granted.

License: Apache-2.0

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

On Debian systems, the full text of the Apache License can be found in the file `/usr/share/common-licenses/Apache-2.0`.

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.386 gnutls 3.7.3-4ubuntu1.8

## 1.386.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge

for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary



General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License").

Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified

Library refers to a function or a

table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to

a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables

containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user

installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR



OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should  
also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!  
/\* Extract the last component (base name) of a file name.

Copyright (C) 1998, 2001, 2003-2006, 2009-2021 Free Software Foundation, Inc.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>. \*/

```
#ifndef _BASENAME_LGPL_H
#define _BASENAME_LGPL_H

#include <stddef.h>

#ifndef DOUBLE_SLASH_IS_DISTINCT_ROOT
define DOUBLE_SLASH_IS_DISTINCT_ROOT 0
#endif

#ifdef __cplusplus
extern "C" {
#endif
```

```
/*
```

Return the address of the last file name component of FILENAME.

If FILENAME has some trailing slash(es), they are considered to be part of the last component.

If FILENAME has no relative file name components because it is a file system root, return the empty string.

Examples:

| FILENAME     | RESULT  |
|--------------|---------|
| "foo.c"      | "foo.c" |
| "foo/bar.c"  | "bar.c" |
| "/foo/bar.c" | "bar.c" |
| "foo/bar/"   | "bar/"  |
| "foo/bar/"   | "bar/"  |
| "/"          | ""      |
| "/"          | ""      |
| ""           | ""      |

The return value is a tail of the given FILENAME; do NOT free() it! \*/

```
/* This function was traditionally called 'basename', but we avoid this
function name because
```

\* Various platforms have different functions in their libc.

In particular, the glibc basename(), defined in <string.h>, does not consider trailing slashes to be part of the component:

| FILENAME   | RESULT |
|------------|--------|
| "foo/bar/" | ""     |
| "foo/bar/" | ""     |

\* The 'basename' command eliminates trailing slashes and for a root produces a non-empty result:

| FILENAME   | RESULT |
|------------|--------|
| "foo/bar/" | "bar"  |
| "foo/bar/" | "bar"  |
| "/"        | "/"    |
| "/"        | "/"    |

```
*/
```

```
extern char *last_component (char const *filename) _GL_ATTRIBUTE_PURE;
```

```
/* Return the length of the basename FILENAME.
```

Typically FILENAME is the value returned by base\_name or last\_component.

Act like strlen (FILENAME), except omit all trailing slashes. \*/

```
extern size_t base_len (char const *filename) _GL_ATTRIBUTE_PURE;
```

```
#ifdef __cplusplus
```

```
 } /* extern "C" */
```

```
#endif
```

#endif /\* \_BASENAME\_LGPL\_H \*/

## Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or

other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- moral rights retained by the original author(s) and/or performer(s);
- publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- rights protecting the extraction, dissemination, use and reuse of data in a Work;
- database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims

and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the

Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's

express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will

not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without

limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

The "inih" library is distributed under the New BSD license:

Copyright (c) 2009, Ben Hoyt

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Ben Hoyt nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY BEN HOYT "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL BEN HOYT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### LICENSING

=====

Since GnuTLS version 3.1.10, the core library is released under the GNU Lesser General Public License (LGPL) version 2.1 or later (see doc/COPYING.LESSER for the license terms).

The GNU LGPL applies to the main GnuTLS library, while the included applications as well as gnutls-openssl library are under the GNU GPL version 3. The gnutls library is located in the lib/ and libdane/ directories, while the applications in src/ and, the gnutls-openssl library is at extra/.

The documentation in doc/ is under the GNU FDL license 1.3.

Note, however, that the nettle and the gmp libraries which are GnuTLS dependencies, they are distributed under a LGPLv3+ or GPLv2+ dual license. As such binaries linking to them need to adhere to either LGPLv3+ or the GPLv2+ license.

For any copyright year range specified as YYYY-ZZZZ in this package note that the range specifies every single year in that closed interval.

=====

Written by Andy Polyakov <appro@fy.chalmers.se> for the OpenSSL project. The module is, however, dual licensed under OpenSSL and CRYPTOGAMS licenses depending on where you obtain it. For further details see <https://www.openssl.org/~appro/cryptogams/>.

=====

Copyright (c) 2006-2012, CRYPTOGAMS by <appro@openssl.org>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain copyright notices, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the CRYPTOGAMS nor the names of its copyright holder and contributors may be used to endorse or promote products derived from this software without specific prior written permission.

ALTERNATIVELY, provided that this notice is retained in full, this product may be distributed under the terms of the GNU General Public License (GPL), in which case the provisions of the GPL apply INSTEAD OF those given above.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

Constant-time SSSE3 AES core implementation.
version 0.1

By Mike Hamburg (Stanford University), 2009
Public domain.

For details see https://shiftright.org/papers/vector_aes/ and
https://crypto.stanford.edu/vpaes/.
The MIT License (MIT)
```

Copyright (c) 2016 Wrymouth Innovation Ltd

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have



certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you

with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does



not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free

patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement,

or

that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with

the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/philosophy/why-not-lgpl.html>>.

# 1.387 alsa 1.2.6.1-1ubuntu1.1

## 1.387.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;



and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program  
(or a work based on it,  
under Section 2) in object code or executable form under the terms of  
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program  
in object code or executable form with such  
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled  
to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is

void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS

TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),  
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2.1 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be

consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and



modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the

Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it

contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free

Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>



This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

# 1.388 openjdk-jre 21.0.10+7-LTS

## 1.388.1 Available under license :

```
c-libutl 20160225
```

```
c-libutl License
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must  
include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not  
pertain to any part of the Derivative Works, in at least one  
of the following places: within a NOTICE text file distributed  
as part of the Derivative Works; within the Source form or  
documentation, if provided along with the Derivative Works; or,  
within a display generated by the Derivative Works, if and  
wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute, alongside  
or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications and  
may provide additional or different license terms  
and conditions

for use, reproduction, or distribution of Your modifications, or  
for any such Derivative Works as a whole, provided Your use,  
reproduction, and distribution of the Work otherwise complies with  
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,  
any Contribution intentionally submitted for inclusion in the Work  
by You to the Licensor shall be under the terms and conditions of  
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify  
the terms of any separate license agreement you may have executed  
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade  
names, trademarks, service marks, or product names of the Licensor,  
except as required for reasonable and customary use in describing the  
origin of the Work and reproducing the content of the NOTICE  
file.

7. Disclaimer of Warranty. Unless required by applicable law or  
agreed to in writing, Licensor provides the Work (and each  
Contributor provides its Contributions) on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS

IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

</pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@musclecard.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN

NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc\_demo.c
- the files in src/spy/
- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Files src/auth.c and src/auth.h are:

```
* Copyright (C) 2013 Red Hat
*
* All rights reserved.
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
* DAMAGE.
*
* Author: Nikos Mavrogiannopoulos <nmav@redhat.com>
```

Files src/simclist.c and src/simclist.h are:

```
* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>
*
```



\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby  
granted, provided that the above  
\* copyright notice and this permission notice appear in all copies.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
\* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
\* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
\* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
\* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
\* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
## xwd v1.0.7

### xwd utility  
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.  
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its  
documentation for any purpose is hereby granted without fee, provided that  
the above copyright notice appear in all copies and that both that  
copyright notice and this permission notice appear in supporting  
documentation.

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR  
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING  
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall  
not be used in advertising or otherwise to promote the sale, use or  
other dealings in this Software without prior written authorization  
from The Open Group.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```
 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare  
Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement,  
then any patent licenses  
granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to

Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to  
in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and

fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

</pre>

## Apache Xerces v2.12.2

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.



- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.  
</pre>

### Apache 2.0 License  
<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual  
or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>
International Components for Unicode (ICU4J) v72.1

ICU4J License
``
```

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2022 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies

of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED  
"AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional  
terms for licensed third-party software  
components included within ICU  
libraries.

#### 1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, and/or sell copies of the Software, and to permit persons  
to whom the Software is furnished to do so, provided that the above  
copyright notice(s) and this permission notice appear in all copies of  
the Software and that both the above copyright notice(s) and this  
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

## 2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
The Google Chrome software developed by Google is licensed under
the BSD license. Other software included in this distribution is
provided under other licenses, as set forth
below.
#
The BSD License
http://opensource.org/licenses/bsd-license.php
Copyright (C) 2006-2008, Google Inc.
#
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
#
Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with
the distribution.
Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED
```

TO, THE IMPLIED WARRANTIES OF  
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
# CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
# SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
#  
#  
# The word list in cjdict.txt are generated by combining three word lists  
# listed below with further processing for compound word breaking. The  
# frequency is generated with an iterative training against Google web  
# corpora.  
#  
# \* Libtabe (Chinese)  
# - [https://sourceforge.net/project/?group\\_id=1519](https://sourceforge.net/project/?group_id=1519)  
# - Its license terms and conditions  
are shown below.  
#  
# \* IPADIC (Japanese)  
# - <http://chasen.aist-nara.ac.jp/chasen/distribution.html>  
# - Its license terms and conditions are shown below.  
#  
# -----COPYING.libtabe ---- BEGIN-----  
#  
# /\*  
# \* Copyright (c) 1999 TaBE Project.  
# \* Copyright (c) 1999 Pai-Hsiang Hsiao.  
# \* All rights reserved.  
# \*  
# \* Redistribution and use in source and binary forms, with or without  
# \* modification, are permitted provided that the following conditions  
# \* are met:  
# \*  
# \* . Redistributions of source code must retain the above copyright  
# \* notice, this list of conditions and the following disclaimer.  
# \* . Redistributions in binary form must reproduce the above copyright  
# \* notice, this list of conditions and the following disclaimer in  
# \* the documentation and/or other materials provided with the  
# \* distribution.  
# \* . Neither the name of the TaBE Project nor the names of its  
# \* contributors  
may be used to endorse or promote products derived  
# \* from this software without specific prior written permission.  
# \*



```

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
/*
* Copyright (c)
* 1999 Computer Systems and Communication Lab,
* Institute of Information Science, Academia
* Sinica. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the Computer Systems and Communication Lab
* nor the names of its contributors may be used to endorse or
* promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE
* IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

*/
#
Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
University of Illinois
c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
-----COPYING.libtabe-----END-----
#
#
-----COPYING.ipadic-----BEGIN-----
#
Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
and Technology. All Rights Reserved.
#
Use, reproduction, and distribution of this software is permitted.
Any copy of this software, whether in its original form or modified,
must include both the above copyright notice and the following
paragraphs.
#
Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.
#
A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.
#
Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.
#
NO WARRANTY
#
The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program

```

is provided without any warranty whatsoever, whether express,  
# implied, statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation of  
# any right of any third party.  
#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.  
#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special,  
# incidental  
# and consequential damages, arising out of or otherwise in connection  
# with the use or inability to use the program or any product, material  
# or result produced or otherwise obtained by using the program,  
# regardless of whether they have been advised of, or otherwise had  
# knowledge of, the possibility of such damages at any time during the  
# project or thereafter. Each user will be deemed to have agreed to the  
# foregoing by his or her commencement of use of the program. The term  
# "use" as used herein includes, but is not limited to, the use,  
# modification, copying and distribution of the program and the  
# production of secondary products from the program.  
#  
# In the case where the program, whether in its original form or  
# modified, was distributed or delivered to or received by a user from  
# any person, organization or entity other than ICOT, unless it makes or  
# grants independently of ICOT any specific warranty to the user in  
# writing, such person, organization or entity, will also be exempted  
# from and not be held liable to the user for any such damages as noted  
# above as far as the program is concerned.  
#  
# -----COPYING.ipadic-----END-----

### 3. Lao Word Break Dictionary Data (laodict.txt)

# Copyright (C) 2016 and later: Unicode, Inc. and others.  
# License & terms of use: <http://www.unicode.org/copyright.html>  
# Copyright (c) 2015 International Business Machines Corporation  
# and others. All Rights Reserved.  
#  
# Project: <https://github.com/rober42539/lao-dictionary>  
# Dictionary: <https://github.com/rober42539/lao-dictionary/laodict.txt>

```
License: https://github.com/rober42539/lao-dictionary/LICENSE.txt
(copied below)
#
This file is derived from the above dictionary version of Nov 22, 2020

Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
All
rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
#
Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer. Redistributions in binary
form must reproduce the above copyright notice, this list of conditions and
the following disclaimer in the documentation and/or ther materials
provided with the distribution.
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

```

#### 4. Burmese Word Break Dictionary Data (burmesedict.txt)

```
Copyright (c) 2014 International Business Machines Corporation
and others. All Rights Reserved.
#
This list is part of a project hosted at:
github.com/kanyawtech/myanmar-karen-word-lists
#

Copyright (c) 2013, LeRoy Benjamin Sharon
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met: Redistributions of source code
```

must retain the above

# copyright notice, this list of conditions and the following

# disclaimer. Redistributions in binary form must reproduce the

# above copyright notice, this list of conditions and the following

# disclaimer in the documentation and/or other materials provided

# with the distribution.

#

# Neither the name Myanmar Karen Word Lists, nor the names of its

# contributors may be used to endorse or promote products derived

# from this software without specific prior written permission.

#

# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND

# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,

# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS

# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

# TO, PROCUREMENT

# OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON

# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR

# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF

# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

# SUCH DAMAGE.

# -----

## 5. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

### # 7. Database Ownership

#

# The TZ database itself is not an IETF Contribution or an IETF

# document. Rather it is a pre-existing and regularly updated work

# that is in the public domain, and is intended to remain in the

# public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do

# not apply to the

# TZ Database or contributions that individuals make

# to it. Should any claims be made and substantiated against the TZ

# Database, the organization that is providing the IANA

# Considerations defined in this RFC, under the memorandum of

# understanding with the IETF, currently ICANN, may act in accordance

# with all competent court orders. No ownership claims will be made

# by ICANN or the IETF Trust on the database or the code. Any person

- # making a contribution to the database or code waives all rights to
- # future claims in that contribution or in the TZ Database.

## 6. Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions  
in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials provided  
with the distribution.
- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT,  
STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

## Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

## Unicode Copyright

Copyright 1991-2022 Unicode, Inc. All rights reserved.

## Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of

Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation

of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY

FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages

of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The

Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved

solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

=====

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use

for definitions of Unicode Inc.'s Data Files  
and Software.

**NOTICE TO USER:** Carefully read the following legal agreement.

**BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.**

#### COPYRIGHT AND PERMISSION NOTICE



Copyright 1991-2022 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

---

## The FreeType Project: Freetype v2.12.1

### FreeType Notice

---

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

Copyright (C) 1996-2022 by David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2007-2022 by Dereg Clegg and Michael Toftdal.  
Copyright (C) 1996-2022 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2004-2022 by Masatake YAMATO and Redhat K.K.  
Copyright (C) 2007-2022 by Dereg Clegg and Michael Toftdal.  
Copyright (C) 2007-2022 by David Turner.  
Copyright (C) 2022 by David Turner,  
Robert Wilhelm, Werner Lemberg, and Moazin Khatti.  
Copyright (C) 2007-2022 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.  
Copyright (C) 2008-2022 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.  
Copyright (C) 2019-2022 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2009-2022 by Oran Agra and Mickey Gabel.  
Copyright (C) 2004-2022 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.  
Copyright (C) 2004-2022 by Masatake YAMATO, Red Hat K.K.,  
Copyright (C) 2003-2022 by Masatake YAMATO, Redhat K.K.,  
Copyright (C) 2013-2022 by Google, Inc.  
Copyright (C) 2018-2022 by David Turner, Robert Wilhelm, Dominik Röttsches, and Werner Lemberg.  
Copyright (C) 2005-2022 by David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright 2013 by Google, Inc.

## The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the

FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (`as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project ([www.freetype.org](http://www.freetype.org)). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package`, `FreeType Project`, and `FreeType archive` refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project`, be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

## 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file

(`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

- o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you

haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues,  
specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it.

By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free  
software--to make sure the software is free for all its users. This  
General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit to  
using it. (Some other Free Software Foundation software is covered by  
the GNU Library General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
this service if you wish), that you receive source code or can get it  
if you want it, that you can change the software or use pieces of it  
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid  
anyone to deny you these rights or to ask you to  
surrender the rights.

These restrictions translate to certain responsibilities for you if you

distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally,  
any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program).

Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each



and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to  
the Free Software  
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than `show w' and `show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample;  
alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

...

```
Additional Freetype Attributions
...
```

-----

The below license applies to the following files:

```
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
```

libfreetype/src/psaux/psblues.h  
libfreetype/src/psaux/pserror.c  
libfreetype/src/psaux/pserror.h  
libfreetype/src/psaux/psfixed.h  
libfreetype/src/psaux/psfont.c  
libfreetype/src/psaux/psfont.h  
libfreetype/src/psaux/psft.c  
libfreetype/src/psaux/psft.h  
libfreetype/src/psaux/psglue.h  
libfreetype/src/psaux/pshints.c  
libfreetype/src/psaux/pshints.h  
libfreetype/src/psaux/psintrp.c  
libfreetype/src/psaux/psintrp.h  
libfreetype/src/psaux/psread.c  
libfreetype/src/psaux/psread.h  
libfreetype/src/psaux/psstack.c  
libfreetype/src/psaux/psstack.h  
libfreetype/src/psaux/pstypes.h

#### Copyright

2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section,

and you accept  
them fully.

...

### MIT License  
...

-----  
The below license applies to the following files:  
libfreetype/include/freetype/internal/fthash.h  
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University  
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the  
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL  
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT  
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR  
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

## Harfbuzz v4.4.1

### Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/4.4.1/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual  
files names COPYING in subdirectories where applicable.

Copyright 2010-2022 Google, Inc.  
Copyright 2018-2020 Ebrahim Byagowi  
Copyright 2019-2020 Facebook, Inc.  
Copyright 2012-2015 Mozilla Foundation.  
Copyright 2011 Codethink Limited  
Copyright 2008-2010 Nokia Corporation and/or its subsidiary(-ies)  
Copyright 2009 Keith Stribley  
Copyright 2009 Martin Hosken and SIL International  
Copyright 2007 Chris Wilson  
Copyright 2005-2022 Behdad Esfahbod  
Copyright 2005 David Turner  
Copyright 2004-2013 Red Hat, Inc.  
Copyright 1998-2004 David Turner and Werner Lemberg  
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>  
Copyright 2018-2019 Adobe Inc.  
Copyright 2018 Khaled Hosny  
Copyright 2016 Igalia S.L.

For  
full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without  
license or royalty fees, to use, copy, modify, and distribute this  
software and its documentation for any purpose, provided that the  
above copyright notice and the following two paragraphs appear in  
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR  
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES  
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN  
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS  
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO  
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source  
code, except for one section, is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:



-----  
The below license applies to the following files:  
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## PC/SC Lite v1.9.5

### PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>  
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

</pre>

## jQuery UI v1.13.1

### jQuery UI License

``

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

This is the copyright file  
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

## zlib v1.2.13

### zlib License

<pre>

Copyright (C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

</pre>

jpackage test license file (just some sample text).

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Santuario v2.3.0

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or



documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from

the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless

required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except  
in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: \*

Copyright: APPLICATION\_COPYRIGHT

License: APPLICATION\_LICENSE\_TEXT

The Universal Permissive License (UPL), Version 1.0

Subject to the condition set forth below, permission is hereby granted to any person obtaining a copy of this software, associated documentation and/or data (collectively the "Software"), free of charge and under any and all copyright rights in the Software, and any and all patent rights owned or freely licensable by each licensor hereunder covering either (i) the unmodified Software as contributed to or provided by such licensor, or (ii) the Larger Works (as defined below), to deal in both

(a) the Software, and

(b) any piece of software and/or hardware listed in the `lrgwrks.txt` file if one is included with the Software (each a "Larger Work" to which the Software is contributed by such licensors),

without restriction, including without limitation the rights to copy, create derivative works of, display, perform, and distribute the Software and make, use, sell, offer for sale, import, export, have made, and have sold the Software and

the Larger Work(s), and to sublicense the foregoing rights on either these or other terms.

This license is subject to the following condition:

The above copyright notice and either this complete permission notice or at a minimum a reference to the UPL must be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

## The Unicode Standard, Unicode Character Database, Version 15.0.0

### Unicode Character Database  
...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE

THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the

"Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=== <http://www.unicode.org/copyright.html> content ===

Unicode (R) Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright (C) 1991-2022 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published

in the Unicode Standard

or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY

OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS

OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc.

Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed

solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact

Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License  
<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: <http://www.oasis-open.org/policies-guidelines/ipr>

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.



[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## DOM Level 3 Core Specification v1.0

### W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).  
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.  
The software license requires "Notice of any changes or modifications to the W3C

files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

### W3C License

<pre>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made.  
(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR

DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

```
</pre>
Cryptix AES v3.2.0
```

```
Cryptix General License
<pre>
```

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT,  
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN  
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## JLine v3.20.0

### JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or  
without modification, are permitted provided that the following  
conditions are met:

Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer  
in the documentation and/or other materials provided with  
the distribution.

Neither the name of JLine nor the names of its contributors  
may be used to endorse or promote products derived from this  
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY  
AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO  
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,  
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING  
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
OF THE POSSIBILITY OF SUCH DAMAGE.

#### 4th Party Dependency

=====

org.fusesource.jansi version 1.17.1

org.apache.sshd 2.1 to 3

org.apache.felix.gogo.runtime 1.1.2

org.apache.felix.gogo.jline 1.1.4

=====

#### Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions  
for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source,  
and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,

if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT,

MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,



defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
juniversalchardet

The library is subject to the Mozilla Public License Version 1.1.

Alternatively, the library may be used under the terms of either the GNU General Public License Version 2 or later, or the GNU Lesser General Public License 2.1 or later.

=====  
slf4j

SLF4J source code and binaries are distributed under the MIT license.

Copyright (c) 2004-2017 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License, which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually all types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared it compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible with Apache Software License.

```
</pre>
ASM Bytecode Manipulation Framework v9.3
```

```
ASM License
<pre>
```

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
libpng v1.6.38
```

```
libpng License
<pre>
```

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE  
=====

PNG Reference Library License version 2  
-----

Copyright (c) 1995-2022 The PNG Reference Library Authors.  
Copyright (c) 2018-2022 Cosmin Truta  
Copyright (c) 1998-2018 Glenn Randers-Pehrson  
Copyright (c) 1996-1997 Andreas Dilger  
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby

granted to use, copy, modify, and distribute  
this software, or portions hereof, for any purpose, without fee,  
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are  
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are  
derived from libpng-1.0.6, and are distributed according to the  
same  
disclaimer and license as libpng-1.0.6 with the following individuals  
added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of  
the library or against infringement. There is no warranty that our  
efforts or the library will fulfill any of your particular purposes  
or needs. This library is provided with all faults, and the entire  
risk of satisfactory quality, performance, accuracy, and effort is  
with the user.

Some files in the "contrib" directory and some configure-generated  
files that are distributed with libpng have other copyright owners, and  
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are

Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from

libpng-0.96, and are distributed according to the same disclaimer and

license as libpng-0.96, with the following individuals added to the

list of Contributing Authors:

Tom Lane

Glenn Randers-Pehrson

Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are

Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,

and are distributed according to the same disclaimer and license as

libpng-0.88, with the following individuals added to the list of

Contributing Authors:

John Bowler

Kevin Bracey

Sam Bushell

Magnus Holmgren

Greg Roelofs

Tom Tanner

Some files in the "scripts" directory have other copyright owners,

but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are

Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"

is defined as the following set of individuals:

Andreas Dilger

Dave Martindale

Guy Eric Schalnat

Paul Schmidt

Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing

Authors and Group 42, Inc. disclaim all warranties, expressed or

implied, including, without limitation, the warranties of

merchantability and of fitness for any purpose. The Contributing

Authors and Group 42, Inc. assume no liability for direct, indirect,

incidental, special, exemplary, or consequential damages, which may

result from the use of the PNG Reference Library, even if advised of

the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

#### ### AUTHORS File Information

``

#### PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- \* Andreas Dilger
- \* Cosmin Truta
- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schalnat
- \* James Yu

- \* John Bowler
- \* Kevin Bracey
- \* Magnus Holmgren
- \* Mandar Sahastrabuddhe
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino
- \* Paul Schmidt
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Arm Holdings
  - Richard Townsend
- \* Google Inc.
  - Matt Sarett
  - Mike Klein
  - Dan Field
  - Sami Boukortt

The build projects, the build scripts, the test scripts, and other files in the "ci", "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "contrib" directory, and some tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

```

jopt-simple v5.0.4

MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

jQuery v3.6.1

jQuery License

...

jQuery v 3.6.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The jQuery JavaScript Library v3.6.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Independent JPEG Group: JPEG release 6b

JPEG License

...

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

```
*****  
...  

```

```
## Little Color Management System (LCMS) v2.14
```

```
### LCMS License
```

```
<pre>
```

README.1ST file information

LittleCMS core is released under MIT License

Little CMS

Copyright (c) 1998-2022 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
...

Main Author

Marti Maria

Contributors

Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli

Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges

Special Thanks

Artifex software
AlienSkin software
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

...

All images in this directory are copyright 1995 by Jeff Dinkins.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

- * Copyright (c) 1995-2022 The PNG Reference Library Authors.
- * Copyright (c) 2018-2022 Cosmin Truta.
- * Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.

- * Copyright (c) 1996-1997 Andreas Dilger.
- * Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted
to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the same
disclaimer
and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.

Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schlnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

GIFLIB v5.2.1

GIFLIB License
``

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

...

...

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

...

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus

forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the

General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible

use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Unicode Common Local Data Repository (CLDR) v42

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal
in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION,
ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

----- Terms of Use -----
-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode

Software ("SOFTWARE") includes any source code published in the Unicode Standard

or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions

(Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government

is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s)

described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR

SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

Miscellaneous

Jurisdiction and Venue. This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and

damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire

Agreement. This Agreement constitutes the entire agreement between the parties.

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN

NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution
and their respective licenses.

Mesa Component Licenses

Component	Location	License

Main Mesa code src/mesa/ MIT
Device drivers src/mesa/drivers/* MIT, generally

Gallium code src/gallium/ MIT

Ext headers GL/gl.h Khronos
 GL/glxext.h Khronos
 GL/wgl.h Khronos
 KHR/khrplatform.h Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

include/GL/gl.h
include/GL/glxext.h
include/GL/wgl.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

...

Mozilla Public Suffix List

Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public_suffix_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

MPL v2.0

...

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its

Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4.

Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to

the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*

*

* 6. Disclaimer of Warranty

*

* -----

*

*

*

* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
* essential

part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *

*

*

*

*

* 7. Limitation of Liability

*

* -----

*

*

*

* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any
character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *

* limitation of liability shall not apply to liability for death or *
 * personal injury resulting from such party's negligence to the *
 * extent applicable law prohibits such limitation. Some *
 * jurisdictions do not allow the exclusion or limitation of *
 * incidental or consequential damages, so this exclusion and *
 * limitation may not apply to You. *
 * *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Bert Belder: wepoll v 1.5.8

wepoll License

...

wepoll - epoll for Windows

<https://github.com/piscisaureus/wepoll>

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

...

1.389 linux-libc-dev 5.15.0-171.181

1.389.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we

want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING

OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

This is the full-colour version of the currently unofficial Linux logo ("currently unofficial" just means that there has been no paperwork and that I have not really announced it yet). It was created by Larry Ewing, and is freely usable as long as you acknowledge Larry as the original artist.

Note that there are black-and-white versions of this available that scale down to smaller sizes and are better for letterheads or whatever you want to use it for: for the full range of logos take a look at Larry's web-page:

<https://www.isc.tamu.edu/~lewing/linux/>

Valid-License-Identifier: BSD-3-Clause

SPDX-URL: <https://spdx.org/licenses/BSD-3-Clause.html>

Usage-Guide:

To use the BSD 3-clause "New" or "Revised" License put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules documentation:

SPDX-License-Identifier: BSD-3-Clause

License-Text:

Copyright (c) <year> <owner> . All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Valid-License-Identifier: ISC

SPDX-URL: <https://spdx.org/licenses/ISC.html>

Usage-Guide:

To use the ISC License put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules documentation:

SPDX-License-Identifier: ISC

License-Text:

ISC License

Copyright (c) <year> <copyright holders>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH

THE USE OR PERFORMANCE OF THIS SOFTWARE.

The Linux Kernel is provided under:

SPDX-License-Identifier: GPL-2.0 WITH Linux-syscall-note

Being under the terms of the GNU General Public License version 2 only,
according with:

LICENSES/preferred/GPL-2.0

With an explicit syscall exception, as stated at:

LICENSES/exceptions/Linux-syscall-note

In addition, other licenses may also apply. Please see:

Documentation/process/license-rules.rst

for more details.

All contributions to the Linux Kernel are subject to this COPYING file.

Valid-License-Identifier: X11

SPDX-URL: <https://spdx.org/licenses/X11.html>

Usage-Guide:

To use the X11 put the following SPDX tag/value pair into a comment
according to the placement guidelines in the licensing rules
documentation:

SPDX-License-Identifier: X11

License-Text:

X11 License

Copyright (C) 1996 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED

TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other
dealings in this Software without prior written authorization from the X
Consortium.

X Window System is a trademark of X Consortium, Inc.

/* nicstar.c v0.22 Jawaid Bazyar (bazyar@hypermall.com)

* nicstar.c, M. Welsh (matt.welsh@cl.cam.ac.uk)

*

* Hacked October, 1997 by Jawaid Bazyar, Interlink Advertising Services Inc.

* <http://www.hypermall.com/>

* 10/1/97 - commented out CFG_PHYIE bit - we don't care when the PHY

* interrupts us (except possibly for removal/insertion of the cable?)

* 10/4/97 - began heavy inline documentation of the code. Corrected typos

* and spelling mistakes.

* 10/5/97 - added code to handle PHY interrupts, disable PHY on

* loss of link, and correctly re-enable PHY when link is

* re-established. (put back CFG_PHYIE)

*

* Modified to work with the IDT7721 nicstar -- AAL5 (tested) only.

*

* R. D. Rechenmacher <ron@fnal.gov>, Aug. 6, 1997

*

* Linux driver for the IDT77201 NICStAR PCI ATM controller.

* PHY component is expected to be 155 Mbps S/UNI-Lite or IDT 77155;

* see init_nicstar() for PHY initialization to change this. This driver

* expects the Linux ATM stack to support scatter-gather

lists

* (skb->atm.iovcnt != 0) for Rx skb's passed to vcc->push.

*

* Implementing minimal-copy of received data:

* IDT always receives data into a small buffer, then large buffers

* as needed. This means that data must always be copied to create

* the linear buffer needed by most non-ATM protocol stacks (e.g. IP)

* Fix is simple: make large buffers large enough to hold entire

* SDU, and leave <small_buffer_data> bytes empty at the start. Then

* copy small buffer contents to head of large buffer.

* Trick is to avoid fragmenting Linux, due to need for a lot of large

* buffers. This is done by 2 things:

* 1) skb->destructor / skb->atm.recycle_buffer

* combined, allow nicstar_free_rx_skb to be called to

* recycle large data buffers

- * 2) skb_clone of received buffers
- * See nicstar_free_rx_skb and linearize_buffer for implementation details.
- *
- *
- *
- * Copyright (c) 1996 University of Cambridge
Computer Laboratory
- *
- * This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.
- *
- * This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.
- *
- * You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.
- *
- * M. Welsh, 6 July 1996
- *
- *
- * /

Code in this directory written at the IDA Supercomputing Research Center carries the following copyright and license.

Copyright 1993 United States Government as represented by the Director, National Security Agency. This software may be used and distributed according to the terms of the GNU General Public License, incorporated herein by reference.

In addition to the disclaimers in the GPL, SRC expressly disclaims any and all warranties, expressed or implied, concerning the enclosed software. This software was developed at SRC for use in internal research, and the intent in sharing this software is to promote the productive interchange of ideas throughout the research community. All software is furnished on an "as-is" basis. No further updates to this software should be expected. Although updates may occur, no commitment exists.

Copyright (c) 2003-2006, Marvell International Ltd.
All Rights Reserved

This program is free software; you can redistribute it and/or modify it under the terms of version 2 of the GNU General Public License as published by the Free Software Foundation.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.
The files in this directory and elsewhere which refer to this LICENCE file are part of JFFS2, the Journalling Flash File System v2.

Copyright 2001-2007 Red Hat, Inc. and others

JFFS2 is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 or (at your option) any later version.

JFFS2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with JFFS2; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

As a special exception, if other files instantiate templates or use macros or inline functions from these files, or you compile these files and link them with other works to produce a work based on these files, these files do not by themselves cause the resulting work to be covered by the GNU General Public License. However the source code for these files must still be made available in accordance with section (3) of the GNU General Public License.

This exception does not invalidate any other reasons why a work based on this file might be covered by the GNU General Public License.

```
/* SPDX-License-Identifier: GPL-2.0-only */
```

```
#ifndef __LICENSE_H
```

```
#define __LICENSE_H
```

```
static inline int license_is_gpl_compatible(const char *license)
{
    return (strcmp(license, "GPL") == 0
        || strcmp(license, "GPL v2") == 0
        || strcmp(license, "GPL and additional rights") == 0
```

```
|| strcmp(license, "Dual BSD/GPL") == 0
|| strcmp(license, "Dual MIT/GPL") == 0
|| strcmp(license, "Dual MPL/GPL") == 0);
}
```

#endif

Valid-License-Identifier: MIT

SPDX-URL: <https://spdx.org/licenses/MIT.html>

Usage-Guide:

To use the MIT License put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules documentation:

SPDX-License-Identifier: MIT

License-Text:

MIT License

Copyright (c) <year> <copyright holders>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING

BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Valid-License-Identifier: BSD-2-Clause

SPDX-URL: <https://spdx.org/licenses/BSD-2-Clause.html>

Usage-Guide:

To use the BSD 2-clause "Simplified" License put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules documentation:

SPDX-License-Identifier: BSD-2-Clause

License-Text:

Copyright (c) <year> <owner> . All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SPDX-Exception-Identifier: Linux-syscall-note

SPDX-URL: <https://spdx.org/licenses/Linux-syscall-note.html>

SPDX-Licenses: GPL-2.0, GPL-2.0+, GPL-1.0+, LGPL-2.0, LGPL-2.0+, LGPL-2.1, LGPL-2.1+, GPL-2.0-only, GPL-2.0-or-later

Usage-Guide:

This exception is used together with one of the above SPDX-Licenses to mark user space API (uapi) header files so they can be included into non GPL compliant user space application code.

To use this exception add it with the keyword WITH to one of the identifiers in the SPDX-Licenses tag:

SPDX-License-Identifier: <SPDX-License> WITH Linux-syscall-note

License-Text:

NOTE! This copyright does **not** cover user programs that use kernel services by normal system calls - this is merely considered normal use of the kernel, and does **not** fall under the heading of "derived work". Also note that the GPL below is copyrighted by the Free Software Foundation, but the instance of code that it refers to (the Linux kernel) is copyrighted by me and others who actually wrote it.

Also note that the only valid version of the GPL as far as the kernel is concerned is this particular version of the license (ie v2, not v2.2 or v3.x or whatever), unless explicitly otherwise stated.

Linus Torvalds

Valid-License-Identifier: BSD-3-Clause-Clear

SPDX-URL: <https://spdx.org/licenses/BSD-3-Clause-Clear.html>

Usage-Guide:

To use the BSD 3-clause "Clear" License put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules documentation:

SPDX-License-Identifier: BSD-3-Clause-Clear

License-Text:

The Clear BSD License

Copyright (c) [xxxx]-[xxxx] [Owner Organization]

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted (subject to the limitations in the disclaimer below) provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither

the name of [Owner Organization] nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

NO EXPRESS OR IMPLIED LICENSES TO ANY PARTY'S PATENT RIGHTS ARE GRANTED BY THIS LICENSE. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

THE POSSIBILITY OF SUCH DAMAGE.

Valid-License-Identifier: Zlib

SPDX-URL: <https://spdx.org/licenses/Zlib.html>

Usage-Guide:

To use the Zlib License put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules

documentation:

SPDX-License-Identifier: Zlib

License-Text:

zlib License

Copyright (c) <year> <copyright holders>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Valid-License-Identifier: Linux-OpenIB

SPDX-URL: <https://spdx.org/licenses/Linux-OpenIB.html>

Usage-Guide:

To use the Linux Kernel Variant of OpenIB.org license put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules documentation:

SPDX-License-Identifier: Linux-OpenIB

License-Text:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

FlashPoint Driver Developer's Kit
Version 1.0

Copyright 1995-1996 by Mylex Corporation
All Rights Reserved

This program is free software; you may redistribute and/or modify it under the terms of either:

a) the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version,

or

b) the "BSD-style License" included below.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY, without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See either the GNU General Public License or the BSD-style License below for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

The BSD-style License is as follows:

Redistribution

and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain this LICENSE.FlashPoint file, without modification, this list of conditions, and the following disclaimer. The following copyright notice must appear immediately at the beginning of all source files:

Copyright 1995-1996 by Mylex Corporation. All Rights Reserved

This file is available under both the GNU General Public License and a BSD-style copyright; see LICENSE.FlashPoint for details.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of Mylex Corporation may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE

IS PROVIDED BY MYLEX CORP. ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.390 cpp 12.3.0-1ubuntu1~22.04.3

1.390.1 Available under license :

BRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based

on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each

time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED

TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN
IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion

of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License

instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system,

rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities.

This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information
on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or
your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.391 icu 78.2

1.391.1 Available under license :

```
## -*-makefile-*-  
## Copyright (C) 2016 and later: Unicode, Inc. and others.  
## License & terms of use: http://www.unicode.org/copyright.html  
## BSD-specific setup (FreeBSD, OpenBSD, NetBSD, *BSD)  
## Copyright (c) 1999-2013, International Business Machines Corporation and  
## others. All Rights Reserved.
```

```
## Commands to generate dependency files  
GEN_DEPS.c= $(CC) -E -MM $(DEFS) $(CPPFLAGS)  
GEN_DEPS.cc= $(CXX) -E -MM $(DEFS) $(CPPFLAGS)
```

```
## Flags for position independent code  
SHAREDLIBCFLAGS = -fPIC  
SHAREDLIBCXXFLAGS = -fPIC  
SHAREDLIBCPPFLAGS = -DPIC
```

```
## Additional flags when building libraries and with threads  
THREADSCPPFLAGS = -D_REENTRANT
```

```

LIBCPPFLAGS =

## Compiler switch to embed a runtime search path
LD_RPATH=
LD_RPATH_PRE= -Wl,-rpath,

## Compiler switch to embed a library name
LD_SONAME = -Wl,-soname -Wl,$(notdir $(MIDDLE_SO_TARGET))

## Shared library options
LD_SOOPTIONS= -Wl,-Bsymbolic

## Shared object suffix
SO = so

## Non-shared intermediate object suffix
STATIC_O = ao

## Compilation
rules
%.${STATIC_O}: $(srcdir)/%.c
$(COMPILE.c) $(STATICCPPFLAGS) $(STATICCFLAGS) -o $@ $<
%.o: $(srcdir)/%.c
$(COMPILE.c) $(DYNAMICCPPFLAGS) $(DYNAMICCFLAGS) -o $@ $<

%.${STATIC_O}: $(srcdir)/%.cpp
$(COMPILE.cc) $(STATICCPPFLAGS) $(STATICCXXFLAGS) -o $@ $<
%.o: $(srcdir)/%.cpp
$(COMPILE.cc) $(DYNAMICCPPFLAGS) $(DYNAMICCXXFLAGS) -o $@ $<

## Dependency rules
%.d: $(srcdir)/%.c
@echo "generating dependency information for $<"
@$(SHELL) -ec '$(GEN_DEPS.c) $< \
| sed "s/\($*\)\.o[ :]*/\1.o $@ : /g"' > $@; \
[ -s $@ ] || rm -f $@

%.d: $(srcdir)/%.cpp
@echo "generating dependency information for $<"
@$(SHELL) -ec '$(GEN_DEPS.cc) $< \
| sed "s/\($*\)\.o[ :]*/\1.o $@ : /g"' > $@; \
[ -s $@ ] || rm -f $@

## Versioned libraries rules

%.${SO}.${SO_TARGET_VERSION_MAJOR}: %.${SO}.${SO_TARGET_VERSION}
$(RM) $@ && ln -s ${<F} $@
%.${SO}: %.${SO}.${SO_TARGET_VERSION_MAJOR}

```

\$(RM) \$@ && ln -s \${*F}.\$(SO).\$(SO_TARGET_VERSION) \$@

Bind internal references

LDflags that pkgdata will use

BIR_LDFLAGS= -Wl,-Bsymbolic

Dependencies [i.e. map files] for the final library

BIR_DEPS=

Remove shared library 's'

STATIC_PREFIX_WHEN_USED =

STATIC_PREFIX =

End BSD-specific setup

UNICODE LICENSE V3

COPYRIGHT AND PERMISSION NOTICE

Copyright 2016-2025 Unicode, Inc.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING DATA FILES, AND/OR SOFTWARE, YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of data files and any associated documentation (the "Data Files") or software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,

ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

SPDX-License-Identifier:
Unicode-3.0

Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008, Google Inc.
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice,
# this list of conditions and the following disclaimer.
# Redistributions in binary form must reproduce the above
# copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided
# with
# the distribution.
# Neither the name of Google Inc. nor the names of its
# contributors may be used to endorse or promote products derived from
# this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
# CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
# SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
```

```

# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
# OF SUCH DAMAGE.
#
#
# The word list in cjdict.txt are generated by combining three word lists
# listed below with further processing for compound word breaking. The
# frequency is generated with an iterative training against Google web
# corpora.
#
# * Libtabe (Chinese)
# - https://sourceforge.net/project/?group\_id=1519
# - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
# - http://chasen.aist-nara.ac.jp/chasen/distribution.html
# - Its license terms and conditions are shown below.
#
# -----COPYING.libtabe ---- BEGIN-----
#
# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this
# * list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

```

OR

```
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# *      Institute of Information Science, Academia
# *      Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following
disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
# University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
```

```

# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software, whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
# Nara Institute of Science and Technology (NAIST),
# the copyright holders, disclaims all warranties with regard to this
# software, including
# all implied warranties of merchantability and
# fitness, in no event shall NAIST be liable for
# any special, indirect or consequential damages or any damages
# whatsoever resulting from loss of use, data or profits, whether in an
# action of contract, negligence or other tortuous action, arising out
# of or in connection with the use or performance of this software.
#
# A large portion of the dictionary entries
# originate from ICOT Free Software. The following conditions for ICOT
# Free Software applies to the current dictionary as well.
#
# Each User may also freely distribute the Program, whether in its
# original form or modified, to any third party or parties, PROVIDED
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
# on, or be attached to, the Program, which is distributed substantially
# in the same form as set out herein and that such intended
# distribution, if actually made, will neither violate or otherwise
# contravene
# any of the laws and regulations of the countries having
# jurisdiction over the User or the intended distribution itself.
#
# NO WARRANTY
#
# The program was produced on an experimental basis in the course of the
# research and development conducted during the project and is provided
# to users as so produced on an experimental basis. Accordingly, the
# program is provided without any warranty whatsoever, whether express,
# implied, statutory or otherwise. The term "warranty" used herein
# includes, but is not limited to, any warranty of the quality,
# performance, merchantability and fitness for a particular purpose of
# the program and the nonexistence of any infringement or violation of
# any right of any third party.

```


Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected
with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and
distribution of the program and the
production of secondary products from the program.

In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.

-----COPYING.ipadic-----END-----

Lao Word Break Dictionary Data (laodict.txt)

Copyright (C) 2016 and later: Unicode, Inc. and others.
License & terms of use: <http://www.unicode.org/copyright.html>
Copyright (c) 2015 International Business Machines Corporation
and others. All Rights Reserved.

Project: <https://github.com/rober42539/lao-dictionary>
Dictionary: <https://github.com/rober42539/lao-dictionary/laodict.txt>
License: <https://github.com/rober42539/lao-dictionary/LICENSE.txt>
(copied below)

```
#
# This file is derived from the above dictionary version of Nov 22, 2020
# -----
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice, this
# list of conditions and the following disclaimer. Redistributions in binary
# form must reproduce the above copyright notice, this list of conditions and
# the following disclaimer in the documentation and/or other materials
# provided with the distribution.
#
# THIS SOFTWARE IS PROVIDED
# BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# OF THE POSSIBILITY OF SUCH DAMAGE.
# -----
```

Burmese Word Break Dictionary Data (burmesdict.txt)

```
# Copyright (c) 2014 International
# Business Machines Corporation
# and others. All Rights Reserved.
#
# This list is part of a project hosted at:
# github.com/kanyawtech/myanmar-karen-word-lists
#
# -----
# Copyright (c) 2013, LeRoy Benjamin Sharon
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions
# are met: Redistributions of source code must retain the above
```

copyright notice, this list of conditions and the following
disclaimer. Redistributions in binary form must reproduce the
above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

Neither the name Myanmar Karen Word Lists, nor the names of its
contributors may be used to endorse or promote products derived
from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Time
Zone Database

ICU uses the public domain data and code derived from Time Zone
Database for its time zone support. The ownership of the TZ database
is explained in BCP 175: Procedure for Maintaining the Time Zone
Database section 7.

7. Database Ownership

The TZ database itself is not an IETF Contribution or an IETF
document. Rather it is a pre-existing and regularly updated work
that is in the public domain, and is intended to remain in the
public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do
not apply to the TZ Database or contributions that individuals make
to it. Should any claims be made and substantiated against the TZ
Database, the organization that is providing the IANA
Considerations defined in this RFC, under the memorandum of
understanding with the IETF, currently ICANN, may act in accordance
with all competent court orders. No ownership claims will be made

by ICANN or
the IETF Trust on the database or the code. Any person
making a contribution to the database or code waives all rights to
future claims in that contribution or in the TZ Database.

Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived

from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JSON parsing library (nlohmann/json)

File: vendor/json/upstream/single_include/nlohmann/json.hpp (only for
ICU4C)

MIT License

Copyright (c) 2013-2022 Niels Lohmann

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

File: aclocal.m4 (only for ICU4C)
Section: pkg.m4 - Macros to locate and utilise pkg-config.

Copyright 2004 Scott James Remnant <scott@netsplit.com>.
Copyright 2012-2015 Dan Nicholson <dbn.lists@gmail.com>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place
- Suite 330, Boston, MA
02111-1307, USA.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that

program.

(The condition for the exception is fulfilled because
ICU4C includes a configuration script generated by Autoconf,
namely the `configure` script.)

File: config.guess (only for ICU4C)

This file is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General
Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, see <<https://www.gnu.org/licenses/>>.

As a special exception to the GNU General Public License, if you
distribute this file as part of a program that contains a
configuration script generated by Autoconf, you may include it under
the same distribution terms that you use for the rest of that
program. This Exception is an additional permission under section 7
of the GNU General Public License, version 3 ("GPLv3").

(The condition for the exception is fulfilled because
ICU4C includes a configuration script generated by Autoconf,
namely the `configure` script.)

File: install-sh (only for ICU4C)

Copyright 1991 by the Massachusetts Institute of Technology

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted

without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of M.I.T. not be used in advertising or
publicity pertaining to distribution of the software without specific,
written prior permission. M.I.T. makes no representations about the
suitability of this software for any purpose. It is provided "as is"
without express or implied warranty.

File: sorttable.js (only for ICU4J)

The MIT Licence, for code from kryogenix.org

Code downloaded from the Browser Experiments section of kryogenix.org is
licenced under the so-called MIT licence. The licence is below.

Copyright (c) 1997-date Stuart Langridge

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction,
including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.392 python 3.12.13

1.392.1 Available under license :

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code,
copyrighted by Microsoft Corporation. The Microsoft Distributable Code
is embedded in each .exe, .dll and .pyd file as a result of running

the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same

year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF				yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6,
examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2
and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

-
1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
 2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright
(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
 3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
 4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
 5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,

OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright (c) 2001-2025 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution

notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.393 python3.12 3.12.13-1+jammy1

1.393.1 Available under license :

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or

unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		

PSF yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated

documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive,

Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply,

by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright (c) 2001-2025 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.394 python3.10 3.10.12-1~22.04.15

1.394.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

X Window System is a trademark of The Open Group

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that

suggests your programs come from or are endorsed by Microsoft;

- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or

- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON

FOR ANY

INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga
Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE
WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE

SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This

Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the
licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the
product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.395 node.js 20.20.1-1nodesource1

1.395.1 Available under license :

```
#ifndef SRC_PERMISSION_WORKER_PERMISSION_H_
```

```
#define SRC_PERMISSION_WORKER_PERMISSION_H_
```

```
#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```

#include <vector>
#include "permission/permission_base.h"

namespace node {

namespace permission {

class WorkerPermission final : public PermissionBase {
public:
    void Apply(Environment* env,
               const std::vector<std::string>& allow,
               PermissionScope scope) override;
    bool is_granted(Environment* env,
                   PermissionScope perm,
                   const std::string_view& param = "") const override;

private:
    bool deny_all_;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_WORKER_PERMISSION_H_
#ifndef SRC_PERMISSION_CHILD_PROCESS_PERMISSION_H_
#define SRC_PERMISSION_CHILD_PROCESS_PERMISSION_H_

#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS

#include <vector>
#include "permission/permission_base.h"

namespace node {

namespace permission {

class ChildProcessPermission final : public PermissionBase {
public:
    void Apply(Environment* env,
               const std::vector<std::string>& allow,
               PermissionScope scope) override;
    bool is_granted(Environment* env,
                   PermissionScope perm,
                   const std::string_view& param = "") const override;

```

```

private:
    bool deny_all_;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_CHILD_PROCESS_PERMISSION_H_
MIT License

```

Copyright (C) 2012-2020 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright JS Foundation and other contributors, <https://js.foundation>
 Copyright (c) 2021 Brett Zamir

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2024 npm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2017-2023 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 Jonathan Hartley
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders, nor those of its contributors

may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
This product also include the following software:
=====

QRCode for JavaScript

Copyright (c) 2009 Kazuhiko Arase

URL: <http://www.d-project.com/>

Licensed under the MIT license:
<http://www.opensource.org/licenses/mit-license.php>

The word "QR Code" is registered trademark of
DENSO WAVE INCORPORATED

<http://www.denso-wave.com/qrcode/faqpatent-e.html>

Located in ./vendor/QRCode

- project has been modified to work in Node and some refactoring was done for code cleanup

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/cmp.h.in

*

* Copyright 2007-2023 The OpenSSL Project Authors. All Rights Reserved.

* Copyright Nokia 2007-2019

* Copyright Siemens AG 2015-2019

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_CMP_H

#define OPENSSL_CMP_H

#include <openssl/opensslconf.h>

#ifndef OPENSSL_NO_CMP

#include <openssl/crmf.h>

#include <openssl/cmperr.h>

#include <openssl/cmp_util.h>

#include <openssl/http.h>

/* explicit #includes not strictly needed since implied by the above: */

#include <openssl/types.h>

#include <openssl/safestack.h>

#include <openssl/x509.h>

#include <openssl/x509v3.h>

#ifdef __cplusplus

extern "C" {

#endif

#define OSSL_CMP_PVNO 2

/*-

*

```

PKIFailureInfo ::= BIT STRING {
*  -- since we can fail in more than one way!
*  -- More codes may be added in the future if/when required.
*   badAlg          (0),
*   -- unrecognized or unsupported Algorithm Identifier
*   badMessageCheck (1),
*   -- integrity check failed (e.g., signature did not verify)
*   badRequest      (2),
*   -- transaction not permitted or supported
*   badTime         (3),
*   -- messageTime was not sufficiently close to the system time,
*   -- as defined by local policy
*   badCertId       (4),
*   -- no certificate could be found matching the provided criteria
*   badDataFormat   (5),
*   -- the data submitted has the wrong format
*   wrongAuthority  (6),
*   -- the authority indicated in the request is different from the
*   -- one creating the response token
*   incorrectData   (7),
*   -- the requester's data is incorrect (for
notary services)
*   missingTimeStamp (8),
*   -- when the timestamp is missing but should be there
*   -- (by policy)
*   badPOP          (9),
*   -- the proof-of-possession failed
*   certRevoked     (10),
*   -- the certificate has already been revoked
*   certConfirmed   (11),
*   -- the certificate has already been confirmed
*   wrongIntegrity  (12),
*   -- invalid integrity, password based instead of signature or
*   -- vice versa
*   badRecipientNonce (13),
*   -- invalid recipient nonce, either missing or wrong value
*   timeNotAvailable (14),
*   -- the TSA's time source is not available
*   unacceptedPolicy (15),
*   -- the requested TSA policy is not supported by the TSA.
*   unacceptedExtension (16),
*   -- the requested extension is not supported by the TSA.
*   addInfoNotAvailable (17),
*   -- the additional information
requested could not be
*   -- understood or is not available
*   badSenderNonce  (18),
*   -- invalid sender nonce, either missing or wrong size

```

```

*   badCertTemplate   (19),
*       -- invalid cert. template or missing mandatory information
*   signerNotTrusted  (20),
*       -- signer of the message unknown or not trusted
*   transactionIdInUse (21),
*       -- the transaction identifier is already in use
*   unsupportedVersion (22),
*       -- the version of the message is not supported
*   notAuthorized     (23),
*       -- the sender was not authorized to make the preceding
*       -- request or perform the preceding action
*   systemUnavail     (24),
*       -- the request cannot be handled due to system unavailability
*   systemFailure     (25),
*       -- the request cannot be handled due to system failure
*   duplicateCertReq  (26)
*       -- certificate cannot be
        issued because a duplicate
*       -- certificate already exists
*   }
*/

#define OSSL_CMP_PKIFAILUREINFO_badAlg 0
#define OSSL_CMP_PKIFAILUREINFO_badMessageCheck 1
#define OSSL_CMP_PKIFAILUREINFO_badRequest 2
#define OSSL_CMP_PKIFAILUREINFO_badTime 3
#define OSSL_CMP_PKIFAILUREINFO_badCertId 4
#define OSSL_CMP_PKIFAILUREINFO_badDataFormat 5
#define OSSL_CMP_PKIFAILUREINFO_wrongAuthority 6
#define OSSL_CMP_PKIFAILUREINFO_incorrectData 7
#define OSSL_CMP_PKIFAILUREINFO_missingTimeStamp 8
#define OSSL_CMP_PKIFAILUREINFO_badPOP 9
#define OSSL_CMP_PKIFAILUREINFO_certRevoked 10
#define OSSL_CMP_PKIFAILUREINFO_certConfirmed 11
#define OSSL_CMP_PKIFAILUREINFO_wrongIntegrity 12
#define OSSL_CMP_PKIFAILUREINFO_badRecipientNonce 13
#define OSSL_CMP_PKIFAILUREINFO_timeNotAvailable 14
#define OSSL_CMP_PKIFAILUREINFO_unacceptedPolicy 15
#define OSSL_CMP_PKIFAILUREINFO_unacceptedExtension 16
#define OSSL_CMP_PKIFAILUREINFO_addInfoNotAvailable 17
#define OSSL_CMP_PKIFAILUREINFO_badSenderNonce 18
#define
    OSSL_CMP_PKIFAILUREINFO_badCertTemplate 19
#define OSSL_CMP_PKIFAILUREINFO_signerNotTrusted 20
#define OSSL_CMP_PKIFAILUREINFO_transactionIdInUse 21
#define OSSL_CMP_PKIFAILUREINFO_unsupportedVersion 22
#define OSSL_CMP_PKIFAILUREINFO_notAuthorized 23
#define OSSL_CMP_PKIFAILUREINFO_systemUnavail 24
#define OSSL_CMP_PKIFAILUREINFO_systemFailure 25

```

```

#define OSSL_CMP_PKIFAILUREINFO_duplicateCertReq 26
#define OSSL_CMP_PKIFAILUREINFO_MAX 26
#define OSSL_CMP_PKIFAILUREINFO_MAX_BIT_PATTERN \
    ((1 << (OSSL_CMP_PKIFAILUREINFO_MAX + 1)) - 1)
#if OSSL_CMP_PKIFAILUREINFO_MAX_BIT_PATTERN > INT_MAX
#error CMP_PKIFAILUREINFO_MAX bit pattern does not fit in type int
#endif

```

```

typedef ASN1_BIT_STRING OSSL_CMP_PKIFAILUREINFO;

```

```

#define OSSL_CMP_CTX_FAILINFO_badAlg (1 << 0)
#define OSSL_CMP_CTX_FAILINFO_badMessageCheck (1 << 1)
#define OSSL_CMP_CTX_FAILINFO_badRequest (1 << 2)
#define OSSL_CMP_CTX_FAILINFO_badTime (1 << 3)
#define OSSL_CMP_CTX_FAILINFO_badCertId (1 << 4)
#define OSSL_CMP_CTX_FAILINFO_badDataFormat
    (1 << 5)
#define OSSL_CMP_CTX_FAILINFO_wrongAuthority (1 << 6)
#define OSSL_CMP_CTX_FAILINFO_incorrectData (1 << 7)
#define OSSL_CMP_CTX_FAILINFO_missingTimeStamp (1 << 8)
#define OSSL_CMP_CTX_FAILINFO_badPOP (1 << 9)
#define OSSL_CMP_CTX_FAILINFO_certRevoked (1 << 10)
#define OSSL_CMP_CTX_FAILINFO_certConfirmed (1 << 11)
#define OSSL_CMP_CTX_FAILINFO_wrongIntegrity (1 << 12)
#define OSSL_CMP_CTX_FAILINFO_badRecipientNonce (1 << 13)
#define OSSL_CMP_CTX_FAILINFO_timeNotAvailable (1 << 14)
#define OSSL_CMP_CTX_FAILINFO_unacceptedPolicy (1 << 15)
#define OSSL_CMP_CTX_FAILINFO_unacceptedExtension (1 << 16)
#define OSSL_CMP_CTX_FAILINFO_addInfoNotAvailable (1 << 17)
#define OSSL_CMP_CTX_FAILINFO_badSenderNonce (1 << 18)
#define OSSL_CMP_CTX_FAILINFO_badCertTemplate (1 << 19)
#define OSSL_CMP_CTX_FAILINFO_signerNotTrusted (1 << 20)
#define OSSL_CMP_CTX_FAILINFO_transactionIdInUse (1 << 21)
#define OSSL_CMP_CTX_FAILINFO_unsupportedVersion (1 << 22)
#define OSSL_CMP_CTX_FAILINFO_notAuthorized
    (1 << 23)
#define OSSL_CMP_CTX_FAILINFO_systemUnavail (1 << 24)
#define OSSL_CMP_CTX_FAILINFO_systemFailure (1 << 25)
#define OSSL_CMP_CTX_FAILINFO_duplicateCertReq (1 << 26)

```

```

/*-
 * PKIStatus ::= INTEGER {
 *     accepted          (0),
 *     -- you got exactly what you asked for
 *     grantedWithMods    (1),
 *     -- you got something like what you asked for; the
 *     -- requester is responsible for ascertaining the differences
 *     rejection          (2),

```

```

* -- you don't get it, more information elsewhere in the message
* waiting (3),
* -- the request body part has not yet been processed; expect to
* -- hear more later (note: proper handling of this status
* -- response MAY use the polling req/rep PKIMessages specified
* -- in Section 5.3.22; alternatively, polling in the underlying
* -- transport layer MAY have some utility in this regard)
* revocationWarning
(4),
* -- this message contains a warning that a revocation is
* -- imminent
* revocationNotification (5),
* -- notification that a revocation has occurred
* keyUpdateWarning (6)
* -- update already done for the oldCertId specified in
* -- CertReqMsg
* }
*/

#define OSSL_CMP_PKISTATUS_request -3
#define OSSL_CMP_PKISTATUS_trans -2
#define OSSL_CMP_PKISTATUS_unspecified -1
#define OSSL_CMP_PKISTATUS_accepted 0
#define OSSL_CMP_PKISTATUS_grantedWithMods 1
#define OSSL_CMP_PKISTATUS_rejection 2
#define OSSL_CMP_PKISTATUS_waiting 3
#define OSSL_CMP_PKISTATUS_revocationWarning 4
#define OSSL_CMP_PKISTATUS_revocationNotification 5
#define OSSL_CMP_PKISTATUS_keyUpdateWarning 6

typedef ASN1_INTEGER OSSL_CMP_PKISTATUS;
DECLARE_ASN1_ITEM(OSSL_CMP_PKISTATUS)

#define OSSL_CMP_CERTORENCCERT_CERTIFICATE 0
#define OSSL_CMP_CERTORENCCERT_ENCRYPTEDCERT 1

/* data type declarations */
typedef struct ossl_cmp_ctx_st OSSL_CMP_CTX;
typedef struct
    ossl_cmp_pkiheader_st OSSL_CMP_PKIHEADER;
DECLARE_ASN1_FUNCTIONS(OSSL_CMP_PKIHEADER)
typedef struct ossl_cmp_msg_st OSSL_CMP_MSG;
DECLARE_ASN1_FUNCTIONS(OSSL_CMP_MSG)
DECLARE_ASN1_ENCODE_FUNCTIONS(OSSL_CMP_MSG, OSSL_CMP_MSG, OSSL_CMP_MSG)
typedef struct ossl_cmp_certstatus_st OSSL_CMP_CERTSTATUS;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_CERTSTATUS, OSSL_CMP_CERTSTATUS,
    OSSL_CMP_CERTSTATUS)
#define sk_OSSL_CMP_CERTSTATUS_num(sk)

```



```

OPENSSL_sk_num(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_value(sk, idx) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk), (idx)))
#define sk_OSSL_CMP_CERTSTATUS_new(cmp) ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_CERTSTATUS_compfunc_type(cmp)))
#define sk_OSSL_CMP_CERTSTATUS_new_null() ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_CERTSTATUS_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_CERTSTATUS_compfunc_type(cmp),
(n)))
#define sk_OSSL_CMP_CERTSTATUS_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), (n))
#define sk_OSSL_CMP_CERTSTATUS_free(sk)
OPENSSL_sk_free(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_zero(sk)
OPENSSL_sk_zero(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_delete(sk, i) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), (i)))
#define sk_OSSL_CMP_CERTSTATUS_delete_ptr(sk, ptr) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr)))
#define sk_OSSL_CMP_CERTSTATUS_push(sk, ptr)
OPENSSL_sk_push(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define sk_OSSL_CMP_CERTSTATUS_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define
sk_OSSL_CMP_CERTSTATUS_pop(sk) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_pop(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk)))
#define sk_OSSL_CMP_CERTSTATUS_shift(sk) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_shift(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk)))
#define sk_OSSL_CMP_CERTSTATUS_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), ssl_check_OSSL_CMP_CERTST
ATUS_freefunc_type(freefunc))
#define sk_OSSL_CMP_CERTSTATUS_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr), (idx))
#define sk_OSSL_CMP_CERTSTATUS_set(sk, idx, ptr) ((OSSL_CMP_CERTSTATUS
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk), (idx),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr)))
#define sk_OSSL_CMP_CERTSTATUS_find(sk, ptr)
OPENSSL_sk_find(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define sk_OSSL_CMP_CERTSTATUS_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr))
#define sk_OSSL_CMP_CERTSTATUS_find_all(sk, ptr, pnum)

```

```

OPENSSL_sk_find_all(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_type(ptr), pnum)
#define sk_OSSL_CMP_CERTSTATUS_sort(sk)
OPENSSL_sk_sort(ssl_check_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk))
#define sk_OSSL_CMP_CERTSTATUS_dup(sk) ((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk)))
#define sk_OSSL_CMP_CERTSTATUS_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(OSSL_CMP_CERTSTATUS)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_CERTSTATUS_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_CERTSTATUS_freefunc_type(freefunc)))
#define sk_OSSL_CMP_CERTSTATUS_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_CERTSTATUS_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_CERTSTAT
US_sk_type(sk),
ssl_check_OSSL_CMP_CERTSTATUS_compfunc_type(cmp)))

/* clang-format on */
typedef struct ssl_cmp_itav_st OSSL_CMP_ITAV;
DECLARE_ASN1_DUP_FUNCTION(OSSL_CMP_ITAV)
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_ITAV, OSSL_CMP_ITAV, OSSL_CMP_ITAV)
#define sk_OSSL_CMP_ITAV_num(sk) OPENSSL_sk_num(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_value(sk, idx) ((OSSL_CMP_ITAV
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk), (idx)))
#define sk_OSSL_CMP_ITAV_new(cmp) ((STACK_OF(OSSL_CMP_ITAV)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_ITAV_compfunc_type(cmp)))
#define sk_OSSL_CMP_ITAV_new_null() ((STACK_OF(OSSL_CMP_ITAV) *)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_ITAV_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_ITAV)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_ITAV_compfunc_type(cmp), (n)))
#define sk_OSSL_CMP_ITAV_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
(n))
#define sk_OSSL_CMP_ITAV_free(sk)
OPENSSL_sk_free(ssl_check_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_zero(sk) OPENSSL_sk_zero(ssl_check_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_delete(sk, i) ((OSSL_CMP_ITAV
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_ITAV_sk_type(sk), (i)))
#define sk_OSSL_CMP_ITAV_delete_ptr(sk, ptr) ((OSSL_CMP_ITAV
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_type(ptr)))
#define sk_OSSL_CMP_ITAV_push(sk, ptr) OPENSSL_sk_push(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OSSL_CMP_ITAV_sk_type(sk), ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_pop(sk) ((OSSL_CMP_ITAV
*)OPENSSL_sk_pop(ssl_check_OSSL_CMP_ITAV_sk_type(sk)))
#define sk_OSSL_CMP_ITAV_shift(sk) ((OSSL_CMP_ITAV

```

```

*)OPENSSL_sk_shift(ssl_check_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CMP_ITAV_sk_type(sk),ssl_check_OSSL_CMP_ITAV_freefunc_type(freefunc))
#define
sk_OSSL_CMP_ITAV_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_type(ptr), (idx))
#define sk_OSSL_CMP_ITAV_set(sk, idx, ptr) ((OSSL_CMP_ITAV
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_ITAV_sk_type(sk), (idx),
ssl_check_OSSL_CMP_ITAV_type(ptr)))
#define sk_OSSL_CMP_ITAV_find(sk, ptr) OPENSSL_sk_find(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_ITAV_sk_type(sk), ssl_check_OSSL_CMP_ITAV_type(ptr))
#define sk_OSSL_CMP_ITAV_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CMP_ITAV_sk_type(sk), ssl_check_OSSL_CMP_ITAV_type(ptr),
pnum)
#define sk_OSSL_CMP_ITAV_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk))
#define sk_OSSL_CMP_ITAV_dup(sk)
((STACK_OF(OSSL_CMP_ITAV) *)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk)))
#define sk_OSSL_CMP_ITAV_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CMP_ITAV)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_ITAV_freefunc_type(freefunc)))
#define sk_OSSL_CMP_ITAV_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_ITAV_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_ITAV_sk_type(sk),
ssl_check_OSSL_CMP_ITAV_compfunc_type(cmp)))

/* clang-format on */
typedef struct ssl_cmp_revrepcontent_st OSSL_CMP_REVREPCONTENT;
typedef struct ssl_cmp_pkisi_st OSSL_CMP_PKISI;
DECLARE_ASN1_FUNCTIONS(OSSL_CMP_PKISI)
DECLARE_ASN1_DUP_FUNCTION(OSSL_CMP_PKISI)
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_PKISI, OSSL_CMP_PKISI, OSSL_CMP_PKISI)
#define sk_OSSL_CMP_PKISI_num(sk) OPENSSL_sk_num(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_value(sk, idx) ((OSSL_CMP_PKISI
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk), (idx)))
#define sk_OSSL_CMP_PKISI_new(cmp) ((STACK_OF(OSSL_CMP_PKISI)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_PKISI_compfunc_type(cmp)))
#define sk_OSSL_CMP_PKISI_new_null() ((STACK_OF(OSSL_CMP_PKISI) *)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_PKISI_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_PKISI)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_PKISI_compfunc_type(cmp), (n)))
#define sk_OSSL_CMP_PKISI_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
(n))
#define sk_OSSL_CMP_PKISI_free(sk) OPENSSL_sk_free(ssl_check_OSSL_CMP_PKISI_sk_type(sk))

```

```

#define sk_OSSL_CMP_PKISI_zero(sk) OPENSSL_sk_zero(ssl_check_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_delete(sk, i) ((OSSL_CMP_PKISI
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_PKISI_sk_type(sk), (i)))
#define sk_OSSL_CMP_PKISI_delete_ptr(sk, ptr) ((OSSL_CMP_PKISI
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_type(ptr)))
#define
    sk_OSSL_CMP_PKISI_push(sk, ptr) OPENSSL_sk_push(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_unshift(sk, ptr)
    OPENSSL_sk_unshift(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_pop(sk) ((OSSL_CMP_PKISI
*)OPENSSL_sk_pop(ssl_check_OSSL_CMP_PKISI_sk_type(sk)))
#define sk_OSSL_CMP_PKISI_shift(sk) ((OSSL_CMP_PKISI
*)OPENSSL_sk_shift(ssl_check_OSSL_CMP_PKISI_sk_type(sk)))
#define sk_OSSL_CMP_PKISI_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_freefunc_ty
pe(freefunc))
#define sk_OSSL_CMP_PKISI_insert(sk, ptr, idx)
    OPENSSL_sk_insert(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr),
(idx))
#define sk_OSSL_CMP_PKISI_set(sk, idx, ptr) ((OSSL_CMP_PKISI
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_PKISI_sk_type(sk), (idx),
ssl_check_OSSL_CMP_PKISI_type(ptr)))
#define sk_OSSL_CMP_PKISI_find(sk,
    ptr) OPENSSL_sk_find(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_find_ex(sk, ptr)
    OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr))
#define sk_OSSL_CMP_PKISI_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ssl_check_OSSL_CMP_PKISI_sk_type(sk), ssl_check_OSSL_CMP_PKISI_type(ptr),
pnum)
#define sk_OSSL_CMP_PKISI_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_is_sorted(sk)
    OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk))
#define sk_OSSL_CMP_PKISI_dup(sk) ((STACK_OF(OSSL_CMP_PKISI
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk)))
#define sk_OSSL_CMP_PKISI_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CMP_PKISI
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_PKISI_freefunc_type(freefunc)))
#define sk_OSSL_CMP_PKISI_set_cmp_func(sk,
    cmp)
    ((sk_OSSL_CMP_PKISI_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_PKISI_sk_type(sk),
ssl_check_OSSL_CMP_PKISI_compfunc_type(cmp)))

/* clang-format on */
typedef struct ssl_cmp_certrepmessage_st OSSL_CMP_CERTREPMESSAGE;
/* clang-format off */

```

```

SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_CERTREPMESSAGE,
OSSL_CMP_CERTREPMESSAGE, OSSL_CMP_CERTREPMESSAGE)
#define sk_OSSL_CMP_CERTREPMESSAGE_num(sk)
OPENSSL_sk_num(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_value(sk, idx) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (idx)))
#define sk_OSSL_CMP_CERTREPMESSAGE_new(cmp) ((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_CERTREPMESSAGE_compfunc_type(cmp)))
#define sk_OSSL_CMP_CERTREPMESSAGE_new_null() ((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_CERTREPMESSAGE_new_reserve(cmp, n)
((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_CERTREPMESSAGE_compfunc_type(cmp),
(n)))
#define sk_OSSL_CMP_CERTREPMESSAGE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (n))
#define sk_OSSL_CMP_CERTREPMESSAGE_free(sk)
OPENSSL_sk_free(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_zero(sk)
OPENSSL_sk_zero(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_delete(sk, i) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (i)))
#define sk_OSSL_CMP_CERTREPMESSAGE_delete_ptr(sk, ptr) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr)))
#define sk_OSSL_CMP_CERTREPMESSAGE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))
#define sk_OSSL_CMP_CERTREPMESSAGE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))
#define sk_OSSL_CMP_CERTREPMESSAGE_pop(sk) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_pop(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk)))
#define sk_OSSL_CMP_CERTREPMESSAGE_shift(sk) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_shift(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk)))
#define sk_OSSL_CMP_CERTREPMESSAGE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),ssl_check_OSSL_CMP_CE
RTREPMESSAGE_freefunc_type(freefunc))
#define sk_OSSL_CMP_CERTREPMESSAGE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr), (idx))
#define sk_OSSL_CMP_CERTREPMESSAGE_set(sk, idx, ptr) ((OSSL_CMP_CERTREPMESSAGE
*)OPENSSL_sk_set(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk), (idx),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr)))
#define sk_OSSL_CMP_CERTREPMESSAGE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))
#define sk_OSSL_CMP_CERTREPMESSAGE_find_ex(sk, ptr)

```

```

OPENSSL_sk_find_ex(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr))
#define sk_OSSL_CMP_CERTREPMESSAGE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_type(ptr), pnum)
#define sk_OSSL_CMP_CERTREPMESSAGE_sort(sk)
OPENSSL_sk_sort(ssl_check_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk))
#define sk_OSSL_CMP_CERTREPMESSAGE_dup(sk) ((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk)))
#define sk_OSSL_CMP_CERTREPMESSAGE_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(OSSL_CMP_CERTREPMESSAGE)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CMP_CERTREPMESSAGE_sk_type(sk),
ssl_check_OSSL_CMP_CERTREPMESSAGE_copyfunc_type(copyfunc),
ssl_check_OSSL_CMP_CERTREPMESSAGE_freefunc_type(freefunc)))
#define sk_OSSL_CMP_CERTREPMESSAGE_set_cmp_func(sk, cmp)
((sk_OSSL_CMP_CERTREPMESSAGE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CMP_CERT
REPMESSAGE_sk_type(sk), ssl_check_OSSL_CMP_CERTREPMESSAGE_compfunc_type(cmp)))

/* clang-format on */
typedef struct ssl_cmp_pollrep_st OSSL_CMP_POLLREP;
typedef STACK_OF(OSSL_CMP_POLLREP) OSSL_CMP_POLLREPCONTENT;
typedef struct ssl_cmp_certresponse_st OSSL_CMP_CERTRESPONSE;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CMP_CERTRESPONSE, OSSL_CMP_CERTRESPONSE,
OSSL_CMP_CERTRESPONSE)
#define sk_OSSL_CMP_CERTRESPONSE_num(sk)
OPENSSL_sk_num(ssl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_value(sk, idx) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_value(ssl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk), (idx)))
#define sk_OSSL_CMP_CERTRESPONSE_new(cmp) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_new(ssl_check_OSSL_CMP_CERTRESPONSE_compfunc_type(cmp)))
#define
sk_OSSL_CMP_CERTRESPONSE_new_null() ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CMP_CERTRESPONSE_new_reserve(cmp, n) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CMP_CERTRESPONSE_compfunc_type(cmp), (n)))
#define sk_OSSL_CMP_CERTRESPONSE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk), (n))
#define sk_OSSL_CMP_CERTRESPONSE_free(sk)
OPENSSL_sk_free(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_zero(sk)
OPENSSL_sk_zero(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_delete(sk, i) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_delete(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk), (i)))
#define sk_OSSL_CMP_CERTRESPONSE_delete_ptr(sk, ptr) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),

```

```

ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr)))
#define sk_OSSL_CMP_CERTRESPONSE_push(sk,
    ptr) OPENSSL_sk_push(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_unshift(sk, ptr)
    OPENSSL_sk_unshift(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_pop(sk) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_pop(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk)))
#define sk_OSSL_CMP_CERTRESPONSE_shift(sk) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_shift(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk)))
#define sk_OSSL_CMP_CERTRESPONSE_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),ossl_check_OSSL_CMP_CERT
    RESPONSE_freefunc_type(freefunc))
#define sk_OSSL_CMP_CERTRESPONSE_insert(sk, ptr, idx)
    OPENSSL_sk_insert(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr), (idx))
#define sk_OSSL_CMP_CERTRESPONSE_set(sk, idx, ptr) ((OSSL_CMP_CERTRESPONSE
*)OPENSSL_sk_set(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    (idx), ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr)))
#define sk_OSSL_CMP_CERTRESPONSE_find(sk, ptr)
    OPENSSL_sk_find(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_find_ex(sk, ptr)
    OPENSSL_sk_find_ex(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr))
#define sk_OSSL_CMP_CERTRESPONSE_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    ossl_check_OSSL_CMP_CERTRESPONSE_type(ptr), pnum)
#define sk_OSSL_CMP_CERTRESPONSE_sort(sk)
    OPENSSL_sk_sort(ossl_check_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_is_sorted(sk)
    OPENSSL_sk_is_sorted(ossl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk))
#define sk_OSSL_CMP_CERTRESPONSE_dup(sk) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_dup(ossl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk)))
#define sk_OSSL_CMP_CERTRESPONSE_deep_copy(sk,
    copyfunc, freefunc) ((STACK_OF(OSSL_CMP_CERTRESPONSE)
*)OPENSSL_sk_deep_copy(ossl_check_const_OSSL_CMP_CERTRESPONSE_sk_type(sk),
    ossl_check_OSSL_CMP_CERTRESPONSE_copyfunc_type(copyfunc),
    ossl_check_OSSL_CMP_CERTRESPONSE_freefunc_type(freefunc)))
#define sk_OSSL_CMP_CERTRESPONSE_set_cmp_func(sk, cmp)
    ((sk_OSSL_CMP_CERTRESPONSE_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_OSSL_CMP_CERTRE
    SPONSE_sk_type(sk), ossl_check_OSSL_CMP_CERTRESPONSE_compfunc_type(cmp)))

/* clang-format on */
typedef STACK_OF(ASN1_UTF8STRING) OSSL_CMP_PKIFREETEXT;

/*

```

```

* function DECLARATIONS
*/

/* from cmp_asn.c */
OSSL_CMP_ITAV *OSSL_CMP_ITAV_create(ASN1_OBJECT *type, ASN1_TYPE *value);
void OSSL_CMP_ITAV_set0(OSSL_CMP_ITAV *itav, ASN1_OBJECT *type,
    ASN1_TYPE *value);
ASN1_OBJECT *OSSL_CMP_ITAV_get0_type(const OSSL_CMP_ITAV *itav);
ASN1_TYPE *OSSL_CMP_ITAV_get0_value(const OSSL_CMP_ITAV *itav);
int OSSL_CMP_ITAV_push0_stack_item(STACK_OF(OSSL_CMP_ITAV) **itav_sk_p,
    OSSL_CMP_ITAV *itav);
void OSSL_CMP_ITAV_free(OSSL_CMP_ITAV
    *itav);
void OSSL_CMP_MSG_free(OSSL_CMP_MSG *msg);

/* from cmp_ctx.c */
OSSL_CMP_CTX *OSSL_CMP_CTX_new(OSSL_LIB_CTX *libctx, const char *propq);
void OSSL_CMP_CTX_free(OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_reinit(OSSL_CMP_CTX *ctx);
/* CMP general options: */
#define OSSL_CMP_OPT_LOG_VERBOSITY 0
/* CMP transfer options: */
#define OSSL_CMP_OPT_KEEP_ALIVE 10
#define OSSL_CMP_OPT_MSG_TIMEOUT 11
#define OSSL_CMP_OPT_TOTAL_TIMEOUT 12
/* CMP request options: */
#define OSSL_CMP_OPT_VALIDITY_DAYS 20
#define OSSL_CMP_OPT_SUBJECTALTNAME_NODEFAULT 21
#define OSSL_CMP_OPT_SUBJECTALTNAME_CRITICAL 22
#define OSSL_CMP_OPT_POLICIES_CRITICAL 23
#define OSSL_CMP_OPT_POPO_METHOD 24
#define OSSL_CMP_OPT_IMPLICIT_CONFIRM 25
#define OSSL_CMP_OPT_DISABLE_CONFIRM 26
#define OSSL_CMP_OPT_REVOCATION_REASON 27
/* CMP protection options: */
#define OSSL_CMP_OPT_UNPROTECTED_SEND 30
#define OSSL_CMP_OPT_UNPROTECTED_ERRORS 31
#define OSSL_CMP_OPT_OWF_ALGNID 32
#define OSSL_CMP_OPT_MAC_ALGNID
33
#define OSSL_CMP_OPT_DIGEST_ALGNID 34
#define OSSL_CMP_OPT_IGNORE_KEYUSAGE 35
#define OSSL_CMP_OPT_PERMIT_TA_IN_EXTRACERTS_FOR_IR 36
int OSSL_CMP_CTX_set_option(OSSL_CMP_CTX *ctx, int opt, int val);
int OSSL_CMP_CTX_get_option(const OSSL_CMP_CTX *ctx, int opt);
/* CMP-specific callback for logging and outputting the error queue: */
int OSSL_CMP_CTX_set_log_cb(OSSL_CMP_CTX *ctx, OSSL_CMP_log_cb_t cb);
#define OSSL_CMP_CTX_set_log_verbosity(ctx, level) \

```



```

    OSSL_CMP_CTX_set_option(ctx, OSSL_CMP_OPT_LOG_VERBOSITY, level)
void OSSL_CMP_CTX_print_errors(const OSSL_CMP_CTX *ctx);
/* message transfer: */
int OSSL_CMP_CTX_set1_serverPath(OSSL_CMP_CTX *ctx, const char *path);
int OSSL_CMP_CTX_set1_server(OSSL_CMP_CTX *ctx, const char *address);
int OSSL_CMP_CTX_set_serverPort(OSSL_CMP_CTX *ctx, int port);
int OSSL_CMP_CTX_set1_proxy(OSSL_CMP_CTX *ctx, const char *name);
int OSSL_CMP_CTX_set1_no_proxy(OSSL_CMP_CTX *ctx, const char *names);
int OSSL_CMP_CTX_set_http_cb(OSSL_CMP_CTX *ctx, OSSL_HTTP_bio_cb_t
    cb);
int OSSL_CMP_CTX_set_http_cb_arg(OSSL_CMP_CTX *ctx, void *arg);
void *OSSL_CMP_CTX_get_http_cb_arg(const OSSL_CMP_CTX *ctx);
typedef OSSL_CMP_MSG *(*OSSL_CMP_transfer_cb_t)(OSSL_CMP_CTX *ctx,
    const OSSL_CMP_MSG *req);
int OSSL_CMP_CTX_set_transfer_cb(OSSL_CMP_CTX *ctx, OSSL_CMP_transfer_cb_t cb);
int OSSL_CMP_CTX_set_transfer_cb_arg(OSSL_CMP_CTX *ctx, void *arg);
void *OSSL_CMP_CTX_get_transfer_cb_arg(const OSSL_CMP_CTX *ctx);
/* server authentication: */
int OSSL_CMP_CTX_set1_srvCert(OSSL_CMP_CTX *ctx, X509 *cert);
int OSSL_CMP_CTX_set1_expected_sender(OSSL_CMP_CTX *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_set0_trustedStore(OSSL_CMP_CTX *ctx, X509_STORE *store);
X509_STORE *OSSL_CMP_CTX_get0_trustedStore(const OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_set1_untrusted(OSSL_CMP_CTX *ctx, STACK_OF(X509) *certs);
STACK_OF(X509) *OSSL_CMP_CTX_get0_untrusted(const OSSL_CMP_CTX *ctx);
/* client authentication: */
int OSSL_CMP_CTX_set1_cert(OSSL_CMP_CTX *ctx, X509 *cert);
int
    OSSL_CMP_CTX_build_cert_chain(OSSL_CMP_CTX *ctx, X509_STORE *own_trusted,
        STACK_OF(X509) *candidates);
int OSSL_CMP_CTX_set1_pkey(OSSL_CMP_CTX *ctx, EVP_PKEY *pkey);
int OSSL_CMP_CTX_set1_referenceValue(OSSL_CMP_CTX *ctx,
    const unsigned char *ref, int len);
int OSSL_CMP_CTX_set1_secretValue(OSSL_CMP_CTX *ctx,
    const unsigned char *sec, int len);
/* CMP message header and extra certificates: */
int OSSL_CMP_CTX_set1_recipient(OSSL_CMP_CTX *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_push0_geninfo_ITAV(OSSL_CMP_CTX *ctx, OSSL_CMP_ITAV *itav);
int OSSL_CMP_CTX_reset_geninfo_ITAVs(OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_set1_extraCertsOut(OSSL_CMP_CTX *ctx,
    STACK_OF(X509) *extraCertsOut);
/* certificate template: */
int OSSL_CMP_CTX_set0_newPkey(OSSL_CMP_CTX *ctx, int priv, EVP_PKEY *pkey);
EVP_PKEY *OSSL_CMP_CTX_get0_newPkey(const OSSL_CMP_CTX *ctx, int priv);
int OSSL_CMP_CTX_set1_issuer(OSSL_CMP_CTX *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_set1_subjectName(OSSL_CMP_CTX
    *ctx, const X509_NAME *name);
int OSSL_CMP_CTX_push1_subjectAltName(OSSL_CMP_CTX *ctx,
    const GENERAL_NAME *name);

```

```

int OSSL_CMP_CTX_set0_reqExtensions(OSSL_CMP_CTX *ctx, X509_EXTENSIONS *exts);
int OSSL_CMP_CTX_reqExtensions_have_SAN(OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_push0_policy(OSSL_CMP_CTX *ctx, POLICYINFO *pinfo);
int OSSL_CMP_CTX_set1_oldCert(OSSL_CMP_CTX *ctx, X509 *cert);
int OSSL_CMP_CTX_set1_p10CSR(OSSL_CMP_CTX *ctx, const X509_REQ *csr);
/* misc body contents: */
int OSSL_CMP_CTX_push0_genm_ITAV(OSSL_CMP_CTX *ctx, OSSL_CMP_ITAV *itav);
/* certificate confirmation: */
typedef int (*OSSL_CMP_certConf_cb_t)(OSSL_CMP_CTX *ctx, X509 *cert,
    int fail_info, const char **txt);
int OSSL_CMP_certConf_cb(OSSL_CMP_CTX *ctx, X509 *cert, int fail_info,
    const char **text);
int OSSL_CMP_CTX_set_certConf_cb(OSSL_CMP_CTX *ctx, OSSL_CMP_certConf_cb_t cb);
int OSSL_CMP_CTX_set_certConf_cb_arg(OSSL_CMP_CTX *ctx, void *arg);
void *OSSL_CMP_CTX_get_certConf_cb_arg(const OSSL_CMP_CTX
    *ctx);
/* result fetching: */
int OSSL_CMP_CTX_get_status(const OSSL_CMP_CTX *ctx);
OSSL_CMP_PKIFREETEXT *OSSL_CMP_CTX_get0_statusString(const OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_get_failInfoCode(const OSSL_CMP_CTX *ctx);
#define OSSL_CMP_PKISI_BUFLLEN 1024
X509 *OSSL_CMP_CTX_get0_newCert(const OSSL_CMP_CTX *ctx);
STACK_OF(X509) *OSSL_CMP_CTX_get1_newChain(const OSSL_CMP_CTX *ctx);
STACK_OF(X509) *OSSL_CMP_CTX_get1_caPubs(const OSSL_CMP_CTX *ctx);
STACK_OF(X509) *OSSL_CMP_CTX_get1_extraCertsIn(const OSSL_CMP_CTX *ctx);
int OSSL_CMP_CTX_set1_transactionID(OSSL_CMP_CTX *ctx,
    const ASN1_OCTET_STRING *id);
int OSSL_CMP_CTX_set1_senderNonce(OSSL_CMP_CTX *ctx,
    const ASN1_OCTET_STRING *nonce);

/* from cmp_status.c */
char *OSSL_CMP_CTX_snprint_PKIStatus(const OSSL_CMP_CTX *ctx, char *buf,
    size_t bufsz);
char *OSSL_CMP_snprint_PKIStatusInfo(const OSSL_CMP_PKISI *statusInfo,
    char *buf, size_t bufsz);
OSSL_CMP_PKISI *
OSSL_CMP_STATUSINFO_new(int status, int fail_info,
    const char *text);

/* from cmp_hdr.c */
ASN1_OCTET_STRING *OSSL_CMP_HDR_get0_transactionID(const OSSL_CMP_PKIHEADER *hdr);
ASN1_OCTET_STRING *OSSL_CMP_HDR_get0_recipNonce(const OSSL_CMP_PKIHEADER *hdr);

/* from cmp_msg.c */
OSSL_CMP_PKIHEADER *OSSL_CMP_MSG_get0_header(const OSSL_CMP_MSG *msg);
int OSSL_CMP_MSG_get_bodytype(const OSSL_CMP_MSG *msg);
int OSSL_CMP_MSG_update_transactionID(OSSL_CMP_CTX *ctx, OSSL_CMP_MSG *msg);
int OSSL_CMP_MSG_update_recipNonce(OSSL_CMP_CTX *ctx, OSSL_CMP_MSG *msg);

```

```

OSSL_CRMF_MSG *OSSL_CMP_CTX_setup_CRM(OSSL_CMP_CTX *ctx, int for_KUR, int rid);
OSSL_CMP_MSG *OSSL_CMP_MSG_read(const char *file, OSSL_LIB_CTX *libctx,
    const char *propq);
int OSSL_CMP_MSG_write(const char *file, const OSSL_CMP_MSG *msg);
OSSL_CMP_MSG *d2i_OSSL_CMP_MSG_bio(BIO *bio, OSSL_CMP_MSG **msg);
int i2d_OSSL_CMP_MSG_bio(BIO *bio, const OSSL_CMP_MSG *msg);

/* from cmp_vfy.c */
int OSSL_CMP_validate_msg(OSSL_CMP_CTX *ctx, const OSSL_CMP_MSG *msg);
int OSSL_CMP_validate_cert_path(const
    OSSL_CMP_CTX *ctx,
    X509_STORE *trusted_store, X509 *cert);

/* from cmp_http.c */
OSSL_CMP_MSG *OSSL_CMP_MSG_http_perform(OSSL_CMP_CTX *ctx,
    const OSSL_CMP_MSG *req);

/* from cmp_server.c */
typedef struct ossl_cmp_srv_ctx_st OSSL_CMP_SRV_CTX;
OSSL_CMP_MSG *OSSL_CMP_SRV_process_request(OSSL_CMP_SRV_CTX *srv_ctx,
    const OSSL_CMP_MSG *req);
OSSL_CMP_MSG *OSSL_CMP_CTX_server_perform(OSSL_CMP_CTX *client_ctx,
    const OSSL_CMP_MSG *req);
OSSL_CMP_SRV_CTX *OSSL_CMP_SRV_CTX_new(OSSL_LIB_CTX *libctx, const char *propq);
void OSSL_CMP_SRV_CTX_free(OSSL_CMP_SRV_CTX *srv_ctx);
typedef OSSL_CMP_PKISI *(*OSSL_CMP_SRV_cert_request_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx, const
    OSSL_CMP_MSG *req, int certReqId,
    const OSSL_CRMF_MSG *crm, const X509_REQ *p10cr,
    X509 **certOut, STACK_OF(X509) **chainOut, STACK_OF(X509) **caPubs);
typedef OSSL_CMP_PKISI *(*OSSL_CMP_SRV_rr_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
    const OSSL_CMP_MSG *req,
    const X509_NAME *issuer,
    const ASN1_INTEGER
    *serial);
typedef int (*OSSL_CMP_SRV_genm_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
    const OSSL_CMP_MSG *req,
    const STACK_OF(OSSL_CMP_ITAV) *in,
    STACK_OF(OSSL_CMP_ITAV) **out);
typedef void (*OSSL_CMP_SRV_error_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
    const OSSL_CMP_MSG *req,
    const OSSL_CMP_PKISI *statusInfo,
    const ASN1_INTEGER *errorCode,
    const OSSL_CMP_PKIFREETEXT *errDetails);
typedef int (*OSSL_CMP_SRV_certConf_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
    const OSSL_CMP_MSG *req,
    int certReqId,
    const ASN1_OCTET_STRING *certHash,
    const OSSL_CMP_PKISI *si);

```

```

typedef int (*OSSL_CMP_SRV_pollReq_cb_t)(OSSL_CMP_SRV_CTX *srv_ctx,
    const OSSL_CMP_MSG *req, int certReqId,
    OSSL_CMP_MSG **certReq,
    int64_t *check_after);
int OSSL_CMP_SRV_CTX_init(OSSL_CMP_SRV_CTX *srv_ctx, void *custom_ctx,
    OSSL_CMP_SRV_cert_request_cb_t process_cert_request,
    OSSL_CMP_SRV_rr_cb_t process_rr,
    OSSL_CMP_SRV_genm_cb_t process_genm,
    OSSL_CMP_SRV_error_cb_t process_error,
    OSSL_CMP_SRV_certConf_cb_t process_certConf,
    OSSL_CMP_SRV_pollReq_cb_t process_pollReq);
OSSL_CMP_CTX *OSSL_CMP_SRV_CTX_get0_cmp_ctx(const OSSL_CMP_SRV_CTX *srv_ctx);
void *OSSL_CMP_SRV_CTX_get0_custom_ctx(const OSSL_CMP_SRV_CTX *srv_ctx);
int OSSL_CMP_SRV_CTX_set_send_unprotected_errors(OSSL_CMP_SRV_CTX *srv_ctx,
    int val);
int OSSL_CMP_SRV_CTX_set_accept_unprotected(OSSL_CMP_SRV_CTX *srv_ctx, int val);
int OSSL_CMP_SRV_CTX_set_accept_raverified(OSSL_CMP_SRV_CTX *srv_ctx, int val);
int OSSL_CMP_SRV_CTX_set_grant_implicit_confirm(OSSL_CMP_SRV_CTX *srv_ctx,
    int val);

/* from cmp_client.c */
X509 *OSSL_CMP_exec_certreq(OSSL_CMP_CTX *ctx, int req_type,
    const OSSL_CRMF_MSG *crm);
#define OSSL_CMP_IR 0
#define OSSL_CMP_CR 2
#define OSSL_CMP_P10CR 4
#define OSSL_CMP_KUR 7
#define OSSL_CMP_exec_IR_ses(ctx) \
    OSSL_CMP_exec_certreq(ctx, OSSL_CMP_IR, NULL)
#define OSSL_CMP_exec_CR_ses(ctx) \
    OSSL_CMP_exec_certreq(ctx, OSSL_CMP_CR, NULL)
#define OSSL_CMP_exec_P10CR_ses(ctx) \
    OSSL_CMP_exec_certreq(ctx, OSSL_CMP_P10CR, NULL)
#define OSSL_CMP_exec_KUR_ses(ctx) \
    OSSL_CMP_exec_certreq(ctx, OSSL_CMP_KUR, NULL)
int OSSL_CMP_try_certreq(OSSL_CMP_CTX *ctx, int req_type,
    const OSSL_CRMF_MSG *crm, int *checkAfter);
int OSSL_CMP_exec_rr_ses(OSSL_CMP_CTX *ctx);
STACK_OF(OSSL_CMP_ITAV) *OSSL_CMP_exec_GENM_ses(OSSL_CMP_CTX *ctx);

#ifdef __cplusplus
}
#endif
#endif
#endif /* !defined(OPENSSL_NO_CMP) */
#endif /* !defined(OPENSSL_CMP_H) */
This software is licensed under the MIT License.

```

Copyright Fedor Indutny, 2018.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2022 Justin Ridgewell <justin@ridgewell.name>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
```

'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',

'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',

'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',

'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/openssl_core_bio.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_misc.c',
'openssl/crypto/camellia/cml_ofb.c',

'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_skey.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',
'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',

'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',

'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',

'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',

'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',

'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',

'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',

'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipherr.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',

'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',

'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',

'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2_dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',

'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbagg.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',

'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',

'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',

'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',

'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',

'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',

'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',

'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',


```

'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/bsaes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx2.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont.s',

```

```

'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/camellia/cml1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/whrlpool/wp-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm_avx2/providers/fips.ld',
],
'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'BSAES_ASM',
'CMLL_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'KECCAK1600_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_MONT5',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',

```

```

'RC4_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'X25519_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
  '-Wa,--noexecstack',
  '-Wall -O3',
  '-pthread',
  '-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
  '-pthread',
],
},
'include_dirs': [
  '',
  './include',

  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', ''],
  'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}

```

The ISC License

Copyright (c) npm Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright James Halliday (mail@substack.net) and Isaac Z. Schlueter (i@izs.me)

This project is free software released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Alexander Rose [[@arose](https://github.com/arose)](<https://github.com/arose>)

Alexandru Mrteanu [[@alexei](https://github.com/alexei)](<https://github.com/alexei>)

Andras [[@andrasq](https://github.com/andrasq)](<https://github.com/andrasq>)

Benoit Giannangeli [[@giann](https://github.com/giann)](<https://github.com/giann>)

Branden Visser [[@mrvisser](https://github.com/mrvisser)](<https://github.com/mrvisser>)

David Baird

daurnimator [[@daurnimator](https://github.com/daurnimator)](<https://github.com/daurnimator>)

Doug Beck [[@beck](https://github.com/beck)](<https://github.com/beck>)

Dzmitry Litskalau [[@litmit](https://github.com/litmit)](<https://github.com/litmit>)

Fred Ludlow [[@fredludlow](https://github.com/fredludlow)](<https://github.com/fredludlow>)

Hans Pufal

Henry [[@alograg](https://github.com/alograg)](<https://github.com/alograg>)

Johnny Shields [[@johnnyshields](https://github.com/johnnyshields)](<https://github.com/johnnyshields>)

Kamal Abdali
Matt Simerson [[@msimerson](https://github.com/msimerson)](https://github.com/msimerson)
Maxime Robert [[@marob](https://github.com/marob)](https://github.com/marob)
MeriemKhelifi [[@MeriemKhelifi](https://github.com/MeriemKhelifi)](https://github.com/MeriemKhelifi)
Michael Schramm [[@wodka](https://github.com/wodka)](https://github.com/wodka)
Nazar Mokrynskyi [[@nazar-pc](https://github.com/nazar-pc)](https://github.com/nazar-pc)
Oliver Salzburg [[@oliversalzburg](https://github.com/oliversalzburg)](https://github.com/oliversalzburg)
Pablo [[@ppollono](https://github.com/ppollono)](https://github.com/ppollono)
Rabehaja
Stevens [[@RABEHAJA-STEVENs](https://github.com/RABEHAJA-STEVENs)](https://github.com/RABEHAJA-STEVENs)
Raphael Pigulla [[@pigulla](https://github.com/pigulla)](https://github.com/pigulla)
rebeccapeltz [[@rebeccapeltz](https://github.com/rebeccapeltz)](https://github.com/rebeccapeltz)
Stefan Tingström [[@stingstrom](https://github.com/stingstrom)](https://github.com/stingstrom)
Tim Gates [[@timgates42](https://github.com/timgates42)](https://github.com/timgates42)
ISC License

Copyright (c) 2018-2020, Andrea Giammarchi, @WebReflection

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The Source Map Tests suite ("Software") is protected by copyright and is being made available under the "BSD License", included below. This Software may be subject to third party rights (rights from parties other than Ecma International), including patent rights, and no licenses under such third party rights are granted under this license even if the third party concerned is a member of Ecma International. SEE THE ECMA CODE OF CONDUCT IN PATENT MATTERS AVAILABLE AT <https://www.ecma-international.org/ipr> FOR INFORMATION REGARDING THE LICENSING OF PATENT CLAIMS THAT ARE REQUIRED TO IMPLEMENT ECMA

INTERNATIONAL STANDARDS*.

Copyright (c) 2024, Ecma International
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* Ecma International Standards hereafter means Ecma International Standards as well as Ecma Technical Reports
BSD 3-Clause License

Copyright (c) 2009-2015, Kevin Decker <kpdecker@gmail.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(The MIT License)

Copyright (c) 2016 Titus Wormer <tituswormer@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

[
"0BSD",
"3D-Slicer-1.0",
"AAL",
"ADSL",
"AFL-1.1",
"AFL-1.2",
"AFL-2.0",
"AFL-2.1",
"AFL-3.0",
"AGPL-1.0-only",
"AGPL-1.0-or-later",
"AGPL-3.0-only",
"AGPL-3.0-or-later",
"AMD-newlib",
"AMDPLPA",
"AML",
"AML-gslang",
"AMPAS",
"ANTLR-PD",
"ANTLR-PD-fallback",
"APAFML",
"APL-1.0",
"APSL-1.0",
"APSL-1.1",

"APSL-1.2",
"APSL-2.0",
"ASWF-Digital-Assets-1.0",
"ASWF-Digital-Assets-1.1",
"Abstyles",
"AdaCore-doc",
"Adobe-2006",
"Adobe-Display-PostScript",
"Adobe-Glyph",
"Adobe-Utopia",
"Afmparse",
"Aladdin",
"Apache-1.0",
"Apache-1.1",
"Apache-2.0",
"App-s2p",
"Arphic-1999",
"Artistic-1.0",
"Artistic-1.0-Perl",
"Artistic-1.0-cl8",
"Artistic-2.0",
"BSD-1-Clause",
"BSD-2-Clause",
"BSD-2-Clause-Darwin",
"BSD-2-Clause-Patent",
"BSD-2-Clause-Views",
"BSD-2-Clause-first-lines",
"BSD-3-Clause",
"BSD-3-Clause-Attribution",
"BSD-3-Clause-Clear",
"BSD-3-Clause-HP",
"BSD-3-Clause-LBNL",
"BSD-3-Clause-Modification",
"BSD-3-Clause-No-Military-License",
"BSD-3-Clause-No-Nuclear-License",
"BSD-3-Clause-No-Nuclear-License-2014",
"BSD-3-Clause-No-Nuclear-Warranty",
"BSD-3-Clause-Open-MPI",
"BSD-3-Clause-Sun",
"BSD-3-Clause-acpica",
"BSD-3-Clause-flex",
"BSD-4-Clause",
"BSD-4-Clause-Shortened",
"BSD-4-Clause-UC",
"BSD-4.3RENO",
"BSD-4.3TAHOE",
"BSD-Advertising-Acknowledgement",
"BSD-Attribution-HPND-disclaimer",

"BSD-Inferno-Nettverk",
"BSD-Protection",
"BSD-Source-Code",
"BSD-Source-beginning-file",
"BSD-Systemics",
"BSD-Systemics-W3Works",
"BSL-1.0",
"BUSL-1.1",
"Baekmuk",
"Bahyph",
"Barr",
"Beerware",
"BitTorrent-1.0",
"BitTorrent-1.1",
"Bitstream-Charter",
"Bitstream-Vera",
"BlueOak-1.0.0",
"Boehm-GC",
"Borceux",
"Brian-Gladman-2-Clause",
"Brian-Gladman-3-Clause",
"C-UDA-1.0",
"CAL-1.0",
"CAL-1.0-Combined-Work-Exception",
"CATOSL-1.1",
"CC-BY-1.0",
"CC-BY-2.0",
"CC-BY-2.5",
"CC-BY-2.5-AU",
"CC-BY-3.0",
"CC-BY-3.0-AT",
"CC-BY-3.0-AU",
"CC-BY-3.0-DE",
"CC-BY-3.0-IGO",
"CC-BY-3.0-NL",
"CC-BY-3.0-US",
"CC-BY-4.0",
"CC-BY-NC-1.0",
"CC-BY-NC-2.0",
"CC-BY-NC-2.5",
"CC-BY-NC-3.0",
"CC-BY-NC-3.0-DE",
"CC-BY-NC-4.0",
"CC-BY-NC-ND-1.0",
"CC-BY-NC-ND-2.0",
"CC-BY-NC-ND-2.5",
"CC-BY-NC-ND-3.0",
"CC-BY-NC-ND-3.0-DE",

"CC-BY-NC-ND-3.0-IGO",
"CC-BY-NC-ND-4.0",
"CC-BY-NC-SA-1.0",
"CC-BY-NC-SA-2.0",
"CC-BY-NC-SA-2.0-DE",
"CC-BY-NC-SA-2.0-FR",
"CC-BY-NC-SA-2.0-UK",
"CC-BY-NC-SA-2.5",
"CC-BY-NC-SA-3.0",
"CC-BY-NC-SA-3.0-DE",
"CC-BY-NC-SA-3.0-IGO",
"CC-BY-NC-SA-4.0",
"CC-BY-ND-1.0",
"CC-BY-ND-2.0",
"CC-BY-ND-2.5",
"CC-BY-ND-3.0",
"CC-BY-ND-3.0-DE",
"CC-BY-ND-4.0",
"CC-BY-SA-1.0",
"CC-BY-SA-2.0",
"CC-BY-SA-2.0-UK",
"CC-BY-SA-2.1-JP",
"CC-BY-SA-2.5",
"CC-BY-SA-3.0",
"CC-BY-SA-3.0-AT",
"CC-BY-SA-3.0-DE",
"CC-BY-SA-3.0-IGO",
"CC-BY-SA-4.0",
"CC-PDDC",
"CC0-1.0",
"CDDL-1.0",
"CDDL-1.1",
"CDL-1.0",
"CDLA-Permissive-1.0",
"CDLA-Permissive-2.0",
"CDLA-Sharing-1.0",
"CECILL-1.0",
"CECILL-1.1",
"CECILL-2.0",
"CECILL-2.1",
"CECILL-B",
"CECILL-C",
"CERN-OHL-1.1",
"CERN-OHL-1.2",
"CERN-OHL-P-2.0",
"CERN-OHL-S-2.0",
"CERN-OHL-W-2.0",
"CFITSIO",

"CMU-Mach",
"CMU-Mach-nodoc",
"CNRI-Jython",
"CNRI-Python",
"CNRI-Python-GPL-Compatible",
"COIL-1.0",
"CPAL-1.0",
"CPL-1.0",
"CPOL-1.02",
"CUA-OPL-1.0",
"Caldera",
"Caldera-no-preamble",
"Catharon",
"ClArtistic",
"Clips",
"Community-Spec-1.0",
"Condor-1.1",
"Cornell-Lossless-JPEG",
"Cronyx",
"Crossword",
"CrystalStacker",
"Cube",
"D-FSL-1.0",
"DEC-3-Clause",
"DL-DE-BY-2.0",
"DL-DE-ZERO-2.0",
"DOC",
"DRL-1.0",
"DRL-1.1",
"DSDP",
"Dotseqn",
"ECL-1.0",
"ECL-2.0",
"EFL-1.0",
"EFL-2.0",
"EPICS",
"EPL-1.0",
"EPL-2.0",
"EUDatagrid",
"EUPL-1.0",
"EUPL-1.1",
"EUPL-1.2",
"Elastic-2.0",
"Entessa",
"ErlPL-1.1",
"Eurosymb",
"FBM",
"FDK-AAC",

"FSFAP",
"FSFAP-no-warranty-disclaimer",
"FSFUL",
"FSFULLR",
"FSFULLRWD",
"FTL",
"Fair",
"Ferguson-Twofish",
"Frameworkx-1.0",
"FreeBSD-DOC",
"FreeImage",
"Furuseth",
"GCR-docs",
"GD",
"GFDL-1.1-invariants-only",
"GFDL-1.1-invariants-or-later",
"GFDL-1.1-no-invariants-only",
"GFDL-1.1-no-invariants-or-later",
"GFDL-1.1-only",
"GFDL-1.1-or-later",
"GFDL-1.2-invariants-only",
"GFDL-1.2-invariants-or-later",
"GFDL-1.2-no-invariants-only",
"GFDL-1.2-no-invariants-or-later",
"GFDL-1.2-only",
"GFDL-1.2-or-later",
"GFDL-1.3-invariants-only",
"GFDL-1.3-invariants-or-later",
"GFDL-1.3-no-invariants-only",
"GFDL-1.3-no-invariants-or-later",
"GFDL-1.3-only",
"GFDL-1.3-or-later",
"GL2PS",
"GLWTPL",
"GPL-1.0-only",
"GPL-1.0-or-later",
"GPL-2.0-only",
"GPL-2.0-or-later",
"GPL-3.0-only",
"GPL-3.0-or-later",
"Giftware",
"Glide",
"Glulxe",
"Graphics-Gems",
"Gutmann",
"HP-1986",
"HP-1989",
"HPND",

"HPND-DEC",
"HPND-Fenneberg-Livingston",
"HPND-INRIA-IMAG",
"HPND-Intel",
"HPND-Kevlin-Henney",
"HPND-MIT-disclaimer",
"HPND-Markus-Kuhn",
"HPND-Pbmplus",
"HPND-UC",
"HPND-UC-export-US",
"HPND-doc",
"HPND-doc-sell",
"HPND-export-US",
"HPND-export-US-acknowledgement",
"HPND-export-US-modify",
"HPND-export2-US",
"HPND-merchantability-variant",
"HPND-sell-MIT-disclaimer-xserver",
"HPND-sell-regexpr",
"HPND-sell-variant",
"HPND-sell-variant-MIT-disclaimer",
"HPND-sell-variant-MIT-disclaimer-rev",
"HTMLTIDY",
"HaskellReport",
"Hippocratic-2.1",
"IBM-pibs",
"ICU",
"IEC-Code-Components-EULA",
"IJG",
"IJG-short",
"IPA",
"IPL-1.0",
"ISC",
"ISC-Veillard",
"ImageMagick",
"Imlib2",
"Info-ZIP",
"Inner-Net-2.0",
"Intel",
"Intel-ACPI",
"Interbase-1.0",
"JPL-image",
"JPNIC",
"JSON",
"Jam",
"JasPer-2.0",
"Kastrup",
"Kazlib",

"Knuth-CTAN",
"LAL-1.2",
"LAL-1.3",
"LGPL-2.0-only",
"LGPL-2.0-or-later",
"LGPL-2.1-only",
"LGPL-2.1-or-later",
"LGPL-3.0-only",
"LGPL-3.0-or-later",
"LGPLLR",
"LOOP",
"LPD-document",
"LPL-1.0",
"LPL-1.02",
"LPPL-1.0",
"LPPL-1.1",
"LPPL-1.2",
"LPPL-1.3a",
"LPPL-1.3c",
"LZMA-SDK-9.11-to-9.20",
"LZMA-SDK-9.22",
"Latex2e",
"Latex2e-translated-notice",
"Leptonica",
"LiLiQ-P-1.1",
"LiLiQ-R-1.1",
"LiLiQ-Rplus-1.1",
"Libpng",
"Linux-OpenIB",
"Linux-man-pages-1-para",
"Linux-man-pages-copyleft",
"Linux-man-pages-copyleft-2-para",
"Linux-man-pages-copyleft-var",
"Lucida-Bitmap-Fonts",
"MIT",
"MIT-0",
"MIT-CMU",
"MIT-Festival",
"MIT-Khronos-old",
"MIT-Modern-Variant",
"MIT-Wu",
"MIT-advertising",
"MIT-enna",
"MIT-feh",
"MIT-open-group",
"MIT-testregex",
"MITNFA",
"MMIXware",

"MPEG-SSG",
"MPL-1.0",
"MPL-1.1",
"MPL-2.0",
"MPL-2.0-no-copyleft-exception",
"MS-LPL",
"MS-PL",
"MS-RL",
"MTLL",
"Mackerras-3-Clause",
"Mackerras-3-Clause-acknowledgment",
"MakeIndex",
"Martin-Birgmeier",
"McPhee-slideshow",
"Minpack",
"MirOS",
"Motosoto",
"MulanPSL-1.0",
"MulanPSL-2.0",
"Multics",
"Mup",
"NAIST-2003",
"NASA-1.3",
"NBPL-1.0",
"NCBI-PD",
"NCGL-UK-2.0",
"NCL",
"NCSA",
"NGPL",
"NICTA-1.0",
"NIST-PD",
"NIST-PD-fallback",
"NIST-Software",
"NLOD-1.0",
"NLOD-2.0",
"NLPL",
"NOSL",
"NPL-1.0",
"NPL-1.1",
"NPOSL-3.0",
"NRL",
"NTP",
"NTP-0",
"Naumen",
"Net-SNMP",
"NetCDF",
"Newsletr",
"Nokia",

"Noweb",
"O-UDA-1.0",
"OAR",
"OCCT-PL",
"OCLC-2.0",
"ODC-By-1.0",
"ODbL-1.0",
"OFFIS",
"OFL-1.0",
"OFL-1.0-RFN",
"OFL-1.0-no-RFN",
"OFL-1.1",
"OFL-1.1-RFN",
"OFL-1.1-no-RFN",
"OGC-1.0",
"OGDL-Taiwan-1.0",
"OGL-Canada-2.0",
"OGL-UK-1.0",
"OGL-UK-2.0",
"OGL-UK-3.0",
"OGTSL",
"OLDAP-1.1",
"OLDAP-1.2",
"OLDAP-1.3",
"OLDAP-1.4",
"OLDAP-2.0",
"OLDAP-2.0.1",
"OLDAP-2.1",
"OLDAP-2.2",
"OLDAP-2.2.1",
"OLDAP-2.2.2",
"OLDAP-2.3",
"OLDAP-2.4",
"OLDAP-2.5",
"OLDAP-2.6",
"OLDAP-2.7",
"OLDAP-2.8",
"OLFL-1.3",
"OML",
"OPL-1.0",
"OPL-UK-3.0",
"OPUBL-1.0",
"OSET-PL-2.1",
"OSL-1.0",
"OSL-1.1",
"OSL-2.0",
"OSL-2.1",
"OSL-3.0",

"OpenPBS-2.3",
"OpenSSL",
"OpenSSL-standalone",
"OpenVision",
"PADL",
"PDDL-1.0",
"PHP-3.0",
"PHP-3.01",
"PPL",
"PSF-2.0",
"Parity-6.0.0",
"Parity-7.0.0",
"Pixar",
"Plexus",
"PolyForm-Noncommercial-1.0.0",
"PolyForm-Small-Business-1.0.0",
"PostgreSQL",
"Python-2.0",
"Python-2.0.1",
"QPL-1.0",
"QPL-1.0-INRIA-2004",
"Qhull",
"RHeCos-1.1",
"RPL-1.1",
"RPL-1.5",
"RPSL-1.0",
"RSA-MD",
"RSCPL",
"Rdisc",
"Ruby",
"SAX-PD",
"SAX-PD-2.0",
"SCEA",
"SGI-B-1.0",
"SGI-B-1.1",
"SGI-B-2.0",
"SGI-OpenGL",
"SGP4",
"SHL-0.5",
"SHL-0.51",
"SISSL",
"SISSL-1.2",
"SL",
"SMLNJ",
"SMPPL",
"SNIA",
"SPL-1.0",
"SSH-OpenSSH",

"SSH-short",
"SSLeay-standalone",
"SSPL-1.0",
"SWL",
"Saxpath",
"SchemeReport",
"Sendmail",
"Sendmail-8.23",
"SimPL-2.0",
"Sleepycat",
"Soundex",
"Spencer-86",
"Spencer-94",
"Spencer-99",
"SugarCRM-1.1.3",
"Sun-PPP",
"Sun-PPP-2000",
"SunPro",
"Symlinks",
"TAPR-OHL-1.0",
"TCL",
"TCP-wrappers",
"TGPPL-1.0",
"TMate",
"TORQUE-1.1",
"TOSL",
"TPDL",
"TPL-1.0",
"TTWL",
"TTYPO",
"TU-Berlin-1.0",
"TU-Berlin-2.0",
"TermReadKey",
"UCAR",
"UCL-1.0",
"UMich-Merit",
"UPL-1.0",
"URT-RLE",
"Unicode-3.0",
"Unicode-DFS-2015",
"Unicode-DFS-2016",
"Unicode-TOU",
"UnixCrypt",
"Unlicense",
"VOSTROM",
"VSL-1.0",
"Vim",
"W3C",

"W3C-19980720",
"W3C-20150513",
"WTFPL",
"Watcom-1.0",
"Widget-Workshop",
"Wsuipa",
"X11",
"X11-distribute-modifications-variant",
"XFree86-1.1",
"XSkat",
"Xdebug-1.03",
"Xerox",
"Xfig",
"Xnet",
"YPL-1.0",
"YPL-1.1",
"ZPL-1.1",
"ZPL-2.0",
"ZPL-2.1",
"Zed",
"Zeeff",
"Zend-2.0",
"Zimbra-1.3",
"Zimbra-1.4",
"Zlib",
"any-OSI",
"bcrypt-Solar-Designer",
"blessing",
"bzip2-1.0.6",
"check-cvs",
"checkmk",
"copyleft-next-0.3.0",
"copyleft-next-0.3.1",
"curl",
"cve-tou",
"diffmark",
"dtoa",
"dvipdfm",
"eGenix",
"etalab-2.0",
"fwlw",
"gSOAP-1.3b",
"gnuplot",
"gtkbook",
"hdparm",
"iMatix",
"libpng-2.0",
"libselinux-1.0",

```
"libtiff",  
"libutil-David-Nugent",  
"lsof",  
"magaz",  
"mailprio",  
"metamail",  
"mpi-permissive",  
"mpich2",  
"mplus",  
"pkgconf",  
"pnmstitch",  
"psfrag",  
"psutils",  
"python-ldap",  
"radvd",  
"snprintf",  
"softSurfer",  
"ssh-keyscan",  
"swrule",  
"threeparttable",  
"ulem",  
"w3m",  
"xinetd",  
"xkeyboard-config-Zinoviev",  
"xlock",  
"xpp",  
"xzoom",  
"zlib-acknowledgement"
```

```
]
```

MIT

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-present, Alexandru Mrteanu <hello@alexei.ro>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2012-2017 by Ingvar Stepanyan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from providers/common/include/prov/der_dsa.h.in

*

* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#include "internal/der.h"

/* Well known OIDs precompiled */

/* clang-format off */

/*

* id-dsa OBJECT IDENTIFIER ::= {

* iso(1) member-body(2) us(840) x9-57(10040) x9algorithm(4) 1 }

*/

#define DER_OID_V_id_dsa DER_P_OBJECT, 7, 0x2A, 0x86, 0x48, 0xCE, 0x38, 0x04, 0x01

#define DER_OID_SZ_id_dsa 9

extern const unsigned char ossl_der_oid_id_dsa[DER_OID_SZ_id_dsa];

/*

* id-dsa-with-sha1 OBJECT IDENTIFIER ::= {

* iso(1) member-body(2) us(840) x9-57 (10040) x9algorithm(4) 3 }

*/

#define DER_OID_V_id_dsa_with_sha1 DER_P_OBJECT, 7, 0x2A, 0x86, 0x48,
0xCE, 0x38, 0x04, 0x03

#define DER_OID_SZ_id_dsa_with_sha1 9

extern const unsigned char ossl_der_oid_id_dsa_with_sha1[DER_OID_SZ_id_dsa_with_sha1];

/*

* id-dsa-with-sha224 OBJECT IDENTIFIER ::= { sigAlgs 1 }

*/

#define DER_OID_V_id_dsa_with_sha224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,
0x01

#define DER_OID_SZ_id_dsa_with_sha224 11

extern const unsigned char ossl_der_oid_id_dsa_with_sha224[DER_OID_SZ_id_dsa_with_sha224];

/*

* id-dsa-with-sha256 OBJECT IDENTIFIER ::= { sigAlgs 2 }

*/

#define DER_OID_V_id_dsa_with_sha256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,


```

0x02
#define DER_OID_SZ_id_dsa_with_sha256 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha256[DER_OID_SZ_id_dsa_with_sha256];

/*
 * id-dsa-with-sha384 OBJECT IDENTIFIER ::= { sigAlgs 3 }
 */
#define DER_OID_V_id_dsa_with_sha384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,
0x03
#define DER_OID_SZ_id_dsa_with_sha384 11
extern const unsigned char
    ossl_der_oid_id_dsa_with_sha384[DER_OID_SZ_id_dsa_with_sha384];

/*
 * id-dsa-with-sha512 OBJECT IDENTIFIER ::= { sigAlgs 4 }
 */
#define DER_OID_V_id_dsa_with_sha512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03,
0x04
#define DER_OID_SZ_id_dsa_with_sha512 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha512[DER_OID_SZ_id_dsa_with_sha512];

/*
 * id-dsa-with-sha3-224 OBJECT IDENTIFIER ::= { sigAlgs 5 }
 */
#define DER_OID_V_id_dsa_with_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x05
#define DER_OID_SZ_id_dsa_with_sha3_224 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_224[DER_OID_SZ_id_dsa_with_sha3_224];

/*
 * id-dsa-with-sha3-256 OBJECT IDENTIFIER ::= { sigAlgs 6 }
 */
#define DER_OID_V_id_dsa_with_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x06
#define DER_OID_SZ_id_dsa_with_sha3_256 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_256[DER_OID_SZ_id_dsa_with_sha3_256];

/*
 * id-dsa-with-sha3-384 OBJECT IDENTIFIER ::= { sigAlgs 7 }
 */
#define DER_OID_V_id_dsa_with_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x07
#define DER_OID_SZ_id_dsa_with_sha3_384 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_384[DER_OID_SZ_id_dsa_with_sha3_384];

/*
 * id-dsa-with-sha3-512 OBJECT IDENTIFIER ::= { sigAlgs 8 }
 */

```

```

#define DER_OID_V_id_dsa_with_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x08
#define DER_OID_SZ_id_dsa_with_sha3_512 11
extern const unsigned char ossl_der_oid_id_dsa_with_sha3_512[DER_OID_SZ_id_dsa_with_sha3_512];

/* clang-format on */

/* Subject Public Key Info */
int ossl_DER_w_algorithmIdentifier_DSA(WPACKET *pkt, int tag, DSA *dsa);
/* Signature */
int ossl_DER_w_algorithmIdentifier_DSA_with_MD(WPACKET *pkt, int tag,
    DSA *dsa, int mdnid);
/*
 * WARNING: do not edit!
 * Generated by util/mkbuildinf.pl
 *
 * Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#define PLATFORM "platform: BSD-x86"
#define DATE "built on: Tue Jan 27 00:00:00 2026 UTC"

/*
 * Generate compiler_flags as an array of individual characters. This is a
 * workaround for the situation where CFLAGS gets too long for a C90 string
 * literal
 */
static const char compiler_flags[] = {
    'c','o','m','p','i','l','e','r',' ','g','c',' ','f',
    'p','t','c',' ','p','t','h','r','e','a','d',' ','w','a',
    ' ','n','o','e','x','e','c','s','t','a','c','k',' ','',
    'w','a','l',' ','o','3',' ','f','o','m','i','t',' ',
    'f','r','a','m','e',' ','p','o','i','n','t','e','r',' ',
    ' ','d',
    'l',' ','e','n','d','t','a','n',' ','d','o','p','e','n','s',
    's','l',' ','p','t','c',' ','d',' ','t','h','r','e','a','d',
    ' ','s','a','f','e',' ','d',' ','r','e','e','n','t','r','a',
    'n','t',' ','d','o','p','e','n','s','s','l',' ','b','u','t',
    'l','d','i','n','g',' ','o','p','e','n','s','s','l',' ','d',
    'n','d','e','b','u','g','\0'
};
The MIT License (MIT)

```

Copyright (c) 2016 angus croll

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

****Copyright Corepack contributors****

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright JS Foundation and other contributors, <https://js.foundation>

Copyright (C) 2012-2013 Yusuke Suzuki (twitter: @Constellation) and other contributors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
```

'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cbc.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_core.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',

'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',

'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',

'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',

'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',

'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/camellia.c',
'openssl/crypto/camellia/cml_cbc.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_misc.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_key.c',
'openssl/crypto/chacha/chacha_enc.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',

'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',

'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',

'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',

'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',

'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',

'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',

'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',

'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',

'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_clr.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',

'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',

'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_pmn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbag.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',

'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/rc4/rc4_enc.c',
'openssl/crypto/rc4/rc4_skey.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',

'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',

'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',

'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',

'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',

'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',

'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',
'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',

'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',

'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',


```

'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/legacy.ld',
'./config/archs/BSD-x86_64/no-asm/providers/fips.ld',
],
'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
},
'include_dirs': [
'',
'./include',
'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
'include_dirs': ['./include', ''],
'defines': ['<@(openssl_defines_BSD-x86_64)'],

```

```
},  
}  
(The MIT License)
```

Copyright (c) 2012-2014 Federico Romero
Copyright (c) 2012-2014 Isaac Z. Schlueter
Copyright (c) 2014-2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (C) 2012-2014 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',

```

'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',

'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',

'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/openssl_core_bio.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',

'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',

'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',

'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_key.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',
'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',

'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',

'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',

'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',

'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',

'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',

'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',

'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',

'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2_dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',

'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbag.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',

'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',

'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',

'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',

'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',

'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',

'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',
'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',

'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',

'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',

```

'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86': [
    './config/archs/BSD-x86/asm_avx2/crypto/aes/aes-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/aes/aesni-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/aes/vpaes-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bf/bf-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/bn-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/co-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/x86-gf2m.S',
    './config/archs/BSD-x86/asm_avx2/crypto/bn/x86-mont.S',
    './config/archs/BSD-x86/asm_avx2/crypto/camellia/cml1-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/chacha/chacha-x86.S',
    './config/archs/BSD-x86/asm_avx2/crypto/des/crypt586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/des/des-586.S',
    './config/archs/BSD-x86/asm_avx2/crypto/ec/ecp_nistz256-x86.S',

```

```

'./config/archs/BSD-x86/asm_avx2/crypto/x86cpuid.S',
'./config/archs/BSD-x86/asm_avx2/crypto/md5/md5-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/modes/ghash-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/poly1305/poly1305-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/rc4/rc4-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/ripemd/rmd-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha1-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha256-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha512-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/whirlpool/wp-mmx.S',
'./config/archs/BSD-x86/asm_avx2/engines/e_padlock-x86.S',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_rsa_gen.c',

'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86/asm_avx2/providers/fips.ld',
],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'CMLL_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
],

```

```

'openssl_cflags_BSD-x86': [
  '-Wa,--noexecstack',
  '-Wall -O3 -fomit-frame-pointer',
  '-pthread',
  '-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
  '-pthread',
],
},
'include_dirs':
[
  '',
  './include',
  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags' : ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', ''],
  'defines': ['<@(openssl_defines_BSD-x86)'],
},
}

```

Copyright 2018 Kilian Valkhof

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2020 Filament (Anomalous Technologies Limited)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(The MIT License)

Copyright (c) 2012 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/ess.h.in

*

* Copyright 2019-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

```

/* clang-format off */

/* clang-format on */

#ifndef OPENSSSL_ESS_H
#define OPENSSSL_ESS_H
#pragma once

#include <openssl/opensslconf.h>

#include <openssl/safestack.h>
#include <openssl/x509.h>
#include <openssl/esserr.h>

#ifdef __cplusplus
extern "C" {
#endif

typedef struct ESS_issuer_serial ESS_ISSUER_SERIAL;
typedef struct ESS_cert_id ESS_CERT_ID;
typedef struct ESS_signing_cert ESS_SIGNING_CERT;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ESS_CERT_ID, ESS_CERT_ID, ESS_CERT_ID)
#define sk_ESS_CERT_ID_num(sk) OPENSSSL_sk_num(ssl_check_const_ESS_CERT_ID_sk_type(sk))
#define
    sk_ESS_CERT_ID_value(sk, idx) ((ESS_CERT_ID
*)OPENSSSL_sk_value(ssl_check_const_ESS_CERT_ID_sk_type(sk), (idx)))
#define sk_ESS_CERT_ID_new(cmp) ((STACK_OF(ESS_CERT_ID)
*)OPENSSSL_sk_new(ssl_check_ESS_CERT_ID_compfunc_type(cmp)))
#define sk_ESS_CERT_ID_new_null() ((STACK_OF(ESS_CERT_ID) *)OPENSSSL_sk_new_null())
#define sk_ESS_CERT_ID_new_reserve(cmp, n) ((STACK_OF(ESS_CERT_ID)
*)OPENSSSL_sk_new_reserve(ssl_check_ESS_CERT_ID_compfunc_type(cmp), (n)))
#define sk_ESS_CERT_ID_reserve(sk, n) OPENSSSL_sk_reserve(ssl_check_ESS_CERT_ID_sk_type(sk), (n))
#define sk_ESS_CERT_ID_free(sk) OPENSSSL_sk_free(ssl_check_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_zero(sk) OPENSSSL_sk_zero(ssl_check_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_delete(sk, i) ((ESS_CERT_ID
*)OPENSSSL_sk_delete(ssl_check_ESS_CERT_ID_sk_type(sk), (i)))
#define sk_ESS_CERT_ID_delete_ptr(sk, ptr) ((ESS_CERT_ID
*)OPENSSSL_sk_delete_ptr(ssl_check_ESS_CERT_ID_sk_type(sk), ssl_check_ESS_CERT_ID_type(ptr)))
#define
    sk_ESS_CERT_ID_push(sk, ptr) OPENSSSL_sk_push(ssl_check_ESS_CERT_ID_sk_type(sk),
ssl_check_ESS_CERT_ID_type(ptr))
#define sk_ESS_CERT_ID_unshift(sk, ptr) OPENSSSL_sk_unshift(ssl_check_ESS_CERT_ID_sk_type(sk),
ssl_check_ESS_CERT_ID_type(ptr))
#define sk_ESS_CERT_ID_pop(sk) ((ESS_CERT_ID
*)OPENSSSL_sk_pop(ssl_check_ESS_CERT_ID_sk_type(sk)))
#define sk_ESS_CERT_ID_shift(sk) ((ESS_CERT_ID

```

```

*)OPENSSL_sk_shift(ssl_check_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ESS_CERT_ID_sk_type(sk),ssl_check_ESS_CERT_ID_freefunc_type(freefunc))
#define sk_ESS_CERT_ID_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ESS_CERT_ID_sk_type(sk),
ssl_check_ESS_CERT_ID_type(ptr), (idx))
#define sk_ESS_CERT_ID_set(sk, idx, ptr) ((ESS_CERT_ID
*)OPENSSL_sk_set(ssl_check_ESS_CERT_ID_sk_type(sk), (idx), ssl_check_ESS_CERT_ID_type(ptr)))
#define sk_ESS_CERT_ID_find(sk, ptr) OPENSSL_sk_find(ssl_check_ESS_CERT_ID_sk_type(sk),
ssl_check_ESS_CERT_ID_type(ptr))
#define
sk_ESS_CERT_ID_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ESS_CERT_ID_sk_type(sk),
ssl_check_ESS_CERT_ID_type(ptr))
#define sk_ESS_CERT_ID_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ESS_CERT_ID_sk_type(sk), ssl_check_ESS_CERT_ID_type(ptr), pnum)
#define sk_ESS_CERT_ID_sort(sk) OPENSSL_sk_sort(ssl_check_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ESS_CERT_ID_sk_type(sk))
#define sk_ESS_CERT_ID_dup(sk) ((STACK_OF(ESS_CERT_ID)
*)OPENSSL_sk_dup(ssl_check_const_ESS_CERT_ID_sk_type(sk)))
#define sk_ESS_CERT_ID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ESS_CERT_ID)
*)OPENSSL_sk_deep_copy(ssl_check_const_ESS_CERT_ID_sk_type(sk),
ssl_check_ESS_CERT_ID_copyfunc_type(copyfunc), ssl_check_ESS_CERT_ID_freefunc_type(freefunc)))
#define sk_ESS_CERT_ID_set_cmp_func(sk, cmp)
((sk_ESS_CERT_ID_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ESS_CERT_ID_sk_type(sk),
ssl_check_ESS_CERT_ID_compfunc_type(cmp)))

/*
clang-format on */

typedef struct ESS_signing_cert_v2_st ESS_SIGNING_CERT_V2;
typedef struct ESS_cert_id_v2_st ESS_CERT_ID_V2;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ESS_CERT_ID_V2, ESS_CERT_ID_V2, ESS_CERT_ID_V2)
#define sk_ESS_CERT_ID_V2_num(sk) OPENSSL_sk_num(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_value(sk, idx) ((ESS_CERT_ID_V2
*)OPENSSL_sk_value(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk), (idx)))
#define sk_ESS_CERT_ID_V2_new(cmp) ((STACK_OF(ESS_CERT_ID_V2)
*)OPENSSL_sk_new(ssl_check_ESS_CERT_ID_V2_compfunc_type(cmp)))
#define sk_ESS_CERT_ID_V2_new_null() ((STACK_OF(ESS_CERT_ID_V2) *)OPENSSL_sk_new_null())
#define sk_ESS_CERT_ID_V2_new_reserve(cmp, n) ((STACK_OF(ESS_CERT_ID_V2)
*)OPENSSL_sk_new_reserve(ssl_check_ESS_CERT_ID_V2_compfunc_type(cmp), (n)))
#define sk_ESS_CERT_ID_V2_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
(n))
#define sk_ESS_CERT_ID_V2_free(sk) OPENSSL_sk_free(ssl_check_ESS_CERT_ID_V2_sk_type(sk))
#define
sk_ESS_CERT_ID_V2_zero(sk) OPENSSL_sk_zero(ssl_check_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_delete(sk, i) ((ESS_CERT_ID_V2

```

```

*)OPENSSL_sk_delete(ssl_check_ESS_CERT_ID_V2_sk_type(sk), (i)))
#define sk_ESS_CERT_ID_V2_delete_ptr(sk, ptr) ((ESS_CERT_ID_V2
*)OPENSSL_sk_delete_ptr(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
ssl_check_ESS_CERT_ID_V2_type(ptr)))
#define sk_ESS_CERT_ID_V2_push(sk, ptr) OPENSSL_sk_push(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
ssl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_ESS_CERT_ID_V2_sk_type(sk), ssl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_pop(sk) ((ESS_CERT_ID_V2
*)OPENSSL_sk_pop(ssl_check_ESS_CERT_ID_V2_sk_type(sk)))
#define sk_ESS_CERT_ID_V2_shift(sk) ((ESS_CERT_ID_V2
*)OPENSSL_sk_shift(ssl_check_ESS_CERT_ID_V2_sk_type(sk)))
#define sk_ESS_CERT_ID_V2_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ESS_CERT_ID_V2_sk_type(sk), ssl_check_ESS_CERT_ID_V2_freefunc_ty
pe(freefunc))
#define
sk_ESS_CERT_ID_V2_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
ssl_check_ESS_CERT_ID_V2_type(ptr), (idx))
#define sk_ESS_CERT_ID_V2_set(sk, idx, ptr) ((ESS_CERT_ID_V2
*)OPENSSL_sk_set(ssl_check_ESS_CERT_ID_V2_sk_type(sk), (idx),
ssl_check_ESS_CERT_ID_V2_type(ptr)))
#define sk_ESS_CERT_ID_V2_find(sk, ptr) OPENSSL_sk_find(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
ssl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ESS_CERT_ID_V2_sk_type(sk), ssl_check_ESS_CERT_ID_V2_type(ptr))
#define sk_ESS_CERT_ID_V2_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ESS_CERT_ID_V2_sk_type(sk), ssl_check_ESS_CERT_ID_V2_type(ptr),
pnum)
#define sk_ESS_CERT_ID_V2_sort(sk) OPENSSL_sk_sort(ssl_check_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk))
#define sk_ESS_CERT_ID_V2_dup(sk)
((STACK_OF(ESS_CERT_ID_V2) *)OPENSSL_sk_dup(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk)))
#define sk_ESS_CERT_ID_V2_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ESS_CERT_ID_V2)
*)OPENSSL_sk_deep_copy(ssl_check_const_ESS_CERT_ID_V2_sk_type(sk),
ssl_check_ESS_CERT_ID_V2_copyfunc_type(copyfunc),
ssl_check_ESS_CERT_ID_V2_freefunc_type(freefunc)))
#define sk_ESS_CERT_ID_V2_set_cmp_func(sk, cmp)
((sk_ESS_CERT_ID_V2_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ESS_CERT_ID_V2_sk_type(sk),
ssl_check_ESS_CERT_ID_V2_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

DECLARE_ASN1_ALLOC_FUNCTIONS(ESS_ISSUER_SERIAL)
DECLARE_ASN1_ENCODE_FUNCTIONS_only(ESS_ISSUER_SERIAL, ESS_ISSUER_SERIAL)
DECLARE_ASN1_DUP_FUNCTION(ESS_ISSUER_SERIAL)

```

```

DECLARE_ASN1_ALLOC_FUNCTIONS(ESS_CERT_ID)

```

```
DECLARE_ASN1_ENCODE_FUNCTIONS_only(ESS_CERT_ID, ESS_CERT_ID)
DECLARE_ASN1_DUP_FUNCTION(ESS_CERT_ID)
```

```
DECLARE_ASN1_FUNCTIONS(ESS_SIGNING_CERT)
DECLARE_ASN1_DUP_FUNCTION(ESS_SIGNING_CERT)
```

```
DECLARE_ASN1_ALLOC_FUNCTIONS(ESS_CERT_ID_V2)
DECLARE_ASN1_ENCODE_FUNCTIONS_only(ESS_CERT_ID_V2,
    ESS_CERT_ID_V2)
DECLARE_ASN1_DUP_FUNCTION(ESS_CERT_ID_V2)
```

```
DECLARE_ASN1_FUNCTIONS(ESS_SIGNING_CERT_V2)
DECLARE_ASN1_DUP_FUNCTION(ESS_SIGNING_CERT_V2)
```

```
ESS_SIGNING_CERT *OSSL_ESS_signing_cert_new_init(const X509 *signcert,
    const STACK_OF(X509) *certs,
    int set_issuer_serial);
ESS_SIGNING_CERT_V2 *OSSL_ESS_signing_cert_v2_new_init(const EVP_MD *hash_alg,
    const X509 *signcert,
    const STACK_OF(X509) *certs,
    int set_issuer_serial);
int OSSL_ESS_check_signing_certs(const ESS_SIGNING_CERT *ss,
    const ESS_SIGNING_CERT_V2 *ssv2,
    const STACK_OF(X509) *chain,
    int require_signing_cert);
```

```
#ifdef __cplusplus
}
```

```
#endif
```

```
#endif
```

ISC

The MIT License (MIT)

Copyright (c) 2015 Matteo Collina

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
  'variables': {
    'openssl_sources': [
      'openssl/ssl/bio_ssl.c',
      'openssl/ssl/d1_lib.c',
      'openssl/ssl/d1_msg.c',
      'openssl/ssl/d1_srtp.c',
      'openssl/ssl/methods.c',
      'openssl/ssl/pqueue.c',
      'openssl/ssl/s3_enc.c',
      'openssl/ssl/s3_lib.c',
      'openssl/ssl/s3_msg.c',
      'openssl/ssl/ssl_asn1.c',
      'openssl/ssl/ssl_cert.c',
      'openssl/ssl/ssl_ciph.c',
      'openssl/ssl/ssl_conf.c',
      'openssl/ssl/ssl_err.c',
      'openssl/ssl/ssl_err_legacy.c',
      'openssl/ssl/ssl_init.c',
      'openssl/ssl/ssl_lib.c',
      'openssl/ssl/ssl_mcnf.c',
      'openssl/ssl/ssl_rsa.c',
      'openssl/ssl/ssl_rsa_legacy.c',
      'openssl/ssl/ssl_sess.c',
      'openssl/ssl/ssl_stat.c',
      'openssl/ssl/ssl_txt.c',
      'openssl/ssl/ssl_utst.c',
      'openssl/ssl/t1_enc.c',
      'openssl/ssl/t1_lib.c',
      'openssl/ssl/t1_trce.c',
      'openssl/ssl/tls13_enc.c',
      'openssl/ssl/tls_depr.c',
      'openssl/ssl/tls_srp.c',
      'openssl/ssl/record/dtls1_bitmap.c',
      'openssl/ssl/record/rec_layer_d1.c',
      'openssl/ssl/record/rec_layer_s3.c',
      'openssl/ssl/record/ssl3_buffer.c',
      'openssl/ssl/record/ssl3_record.c',
      'openssl/ssl/record/ssl3_record_tls13.c',
      'openssl/ssl/statem/extensions.c',
      'openssl/ssl/statem/extensions_clnt.c',
      'openssl/ssl/statem/extensions_cust.c',
      'openssl/ssl/statem/extensions_srvr.c',
```

'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvt.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',

'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',

'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',

'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',

'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/cml_l_cfb.c',
'openssl/crypto/camellia/cml_l_ctr.c',
'openssl/crypto/camellia/cml_l_ecb.c',
'openssl/crypto/camellia/cml_l_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_skey.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',
'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',

'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',

'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',

'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',

'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',

'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',

'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',

'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',

'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2_dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',

'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbagg.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',

'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',

'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',

'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',

'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',

'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',

'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',
'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',

'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',

'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',


```

'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86': [
    './config/archs/BSD-x86/asm/crypto/aes/aes-586.S',
    './config/archs/BSD-x86/asm/crypto/aes/aesni-x86.S',
    './config/archs/BSD-x86/asm/crypto/aes/vpaes-x86.S',
    './config/archs/BSD-x86/asm/crypto/bf/bf-586.S',
    './config/archs/BSD-x86/asm/crypto/bn/bn-586.S',
    './config/archs/BSD-x86/asm/crypto/bn/co-586.S',
    './config/archs/BSD-x86/asm/crypto/bn/x86-gf2m.S',
    './config/archs/BSD-x86/asm/crypto/bn/x86-mont.S',

```

```

'./config/archs/BSD-x86/asm/crypto/camellia/cml1-x86.S',
'./config/archs/BSD-x86/asm/crypto/chacha/chacha-x86.S',
'./config/archs/BSD-x86/asm/crypto/des/crypt586.S',
'./config/archs/BSD-x86/asm/crypto/des/des-586.S',
'./config/archs/BSD-x86/asm/crypto/ec/ecp_nistz256-x86.S',
'./config/archs/BSD-x86/asm/crypto/x86cpuid.S',
'./config/archs/BSD-x86/asm/crypto/md5/md5-586.S',
'./config/archs/BSD-x86/asm/crypto/modes/ghash-x86.S',
'./config/archs/BSD-x86/asm/crypto/poly1305/poly1305-x86.S',
'./config/archs/BSD-x86/asm/crypto/rc4/rc4-586.S',
'./config/archs/BSD-x86/asm/crypto/ripemd/rmd-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha1-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha256-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha512-586.S',
'./config/archs/BSD-x86/asm/crypto/whrlpool/wp-mmx.S',
'./config/archs/BSD-x86/asm/engines/e_padlock-x86.S',
'./config/archs/BSD-x86/asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/asm/providers/legacy.ld',
'./config/archs/BSD-x86/asm/providers/fips.ld',
],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'CMLL_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',

```

```

'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wa,--noexecstack',
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
},
'include_dirs': [
'',
'./include',
'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
'include_dirs': ['./include', '.'],
'defines': ['<@(openssl_defines_BSD-x86)'],
},
}

```

UNICODE LICENSE V3

COPYRIGHT AND PERMISSION NOTICE

Copyright 2016-2025 Unicode, Inc.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING DATA FILES, AND/OR SOFTWARE, YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of data files and any associated documentation (the "Data Files") or software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the

Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

SPDX-License-Identifier:

Unicode-3.0

Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons

to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008, Google Inc.
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice,
# this list of conditions and the following disclaimer.
# Redistributions in binary form must reproduce the above
# copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided
```

with
the distribution.
Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
OF SUCH DAMAGE.

The word list in cjdict.txt are generated by combining three word lists
listed below with further processing for compound word breaking. The
frequency is generated with an iterative training against Google web
corpora.

* Libtabe (Chinese)
- https://sourceforge.net/project/?group_id=1519
- Its license terms and conditions are shown below.

* IPADIC (Japanese)
- <http://chasen.aist-nara.ac.jp/chasen/distribution.html>
- Its license terms and conditions are shown below.

-----COPYING.libtabe ---- BEGIN-----

/*
* Copyright (c) 1999 TaBE Project.
* Copyright (c) 1999 Pai-Hsiang Hsiao.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this

list of conditions and the following disclaimer.

```
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# *      Institute of Information Science, Academia
# *      Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following
disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
```

```

# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
# CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
# University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software, whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
# Nara Institute of Science and Technology (NAIST),
# the copyright holders, disclaims all warranties with regard to this
# software, including
# all implied warranties of merchantability and
# fitness, in no event shall NAIST be liable for
# any special, indirect or consequential damages or any damages
# whatsoever resulting from loss of use, data or profits, whether in an
# action of contract, negligence or other tortuous action, arising out
# of or in connection with the use or performance of this software.
#
# A large portion of the dictionary entries
# originate from ICOT Free Software. The following conditions for ICOT
# Free Software applies to the current dictionary as well.
#
# Each User may also freely distribute the Program, whether in its
# original form or modified, to any third party or parties, PROVIDED
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
# on, or be attached to, the Program, which is distributed substantially
# in the same form as set out herein and that such intended

```


distribution, if actually made, will neither violate or otherwise
contravene
any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected
with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and
distribution of the program and the
production of secondary products from the program.

In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.
#

-----COPYING.ipadic-----END-----

Lao Word Break Dictionary Data (laodict.txt)

Copyright (C) 2016 and later: Unicode, Inc. and others.
License & terms of use: <http://www.unicode.org/copyright.html>
Copyright (c) 2015 International Business Machines Corporation
and others. All Rights Reserved.

Project: <https://github.com/rober42539/lao-dictionary>
Dictionary: <https://github.com/rober42539/lao-dictionary/laodict.txt>
License: <https://github.com/rober42539/lao-dictionary/LICENSE.txt>
(copied below)

This file is derived from the above dictionary version of Nov 22, 2020

Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer. Redistributions in binary
form must reproduce the above copyright notice, this list of conditions and
the following disclaimer in the documentation and/or other materials
provided with the distribution.

THIS SOFTWARE IS PROVIDED
BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

```
# Copyright (c) 2014 International
# Business Machines Corporation
# and others. All Rights Reserved.
#
# This list is part of a project hosted at:
#  github.com/kanyawtech/myanmar-karen-word-lists
#
# -----
# Copyright (c) 2013, LeRoy Benjamin Sharon
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions
# are met: Redistributions of source code must retain the above
# copyright notice, this list of conditions and the following
# disclaimer. Redistributions in binary form must reproduce the
# above copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided
# with the distribution.
#
# Neither the name Myanmar Karen Word Lists, nor the names of its
# contributors may be used to endorse or promote products derived
# from this software
# without specific prior written permission.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
# TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
# SUCH DAMAGE.
# -----
```

Time
Zone Database

ICU uses the public domain data and code derived from Time Zone

Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

7. Database Ownership

#

The TZ database itself is not an IETF Contribution or an IETF
document. Rather it is a pre-existing and regularly updated work
that is in the public domain, and is intended to remain in the
public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do
not apply to the TZ Database or contributions that individuals make
to it. Should any claims be made and substantiated against the TZ
Database, the organization that is providing the IANA
Considerations defined in this RFC, under the memorandum of
understanding with the IETF, currently ICANN, may act in accordance
with all competent court orders. No ownership claims will be made
by ICANN or
the IETF Trust on the database or the code. Any person
making a contribution to the database or code waives all rights to
future claims in that contribution or in the TZ Database.

Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived

from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JSON parsing library (nlohmann/json)

File: vendor/json/upstream/single_include/nlohmann/json.hpp (only for ICU4C)

MIT License

Copyright (c) 2013-2022 Niels Lohmann

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

File: aclocal.m4 (only for ICU4C)

Section: pkg.m4 - Macros to locate and utilise pkg-config.

Copyright 2004 Scott James Remnant <scott@netsplit.com>.

Copyright 2012-2015 Dan Nicholson <dbn.lists@gmail.com>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place
- Suite 330, Boston, MA
02111-1307, USA.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program.

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: config.guess (only for ICU4C)

This file is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see <<https://www.gnu.org/licenses/>>.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program. This Exception is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3").

(The condition for the exception is fulfilled because
ICU4C includes a configuration script generated by Autoconf,
namely the `configure` script.)

File: install-sh (only for ICU4C)

Copyright 1991 by the Massachusetts Institute of Technology

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted
without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of M.I.T. not be used in advertising or
publicity pertaining to distribution of the software without specific,
written prior permission. M.I.T. makes no representations about the
suitability of this software for any purpose. It is provided "as is"
without express or implied warranty.

File: sorttable.js (only for ICU4J)

The MIT Licence, for code from kryogenix.org

Code downloaded from the Browser Experiments section of kryogenix.org is
licenced under the so-called MIT licence. The licence is below.

Copyright (c) 1997-date Stuart Langridge

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction,
including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2017-2022 npm, Inc., Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2015-2023 Benjamin Coe, Isaac Z. Schlueter, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2014 IndigoUnited

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
#ifndef SRC_PERMISSION_PERMISSION_H_
#define SRC_PERMISSION_PERMISSION_H_
```

```
#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#include "debug_utils.h"
#include "node_options.h"
#include "permission/child_process_permission.h"
#include "permission/fs_permission.h"
#include "permission/inspector_permission.h"
#include "permission/permission_base.h"
#include "permission/wasi_permission.h"
#include "permission/worker_permission.h"
#include "v8.h"
```

```
#include <string_view>
#include <unordered_map>
```

```
namespace node {
```

```
class Environment;
```

```
namespace fs {
class FSReqBase;
}
```

```
namespace permission {
```

```
#define THROW_IF_INSUFFICIENT_PERMISSIONS(env, perm_, resource_, ...) \
do { \
    if (UNLIKELY(!(env)->permission()->is_granted(env, perm_, resource_))) { \
        node::permission::Permission::ThrowAccessDenied( \
            (env), perm_, resource_); \
        return __VA_ARGS__; \
    } \
} while (0)
```

```
#define ASYNC_THROW_IF_INSUFFICIENT_PERMISSIONS( \
    env, wrap, perm_, resource_, ...) \
do { \
    if (UNLIKELY(!(env)->permission()->is_granted(env, perm_, resource_))) { \
        node::permission::Permission::AsyncThrowAccessDenied( \
```

```

        (env), wrap, perm_, resource_);
    return __VA_ARGS__;
}
} while (0)

class Permission {
public:
    Permission();

    FORCE_INLINE bool is_granted(Environment* env,
                               const PermissionScope permission,
                               const std::string_view& res = "") const {
        if (LIKELY(!enabled_)) return true;
        return is_scope_granted(env, permission, res);
    }

    FORCE_INLINE bool enabled() const { return enabled_; }

    static PermissionScope StringToPermission(const std::string& perm);
    static const char* PermissionToString(PermissionScope perm);
    static void ThrowAccessDenied(Environment* env,
                                   PermissionScope perm,
                                   const std::string_view& res);
    static void AsyncThrowAccessDenied(Environment* env,
                                        fs::FSReqBase* req_wrap,
                                        PermissionScope perm,
                                        const std::string_view& res);

    // CLI Call
    void Apply(Environment* env,
               const std::vector<std::string>& allow,
               PermissionScope scope);
    void EnablePermissions();

private:
    COLD_NOINLINE bool is_scope_granted(Environment* env,
                                         const PermissionScope permission,
                                         const std::string_view& res = "") const {
        auto perm_node = nodes_.find(permission);
        if (perm_node != nodes_.end()) {
            return perm_node->second->is_granted(env, permission, res);
        }
        return false;
    }

    std::unordered_map<PermissionScope, std::shared_ptr<PermissionBase>> nodes_;
    bool enabled_;
};

```

```
} // namespace permission
```

```
} // namespace node
```

```
#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#endif // SRC_PERMISSION_PERMISSION_H_
```

The MIT License (MIT)

Copyright (c) 2014, 2015, 2016, 2017, 2018 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
#ifndef SRC_PERMISSION_PERMISSION_BASE_H_
```

```
#define SRC_PERMISSION_PERMISSION_BASE_H_
```

```
#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#include <map>
```

```
#include <string>
```

```
#include <string_view>
```

```
#include "v8.h"
```

```
namespace node {
```

```
class Environment;
```

```
namespace permission {
```

```
#define FILESYSTEM_PERMISSIONS(V) \
```

```
V(FileSystem, "fs", PermissionsRoot) \
```

```
V(FileSystemRead, "fs.read", FileSystem) \
```

```

V(FileSystemWrite, "fs.write", FileSystem)

#define CHILD_PROCESS_PERMISSIONS(V) V(ChildProcess, "child", PermissionsRoot)

#define WASI_PERMISSIONS(V) V(WASI, "wasi", PermissionsRoot)

#define WORKER_THREADS_PERMISSIONS(V) \
V(WorkerThreads, "worker", PermissionsRoot)

#define INSPECTOR_PERMISSIONS(V) V(Inspector, "inspector", PermissionsRoot)

#define PERMISSIONS(V) \
FILESYSTEM_PERMISSIONS(V) \
CHILD_PROCESS_PERMISSIONS(V) \
WASI_PERMISSIONS(V) \
WORKER_THREADS_PERMISSIONS(V) \
INSPECTOR_PERMISSIONS(V)

#define V(name, _, __) k##name,
enum class PermissionScope {
    kPermissionsRoot = -1,
    PERMISSIONS(V) kPermissionsCount
};
#undef V

class PermissionBase {
public:
    virtual void Apply(Environment* env,
        const std::vector<std::string>& allow,
        PermissionScope scope) = 0;
    virtual bool is_granted(Environment* env,
        PermissionScope perm,
        const std::string_view& param = "") const = 0;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_PERMISSION_BASE_H_

    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/

```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
```

'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',

'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',

'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',

'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',

```

'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha1-x86_64.s',

```

```

'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/baes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx2.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm/crypto/camellia/cml-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/whrlpool/wp-x86_64.s',
'./config/archs/BSD-x86_64/asm/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm/providers/fips.ld',

],
'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'BSAES_ASM',
'ECP_NISTZ256_ASM',
'FIPS_MODULE',

```

```

'GHASH_ASM',
'KECCAK1600_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_MONT5',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'X25519_ASM',
'FIPS_MODULE',
],
'openssl_cflags_BSD-x86_64': [
'-Wa,--noexecstack',
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
'linker_script': ''
},
'include_dirs': [
'',
'./include',
'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
'include_dirs': ['./include', ''],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}
}
version 1.2.12, March 27th, 2022

```

Copyright (C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages

arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.
- (The MIT License)

Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2017 Sergey Rubanov (<https://github.com/chicoxyzyzy>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD-2-Clause

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Recognizing Contributors

The project looks to recognize and thank contributors for their contributions as one of the ways we can help them continue to contribute to the project.

This document captures some of the processes we have in place to do that.

Some of the benefits we hope to achieve through these programs include:

- * Ensuring people know that the project appreciates their work
- * Encouraging people to repeat/grow their contributions
- * Helping people demonstrate to their managers the value of the contributions they are making, which in turn helps their manager support

their employer investing in the project (unfortunately this is something that matters)

- * Highlighting the new features in Node.js and showing that they are being added by individuals like those mentioned. This should encourage other people to get involved and make similar contributions.

- * Highlighting those leading efforts/initiatives and they are being done by individuals or teams like those mentioned.

This should

encourage other people to get involved and make similar contributions

Sponsorship link on nodejs/node README.md

Collaborators may add a single link beside their name on the nodejs/node [README.md](../README.md) file in the section titled `Collaborators` named `Support me`. This link may be:

1. a direct link to one of the sponsorship platforms listed below,
2. a page that has text explaining how to support the collaborator including zero or more links to the sponsorship platforms listed below. The page should not have any outgoing links other than to the sponsorship platforms. We expect and trust collaborators to ensure that the text is professional and respectful.

The sponsorship platforms to which links can be made currently includes (in alphabetical order):

- * [GitHub Sponsors](https://github.com/sponsors)
- * [Polar](https://polar.sh/)
- * thanks.dev

Amplification of posts announcing talks by collaborators

When a collaborator

is speaking at a public event they may request amplification

by the Node.js social media accounts. They can request that a post highlighting that they are speaking at the event be amplified by the Node.js accounts by making a request in the #nodejs-social channel in the OpenJS Foundation slack. We trust that collaborators will only request amplification when they believe the event is relevant to the Node.js community and the content of the post is in line with the norms of the project.

Bi-monthly contributor spotlight

The contributor spotlight program showcases individual(s) or teams who have made significant contributions to the project. Anybody who is not a member of the Technical Steering Committee (TSC) and has made a notable contribution to the project can be nominated. They DO NOT need to be a collaborator, team member etc.

The work of the team or individual(s) will be showcased on the Node.js social channels and, if warranted, through a blog post created by the OpenJS marketing staff along with the team or individual(s) which will be published on openjsf.org.

Nominations can be made through this web form:
[Contributor Spotlight nomination](https://forms.gle/dXBXZn8yu83HLJ57A)

Nominations will be reviewed/approved by the Technical Steering Committee (TSC) on a regular basis as scheduled by the TSC chair. The TSC will also recommend the order in which approved nominations are processed by the OpenJS marketing staff.

Before any work proceeds on an approved nomination the individual(s) or team will be contacted to confirm they want to participate. Social content and or spotlight blog post will only be published after the team or individual(s) have confirmed they are happy with the content.
Copyright (c) 1994-2006 Sun Microsystems Inc.
All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Sun Microsystems or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (C) 2012-2022 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/cms.h.in

*

* Copyright 2008-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_CMS_H

#define OPENSSL_CMS_H

#pragma once

#include <openssl/macros.h>

#ifndef OPENSSL_NO_DEPRECATED_3_0

#define HEADER_CMS_H

#endif

```

#include <openssl/opensslconf.h>

#ifndef OPENSSL_NO_CMS
#include <openssl/x509.h>
#include <openssl/x509v3.h>
#include <openssl/cmserr.h>
#ifdef __cplusplus
extern "C" {
#endif

typedef struct CMS_ContentInfo_st CMS_ContentInfo;
typedef struct CMS_SignerInfo_st CMS_SignerInfo;
typedef struct CMS_CertificateChoices CMS_CertificateChoices;
typedef struct CMS_RevocationInfoChoice_st CMS_RevocationInfoChoice;
typedef
    struct CMS_RecipientInfo_st CMS_RecipientInfo;
typedef struct CMS_ReceiptRequest_st CMS_ReceiptRequest;
typedef struct CMS_Receipt_st CMS_Receipt;
typedef struct CMS_RecipientEncryptedKey_st CMS_RecipientEncryptedKey;
typedef struct CMS_OtherKeyAttribute_st CMS_OtherKeyAttribute;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(CMS_SignerInfo, CMS_SignerInfo, CMS_SignerInfo)
#define sk_CMS_SignerInfo_num(sk) OPENSSL_sk_num(ssl_check_const_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_value(sk, idx) ((CMS_SignerInfo
*)OPENSSL_sk_value(ssl_check_const_CMS_SignerInfo_sk_type(sk), (idx)))
#define sk_CMS_SignerInfo_new(cmp) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_new(ssl_check_CMS_SignerInfo_compfunc_type(cmp)))
#define sk_CMS_SignerInfo_new_null() ((STACK_OF(CMS_SignerInfo) *)OPENSSL_sk_new_null())
#define sk_CMS_SignerInfo_new_reserve(cmp, n) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_SignerInfo_compfunc_type(cmp), (n)))
#define
    sk_CMS_SignerInfo_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_CMS_SignerInfo_sk_type(sk), (n))
#define sk_CMS_SignerInfo_free(sk) OPENSSL_sk_free(ssl_check_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_zero(sk) OPENSSL_sk_zero(ssl_check_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_delete(sk, i) ((CMS_SignerInfo
*)OPENSSL_sk_delete(ssl_check_CMS_SignerInfo_sk_type(sk), (i)))
#define sk_CMS_SignerInfo_delete_ptr(sk, ptr) ((CMS_SignerInfo
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_SignerInfo_sk_type(sk), ssl_check_CMS_SignerInfo_type(ptr)))
#define sk_CMS_SignerInfo_push(sk, ptr) OPENSSL_sk_push(ssl_check_CMS_SignerInfo_sk_type(sk),
    ssl_check_CMS_SignerInfo_type(ptr))
#define sk_CMS_SignerInfo_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_CMS_SignerInfo_sk_type(sk),
    ssl_check_CMS_SignerInfo_type(ptr))
#define sk_CMS_SignerInfo_pop(sk) ((CMS_SignerInfo
*)OPENSSL_sk_pop(ssl_check_CMS_SignerInfo_sk_type(sk)))
#define sk_CMS_SignerInfo_shift(sk) ((CMS_SignerInfo
*)OPENSSL_sk_shift(ssl_check_CMS_SignerInfo_sk_type(sk)))
#define sk_CMS_SignerInfo_pop_free(sk, freefunc)

```

```

OPENSSL_sk_pop_free(ssl_check_CMS_SignerInfo_sk_type(sk),ssl_check_CMS_SignerInfo_freefunc_type(fre
efunc))
#define sk_CMS_SignerInfo_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_type(ptr), (idx))
#define sk_CMS_SignerInfo_set(sk, idx, ptr) ((CMS_SignerInfo
*)OPENSSL_sk_set(ssl_check_CMS_SignerInfo_sk_type(sk), (idx), ssl_check_CMS_SignerInfo_type(ptr)))
#define sk_CMS_SignerInfo_find(sk, ptr) OPENSSL_sk_find(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_type(ptr))
#define sk_CMS_SignerInfo_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_type(ptr))
#define sk_CMS_SignerInfo_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CMS_SignerInfo_sk_type(sk), ssl_check_CMS_SignerInfo_type(ptr), pnum)
#define sk_CMS_SignerInfo_sort(sk) OPENSSL_sk_sort(ssl_check_CMS_SignerInfo_sk_type(sk))
#define
sk_CMS_SignerInfo_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_CMS_SignerInfo_sk_type(sk))
#define sk_CMS_SignerInfo_dup(sk) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_dup(ssl_check_const_CMS_SignerInfo_sk_type(sk)))
#define sk_CMS_SignerInfo_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CMS_SignerInfo)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_copyfunc_type(copyfunc), ssl_check_CMS_SignerInfo_freefunc_type(freefunc)))
#define sk_CMS_SignerInfo_set_cmp_func(sk, cmp)
((sk_CMS_SignerInfo_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_SignerInfo_sk_type(sk),
ssl_check_CMS_SignerInfo_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CMS_RecipientEncryptedKey, CMS_RecipientEncryptedKey,
CMS_RecipientEncryptedKey)
#define sk_CMS_RecipientEncryptedKey_num(sk)
OPENSSL_sk_num(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_value(sk, idx) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_value(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk), (idx)))
#define sk_CMS_RecipientEncryptedKey_new(cmp) ((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_new(ssl_check_CMS_RecipientEncryptedKey_compfunc_type(cmp)))
#define sk_CMS_RecipientEncryptedKey_new_null() ((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_new_null())
#define sk_CMS_RecipientEncryptedKey_new_reserve(cmp, n) ((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_RecipientEncryptedKey_compfunc_type(cmp), (n)))
#define sk_CMS_RecipientEncryptedKey_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk), (n))
#define sk_CMS_RecipientEncryptedKey_free(sk)
OPENSSL_sk_free(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_zero(sk)
OPENSSL_sk_zero(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_delete(sk, i) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_delete(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
(i)))
#define sk_CMS_RecipientEncryptedKey_delete_ptr(sk, ptr) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr)))
#define sk_CMS_RecipientEncryptedKey_push(sk, ptr)

```

```

OPENSSL_sk_push(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_pop(sk) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_pop(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk)))
#define sk_CMS_RecipientEncryptedKey_shift(sk) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_shift(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk)))
#define sk_CMS_RecipientEncryptedKey_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),ssl_check_CMS_RecipientEncry
ptedKey_freefunc_type(freefunc))
#define
sk_CMS_RecipientEncryptedKey_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr), (idx))
#define sk_CMS_RecipientEncryptedKey_set(sk, idx, ptr) ((CMS_RecipientEncryptedKey
*)OPENSSL_sk_set(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk), (idx),
ssl_check_CMS_RecipientEncryptedKey_type(ptr)))
#define sk_CMS_RecipientEncryptedKey_find(sk, ptr)
OPENSSL_sk_find(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr))
#define sk_CMS_RecipientEncryptedKey_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_type(ptr), pnum)
#define
sk_CMS_RecipientEncryptedKey_sort(sk)
OPENSSL_sk_sort(ssl_check_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk))
#define sk_CMS_RecipientEncryptedKey_dup(sk) ((STACK_OF(CMS_RecipientEncryptedKey
*)OPENSSL_sk_dup(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk)))
#define sk_CMS_RecipientEncryptedKey_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(CMS_RecipientEncryptedKey)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_RecipientEncryptedKey_sk_type(sk),
ssl_check_CMS_RecipientEncryptedKey_copyfunc_type(copyfunc),
ssl_check_CMS_RecipientEncryptedKey_freefunc_type(freefunc)))
#define sk_CMS_RecipientEncryptedKey_set_cmp_func(sk, cmp)
((sk_CMS_RecipientEncryptedKey_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_RecipientEncrypted
Key_sk_type(sk), ssl_check_CMS_RecipientEncryptedKey_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CMS_RecipientInfo, CMS_RecipientInfo,
CMS_RecipientInfo)
#define sk_CMS_RecipientInfo_num(sk) OPENSSL_sk_num(ssl_check_const_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_value(sk, idx) ((CMS_RecipientInfo
*)OPENSSL_sk_value(ssl_check_const_CMS_RecipientInfo_sk_type(sk), (idx)))

```



```

#define sk_CMS_RecipientInfo_new(cmp) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_new(ssl_check_CMS_RecipientInfo_compfunc_type(cmp)))
#define sk_CMS_RecipientInfo_new_null() ((STACK_OF(CMS_RecipientInfo) *)OPENSSL_sk_new_null())
#define sk_CMS_RecipientInfo_new_reserve(cmp, n) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_RecipientInfo_compfunc_type(cmp), (n)))
#define sk_CMS_RecipientInfo_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_CMS_RecipientInfo_sk_type(sk),
(n))
#define sk_CMS_RecipientInfo_free(sk) OPENSSL_sk_free(ssl_check_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_zero(sk) OPENSSL_sk_zero(ssl_check_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_delete(sk, i) ((CMS_RecipientInfo
*)OPENSSL_sk_delete(ssl_check_CMS_RecipientInfo_sk_type(sk), (i)))
#define sk_CMS_RecipientInfo_delete_ptr(sk, ptr) ((CMS_RecipientInfo
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_type(ptr)))
#define sk_CMS_RecipientInfo_push(sk, ptr) OPENSSL_sk_push(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_pop(sk) ((CMS_RecipientInfo
*)OPENSSL_sk_pop(ssl_check_CMS_RecipientInfo_sk_type(sk)))
#define sk_CMS_RecipientInfo_shift(sk) ((CMS_RecipientInfo
*)OPENSSL_sk_shift(ssl_check_CMS_RecipientInfo_sk_type(sk)))
#define sk_CMS_RecipientInfo_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_freefunc_type
(freefunc))
#define sk_CMS_RecipientInfo_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_type(ptr),
(idx))
#define sk_CMS_RecipientInfo_set(sk, idx, ptr) ((CMS_RecipientInfo
*)OPENSSL_sk_set(ssl_check_CMS_RecipientInfo_sk_type(sk), (idx),
ssl_check_CMS_RecipientInfo_type(ptr)))
#define sk_CMS_RecipientInfo_find(sk, ptr) OPENSSL_sk_find(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_type(ptr))
#define sk_CMS_RecipientInfo_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CMS_RecipientInfo_sk_type(sk), ssl_check_CMS_RecipientInfo_type(ptr),
pnum)
#define sk_CMS_RecipientInfo_sort(sk) OPENSSL_sk_sort(ssl_check_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_CMS_RecipientInfo_sk_type(sk))
#define sk_CMS_RecipientInfo_dup(sk) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_dup(ssl_check_const_CMS_RecipientInfo_sk_type(sk)))
#define sk_CMS_RecipientInfo_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CMS_RecipientInfo)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_copyfunc_type(copyfunc),
ssl_check_CMS_RecipientInfo_freefunc_type(freefunc)))
#define sk_CMS_RecipientInfo_set_cmp_func(sk, cmp)

```

```

((sk_CMS_RecipientInfo_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_RecipientInfo_sk_type(sk),
ssl_check_CMS_RecipientInfo_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CMS_RevocationInfoChoice, CMS_RevocationInfoChoice,
CMS_RevocationInfoChoice)
#define sk_CMS_RevocationInfoChoice_num(sk)
OPENSSL_sk_num(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_value(sk, idx) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_value(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk), (idx)))
#define sk_CMS_RevocationInfoChoice_new(cmp) ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_new(ssl_check_CMS_RevocationInfoChoice_compfunc_type(cmp)))
#define sk_CMS_RevocationInfoChoice_new_null() ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_new_null())
#define sk_CMS_RevocationInfoChoice_new_reserve(cmp, n) ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_new_reserve(ssl_check_CMS_RevocationInfoChoice_compfunc_type(cmp), (n)))
#define sk_CMS_RevocationInfoChoice_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), (n))
#define sk_CMS_RevocationInfoChoice_free(sk)
OPENSSL_sk_free(ssl_check_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_zero(sk)
OPENSSL_sk_zero(ssl_check_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_delete(sk, i) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_delete(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), (i)))
#define sk_CMS_RevocationInfoChoice_delete_ptr(sk, ptr) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_delete_ptr(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr)))
#define sk_CMS_RevocationInfoChoice_push(sk, ptr)
OPENSSL_sk_push(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))
#define sk_CMS_RevocationInfoChoice_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))
#define sk_CMS_RevocationInfoChoice_pop(sk) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_pop(ssl_check_CMS_RevocationInfoChoice_sk_type(sk)))
#define sk_CMS_RevocationInfoChoice_shift(sk) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_shift(ssl_check_CMS_RevocationInfoChoice_sk_type(sk)))
#define sk_CMS_RevocationInfoChoice_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), ssl_check_CMS_RevocationInfoC
hoice_freefunc_type(freefunc))
#define sk_CMS_RevocationInfoChoice_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr),
(idx))
#define sk_CMS_RevocationInfoChoice_set(sk, idx, ptr) ((CMS_RevocationInfoChoice
*)OPENSSL_sk_set(ssl_check_CMS_RevocationInfoChoice_sk_type(sk), (idx),
ssl_check_CMS_RevocationInfoChoice_type(ptr)))
#define sk_CMS_RevocationInfoChoice_find(sk, ptr)
OPENSSL_sk_find(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))

```

```

#define sk_CMS_RevocationInfoChoice_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr))
#define sk_CMS_RevocationInfoChoice_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_type(ptr), pnum)
#define sk_CMS_RevocationInfoChoice_sort(sk)
OPENSSL_sk_sort(ssl_check_CMS_RevocationInfoChoice_sk_type(sk))
#define sk_CMS_RevocationInfoChoice_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk))
#define
    sk_CMS_RevocationInfoChoice_dup(sk) ((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_dup(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk)))
#define sk_CMS_RevocationInfoChoice_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(CMS_RevocationInfoChoice)
*)OPENSSL_sk_deep_copy(ssl_check_const_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_copyfunc_type(copyfunc),
ssl_check_CMS_RevocationInfoChoice_freefunc_type(freefunc)))
#define sk_CMS_RevocationInfoChoice_set_cmp_func(sk, cmp)
((sk_CMS_RevocationInfoChoice_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CMS_RevocationInfoChoice_sk_type(sk),
ssl_check_CMS_RevocationInfoChoice_compfunc_type(cmp)))

/* clang-format on */

DECLARE_ASN1_FUNCTIONS(CMS_ContentInfo)
DECLARE_ASN1_FUNCTIONS(CMS_ReceiptRequest)
DECLARE_ASN1_PRINT_FUNCTION(CMS_ContentInfo)

CMS_ContentInfo *CMS_ContentInfo_new_ex(OPENSSL_LIB_CTX *libctx, const char *propq);

#define CMS_SIGNERINFO_ISSUER_SERIAL 0
#define CMS_SIGNERINFO_KEYIDENTIFIER 1

#define
    CMS_RECIPINFO_NONE -1
#define CMS_RECIPINFO_TRANS 0
#define CMS_RECIPINFO_AGREE 1
#define CMS_RECIPINFO_KEK 2
#define CMS_RECIPINFO_PASS 3
#define CMS_RECIPINFO_OTHER 4

/* S/MIME related flags */

#define CMS_TEXT 0x1
#define CMS_NOCERTS 0x2
#define CMS_NO_CONTENT_VERIFY 0x4
#define CMS_NO_ATTR_VERIFY 0x8
#define CMS_NOSIGS \

```

```

(CMS_NO_CONTENT_VERIFY | CMS_NO_ATTR_VERIFY)
#define CMS_NOINTERN 0x10
#define CMS_NO_SIGNER_CERT_VERIFY 0x20
#define CMS_NOVERIFY 0x20
#define CMS_DETACHED 0x40
#define CMS_BINARY 0x80
#define CMS_NOATTR 0x100
#define CMS_NOSMIMECAP 0x200
#define CMS_NOOLDMIMETYPE 0x400
#define CMS_CRLFEOF 0x800
#define CMS_STREAM 0x1000
#define CMS_NOCRL 0x2000
#define CMS_PARTIAL 0x4000
#define CMS_REUSE_DIGEST 0x8000
#define CMS_USE_KEYID 0x10000
#define CMS_DEBUG_DECRYPT 0x20000
#define CMS_KEY_PARAM 0x40000
#define CMS_ASCICRLF 0x80000
#define CMS_CADES 0x100000
#define CMS_USE_ORIGINATOR_KEYID 0x200000

const ASN1_OBJECT *CMS_get0_type(const CMS_ContentInfo *cms);

BIO
*CMS_dataInit(CMS_ContentInfo *cms, BIO *icont);
int CMS_dataFinal(CMS_ContentInfo *cms, BIO *bio);

ASN1_OCTET_STRING **CMS_get0_content(CMS_ContentInfo *cms);
int CMS_is_detached(CMS_ContentInfo *cms);
int CMS_set_detached(CMS_ContentInfo *cms, int detached);

#ifdef OPENSSL_PEM_H
DECLARE_PEM_rw(CMS, CMS_ContentInfo)
#endif
int CMS_stream(unsigned char ***boundary, CMS_ContentInfo *cms);
CMS_ContentInfo *d2i_CMS_bio(BIO *bp, CMS_ContentInfo **cms);
int i2d_CMS_bio(BIO *bp, CMS_ContentInfo *cms);

BIO *BIO_new_CMS(BIO *out, CMS_ContentInfo *cms);
int i2d_CMS_bio_stream(BIO *out, CMS_ContentInfo *cms, BIO *in, int flags);
int PEM_write_bio_CMS_stream(BIO *out, CMS_ContentInfo *cms, BIO *in,
    int flags);
CMS_ContentInfo *SMIME_read_CMS(BIO *bio, BIO **bcont);
CMS_ContentInfo *SMIME_read_CMS_ex(BIO *bio, int flags, BIO **bcont, CMS_ContentInfo **ci);
int SMIME_write_CMS(BIO *bio, CMS_ContentInfo *cms, BIO *data, int flags);

int CMS_final(CMS_ContentInfo *cms, BIO *data, BIO

```

```

*dcont,
unsigned int flags);

CMS_ContentInfo *CMS_sign(X509 *signcert, EVP_PKEY *pkey,
    STACK_OF(X509) *certs, BIO *data,
    unsigned int flags);
CMS_ContentInfo *CMS_sign_ex(X509 *signcert, EVP_PKEY *pkey,
    STACK_OF(X509) *certs, BIO *data,
    unsigned int flags, OSSL_LIB_CTX *ctx,
    const char *propq);

CMS_ContentInfo *CMS_sign_receipt(CMS_SignerInfo *si,
    X509 *signcert, EVP_PKEY *pkey,
    STACK_OF(X509) *certs, unsigned int flags);

int CMS_data(CMS_ContentInfo *cms, BIO *out, unsigned int flags);
CMS_ContentInfo *CMS_data_create(BIO *in, unsigned int flags);
CMS_ContentInfo *CMS_data_create_ex(BIO *in, unsigned int flags,
    OSSL_LIB_CTX *ctx, const char *propq);

int CMS_digest_verify(CMS_ContentInfo *cms, BIO *dcont, BIO *out,
    unsigned int flags);
CMS_ContentInfo *CMS_digest_create(BIO *in, const EVP_MD *md,
    unsigned int flags);
CMS_ContentInfo *CMS_digest_create_ex(BIO *in, const EVP_MD *md,
    unsigned int flags, OSSL_LIB_CTX *ctx,
    const char
    *propq);

int CMS_EncryptedData_decrypt(CMS_ContentInfo *cms,
    const unsigned char *key, size_t keylen,
    BIO *dcont, BIO *out, unsigned int flags);

CMS_ContentInfo *CMS_EncryptedData_encrypt(BIO *in, const EVP_CIPHER *cipher,
    const unsigned char *key,
    size_t keylen, unsigned int flags);
CMS_ContentInfo *CMS_EncryptedData_encrypt_ex(BIO *in, const EVP_CIPHER *cipher,
    const unsigned char *key,
    size_t keylen, unsigned int flags,
    OSSL_LIB_CTX *ctx,
    const char *propq);

int CMS_EncryptedData_set1_key(CMS_ContentInfo *cms, const EVP_CIPHER *ciph,
    const unsigned char *key, size_t keylen);

int CMS_verify(CMS_ContentInfo *cms, STACK_OF(X509) *certs,
    X509_STORE *store, BIO *dcont, BIO *out, unsigned int flags);

```

```

int CMS_verify_receipt(CMS_ContentInfo *rcms, CMS_ContentInfo *ocms,
    STACK_OF(X509) *certs,
    X509_STORE *store, unsigned int flags);

STACK_OF(X509) *CMS_get0_signers(CMS_ContentInfo *cms);

CMS_ContentInfo *CMS_encrypt(STACK_OF(X509) *certs,
    BIO *in,
    const EVP_CIPHER *cipher, unsigned int flags);
CMS_ContentInfo *CMS_encrypt_ex(STACK_OF(X509) *certs, BIO *in,
    const EVP_CIPHER *cipher, unsigned int flags,
    OSSL_LIB_CTX *ctx, const char *propq);

int CMS_decrypt(CMS_ContentInfo *cms, EVP_PKEY *pkey, X509 *cert,
    BIO *dcont, BIO *out, unsigned int flags);

int CMS_decrypt_set1_pkey(CMS_ContentInfo *cms, EVP_PKEY *pk, X509 *cert);
int CMS_decrypt_set1_pkey_and_peer(CMS_ContentInfo *cms, EVP_PKEY *pk,
    X509 *cert, X509 *peer);
int CMS_decrypt_set1_key(CMS_ContentInfo *cms,
    unsigned char *key, size_t keylen,
    const unsigned char *id, size_t idlen);
int CMS_decrypt_set1_password(CMS_ContentInfo *cms,
    unsigned char *pass, ossl_ssize_t passlen);

STACK_OF(CMS_RecipientInfo) *CMS_get0_RecipientInfos(CMS_ContentInfo *cms);
int CMS_RecipientInfo_type(CMS_RecipientInfo *ri);
EVP_PKEY_CTX *CMS_RecipientInfo_get0_pkey_ctx(CMS_RecipientInfo *ri);
CMS_ContentInfo *CMS_AuthEnvelopedData_create(const EVP_CIPHER
    *cipher);
CMS_ContentInfo *
CMS_AuthEnvelopedData_create_ex(const EVP_CIPHER *cipher, OSSL_LIB_CTX *ctx,
    const char *propq);
CMS_ContentInfo *CMS_EnvelopedData_create(const EVP_CIPHER *cipher);
CMS_ContentInfo *CMS_EnvelopedData_create_ex(const EVP_CIPHER *cipher,
    OSSL_LIB_CTX *ctx,
    const char *propq);

CMS_RecipientInfo *CMS_add1_recipient_cert(CMS_ContentInfo *cms,
    X509 *recip, unsigned int flags);
CMS_RecipientInfo *CMS_add1_recipient(CMS_ContentInfo *cms, X509 *recip,
    EVP_PKEY *originatorPrivKey, X509 *originator, unsigned int flags);
int CMS_RecipientInfo_set0_pkey(CMS_RecipientInfo *ri, EVP_PKEY *pkey);
int CMS_RecipientInfo_ktri_cert_cmp(CMS_RecipientInfo *ri, X509 *cert);
int CMS_RecipientInfo_ktri_get0_algs(CMS_RecipientInfo *ri,
    EVP_PKEY **pk, X509 **recip,
    X509_ALGOR **palg);
int CMS_RecipientInfo_ktri_get0_signer_id(CMS_RecipientInfo *ri,

```

```

ASN1_OCTET_STRING **keyid,
X509_NAME **issuer,
ASN1_INTEGER **sno);

CMS_RecipientInfo *CMS_add0_recipient_key(CMS_ContentInfo
*cms, int nid,
unsigned char *key, size_t keylen,
unsigned char *id, size_t idlen,
ASN1_GENERALIZEDTIME *date,
ASN1_OBJECT *otherTypeId,
ASN1_TYPE *otherType);

int CMS_RecipientInfo_keri_get0_id(CMS_RecipientInfo *ri,
X509_ALGOR **palg,
ASN1_OCTET_STRING **pid,
ASN1_GENERALIZEDTIME **pdate,
ASN1_OBJECT **pothetid,
ASN1_TYPE **pothertype);

int CMS_RecipientInfo_set0_key(CMS_RecipientInfo *ri,
unsigned char *key, size_t keylen);

int CMS_RecipientInfo_keri_id_cmp(CMS_RecipientInfo *ri,
const unsigned char *id, size_t idlen);

int CMS_RecipientInfo_set0_password(CMS_RecipientInfo *ri,
unsigned char *pass,
ossl_size_t passlen);

CMS_RecipientInfo *CMS_add0_recipient_password(CMS_ContentInfo *cms,
int iter, int wrap_nid,
int pbe_nid,
unsigned char *pass,
ossl_size_t passlen,
const EVP_CIPHER *kekciph);

int CMS_RecipientInfo_decrypt(CMS_ContentInfo *cms, CMS_RecipientInfo *ri);
int
CMS_RecipientInfo_encrypt(const CMS_ContentInfo *cms, CMS_RecipientInfo *ri);

int CMS_uncompress(CMS_ContentInfo *cms, BIO *dcont, BIO *out,
unsigned int flags);
CMS_ContentInfo *CMS_compress(BIO *in, int comp_nid, unsigned int flags);

int CMS_set1_eContentType(CMS_ContentInfo *cms, const ASN1_OBJECT *oid);
const ASN1_OBJECT *CMS_get0_eContentType(CMS_ContentInfo *cms);

CMS_CertificateChoices *CMS_add0_CertificateChoices(CMS_ContentInfo *cms);

```

```

int CMS_add0_cert(CMS_ContentInfo *cms, X509 *cert);
int CMS_add1_cert(CMS_ContentInfo *cms, X509 *cert);
STACK_OF(X509) *CMS_get1_certs(CMS_ContentInfo *cms);

CMS_RevocationInfoChoice *CMS_add0_RevocationInfoChoice(CMS_ContentInfo *cms);
int CMS_add0_crl(CMS_ContentInfo *cms, X509_CRL *crl);
int CMS_add1_crl(CMS_ContentInfo *cms, X509_CRL *crl);
STACK_OF(X509_CRL) *CMS_get1_crls(CMS_ContentInfo *cms);

int CMS_SignedData_init(CMS_ContentInfo *cms);
CMS_SignerInfo *CMS_add1_signer(CMS_ContentInfo *cms,
    X509 *signer, EVP_PKEY *pk,
    const EVP_MD *md,
    unsigned int flags);
EVP_PKEY_CTX *CMS_SignerInfo_get0_pkey_ctx(CMS_SignerInfo *si);
EVP_MD_CTX *CMS_SignerInfo_get0_md_ctx(CMS_SignerInfo *si);
STACK_OF(CMS_SignerInfo) *CMS_get0_SignerInfos(CMS_ContentInfo *cms);

void CMS_SignerInfo_set1_signer_cert(CMS_SignerInfo *si, X509 *signer);
int CMS_SignerInfo_get0_signer_id(CMS_SignerInfo *si,
    ASN1_OCTET_STRING **keyid,
    X509_NAME **issuer, ASN1_INTEGER **sno);
int CMS_SignerInfo_cert_cmp(CMS_SignerInfo *si, X509 *cert);
int CMS_set1_signers_certs(CMS_ContentInfo *cms, STACK_OF(X509) *certs,
    unsigned int flags);
void CMS_SignerInfo_get0_algs(CMS_SignerInfo *si, EVP_PKEY **pk,
    X509 **signer, X509_ALGOR **pdig,
    X509_ALGOR **psig);
ASN1_OCTET_STRING *CMS_SignerInfo_get0_signature(CMS_SignerInfo *si);
int CMS_SignerInfo_sign(CMS_SignerInfo *si);
int CMS_SignerInfo_verify(CMS_SignerInfo *si);
int CMS_SignerInfo_verify_content(CMS_SignerInfo *si, BIO *chain);

int CMS_add_smimecap(CMS_SignerInfo *si, STACK_OF(X509_ALGOR)
    *algs);
int CMS_add_simple_smimecap(STACK_OF(X509_ALGOR) **algs,
    int algnid, int keysize);
int CMS_add_standard_smimecap(STACK_OF(X509_ALGOR) **smcap);

int CMS_signed_get_attr_count(const CMS_SignerInfo *si);
int CMS_signed_get_attr_by_NID(const CMS_SignerInfo *si, int nid,
    int lastpos);
int CMS_signed_get_attr_by_OBJ(const CMS_SignerInfo *si, const ASN1_OBJECT *obj,
    int lastpos);
X509_ATTRIBUTE *CMS_signed_get_attr(const CMS_SignerInfo *si, int loc);
X509_ATTRIBUTE *CMS_signed_delete_attr(CMS_SignerInfo *si, int loc);
int CMS_signed_add1_attr(CMS_SignerInfo *si, X509_ATTRIBUTE *attr);
int CMS_signed_add1_attr_by_OBJ(CMS_SignerInfo *si,

```



```

    const ASN1_OBJECT *obj, int type,
    const void *bytes, int len);
int CMS_signed_add1_attr_by_NID(CMS_SignerInfo *si,
    int nid, int type,
    const void *bytes, int len);
int CMS_signed_add1_attr_by_txt(CMS_SignerInfo *si,
    const char *attrname, int type,
    const void *bytes, int len);
void *CMS_signed_get0_data_by_OBJ(const
    CMS_SignerInfo *si,
    const ASN1_OBJECT *oid,
    int lastpos, int type);

int CMS_unsigned_get_attr_count(const CMS_SignerInfo *si);
int CMS_unsigned_get_attr_by_NID(const CMS_SignerInfo *si, int nid,
    int lastpos);
int CMS_unsigned_get_attr_by_OBJ(const CMS_SignerInfo *si,
    const ASN1_OBJECT *obj, int lastpos);
X509_ATTRIBUTE *CMS_unsigned_get_attr(const CMS_SignerInfo *si, int loc);
X509_ATTRIBUTE *CMS_unsigned_delete_attr(CMS_SignerInfo *si, int loc);
int CMS_unsigned_add1_attr(CMS_SignerInfo *si, X509_ATTRIBUTE *attr);
int CMS_unsigned_add1_attr_by_OBJ(CMS_SignerInfo *si,
    const ASN1_OBJECT *obj, int type,
    const void *bytes, int len);
int CMS_unsigned_add1_attr_by_NID(CMS_SignerInfo *si,
    int nid, int type,
    const void *bytes, int len);
int CMS_unsigned_add1_attr_by_txt(CMS_SignerInfo *si,
    const char *attrname, int type,
    const void *bytes, int len);
void *CMS_unsigned_get0_data_by_OBJ(CMS_SignerInfo *si, ASN1_OBJECT *oid,
    int lastpos,
    int type);

int CMS_get1_ReceiptRequest(CMS_SignerInfo *si, CMS_ReceiptRequest **pr);
CMS_ReceiptRequest *CMS_ReceiptRequest_create0(
    unsigned char *id, int idlen, int allorfirst,
    STACK_OF(GENERAL_NAMES) *receiptList,
    STACK_OF(GENERAL_NAMES) *receiptsTo);
CMS_ReceiptRequest *CMS_ReceiptRequest_create0_ex(
    unsigned char *id, int idlen, int allorfirst,
    STACK_OF(GENERAL_NAMES) *receiptList,
    STACK_OF(GENERAL_NAMES) *receiptsTo,
    OSSL_LIB_CTX *ctx);

int CMS_add1_ReceiptRequest(CMS_SignerInfo *si, CMS_ReceiptRequest *rr);
void CMS_ReceiptRequest_get0_values(CMS_ReceiptRequest *rr,
    ASN1_STRING **pcid,

```

```

    int *pallorfirst,
    STACK_OF(GENERAL_NAMES) **plist,
    STACK_OF(GENERAL_NAMES) **prto);
int CMS_RecipientInfo_kari_get0_alg(CMS_RecipientInfo *ri,
    X509_ALGOR **palg,
    ASN1_OCTET_STRING **pukm);
STACK_OF(CMS_RecipientEncryptedKey)
*CMS_RecipientInfo_kari_get0_reks(CMS_RecipientInfo *ri);

int CMS_RecipientInfo_kari_get0_orig_id(CMS_RecipientInfo *ri,
    X509_ALGOR **pubalg,
    ASN1_BIT_STRING **pubkey,
    ASN1_OCTET_STRING **keyid,
    X509_NAME **issuer,
    ASN1_INTEGER **sno);

int CMS_RecipientInfo_kari_orig_id_cmp(CMS_RecipientInfo *ri, X509 *cert);

int CMS_RecipientEncryptedKey_get0_id(CMS_RecipientEncryptedKey *rek,
    ASN1_OCTET_STRING **keyid,
    ASN1_GENERALIZEDTIME **tm,
    CMS_OtherKeyAttribute **other,
    X509_NAME **issuer, ASN1_INTEGER **sno);
int CMS_RecipientEncryptedKey_cert_cmp(CMS_RecipientEncryptedKey *rek,
    X509 *cert);
int CMS_RecipientInfo_kari_set0_pkey(CMS_RecipientInfo *ri, EVP_PKEY *pk);
int CMS_RecipientInfo_kari_set0_pkey_and_peer(CMS_RecipientInfo *ri, EVP_PKEY *pk, X509 *peer);
EVP_CIPHER_CTX *CMS_RecipientInfo_kari_get0_ctx(CMS_RecipientInfo *ri);
int CMS_RecipientInfo_kari_decrypt(CMS_ContentInfo *cms,
    CMS_RecipientInfo *ri,
    CMS_RecipientEncryptedKey *rek);

int CMS_SharedInfo_encode(unsigned char **pder, X509_ALGOR *kealg,
    ASN1_OCTET_STRING *ukm, int keylen);

/* Backward
compatibility for spelling errors. */
#define CMS_R_UNKNOWN_DIGEST_ALGORITHM CMS_R_UNKNOWN_DIGEST_ALGORITHM
#define CMS_R_UNSUPPORTED_RECIPIENTINFO_TYPE \
    CMS_R_UNSUPPORTED_RECIPIENTINFO_TYPE

#ifdef __cplusplus
}
#endif
#endif
#endif
#endif

Copyright (c) 2006 Apple Computer, Inc. All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder(s) nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2015-2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
```

'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',

'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',

'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',

'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',


```
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',
```

```
],
```

```
'openssl_sources_BSD-x86': [
```

```
 './config/archs/BSD-x86/asm/crypto/aes/aes-586.S',
 './config/archs/BSD-x86/asm/crypto/aes/aesni-x86.S',
 './config/archs/BSD-x86/asm/crypto/aes/vpaes-x86.S',
 './config/archs/BSD-x86/asm/crypto/bf/bf-586.S',
 './config/archs/BSD-x86/asm/crypto/bn/bn-586.S',
 './config/archs/BSD-x86/asm/crypto/bn/co-586.S',
 './config/archs/BSD-x86/asm/crypto/bn/x86-gf2m.S',
 './config/archs/BSD-x86/asm/crypto/bn/x86-mont.S',
 './config/archs/BSD-x86/asm/crypto/camellia/cml1-x86.S',
 './config/archs/BSD-x86/asm/crypto/chacha/chacha-x86.S',
 './config/archs/BSD-x86/asm/crypto/des/crypt586.S',
 './config/archs/BSD-x86/asm/crypto/des/des-586.S',
 './config/archs/BSD-x86/asm/crypto/ec/ecp_nistz256-x86.S',
 './config/archs/BSD-x86/asm/crypto/x86cpuid.S',
 './config/archs/BSD-x86/asm/crypto/md5/md5-586.S',
 './config/archs/BSD-x86/asm/crypto/modes/ghash-x86.S',
```

```

'./config/archs/BSD-x86/asm/crypto/poly1305/poly1305-x86.S',
'./config/archs/BSD-x86/asm/crypto/rc4/rc4-586.S',
'./config/archs/BSD-x86/asm/crypto/ripemd/rmd-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha1-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha256-586.S',
'./config/archs/BSD-x86/asm/crypto/sha/sha512-586.S',
'./config/archs/BSD-x86/asm/crypto/whrlpool/wp-mmx.S',
'./config/archs/BSD-x86/asm/engines/e_padlock-x86.S',
'./config/archs/BSD-x86/asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/asm/providers/legacy.ld',
'./config/archs/BSD-x86/asm/providers/fips.ld',

],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'FIPS_MODULE',
'GHASH_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'FIPS_MODULE',
],
'openssl_cflags_BSD-x86': [
'-Wa,--noexecstack',
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',

```

```

],
'linker_script': "
},
'include_dirs': [
    '.',
    './include',
    './crypto',
    './crypto/include/internal',
    './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
    'include_dirs': ['./include', '.'],
    'defines': ['<@(openssl_defines_BSD-x86)'],
},
}

```

The ISC License

Copyright (c) 2010-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2018 Toru Nagashima

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This library bundles a version of the `fs.realpath` and `fs.realpathSync` methods from Node.js v0.10 under the terms of the Node.js MIT license.

Node's license follows, also included at the header of `old.js` which contains the licensed code:

Copyright Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2015 Titus Wormer <tituswormer@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2015 Roy Riojas

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/x509v3.h.in

*

* Copyright 1999-2023 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_X509V3_H

#define OPENSSL_X509V3_H

#pragma once

#include <openssl/macros.h>

#ifndef OPENSSL_NO_DEPRECATED_3_0

#define HEADER_X509V3_H

#endif

#include <openssl/bio.h>

#include <openssl/x509.h>

#include <openssl/conf.h>

#include <openssl/x509v3err.h>

#ifdef __cplusplus

extern "C" {

#endif

/* Forward reference */

struct v3_ext_method;

struct v3_ext_ctx;

/* Useful typedefs */

typedef void (*X509V3_EXT_NEW)(void);

typedef void (*X509V3_EXT_FREE)(void *);

typedef void (*X509V3_EXT_D2I)(void *, const unsigned
char **, long);

typedef int (*X509V3_EXT_I2D)(const void *, unsigned char **);

```

typedef STACK_OF(CONF_VALUE)>(*X509V3_EXT_I2V)(const struct v3_ext_method *method, void *ext,
    STACK_OF(CONF_VALUE) *extlist);
typedef void(*X509V3_EXT_V2I)(const struct v3_ext_method *method,
    struct v3_ext_ctx *ctx,
    STACK_OF(CONF_VALUE) *values);
typedef char(*X509V3_EXT_I2S)(const struct v3_ext_method *method,
    void *ext);
typedef void(*X509V3_EXT_S2I)(const struct v3_ext_method *method,
    struct v3_ext_ctx *ctx, const char *str);
typedef int(*X509V3_EXT_I2R)(const struct v3_ext_method *method, void *ext,
    BIO *out, int indent);
typedef void(*X509V3_EXT_R2I)(const struct v3_ext_method *method,
    struct v3_ext_ctx *ctx, const char *str);

```

```

/* V3 extension structure */

```

```

struct v3_ext_method {
    int ext_nid;
    int ext_flags;
    /* If this is set the following four fields are ignored */
    ASN1_ITEM_EXP *it;
    /* Old style ASN1 calls */
    X509V3_EXT_NEW ext_new;
    X509V3_EXT_FREE
ext_free;
    X509V3_EXT_D2I d2i;
    X509V3_EXT_I2D i2d;
    /* The following pair is used for string extensions */
    X509V3_EXT_I2S i2s;
    X509V3_EXT_S2I s2i;
    /* The following pair is used for multi-valued extensions */
    X509V3_EXT_I2V i2v;
    X509V3_EXT_V2I v2i;
    /* The following are used for raw extensions */
    X509V3_EXT_I2R i2r;
    X509V3_EXT_R2I r2i;
    void *usr_data; /* Any extension specific data */
};

```

```

typedef struct X509V3_CONF_METHOD_st {
    char>(*get_string)(void *db, const char *section, const char *value);
    STACK_OF(CONF_VALUE)>(*get_section)(void *db, const char *section);
    void(*free_string)(void *db, char *string);
    void(*free_section)(void *db, STACK_OF(CONF_VALUE) *section);
} X509V3_CONF_METHOD;

```

```

/* Context specific info for producing X509 v3 extensions*/

```

```

struct v3_ext_ctx {

```

```

#define X509V3_CTX_TEST 0x1
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define CTX_TEST X509V3_CTX_TEST
#endif
#define X509V3_CTX_REPLACE 0x2
    int flags;
    X509 *issuer_cert;
    X509 *subject_cert;
    X509_REQ *subject_req;
    X509_CRL *crl;
    X509V3_CONF_METHOD *db_meth;
    void *db;
    EVP_PKEY *issuer_pkey;
    /* Maybe more here */
};

typedef struct v3_ext_method X509V3_EXT_METHOD;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509V3_EXT_METHOD, X509V3_EXT_METHOD,
X509V3_EXT_METHOD)
#define sk_X509V3_EXT_METHOD_num(sk)
OPENSSL_sk_num(ossl_check_const_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_value(sk, idx) ((X509V3_EXT_METHOD
*)OPENSSL_sk_value(ossl_check_const_X509V3_EXT_METHOD_sk_type(sk), (idx)))
#define sk_X509V3_EXT_METHOD_new(cmp) ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_new(ossl_check_X509V3_EXT_METHOD_compfunc_type(cmp)))
#define sk_X509V3_EXT_METHOD_new_null() ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_new_null())
#define sk_X509V3_EXT_METHOD_new_reserve(cmp, n) ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_new_reserve(ossl_check_X509V3_EXT_METHOD_compfunc_type(cmp), (n)))
#define sk_X509V3_EXT_METHOD_reserve(sk,
n) OPENSSL_sk_reserve(ossl_check_X509V3_EXT_METHOD_sk_type(sk), (n))
#define sk_X509V3_EXT_METHOD_free(sk)
OPENSSL_sk_free(ossl_check_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_zero(sk)
OPENSSL_sk_zero(ossl_check_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_delete(sk, i) ((X509V3_EXT_METHOD
*)OPENSSL_sk_delete(ossl_check_X509V3_EXT_METHOD_sk_type(sk), (i)))
#define sk_X509V3_EXT_METHOD_delete_ptr(sk, ptr) ((X509V3_EXT_METHOD
*)OPENSSL_sk_delete_ptr(ossl_check_X509V3_EXT_METHOD_sk_type(sk),
ossl_check_X509V3_EXT_METHOD_type(ptr)))
#define sk_X509V3_EXT_METHOD_push(sk, ptr)
OPENSSL_sk_push(ossl_check_X509V3_EXT_METHOD_sk_type(sk),
ossl_check_X509V3_EXT_METHOD_type(ptr))
#define sk_X509V3_EXT_METHOD_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_X509V3_EXT_METHOD_sk_type(sk),
ossl_check_X509V3_EXT_METHOD_type(ptr))

```



```

#define sk_X509V3_EXT_METHOD_pop(sk) ((X509V3_EXT_METHOD
*)OPENSSL_sk_pop(ssl_check_X509V3_EXT_METHOD_sk_type(sk)))
#define
sk_X509V3_EXT_METHOD_shift(sk) ((X509V3_EXT_METHOD
*)OPENSSL_sk_shift(ssl_check_X509V3_EXT_METHOD_sk_type(sk)))
#define sk_X509V3_EXT_METHOD_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509V3_EXT_METHOD_sk_type(sk),ssl_check_X509V3_EXT_METHOD
_freefunc_type(freefunc))
#define sk_X509V3_EXT_METHOD_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr), (idx))
#define sk_X509V3_EXT_METHOD_set(sk, idx, ptr) ((X509V3_EXT_METHOD
*)OPENSSL_sk_set(ssl_check_X509V3_EXT_METHOD_sk_type(sk), (idx),
ssl_check_X509V3_EXT_METHOD_type(ptr)))
#define sk_X509V3_EXT_METHOD_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr))
#define sk_X509V3_EXT_METHOD_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr))
#define sk_X509V3_EXT_METHOD_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_type(ptr), pnum)
#define sk_X509V3_EXT_METHOD_sort(sk)
OPENSSL_sk_sort(ssl_check_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk))
#define sk_X509V3_EXT_METHOD_dup(sk) ((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_dup(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk)))
#define sk_X509V3_EXT_METHOD_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(X509V3_EXT_METHOD)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509V3_EXT_METHOD_sk_type(sk),
ssl_check_X509V3_EXT_METHOD_copyfunc_type(copyfunc),
ssl_check_X509V3_EXT_METHOD_freefunc_type(freefunc)))
#define sk_X509V3_EXT_METHOD_set_cmp_func(sk, cmp)
((sk_X509V3_EXT_METHOD_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509V3_EXT_METHOD_sk
_type(sk), ssl_check_X509V3_EXT_METHOD_compfunc_type(cmp)))

/* clang-format on */

/* ext_flags values */
#define X509V3_EXT_DYNAMIC 0x1
#define X509V3_EXT_CTX_DEP 0x2
#define X509V3_EXT_MULTILINE
0x4

typedef BIT_STRING_BITNAME ENUMERATED_NAMES;

```

```

typedef struct BASIC_CONSTRAINTS_st {
    int ca;
    ASN1_INTEGER *pathlen;
} BASIC_CONSTRAINTS;

typedef struct PKEY_USAGE_PERIOD_st {
    ASN1_GENERALIZEDTIME *notBefore;
    ASN1_GENERALIZEDTIME *notAfter;
} PKEY_USAGE_PERIOD;

typedef struct otherName_st {
    ASN1_OBJECT *type_id;
    ASN1_TYPE *value;
} OTHERNAME;

typedef struct EDIPartyName_st {
    ASN1_STRING *nameAssigner;
    ASN1_STRING *partyName;
} EDIPARTYNAME;

typedef struct GENERAL_NAME_st {
#define GEN_OTHERNAME 0
#define GEN_EMAIL 1
#define GEN_DNS 2
#define GEN_X400 3
#define GEN_DIRNAME 4
#define GEN_EDIPARTY 5
#define GEN_URI 6
#define GEN_IPADD 7
#define GEN_RID 8
    int type;
    union {
        char *ptr;
        OTHERNAME *otherName; /* otherName */
        ASN1_IA5STRING *rfc822Name;
        ASN1_IA5STRING *dNSName;
        ASN1_STRING *x400Address;
        X509_NAME *directoryName;
        EDIPARTYNAME *ediPartyName;
        ASN1_IA5STRING
*uniformResourceIdentifier;
        ASN1_OCTET_STRING *iPAddress;
        ASN1_OBJECT *registeredID;
        /* Old names */
        ASN1_OCTET_STRING *ip; /* iPAddress */
        X509_NAME *dirn; /* dirn */
        ASN1_IA5STRING *ia5; /* rfc822Name, dNSName,
            * uniformResourceIdentifier */
    }

```

```

ASN1_OBJECT *rid; /* registeredID */
ASN1_TYPE *other; /* x400Address */
} d;
} GENERAL_NAME;

typedef struct ACCESS_DESCRIPTION_st {
    ASN1_OBJECT *method;
    GENERAL_NAME *location;
} ACCESS_DESCRIPTION;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ACCESS_DESCRIPTION, ACCESS_DESCRIPTION,
ACCESS_DESCRIPTION)
#define sk_ACCESS_DESCRIPTION_num(sk)
OPENSSL_sk_num(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_value(sk, idx) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_value(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk), (idx)))
#define sk_ACCESS_DESCRIPTION_new(cmp) ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_new(ssl_check_ACCESS_DESCRIPTION_compfunc_type(cmp)))
#define
sk_ACCESS_DESCRIPTION_new_null() ((STACK_OF(ACCESS_DESCRIPTION) *)OPENSSL_sk_new_null())
#define sk_ACCESS_DESCRIPTION_new_reserve(cmp, n) ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_new_reserve(ssl_check_ACCESS_DESCRIPTION_compfunc_type(cmp), (n)))
#define sk_ACCESS_DESCRIPTION_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), (n))
#define sk_ACCESS_DESCRIPTION_free(sk)
OPENSSL_sk_free(ssl_check_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_zero(sk)
OPENSSL_sk_zero(ssl_check_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_delete(sk, i) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_delete(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), (i)))
#define sk_ACCESS_DESCRIPTION_delete_ptr(sk, ptr) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_delete_ptr(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr)))
#define sk_ACCESS_DESCRIPTION_push(sk, ptr)
OPENSSL_sk_push(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_pop(sk) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_pop(ssl_check_ACCESS_DESCRIPTION_sk_type(sk)))
#define sk_ACCESS_DESCRIPTION_shift(sk) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_shift(ssl_check_ACCESS_DESCRIPTION_sk_type(sk)))
#define sk_ACCESS_DESCRIPTION_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), ssl_check_ACCESS_DESCRIPTOR
N_freefunc_type(freefunc))
#define sk_ACCESS_DESCRIPTION_insert(sk, ptr, idx)

```

```

OPENSSL_sk_insert(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr), (idx))
#define sk_ACCESS_DESCRIPTION_set(sk, idx, ptr) ((ACCESS_DESCRIPTION
*)OPENSSL_sk_set(ssl_check_ACCESS_DESCRIPTION_sk_type(sk), (idx),
ssl_check_ACCESS_DESCRIPTION_type(ptr)))
#define sk_ACCESS_DESCRIPTION_find(sk,
ptr) OPENSSL_sk_find(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr))
#define sk_ACCESS_DESCRIPTION_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_type(ptr), pnum)
#define sk_ACCESS_DESCRIPTION_sort(sk)
OPENSSL_sk_sort(ssl_check_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk))
#define sk_ACCESS_DESCRIPTION_dup(sk) ((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_dup(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk)))
#define sk_ACCESS_DESCRIPTION_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(ACCESS_DESCRIPTION)
*)OPENSSL_sk_deep_copy(ssl_check_const_ACCESS_DESCRIPTION_sk_type(sk),
ssl_check_ACCESS_DESCRIPTION_copyfunc_type(copyfunc),
ssl_check_ACCESS_DESCRIPTION_freefunc_type(freefunc)))
#define sk_ACCESS_DESCRIPTION_set_cmp_func(sk, cmp)
((sk_ACCESS_DESCRIPTION_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ACCESS_DESCRIPTION_s
k_type(sk), ssl_check_ACCESS_DESCRIPTION_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(GENERAL_NAME, GENERAL_NAME, GENERAL_NAME)
#define sk_GENERAL_NAME_num(sk) OPENSSL_sk_num(ssl_check_const_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_value(sk, idx) ((GENERAL_NAME
*)OPENSSL_sk_value(ssl_check_const_GENERAL_NAME_sk_type(sk), (idx)))
#define sk_GENERAL_NAME_new(cmp) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_new(ssl_check_GENERAL_NAME_compfunc_type(cmp)))
#define sk_GENERAL_NAME_new_null() ((STACK_OF(GENERAL_NAME) *)OPENSSL_sk_new_null())
#define sk_GENERAL_NAME_new_reserve(cmp, n) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_new_reserve(ssl_check_GENERAL_NAME_compfunc_type(cmp), (n)))
#define sk_GENERAL_NAME_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_GENERAL_NAME_sk_type(sk),
(n))
#define
sk_GENERAL_NAME_free(sk) OPENSSL_sk_free(ssl_check_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_zero(sk) OPENSSL_sk_zero(ssl_check_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_delete(sk, i) ((GENERAL_NAME
*)OPENSSL_sk_delete(ssl_check_GENERAL_NAME_sk_type(sk), (i)))
#define sk_GENERAL_NAME_delete_ptr(sk, ptr) ((GENERAL_NAME
*)OPENSSL_sk_delete_ptr(ssl_check_GENERAL_NAME_sk_type(sk),
ssl_check_GENERAL_NAME_type(ptr)))
#define sk_GENERAL_NAME_push(sk, ptr) OPENSSL_sk_push(ssl_check_GENERAL_NAME_sk_type(sk),

```

```

ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_pop(sk) ((GENERAL_NAME
*)OPENSSL_sk_pop(ossl_check_GENERAL_NAME_sk_type(sk)))
#define sk_GENERAL_NAME_shift(sk) ((GENERAL_NAME
*)OPENSSL_sk_shift(ossl_check_GENERAL_NAME_sk_type(sk)))
#define sk_GENERAL_NAME_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_freefunc_type(freefunc))
#define
sk_GENERAL_NAME_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_GENERAL_NAME_sk_type(sk),
ossl_check_GENERAL_NAME_type(ptr), (idx))
#define sk_GENERAL_NAME_set(sk, idx, ptr) ((GENERAL_NAME
*)OPENSSL_sk_set(ossl_check_GENERAL_NAME_sk_type(sk), (idx),
ossl_check_GENERAL_NAME_type(ptr)))
#define sk_GENERAL_NAME_find(sk, ptr) OPENSSL_sk_find(ossl_check_GENERAL_NAME_sk_type(sk),
ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_type(ptr))
#define sk_GENERAL_NAME_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_GENERAL_NAME_sk_type(sk), ossl_check_GENERAL_NAME_type(ptr),
pnum)
#define sk_GENERAL_NAME_sort(sk) OPENSSL_sk_sort(ossl_check_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_GENERAL_NAME_sk_type(sk))
#define sk_GENERAL_NAME_dup(sk) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_dup(ossl_check_const_GENERAL_NAME_sk_type(sk)))
#define sk_GENERAL_NAME_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(GENERAL_NAME)
*)OPENSSL_sk_deep_copy(ossl_check_const_GENERAL_NAME_sk_type(sk),
ossl_check_GENERAL_NAME_copyfunc_type(copyfunc),
ossl_check_GENERAL_NAME_freefunc_type(freefunc)))
#define sk_GENERAL_NAME_set_cmp_func(sk, cmp)
((sk_GENERAL_NAME_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_GENERAL_NAME_sk_type(sk),
ossl_check_GENERAL_NAME_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

typedef STACK_OF(ACCESS_DESCRIPTION) AUTHORITY_INFO_ACCESS;
typedef STACK_OF(ASN1_OBJECT) EXTENDED_KEY_USAGE;
typedef STACK_OF(ASN1_INTEGER) TLS_FEATURE;
typedef STACK_OF(GENERAL_NAME) GENERAL_NAMES;

```

```

/* clang-format off */

```

```

SKM_DEFINE_STACK_OF_INTERNAL(GENERAL_NAMES, GENERAL_NAMES, GENERAL_NAMES)
#define sk_GENERAL_NAMES_num(sk)
OPENSSL_sk_num(ossl_check_const_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_value(sk, idx) ((GENERAL_NAMES

```

```

*)OPENSSL_sk_value(ssl_check_const_GENERAL_NAMES_sk_type(sk),
(idx)))
#define sk_GENERAL_NAMES_new(cmp) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_new(ssl_check_GENERAL_NAMES_compfunc_type(cmp)))
#define sk_GENERAL_NAMES_new_null() ((STACK_OF(GENERAL_NAMES) *)OPENSSL_sk_new_null())
#define sk_GENERAL_NAMES_new_reserve(cmp, n) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_new_reserve(ssl_check_GENERAL_NAMES_compfunc_type(cmp), (n)))
#define sk_GENERAL_NAMES_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_GENERAL_NAMES_sk_type(sk), (n))
#define sk_GENERAL_NAMES_free(sk) OPENSSL_sk_free(ssl_check_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_zero(sk) OPENSSL_sk_zero(ssl_check_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_delete(sk, i) ((GENERAL_NAMES
*)OPENSSL_sk_delete(ssl_check_GENERAL_NAMES_sk_type(sk), (i)))
#define sk_GENERAL_NAMES_delete_ptr(sk, ptr) ((GENERAL_NAMES
*)OPENSSL_sk_delete_ptr(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_type(ptr)))
#define sk_GENERAL_NAMES_push(sk, ptr) OPENSSL_sk_push(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_type(ptr))
#define sk_GENERAL_NAMES_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_GENERAL_NAMES_sk_type(sk), ssl_check_GENERAL_NAMES_type(ptr))
#define sk_GENERAL_NAMES_pop(sk) ((GENERAL_NAMES
*)OPENSSL_sk_pop(ssl_check_GENERAL_NAMES_sk_type(sk)))
#define sk_GENERAL_NAMES_shift(sk) ((GENERAL_NAMES
*)OPENSSL_sk_shift(ssl_check_GENERAL_NAMES_sk_type(sk)))
#define sk_GENERAL_NAMES_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_GENERAL_NAMES_sk_type(sk),ssl_check_GENERAL_NAMES_freefunc
_type(freefunc))
#define sk_GENERAL_NAMES_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_GENERAL_NAMES_sk_type(sk), ssl_check_GENERAL_NAMES_type(ptr),
(idx))
#define sk_GENERAL_NAMES_set(sk, idx, ptr) ((GENERAL_NAMES
*)OPENSSL_sk_set(ssl_check_GENERAL_NAMES_sk_type(sk), (idx),
ssl_check_GENERAL_NAMES_type(ptr)))
#define sk_GENERAL_NAMES_find(sk, ptr) OPENSSL_sk_find(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_type(ptr))
#define
sk_GENERAL_NAMES_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_GENERAL_NAMES_sk_type(sk),
ssl_check_GENERAL_NAMES_type(ptr))
#define sk_GENERAL_NAMES_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_GENERAL_NAMES_sk_type(sk), ssl_check_GENERAL_NAMES_type(ptr),
pnum)
#define sk_GENERAL_NAMES_sort(sk) OPENSSL_sk_sort(ssl_check_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_GENERAL_NAMES_sk_type(sk))
#define sk_GENERAL_NAMES_dup(sk) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_dup(ssl_check_const_GENERAL_NAMES_sk_type(sk)))
#define sk_GENERAL_NAMES_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(GENERAL_NAMES)
*)OPENSSL_sk_deep_copy(ssl_check_const_GENERAL_NAMES_sk_type(sk),

```

```

ossl_check_GENERAL_NAMES_copyfunc_type(copyfunc),
ossl_check_GENERAL_NAMES_freefunc_type(freefunc)))
#define sk_GENERAL_NAMES_set_cmp_func(sk, cmp)
((sk_GENERAL_NAMES_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_GENERAL_NAMES_sk_type(sk),
ossl_check_GENERAL_NAMES_compfunc_type(cmp)))

/* clang-format on */

typedef struct DIST_POINT_NAME_st {
    int type;
    union {
        GENERAL_NAMES *fullname;
        STACK_OF(X509_NAME_ENTRY) *relativename;
    } name;
    /* If relativename then this contains the full distribution point name */
    X509_NAME *dpname;
} DIST_POINT_NAME;
/* All existing reasons */
#define CRLDP_ALL_REASONS 0x807f

#define CRL_REASON_NONE -1
#define CRL_REASON_UNSPECIFIED 0
#define CRL_REASON_KEY_COMPROMISE 1
#define CRL_REASON_CA_COMPROMISE 2
#define CRL_REASON_AFFILIATION_CHANGED 3
#define CRL_REASON_SUPERSEDED 4
#define CRL_REASON_CESSATION_OF_OPERATION 5
#define CRL_REASON_CERTIFICATE_HOLD 6
#define CRL_REASON_REMOVE_FROM_CRL 8
#define CRL_REASON_PRIVILEGE_WITHDRAWN 9
#define CRL_REASON_AA_COMPROMISE 10

struct DIST_POINT_st {
    DIST_POINT_NAME *distpoint;
    ASN1_BIT_STRING *reasons;
    GENERAL_NAMES *CRLissuer;
    int dp_reasons;
};

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(DIST_POINT,
DIST_POINT, DIST_POINT)
#define sk_DIST_POINT_num(sk) OPENSSL_sk_num(ossl_check_const_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_value(sk, idx) ((DIST_POINT
*)OPENSSL_sk_value(ossl_check_const_DIST_POINT_sk_type(sk), (idx)))
#define sk_DIST_POINT_new(cmp) ((STACK_OF(DIST_POINT)
*)OPENSSL_sk_new(ossl_check_DIST_POINT_compfunc_type(cmp)))
#define sk_DIST_POINT_new_null() ((STACK_OF(DIST_POINT) *)OPENSSL_sk_new_null())

```

```

#define sk_DIST_POINT_new_reserve(cmp, n) ((STACK_OF(DIST_POINT)
*)OPENSSL_sk_new_reserve(ssl_check_DIST_POINT_compfunc_type(cmp), (n)))
#define sk_DIST_POINT_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_DIST_POINT_sk_type(sk), (n))
#define sk_DIST_POINT_free(sk) OPENSSL_sk_free(ssl_check_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_zero(sk) OPENSSL_sk_zero(ssl_check_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_delete(sk, i) ((DIST_POINT
*)OPENSSL_sk_delete(ssl_check_DIST_POINT_sk_type(sk), (i)))
#define sk_DIST_POINT_delete_ptr(sk, ptr) ((DIST_POINT
*)OPENSSL_sk_delete_ptr(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr)))
#define sk_DIST_POINT_push(sk, ptr) OPENSSL_sk_push(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_pop(sk) ((DIST_POINT *)OPENSSL_sk_pop(ssl_check_DIST_POINT_sk_type(sk)))
#define sk_DIST_POINT_shift(sk) ((DIST_POINT *)OPENSSL_sk_shift(ssl_check_DIST_POINT_sk_type(sk)))
#define sk_DIST_POINT_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_DIST_POINT_sk_type(sk), ssl_check_DIST_POINT_freefunc_type(freefunc)
)
#define sk_DIST_POINT_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr), (idx))
#define sk_DIST_POINT_set(sk, idx, ptr) ((DIST_POINT
*)OPENSSL_sk_set(ssl_check_DIST_POINT_sk_type(sk), (idx), ssl_check_DIST_POINT_type(ptr)))
#define sk_DIST_POINT_find(sk, ptr) OPENSSL_sk_find(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr))
#define sk_DIST_POINT_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_type(ptr), pnum)
#define sk_DIST_POINT_sort(sk) OPENSSL_sk_sort(ssl_check_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_DIST_POINT_sk_type(sk))
#define sk_DIST_POINT_dup(sk) ((STACK_OF(DIST_POINT)
*)OPENSSL_sk_dup(ssl_check_DIST_POINT_sk_type(sk)))
#define sk_DIST_POINT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(DIST_POINT)
*)OPENSSL_sk_deep_copy(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_copyfunc_type(copyfunc), ssl_check_DIST_POINT_freefunc_type(freefunc)))
#define sk_DIST_POINT_set_cmp_func(sk, cmp)
((sk_DIST_POINT_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_DIST_POINT_sk_type(sk),
ssl_check_DIST_POINT_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

typedef STACK_OF(DIST_POINT) CRL_DIST_POINTS;

```

```

struct AUTHORITY_KEYID_st {
    ASN1_OCTET_STRING *keyid;
    GENERAL_NAMES *issuer;
    ASN1_INTEGER *serial;

```



```

};

/* Strong extranet structures */

typedef struct SXNET_ID_st {
    ASN1_INTEGER *zone;
    ASN1_OCTET_STRING *user;
} SXNETID;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(SXNETID, SXNETID, SXNETID)
#define sk_SXNETID_num(sk) OPENSSL_sk_num(ssl_check_const_SXNETID_sk_type(sk))
#define sk_SXNETID_value(sk, idx) ((SXNETID *)OPENSSL_sk_value(ssl_check_const_SXNETID_sk_type(sk), (idx)))
#define sk_SXNETID_new(cmp) ((STACK_OF(SXNETID) *)OPENSSL_sk_new(ssl_check_SXNETID_compfunc_type(cmp)))
#define sk_SXNETID_new_null() ((STACK_OF(SXNETID) *)OPENSSL_sk_new_null())
#define sk_SXNETID_new_reserve(cmp, n) ((STACK_OF(SXNETID) *)OPENSSL_sk_new_reserve(ssl_check_SXNETID_compfunc_type(cmp), (n)))
#define sk_SXNETID_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SXNETID_sk_type(sk), (n))
#define sk_SXNETID_free(sk) OPENSSL_sk_free(ssl_check_SXNETID_sk_type(sk))
#define sk_SXNETID_zero(sk) OPENSSL_sk_zero(ssl_check_SXNETID_sk_type(sk))
#define sk_SXNETID_delete(sk, i) ((SXNETID *)OPENSSL_sk_delete(ssl_check_SXNETID_sk_type(sk), (i)))
#define sk_SXNETID_delete_ptr(sk, ptr) ((SXNETID *)OPENSSL_sk_delete_ptr(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_type(ptr)))
#define sk_SXNETID_push(sk, ptr) OPENSSL_sk_push(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_type(ptr))
#define sk_SXNETID_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_type(ptr))
#define sk_SXNETID_pop(sk) ((SXNETID *)OPENSSL_sk_pop(ssl_check_SXNETID_sk_type(sk)))
#define sk_SXNETID_shift(sk) ((SXNETID *)OPENSSL_sk_shift(ssl_check_SXNETID_sk_type(sk)))
#define sk_SXNETID_pop_free(sk, freefunc) OPENSSL_sk_pop_free(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_freefunc_type(freefunc))
#define sk_SXNETID_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_type(ptr), (idx))
#define sk_SXNETID_set(sk, idx, ptr) ((SXNETID *)OPENSSL_sk_set(ssl_check_SXNETID_sk_type(sk), (idx), ssl_check_SXNETID_type(ptr)))
#define sk_SXNETID_find(sk, ptr) OPENSSL_sk_find(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_type(ptr))
#define sk_SXNETID_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_type(ptr))
#define sk_SXNETID_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_SXNETID_sk_type(sk), ssl_check_SXNETID_type(ptr), pnum)
#define sk_SXNETID_sort(sk) OPENSSL_sk_sort(ssl_check_SXNETID_sk_type(sk))
#define sk_SXNETID_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_SXNETID_sk_type(sk))
#define sk_SXNETID_dup(sk) ((STACK_OF(SXNETID) *)OPENSSL_sk_dup(ssl_check_const_SXNETID_sk_type(sk)))

```

```

#define sk_SXNETID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SXNETID)
*)OPENSSL_sk_deep_copy(ossl_check_const_SXNETID_sk_type(sk),
ossl_check_SXNETID_copyfunc_type(copyfunc),
ossl_check_SXNETID_freefunc_type(freefunc)))
#define sk_SXNETID_set_cmp_func(sk, cmp)
((sk_SXNETID_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SXNETID_sk_type(sk),
ossl_check_SXNETID_compfunc_type(cmp)))

/* clang-format on */

typedef struct SXNET_st {
    ASN1_INTEGER *version;
    STACK_OF(SXNETID) *ids;
} SXNET;

typedef struct ISSUER_SIGN_TOOL_st {
    ASN1_UTF8STRING *signTool;
    ASN1_UTF8STRING *cATool;
    ASN1_UTF8STRING *signToolCert;
    ASN1_UTF8STRING *cAToolCert;
} ISSUER_SIGN_TOOL;

typedef struct NOTICEREF_st {
    ASN1_STRING *organization;
    STACK_OF(ASN1_INTEGER) *noticenos;
} NOTICEREF;

typedef struct USERNOTICE_st {
    NOTICEREF *noticeref;
    ASN1_STRING *exptext;
} USERNOTICE;

typedef struct POLICYQUALINFO_st {
    ASN1_OBJECT *pqualid;
    union {
        ASN1_IA5STRING *cpsuri;
        USERNOTICE *usernotice;
        ASN1_TYPE *other;
    } d;
} POLICYQUALINFO;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(POLICYQUALINFO,
POLICYQUALINFO, POLICYQUALINFO)
#define sk_POLICYQUALINFO_num(sk)
OPENSSL_sk_num(ossl_check_const_POLICYQUALINFO_sk_type(sk))
#define sk_POLICYQUALINFO_value(sk, idx) ((POLICYQUALINFO
*)OPENSSL_sk_value(ossl_check_const_POLICYQUALINFO_sk_type(sk), (idx)))

```

```

#define sk_POLICYQUALINFO_new(cmp) ((STACK_OF(POLICYQUALINFO)
*)OPENSSL_sk_new(ssl_check_POLICYQUALINFO_compfunc_type(cmp)))
#define sk_POLICYQUALINFO_new_null() ((STACK_OF(POLICYQUALINFO) *)OPENSSL_sk_new_null())
#define sk_POLICYQUALINFO_new_reserve(cmp, n) ((STACK_OF(POLICYQUALINFO)
*)OPENSSL_sk_new_reserve(ssl_check_POLICYQUALINFO_compfunc_type(cmp), (n)))
#define sk_POLICYQUALINFO_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_POLICYQUALINFO_sk_type(sk), (n))
#define sk_POLICYQUALINFO_free(sk) OPENSSL_sk_free(ssl_check_POLICYQUALINFO_sk_type(sk))
#define sk_POLICYQUALINFO_zero(sk) OPENSSL_sk_zero(ssl_check_POLICYQUALINFO_sk_type(sk))
#define sk_POLICYQUALINFO_delete(sk, i) ((POLICYQUALINFO
*)OPENSSL_sk_delete(ssl_check_POLICYQUALINFO_sk_type(sk),
(i)))
#define sk_POLICYQUALINFO_delete_ptr(sk, ptr) ((POLICYQUALINFO
*)OPENSSL_sk_delete_ptr(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_type(ptr)))
#define sk_POLICYQUALINFO_push(sk, ptr) OPENSSL_sk_push(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_type(ptr))
#define sk_POLICYQUALINFO_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_POLICYQUALINFO_sk_type(sk), ssl_check_POLICYQUALINFO_type(ptr))
#define sk_POLICYQUALINFO_pop(sk) ((POLICYQUALINFO
*)OPENSSL_sk_pop(ssl_check_POLICYQUALINFO_sk_type(sk)))
#define sk_POLICYQUALINFO_shift(sk) ((POLICYQUALINFO
*)OPENSSL_sk_shift(ssl_check_POLICYQUALINFO_sk_type(sk)))
#define sk_POLICYQUALINFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_POLICYQUALINFO_sk_type(sk), ssl_check_POLICYQUALINFO_freefunc
_type(freefunc))
#define sk_POLICYQUALINFO_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_POLICYQUALINFO_sk_type(sk), ssl_check_POLICYQUALINFO_type(ptr),
(idx))
#define
sk_POLICYQUALINFO_set(sk, idx, ptr) ((POLICYQUALINFO
*)OPENSSL_sk_set(ssl_check_POLICYQUALINFO_sk_type(sk), (idx),
ssl_check_POLICYQUALINFO_type(ptr)))
#define sk_POLICYQUALINFO_find(sk, ptr) OPENSSL_sk_find(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_type(ptr))
#define sk_POLICYQUALINFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_POLICYQUALINFO_sk_type(sk),
ssl_check_POLICYQUALINFO_type(ptr))
#define sk_POLICYQUALINFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_POLICYQUALINFO_sk_type(sk), ssl_check_POLICYQUALINFO_type(ptr),
pnum)
#define sk_POLICYQUALINFO_sort(sk) OPENSSL_sk_sort(ssl_check_POLICYQUALINFO_sk_type(sk))
#define sk_POLICYQUALINFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_POLICYQUALINFO_sk_type(sk))
#define sk_POLICYQUALINFO_dup(sk) ((STACK_OF(POLICYQUALINFO)
*)OPENSSL_sk_dup(ssl_check_const_POLICYQUALINFO_sk_type(sk)))
#define sk_POLICYQUALINFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(POLICYQUALINFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_POLICYQUALINFO_sk_type(sk),

```

```

    ossl_check_POLICYQUALINFO_copyfunc_type(copyfunc),
    ossl_check_POLICYQUALINFO_freefunc_type(freefunc)))
#define sk_POLICYQUALINFO_set_cmp_func(sk, cmp)
((sk_POLICYQUALINFO_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_POLICYQUALINFO_sk_type(sk),
    ossl_check_POLICYQUALINFO_compfunc_type(cmp)))

/* clang-format on */

typedef struct POLICYINFO_st {
    ASN1_OBJECT *policyid;
    STACK_OF(POLICYQUALINFO) *qualifiers;
} POLICYINFO;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(POLICYINFO, POLICYINFO, POLICYINFO)
#define sk_POLICYINFO_num(sk) OPENSSL_sk_num(ossl_check_const_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_value(sk, idx) ((POLICYINFO
*)OPENSSL_sk_value(ossl_check_const_POLICYINFO_sk_type(sk), (idx)))
#define sk_POLICYINFO_new(cmp) ((STACK_OF(POLICYINFO)
*)OPENSSL_sk_new(ossl_check_POLICYINFO_compfunc_type(cmp)))
#define sk_POLICYINFO_new_null() ((STACK_OF(POLICYINFO) *)OPENSSL_sk_new_null())
#define sk_POLICYINFO_new_reserve(cmp,
    n) ((STACK_OF(POLICYINFO) *)OPENSSL_sk_new_reserve(ossl_check_POLICYINFO_compfunc_type(cmp),
    (n)))
#define sk_POLICYINFO_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_POLICYINFO_sk_type(sk), (n))
#define sk_POLICYINFO_free(sk) OPENSSL_sk_free(ossl_check_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_zero(sk) OPENSSL_sk_zero(ossl_check_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_delete(sk, i) ((POLICYINFO
*)OPENSSL_sk_delete(ossl_check_POLICYINFO_sk_type(sk), (i)))
#define sk_POLICYINFO_delete_ptr(sk, ptr) ((POLICYINFO
*)OPENSSL_sk_delete_ptr(ossl_check_POLICYINFO_sk_type(sk), ossl_check_POLICYINFO_type(ptr)))
#define sk_POLICYINFO_push(sk, ptr) OPENSSL_sk_push(ossl_check_POLICYINFO_sk_type(sk),
    ossl_check_POLICYINFO_type(ptr))
#define sk_POLICYINFO_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_POLICYINFO_sk_type(sk),
    ossl_check_POLICYINFO_type(ptr))
#define sk_POLICYINFO_pop(sk) ((POLICYINFO *)OPENSSL_sk_pop(ossl_check_POLICYINFO_sk_type(sk)))
#define sk_POLICYINFO_shift(sk) ((POLICYINFO
*)OPENSSL_sk_shift(ossl_check_POLICYINFO_sk_type(sk)))
#define sk_POLICYINFO_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ossl_check_POLICYINFO_sk_type(sk),ossl_check_POLICYINFO_freefunc_type(freefunc))
#define sk_POLICYINFO_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_POLICYINFO_sk_type(sk),
    ossl_check_POLICYINFO_type(ptr), (idx))
#define sk_POLICYINFO_set(sk, idx, ptr) ((POLICYINFO
*)OPENSSL_sk_set(ossl_check_POLICYINFO_sk_type(sk), (idx), ossl_check_POLICYINFO_type(ptr)))
#define sk_POLICYINFO_find(sk, ptr) OPENSSL_sk_find(ossl_check_POLICYINFO_sk_type(sk),
    ossl_check_POLICYINFO_type(ptr))
#define sk_POLICYINFO_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_POLICYINFO_sk_type(sk),

```

```

ossl_check_POLICYINFO_type(ptr))
#define sk_POLICYINFO_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_POLICYINFO_sk_type(sk),
ossl_check_POLICYINFO_type(ptr), pnum)
#define sk_POLICYINFO_sort(sk) OPENSSL_sk_sort(ossl_check_POLICYINFO_sk_type(sk))
#define sk_POLICYINFO_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_POLICYINFO_sk_type(sk))
#define
sk_POLICYINFO_dup(sk) ((STACK_OF(POLICYINFO)
*)OPENSSL_sk_dup(ossl_check_const_POLICYINFO_sk_type(sk)))
#define sk_POLICYINFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(POLICYINFO)
*)OPENSSL_sk_deep_copy(ossl_check_const_POLICYINFO_sk_type(sk),
ossl_check_POLICYINFO_copyfunc_type(copyfunc), ossl_check_POLICYINFO_freefunc_type(freefunc)))
#define sk_POLICYINFO_set_cmp_func(sk, cmp)
((sk_POLICYINFO_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_POLICYINFO_sk_type(sk),
ossl_check_POLICYINFO_compfunc_type(cmp)))

/* clang-format on */

typedef STACK_OF(POLICYINFO) CERTIFICATEPOLICIES;

typedef struct POLICY_MAPPING_st {
    ASN1_OBJECT *issuerDomainPolicy;
    ASN1_OBJECT *subjectDomainPolicy;
} POLICY_MAPPING;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(POLICY_MAPPING, POLICY_MAPPING, POLICY_MAPPING)
#define sk_POLICY_MAPPING_num(sk)
OPENSSL_sk_num(ossl_check_const_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_value(sk,
idx) ((POLICY_MAPPING *)OPENSSL_sk_value(ossl_check_const_POLICY_MAPPING_sk_type(sk), (idx)))
#define sk_POLICY_MAPPING_new(cmp) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_new(ossl_check_POLICY_MAPPING_compfunc_type(cmp)))
#define sk_POLICY_MAPPING_new_null() ((STACK_OF(POLICY_MAPPING) *)OPENSSL_sk_new_null())
#define sk_POLICY_MAPPING_new_reserve(cmp, n) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_new_reserve(ossl_check_POLICY_MAPPING_compfunc_type(cmp), (n)))
#define sk_POLICY_MAPPING_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_POLICY_MAPPING_sk_type(sk), (n))
#define sk_POLICY_MAPPING_free(sk) OPENSSL_sk_free(ossl_check_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_zero(sk) OPENSSL_sk_zero(ossl_check_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_delete(sk, i) ((POLICY_MAPPING
*)OPENSSL_sk_delete(ossl_check_POLICY_MAPPING_sk_type(sk), (i)))
#define sk_POLICY_MAPPING_delete_ptr(sk, ptr) ((POLICY_MAPPING
*)OPENSSL_sk_delete_ptr(ossl_check_POLICY_MAPPING_sk_type(sk),
ossl_check_POLICY_MAPPING_type(ptr)))
#define sk_POLICY_MAPPING_push(sk, ptr) OPENSSL_sk_push(ossl_check_POLICY_MAPPING_sk_type(sk),
ossl_check_POLICY_MAPPING_type(ptr))
#define sk_POLICY_MAPPING_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_POLICY_MAPPING_sk_type(sk), ossl_check_POLICY_MAPPING_type(ptr))

```

```

#define sk_POLICY_MAPPING_pop(sk) ((POLICY_MAPPING
*)OPENSSL_sk_pop(ssl_check_POLICY_MAPPING_sk_type(sk)))
#define sk_POLICY_MAPPING_shift(sk) ((POLICY_MAPPING
*)OPENSSL_sk_shift(ssl_check_POLICY_MAPPING_sk_type(sk)))
#define sk_POLICY_MAPPING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_POLICY_MAPPING_sk_type(sk),ssl_check_POLICY_MAPPING_freefunc
_type(freefunc))
#define sk_POLICY_MAPPING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_POLICY_MAPPING_sk_type(sk), ssl_check_POLICY_MAPPING_type(ptr),
(idx))
#define sk_POLICY_MAPPING_set(sk, idx, ptr) ((POLICY_MAPPING
*)OPENSSL_sk_set(ssl_check_POLICY_MAPPING_sk_type(sk), (idx),
ssl_check_POLICY_MAPPING_type(ptr)))
#define
sk_POLICY_MAPPING_find(sk, ptr) OPENSSL_sk_find(ssl_check_POLICY_MAPPING_sk_type(sk),
ssl_check_POLICY_MAPPING_type(ptr))
#define sk_POLICY_MAPPING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_POLICY_MAPPING_sk_type(sk), ssl_check_POLICY_MAPPING_type(ptr))
#define sk_POLICY_MAPPING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_POLICY_MAPPING_sk_type(sk), ssl_check_POLICY_MAPPING_type(ptr),
pnum)
#define sk_POLICY_MAPPING_sort(sk) OPENSSL_sk_sort(ssl_check_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_POLICY_MAPPING_sk_type(sk))
#define sk_POLICY_MAPPING_dup(sk) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_dup(ssl_check_const_POLICY_MAPPING_sk_type(sk)))
#define sk_POLICY_MAPPING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(POLICY_MAPPING)
*)OPENSSL_sk_deep_copy(ssl_check_const_POLICY_MAPPING_sk_type(sk),
ssl_check_POLICY_MAPPING_copyfunc_type(copyfunc),
ssl_check_POLICY_MAPPING_freefunc_type(freefunc)))
#define
sk_POLICY_MAPPING_set_cmp_func(sk, cmp)
((sk_POLICY_MAPPING_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_POLICY_MAPPING_sk_type(sk),
ssl_check_POLICY_MAPPING_compfunc_type(cmp)))

/* clang-format on */

typedef STACK_OF(POLICY_MAPPING) POLICY_MAPPINGS;

typedef struct GENERAL_SUBTREE_st {
    GENERAL_NAME *base;
    ASN1_INTEGER *minimum;
    ASN1_INTEGER *maximum;
} GENERAL_SUBTREE;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(GENERAL_SUBTREE, GENERAL_SUBTREE,
GENERAL_SUBTREE)

```

```

#define sk_GENERAL_SUBTREE_num(sk)
OPENSSL_sk_num(ssl_check_const_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_value(sk, idx) ((GENERAL_SUBTREE
*)OPENSSL_sk_value(ssl_check_const_GENERAL_SUBTREE_sk_type(sk), (idx)))
#define sk_GENERAL_SUBTREE_new(cmp) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_new(ssl_check_GENERAL_SUBTREE_compfunc_type(cmp)))
#define sk_GENERAL_SUBTREE_new_null() ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_new_null())
#define sk_GENERAL_SUBTREE_new_reserve(cmp, n) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_new_reserve(ssl_check_GENERAL_SUBTREE_compfunc_type(cmp), (n)))
#define sk_GENERAL_SUBTREE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_GENERAL_SUBTREE_sk_type(sk), (n))
#define sk_GENERAL_SUBTREE_free(sk) OPENSSL_sk_free(ssl_check_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_zero(sk) OPENSSL_sk_zero(ssl_check_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_delete(sk, i) ((GENERAL_SUBTREE
*)OPENSSL_sk_delete(ssl_check_GENERAL_SUBTREE_sk_type(sk), (i)))
#define sk_GENERAL_SUBTREE_delete_ptr(sk, ptr) ((GENERAL_SUBTREE
*)OPENSSL_sk_delete_ptr(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr)))
#define sk_GENERAL_SUBTREE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr))
#define sk_GENERAL_SUBTREE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr))
#define sk_GENERAL_SUBTREE_pop(sk) ((GENERAL_SUBTREE
*)OPENSSL_sk_pop(ssl_check_GENERAL_SUBTREE_sk_type(sk)))
#define sk_GENERAL_SUBTREE_shift(sk) ((GENERAL_SUBTREE
*)OPENSSL_sk_shift(ssl_check_GENERAL_SUBTREE_sk_type(sk)))
#define sk_GENERAL_SUBTREE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_GENERAL_SUBTREE_sk_type(sk), ssl_check_GENERAL_SUBTREE_free
func_type(freefunc))
#define sk_GENERAL_SUBTREE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr), (idx))
#define sk_GENERAL_SUBTREE_set(sk, idx, ptr) ((GENERAL_SUBTREE
*)OPENSSL_sk_set(ssl_check_GENERAL_SUBTREE_sk_type(sk), (idx),
ssl_check_GENERAL_SUBTREE_type(ptr)))
#define sk_GENERAL_SUBTREE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr))
#define sk_GENERAL_SUBTREE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr))
#define sk_GENERAL_SUBTREE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_type(ptr), pnum)
#define sk_GENERAL_SUBTREE_sort(sk) OPENSSL_sk_sort(ssl_check_GENERAL_SUBTREE_sk_type(sk))

```

```

#define sk_GENERAL_SUBTREE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_GENERAL_SUBTREE_sk_type(sk))
#define sk_GENERAL_SUBTREE_dup(sk) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_dup(ssl_check_const_GENERAL_SUBTREE_sk_type(sk)))
#define sk_GENERAL_SUBTREE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(GENERAL_SUBTREE)
*)OPENSSL_sk_deep_copy(ssl_check_const_GENERAL_SUBTREE_sk_type(sk),
ssl_check_GENERAL_SUBTREE_copyfunc_type(copyfunc),
ssl_check_GENERAL_SUBTREE_freefunc_type(freefunc)))
#define sk_GENERAL_SUBTREE_set_cmp_func(sk, cmp)
((sk_GENERAL_SUBTREE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_GENERAL_SUBTREE_sk_type
(sk), ssl_check_GENERAL_SUBTREE_compfunc_type(cmp)))

/* clang-format on */

struct NAME_CONSTRAINTS_st {
    STACK_OF(GENERAL_SUBTREE) *permittedSubtrees;
    STACK_OF(GENERAL_SUBTREE)
    *excludedSubtrees;
};

typedef struct POLICY_CONSTRAINTS_st {
    ASN1_INTEGER *requireExplicitPolicy;
    ASN1_INTEGER *inhibitPolicyMapping;
} POLICY_CONSTRAINTS;

/* Proxy certificate structures, see RFC 3820 */
typedef struct PROXY_POLICY_st {
    ASN1_OBJECT *policyLanguage;
    ASN1_OCTET_STRING *policy;
} PROXY_POLICY;

typedef struct PROXY_CERT_INFO_EXTENSION_st {
    ASN1_INTEGER *pcPathLengthConstraint;
    PROXY_POLICY *proxyPolicy;
} PROXY_CERT_INFO_EXTENSION;

DECLARE_ASN1_FUNCTIONS(PROXY_POLICY)
DECLARE_ASN1_FUNCTIONS(PROXY_CERT_INFO_EXTENSION)

struct ISSUING_DIST_POINT_st {
    DIST_POINT_NAME *distpoint;
    int onlyuser;
    int onlyCA;
    ASN1_BIT_STRING *onlysomereasons;
    int indirectCRL;
    int onlyattr;
};

```



```

/* Values in idp_flags field */
/* IDP present */
#define IDP_PRESENT 0x1
/* IDP values inconsistent */
#define IDP_INVALID 0x2
/* onlyuser true */
#define IDP_ONLYUSER 0x4
/* onlyCA true */
#define IDP_ONLYCA 0x8
/* onlyattr true */
#define IDP_ONLYATTR
    0x10
/* indirectCRL true */
#define IDP_INDIRECT 0x20
/* onlksomereasons present */
#define IDP_REASONS 0x40

#define X509V3_conf_err(val) ERR_add_error_data(6, \
    "section:", (val)->section, \
    ",name:", (val)->name, ",value:", (val)->value)

#define X509V3_set_ctx_test(ctx) \
    X509V3_set_ctx(ctx, NULL, NULL, NULL, NULL, X509V3_CTX_TEST)
#define X509V3_set_ctx_nodb(ctx) (ctx)->db = NULL;

#define EXT_BITSTRING(nid, table) { nid, 0, ASN1_ITEM_ref(ASN1_BIT_STRING), \
    0, 0, 0, 0, \
    0, 0, \
    (X509V3_EXT_I2V)i2v_ASN1_BIT_STRING, \
    (X509V3_EXT_V2I)v2i_ASN1_BIT_STRING, \
    NULL, NULL, \
    table }

#define EXT_IA5STRING(nid) { nid, 0, ASN1_ITEM_ref(ASN1_IA5STRING), \
    0, 0, 0, 0, \
    (X509V3_EXT_I2S)i2s_ASN1_IA5STRING, \
    (X509V3_EXT_S2I)s2i_ASN1_IA5STRING, \
    0, 0, 0, 0, \
    NULL }

#define EXT_UTF8STRING(nid) { nid, 0, ASN1_ITEM_ref(ASN1_UTF8STRING), \
    0, 0, 0, 0, \
    (X509V3_EXT_I2S)i2s_ASN1_UTF8STRING, \
    (X509V3_EXT_S2I)s2i_ASN1_UTF8STRING, \
    0, 0, 0, 0, \
    NULL }

```

```

/* clang-format off */
# define EXT_END { -1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0 }
/* clang-format on */

/* X509_PURPOSE stuff */

#define EXFLAG_BCONS 0x1
#define EXFLAG_KUSAGE 0x2
#define EXFLAG_XKUSAGE 0x4
#define EXFLAG_NSCERT 0x8

#define EXFLAG_CA 0x10
#define EXFLAG_SI 0x20 /* self-issued, maybe not self-signed */
#define EXFLAG_V1 0x40
#define
    EXFLAG_INVALID 0x80
/* EXFLAG_SET is set to indicate that some values have been precomputed */
#define EXFLAG_SET 0x100
#define EXFLAG_CRITICAL 0x200
#define EXFLAG_PROXY 0x400

#define EXFLAG_INVALID_POLICY 0x800
#define EXFLAG_FRESHEST 0x1000
#define EXFLAG_SS 0x2000 /* cert is apparently self-signed */

#define EXFLAG_BCONS_CRITICAL 0x10000
#define EXFLAG_AKID_CRITICAL 0x20000
#define EXFLAG_SKID_CRITICAL 0x40000
#define EXFLAG_SAN_CRITICAL 0x80000
#define EXFLAG_NO_FINGERPRINT 0x100000

#define KU_DIGITAL_SIGNATURE 0x0080
#define KU_NON_REPUDIATION 0x0040
#define KU_KEY_ENCIPHERMENT 0x0020
#define KU_DATA_ENCIPHERMENT 0x0010
#define KU_KEY_AGREEMENT 0x0008
#define KU_KEY_CERT_SIGN 0x0004
#define KU_CRL_SIGN 0x0002
#define KU_ENCIPHER_ONLY 0x0001
#define KU_DECIPHER_ONLY 0x8000

#define NS_SSL_CLIENT 0x80
#define NS_SSL_SERVER 0x40
#define NS_SMIME 0x20
#define NS_OBJSIGN 0x10
#define NS_SSL_CA 0x04
#define NS_SMIME_CA 0x02
#define NS_OBJSIGN_CA 0x01

```

```

#define NS_ANY_CA (NS_SSL_CA |
NS_SMIME_CA | NS_OBJSIGN_CA)

#define XKU_SSL_SERVER 0x1
#define XKU_SSL_CLIENT 0x2
#define XKU_SMIME 0x4
#define XKU_CODE_SIGN 0x8
#define XKU_SGC 0x10 /* Netscape or MS Server-Gated Crypto */
#define XKU_OCSP_SIGN 0x20
#define XKU_TIMESTAMP 0x40
#define XKU_DVCS 0x80
#define XKU_ANYEKU 0x100

#define X509_PURPOSE_DYNAMIC 0x1
#define X509_PURPOSE_DYNAMIC_NAME 0x2

typedef struct x509_purpose_st {
    int purpose;
    int trust; /* Default trust ID */
    int flags;
    int (*check_purpose)(const struct x509_purpose_st *, const X509 *, int);
    char *name;
    char *sname;
    void *usr_data;
} X509_PURPOSE;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_PURPOSE, X509_PURPOSE, X509_PURPOSE)
#define sk_X509_PURPOSE_num(sk) OPENSSL_sk_num(ssl_check_const_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_value(sk, idx) ((X509_PURPOSE
*)OPENSSL_sk_value(ssl_check_const_X509_PURPOSE_sk_type(sk), (idx)))
#define sk_X509_PURPOSE_new(cmp) ((STACK_OF(X509_PURPOSE)
*)OPENSSL_sk_new(ssl_check_X509_PURPOSE_compfunc_type(cmp)))
#define
    sk_X509_PURPOSE_new_null() ((STACK_OF(X509_PURPOSE) *)OPENSSL_sk_new_null())
#define sk_X509_PURPOSE_new_reserve(cmp, n) ((STACK_OF(X509_PURPOSE)
*)OPENSSL_sk_new_reserve(ssl_check_X509_PURPOSE_compfunc_type(cmp), (n)))
#define sk_X509_PURPOSE_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_PURPOSE_sk_type(sk), (n))
#define sk_X509_PURPOSE_free(sk) OPENSSL_sk_free(ssl_check_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_zero(sk) OPENSSL_sk_zero(ssl_check_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_delete(sk, i) ((X509_PURPOSE
*)OPENSSL_sk_delete(ssl_check_X509_PURPOSE_sk_type(sk), (i)))
#define sk_X509_PURPOSE_delete_ptr(sk, ptr) ((X509_PURPOSE
*)OPENSSL_sk_delete_ptr(ssl_check_X509_PURPOSE_sk_type(sk), ssl_check_X509_PURPOSE_type(ptr)))
#define sk_X509_PURPOSE_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_PURPOSE_sk_type(sk),
    ssl_check_X509_PURPOSE_type(ptr))
#define sk_X509_PURPOSE_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_PURPOSE_sk_type(sk),

```

```

    ossl_check_X509_PURPOSE_type(ptr))
#define sk_X509_PURPOSE_pop(sk) ((X509_PURPOSE
*)OPENSSL_sk_pop(ossl_check_X509_PURPOSE_sk_type(sk)))
#define sk_X509_PURPOSE_shift(sk) ((X509_PURPOSE
*)OPENSSL_sk_shift(ossl_check_X509_PURPOSE_sk_type(sk)))
#define sk_X509_PURPOSE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_X509_PURPOSE_sk_type(sk),ossl_check_X509_PURPOSE_freefunc_type(fr
eefunc))
#define sk_X509_PURPOSE_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_X509_PURPOSE_sk_type(sk),
ossl_check_X509_PURPOSE_type(ptr), (idx))
#define sk_X509_PURPOSE_set(sk, idx, ptr) ((X509_PURPOSE
*)OPENSSL_sk_set(ossl_check_X509_PURPOSE_sk_type(sk), (idx), ossl_check_X509_PURPOSE_type(ptr)))
#define sk_X509_PURPOSE_find(sk, ptr) OPENSSL_sk_find(ossl_check_X509_PURPOSE_sk_type(sk),
ossl_check_X509_PURPOSE_type(ptr))
#define sk_X509_PURPOSE_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_X509_PURPOSE_sk_type(sk),
ossl_check_X509_PURPOSE_type(ptr))
#define
    sk_X509_PURPOSE_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_X509_PURPOSE_sk_type(sk),
ossl_check_X509_PURPOSE_type(ptr), pnum)
#define sk_X509_PURPOSE_sort(sk) OPENSSL_sk_sort(ossl_check_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_X509_PURPOSE_sk_type(sk))
#define sk_X509_PURPOSE_dup(sk) ((STACK_OF(X509_PURPOSE)
*)OPENSSL_sk_dup(ossl_check_const_X509_PURPOSE_sk_type(sk)))
#define sk_X509_PURPOSE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_PURPOSE)
*)OPENSSL_sk_deep_copy(ossl_check_const_X509_PURPOSE_sk_type(sk),
ossl_check_X509_PURPOSE_copyfunc_type(copyfunc), ossl_check_X509_PURPOSE_freefunc_type(freefunc)))
#define sk_X509_PURPOSE_set_cmp_func(sk, cmp)
((sk_X509_PURPOSE_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_X509_PURPOSE_sk_type(sk),
ossl_check_X509_PURPOSE_compfunc_type(cmp)))

/* clang-format on */

#define X509_PURPOSE_SSL_CLIENT 1
#define X509_PURPOSE_SSL_SERVER 2
#define X509_PURPOSE_NS_SSL_SERVER 3
#define
    X509_PURPOSE_SMIME_SIGN 4
#define X509_PURPOSE_SMIME_ENCRYPT 5
#define X509_PURPOSE_CRL_SIGN 6
#define X509_PURPOSE_ANY 7
#define X509_PURPOSE_OCSP_HELPER 8
#define X509_PURPOSE_TIMESTAMP_SIGN 9

#define X509_PURPOSE_MIN 1
#define X509_PURPOSE_MAX 9

/* Flags for X509V3_EXT_print() */

```

```

#define X509V3_EXT_UNKNOWN_MASK (0xfL << 16)
/* Return error for unknown extensions */
#define X509V3_EXT_DEFAULT 0
/* Print error for unknown extensions */
#define X509V3_EXT_ERROR_UNKNOWN (1L << 16)
/* ASN1 parse unknown extensions */
#define X509V3_EXT_PARSE_UNKNOWN (2L << 16)
/* BIO_dump unknown extensions */
#define X509V3_EXT_DUMP_UNKNOWN (3L << 16)

/* Flags for X509V3_add1_i2d */

#define X509V3_ADD_OP_MASK 0xfL
#define X509V3_ADD_DEFAULT 0L
#define X509V3_ADD_APPEND 1L
#define X509V3_ADD_REPLACE 2L
#define X509V3_ADD_REPLACE_EXISTING 3L
#define X509V3_ADD_KEEP_EXISTING 4L
#define X509V3_ADD_DELETE 5L
#define X509V3_ADD_SILENT 0x10

DECLARE_ASN1_FUNCTIONS(BASIC_CONSTRAINTS)

DECLARE_ASN1_FUNCTIONS(SXNET)
DECLARE_ASN1_FUNCTIONS(SXNETID)

DECLARE_ASN1_FUNCTIONS(ISSUER_SIGN_TOOL)

int
SXNET_add_id_asc(SXNET **psx, const char *zone, const char *user, int userlen);
int SXNET_add_id_ulong(SXNET **psx, unsigned long lzone, const char *user,
    int userlen);
int SXNET_add_id_INTEGER(SXNET **psx, ASN1_INTEGER *izone, const char *user,
    int userlen);

ASN1_OCTET_STRING *SXNET_get_id_asc(SXNET *sx, const char *zone);
ASN1_OCTET_STRING *SXNET_get_id_ulong(SXNET *sx, unsigned long lzone);
ASN1_OCTET_STRING *SXNET_get_id_INTEGER(SXNET *sx, ASN1_INTEGER *zone);

DECLARE_ASN1_FUNCTIONS(AUTHORITY_KEYID)

DECLARE_ASN1_FUNCTIONS(PKEY_USAGE_PERIOD)

DECLARE_ASN1_FUNCTIONS(GENERAL_NAME)
DECLARE_ASN1_DUP_FUNCTION(GENERAL_NAME)
int GENERAL_NAME_cmp(GENERAL_NAME *a, GENERAL_NAME *b);

```

```

ASN1_BIT_STRING *v2i_ASN1_BIT_STRING(X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx,
    STACK_OF(CONF_VALUE) *nval);
STACK_OF(CONF_VALUE) *i2v_ASN1_BIT_STRING(X509V3_EXT_METHOD *method,
    ASN1_BIT_STRING
    *bits,
    STACK_OF(CONF_VALUE) *extlist);
char *i2s_ASN1_IA5STRING(X509V3_EXT_METHOD *method, ASN1_IA5STRING *ia5);
ASN1_IA5STRING *s2i_ASN1_IA5STRING(X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx, const char *str);
char *i2s_ASN1_UTF8STRING(X509V3_EXT_METHOD *method, ASN1_UTF8STRING *utf8);
ASN1_UTF8STRING *s2i_ASN1_UTF8STRING(X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx, const char *str);

STACK_OF(CONF_VALUE) *i2v_GENERAL_NAME(X509V3_EXT_METHOD *method,
    GENERAL_NAME *gen,
    STACK_OF(CONF_VALUE) *ret);
int GENERAL_NAME_print(BIO *out, GENERAL_NAME *gen);

DECLARE_ASN1_FUNCTIONS(GENERAL_NAMES)

STACK_OF(CONF_VALUE) *i2v_GENERAL_NAMES(X509V3_EXT_METHOD *method,
    GENERAL_NAMES *gen,
    STACK_OF(CONF_VALUE) *extlist);
GENERAL_NAMES *v2i_GENERAL_NAMES(const X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx, STACK_OF(CONF_VALUE) *nval);

DECLARE_ASN1_FUNCTIONS(OTHERNAME)
DECLARE_ASN1_FUNCTIONS(EDIPARTYNAME)
int OTHERNAME_cmp(OTHERNAME *a, OTHERNAME *b);
void GENERAL_NAME_set0_value(GENERAL_NAME
    *a, int type, void *value);
void *GENERAL_NAME_get0_value(const GENERAL_NAME *a, int *ptype);
int GENERAL_NAME_set0_othername(GENERAL_NAME *gen,
    ASN1_OBJECT *oid, ASN1_TYPE *value);
int GENERAL_NAME_get0_otherName(const GENERAL_NAME *gen,
    ASN1_OBJECT **poid, ASN1_TYPE **pvalue);

char *i2s_ASN1_OCTET_STRING(X509V3_EXT_METHOD *method,
    const ASN1_OCTET_STRING *ia5);
ASN1_OCTET_STRING *s2i_ASN1_OCTET_STRING(X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx, const char *str);

DECLARE_ASN1_FUNCTIONS(EXTENDED_KEY_USAGE)
int i2a_ACCESS_DESCRIPTION(BIO *bp, const ACCESS_DESCRIPTION *a);

DECLARE_ASN1_ALLOC_FUNCTIONS(TLS_FEATURE)

```

```

DECLARE_ASN1_FUNCTIONS(CERTIFICATEPOLICIES)
DECLARE_ASN1_FUNCTIONS(POLICYINFO)
DECLARE_ASN1_FUNCTIONS(POLICYQUALINFO)
DECLARE_ASN1_FUNCTIONS(USERNOTICE)
DECLARE_ASN1_FUNCTIONS(NOTICEREF)

DECLARE_ASN1_FUNCTIONS(CRL_DIST_POINTS)
DECLARE_ASN1_FUNCTIONS(DIST_POINT)
DECLARE_ASN1_FUNCTIONS(DIST_POINT_NAME)
DECLARE_ASN1_FUNCTIONS(ISSUING_DIST_POINT)

int
DIST_POINT_set_dpname(DIST_POINT_NAME *dpn, const X509_NAME *iname);

int NAME_CONSTRAINTS_check(X509 *x, NAME_CONSTRAINTS *nc);
int NAME_CONSTRAINTS_check_CN(X509 *x, NAME_CONSTRAINTS *nc);

DECLARE_ASN1_FUNCTIONS(ACCESS_DESCRIPTION)
DECLARE_ASN1_FUNCTIONS(AUTHORITY_INFO_ACCESS)

DECLARE_ASN1_ITEM(POLICY_MAPPING)
DECLARE_ASN1_ALLOC_FUNCTIONS(POLICY_MAPPING)
DECLARE_ASN1_ITEM(POLICY_MAPPINGS)

DECLARE_ASN1_ITEM(GENERAL_SUBTREE)
DECLARE_ASN1_ALLOC_FUNCTIONS(GENERAL_SUBTREE)

DECLARE_ASN1_ITEM(NAME_CONSTRAINTS)
DECLARE_ASN1_ALLOC_FUNCTIONS(NAME_CONSTRAINTS)

DECLARE_ASN1_ALLOC_FUNCTIONS(POLICY_CONSTRAINTS)
DECLARE_ASN1_ITEM(POLICY_CONSTRAINTS)

GENERAL_NAME *a2i_GENERAL_NAME(GENERAL_NAME *out,
    const X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx, int gen_type,
    const char *value, int is_nc);

#ifdef OPENSSL_CONF_H
GENERAL_NAME *v2i_GENERAL_NAME(const X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx, CONF_VALUE *cnf);
GENERAL_NAME *v2i_GENERAL_NAME_ex(GENERAL_NAME *out,
    const
    X509V3_EXT_METHOD *method,
    X509V3_CTX *ctx, CONF_VALUE *cnf,
    int is_nc);

void X509V3_conf_free(CONF_VALUE *val);

```

```

X509_EXTENSION *X509V3_EXT_nconf_nid(CONF *conf, X509V3_CTX *ctx, int ext_nid,
    const char *value);
X509_EXTENSION *X509V3_EXT_nconf(CONF *conf, X509V3_CTX *ctx, const char *name,
    const char *value);
int X509V3_EXT_add_nconf_sk(CONF *conf, X509V3_CTX *ctx, const char *section,
    STACK_OF(X509_EXTENSION) **sk);
int X509V3_EXT_add_nconf(CONF *conf, X509V3_CTX *ctx, const char *section,
    X509 *cert);
int X509V3_EXT_REQ_add_nconf(CONF *conf, X509V3_CTX *ctx, const char *section,
    X509_REQ *req);
int X509V3_EXT_CRL_add_nconf(CONF *conf, X509V3_CTX *ctx, const char *section,
    X509_CRL *crl);

X509_EXTENSION *X509V3_EXT_conf_nid(LHASH_OF(CONF_VALUE) *conf,
    X509V3_CTX *ctx, int ext_nid,
    const char *value);
X509_EXTENSION *X509V3_EXT_conf(LHASH_OF(CONF_VALUE) *conf, X509V3_CTX *ctx,
    const char *name, const char *value);
int X509V3_EXT_add_conf(LHASH_OF(CONF_VALUE)
    *conf, X509V3_CTX *ctx,
    const char *section, X509 *cert);
int X509V3_EXT_REQ_add_conf(LHASH_OF(CONF_VALUE) *conf, X509V3_CTX *ctx,
    const char *section, X509_REQ *req);
int X509V3_EXT_CRL_add_conf(LHASH_OF(CONF_VALUE) *conf, X509V3_CTX *ctx,
    const char *section, X509_CRL *crl);

int X509V3_add_value_bool_nf(const char *name, int asn1_bool,
    STACK_OF(CONF_VALUE) **extlist);
int X509V3_get_value_bool(const CONF_VALUE *value, int *asn1_bool);
int X509V3_get_value_int(const CONF_VALUE *value, ASN1_INTEGER **aint);
void X509V3_set_nconf(X509V3_CTX *ctx, CONF *conf);
void X509V3_set_conf_lhash(X509V3_CTX *ctx, LHASH_OF(CONF_VALUE) *lhash);
#endif

char *X509V3_get_string(X509V3_CTX *ctx, const char *name, const char *section);
STACK_OF(CONF_VALUE) *X509V3_get_section(X509V3_CTX *ctx, const char *section);
void X509V3_string_free(X509V3_CTX *ctx, char *str);
void X509V3_section_free(X509V3_CTX *ctx, STACK_OF(CONF_VALUE) *section);
void X509V3_set_ctx(X509V3_CTX
    *ctx, X509 *issuer, X509 *subject,
    X509_REQ *req, X509_CRL *crl, int flags);
/* For API backward compatibility, this is separate from X509V3_set_ctx(): */
int X509V3_set_issuer_pkey(X509V3_CTX *ctx, EVP_PKEY *pkey);

int X509V3_add_value(const char *name, const char *value,
    STACK_OF(CONF_VALUE) **extlist);
int X509V3_add_value_uchar(const char *name, const unsigned char *value,

```



```

    STACK_OF(CONF_VALUE) **extlist);
int X509V3_add_value_bool(const char *name, int asn1_bool,
    STACK_OF(CONF_VALUE) **extlist);
int X509V3_add_value_int(const char *name, const ASN1_INTEGER *aint,
    STACK_OF(CONF_VALUE) **extlist);
char *i2s_ASN1_INTEGER(X509V3_EXT_METHOD *meth, const ASN1_INTEGER *aint);
ASN1_INTEGER *s2i_ASN1_INTEGER(X509V3_EXT_METHOD *meth, const char *value);
char *i2s_ASN1_ENUMERATED(X509V3_EXT_METHOD *meth, const ASN1_ENUMERATED *aint);
char *i2s_ASN1_ENUMERATED_TABLE(X509V3_EXT_METHOD *meth,
    const ASN1_ENUMERATED *aint);
int X509V3_EXT_add(X509V3_EXT_METHOD *ext);
int
    X509V3_EXT_add_list(X509V3_EXT_METHOD *extlist);
int X509V3_EXT_add_alias(int nid_to, int nid_from);
void X509V3_EXT_cleanup(void);

const X509V3_EXT_METHOD *X509V3_EXT_get(X509_EXTENSION *ext);
const X509V3_EXT_METHOD *X509V3_EXT_get_nid(int nid);
int X509V3_add_standard_extensions(void);
STACK_OF(CONF_VALUE) *X509V3_parse_list(const char *line);
void *X509V3_EXT_d2i(X509_EXTENSION *ext);
void *X509V3_get_d2i(const STACK_OF(X509_EXTENSION) *x, int nid, int *crit,
    int *idx);

X509_EXTENSION *X509V3_EXT_i2d(int ext_nid, int crit, void *ext_struct);
int X509V3_add1_i2d(STACK_OF(X509_EXTENSION) **x, int nid, void *value,
    int crit, unsigned long flags);

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
/* The new declarations are in crypto.h, but the old ones were here. */
#define hex_to_string OPENSSL_buf2hexstr
#define string_to_hex OPENSSL_hexstr2buf
#endif

void X509V3_EXT_val_prn(BIO *out, STACK_OF(CONF_VALUE) *val, int indent,
    int ml);
int X509V3_EXT_print(BIO *out, X509_EXTENSION
    *ext, unsigned long flag,
    int indent);
#ifdef OPENSSL_NO_STDIO
int X509V3_EXT_print_fp(FILE *out, X509_EXTENSION *ext, int flag, int indent);
#endif
int X509V3_extensions_print(BIO *out, const char *title,
    const STACK_OF(X509_EXTENSION) *exts,
    unsigned long flag, int indent);

int X509_check_ca(X509 *x);
int X509_check_purpose(X509 *x, int id, int ca);

```

```

int X509_supported_extension(X509_EXTENSION *ex);
int X509_PURPOSE_set(int *p, int purpose);
int X509_check_issued(X509 *issuer, X509 *subject);
int X509_check_akid(const X509 *issuer, const AUTHORITY_KEYID *akid);
void X509_set_proxy_flag(X509 *x);
void X509_set_proxy_pathlen(X509 *x, long l);
long X509_get_proxy_pathlen(X509 *x);

uint32_t X509_get_extension_flags(X509 *x);
uint32_t X509_get_key_usage(X509 *x);
uint32_t X509_get_extended_key_usage(X509 *x);
const ASN1_OCTET_STRING *X509_get0_subject_key_id(X509 *x);
const ASN1_OCTET_STRING *X509_get0_authority_key_id(X509 *x);
const GENERAL_NAMES *X509_get0_authority_issuer(X509
*x);
const ASN1_INTEGER *X509_get0_authority_serial(X509 *x);

int X509_PURPOSE_get_count(void);
X509_PURPOSE *X509_PURPOSE_get0(int idx);
int X509_PURPOSE_get_by_sname(const char *sname);
int X509_PURPOSE_get_by_id(int id);
int X509_PURPOSE_add(int id, int trust, int flags,
    int (*ck)(const X509_PURPOSE *, const X509 *, int),
    const char *name, const char *sname, void *arg);
char *X509_PURPOSE_get0_name(const X509_PURPOSE *xp);
char *X509_PURPOSE_get0_sname(const X509_PURPOSE *xp);
int X509_PURPOSE_get_trust(const X509_PURPOSE *xp);
void X509_PURPOSE_cleanup(void);
int X509_PURPOSE_get_id(const X509_PURPOSE *);

STACK_OF(OPENSSSL_STRING) *X509_get1_email(X509 *x);
STACK_OF(OPENSSSL_STRING) *X509_REQ_get1_email(X509_REQ *x);
void X509_email_free(STACK_OF(OPENSSSL_STRING) *sk);
STACK_OF(OPENSSSL_STRING) *X509_get1_ocsp(X509 *x);
/* Flags for X509_check_* functions */

/*
 * Always check subject name for host match even if subject alt names present
 */
#define X509_CHECK_FLAG_ALWAYS_CHECK_SUBJECT
0x1
/* Disable wildcard matching for dnsName fields and common name. */
#define X509_CHECK_FLAG_NO_WILDCARDS 0x2
/* Wildcards must not match a partial label. */
#define X509_CHECK_FLAG_NO_PARTIAL_WILDCARDS 0x4
/* Allow (non-partial) wildcards to match multiple labels. */
#define X509_CHECK_FLAG_MULTI_LABEL_WILDCARDS 0x8
/* Constraint verifier subdomain patterns to match a single labels. */

```

```

#define X509_CHECK_FLAG_SINGLE_LABEL_SUBDOMAINS 0x10
/* Never check the subject CN */
#define X509_CHECK_FLAG_NEVER_CHECK_SUBJECT 0x20
/*
 * Match reference identifiers starting with "." to any sub-domain.
 * This is a non-public flag, turned on implicitly when the subject
 * reference identity is a DNS name.
 */
#define _X509_CHECK_FLAG_DOT_SUBDOMAINS 0x8000

int X509_check_host(X509 *x, const char *chk, size_t chklen,
    unsigned int flags, char **peername);
int X509_check_email(X509 *x, const char *chk, size_t chklen,
    unsigned int flags);
int X509_check_ip(X509 *x, const
    unsigned char *chk, size_t chklen,
    unsigned int flags);
int X509_check_ip_asc(X509 *x, const char *ipasc, unsigned int flags);

ASN1_OCTET_STRING *a2i_IPADDRESS(const char *ipasc);
ASN1_OCTET_STRING *a2i_IPADDRESS_NC(const char *ipasc);
int X509V3_NAME_from_section(X509_NAME *nm, STACK_OF(CONF_VALUE) *dn_sk,
    unsigned long ctype);

void X509_POLICY_NODE_print(BIO *out, X509_POLICY_NODE *node, int indent);
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_POLICY_NODE, X509_POLICY_NODE,
X509_POLICY_NODE)
#define sk_X509_POLICY_NODE_num(sk)
OPENSSL_sk_num(ssl_check_const_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_value(sk, idx) ((X509_POLICY_NODE
*)OPENSSL_sk_value(ssl_check_const_X509_POLICY_NODE_sk_type(sk), (idx)))
#define sk_X509_POLICY_NODE_new(cmp) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_new(ssl_check_X509_POLICY_NODE_compfunc_type(cmp)))
#define sk_X509_POLICY_NODE_new_null() ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_new_null())
#define sk_X509_POLICY_NODE_new_reserve(cmp,
    n) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_new_reserve(ssl_check_X509_POLICY_NODE_compfunc_type(cmp), (n)))
#define sk_X509_POLICY_NODE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_POLICY_NODE_sk_type(sk), (n))
#define sk_X509_POLICY_NODE_free(sk) OPENSSL_sk_free(ssl_check_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_zero(sk) OPENSSL_sk_zero(ssl_check_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_delete(sk, i) ((X509_POLICY_NODE
*)OPENSSL_sk_delete(ssl_check_X509_POLICY_NODE_sk_type(sk), (i)))
#define sk_X509_POLICY_NODE_delete_ptr(sk, ptr) ((X509_POLICY_NODE
*)OPENSSL_sk_delete_ptr(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr)))

```

```

#define sk_X509_POLICY_NODE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define sk_X509_POLICY_NODE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define
sk_X509_POLICY_NODE_pop(sk) ((X509_POLICY_NODE
*)OPENSSL_sk_pop(ssl_check_X509_POLICY_NODE_sk_type(sk)))
#define sk_X509_POLICY_NODE_shift(sk) ((X509_POLICY_NODE
*)OPENSSL_sk_shift(ssl_check_X509_POLICY_NODE_sk_type(sk)))
#define sk_X509_POLICY_NODE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_POLICY_NODE_sk_type(sk),ssl_check_X509_POLICY_NODE_free
func_type(freefunc))
#define sk_X509_POLICY_NODE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr), (idx))
#define sk_X509_POLICY_NODE_set(sk, idx, ptr) ((X509_POLICY_NODE
*)OPENSSL_sk_set(ssl_check_X509_POLICY_NODE_sk_type(sk), (idx),
ssl_check_X509_POLICY_NODE_type(ptr)))
#define sk_X509_POLICY_NODE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define sk_X509_POLICY_NODE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr))
#define
sk_X509_POLICY_NODE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_type(ptr), pnum)
#define sk_X509_POLICY_NODE_sort(sk) OPENSSL_sk_sort(ssl_check_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_POLICY_NODE_sk_type(sk))
#define sk_X509_POLICY_NODE_dup(sk) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_dup(ssl_check_const_X509_POLICY_NODE_sk_type(sk)))
#define sk_X509_POLICY_NODE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_POLICY_NODE)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_POLICY_NODE_sk_type(sk),
ssl_check_X509_POLICY_NODE_copyfunc_type(copyfunc),
ssl_check_X509_POLICY_NODE_freefunc_type(freefunc)))
#define sk_X509_POLICY_NODE_set_cmp_func(sk, cmp)
((sk_X509_POLICY_NODE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_POLICY_NODE_sk_type
(sk), ssl_check_X509_POLICY_NODE_compfunc_type(cmp)))

/* clang-format on */

#ifdef
OPENSSL_NO_RFC3779
typedef struct ASRange_st {

```

```

ASN1_INTEGER *min, *max;
} ASRange;

#define ASIdOrRange_id 0
#define ASIdOrRange_range 1

typedef struct ASIdOrRange_st {
    int type;
    union {
        ASN1_INTEGER *id;
        ASRange *range;
    } u;
} ASIdOrRange;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASIdOrRange, ASIdOrRange, ASIdOrRange)
#define sk_ASIdOrRange_num(sk) OPENSSL_sk_num(ssl_check_const_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_value(sk, idx) ((ASIdOrRange
*)OPENSSL_sk_value(ssl_check_const_ASIdOrRange_sk_type(sk), (idx)))
#define sk_ASIdOrRange_new(cmp) ((STACK_OF(ASIdOrRange
*)OPENSSL_sk_new(ssl_check_ASIdOrRange_compfunc_type(cmp)))
#define sk_ASIdOrRange_new_null() ((STACK_OF(ASIdOrRange *)OPENSSL_sk_new_null())
#define sk_ASIdOrRange_new_reserve(cmp, n) ((STACK_OF(ASIdOrRange
*)OPENSSL_sk_new_reserve(ssl_check_ASIdOrRange_compfunc_type(cmp), (n)))
#define sk_ASIdOrRange_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASIdOrRange_sk_type(sk),
(n))
#define sk_ASIdOrRange_free(sk) OPENSSL_sk_free(ssl_check_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_zero(sk) OPENSSL_sk_zero(ssl_check_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_delete(sk, i) ((ASIdOrRange
*)OPENSSL_sk_delete(ssl_check_ASIdOrRange_sk_type(sk), (i)))
#define sk_ASIdOrRange_delete_ptr(sk, ptr) ((ASIdOrRange
*)OPENSSL_sk_delete_ptr(ssl_check_ASIdOrRange_sk_type(sk), ssl_check_ASIdOrRange_type(ptr)))
#define sk_ASIdOrRange_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr))
#define sk_ASIdOrRange_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr))
#define sk_ASIdOrRange_pop(sk) ((ASIdOrRange *)OPENSSL_sk_pop(ssl_check_ASIdOrRange_sk_type(sk)))
#define sk_ASIdOrRange_shift(sk) ((ASIdOrRange *)OPENSSL_sk_shift(ssl_check_ASIdOrRange_sk_type(sk)))
#define sk_ASIdOrRange_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASIdOrRange_sk_type(sk),ssl_check_ASIdOrRange_freefunc_type(freefunc)
)
#define
sk_ASIdOrRange_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr), (idx))
#define sk_ASIdOrRange_set(sk, idx, ptr) ((ASIdOrRange
*)OPENSSL_sk_set(ssl_check_ASIdOrRange_sk_type(sk), (idx), ssl_check_ASIdOrRange_type(ptr)))
#define sk_ASIdOrRange_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr))

```

```

#define sk_ASIdOrRange_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr))
#define sk_ASIdOrRange_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_type(ptr), pnum)
#define sk_ASIdOrRange_sort(sk) OPENSSL_sk_sort(ssl_check_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ASIdOrRange_sk_type(sk))
#define sk_ASIdOrRange_dup(sk) ((STACK_OF(ASIdOrRange)
*)OPENSSL_sk_dup(ssl_check_const_ASIdOrRange_sk_type(sk)))
#define
sk_ASIdOrRange_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASIdOrRange)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_copyfunc_type(copyfunc), ssl_check_ASIdOrRange_freefunc_type(freefunc)))
#define sk_ASIdOrRange_set_cmp_func(sk, cmp)
((sk_ASIdOrRange_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASIdOrRange_sk_type(sk),
ssl_check_ASIdOrRange_compfunc_type(cmp)))

/* clang-format on */

typedef STACK_OF(ASIdOrRange) ASIdOrRanges;

#define ASIdentifierChoice_inherit 0
#define ASIdentifierChoice_asIdsOrRanges 1

typedef struct ASIdentifierChoice_st {
    int type;
    union {
        ASN1_NULL *inherit;
        ASIdOrRanges *asIdsOrRanges;
    } u;
} ASIdentifierChoice;

typedef struct ASIdentifiers_st {
    ASIdentifierChoice *asnum, *rdi;
} ASIdentifiers;

DECLARE_ASN1_FUNCTIONS(ASRange)
DECLARE_ASN1_FUNCTIONS(ASIdOrRange)
DECLARE_ASN1_FUNCTIONS(ASIdentifierChoice)
DECLARE_ASN1_FUNCTIONS(ASIdentifiers)

typedef
struct IPAddressRange_st {
    ASN1_BIT_STRING *min, *max;
} IPAddressRange;

#define IPAddressOrRange_addressPrefix 0
#define IPAddressOrRange_addressRange 1

```

```

typedef struct IPAddressOrRange_st {
    int type;
    union {
        ASN1_BIT_STRING *addressPrefix;
        IPAddressRange *addressRange;
    } u;
} IPAddressOrRange;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(IPAddressOrRange, IPAddressOrRange, IPAddressOrRange)
#define sk_IPAddressOrRange_num(sk) OPENSSL_sk_num(ssl_check_const_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_value(sk, idx) ((IPAddressOrRange
*)OPENSSL_sk_value(ssl_check_const_IPAddressOrRange_sk_type(sk), (idx)))
#define sk_IPAddressOrRange_new(cmp) ((STACK_OF(IPAddressOrRange)
*)OPENSSL_sk_new(ssl_check_IPAddressOrRange_compfunc_type(cmp)))
#define sk_IPAddressOrRange_new_null() ((STACK_OF(IPAddressOrRange) *)OPENSSL_sk_new_null())
#define sk_IPAddressOrRange_new_reserve(cmp, n) ((STACK_OF(IPAddressOrRange)
*)OPENSSL_sk_new_reserve(ssl_check_IPAddressOrRange_compfunc_type(cmp),
(n)))
#define sk_IPAddressOrRange_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_IPAddressOrRange_sk_type(sk),
(n))
#define sk_IPAddressOrRange_free(sk) OPENSSL_sk_free(ssl_check_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_zero(sk) OPENSSL_sk_zero(ssl_check_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_delete(sk, i) ((IPAddressOrRange
*)OPENSSL_sk_delete(ssl_check_IPAddressOrRange_sk_type(sk), (i)))
#define sk_IPAddressOrRange_delete_ptr(sk, ptr) ((IPAddressOrRange
*)OPENSSL_sk_delete_ptr(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr)))
#define sk_IPAddressOrRange_push(sk, ptr) OPENSSL_sk_push(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_pop(sk) ((IPAddressOrRange
*)OPENSSL_sk_pop(ssl_check_IPAddressOrRange_sk_type(sk)))
#define sk_IPAddressOrRange_shift(sk) ((IPAddressOrRange
*)OPENSSL_sk_shift(ssl_check_IPAddressOrRange_sk_type(sk)))
#define sk_IPAddressOrRange_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_freefunc_type
e(freefunc))
#define sk_IPAddressOrRange_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_type(ptr), (idx))
#define sk_IPAddressOrRange_set(sk, idx, ptr) ((IPAddressOrRange
*)OPENSSL_sk_set(ssl_check_IPAddressOrRange_sk_type(sk), (idx), ssl_check_IPAddressOrRange_type(ptr)))
#define sk_IPAddressOrRange_find(sk, ptr) OPENSSL_sk_find(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_type(ptr))
#define sk_IPAddressOrRange_find_all(sk, ptr, pnum)

```

```

OPENSSL_sk_find_all(ssl_check_IPAddressOrRange_sk_type(sk), ssl_check_IPAddressOrRange_type(ptr),
pnum)
#define sk_IPAddressOrRange_sort(sk) OPENSSL_sk_sort(ssl_check_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_IPAddressOrRange_sk_type(sk))
#define sk_IPAddressOrRange_dup(sk) ((STACK_OF(IPAddressOrRange)
*)OPENSSL_sk_dup(ssl_check_const_IPAddressOrRange_sk_type(sk)))
#define sk_IPAddressOrRange_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(IPAddressOrRange)
*)OPENSSL_sk_deep_copy(ssl_check_const_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_copyfunc_type(copyfunc),
ssl_check_IPAddressOrRange_freefunc_type(freefunc)))
#define sk_IPAddressOrRange_set_cmp_func(sk, cmp)
((sk_IPAddressOrRange_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_IPAddressOrRange_sk_type(sk),
ssl_check_IPAddressOrRange_compfunc_type(cmp)))

/* clang-format on */

typedef STACK_OF(IPAddressOrRange) IPAddressOrRanges;

#define IPAddressChoice_inherit
0
#define IPAddressChoice_addressesOrRanges 1

typedef struct IPAddressChoice_st {
    int type;
    union {
        ASN1_NULL *inherit;
        IPAddressOrRanges *addressesOrRanges;
    } u;
} IPAddressChoice;

typedef struct IPAddressFamily_st {
    ASN1_OCTET_STRING *addressFamily;
    IPAddressChoice *ipAddressChoice;
} IPAddressFamily;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(IPAddressFamily, IPAddressFamily, IPAddressFamily)
#define sk_IPAddressFamily_num(sk) OPENSSL_sk_num(ssl_check_const_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_value(sk, idx) ((IPAddressFamily
*)OPENSSL_sk_value(ssl_check_const_IPAddressFamily_sk_type(sk), (idx)))
#define sk_IPAddressFamily_new(cmp) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_new(ssl_check_IPAddressFamily_compfunc_type(cmp)))
#define sk_IPAddressFamily_new_null() ((STACK_OF(IPAddressFamily) *)OPENSSL_sk_new_null())
#define sk_IPAddressFamily_new_reserve(cmp, n) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_new_reserve(ssl_check_IPAddressFamily_compfunc_type(cmp),
(n)))
#define sk_IPAddressFamily_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_IPAddressFamily_sk_type(sk), (n))

```



```

#define sk_IPAddressFamily_free(sk) OPENSSL_sk_free(ssl_check_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_zero(sk) OPENSSL_sk_zero(ssl_check_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_delete(sk, i) ((IPAddressFamily
*)OPENSSL_sk_delete(ssl_check_IPAddressFamily_sk_type(sk), (i)))
#define sk_IPAddressFamily_delete_ptr(sk, ptr) ((IPAddressFamily
*)OPENSSL_sk_delete_ptr(ssl_check_IPAddressFamily_sk_type(sk), ssl_check_IPAddressFamily_type(ptr)))
#define sk_IPAddressFamily_push(sk, ptr) OPENSSL_sk_push(ssl_check_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_pop(sk) ((IPAddressFamily
*)OPENSSL_sk_pop(ssl_check_IPAddressFamily_sk_type(sk)))
#define
sk_IPAddressFamily_shift(sk) ((IPAddressFamily
*)OPENSSL_sk_shift(ssl_check_IPAddressFamily_sk_type(sk)))
#define sk_IPAddressFamily_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_IPAddressFamily_sk_type(sk),ssl_check_IPAddressFamily_freefunc_type(fre
efunc))
#define sk_IPAddressFamily_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_type(ptr), (idx))
#define sk_IPAddressFamily_set(sk, idx, ptr) ((IPAddressFamily
*)OPENSSL_sk_set(ssl_check_IPAddressFamily_sk_type(sk), (idx), ssl_check_IPAddressFamily_type(ptr)))
#define sk_IPAddressFamily_find(sk, ptr) OPENSSL_sk_find(ssl_check_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_type(ptr))
#define sk_IPAddressFamily_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_type(ptr), pnum)
#define sk_IPAddressFamily_sort(sk) OPENSSL_sk_sort(ssl_check_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_IPAddressFamily_sk_type(sk))
#define sk_IPAddressFamily_dup(sk) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_dup(ssl_check_const_IPAddressFamily_sk_type(sk)))
#define sk_IPAddressFamily_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(IPAddressFamily)
*)OPENSSL_sk_deep_copy(ssl_check_const_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_copyfunc_type(copyfunc), ssl_check_IPAddressFamily_freefunc_type(freefunc)))
#define sk_IPAddressFamily_set_cmp_func(sk, cmp)
((sk_IPAddressFamily_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_IPAddressFamily_sk_type(sk),
ssl_check_IPAddressFamily_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

typedef STACK_OF(IPAddressFamily) IPAddrBlocks;

```

```

DECLARE_ASN1_FUNCTIONS(IPAddressRange)
DECLARE_ASN1_FUNCTIONS(IPAddressOrRange)
DECLARE_ASN1_FUNCTIONS(IPAddressChoice)

```

```

DECLARE_ASN1_FUNCTIONS(IPAddressFamily)

/*
 * API tag for elements of the ASIdentifier SEQUENCE.
 */
#define V3_ASID_ASNUM 0
#define V3_ASID_RDI 1

/*
 * AFI values, assigned by IANA. It'd be nice to make the AFI
 * handling code totally generic, but there are too many little things
 * that would need to be defined for other address families for it to
 * be worth the trouble.
 */
#define IANA_AFI_IPV4 1
#define IANA_AFI_IPV6 2

/*
 * Utilities to construct and extract values from RFC3779 extensions,
 * since some of the encodings (particularly for IP address prefixes
 * and ranges) are a bit tedious to work with directly.
 */
int X509v3_asid_add_inherit(ASIdentifiers *asid, int which);
int X509v3_asid_add_id_or_range(ASIdentifiers *asid, int which,
    ASN1_INTEGER *min, ASN1_INTEGER *max);
int X509v3_addr_add_inherit(IPAddrBlocks *addr,
    const unsigned afi, const unsigned *safi);
int X509v3_addr_add_prefix(IPAddrBlocks *addr,
    const unsigned afi,
    const unsigned *safi,
    unsigned char *a, const int prefixlen);
int X509v3_addr_add_range(IPAddrBlocks *addr,
    const unsigned afi, const unsigned *safi,
    unsigned char *min, unsigned char *max);
unsigned X509v3_addr_get_afi(const IPAddressFamily *f);
int X509v3_addr_get_range(IPAddressOrRange *aor, const unsigned afi,
    unsigned char *min, unsigned char *max,
    const int length);

/*
 * Canonical forms.
 */
int X509v3_asid_is_canonical(ASIdentifiers *asid);
int X509v3_addr_is_canonical(IPAddrBlocks *addr);
int X509v3_asid_canonize(ASIdentifiers *asid);
int X509v3_addr_canonize(IPAddrBlocks *addr);

/*

```

```

* Tests for inheritance and containment.
*/
int X509v3_asid_inherits(ASIdentifiers *asid);
int X509v3_addr_inherits(IPAddrBlocks *addr);
int X509v3_asid_subset(ASIdentifiers *a, ASIdentifiers *b);
int X509v3_addr_subset(IPAddrBlocks *a, IPAddrBlocks *b);

/*
* Check whether RFC 3779 extensions nest properly in chains.
*/
int X509v3_asid_validate_path(X509_STORE_CTX *);
int
X509v3_addr_validate_path(X509_STORE_CTX *);
int X509v3_asid_validate_resource_set(STACK_OF(X509) *chain,
ASIdentifiers *ext,
int allow_inheritance);
int X509v3_addr_validate_resource_set(STACK_OF(X509) *chain,
IPAddrBlocks *ext, int allow_inheritance);

#endif /* OPENSSL_NO_RFC3779 */

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASN1_STRING, ASN1_STRING, ASN1_STRING)
#define sk_ASN1_STRING_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_value(sk, idx) ((ASN1_STRING
*)OPENSSL_sk_value(ssl_check_const_ASN1_STRING_sk_type(sk), (idx)))
#define sk_ASN1_STRING_new(cmp) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_new(ssl_check_ASN1_STRING_compfunc_type(cmp)))
#define sk_ASN1_STRING_new_null() ((STACK_OF(ASN1_STRING) *)OPENSSL_sk_new_null())
#define sk_ASN1_STRING_new_reserve(cmp, n) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_STRING_compfunc_type(cmp), (n)))
#define sk_ASN1_STRING_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_STRING_sk_type(sk),
(n))
#define sk_ASN1_STRING_free(sk) OPENSSL_sk_free(ssl_check_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_delete(sk, i) ((ASN1_STRING
*)OPENSSL_sk_delete(ssl_check_ASN1_STRING_sk_type(sk), (i)))
#define sk_ASN1_STRING_delete_ptr(sk, ptr) ((ASN1_STRING
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_STRING_sk_type(sk), ssl_check_ASN1_STRING_type(ptr)))
#define sk_ASN1_STRING_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_STRING_sk_type(sk),
ssl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_pop(sk) ((ASN1_STRING
*)OPENSSL_sk_pop(ssl_check_ASN1_STRING_sk_type(sk)))
#define sk_ASN1_STRING_shift(sk) ((ASN1_STRING
*)OPENSSL_sk_shift(ssl_check_ASN1_STRING_sk_type(sk)))
#define sk_ASN1_STRING_pop_free(sk, freefunc)

```

```

OPENSSL_sk_pop_free(ossl_check_ASN1_STRING_sk_type(sk),ossl_check_ASN1_STRING_freefunc_type(freefunc))
#define
sk_ASN1_STRING_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_ASN1_STRING_sk_type(sk),
ossl_check_ASN1_STRING_type(ptr), (idx))
#define sk_ASN1_STRING_set(sk, idx, ptr) ((ASN1_STRING
*)OPENSSL_sk_set(ossl_check_ASN1_STRING_sk_type(sk), (idx), ossl_check_ASN1_STRING_type(ptr)))
#define sk_ASN1_STRING_find(sk, ptr) OPENSSL_sk_find(ossl_check_ASN1_STRING_sk_type(sk),
ossl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_ASN1_STRING_sk_type(sk),
ossl_check_ASN1_STRING_type(ptr))
#define sk_ASN1_STRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_ASN1_STRING_sk_type(sk), ossl_check_ASN1_STRING_type(ptr), pnum)
#define sk_ASN1_STRING_sort(sk) OPENSSL_sk_sort(ossl_check_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_ASN1_STRING_sk_type(sk))
#define sk_ASN1_STRING_dup(sk) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_dup(ossl_check_const_ASN1_STRING_sk_type(sk)))
#define sk_ASN1_STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_STRING)
*)OPENSSL_sk_deep_copy(ossl_check_const_ASN1_STRING_sk_type(sk),
ossl_check_ASN1_STRING_copyfunc_type(copyfunc), ossl_check_ASN1_STRING_freefunc_type(freefunc)))
#define sk_ASN1_STRING_set_cmp_func(sk, cmp)
((sk_ASN1_STRING_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_STRING_sk_type(sk),
ossl_check_ASN1_STRING_compfunc_type(cmp)))

/* clang-format on */

/*
* Admission Syntax
*/
typedef struct NamingAuthority_st NAMING_AUTHORITY;
typedef struct ProfessionInfo_st PROFESSION_INFO;
typedef struct Admissions_st ADMISSIONS;
typedef struct AdmissionSyntax_st ADMISSION_SYNTAX;
DECLARE_ASN1_FUNCTIONS(NAMING_AUTHORITY)
DECLARE_ASN1_FUNCTIONS(PROFESSION_INFO)
DECLARE_ASN1_FUNCTIONS(ADMISSIONS)
DECLARE_ASN1_FUNCTIONS(ADMISSION_SYNTAX)
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(PROFESSION_INFO, PROFESSION_INFO, PROFESSION_INFO)
#define sk_PROFESSION_INFO_num(sk)
OPENSSL_sk_num(ossl_check_const_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_value(sk, idx) ((PROFESSION_INFO
*)OPENSSL_sk_value(ossl_check_const_PROFESSION_INFO_sk_type(sk), (idx)))
#define sk_PROFESSION_INFO_new(cmp) ((STACK_OF(PROFESSION_INFO)
*)OPENSSL_sk_new(ossl_check_PROFESSION_INFO_compfunc_type(cmp)))
#define sk_PROFESSION_INFO_new_null() ((STACK_OF(PROFESSION_INFO) *)OPENSSL_sk_new_null())
#define sk_PROFESSION_INFO_new_reserve(cmp, n) ((STACK_OF(PROFESSION_INFO)

```

```

*)OPENSSL_sk_new_reserve(ssl_check_PROFESSION_INFO_compfunc_type(cmp), (n)))
#define sk_PROFESSION_INFO_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_PROFESSION_INFO_sk_type(sk), (n))
#define sk_PROFESSION_INFO_free(sk) OPENSSL_sk_free(ssl_check_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_zero(sk) OPENSSL_sk_zero(ssl_check_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_delete(sk, i) ((PROFESSION_INFO
*)OPENSSL_sk_delete(ssl_check_PROFESSION_INFO_sk_type(sk), (i)))
#define
sk_PROFESSION_INFO_delete_ptr(sk, ptr) ((PROFESSION_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr)))
#define sk_PROFESSION_INFO_push(sk, ptr)
OPENSSL_sk_push(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_pop(sk) ((PROFESSION_INFO
*)OPENSSL_sk_pop(ssl_check_PROFESSION_INFO_sk_type(sk)))
#define sk_PROFESSION_INFO_shift(sk) ((PROFESSION_INFO
*)OPENSSL_sk_shift(ssl_check_PROFESSION_INFO_sk_type(sk)))
#define sk_PROFESSION_INFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_freefunc_type(freefunc))
#define sk_PROFESSION_INFO_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PROFESSION_INFO_sk_type(sk), ssl_check_PROFESSION_INFO_type(ptr),
(idx))
#define sk_PROFESSION_INFO_set(sk,
idx, ptr) ((PROFESSION_INFO *)OPENSSL_sk_set(ssl_check_PROFESSION_INFO_sk_type(sk), (idx),
ssl_check_PROFESSION_INFO_type(ptr)))
#define sk_PROFESSION_INFO_find(sk, ptr) OPENSSL_sk_find(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr))
#define sk_PROFESSION_INFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_type(ptr), pnum)
#define sk_PROFESSION_INFO_sort(sk) OPENSSL_sk_sort(ssl_check_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PROFESSION_INFO_sk_type(sk))
#define sk_PROFESSION_INFO_dup(sk) ((STACK_OF(PROFESSION_INFO)
*)OPENSSL_sk_dup(ssl_check_const_PROFESSION_INFO_sk_type(sk)))
#define sk_PROFESSION_INFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PROFESSION_INFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_PROFESSION_INFO_sk_type(sk),
ssl_check_PROFESSION_INFO_copyfunc_type(copyfunc),
ssl_check_PROFESSION_INFO_freefunc_type(freefunc)))
#define sk_PROFESSION_INFO_set_cmp_func(sk, cmp)
((sk_PROFESSION_INFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PROFESSION_INFO_sk_type(sk)
, ssl_check_PROFESSION_INFO_compfunc_type(cmp)))

```

```

SKM_DEFINE_STACK_OF_INTERNAL(ADMISSIONS, ADMISSIONS, ADMISSIONS)
#define sk_ADMISSIONS_num(sk) OPENSSL_sk_num(ssl_check_const_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_value(sk, idx) ((ADMISSIONS
*)OPENSSL_sk_value(ssl_check_const_ADMISSIONS_sk_type(sk), (idx)))
#define sk_ADMISSIONS_new(cmp) ((STACK_OF(ADMISSIONS)
*)OPENSSL_sk_new(ssl_check_ADMISSIONS_compfunc_type(cmp)))
#define sk_ADMISSIONS_new_null() ((STACK_OF(ADMISSIONS) *)OPENSSL_sk_new_null())
#define sk_ADMISSIONS_new_reserve(cmp, n) ((STACK_OF(ADMISSIONS)
*)OPENSSL_sk_new_reserve(ssl_check_ADMISSIONS_compfunc_type(cmp), (n)))
#define sk_ADMISSIONS_reserve(sk, n)
    OPENSSL_sk_reserve(ssl_check_ADMISSIONS_sk_type(sk), (n))
#define sk_ADMISSIONS_free(sk) OPENSSL_sk_free(ssl_check_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_zero(sk) OPENSSL_sk_zero(ssl_check_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_delete(sk, i) ((ADMISSIONS
*)OPENSSL_sk_delete(ssl_check_ADMISSIONS_sk_type(sk), (i)))
#define sk_ADMISSIONS_delete_ptr(sk, ptr) ((ADMISSIONS
*)OPENSSL_sk_delete_ptr(ssl_check_ADMISSIONS_sk_type(sk), ssl_check_ADMISSIONS_type(ptr)))
#define sk_ADMISSIONS_push(sk, ptr) OPENSSL_sk_push(ssl_check_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_pop(sk) ((ADMISSIONS
*)OPENSSL_sk_pop(ssl_check_ADMISSIONS_sk_type(sk)))
#define sk_ADMISSIONS_shift(sk) ((ADMISSIONS
*)OPENSSL_sk_shift(ssl_check_ADMISSIONS_sk_type(sk)))
#define sk_ADMISSIONS_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_ADMISSIONS_sk_type(sk), ssl_check_ADMISSIONS_freefunc_type(freefunc))
#define
    sk_ADMISSIONS_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_type(ptr), (idx))
#define sk_ADMISSIONS_set(sk, idx, ptr) ((ADMISSIONS
*)OPENSSL_sk_set(ssl_check_ADMISSIONS_sk_type(sk), (idx), ssl_check_ADMISSIONS_type(ptr)))
#define sk_ADMISSIONS_find(sk, ptr) OPENSSL_sk_find(ssl_check_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_type(ptr))
#define sk_ADMISSIONS_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_type(ptr), pnum)
#define sk_ADMISSIONS_sort(sk) OPENSSL_sk_sort(ssl_check_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ADMISSIONS_sk_type(sk))
#define sk_ADMISSIONS_dup(sk) ((STACK_OF(ADMISSIONS)
*)OPENSSL_sk_dup(ssl_check_const_ADMISSIONS_sk_type(sk)))
#define
    sk_ADMISSIONS_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ADMISSIONS)
*)OPENSSL_sk_deep_copy(ssl_check_const_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_copyfunc_type(copyfunc), ssl_check_ADMISSIONS_freefunc_type(freefunc)))
#define sk_ADMISSIONS_set_cmp_func(sk, cmp)

```

```

((sk_ADMISSIONS_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ADMISSIONS_sk_type(sk),
ssl_check_ADMISSIONS_compfunc_type(cmp)))

/* clang-format on */
typedef STACK_OF(PROFESSION_INFO) PROFESSION_INFOS;

const ASN1_OBJECT *NAMING_AUTHORITY_get0_authorityId(
    const NAMING_AUTHORITY *n);
const ASN1_IA5STRING *NAMING_AUTHORITY_get0_authorityURL(
    const NAMING_AUTHORITY *n);
const ASN1_STRING *NAMING_AUTHORITY_get0_authorityText(
    const NAMING_AUTHORITY *n);
void NAMING_AUTHORITY_set0_authorityId(NAMING_AUTHORITY *n,
    ASN1_OBJECT *namingAuthorityId);
void NAMING_AUTHORITY_set0_authorityURL(NAMING_AUTHORITY *n,
    ASN1_IA5STRING *namingAuthorityUrl);
void NAMING_AUTHORITY_set0_authorityText(NAMING_AUTHORITY
    *n,
    ASN1_STRING *namingAuthorityText);

const GENERAL_NAME *ADMISSION_SYNTAX_get0_admissionAuthority(
    const ADMISSION_SYNTAX *as);
void ADMISSION_SYNTAX_set0_admissionAuthority(
    ADMISSION_SYNTAX *as, GENERAL_NAME *aa);
const STACK_OF(ADMISSIONS) *ADMISSION_SYNTAX_get0_contentsOfAdmissions(
    const ADMISSION_SYNTAX *as);
void ADMISSION_SYNTAX_set0_contentsOfAdmissions(
    ADMISSION_SYNTAX *as, STACK_OF(ADMISSIONS) *a);
const GENERAL_NAME *ADMISSIONS_get0_admissionAuthority(const ADMISSIONS *a);
void ADMISSIONS_set0_admissionAuthority(ADMISSIONS *a, GENERAL_NAME *aa);
const NAMING_AUTHORITY *ADMISSIONS_get0_namingAuthority(const ADMISSIONS *a);
void ADMISSIONS_set0_namingAuthority(ADMISSIONS *a, NAMING_AUTHORITY *na);
const PROFESSION_INFOS *ADMISSIONS_get0_professionInfos(const ADMISSIONS *a);
void ADMISSIONS_set0_professionInfos(ADMISSIONS *a, PROFESSION_INFOS *pi);
const ASN1_OCTET_STRING *PROFESSION_INFO_get0_addProfessionInfo(
    const
    PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_addProfessionInfo(
    PROFESSION_INFO *pi, ASN1_OCTET_STRING *aos);
const NAMING_AUTHORITY *PROFESSION_INFO_get0_namingAuthority(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_namingAuthority(
    PROFESSION_INFO *pi, NAMING_AUTHORITY *na);
const STACK_OF(ASN1_STRING) *PROFESSION_INFO_get0_professionItems(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_professionItems(
    PROFESSION_INFO *pi, STACK_OF(ASN1_STRING) *as);
const STACK_OF(ASN1_OBJECT) *PROFESSION_INFO_get0_professionOIDs(

```

```

    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_professionOIDs(
    PROFESSION_INFO *pi, STACK_OF(ASN1_OBJECT) *po);
const ASN1_PRINTABLESTRING *PROFESSION_INFO_get0_registrationNumber(
    const PROFESSION_INFO *pi);
void PROFESSION_INFO_set0_registrationNumber(
    PROFESSION_INFO *pi, ASN1_PRINTABLESTRING *rn);

#ifdef __cplusplus
}
#endif
#endif

```

The << Software identified by reference to the Ecma Standard* (Software)>> is protected by copyright and is being

made available under the BSD License, included below. This Software may be subject to third party rights (rights from parties other than Ecma International), including patent rights, and no licenses under such third party rights are granted under this license even if the third party concerned is a member of Ecma International. SEE THE ECMA

CODE OF CONDUCT IN PATENT MATTERS AVAILABLE AT <http://www.ecma-international.org/memento/codeofconduct.htm> FOR INFORMATION REGARDING THE LICENSING OF PATENT CLAIMS THAT ARE REQUIRED TO IMPLEMENT ECMA INTERNATIONAL STANDARDS*.

Copyright <<2012>> <<Ecma International>>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the authors nor Ecma International may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE ECMA INTERNATIONAL "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL ECMA INTERNATIONAL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* Ecma International Standards hereafter means Ecma International Standards as well as Ecma Technical Reports
/*

* WARNING: do not edit!

* Generated by Makefile from providers/common/include/prov/der_digests.h.in

*

* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#include "internal/der.h"

/* Well known OIDs precompiled */

/* clang-format off */

/*

* sigAlgs OBJECT IDENTIFIER ::= { nistAlgorithms 3 }

*/

#define DER_OID_V_sigAlgs DER_P_OBJECT, 8, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x03

#define DER_OID_SZ_sigAlgs 10

extern const unsigned char ossl_der_oid_sigAlgs[DER_OID_SZ_sigAlgs];

/*

* id-sha1 OBJECT IDENTIFIER ::= { iso(1)

* identified-organization(3) oiw(14)

* secsig(3) algorithms(2) 26 }

*/

#define DER_OID_V_id_sha1 DER_P_OBJECT, 5, 0x2B, 0x0E, 0x03,

0x02, 0x1A

#define DER_OID_SZ_id_sha1 7

extern const unsigned char ossl_der_oid_id_sha1[DER_OID_SZ_id_sha1];

/*

* id-md2 OBJECT IDENTIFIER ::= {

* iso(1) member-body(2) us(840) rsadsi(113549) digestAlgorithm(2) 2 }

*/

#define DER_OID_V_id_md2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x02, 0x02

#define DER_OID_SZ_id_md2 10

extern const unsigned char ossl_der_oid_id_md2[DER_OID_SZ_id_md2];

```

/*
 * id-md5 OBJECT IDENTIFIER ::= {
 *   iso(1) member-body(2) us(840) rsadsi(113549) digestAlgorithm(2) 5 }
 */
#define DER_OID_V_id_md5 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x02, 0x05
#define DER_OID_SZ_id_md5 10
extern const unsigned char ossl_der_oid_id_md5[DER_OID_SZ_id_md5];

/*
 * id-sha256 OBJECT IDENTIFIER ::= { hashAlgs 1 }
 */
#define DER_OID_V_id_sha256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x01
#define DER_OID_SZ_id_sha256 11
extern const unsigned char ossl_der_oid_id_sha256[DER_OID_SZ_id_sha256];

/*
 * id-sha384 OBJECT IDENTIFIER
 ::= { hashAlgs 2 }
 */
#define DER_OID_V_id_sha384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x02
#define DER_OID_SZ_id_sha384 11
extern const unsigned char ossl_der_oid_id_sha384[DER_OID_SZ_id_sha384];

/*
 * id-sha512 OBJECT IDENTIFIER ::= { hashAlgs 3 }
 */
#define DER_OID_V_id_sha512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x03
#define DER_OID_SZ_id_sha512 11
extern const unsigned char ossl_der_oid_id_sha512[DER_OID_SZ_id_sha512];

/*
 * id-sha224 OBJECT IDENTIFIER ::= { hashAlgs 4 }
 */
#define DER_OID_V_id_sha224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x04
#define DER_OID_SZ_id_sha224 11
extern const unsigned char ossl_der_oid_id_sha224[DER_OID_SZ_id_sha224];

/*
 * id-sha512-224 OBJECT IDENTIFIER ::= { hashAlgs 5 }
 */
#define DER_OID_V_id_sha512_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x05
#define DER_OID_SZ_id_sha512_224 11
extern const unsigned char ossl_der_oid_id_sha512_224[DER_OID_SZ_id_sha512_224];

/*
 * id-sha512-256 OBJECT IDENTIFIER ::= { hashAlgs 6 }
 */
#define DER_OID_V_id_sha512_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x06

```

```

#define DER_OID_SZ_id_sha512_256 11
extern const unsigned char ossl_der_oid_id_sha512_256[DER_OID_SZ_id_sha512_256];

/*
 * id-sha3-224 OBJECT IDENTIFIER ::= { hashAlgs 7 }
 */
#define DER_OID_V_id_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x07
#define DER_OID_SZ_id_sha3_224 11
extern const unsigned char ossl_der_oid_id_sha3_224[DER_OID_SZ_id_sha3_224];

/*
 * id-sha3-256 OBJECT IDENTIFIER ::= { hashAlgs 8 }
 */
#define DER_OID_V_id_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x08
#define DER_OID_SZ_id_sha3_256 11
extern const unsigned char ossl_der_oid_id_sha3_256[DER_OID_SZ_id_sha3_256];

/*
 * id-sha3-384 OBJECT IDENTIFIER ::= { hashAlgs 9 }
 */
#define DER_OID_V_id_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03,
    0x04, 0x02, 0x09
#define DER_OID_SZ_id_sha3_384 11
extern const unsigned char ossl_der_oid_id_sha3_384[DER_OID_SZ_id_sha3_384];

/*
 * id-sha3-512 OBJECT IDENTIFIER ::= { hashAlgs 10 }
 */
#define DER_OID_V_id_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x0A
#define DER_OID_SZ_id_sha3_512 11
extern const unsigned char ossl_der_oid_id_sha3_512[DER_OID_SZ_id_sha3_512];

/*
 * id-shake128 OBJECT IDENTIFIER ::= { hashAlgs 11 }
 */
#define DER_OID_V_id_shake128 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x0B
#define DER_OID_SZ_id_shake128 11
extern const unsigned char ossl_der_oid_id_shake128[DER_OID_SZ_id_shake128];

/*
 * id-shake256 OBJECT IDENTIFIER ::= { hashAlgs 12 }
 */
#define DER_OID_V_id_shake256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02, 0x0C
#define DER_OID_SZ_id_shake256 11
extern const unsigned char ossl_der_oid_id_shake256[DER_OID_SZ_id_shake256];

/*
 * id-shake128-len OBJECT IDENTIFIER ::= { hashAlgs

```

```

17 }
*/
#define DER_OID_V_id_shake128_len DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02,
0x11
#define DER_OID_SZ_id_shake128_len 11
extern const unsigned char ossl_der_oid_id_shake128_len[DER_OID_SZ_id_shake128_len];

/*
 * id-shake256-len OBJECT IDENTIFIER ::= { hashAlgs 18 }
 */
#define DER_OID_V_id_shake256_len DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02,
0x12
#define DER_OID_SZ_id_shake256_len 11
extern const unsigned char ossl_der_oid_id_shake256_len[DER_OID_SZ_id_shake256_len];

/*
 * id-KMACWithSHAKE128 OBJECT IDENTIFIER ::= {hashAlgs 19}
 */
#define DER_OID_V_id_KMACWithSHAKE128 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x02, 0x13
#define DER_OID_SZ_id_KMACWithSHAKE128 11
extern const unsigned char ossl_der_oid_id_KMACWithSHAKE128[DER_OID_SZ_id_KMACWithSHAKE128];

/*
 * id-KMACWithSHAKE256 OBJECT IDENTIFIER ::= { hashAlgs 20}
 */
#define DER_OID_V_id_KMACWithSHAKE256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x02, 0x14
#define DER_OID_SZ_id_KMACWithSHAKE256 11
extern const unsigned char ossl_der_oid_id_KMACWithSHAKE256[DER_OID_SZ_id_KMACWithSHAKE256];

/* clang-format on */
/*
 * WARNING: do not edit!
 * Generated by Makefile from providers/common/include/prov/der_ec.h.in
 *
 * Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#include "crypto/ec.h"
#include "internal/der.h"

/* Well known OIDs precompiled */

```

```

/* clang-format off */

/*
 * ecdsa-with-SHA1 OBJECT IDENTIFIER ::= { id-ecSigType 1 }
 */
#define DER_OID_V_ecdsa_with_SHA1 DER_P_OBJECT, 7, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x01
#define DER_OID_SZ_ecdsa_with_SHA1 9
extern const unsigned char ossl_der_oid_ecdsa_with_SHA1[DER_OID_SZ_ecdsa_with_SHA1];

/*
 * id-ecPublicKey OBJECT IDENTIFIER ::= { id-publicKeyType 1 }
 */
#define DER_OID_V_id_ecPublicKey DER_P_OBJECT, 7, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x02, 0x01
#define DER_OID_SZ_id_ecPublicKey
9
extern const unsigned char ossl_der_oid_id_ecPublicKey[DER_OID_SZ_id_ecPublicKey];

/*
 * c2pnb163v1 OBJECT IDENTIFIER ::= { c-TwoCurve 1 }
 */
#define DER_OID_V_c2pnb163v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x01
#define DER_OID_SZ_c2pnb163v1 10
extern const unsigned char ossl_der_oid_c2pnb163v1[DER_OID_SZ_c2pnb163v1];

/*
 * c2pnb163v2 OBJECT IDENTIFIER ::= { c-TwoCurve 2 }
 */
#define DER_OID_V_c2pnb163v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x02
#define DER_OID_SZ_c2pnb163v2 10
extern const unsigned char ossl_der_oid_c2pnb163v2[DER_OID_SZ_c2pnb163v2];

/*
 * c2pnb163v3 OBJECT IDENTIFIER ::= { c-TwoCurve 3 }
 */
#define DER_OID_V_c2pnb163v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x03
#define DER_OID_SZ_c2pnb163v3 10
extern const unsigned char ossl_der_oid_c2pnb163v3[DER_OID_SZ_c2pnb163v3];

/*
 * c2pnb176w1 OBJECT IDENTIFIER ::= { c-TwoCurve 4 }
 */
#define DER_OID_V_c2pnb176w1 DER_P_OBJECT,
8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x04
#define DER_OID_SZ_c2pnb176w1 10
extern const unsigned char ossl_der_oid_c2pnb176w1[DER_OID_SZ_c2pnb176w1];

/*
 * c2tnb191v1 OBJECT IDENTIFIER ::= { c-TwoCurve 5 }

```

```

*/
#define DER_OID_V_c2tnb191v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x05
#define DER_OID_SZ_c2tnb191v1 10
extern const unsigned char ossl_der_oid_c2tnb191v1[DER_OID_SZ_c2tnb191v1];

/*
* c2tnb191v2 OBJECT IDENTIFIER ::= { c-TwoCurve 6 }
*/
#define DER_OID_V_c2tnb191v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x06
#define DER_OID_SZ_c2tnb191v2 10
extern const unsigned char ossl_der_oid_c2tnb191v2[DER_OID_SZ_c2tnb191v2];

/*
* c2tnb191v3 OBJECT IDENTIFIER ::= { c-TwoCurve 7 }
*/
#define DER_OID_V_c2tnb191v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x07
#define DER_OID_SZ_c2tnb191v3 10
extern const unsigned char ossl_der_oid_c2tnb191v3[DER_OID_SZ_c2tnb191v3];

/*
* c2onb191v4 OBJECT IDENTIFIER
  ::= { c-TwoCurve 8 }
*/
#define DER_OID_V_c2onb191v4 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x08
#define DER_OID_SZ_c2onb191v4 10
extern const unsigned char ossl_der_oid_c2onb191v4[DER_OID_SZ_c2onb191v4];

/*
* c2onb191v5 OBJECT IDENTIFIER ::= { c-TwoCurve 9 }
*/
#define DER_OID_V_c2onb191v5 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x09
#define DER_OID_SZ_c2onb191v5 10
extern const unsigned char ossl_der_oid_c2onb191v5[DER_OID_SZ_c2onb191v5];

/*
* c2pnb208w1 OBJECT IDENTIFIER ::= { c-TwoCurve 10 }
*/
#define DER_OID_V_c2pnb208w1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0A
#define DER_OID_SZ_c2pnb208w1 10
extern const unsigned char ossl_der_oid_c2pnb208w1[DER_OID_SZ_c2pnb208w1];

/*
* c2tnb239v1 OBJECT IDENTIFIER ::= { c-TwoCurve 11 }
*/
#define DER_OID_V_c2tnb239v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0B
#define DER_OID_SZ_c2tnb239v1 10
extern const unsigned char ossl_der_oid_c2tnb239v1[DER_OID_SZ_c2tnb239v1];

```

```

/*
 * c2tnb239v2 OBJECT IDENTIFIER ::= { c-TwoCurve 12 }
 */
#define DER_OID_V_c2tnb239v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0C
#define DER_OID_SZ_c2tnb239v2 10
extern const unsigned char ossl_der_oid_c2tnb239v2[DER_OID_SZ_c2tnb239v2];

/*
 * c2tnb239v3 OBJECT IDENTIFIER ::= { c-TwoCurve 13 }
 */
#define DER_OID_V_c2tnb239v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0D
#define DER_OID_SZ_c2tnb239v3 10
extern const unsigned char ossl_der_oid_c2tnb239v3[DER_OID_SZ_c2tnb239v3];

/*
 * c2onb239v4 OBJECT IDENTIFIER ::= { c-TwoCurve 14 }
 */
#define DER_OID_V_c2onb239v4 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0E
#define DER_OID_SZ_c2onb239v4 10
extern const unsigned char ossl_der_oid_c2onb239v4[DER_OID_SZ_c2onb239v4];

/*
 * c2onb239v5 OBJECT IDENTIFIER ::= { c-TwoCurve 15 }
 */
#define DER_OID_V_c2onb239v5 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x0F
#define DER_OID_SZ_c2onb239v5
10
extern const unsigned char ossl_der_oid_c2onb239v5[DER_OID_SZ_c2onb239v5];

/*
 * c2pnb272w1 OBJECT IDENTIFIER ::= { c-TwoCurve 16 }
 */
#define DER_OID_V_c2pnb272w1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x10
#define DER_OID_SZ_c2pnb272w1 10
extern const unsigned char ossl_der_oid_c2pnb272w1[DER_OID_SZ_c2pnb272w1];

/*
 * c2pnb304w1 OBJECT IDENTIFIER ::= { c-TwoCurve 17 }
 */
#define DER_OID_V_c2pnb304w1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x11
#define DER_OID_SZ_c2pnb304w1 10
extern const unsigned char ossl_der_oid_c2pnb304w1[DER_OID_SZ_c2pnb304w1];

/*
 * c2tnb359v1 OBJECT IDENTIFIER ::= { c-TwoCurve 18 }
 */
#define DER_OID_V_c2tnb359v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x12
#define DER_OID_SZ_c2tnb359v1 10

```

```

extern const unsigned char ossl_der_oid_c2tnb359v1[DER_OID_SZ_c2tnb359v1];

/*
 * c2pnb368w1 OBJECT IDENTIFIER ::= { c-TwoCurve 19 }
 */
#define DER_OID_V_c2pnb368w1 DER_P_OBJECT,
      8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x13
#define DER_OID_SZ_c2pnb368w1 10
extern const unsigned char ossl_der_oid_c2pnb368w1[DER_OID_SZ_c2pnb368w1];

/*
 * c2tnb431r1 OBJECT IDENTIFIER ::= { c-TwoCurve 20 }
 */
#define DER_OID_V_c2tnb431r1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x00, 0x14
#define DER_OID_SZ_c2tnb431r1 10
extern const unsigned char ossl_der_oid_c2tnb431r1[DER_OID_SZ_c2tnb431r1];

/*
 * prime192v1 OBJECT IDENTIFIER ::= { primeCurve 1 }
 */
#define DER_OID_V_prime192v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x01
#define DER_OID_SZ_prime192v1 10
extern const unsigned char ossl_der_oid_prime192v1[DER_OID_SZ_prime192v1];

/*
 * prime192v2 OBJECT IDENTIFIER ::= { primeCurve 2 }
 */
#define DER_OID_V_prime192v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x02
#define DER_OID_SZ_prime192v2 10
extern const unsigned char ossl_der_oid_prime192v2[DER_OID_SZ_prime192v2];

/*
 * prime192v3 OBJECT IDENTIFIER ::=
   { primeCurve 3 }
 */
#define DER_OID_V_prime192v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x03
#define DER_OID_SZ_prime192v3 10
extern const unsigned char ossl_der_oid_prime192v3[DER_OID_SZ_prime192v3];

/*
 * prime239v1 OBJECT IDENTIFIER ::= { primeCurve 4 }
 */
#define DER_OID_V_prime239v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x04
#define DER_OID_SZ_prime239v1 10
extern const unsigned char ossl_der_oid_prime239v1[DER_OID_SZ_prime239v1];

/*
 * prime239v2 OBJECT IDENTIFIER ::= { primeCurve 5 }

```



```

*/
#define DER_OID_V_prime239v2 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x05
#define DER_OID_SZ_prime239v2 10
extern const unsigned char ossl_der_oid_prime239v2[DER_OID_SZ_prime239v2];

/*
* prime239v3 OBJECT IDENTIFIER ::= { primeCurve 6 }
*/
#define DER_OID_V_prime239v3 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x06
#define DER_OID_SZ_prime239v3 10
extern const unsigned char ossl_der_oid_prime239v3[DER_OID_SZ_prime239v3];

/*
* prime256v1 OBJECT IDENTIFIER ::= { primeCurve 7 }
*/
#define DER_OID_V_prime256v1 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x03, 0x01, 0x07
#define DER_OID_SZ_prime256v1 10
extern const unsigned char ossl_der_oid_prime256v1[DER_OID_SZ_prime256v1];

/*
* ecdsa-with-SHA224 OBJECT IDENTIFIER ::= { iso(1) member-body(2)
*   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 1 }
*/
#define DER_OID_V_ecdsa_with_SHA224 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x01
#define DER_OID_SZ_ecdsa_with_SHA224 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA224[DER_OID_SZ_ecdsa_with_SHA224];

/*
* ecdsa-with-SHA256 OBJECT IDENTIFIER ::= { iso(1) member-body(2)
*   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 2 }
*/
#define DER_OID_V_ecdsa_with_SHA256 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x02
#define DER_OID_SZ_ecdsa_with_SHA256 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA256[DER_OID_SZ_ecdsa_with_SHA256];

/*
* ecdsa-with-SHA384 OBJECT IDENTIFIER ::= { iso(1) member-body(2)
*   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 3 }
*/
#define DER_OID_V_ecdsa_with_SHA384 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x03
#define DER_OID_SZ_ecdsa_with_SHA384 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA384[DER_OID_SZ_ecdsa_with_SHA384];

/*
* ecdsa-with-SHA512 OBJECT IDENTIFIER ::= { iso(1) member-body(2)

```

```

*   us(840) ansi-X9-62(10045) signatures(4) ecdsa-with-SHA2(3) 4 }
*/

#define DER_OID_V_ecdsa_with_SHA512 DER_P_OBJECT, 8, 0x2A, 0x86, 0x48, 0xCE, 0x3D, 0x04, 0x03,
0x04
#define DER_OID_SZ_ecdsa_with_SHA512 10
extern const unsigned char ossl_der_oid_ecdsa_with_SHA512[DER_OID_SZ_ecdsa_with_SHA512];

/*
* id-ecdsa-with-sha3-224 OBJECT IDENTIFIER ::= { sigAlgs 9 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x09
#define DER_OID_SZ_id_ecdsa_with_sha3_224
11
extern const unsigned char ossl_der_oid_id_ecdsa_with_sha3_224[DER_OID_SZ_id_ecdsa_with_sha3_224];

/*
* id-ecdsa-with-sha3-256 OBJECT IDENTIFIER ::= { sigAlgs 10 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x0A
#define DER_OID_SZ_id_ecdsa_with_sha3_256 11
extern const unsigned char ossl_der_oid_id_ecdsa_with_sha3_256[DER_OID_SZ_id_ecdsa_with_sha3_256];

/*
* id-ecdsa-with-sha3-384 OBJECT IDENTIFIER ::= { sigAlgs 11 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x0B
#define DER_OID_SZ_id_ecdsa_with_sha3_384 11
extern const unsigned char ossl_der_oid_id_ecdsa_with_sha3_384[DER_OID_SZ_id_ecdsa_with_sha3_384];

/*
* id-ecdsa-with-sha3-512 OBJECT IDENTIFIER ::= { sigAlgs 12 }
*/
#define DER_OID_V_id_ecdsa_with_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04,
0x03, 0x0C
#define DER_OID_SZ_id_ecdsa_with_sha3_512 11
extern const
    unsigned char ossl_der_oid_id_ecdsa_with_sha3_512[DER_OID_SZ_id_ecdsa_with_sha3_512];

/* clang-format on */

/* Subject Public Key Info */
int ossl_DER_w_algorithmIdentifier_EC(WPACKET *pkt, int cont, EC_KEY *ec);
/* Signature */
int ossl_DER_w_algorithmIdentifier_ECDSA_with_MD(WPACKET *pkt, int cont,
    EC_KEY *ec, int mdnid);

```

Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
Copyright (c) Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{  
'variables': {  
  'openssl_defines_BSD-x86': [  
    'NDEBUG',  
    'L_ENDIAN',  
    'OPENSSL_BUILDING_OPENSSL',  
    'AES_ASM',
```

```

'CMLL_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wa,--noexecstack',
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',
'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',

```

'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86/asm_avx2/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',

```
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',

'openssl/apps/lib/openssl.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86)'],
'include_dirs': [
    './include',
],
'cflags' : ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86)'],
}
```

The ISC License

Copyright (c) 2015, 2019 Elan Shanker, 2021 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) Isaac Z. Schlueter and Contributors

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Note: This is a derivative work based on "node-fetch" by David Frank, modified and distributed under the terms of the MIT license above.

<https://github.com/bitinn/node-fetch>

Python/Jython

The MIT License (MIT)

Copyright (c) Denis Malinochkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to [<https://blueoakcouncil.org/license/1.0.0>](https://blueoakcouncil.org/license/1.0.0).

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

****_As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim._****

/*

* WARNING: do not edit!


```

* Generated by Makefile from providers/common/include/prov/der_wrap.h.in
*
* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

#include "internal/der.h"

/* Well known OIDs precompiled */
/* clang-format off */

/*
* id-alg-CMS3DESwrap OBJECT IDENTIFIER ::= {
*   iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-9(9) smime(16) alg(3) 6
* }
*/
#define DER_OID_V_id_alg_CMS3DESwrap DER_P_OBJECT, 11, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x09, 0x10, 0x03, 0x06
#define DER_OID_SZ_id_alg_CMS3DESwrap 13
extern const unsigned char ossl_der_oid_id_alg_CMS3DESwrap[DER_OID_SZ_id_alg_CMS3DESwrap];

/*
* id-aes128-wrap OBJECT IDENTIFIER ::= { aes 5 }
*/
#define DER_OID_V_id_aes128_wrap DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x01, 0x05
#define DER_OID_SZ_id_aes128_wrap 11
extern const unsigned char ossl_der_oid_id_aes128_wrap[DER_OID_SZ_id_aes128_wrap];

/*
* id-aes192-wrap OBJECT IDENTIFIER ::= { aes 25 }
*/
#define DER_OID_V_id_aes192_wrap DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x01, 0x19
#define DER_OID_SZ_id_aes192_wrap 11
extern const unsigned char ossl_der_oid_id_aes192_wrap[DER_OID_SZ_id_aes192_wrap];

/*
* id-aes256-wrap OBJECT IDENTIFIER ::= { aes 45 }
*/
#define DER_OID_V_id_aes256_wrap DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x01, 0x2D
#define DER_OID_SZ_id_aes256_wrap 11
extern const unsigned char ossl_der_oid_id_aes256_wrap[DER_OID_SZ_id_aes256_wrap];

```

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of

the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public:

wiki.creativecommons.org/Considerations_for_licensees

=====

Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.

- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free,

- non-sublicensable, non-exclusive, irrevocable
license to
exercise the Licensed Rights in the Licensed Material to:
- a. reproduce and Share the Licensed Material, in whole or in part; and
 - b. produce, reproduce, and Share Adapted Material.
2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.
3. Term. The term of this Public License is specified in Section 6(a).
4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a) (4) never produces Adapted Material.
5. Downstream recipients.
- a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.
 - b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.
6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected

with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if

designated);

ii. a copyright notice;

- iii. a notice that refers to this Public License;
 - iv. a notice that refers to the disclaimer of warranties;
 - v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;
- b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and
 - c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.
2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.
3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.
4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share

all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE.

WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.

c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 -- Term and Termination.

a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.

b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:

1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.

d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/x509.h.in

*

* Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.

* Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_X509_H

#define OPENSSL_X509_H

#pragma once

#include <openssl/macros.h>

#ifndef OPENSSL_NO_DEPRECATED_3_0

#define HEADER_X509_H

#endif

#include <openssl/e_os2.h>

#include <openssl/types.h>

```

#include <openssl/symhacks.h>
#include <openssl/buffer.h>
#include <openssl/evp.h>
#include <openssl/bio.h>
#include <openssl/asn1.h>
#include <openssl/safestack.h>
#include <openssl/ec.h>

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#include <openssl/rsa.h>
#include
    <openssl/dsa.h>
#include <openssl/dh.h>
#endif

#include <openssl/sha.h>
#include <openssl/x509err.h>

#ifdef __cplusplus
extern "C" {
#endif

/* Needed stacks for types defined in other headers */
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_NAME, X509_NAME, X509_NAME)
#define sk_X509_NAME_num(sk) OPENSSL_sk_num(ssl_check_const_X509_NAME_sk_type(sk))
#define sk_X509_NAME_value(sk, idx) ((X509_NAME
*)OPENSSL_sk_value(ssl_check_const_X509_NAME_sk_type(sk), (idx)))
#define sk_X509_NAME_new(cmp) ((STACK_OF(X509_NAME)
*)OPENSSL_sk_new(ssl_check_X509_NAME_compfunc_type(cmp)))
#define sk_X509_NAME_new_null() ((STACK_OF(X509_NAME) *)OPENSSL_sk_new_null())
#define sk_X509_NAME_new_reserve(cmp, n) ((STACK_OF(X509_NAME)
*)OPENSSL_sk_new_reserve(ssl_check_X509_NAME_compfunc_type(cmp), (n)))
#define sk_X509_NAME_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_NAME_sk_type(sk), (n))
#define sk_X509_NAME_free(sk) OPENSSL_sk_free(ssl_check_X509_NAME_sk_type(sk))
#define sk_X509_NAME_zero(sk)
    OPENSSL_sk_zero(ssl_check_X509_NAME_sk_type(sk))
#define sk_X509_NAME_delete(sk, i) ((X509_NAME
*)OPENSSL_sk_delete(ssl_check_X509_NAME_sk_type(sk), (i)))
#define sk_X509_NAME_delete_ptr(sk, ptr) ((X509_NAME
*)OPENSSL_sk_delete_ptr(ssl_check_X509_NAME_sk_type(sk), ssl_check_X509_NAME_type(ptr)))
#define sk_X509_NAME_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_NAME_sk_type(sk),
    ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_NAME_sk_type(sk),
    ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_pop(sk) ((X509_NAME *)OPENSSL_sk_pop(ssl_check_X509_NAME_sk_type(sk)))
#define sk_X509_NAME_shift(sk) ((X509_NAME *)OPENSSL_sk_shift(ssl_check_X509_NAME_sk_type(sk)))
#define sk_X509_NAME_pop_free(sk, freefunc)

```

```

OPENSSL_sk_pop_free(ssl_check_X509_NAME_sk_type(sk),ssl_check_X509_NAME_freefunc_type(freefunc)
)
#define sk_X509_NAME_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr),
(idx))
#define sk_X509_NAME_set(sk, idx, ptr) ((X509_NAME
*)OPENSSL_sk_set(ssl_check_X509_NAME_sk_type(sk), (idx), ssl_check_X509_NAME_type(ptr)))
#define sk_X509_NAME_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr))
#define sk_X509_NAME_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_type(ptr), pnum)
#define sk_X509_NAME_sort(sk) OPENSSL_sk_sort(ssl_check_X509_NAME_sk_type(sk))
#define sk_X509_NAME_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_NAME_sk_type(sk))
#define sk_X509_NAME_dup(sk) ((STACK_OF(X509_NAME)
*)OPENSSL_sk_dup(ssl_check_const_X509_NAME_sk_type(sk)))
#define sk_X509_NAME_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_NAME)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_copyfunc_type(copyfunc),
ssl_check_X509_NAME_freefunc_type(freefunc)))
#define sk_X509_NAME_set_cmp_func(sk, cmp)
((sk_X509_NAME_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_NAME_sk_type(sk),
ssl_check_X509_NAME_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509, X509, X509)
#define sk_X509_num(sk) OPENSSL_sk_num(ssl_check_const_X509_sk_type(sk))
#define sk_X509_value(sk, idx) ((X509 *)OPENSSL_sk_value(ssl_check_const_X509_sk_type(sk), (idx)))
#define sk_X509_new(cmp) ((STACK_OF(X509) *)OPENSSL_sk_new(ssl_check_X509_compfunc_type(cmp)))
#define sk_X509_new_null() ((STACK_OF(X509) *)OPENSSL_sk_new_null())
#define sk_X509_new_reserve(cmp, n) ((STACK_OF(X509)
*)OPENSSL_sk_new_reserve(ssl_check_X509_compfunc_type(cmp), (n)))
#define sk_X509_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_sk_type(sk), (n))
#define sk_X509_free(sk) OPENSSL_sk_free(ssl_check_X509_sk_type(sk))
#define sk_X509_zero(sk) OPENSSL_sk_zero(ssl_check_X509_sk_type(sk))
#define sk_X509_delete(sk, i) ((X509 *)OPENSSL_sk_delete(ssl_check_X509_sk_type(sk),
(i)))
#define sk_X509_delete_ptr(sk, ptr) ((X509 *)OPENSSL_sk_delete_ptr(ssl_check_X509_sk_type(sk),
ssl_check_X509_type(ptr)))
#define sk_X509_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_sk_type(sk), ssl_check_X509_type(ptr))
#define sk_X509_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_sk_type(sk),
ssl_check_X509_type(ptr))
#define sk_X509_pop(sk) ((X509 *)OPENSSL_sk_pop(ssl_check_X509_sk_type(sk)))
#define sk_X509_shift(sk) ((X509 *)OPENSSL_sk_shift(ssl_check_X509_sk_type(sk)))
#define sk_X509_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_sk_type(sk),ssl_check_X509_freefunc_type(freefunc))
#define sk_X509_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_sk_type(sk),
ssl_check_X509_type(ptr), (idx))
#define sk_X509_set(sk, idx, ptr) ((X509 *)OPENSSL_sk_set(ssl_check_X509_sk_type(sk), (idx),

```



```

ossl_check_X509_type(ptr)))
#define sk_X509_find(sk, ptr) OPENSSL_sk_find(ossl_check_X509_sk_type(sk), ossl_check_X509_type(ptr))
#define
    sk_X509_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_X509_sk_type(sk), ossl_check_X509_type(ptr))
#define sk_X509_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_X509_sk_type(sk),
ossl_check_X509_type(ptr), pnum)
#define sk_X509_sort(sk) OPENSSL_sk_sort(ossl_check_X509_sk_type(sk))
#define sk_X509_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_X509_sk_type(sk))
#define sk_X509_dup(sk) ((STACK_OF(X509) *)OPENSSL_sk_dup(ossl_check_const_X509_sk_type(sk)))
#define sk_X509_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509)
*)OPENSSL_sk_deep_copy(ossl_check_const_X509_sk_type(sk), ossl_check_X509_copyfunc_type(copyfunc),
ossl_check_X509_freefunc_type(freefunc)))
#define sk_X509_set_cmp_func(sk, cmp)
((sk_X509_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_X509_sk_type(sk),
ossl_check_X509_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_REVOKED, X509_REVOKED, X509_REVOKED)
#define sk_X509_REVOKED_num(sk) OPENSSL_sk_num(ossl_check_const_X509_REVOKED_sk_type(sk))
#define
    sk_X509_REVOKED_value(sk, idx) ((X509_REVOKED
*)OPENSSL_sk_value(ossl_check_const_X509_REVOKED_sk_type(sk), (idx)))
#define sk_X509_REVOKED_new(cmp) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_new(ossl_check_X509_REVOKED_compfunc_type(cmp)))
#define sk_X509_REVOKED_new_null() ((STACK_OF(X509_REVOKED) *)OPENSSL_sk_new_null())
#define sk_X509_REVOKED_new_reserve(cmp, n) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_new_reserve(ossl_check_X509_REVOKED_compfunc_type(cmp), (n)))
#define sk_X509_REVOKED_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_X509_REVOKED_sk_type(sk),
(n))
#define sk_X509_REVOKED_free(sk) OPENSSL_sk_free(ossl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_zero(sk) OPENSSL_sk_zero(ossl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_delete(sk, i) ((X509_REVOKED
*)OPENSSL_sk_delete(ossl_check_X509_REVOKED_sk_type(sk), (i)))
#define sk_X509_REVOKED_delete_ptr(sk, ptr) ((X509_REVOKED
*)OPENSSL_sk_delete_ptr(ossl_check_X509_REVOKED_sk_type(sk), ossl_check_X509_REVOKED_type(ptr)))
#define
    sk_X509_REVOKED_push(sk, ptr) OPENSSL_sk_push(ossl_check_X509_REVOKED_sk_type(sk),
ossl_check_X509_REVOKED_type(ptr))
#define sk_X509_REVOKED_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_X509_REVOKED_sk_type(sk),
ossl_check_X509_REVOKED_type(ptr))
#define sk_X509_REVOKED_pop(sk) ((X509_REVOKED
*)OPENSSL_sk_pop(ossl_check_X509_REVOKED_sk_type(sk)))
#define sk_X509_REVOKED_shift(sk) ((X509_REVOKED
*)OPENSSL_sk_shift(ossl_check_X509_REVOKED_sk_type(sk)))
#define sk_X509_REVOKED_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_X509_REVOKED_sk_type(sk), ossl_check_X509_REVOKED_freefunc_type(
freefunc))
#define sk_X509_REVOKED_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_X509_REVOKED_sk_type(sk),
ossl_check_X509_REVOKED_type(ptr), (idx))
#define sk_X509_REVOKED_set(sk, idx, ptr) ((X509_REVOKED

```

```

*)OPENSSL_sk_set(ssl_check_X509_REVOKED_sk_type(sk), (idx), ssl_check_X509_REVOKED_type(ptr)))
#define sk_X509_REVOKED_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_REVOKED_sk_type(sk),
    ssl_check_X509_REVOKED_type(ptr))
#define sk_X509_REVOKED_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_REVOKED_sk_type(sk),
    ssl_check_X509_REVOKED_type(ptr))
#define sk_X509_REVOKED_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ssl_check_X509_REVOKED_sk_type(sk), ssl_check_X509_REVOKED_type(ptr),
    pnum)
#define sk_X509_REVOKED_sort(sk) OPENSSL_sk_sort(ssl_check_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_is_sorted(sk)
    OPENSSL_sk_is_sorted(ssl_check_const_X509_REVOKED_sk_type(sk))
#define sk_X509_REVOKED_dup(sk) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_dup(ssl_check_const_X509_REVOKED_sk_type(sk)))
#define sk_X509_REVOKED_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_REVOKED)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_REVOKED_sk_type(sk),
    ssl_check_X509_REVOKED_copyfunc_type(copyfunc),
    ssl_check_X509_REVOKED_freefunc_type(freefunc)))
#define sk_X509_REVOKED_set_cmp_func(sk, cmp)
    ((sk_X509_REVOKED_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_REVOKED_sk_type(sk),
    ssl_check_X509_REVOKED_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_CRL, X509_CRL, X509_CRL)
#define sk_X509_CRL_num(sk) OPENSSL_sk_num(ssl_check_const_X509_CRL_sk_type(sk))
#define sk_X509_CRL_value(sk, idx) ((X509_CRL
*)OPENSSL_sk_value(ssl_check_const_X509_CRL_sk_type(sk), (idx)))
#define sk_X509_CRL_new(cmp) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_new(ssl_check_X509_CRL_compfunc_type(cmp)))
#define sk_X509_CRL_new_null() ((STACK_OF(X509_CRL) *)OPENSSL_sk_new_null())
#define sk_X509_CRL_new_reserve(cmp, n) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_new_reserve(ssl_check_X509_CRL_compfunc_type(cmp), (n)))
#define sk_X509_CRL_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_CRL_sk_type(sk), (n))
#define sk_X509_CRL_free(sk) OPENSSL_sk_free(ssl_check_X509_CRL_sk_type(sk))
#define sk_X509_CRL_zero(sk) OPENSSL_sk_zero(ssl_check_X509_CRL_sk_type(sk))
#define sk_X509_CRL_delete(sk, i) ((X509_CRL *)OPENSSL_sk_delete(ssl_check_X509_CRL_sk_type(sk),
    (i)))
#define
    sk_X509_CRL_delete_ptr(sk, ptr) ((X509_CRL *)OPENSSL_sk_delete_ptr(ssl_check_X509_CRL_sk_type(sk),
    ssl_check_X509_CRL_type(ptr)))
#define sk_X509_CRL_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_CRL_sk_type(sk),
    ssl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_CRL_sk_type(sk),
    ssl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_pop(sk) ((X509_CRL *)OPENSSL_sk_pop(ssl_check_X509_CRL_sk_type(sk)))
#define sk_X509_CRL_shift(sk) ((X509_CRL *)OPENSSL_sk_shift(ssl_check_X509_CRL_sk_type(sk)))
#define sk_X509_CRL_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_X509_CRL_sk_type(sk), ssl_check_X509_CRL_freefunc_type(freefunc))
#define sk_X509_CRL_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_CRL_sk_type(sk),
    ssl_check_X509_CRL_type(ptr), (idx))
#define sk_X509_CRL_set(sk, idx, ptr) ((X509_CRL *)OPENSSL_sk_set(ssl_check_X509_CRL_sk_type(sk),

```

```

(idx), openssl_check_X509_CRL_type(ptr)))
#define sk_X509_CRL_find(sk, ptr)
    OPENSSL_sk_find(openssl_check_X509_CRL_sk_type(sk), openssl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_find_ex(sk, ptr) OPENSSL_sk_find_ex(openssl_check_X509_CRL_sk_type(sk),
openssl_check_X509_CRL_type(ptr))
#define sk_X509_CRL_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(openssl_check_X509_CRL_sk_type(sk),
openssl_check_X509_CRL_type(ptr), pnum)
#define sk_X509_CRL_sort(sk) OPENSSL_sk_sort(openssl_check_X509_CRL_sk_type(sk))
#define sk_X509_CRL_is_sorted(sk) OPENSSL_sk_is_sorted(openssl_check_const_X509_CRL_sk_type(sk))
#define sk_X509_CRL_dup(sk) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_dup(openssl_check_const_X509_CRL_sk_type(sk)))
#define sk_X509_CRL_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_CRL)
*)OPENSSL_sk_deep_copy(openssl_check_const_X509_CRL_sk_type(sk),
openssl_check_X509_CRL_copyfunc_type(copyfunc), openssl_check_X509_CRL_freefunc_type(freefunc)))
#define sk_X509_CRL_set_cmp_func(sk, cmp)
((sk_X509_CRL_compfunc)OPENSSL_sk_set_cmp_func(openssl_check_X509_CRL_sk_type(sk),
openssl_check_X509_CRL_compfunc_type(cmp)))

/*
clang-format on */

/* Flags for X509_get_signature_info() */
/* Signature info is valid */
#define X509_SIG_INFO_VALID 0x1
/* Signature is suitable for TLS use */
#define X509_SIG_INFO_TLS 0x2

#define X509_FILETYPE_PEM 1
#define X509_FILETYPE_ASN1 2
#define X509_FILETYPE_DEFAULT 3

#define X509v3_KU_DIGITAL_SIGNATURE 0x0080
#define X509v3_KU_NON_REPUDIATION 0x0040
#define X509v3_KU_KEY_ENCIPHERMENT 0x0020
#define X509v3_KU_DATA_ENCIPHERMENT 0x0010
#define X509v3_KU_KEY_AGREEMENT 0x0008
#define X509v3_KU_KEY_CERT_SIGN 0x0004
#define X509v3_KU_CRL_SIGN 0x0002
#define X509v3_KU_ENCIPHER_ONLY 0x0001
#define X509v3_KU_DECIPHER_ONLY 0x8000
#define X509v3_KU_UNDEF 0xffff

struct X509_algor_st {
    ASN1_OBJECT *algorithm;
    ASN1_TYPE *parameter;
} /* X509_ALGOR */;

typedef STACK_OF(X509_ALGOR) X509_ALGORS;

```

```

typedef struct X509_val_st {
    ASN1_TIME *notBefore;
    ASN1_TIME *notAfter;
} X509_VAL;

typedef struct X509_sig_st X509_SIG;

typedef struct X509_name_entry_st X509_NAME_ENTRY;

/*
clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_NAME_ENTRY, X509_NAME_ENTRY,
X509_NAME_ENTRY)
#define sk_X509_NAME_ENTRY_num(sk)
OPENSSL_sk_num(ssl_check_const_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_value(sk, idx) ((X509_NAME_ENTRY
*)OPENSSL_sk_value(ssl_check_const_X509_NAME_ENTRY_sk_type(sk), (idx)))
#define sk_X509_NAME_ENTRY_new(cmp) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_new(ssl_check_X509_NAME_ENTRY_compfunc_type(cmp)))
#define sk_X509_NAME_ENTRY_new_null() ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_new_null())
#define sk_X509_NAME_ENTRY_new_reserve(cmp, n) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_new_reserve(ssl_check_X509_NAME_ENTRY_compfunc_type(cmp), (n)))
#define sk_X509_NAME_ENTRY_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_NAME_ENTRY_sk_type(sk), (n))
#define sk_X509_NAME_ENTRY_free(sk) OPENSSL_sk_free(ssl_check_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_zero(sk) OPENSSL_sk_zero(ssl_check_X509_NAME_ENTRY_sk_type(sk))
#define
sk_X509_NAME_ENTRY_delete(sk, i) ((X509_NAME_ENTRY
*)OPENSSL_sk_delete(ssl_check_X509_NAME_ENTRY_sk_type(sk), (i)))
#define sk_X509_NAME_ENTRY_delete_ptr(sk, ptr) ((X509_NAME_ENTRY
*)OPENSSL_sk_delete_ptr(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr)))
#define sk_X509_NAME_ENTRY_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))
#define sk_X509_NAME_ENTRY_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))
#define sk_X509_NAME_ENTRY_pop(sk) ((X509_NAME_ENTRY
*)OPENSSL_sk_pop(ssl_check_X509_NAME_ENTRY_sk_type(sk)))
#define sk_X509_NAME_ENTRY_shift(sk) ((X509_NAME_ENTRY
*)OPENSSL_sk_shift(ssl_check_X509_NAME_ENTRY_sk_type(sk)))
#define sk_X509_NAME_ENTRY_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_NAME_ENTRY_sk_type(sk), ssl_check_X509_NAME_ENTRY_freef
unc_type(freefunc))
#define sk_X509_NAME_ENTRY_insert(sk, ptr,

```

```

idx) OPENSSL_sk_insert(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr), (idx))
#define sk_X509_NAME_ENTRY_set(sk, idx, ptr) ((X509_NAME_ENTRY
*)OPENSSL_sk_set(ssl_check_X509_NAME_ENTRY_sk_type(sk), (idx),
ssl_check_X509_NAME_ENTRY_type(ptr)))
#define sk_X509_NAME_ENTRY_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))
#define sk_X509_NAME_ENTRY_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr))
#define sk_X509_NAME_ENTRY_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_type(ptr), pnum)
#define sk_X509_NAME_ENTRY_sort(sk) OPENSSL_sk_sort(ssl_check_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_NAME_ENTRY_sk_type(sk))
#define sk_X509_NAME_ENTRY_dup(sk) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_dup(ssl_check_const_X509_NAME_ENTRY_sk_type(sk)))
#define
sk_X509_NAME_ENTRY_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_NAME_ENTRY)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_NAME_ENTRY_sk_type(sk),
ssl_check_X509_NAME_ENTRY_copyfunc_type(copyfunc),
ssl_check_X509_NAME_ENTRY_freefunc_type(freefunc)))
#define sk_X509_NAME_ENTRY_set_cmp_func(sk, cmp)
((sk_X509_NAME_ENTRY_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_NAME_ENTRY_sk_type
(sk), ssl_check_X509_NAME_ENTRY_compfunc_type(cmp)))

/* clang-format on */

#define X509_EX_V_NETSCAPE_HACK 0x8000
#define X509_EX_V_INIT 0x0001
typedef struct X509_extension_st X509_EXTENSION;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_EXTENSION, X509_EXTENSION, X509_EXTENSION)
#define sk_X509_EXTENSION_num(sk) OPENSSL_sk_num(ssl_check_const_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_value(sk, idx) ((X509_EXTENSION
*)OPENSSL_sk_value(ssl_check_const_X509_EXTENSION_sk_type(sk), (idx)))
#define sk_X509_EXTENSION_new(cmp) ((STACK_OF(X509_EXTENSION)
*)OPENSSL_sk_new(ssl_check_X509_EXTENSION_compfunc_type(cmp)))
#define sk_X509_EXTENSION_new_null() ((STACK_OF(X509_EXTENSION) *)OPENSSL_sk_new_null())
#define sk_X509_EXTENSION_new_reserve(cmp, n) ((STACK_OF(X509_EXTENSION)
*)OPENSSL_sk_new_reserve(ssl_check_X509_EXTENSION_compfunc_type(cmp), (n)))
#define sk_X509_EXTENSION_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_EXTENSION_sk_type(sk), (n))
#define sk_X509_EXTENSION_free(sk) OPENSSL_sk_free(ssl_check_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_zero(sk) OPENSSL_sk_zero(ssl_check_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_delete(sk, i) ((X509_EXTENSION

```

```

*)OPENSSL_sk_delete(ssl_check_X509_EXTENSION_sk_type(sk), (i)))
#define sk_X509_EXTENSION_delete_ptr(sk, ptr) ((X509_EXTENSION
*)OPENSSL_sk_delete_ptr(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr)))
#define sk_X509_EXTENSION_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define
sk_X509_EXTENSION_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define sk_X509_EXTENSION_pop(sk) ((X509_EXTENSION
*)OPENSSL_sk_pop(ssl_check_X509_EXTENSION_sk_type(sk)))
#define sk_X509_EXTENSION_shift(sk) ((X509_EXTENSION
*)OPENSSL_sk_shift(ssl_check_X509_EXTENSION_sk_type(sk)))
#define sk_X509_EXTENSION_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_EXTENSION_sk_type(sk),ssl_check_X509_EXTENSION_freefunc_t
ype(freefunc))
#define sk_X509_EXTENSION_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_X509_EXTENSION_sk_type(sk), ssl_check_X509_EXTENSION_type(ptr),
(idx))
#define sk_X509_EXTENSION_set(sk, idx, ptr) ((X509_EXTENSION
*)OPENSSL_sk_set(ssl_check_X509_EXTENSION_sk_type(sk), (idx),
ssl_check_X509_EXTENSION_type(ptr)))
#define sk_X509_EXTENSION_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define sk_X509_EXTENSION_find_ex(sk,
ptr) OPENSSL_sk_find_ex(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_type(ptr))
#define sk_X509_EXTENSION_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_EXTENSION_sk_type(sk), ssl_check_X509_EXTENSION_type(ptr),
pnum)
#define sk_X509_EXTENSION_sort(sk) OPENSSL_sk_sort(ssl_check_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_EXTENSION_sk_type(sk))
#define sk_X509_EXTENSION_dup(sk) ((STACK_OF(X509_EXTENSION)
*)OPENSSL_sk_dup(ssl_check_const_X509_EXTENSION_sk_type(sk)))
#define sk_X509_EXTENSION_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_EXTENSION)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_copyfunc_type(copyfunc),
ssl_check_X509_EXTENSION_freefunc_type(freefunc)))
#define sk_X509_EXTENSION_set_cmp_func(sk, cmp)
((sk_X509_EXTENSION_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_EXTENSION_sk_type(sk),
ssl_check_X509_EXTENSION_compfunc_type(cmp)))

/*
clang-format on */
typedef STACK_OF(X509_EXTENSION) X509_EXTENSIONS;
typedef struct x509_attributes_st X509_ATTRIBUTE;
/* clang-format off */

```

```

SKM_DEFINE_STACK_OF_INTERNAL(X509_ATTRIBUTE, X509_ATTRIBUTE, X509_ATTRIBUTE)
#define sk_X509_ATTRIBUTE_num(sk) OPENSSL_sk_num(ssl_check_const_X509_ATTRIBUTE_sk_type(sk))
#define sk_X509_ATTRIBUTE_value(sk, idx) ((X509_ATTRIBUTE
*)OPENSSL_sk_value(ssl_check_const_X509_ATTRIBUTE_sk_type(sk), (idx)))
#define sk_X509_ATTRIBUTE_new(cmp) ((STACK_OF(X509_ATTRIBUTE)
*)OPENSSL_sk_new(ssl_check_X509_ATTRIBUTE_compfunc_type(cmp)))
#define sk_X509_ATTRIBUTE_new_null() ((STACK_OF(X509_ATTRIBUTE) *)OPENSSL_sk_new_null())
#define sk_X509_ATTRIBUTE_new_reserve(cmp, n) ((STACK_OF(X509_ATTRIBUTE)
*)OPENSSL_sk_new_reserve(ssl_check_X509_ATTRIBUTE_compfunc_type(cmp), (n)))
#define sk_X509_ATTRIBUTE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_ATTRIBUTE_sk_type(sk), (n))
#define sk_X509_ATTRIBUTE_free(sk) OPENSSL_sk_free(ssl_check_X509_ATTRIBUTE_sk_type(sk))
#define
sk_X509_ATTRIBUTE_zero(sk) OPENSSL_sk_zero(ssl_check_X509_ATTRIBUTE_sk_type(sk))
#define sk_X509_ATTRIBUTE_delete(sk, i) ((X509_ATTRIBUTE
*)OPENSSL_sk_delete(ssl_check_X509_ATTRIBUTE_sk_type(sk), (i)))
#define sk_X509_ATTRIBUTE_delete_ptr(sk, ptr) ((X509_ATTRIBUTE
*)OPENSSL_sk_delete_ptr(ssl_check_X509_ATTRIBUTE_sk_type(sk),
ssl_check_X509_ATTRIBUTE_type(ptr)))
#define sk_X509_ATTRIBUTE_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_ATTRIBUTE_sk_type(sk),
ssl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509_ATTRIBUTE_sk_type(sk), ssl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_pop(sk) ((X509_ATTRIBUTE
*)OPENSSL_sk_pop(ssl_check_X509_ATTRIBUTE_sk_type(sk)))
#define sk_X509_ATTRIBUTE_shift(sk) ((X509_ATTRIBUTE
*)OPENSSL_sk_shift(ssl_check_X509_ATTRIBUTE_sk_type(sk)))
#define sk_X509_ATTRIBUTE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_ATTRIBUTE_sk_type(sk), ssl_check_X509_ATTRIBUTE_freefunc_t
ype(freefunc))
#define
sk_X509_ATTRIBUTE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_ATTRIBUTE_sk_type(sk),
ssl_check_X509_ATTRIBUTE_type(ptr), (idx))
#define sk_X509_ATTRIBUTE_set(sk, idx, ptr) ((X509_ATTRIBUTE
*)OPENSSL_sk_set(ssl_check_X509_ATTRIBUTE_sk_type(sk), (idx),
ssl_check_X509_ATTRIBUTE_type(ptr)))
#define sk_X509_ATTRIBUTE_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_ATTRIBUTE_sk_type(sk),
ssl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509_ATTRIBUTE_sk_type(sk), ssl_check_X509_ATTRIBUTE_type(ptr))
#define sk_X509_ATTRIBUTE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_ATTRIBUTE_sk_type(sk), ssl_check_X509_ATTRIBUTE_type(ptr),
pnum)
#define sk_X509_ATTRIBUTE_sort(sk) OPENSSL_sk_sort(ssl_check_X509_ATTRIBUTE_sk_type(sk))
#define sk_X509_ATTRIBUTE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_ATTRIBUTE_sk_type(sk))
#define sk_X509_ATTRIBUTE_dup(sk)

```

```

((STACK_OF(X509_ATTRIBUTE) *)OPENSSL_sk_dup(ssl_check_const_X509_ATTRIBUTE_sk_type(sk)))
#define sk_X509_ATTRIBUTE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_ATTRIBUTE)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_ATTRIBUTE_sk_type(sk),
ssl_check_X509_ATTRIBUTE_copyfunc_type(copyfunc),
ssl_check_X509_ATTRIBUTE_freefunc_type(freefunc)))
#define sk_X509_ATTRIBUTE_set_cmp_func(sk, cmp)
((sk_X509_ATTRIBUTE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_ATTRIBUTE_sk_type(sk),
ssl_check_X509_ATTRIBUTE_compfunc_type(cmp)))

/* clang-format on */
typedef struct X509_req_info_st X509_REQ_INFO;
typedef struct X509_req_st X509_REQ;
typedef struct x509_cert_aux_st X509_CERT_AUX;
typedef struct x509_cinf_st X509_CINF;

/* Flags for X509_print_ex() */

#define X509_FLAG_COMPAT 0
#define X509_FLAG_NO_HEADER 1L
#define X509_FLAG_NO_VERSION (1L << 1)
#define X509_FLAG_NO_SERIAL (1L << 2)
#define X509_FLAG_NO_SIGNAME (1L << 3)
#define X509_FLAG_NO_ISSUER (1L << 4)
#define
X509_FLAG_NO_VALIDITY (1L << 5)
#define X509_FLAG_NO_SUBJECT (1L << 6)
#define X509_FLAG_NO_PUBKEY (1L << 7)
#define X509_FLAG_NO_EXTENSIONS (1L << 8)
#define X509_FLAG_NO_SIGDUMP (1L << 9)
#define X509_FLAG_NO_AUX (1L << 10)
#define X509_FLAG_NO_ATTRIBUTES (1L << 11)
#define X509_FLAG_NO_IDS (1L << 12)
#define X509_FLAG_EXTENSIONS_ONLY_KID (1L << 13)

/* Flags specific to X509_NAME_print_ex() */

/* The field separator information */

#define XN_FLAG_SEP_MASK (0xf << 16)

#define XN_FLAG_COMPAT 0 /* Traditional; use old X509_NAME_print */
#define XN_FLAG_SEP_COMMA_PLUS (1 << 16) /* RFC2253 ,+ */
#define XN_FLAG_SEP_CPLUS_SPC (2 << 16) /* ,+ spaced: more readable */
#define XN_FLAG_SEP_SPLUS_SPC (3 << 16) /* ;+ spaced */
#define XN_FLAG_SEP_MULTILINE (4 << 16) /* One line per field */

#define XN_FLAG_DN_REV (1 << 20) /* Reverse DN order */

```



```

/* How the field name is shown */

#define XN_FLAG_FN_MASK (0x3 << 21)

#define XN_FLAG_FN_SN 0 /* Object short name */
#define XN_FLAG_FN_LN
(1 << 21) /* Object long name */
#define XN_FLAG_FN_OID (2 << 21) /* Always use OIDs */
#define XN_FLAG_FN_NONE (3 << 21) /* No field names */

#define XN_FLAG_SPC_EQ (1 << 23) /* Put spaces round '=' */

/*
 * This determines if we dump fields we don't recognise: RFC2253 requires
 * this.
 */

#define XN_FLAG_DUMP_UNKNOWN_FIELDS (1 << 24)

#define XN_FLAG_FN_ALIGN (1 << 25) /* Align field names to 20 \
    * characters */

/* Complete set of RFC2253 flags */

#define XN_FLAG_RFC2253 (ASN1_STRFLGS_RFC2253 | XN_FLAG_SEP_COMMA_PLUS |
    XN_FLAG_DN_REV | XN_FLAG_FN_SN | XN_FLAG_DUMP_UNKNOWN_FIELDS)

/* readable oneline form */

#define XN_FLAG_ONELINE (ASN1_STRFLGS_RFC2253 | ASN1_STRFLGS_ESC_QUOTE |
    XN_FLAG_SEP_CPLUS_SPC | XN_FLAG_SPC_EQ | XN_FLAG_FN_SN)

/* readable multiline form */

#define XN_FLAG_MULTILINE (ASN1_STRFLGS_ESC_CTRL | ASN1_STRFLGS_ESC_MSB |
    XN_FLAG_SEP_MULTILINE | XN_FLAG_SPC_EQ | XN_FLAG_FN_LN | XN_FLAG_FN_ALIGN)

typedef struct X509_crl_info_st
    X509_CRL_INFO;

typedef struct private_key_st {
    int version;
    /* The PKCS#8 data types */
    X509_ALGOR *enc_algor;
    ASN1_OCTET_STRING *enc_pkey; /* encrypted pub key */
    /* When decrypted, the following will not be NULL */
    EVP_PKEY *dec_pkey;
    /* used to encrypt and decrypt */

```

```

int key_length;
char *key_data;
int key_free; /* true if we should auto free key_data */
/* expanded version of 'enc_algor' */
EVP_CIPHER_INFO cipher;
} X509_PKEY;

typedef struct X509_info_st {
    X509 *x509;
    X509_CRL *crl;
    X509_PKEY *x_pkey;
    EVP_CIPHER_INFO enc_cipher;
    int enc_len;
    char *enc_data;
} X509_INFO;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_INFO, X509_INFO, X509_INFO)
#define sk_X509_INFO_num(sk) OPENSSL_sk_num(ssl_check_const_X509_INFO_sk_type(sk))
#define sk_X509_INFO_value(sk, idx) ((X509_INFO
*)OPENSSL_sk_value(ssl_check_const_X509_INFO_sk_type(sk), (idx)))
#define sk_X509_INFO_new(cmp) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_new(ssl_check_X509_INFO_compfunc_type(cmp)))
#define
    sk_X509_INFO_new_null() ((STACK_OF(X509_INFO) *)OPENSSL_sk_new_null())
#define sk_X509_INFO_new_reserve(cmp, n) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_new_reserve(ssl_check_X509_INFO_compfunc_type(cmp), (n)))
#define sk_X509_INFO_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_INFO_sk_type(sk), (n))
#define sk_X509_INFO_free(sk) OPENSSL_sk_free(ssl_check_X509_INFO_sk_type(sk))
#define sk_X509_INFO_zero(sk) OPENSSL_sk_zero(ssl_check_X509_INFO_sk_type(sk))
#define sk_X509_INFO_delete(sk, i) ((X509_INFO *)OPENSSL_sk_delete(ssl_check_X509_INFO_sk_type(sk),
(i)))
#define sk_X509_INFO_delete_ptr(sk, ptr) ((X509_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_X509_INFO_sk_type(sk), ssl_check_X509_INFO_type(ptr)))
#define sk_X509_INFO_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_type(ptr))
#define sk_X509_INFO_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_type(ptr))
#define
    sk_X509_INFO_pop(sk) ((X509_INFO *)OPENSSL_sk_pop(ssl_check_X509_INFO_sk_type(sk)))
#define sk_X509_INFO_shift(sk) ((X509_INFO *)OPENSSL_sk_shift(ssl_check_X509_INFO_sk_type(sk)))
#define sk_X509_INFO_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_X509_INFO_sk_type(sk), ssl_check_X509_INFO_freefunc_type(freefunc))
#define sk_X509_INFO_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_type(ptr), (idx))
#define sk_X509_INFO_set(sk, idx, ptr) ((X509_INFO *)OPENSSL_sk_set(ssl_check_X509_INFO_sk_type(sk),
(idx), ssl_check_X509_INFO_type(ptr)))
#define sk_X509_INFO_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_type(ptr))

```

```

#define sk_X509_INFO_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_type(ptr))
#define sk_X509_INFO_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_type(ptr), pnum)
#define
    sk_X509_INFO_sort(sk) OPENSSL_sk_sort(ssl_check_X509_INFO_sk_type(sk))
#define sk_X509_INFO_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_INFO_sk_type(sk))
#define sk_X509_INFO_dup(sk) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_dup(ssl_check_const_X509_INFO_sk_type(sk)))
#define sk_X509_INFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_INFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_copyfunc_type(copyfunc), ssl_check_X509_INFO_freefunc_type(freefunc)))
#define sk_X509_INFO_set_cmp_func(sk, cmp)
((sk_X509_INFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_INFO_sk_type(sk),
ssl_check_X509_INFO_compfunc_type(cmp)))

/* clang-format on */

/*
 * The next 2 structures and their 8 routines are used to manipulate Netscape's
 * spki structures - useful if you are writing a CA web page
 */
typedef struct Netscape_spkac_st {
    X509_PUBKEY *pubkey;
    ASN1_IA5STRING *challenge; /* challenge sent in atlas >= PR2 */
} NETSCAPE_SPKAC;

typedef
struct Netscape_spki_st {
    NETSCAPE_SPKAC *spkac; /* signed public key and challenge */
    X509_ALGOR sig_algor;
    ASN1_BIT_STRING *signature;
} NETSCAPE_SPKI;

/* Netscape certificate sequence structure */
typedef struct Netscape_certificate_sequence {
    ASN1_OBJECT *type;
    STACK_OF(X509) *certs;
} NETSCAPE_CERT_SEQUENCE;

/*- Unused (and iv length is wrong)
typedef struct CBCParameter_st
{
    unsigned char iv[8];
} CBC_PARAM;
*/

/* Password based encryption structure */

```

```

typedef struct PBEPARAM_st {
    ASN1_OCTET_STRING *salt;
    ASN1_INTEGER *iter;
} PBEPARAM;

/* Password based encryption V2 structures */

typedef struct PBE2PARAM_st {
    X509_ALGOR *keyfunc;
    X509_ALGOR *encryption;
} PBE2PARAM;

typedef struct PBKDF2PARAM_st {
    /* Usually OCTET STRING but could be anything */
    ASN1_TYPE *salt;
    ASN1_INTEGER *iter;
    ASN1_INTEGER *keylength;
    X509_ALGOR *prf;
} PBKDF2PARAM;

#ifndef OPENSSL_NO_SCRYPT
typedef struct
SCRYPT_PARAMS_st {
    ASN1_OCTET_STRING *salt;
    ASN1_INTEGER *costParameter;
    ASN1_INTEGER *blockSize;
    ASN1_INTEGER *parallelizationParameter;
    ASN1_INTEGER *keyLength;
} SCRYPT_PARAMS;
#endif

#ifdef __cplusplus
}
#endif

#include <openssl/x509_vfy.h>
#include <openssl/pkcs7.h>

#ifdef __cplusplus
extern "C" {
#endif

#define X509_EXT_PACK_UNKNOWN 1
#define X509_EXT_PACK_STRING 2

#define X509_extract_key(x) X509_get_pubkey(x) /*****/
#define X509_REQ_extract_key(a) X509_REQ_get_pubkey(a)

```

```

#define X509_name_cmp(a, b) X509_NAME_cmp((a), (b))

void X509_CRL_set_default_method(const X509_CRL_METHOD *meth);
X509_CRL_METHOD *X509_CRL_METHOD_new(int (*crl_init)(X509_CRL *crl),
    int (*crl_free)(X509_CRL *crl),
    int (*crl_lookup)(X509_CRL *crl,
        X509_REVOKED **ret,
        const ASN1_INTEGER *serial,
        const X509_NAME *issuer),
    int (*crl_verify)(X509_CRL *crl,
        EVP_PKEY *pk));
void X509_CRL_METHOD_free(X509_CRL_METHOD *m);

void X509_CRL_set_meth_data(X509_CRL
    *crl, void *dat);
void *X509_CRL_get_meth_data(X509_CRL *crl);

const char *X509_verify_cert_error_string(long n);

int X509_verify(X509 *a, EVP_PKEY *r);
int X509_self_signed(X509 *cert, int verify_signature);

int X509_REQ_verify_ex(X509_REQ *a, EVP_PKEY *r, OSSL_LIB_CTX *libctx,
    const char *propq);
int X509_REQ_verify(X509_REQ *a, EVP_PKEY *r);
int X509_CRL_verify(X509_CRL *a, EVP_PKEY *r);
int NETSCAPE_SPKI_verify(NETSCAPE_SPKI *a, EVP_PKEY *r);

NETSCAPE_SPKI *NETSCAPE_SPKI_b64_decode(const char *str, int len);
char *NETSCAPE_SPKI_b64_encode(NETSCAPE_SPKI *x);
EVP_PKEY *NETSCAPE_SPKI_get_pubkey(NETSCAPE_SPKI *x);
int NETSCAPE_SPKI_set_pubkey(NETSCAPE_SPKI *x, EVP_PKEY *pkey);

int NETSCAPE_SPKI_print(BIO *out, NETSCAPE_SPKI *spki);

int X509_signature_dump(BIO *bp, const ASN1_STRING *sig, int indent);
int X509_signature_print(BIO *bp, const X509_ALGOR *alg,
    const ASN1_STRING *sig);

int X509_sign(X509 *x, EVP_PKEY *pkey, const EVP_MD *md);
int X509_sign_ctx(X509
    *x, EVP_MD_CTX *ctx);
int X509_REQ_sign(X509_REQ *x, EVP_PKEY *pkey, const EVP_MD *md);
int X509_REQ_sign_ctx(X509_REQ *x, EVP_MD_CTX *ctx);
int X509_CRL_sign(X509_CRL *x, EVP_PKEY *pkey, const EVP_MD *md);
int X509_CRL_sign_ctx(X509_CRL *x, EVP_MD_CTX *ctx);
int NETSCAPE_SPKI_sign(NETSCAPE_SPKI *x, EVP_PKEY *pkey, const EVP_MD *md);

```

```

int X509_pubkey_digest(const X509 *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
int X509_digest(const X509 *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
ASN1_OCTET_STRING *X509_digest_sig(const X509 *cert,
    EVP_MD **md_used, int *md_is_fallback);
int X509_CRL_digest(const X509_CRL *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
int X509_REQ_digest(const X509_REQ *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);
int X509_NAME_digest(const X509_NAME *data, const EVP_MD *type,
    unsigned char *md, unsigned int *len);

X509 *X509_load_http(const char *url, BIO *bio,
    BIO *rbio, int timeout);
X509_CRL *X509_CRL_load_http(const char *url, BIO *bio, BIO *rbio, int timeout);
#ifdef OPENSSL_NO_DEPRECATED_3_0
#include <openssl/http.h> /* OSSL_HTTP_REQ_CTX_nbio_d2i */
#define X509_http_nbio(rctx, pcert) \
    OSSL_HTTP_REQ_CTX_nbio_d2i(rctx, pcert, ASN1_ITEM_rptr(X509))
#define X509_CRL_http_nbio(rctx, pcrl) \
    OSSL_HTTP_REQ_CTX_nbio_d2i(rctx, pcrl, ASN1_ITEM_rptr(X509_CRL))
#endif

#ifdef OPENSSL_NO_STDIO
X509 *d2i_X509_fp(FILE *fp, X509 **x509);
int i2d_X509_fp(FILE *fp, const X509 *x509);
X509_CRL *d2i_X509_CRL_fp(FILE *fp, X509_CRL **crl);
int i2d_X509_CRL_fp(FILE *fp, const X509_CRL *crl);
X509_REQ *d2i_X509_REQ_fp(FILE *fp, X509_REQ **req);
int i2d_X509_REQ_fp(FILE *fp, const X509_REQ *req);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPrivateKey_fp(FILE *fp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSAPrivateKey_fp(FILE *fp, const RSA *rsa);
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPublicKey_fp(FILE *fp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0
    int i2d_RSAPublicKey_fp(FILE *fp, const RSA *rsa);
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSA_PUBKEY_fp(FILE *fp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSA_PUBKEY_fp(FILE *fp, const RSA *rsa);
#endif
#ifdef OPENSSL_NO_DEPRECATED_3_0
#ifdef OPENSSL_NO_DSA
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSA_PUBKEY_fp(FILE *fp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSA_PUBKEY_fp(FILE *fp, const DSA *dsa);
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSAPrivateKey_fp(FILE *fp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSAPrivateKey_fp(FILE *fp, const DSA *dsa);
#endif
#endif

```

```

#ifndef OPENSSSL_NO_DEPRECATED_3_0
#ifndef OPENSSSL_NO_EC
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_EC_PUBKEY_fp(FILE *fp, EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0 int i2d_EC_PUBKEY_fp(FILE *fp, const EC_KEY *eckey);
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_ECPrivateKey_fp(FILE *fp, EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0 int i2d_ECPrivateKey_fp(FILE *fp, const EC_KEY *eckey);
#endif /* OPENSSSL_NO_EC */
#endif /* OPENSSSL_NO_DEPRECATED_3_0 */
X509_SIG *d2i_PKCS8_fp(FILE
    *fp, X509_SIG **p8);
int i2d_PKCS8_fp(FILE *fp, const X509_SIG *p8);
X509_PUBKEY *d2i_X509_PUBKEY_fp(FILE *fp, X509_PUBKEY **xpk);
int i2d_X509_PUBKEY_fp(FILE *fp, const X509_PUBKEY *xpk);
PKCS8_PRIV_KEY_INFO *d2i_PKCS8_PRIV_KEY_INFO_fp(FILE *fp,
    PKCS8_PRIV_KEY_INFO **p8inf);
int i2d_PKCS8_PRIV_KEY_INFO_fp(FILE *fp, const PKCS8_PRIV_KEY_INFO *p8inf);
int i2d_PKCS8PrivateKeyInfo_fp(FILE *fp, const EVP_PKEY *key);
int i2d_PrivateKey_fp(FILE *fp, const EVP_PKEY *pkey);
EVP_PKEY *d2i_PrivateKey_ex_fp(FILE *fp, EVP_PKEY **a, OSSL_LIB_CTX *libctx,
    const char *propq);
EVP_PKEY *d2i_PrivateKey_fp(FILE *fp, EVP_PKEY **a);
int i2d_PUBKEY_fp(FILE *fp, const EVP_PKEY *pkey);
EVP_PKEY *d2i_PUBKEY_fp(FILE *fp, EVP_PKEY **a);
#endif

X509 *d2i_X509_bio(BIO *bp, X509 **x509);
int i2d_X509_bio(BIO *bp, const X509 *x509);
X509_CRL *d2i_X509_CRL_bio(BIO *bp, X509_CRL **crl);
int i2d_X509_CRL_bio(BIO *bp, const X509_CRL *crl);
X509_REQ *d2i_X509_REQ_bio(BIO *bp, X509_REQ **req);
int
    i2d_X509_REQ_bio(BIO *bp, const X509_REQ *req);
#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPrivateKey_bio(BIO *bp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSAPrivateKey_bio(BIO *bp, const RSA *rsa);
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSAPublicKey_bio(BIO *bp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSAPublicKey_bio(BIO *bp, const RSA *rsa);
OSSL_DEPRECATEDIN_3_0 RSA *d2i_RSA_PUBKEY_bio(BIO *bp, RSA **rsa);
OSSL_DEPRECATEDIN_3_0 int i2d_RSA_PUBKEY_bio(BIO *bp, const RSA *rsa);
#endif
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#ifndef OPENSSSL_NO_DSA
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSA_PUBKEY_bio(BIO *bp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSA_PUBKEY_bio(BIO *bp, const DSA *dsa);
OSSL_DEPRECATEDIN_3_0 DSA *d2i_DSAPrivateKey_bio(BIO *bp, DSA **dsa);
OSSL_DEPRECATEDIN_3_0 int i2d_DSAPrivateKey_bio(BIO *bp, const DSA *dsa);
#endif
#endif

```

```

#ifndef OPENSSSL_NO_DEPRECATED_3_0
#ifndef OPENSSSL_NO_EC
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_EC_PUBKEY_bio(BIO *bp, EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0
int i2d_EC_PUBKEY_bio(BIO *bp, const EC_KEY *eckey);
OSSL_DEPRECATEDIN_3_0 EC_KEY *d2i_ECPrivateKey_bio(BIO *bp, EC_KEY **eckey);
OSSL_DEPRECATEDIN_3_0 int i2d_ECPrivateKey_bio(BIO *bp, const EC_KEY *eckey);
#endif /* OPENSSSL_NO_EC */
#endif /* OPENSSSL_NO_DEPRECATED_3_0 */

X509_SIG *d2i_PKCS8_bio(BIO *bp, X509_SIG **p8);
int i2d_PKCS8_bio(BIO *bp, const X509_SIG *p8);
X509_PUBKEY *d2i_X509_PUBKEY_bio(BIO *bp, X509_PUBKEY **xpk);
int i2d_X509_PUBKEY_bio(BIO *bp, const X509_PUBKEY *xpk);
PKCS8_PRIV_KEY_INFO *d2i_PKCS8_PRIV_KEY_INFO_bio(BIO *bp,
    PKCS8_PRIV_KEY_INFO **p8inf);
int i2d_PKCS8_PRIV_KEY_INFO_bio(BIO *bp, const PKCS8_PRIV_KEY_INFO *p8inf);
int i2d_PKCS8PrivateKeyInfo_bio(BIO *bp, const EVP_PKEY *key);
int i2d_PrivateKey_bio(BIO *bp, const EVP_PKEY *pkey);
EVP_PKEY *d2i_PrivateKey_ex_bio(BIO *bp, EVP_PKEY **a, OSSL_LIB_CTX *libctx,
    const char *propq);
EVP_PKEY *d2i_PrivateKey_bio(BIO *bp, EVP_PKEY **a);
int i2d_PUBKEY_bio(BIO *bp, const EVP_PKEY *pkey);
EVP_PKEY
*d2i_PUBKEY_bio(BIO *bp, EVP_PKEY **a);

DECLARE_ASN1_DUP_FUNCTION(X509)
DECLARE_ASN1_DUP_FUNCTION(X509_ALGOR)
DECLARE_ASN1_DUP_FUNCTION(X509_ATTRIBUTE)
DECLARE_ASN1_DUP_FUNCTION(X509_CRL)
DECLARE_ASN1_DUP_FUNCTION(X509_EXTENSION)
DECLARE_ASN1_DUP_FUNCTION(X509_PUBKEY)
DECLARE_ASN1_DUP_FUNCTION(X509_REQ)
DECLARE_ASN1_DUP_FUNCTION(X509_REVOKED)
int X509_ALGOR_set0(X509_ALGOR *alg, ASN1_OBJECT *aobj, int ptype,
    void *pval);
void X509_ALGOR_get0(const ASN1_OBJECT **paobj, int *pptype,
    const void **ppval, const X509_ALGOR *algor);
void X509_ALGOR_set_md(X509_ALGOR *alg, const EVP_MD *md);
int X509_ALGOR_cmp(const X509_ALGOR *a, const X509_ALGOR *b);
int X509_ALGOR_copy(X509_ALGOR *dest, const X509_ALGOR *src);

DECLARE_ASN1_DUP_FUNCTION(X509_NAME)
DECLARE_ASN1_DUP_FUNCTION(X509_NAME_ENTRY)

int X509_cmp_time(const ASN1_TIME *s, time_t *t);
int X509_cmp_current_time(const ASN1_TIME *s);

```



```

int X509_cmp_timeframe(const X509_VERIFY_PARAM *vpm,
    const ASN1_TIME *start, const
    ASN1_TIME *end);
ASN1_TIME *X509_time_adj(ASN1_TIME *s, long adj, time_t *t);
ASN1_TIME *X509_time_adj_ex(ASN1_TIME *s,
    int offset_day, long offset_sec, time_t *t);
ASN1_TIME *X509_gmtime_adj(ASN1_TIME *s, long adj);

const char *X509_get_default_cert_area(void);
const char *X509_get_default_cert_dir(void);
const char *X509_get_default_cert_file(void);
const char *X509_get_default_cert_dir_env(void);
const char *X509_get_default_cert_file_env(void);
const char *X509_get_default_private_dir(void);

X509_REQ *X509_to_X509_REQ(X509 *x, EVP_PKEY *pkey, const EVP_MD *md);
X509 *X509_REQ_to_X509(X509_REQ *r, int days, EVP_PKEY *pkey);

DECLARE_ASN1_FUNCTIONS(X509_ALGOR)
DECLARE_ASN1_ENCODE_FUNCTIONS(X509_ALGORS, X509_ALGORS, X509_ALGORS)
DECLARE_ASN1_FUNCTIONS(X509_VAL)

DECLARE_ASN1_FUNCTIONS(X509_PUBKEY)

X509_PUBKEY *X509_PUBKEY_new_ex(OSSL_LIB_CTX *libctx, const char *propq);
int X509_PUBKEY_set(X509_PUBKEY **x, EVP_PKEY *pkey);
EVP_PKEY *X509_PUBKEY_get0(const X509_PUBKEY *key);
EVP_PKEY
    *X509_PUBKEY_get(const X509_PUBKEY *key);
int X509_get_pubkey_parameters(EVP_PKEY *pkey, STACK_OF(X509) *chain);
long X509_get_pathlen(X509 *x);
DECLARE_ASN1_ENCODE_FUNCTIONS_only(EVP_PKEY, PUBKEY)
EVP_PKEY *d2i_PUBKEY_ex(EVP_PKEY **a, const unsigned char **pp, long length,
    OSSL_LIB_CTX *libctx, const char *propq);
#ifdef OPENSSL_NO_DEPRECATED_3_0
DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(OSSL_DEPRECATEDIN_3_0, RSA, RSA_PUBKEY)
#endif
#ifdef OPENSSL_NO_DEPRECATED_3_0
#ifdef OPENSSL_NO_DSA
DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(OSSL_DEPRECATEDIN_3_0, DSA, DSA_PUBKEY)
#endif
#endif
#ifdef OPENSSL_NO_DEPRECATED_3_0
#ifdef OPENSSL_NO_EC
DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(OSSL_DEPRECATEDIN_3_0, EC_KEY, EC_PUBKEY)
#endif
#endif

```

```

DECLARE_ASN1_FUNCTIONS(X509_SIG)
void X509_SIG_get0(const X509_SIG *sig, const X509_ALGOR **palg,
    const ASN1_OCTET_STRING **pdigest);
void X509_SIG_getm(X509_SIG *sig, X509_ALGOR **palg,
    ASN1_OCTET_STRING **pdigest);

DECLARE_ASN1_FUNCTIONS(X509_REQ_INFO)
DECLARE_ASN1_FUNCTIONS(X509_REQ)
X509_REQ
*X509_REQ_new_ex(OSSL_LIB_CTX *libctx, const char *propq);

DECLARE_ASN1_FUNCTIONS(X509_ATTRIBUTE)
X509_ATTRIBUTE *X509_ATTRIBUTE_create(int nid, int atrtype, void *value);

DECLARE_ASN1_FUNCTIONS(X509_EXTENSION)
DECLARE_ASN1_ENCODE_FUNCTIONS(X509_EXTENSIONS, X509_EXTENSIONS, X509_EXTENSIONS)

DECLARE_ASN1_FUNCTIONS(X509_NAME_ENTRY)

DECLARE_ASN1_FUNCTIONS(X509_NAME)

int X509_NAME_set(X509_NAME **xn, const X509_NAME *name);

DECLARE_ASN1_FUNCTIONS(X509_CINF)
DECLARE_ASN1_FUNCTIONS(X509)
X509 *X509_new_ex(OSSL_LIB_CTX *libctx, const char *propq);
DECLARE_ASN1_FUNCTIONS(X509_CERT_AUX)

#define X509_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_X509, l, p, newf, dupf, freef)
int X509_set_ex_data(X509 *r, int idx, void *arg);
void *X509_get_ex_data(const X509 *r, int idx);
DECLARE_ASN1_ENCODE_FUNCTIONS_only(X509, X509_AUX)

int i2d_re_X509_tbs(X509 *x, unsigned char **pp);

int X509_SIG_INFO_get(const
    X509_SIG_INFO *siginf, int *mdnid, int *pknid,
    int *secbits, uint32_t *flags);
void X509_SIG_INFO_set(X509_SIG_INFO *siginf, int mdnid, int pknid,
    int secbits, uint32_t flags);

int X509_get_signature_info(X509 *x, int *mdnid, int *pknid, int *secbits,
    uint32_t *flags);

void X509_get0_signature(const ASN1_BIT_STRING **psig,
    const X509_ALGOR **palg, const X509 *x);
int X509_get_signature_nid(const X509 *x);

```

```

void X509_set0_distinguishing_id(X509 *x, ASN1_OCTET_STRING *d_id);
ASN1_OCTET_STRING *X509_get0_distinguishing_id(X509 *x);
void X509_REQ_set0_distinguishing_id(X509_REQ *x, ASN1_OCTET_STRING *d_id);
ASN1_OCTET_STRING *X509_REQ_get0_distinguishing_id(X509_REQ *x);

int X509_alias_set1(X509 *x, const unsigned char *name, int len);
int X509_keyid_set1(X509 *x, const unsigned char *id, int len);
unsigned char *X509_alias_get0(X509 *x, int *len);
unsigned char *X509_keyid_get0(X509 *x, int *len);

DECLARE_ASN1_FUNCTIONS(X509_REVOKED)
DECLARE_ASN1_FUNCTIONS(X509_CRL_INFO)
DECLARE_ASN1_FUNCTIONS(X509_CRL)
X509_CRL
*X509_CRL_new_ex(OSSL_LIB_CTX *libctx, const char *propq);

int X509_CRL_add0_revoked(X509_CRL *crl, X509_REVOKED *rev);
int X509_CRL_get0_by_serial(X509_CRL *crl,
    X509_REVOKED **ret, const ASN1_INTEGER *serial);
int X509_CRL_get0_by_cert(X509_CRL *crl, X509_REVOKED **ret, X509 *x);

X509_PKEY *X509_PKEY_new(void);
void X509_PKEY_free(X509_PKEY *a);

DECLARE_ASN1_FUNCTIONS(NETSCAPE_SPKI)
DECLARE_ASN1_FUNCTIONS(NETSCAPE_SPKAC)
DECLARE_ASN1_FUNCTIONS(NETSCAPE_CERT_SEQUENCE)

X509_INFO *X509_INFO_new(void);
void X509_INFO_free(X509_INFO *a);
char *X509_NAME_online(const X509_NAME *a, char *buf, int size);

#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
int ASN1_verify(i2d_of_void *i2d, X509_ALGOR *algor1,
    ASN1_BIT_STRING *signature, char *data, EVP_PKEY *pkey);
OSSL_DEPRECATEDIN_3_0
int ASN1_digest(i2d_of_void *i2d, const EVP_MD *type, char *data,
    unsigned char *md, unsigned int *len);
OSSL_DEPRECATEDIN_3_0
int
ASN1_sign(i2d_of_void *i2d, X509_ALGOR *algor1, X509_ALGOR *algor2,
    ASN1_BIT_STRING *signature, char *data, EVP_PKEY *pkey,
    const EVP_MD *type);
#endif
int ASN1_item_digest(const ASN1_ITEM *it, const EVP_MD *type, void *data,
    unsigned char *md, unsigned int *len);

```

```

int ASN1_item_verify(const ASN1_ITEM *it, const X509_ALGOR *alg,
    const ASN1_BIT_STRING *signature, const void *data,
    EVP_PKEY *pkey);
int ASN1_item_verify_ctx(const ASN1_ITEM *it, const X509_ALGOR *alg,
    const ASN1_BIT_STRING *signature, const void *data,
    EVP_MD_CTX *ctx);
int ASN1_item_sign(const ASN1_ITEM *it, X509_ALGOR *algor1, X509_ALGOR *algor2,
    ASN1_BIT_STRING *signature, const void *data,
    EVP_PKEY *pkey, const EVP_MD *md);
int ASN1_item_sign_ctx(const ASN1_ITEM *it, X509_ALGOR *algor1,
    X509_ALGOR *algor2, ASN1_BIT_STRING *signature,
    const void *data, EVP_MD_CTX *ctx);

```

```

#define X509_VERSION_1 0
#define X509_VERSION_2 1
#define X509_VERSION_3 2

```

```

long X509_get_version(const
    X509 *x);
int X509_set_version(X509 *x, long version);
int X509_set_serialNumber(X509 *x, ASN1_INTEGER *serial);
ASN1_INTEGER *X509_get_serialNumber(X509 *x);
const ASN1_INTEGER *X509_get0_serialNumber(const X509 *x);
int X509_set_issuer_name(X509 *x, const X509_NAME *name);
X509_NAME *X509_get_issuer_name(const X509 *a);
int X509_set_subject_name(X509 *x, const X509_NAME *name);
X509_NAME *X509_get_subject_name(const X509 *a);
const ASN1_TIME *X509_get0_notBefore(const X509 *x);
ASN1_TIME *X509_getm_notBefore(const X509 *x);
int X509_set1_notBefore(X509 *x, const ASN1_TIME *tm);
const ASN1_TIME *X509_get0_notAfter(const X509 *x);
ASN1_TIME *X509_getm_notAfter(const X509 *x);
int X509_set1_notAfter(X509 *x, const ASN1_TIME *tm);
int X509_set_pubkey(X509 *x, EVP_PKEY *pkey);
int X509_up_ref(X509 *x);
int X509_get_signature_type(const X509 *x);

```

```

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#define X509_get_notBefore X509_getm_notBefore
#define X509_get_notAfter X509_getm_notAfter
#define X509_set_notBefore
    X509_set1_notBefore
#define X509_set_notAfter X509_set1_notAfter
#endif

```

```

/*
 * This one is only used so that a binary form can output, as in
 * i2d_X509_PUBKEY(X509_get_X509_PUBKEY(x), &buf)

```

```

*/
X509_PUBKEY *X509_get_X509_PUBKEY(const X509 *x);
const STACK_OF(X509_EXTENSION) *X509_get0_extensions(const X509 *x);
void X509_get0_uids(const X509 *x, const ASN1_BIT_STRING **piuid,
    const ASN1_BIT_STRING **psuid);
const X509_ALGOR *X509_get0_tbs_sigalg(const X509 *x);

EVP_PKEY *X509_get0_pubkey(const X509 *x);
EVP_PKEY *X509_get_pubkey(X509 *x);
ASN1_BIT_STRING *X509_get0_pubkey_bitstr(const X509 *x);

#define X509_REQ_VERSION_1 0

long X509_REQ_get_version(const X509_REQ *req);
int X509_REQ_set_version(X509_REQ *x, long version);
X509_NAME *X509_REQ_get_subject_name(const X509_REQ *req);
int X509_REQ_set_subject_name(X509_REQ *req, const X509_NAME *name);
void X509_REQ_get0_signature(const X509_REQ *req, const ASN1_BIT_STRING **psig,
    const X509_ALGOR **palg);
void X509_REQ_set0_signature(X509_REQ
    *req, ASN1_BIT_STRING *psig);
int X509_REQ_set1_signature_algo(X509_REQ *req, X509_ALGOR *palg);
int X509_REQ_get_signature_nid(const X509_REQ *req);
int i2d_re_X509_REQ_tbs(X509_REQ *req, unsigned char **pp);
int X509_REQ_set_pubkey(X509_REQ *x, EVP_PKEY *pkey);
EVP_PKEY *X509_REQ_get_pubkey(X509_REQ *req);
EVP_PKEY *X509_REQ_get0_pubkey(X509_REQ *req);
X509_PUBKEY *X509_REQ_get_X509_PUBKEY(X509_REQ *req);
int X509_REQ_extension_nid(int nid);
int *X509_REQ_get_extension_nids(void);
void X509_REQ_set_extension_nids(int *nids);
STACK_OF(X509_EXTENSION) *X509_REQ_get_extensions(X509_REQ *req);
int X509_REQ_add_extensions_nid(X509_REQ *req,
    const STACK_OF(X509_EXTENSION) *exts, int nid);
int X509_REQ_add_extensions(X509_REQ *req, const STACK_OF(X509_EXTENSION) *ext);
int X509_REQ_get_attr_count(const X509_REQ *req);
int X509_REQ_get_attr_by_NID(const X509_REQ *req, int nid, int lastpos);
int X509_REQ_get_attr_by_OBJ(const X509_REQ *req, const ASN1_OBJECT *obj,
    int lastpos);
X509_ATTRIBUTE *X509_REQ_get_attr(const X509_REQ *req, int loc);
X509_ATTRIBUTE *X509_REQ_delete_attr(X509_REQ *req, int loc);
int X509_REQ_add1_attr(X509_REQ *req, X509_ATTRIBUTE *attr);
int X509_REQ_add1_attr_by_OBJ(X509_REQ *req,
    const ASN1_OBJECT *obj, int type,
    const unsigned char *bytes, int len);
int X509_REQ_add1_attr_by_NID(X509_REQ *req,
    int nid, int type,
    const unsigned char *bytes, int len);

```

```

int X509_REQ_add1_attr_by_txt(X509_REQ *req,
    const char *attrname, int type,
    const unsigned char *bytes, int len);

#define X509_CRL_VERSION_1 0
#define X509_CRL_VERSION_2 1

int X509_CRL_set_version(X509_CRL *x, long version);
int X509_CRL_set_issuer_name(X509_CRL *x, const X509_NAME *name);
int X509_CRL_set1_lastUpdate(X509_CRL *x, const ASN1_TIME *tm);
int X509_CRL_set1_nextUpdate(X509_CRL *x, const ASN1_TIME *tm);
int X509_CRL_sort(X509_CRL *crl);
int X509_CRL_up_ref(X509_CRL *crl);

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#define X509_CRL_set_lastUpdate
X509_CRL_set1_lastUpdate
#define X509_CRL_set_nextUpdate X509_CRL_set1_nextUpdate
#endif

long X509_CRL_get_version(const X509_CRL *crl);
const ASN1_TIME *X509_CRL_get0_lastUpdate(const X509_CRL *crl);
const ASN1_TIME *X509_CRL_get0_nextUpdate(const X509_CRL *crl);
#ifndef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 ASN1_TIME *X509_CRL_get_lastUpdate(X509_CRL *crl);
OSSL_DEPRECATEDIN_1_1_0 ASN1_TIME *X509_CRL_get_nextUpdate(X509_CRL *crl);
#endif
X509_NAME *X509_CRL_get_issuer(const X509_CRL *crl);
const STACK_OF(X509_EXTENSION) *X509_CRL_get0_extensions(const X509_CRL *crl);
STACK_OF(X509_REVOKED) *X509_CRL_get_REVOKED(X509_CRL *crl);
void X509_CRL_get0_signature(const X509_CRL *crl, const ASN1_BIT_STRING **psig,
    const X509_ALGOR **palg);
int X509_CRL_get_signature_nid(const X509_CRL *crl);
int i2d_re_X509_CRL_tbs(X509_CRL *req, unsigned char **pp);

const ASN1_INTEGER *X509_REVOKED_get0_serialNumber(const X509_REVOKED *x);
int X509_REVOKED_set_serialNumber(X509_REVOKED
    *x, ASN1_INTEGER *serial);
const ASN1_TIME *X509_REVOKED_get0_revocationDate(const X509_REVOKED *x);
int X509_REVOKED_set_revocationDate(X509_REVOKED *r, ASN1_TIME *tm);
const STACK_OF(X509_EXTENSION) *
X509_REVOKED_get0_extensions(const X509_REVOKED *r);

X509_CRL *X509_CRL_diff(X509_CRL *base, X509_CRL *newer,
    EVP_PKEY *skey, const EVP_MD *md, unsigned int flags);

int X509_REQ_check_private_key(X509_REQ *x509, EVP_PKEY *pkey);

```

```

int X509_check_private_key(const X509 *x509, const EVP_PKEY *pkey);
int X509_chain_check_suiteb(int *perror_depth,
    X509 *x, STACK_OF(X509) *chain,
    unsigned long flags);
int X509_CRL_check_suiteb(X509_CRL *crl, EVP_PKEY *pk, unsigned long flags);
STACK_OF(X509) *X509_chain_up_ref(STACK_OF(X509) *chain);


int X509_issuer_and_serial_cmp(const X509 *a, const X509 *b);
unsigned long X509_issuer_and_serial_hash(X509 *a);


int X509_issuer_name_cmp(const X509 *a, const X509 *b);
unsigned long X509_issuer_name_hash(X509 *a);


int X509_subject_name_cmp(const
    X509 *a, const X509 *b);
unsigned long X509_subject_name_hash(X509 *x);


#ifdef OPENSSL_NO_MD5
unsigned long X509_issuer_name_hash_old(X509 *a);
unsigned long X509_subject_name_hash_old(X509 *x);
#endif


#define X509_ADD_FLAG_DEFAULT 0
#define X509_ADD_FLAG_UP_REF 0x1
#define X509_ADD_FLAG_PREPEND 0x2
#define X509_ADD_FLAG_NO_DUP 0x4
#define X509_ADD_FLAG_NO_SS 0x8
int X509_add_cert(STACK_OF(X509) *sk, X509 *cert, int flags);
int X509_add_certs(STACK_OF(X509) *sk, STACK_OF(X509) *certs, int flags);


int X509_cmp(const X509 *a, const X509 *b);
int X509_NAME_cmp(const X509_NAME *a, const X509_NAME *b);
#ifdef OPENSSL_NO_DEPRECATED_3_0
#define X509_NAME_hash(x) X509_NAME_hash_ex(x, NULL, NULL, NULL)
OSSL_DEPRECATEDIN_3_0 int X509_certificate_type(const X509 *x,
    const EVP_PKEY *pubkey);
#endif
unsigned long X509_NAME_hash_ex(const X509_NAME *x, OSSL_LIB_CTX *libctx,
    const char *propq, int *ok);
unsigned long X509_NAME_hash_old(const X509_NAME *x);


int X509_CRL_cmp(const
    X509_CRL *a, const X509_CRL *b);
int X509_CRL_match(const X509_CRL *a, const X509_CRL *b);
int X509_aux_print(BIO *out, X509 *x, int indent);
#ifdef OPENSSL_NO_STDIO
int X509_print_ex_fp(FILE *bp, X509 *x, unsigned long nmflag,
    unsigned long cflag);

```

```

int X509_print_fp(FILE *bp, X509 *x);
int X509_CRL_print_fp(FILE *bp, X509_CRL *x);
int X509_REQ_print_fp(FILE *bp, X509_REQ *req);
int X509_NAME_print_ex_fp(FILE *fp, const X509_NAME *nm, int indent,
    unsigned long flags);
#endif

int X509_NAME_print(BIO *bp, const X509_NAME *name, int obase);
int X509_NAME_print_ex(BIO *out, const X509_NAME *nm, int indent,
    unsigned long flags);
int X509_print_ex(BIO *bp, X509 *x, unsigned long nmflag,
    unsigned long cflag);
int X509_print(BIO *bp, X509 *x);
int X509_ocspid_print(BIO *bp, X509 *x);
int X509_CRL_print_ex(BIO *out, X509_CRL *x, unsigned long nmflag);
int X509_CRL_print(BIO *bp, X509_CRL *x);
int X509_REQ_print_ex(BIO *bp, X509_REQ *x, unsigned long nmflag,
    unsigned
    long cflag);
int X509_REQ_print(BIO *bp, X509_REQ *req);

int X509_NAME_entry_count(const X509_NAME *name);
int X509_NAME_get_text_by_NID(const X509_NAME *name, int nid,
    char *buf, int len);
int X509_NAME_get_text_by_OBJ(const X509_NAME *name, const ASN1_OBJECT *obj,
    char *buf, int len);

/*
 * NOTE: you should be passing -1, not 0 as lastpos. The functions that use
 * lastpos, search after that position on.
 */
int X509_NAME_get_index_by_NID(const X509_NAME *name, int nid, int lastpos);
int X509_NAME_get_index_by_OBJ(const X509_NAME *name, const ASN1_OBJECT *obj,
    int lastpos);
X509_NAME_ENTRY *X509_NAME_get_entry(const X509_NAME *name, int loc);
X509_NAME_ENTRY *X509_NAME_delete_entry(X509_NAME *name, int loc);
int X509_NAME_add_entry(X509_NAME *name, const X509_NAME_ENTRY *ne,
    int loc, int set);
int X509_NAME_add_entry_by_OBJ(X509_NAME *name, const ASN1_OBJECT *obj, int type,
    const unsigned char *bytes, int len, int loc,
    int set);
int X509_NAME_add_entry_by_NID(X509_NAME
    *name, int nid, int type,
    const unsigned char *bytes, int len, int loc,
    int set);
X509_NAME_ENTRY *X509_NAME_ENTRY_create_by_txt(X509_NAME_ENTRY **ne,
    const char *field, int type,
    const unsigned char *bytes,

```



```

    int len);
X509_NAME_ENTRY *X509_NAME_ENTRY_create_by_NID(X509_NAME_ENTRY **ne, int nid,
    int type,
    const unsigned char *bytes,
    int len);
int X509_NAME_add_entry_by_txt(X509_NAME *name, const char *field, int type,
    const unsigned char *bytes, int len, int loc,
    int set);
X509_NAME_ENTRY *X509_NAME_ENTRY_create_by_OBJ(X509_NAME_ENTRY **ne,
    const ASN1_OBJECT *obj, int type,
    const unsigned char *bytes,
    int len);
int X509_NAME_ENTRY_set_object(X509_NAME_ENTRY *ne, const ASN1_OBJECT *obj);
int X509_NAME_ENTRY_set_data(X509_NAME_ENTRY *ne, int type,
    const unsigned char *bytes, int len);
ASN1_OBJECT *X509_NAME_ENTRY_get_object(const X509_NAME_ENTRY *ne);
ASN1_STRING *X509_NAME_ENTRY_get_data(const X509_NAME_ENTRY *ne);
int
X509_NAME_ENTRY_set(const X509_NAME_ENTRY *ne);

int X509_NAME_get0_der(const X509_NAME *nm, const unsigned char **pder,
    size_t *pderlen);

int X509v3_get_ext_count(const STACK_OF(X509_EXTENSION) *x);
int X509v3_get_ext_by_NID(const STACK_OF(X509_EXTENSION) *x,
    int nid, int lastpos);
int X509v3_get_ext_by_OBJ(const STACK_OF(X509_EXTENSION) *x,
    const ASN1_OBJECT *obj, int lastpos);
int X509v3_get_ext_by_critical(const STACK_OF(X509_EXTENSION) *x,
    int crit, int lastpos);
X509_EXTENSION *X509v3_get_ext(const STACK_OF(X509_EXTENSION) *x, int loc);
X509_EXTENSION *X509v3_delete_ext(STACK_OF(X509_EXTENSION) *x, int loc);
STACK_OF(X509_EXTENSION) *X509v3_add_ext(STACK_OF(X509_EXTENSION) **x,
    X509_EXTENSION *ex, int loc);

int X509_get_ext_count(const X509 *x);
int X509_get_ext_by_NID(const X509 *x, int nid, int lastpos);
int X509_get_ext_by_OBJ(const X509 *x, const ASN1_OBJECT *obj, int lastpos);
int X509_get_ext_by_critical(const X509 *x, int crit, int lastpos);
X509_EXTENSION
*X509_get_ext(const X509 *x, int loc);
X509_EXTENSION *X509_delete_ext(X509 *x, int loc);
int X509_add_ext(X509 *x, X509_EXTENSION *ex, int loc);
void *X509_get_ext_d2i(const X509 *x, int nid, int *crit, int *idx);
int X509_add1_ext_i2d(X509 *x, int nid, void *value, int crit,
    unsigned long flags);

int X509_CRL_get_ext_count(const X509_CRL *x);

```

```

int X509_CRL_get_ext_by_NID(const X509_CRL *x, int nid, int lastpos);
int X509_CRL_get_ext_by_OBJ(const X509_CRL *x, const ASN1_OBJECT *obj,
    int lastpos);
int X509_CRL_get_ext_by_critical(const X509_CRL *x, int crit, int lastpos);
X509_EXTENSION *X509_CRL_get_ext(const X509_CRL *x, int loc);
X509_EXTENSION *X509_CRL_delete_ext(X509_CRL *x, int loc);
int X509_CRL_add_ext(X509_CRL *x, X509_EXTENSION *ex, int loc);
void *X509_CRL_get_ext_d2i(const X509_CRL *x, int nid, int *crit, int *idx);
int X509_CRL_add1_ext_i2d(X509_CRL *x, int nid, void *value, int crit,
    unsigned long flags);

int X509_REVOKED_get_ext_count(const X509_REVOKED
    *x);
int X509_REVOKED_get_ext_by_NID(const X509_REVOKED *x, int nid, int lastpos);
int X509_REVOKED_get_ext_by_OBJ(const X509_REVOKED *x, const ASN1_OBJECT *obj,
    int lastpos);
int X509_REVOKED_get_ext_by_critical(const X509_REVOKED *x, int crit,
    int lastpos);
X509_EXTENSION *X509_REVOKED_get_ext(const X509_REVOKED *x, int loc);
X509_EXTENSION *X509_REVOKED_delete_ext(X509_REVOKED *x, int loc);
int X509_REVOKED_add_ext(X509_REVOKED *x, X509_EXTENSION *ex, int loc);
void *X509_REVOKED_get_ext_d2i(const X509_REVOKED *x, int nid, int *crit,
    int *idx);
int X509_REVOKED_add1_ext_i2d(X509_REVOKED *x, int nid, void *value, int crit,
    unsigned long flags);

X509_EXTENSION *X509_EXTENSION_create_by_NID(X509_EXTENSION **ex,
    int nid, int crit,
    ASN1_OCTET_STRING *data);
X509_EXTENSION *X509_EXTENSION_create_by_OBJ(X509_EXTENSION **ex,
    const ASN1_OBJECT *obj, int crit,
    ASN1_OCTET_STRING *data);
int X509_EXTENSION_set_object(X509_EXTENSION *ex, const ASN1_OBJECT *obj);
int
    X509_EXTENSION_set_critical(X509_EXTENSION *ex, int crit);
int X509_EXTENSION_set_data(X509_EXTENSION *ex, ASN1_OCTET_STRING *data);
ASN1_OBJECT *X509_EXTENSION_get_object(X509_EXTENSION *ex);
ASN1_OCTET_STRING *X509_EXTENSION_get_data(X509_EXTENSION *ex);
int X509_EXTENSION_get_critical(const X509_EXTENSION *ex);

int X509at_get_attr_count(const STACK_OF(X509_ATTRIBUTE) *x);
int X509at_get_attr_by_NID(const STACK_OF(X509_ATTRIBUTE) *x, int nid,
    int lastpos);
int X509at_get_attr_by_OBJ(const STACK_OF(X509_ATTRIBUTE) *sk,
    const ASN1_OBJECT *obj, int lastpos);
X509_ATTRIBUTE *X509at_get_attr(const STACK_OF(X509_ATTRIBUTE) *x, int loc);
X509_ATTRIBUTE *X509at_delete_attr(STACK_OF(X509_ATTRIBUTE) *x, int loc);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr(STACK_OF(X509_ATTRIBUTE) **x,

```

```

X509_ATTRIBUTE *attr);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr_by_OBJ(STACK_OF(X509_ATTRIBUTE)
**X,

const ASN1_OBJECT *obj,
int
type,
const unsigned char *bytes,
int len);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr_by_NID(STACK_OF(X509_ATTRIBUTE)
**X,

int nid, int type,
const unsigned char *bytes,
int len);
STACK_OF(X509_ATTRIBUTE) *X509at_add1_attr_by_txt(STACK_OF(X509_ATTRIBUTE)
**X,

const char *attrname,
int type,
const unsigned char *bytes,
int len);
void *X509at_get0_data_by_OBJ(const STACK_OF(X509_ATTRIBUTE) *x,
const ASN1_OBJECT *obj, int lastpos, int type);
X509_ATTRIBUTE *X509_ATTRIBUTE_create_by_NID(X509_ATTRIBUTE **attr, int nid,
int attrtype, const void *data,
int len);
X509_ATTRIBUTE *X509_ATTRIBUTE_create_by_OBJ(X509_ATTRIBUTE **attr,
const ASN1_OBJECT *obj,
int attrtype, const void *data,
int len);
X509_ATTRIBUTE *X509_ATTRIBUTE_create_by_txt(X509_ATTRIBUTE **attr,
const char *attrname, int type,
const unsigned char *bytes,
int len);
int X509_ATTRIBUTE_set1_object(X509_ATTRIBUTE *attr, const ASN1_OBJECT *obj);
int X509_ATTRIBUTE_set1_data(X509_ATTRIBUTE *attr, int attrtype,
const void *data, int len);
void *X509_ATTRIBUTE_get0_data(X509_ATTRIBUTE *attr, int idx, int attrtype,
void *data);
int X509_ATTRIBUTE_count(const X509_ATTRIBUTE *attr);
ASN1_OBJECT *X509_ATTRIBUTE_get0_object(X509_ATTRIBUTE *attr);
ASN1_TYPE *X509_ATTRIBUTE_get0_type(X509_ATTRIBUTE *attr, int idx);

int EVP_PKEY_get_attr_count(const EVP_PKEY *key);
int EVP_PKEY_get_attr_by_NID(const EVP_PKEY *key, int nid, int lastpos);
int EVP_PKEY_get_attr_by_OBJ(const EVP_PKEY *key, const ASN1_OBJECT *obj,
int lastpos);
X509_ATTRIBUTE *EVP_PKEY_get_attr(const EVP_PKEY *key, int loc);
X509_ATTRIBUTE *EVP_PKEY_delete_attr(EVP_PKEY *key, int loc);
int EVP_PKEY_add1_attr(EVP_PKEY *key, X509_ATTRIBUTE *attr);

```

```

int EVP_PKEY_add1_attr_by_OBJ(EVP_PKEY *key,
    const ASN1_OBJECT *obj, int type,
    const unsigned char *bytes, int len);
int EVP_PKEY_add1_attr_by_NID(EVP_PKEY
    *key,
    int nid, int type,
    const unsigned char *bytes, int len);
int EVP_PKEY_add1_attr_by_txt(EVP_PKEY *key,
    const char *attrname, int type,
    const unsigned char *bytes, int len);

/* lookup a cert from a X509 STACK */
X509 *X509_find_by_issuer_and_serial(STACK_OF(X509) *sk, const X509_NAME *name,
    const ASN1_INTEGER *serial);
X509 *X509_find_by_subject(STACK_OF(X509) *sk, const X509_NAME *name);

DECLARE_ASN1_FUNCTIONS(PBEPARAM)
DECLARE_ASN1_FUNCTIONS(PBE2PARAM)
DECLARE_ASN1_FUNCTIONS(PBKDF2PARAM)
#ifdef OPENSSL_NO_SCRYPT
DECLARE_ASN1_FUNCTIONS(SCRYPT_PARAMS)
#endif

int PKCS5_pbe_set0_algor(X509_ALGOR *algor, int alg, int iter,
    const unsigned char *salt, int saltlen);
int PKCS5_pbe_set0_algor_ex(X509_ALGOR *algor, int alg, int iter,
    const unsigned char *salt, int saltlen,
    OSSL_LIB_CTX *libctx);

X509_ALGOR *PKCS5_pbe_set(int alg, int iter,
    const unsigned char *salt, int saltlen);
X509_ALGOR *PKCS5_pbe_set_ex(int alg,
    int iter,
    const unsigned char *salt, int saltlen,
    OSSL_LIB_CTX *libctx);

X509_ALGOR *PKCS5_pbe2_set(const EVP_CIPHER *cipher, int iter,
    unsigned char *salt, int saltlen);
X509_ALGOR *PKCS5_pbe2_set_iv(const EVP_CIPHER *cipher, int iter,
    unsigned char *salt, int saltlen,
    unsigned char *aiv, int prf_nid);
X509_ALGOR *PKCS5_pbe2_set_iv_ex(const EVP_CIPHER *cipher, int iter,
    unsigned char *salt, int saltlen,
    unsigned char *aiv, int prf_nid,
    OSSL_LIB_CTX *libctx);

#ifdef OPENSSL_NO_SCRYPT
X509_ALGOR *PKCS5_pbe2_set_scrypt(const EVP_CIPHER *cipher,

```

```

    const unsigned char *salt, int saltlen,
    unsigned char *aiv, uint64_t N, uint64_t r,
    uint64_t p);
#endif

X509_ALGOR *PKCS5_pbkdf2_set(int iter, unsigned char *salt, int saltlen,
    int prf_nid, int keylen);
X509_ALGOR *PKCS5_pbkdf2_set_ex(int iter, unsigned char *salt, int saltlen,
    int prf_nid, int keylen,
    OSSL_LIB_CTX *libctx);

/* PKCS#8 utilities */

DECLARE_ASN1_FUNCTIONS(PKCS8_PRIV_KEY_INFO)

EVP_PKEY
*EVP_PKCS82PKEY(const PKCS8_PRIV_KEY_INFO *p8);
EVP_PKEY *EVP_PKCS82PKEY_ex(const PKCS8_PRIV_KEY_INFO *p8, OSSL_LIB_CTX *libctx,
    const char *propq);
PKCS8_PRIV_KEY_INFO *EVP_PKEY2PKCS8(const EVP_PKEY *pkey);

int PKCS8_pkey_set0(PKCS8_PRIV_KEY_INFO *priv, ASN1_OBJECT *aobj,
    int version, int ptype, void *pval,
    unsigned char *penc, int penclen);
int PKCS8_pkey_get0(const ASN1_OBJECT **ppkalg,
    const unsigned char **pk, int *ppklen,
    const X509_ALGOR **pa, const PKCS8_PRIV_KEY_INFO *p8);

const STACK_OF(X509_ATTRIBUTE) *
PKCS8_pkey_get0_attrs(const PKCS8_PRIV_KEY_INFO *p8);
int PKCS8_pkey_add1_attr(PKCS8_PRIV_KEY_INFO *p8, X509_ATTRIBUTE *attr);
int PKCS8_pkey_add1_attr_by_NID(PKCS8_PRIV_KEY_INFO *p8, int nid, int type,
    const unsigned char *bytes, int len);
int PKCS8_pkey_add1_attr_by_OBJ(PKCS8_PRIV_KEY_INFO *p8, const ASN1_OBJECT *obj,
    int type, const unsigned char *bytes, int len);

int X509_PUBKEY_set0_param(X509_PUBKEY *pub, ASN1_OBJECT *aobj,
    int ptype, void *pval,
    unsigned char *penc, int penclen);
int X509_PUBKEY_get0_param(ASN1_OBJECT **ppkalg,
    const unsigned char **pk, int *ppklen,
    X509_ALGOR **pa, const X509_PUBKEY *pub);
int X509_PUBKEY_eq(const X509_PUBKEY *a, const X509_PUBKEY *b);

#ifdef __cplusplus
}
#endif
#endif
#endif

```

Copyright (C) 1993-2004 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

All packages under `src/` are licensed according to the terms in their respective `LICENSE` or `LICENSE.md` files.

The remainder of this project is licensed under the Blue Oak Model License, as follows:

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <<https://blueoakcouncil.org/license/1.0.0>>.

##

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.

UNRECOGNIZED LICENSE; MD5 sum: 5f6b5d3d7fba7daf8d8a8c827c8758a8

The ISC License

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2012-2018 Aseem Kishore, and [others].

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[others]: <https://github.com/json5/json5/contributors>

MIT License

Copyright (c) 2020 Kasper Unn Weihe

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: d419584b39f2ab862fb4d190c76d4a2f

MIT License

Copyright (c) Matteo Collina and Undici contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Creative Commons CC0

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/safestack.h.in

*

* Copyright 1999-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_SAFESTACK_H

```

#define OPENSSSL_SAFESTACK_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define HEADER_SAFESTACK_H
#endif

#include <openssl/stack.h>
#include <openssl/e_os2.h>

#ifdef __cplusplus
extern "C" {
#endif

#define STACK_OF(type) struct stack_st_##type

/* Helper macro for internal use */
#define SKM_DEFINE_STACK_OF_INTERNAL(t1, t2, t3) \
    STACK_OF(t1); \
    \
    typedef int (*sk_##t1##_compfunc)(const t3 *const *a, const t3 *const *b); \
    typedef void (*sk_##t1##_freefunc)(t3 *a); \
    typedef t3 *(*sk_##t1##_copyfunc)(const t3 *a); \
    static ossl_unused ossl_inline t2 *ossl_check_##t1##_type(t2 *ptr) \
    { \
        return ptr; \
    } \
    static ossl_unused ossl_inline const OPENSSSL_STACK *ossl_check_const_##t1##_sk_type(const \
STACK_OF(t1) *sk) \
    { \
        \
        return (const OPENSSSL_STACK *)sk; \
    } \
    static ossl_unused ossl_inline OPENSSSL_STACK *ossl_check_##t1##_sk_type(STACK_OF(t1) *sk) \
    { \
        \
        return (OPENSSSL_STACK *)sk; \
    } \
    static ossl_unused ossl_inline OPENSSSL_sk_compfunc ossl_check_##t1##_compfunc_type(sk_##t1##_compfunc \
cmp) \
    { \
        \
        return (OPENSSSL_sk_compfunc)cmp; \
    } \
    static ossl_unused ossl_inline OPENSSSL_sk_copyfunc ossl_check_##t1##_copyfunc_type(sk_##t1##_copyfunc \
cpy) \
    { \
        \

```

```

    return (OPENSSL_sk_copyfunc)cpy;
}
static ossl_unused ossl_inline OPENSSL_sk_freefunc ossl_check_###t1##_freefunc_type(sk_###t1##_freefunc fr)
{
    return (OPENSSL_sk_freefunc)fr;
}

#define SKM_DEFINE_STACK_OF(t1, t2, t3)
STACK_OF(t1);
typedef int (*sk_###t1##_compfunc)(const t3 *const *a, const t3 *const *b);
typedef void (*sk_###t1##_freefunc)(t3 * a);
typedef t3 *(*sk_###t1##_copyfunc)(const t3 *a);
static ossl_unused ossl_inline int sk_###t1##_num(const STACK_OF(t1) *sk)
{
    return OPENSSL_sk_num((const OPENSSL_STACK *)sk);
}
static ossl_unused ossl_inline t2 *sk_###t1##_value(const STACK_OF(t1) *sk, int idx)
{
    return (t2 *)OPENSSL_sk_value((const OPENSSL_STACK *)sk, idx);
}
static ossl_unused ossl_inline STACK_OF(t1) *sk_###t1##_new(sk_###t1##_compfunc compare)
{
    return (STACK_OF(t1) *)OPENSSL_sk_new((OPENSSL_sk_compfunc)compare);
}
static ossl_unused ossl_inline STACK_OF(t1) *sk_###t1##_new_null(void)
{
    return (STACK_OF(t1) *)OPENSSL_sk_new_null();
}
static ossl_unused ossl_inline STACK_OF(t1) *sk_###t1##_new_reserve(sk_###t1##_compfunc compare, int n)
{
    return (STACK_OF(t1) *)OPENSSL_sk_new_reserve((OPENSSL_sk_compfunc)compare, n);
}
static ossl_unused ossl_inline int sk_###t1##_reserve(STACK_OF(t1) *sk, int n)
{
    return OPENSSL_sk_reserve((OPENSSL_STACK *)sk, n);
}
static ossl_unused ossl_inline void sk_###t1##_free(STACK_OF(t1) *sk)
{
    OPENSSL_sk_free((OPENSSL_STACK *)sk);
}

```

```

static ossl_unused ossl_inline void sk_###t1##_zero(STACK_OF(t1) *sk) \
{ \
    OPENSSL_sk_zero((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline t2 *sk_###t1##_delete(STACK_OF(t1) *sk, int i) \
{ \
    return (t2 *)OPENSSL_sk_delete((OPENSSL_STACK *)sk, i); \
} \
static ossl_unused ossl_inline t2 *sk_###t1##_delete_ptr(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    return (t2 *)OPENSSL_sk_delete_ptr((OPENSSL_STACK *)sk, \
    (const void *)ptr); \
} \
static ossl_unused ossl_inline int sk_###t1##_push(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    \
    return OPENSSL_sk_push((OPENSSL_STACK *)sk, (const void *)ptr); \
} \
static ossl_unused ossl_inline int sk_###t1##_unshift(STACK_OF(t1) *sk, t2 *ptr) \
{ \
    \
    return OPENSSL_sk_unshift((OPENSSL_STACK *)sk, (const void *)ptr); \
} \
static ossl_unused ossl_inline t2 *sk_###t1##_pop(STACK_OF(t1) *sk) \
{ \
    \
    return (t2 *)OPENSSL_sk_pop((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline t2 *sk_###t1##_shift(STACK_OF(t1) *sk) \
{ \
    \
    return (t2 *)OPENSSL_sk_shift((OPENSSL_STACK *)sk); \
} \
static ossl_unused ossl_inline void sk_###t1##_pop_free(STACK_OF(t1) *sk, sk_###t1##_freefunc freefunc) \
{ \
    \
    OPENSSL_sk_pop_free((OPENSSL_STACK *)sk, (OPENSSL_sk_freefunc)freefunc); \
} \
static ossl_unused ossl_inline int sk_###t1##_insert(STACK_OF(t1) *sk, t2 *ptr, int idx) \
{ \
    \
    return OPENSSL_sk_insert((OPENSSL_STACK *)sk, (const void *)ptr, idx); \
} \
static ossl_unused ossl_inline t2 *sk_###t1##_set(STACK_OF(t1) *sk, int idx, t2 *ptr) \
{ \
    \
    return (t2 *)OPENSSL_sk_set((OPENSSL_STACK *)sk, idx, (const void *)ptr); \
} \

```

```

static ossl_unused ossl_inline int sk_###t1##_find(STACK_OF(t1) *sk, t2 *ptr)
{
    return OPENSSL_sk_find((OPENSSL_STACK *)sk, (const void *)ptr);
}
static ossl_unused ossl_inline int sk_###t1##_find_ex(STACK_OF(t1) *sk, t2 *ptr)
{
    return OPENSSL_sk_find_ex((OPENSSL_STACK *)sk, (const void *)ptr);
}
static ossl_unused ossl_inline int sk_###t1##_find_all(STACK_OF(t1) *sk, t2 *ptr, int *pnum)
{
    return OPENSSL_sk_find_all((OPENSSL_STACK *)sk, (const void *)ptr, pnum);
}
static ossl_unused ossl_inline void sk_###t1##_sort(STACK_OF(t1) *sk)
{
    OPENSSL_sk_sort((OPENSSL_STACK *)sk);
}
static ossl_unused ossl_inline int sk_###t1##_is_sorted(const STACK_OF(t1) *sk)
{
    return OPENSSL_sk_is_sorted((const OPENSSL_STACK *)sk);
}
static ossl_unused ossl_inline STACK_OF(t1) *sk_###t1##_dup(const STACK_OF(t1) *sk)
{
    return (STACK_OF(t1) *)OPENSSL_sk_dup((const OPENSSL_STACK *)sk);
}
static ossl_unused ossl_inline STACK_OF(t1) *sk_###t1##_deep_copy(const STACK_OF(t1) *sk,
    sk_###t1##_copyfunc copyfunc,
    sk_###t1##_freefunc freefunc)
{
    return (STACK_OF(t1) *)OPENSSL_sk_deep_copy((const OPENSSL_STACK *)sk,
        (OPENSSL_sk_copyfunc)copyfunc,
        (OPENSSL_sk_freefunc)freefunc);
}
static ossl_unused ossl_inline sk_###t1##_compfunc sk_###t1##_set_cmp_func(STACK_OF(t1) *sk,
sk_###t1##_compfunc compare)
{
    return (sk_###t1##_compfunc)OPENSSL_sk_set_cmp_func((OPENSSL_STACK *)sk,
(OPENSSL_sk_compfunc)compare);
}

#define DEFINE_STACK_OF(t) SKM_DEFINE_STACK_OF(t, t, t)
#define DEFINE_STACK_OF_CONST(t) SKM_DEFINE_STACK_OF(t, const t, t)

```

```

#define DEFINE_SPECIAL_STACK_OF(t1, t2) SKM_DEFINE_STACK_OF(t1, t2, t2)
#define DEFINE_SPECIAL_STACK_OF_CONST(t1, t2) \
    SKM_DEFINE_STACK_OF(t1, const t2, t2)

/*-
 * Strings are special: normally an lhash entry will point to
 * a single
 * (somewhat) mutable object. In the case of strings:
 *
 * a) Instead of a single char, there is an array of chars, NUL-terminated.
 * b) The string may have be immutable.
 *
 * So, they need their own declarations. Especially important for
 * type-checking tools, such as Deputy.
 *
 * In practice, however, it appears to be hard to have a const
 * string. For now, I'm settling for dealing with the fact it is a
 * string at all.
 */
typedef char *OPENSSL_STRING;
typedef const char *OPENSSL_CSTRING;

/*-
 * Confusingly, LHASH_OF(STRING) deals with char ** throughout, but
 * STACK_OF(STRING) is really more like STACK_OF(char), only, as mentioned
 * above, instead of a single char each entry is a NUL-terminated array of
 * chars. So, we have to implement STRING specially for STACK_OF. This is
 * dealt with in the autogenerated macros below.
 */
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OPENSSL_STRING, char, char)
#define sk_OPENSSL_STRING_num(sk)
OPENSSL_sk_num(ssl_check_const_OPENSSL_STRING_sk_type(sk))
#define
    sk_OPENSSL_STRING_value(sk, idx) ((char
*)OPENSSL_sk_value(ssl_check_const_OPENSSL_STRING_sk_type(sk), (idx)))
#define sk_OPENSSL_STRING_new(cmp) ((STACK_OF(OPENSSL_STRING)
*)OPENSSL_sk_new(ssl_check_OPENSSL_STRING_compfunc_type(cmp)))
#define sk_OPENSSL_STRING_new_null() ((STACK_OF(OPENSSL_STRING) *)OPENSSL_sk_new_null())
#define sk_OPENSSL_STRING_new_reserve(cmp, n) ((STACK_OF(OPENSSL_STRING)
*)OPENSSL_sk_new_reserve(ssl_check_OPENSSL_STRING_compfunc_type(cmp), (n)))
#define sk_OPENSSL_STRING_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OPENSSL_STRING_sk_type(sk), (n))
#define sk_OPENSSL_STRING_free(sk) OPENSSL_sk_free(ssl_check_OPENSSL_STRING_sk_type(sk))
#define sk_OPENSSL_STRING_zero(sk) OPENSSL_sk_zero(ssl_check_OPENSSL_STRING_sk_type(sk))
#define sk_OPENSSL_STRING_delete(sk, i) ((char
*)OPENSSL_sk_delete(ssl_check_OPENSSL_STRING_sk_type(sk), (i)))
#define sk_OPENSSL_STRING_delete_ptr(sk, ptr) ((char

```

```

*)OPENSSL_sk_delete_ptr(ossl_check_OPENSSL_STRING_sk_type(sk),
    ossl_check_OPENSSL_STRING_type(ptr)))
#define sk_OPENSSL_STRING_push(sk, ptr) OPENSSL_sk_push(ossl_check_OPENSSL_STRING_sk_type(sk),
    ossl_check_OPENSSL_STRING_type(ptr))
#define sk_OPENSSL_STRING_unshift(sk, ptr)
    OPENSSL_sk_unshift(ossl_check_OPENSSL_STRING_sk_type(sk), ossl_check_OPENSSL_STRING_type(ptr))
#define sk_OPENSSL_STRING_pop(sk) ((char
*)OPENSSL_sk_pop(ossl_check_OPENSSL_STRING_sk_type(sk)))
#define sk_OPENSSL_STRING_shift(sk) ((char
*)OPENSSL_sk_shift(ossl_check_OPENSSL_STRING_sk_type(sk)))
#define sk_OPENSSL_STRING_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ossl_check_OPENSSL_STRING_sk_type(sk), ossl_check_OPENSSL_STRING_freefunc_type(freefunc))
#define sk_OPENSSL_STRING_insert(sk, ptr, idx)
    OPENSSL_sk_insert(ossl_check_OPENSSL_STRING_sk_type(sk), ossl_check_OPENSSL_STRING_type(ptr),
    (idx))
#define sk_OPENSSL_STRING_set(sk, idx, ptr) ((char
*)OPENSSL_sk_set(ossl_check_OPENSSL_STRING_sk_type(sk), (idx),
    ossl_check_OPENSSL_STRING_type(ptr)))
#define
    sk_OPENSSL_STRING_find(sk, ptr) OPENSSL_sk_find(ossl_check_OPENSSL_STRING_sk_type(sk),
    ossl_check_OPENSSL_STRING_type(ptr))
#define sk_OPENSSL_STRING_find_ex(sk, ptr)
    OPENSSL_sk_find_ex(ossl_check_OPENSSL_STRING_sk_type(sk), ossl_check_OPENSSL_STRING_type(ptr))
#define sk_OPENSSL_STRING_find_all(sk, ptr, pnum)
    OPENSSL_sk_find_all(ossl_check_OPENSSL_STRING_sk_type(sk), ossl_check_OPENSSL_STRING_type(ptr),
    pnum)
#define sk_OPENSSL_STRING_sort(sk) OPENSSL_sk_sort(ossl_check_OPENSSL_STRING_sk_type(sk))
#define sk_OPENSSL_STRING_is_sorted(sk)
    OPENSSL_sk_is_sorted(ossl_check_const_OPENSSL_STRING_sk_type(sk))
#define sk_OPENSSL_STRING_dup(sk) ((STACK_OF(OPENSSL_STRING)
*)OPENSSL_sk_dup(ossl_check_const_OPENSSL_STRING_sk_type(sk)))
#define sk_OPENSSL_STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OPENSSL_STRING)
*)OPENSSL_sk_deep_copy(ossl_check_const_OPENSSL_STRING_sk_type(sk),
    ossl_check_OPENSSL_STRING_copyfunc_type(copyfunc),
    ossl_check_OPENSSL_STRING_freefunc_type(freefunc)))
#define
    sk_OPENSSL_STRING_set_cmp_func(sk, cmp)
    ((sk_OPENSSL_STRING_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_OPENSSL_STRING_sk_type(sk),
    ossl_check_OPENSSL_STRING_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(OPENSSL_CSTRING, const char, char)
#define sk_OPENSSL_CSTRING_num(sk)
    OPENSSL_sk_num(ossl_check_const_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_value(sk, idx) ((const char
*)OPENSSL_sk_value(ossl_check_const_OPENSSL_CSTRING_sk_type(sk), (idx)))
#define sk_OPENSSL_CSTRING_new(cmp) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_new(ossl_check_OPENSSL_CSTRING_compfunc_type(cmp)))
#define sk_OPENSSL_CSTRING_new_null() ((STACK_OF(OPENSSL_CSTRING) *)OPENSSL_sk_new_null())

```

```

#define sk_OPENSSL_CSTRING_new_reserve(cmp, n) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_new_reserve(ssl_check_OPENSSL_CSTRING_compfunc_type(cmp), (n)))
#define sk_OPENSSL_CSTRING_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OPENSSL_CSTRING_sk_type(sk), (n))
#define sk_OPENSSL_CSTRING_free(sk) OPENSSL_sk_free(ssl_check_OPENSSL_CSTRING_sk_type(sk))
#define
sk_OPENSSL_CSTRING_zero(sk) OPENSSL_sk_zero(ssl_check_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_delete(sk, i) ((const char
*)OPENSSL_sk_delete(ssl_check_OPENSSL_CSTRING_sk_type(sk), (i)))
#define sk_OPENSSL_CSTRING_delete_ptr(sk, ptr) ((const char
*)OPENSSL_sk_delete_ptr(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr)))
#define sk_OPENSSL_CSTRING_push(sk, ptr)
OPENSSL_sk_push(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_type(ptr))
#define sk_OPENSSL_CSTRING_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr))
#define sk_OPENSSL_CSTRING_pop(sk) ((const char
*)OPENSSL_sk_pop(ssl_check_OPENSSL_CSTRING_sk_type(sk)))
#define sk_OPENSSL_CSTRING_shift(sk) ((const char
*)OPENSSL_sk_shift(ssl_check_OPENSSL_CSTRING_sk_type(sk)))
#define sk_OPENSSL_CSTRING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_freefunc_type(freefunc))
#define
sk_OPENSSL_CSTRING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_type(ptr),
(idx))
#define sk_OPENSSL_CSTRING_set(sk, idx, ptr) ((const char
*)OPENSSL_sk_set(ssl_check_OPENSSL_CSTRING_sk_type(sk), (idx),
ssl_check_OPENSSL_CSTRING_type(ptr)))
#define sk_OPENSSL_CSTRING_find(sk, ptr)
OPENSSL_sk_find(ssl_check_OPENSSL_CSTRING_sk_type(sk), ssl_check_OPENSSL_CSTRING_type(ptr))
#define sk_OPENSSL_CSTRING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr))
#define sk_OPENSSL_CSTRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_type(ptr), pnum)
#define sk_OPENSSL_CSTRING_sort(sk) OPENSSL_sk_sort(ssl_check_OPENSSL_CSTRING_sk_type(sk))
#define sk_OPENSSL_CSTRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OPENSSL_CSTRING_sk_type(sk))
#define
sk_OPENSSL_CSTRING_dup(sk) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_dup(ssl_check_const_OPENSSL_CSTRING_sk_type(sk)))
#define sk_OPENSSL_CSTRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OPENSSL_CSTRING)
*)OPENSSL_sk_deep_copy(ssl_check_const_OPENSSL_CSTRING_sk_type(sk),
ssl_check_OPENSSL_CSTRING_copyfunc_type(copyfunc),

```



```

ossl_check_OPENSSL_CSTRING_freefunc_type(freefunc)))
#define sk_OPENSSL_CSTRING_set_cmp_func(sk, cmp)
((sk_OPENSSL_CSTRING_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_OPENSSL_CSTRING_sk_type(s
k), ossl_check_OPENSSL_CSTRING_compfunc_type(cmp)))

/* clang-format on */

#if !defined(OPENSSL_NO_DEPRECATED_3_0)
/*
 * This is not used by OpenSSL. A block of bytes, NOT nul-terminated.
 * These should also be distinguished from "normal" stacks.
 */
typedef void *OPENSSL_BLOCK;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OPENSSL_BLOCK, void, void)
#define sk_OPENSSL_BLOCK_num(sk) OPENSSL_sk_num(ossl_check_const_OPENSSL_BLOCK_sk_type(sk))
#define
sk_OPENSSL_BLOCK_value(sk, idx) ((void
*)OPENSSL_sk_value(ossl_check_const_OPENSSL_BLOCK_sk_type(sk), (idx)))
#define sk_OPENSSL_BLOCK_new(cmp) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_new(ossl_check_OPENSSL_BLOCK_compfunc_type(cmp)))
#define sk_OPENSSL_BLOCK_new_null() ((STACK_OF(OPENSSL_BLOCK) *)OPENSSL_sk_new_null())
#define sk_OPENSSL_BLOCK_new_reserve(cmp, n) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_new_reserve(ossl_check_OPENSSL_BLOCK_compfunc_type(cmp), (n)))
#define sk_OPENSSL_BLOCK_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_OPENSSL_BLOCK_sk_type(sk), (n))
#define sk_OPENSSL_BLOCK_free(sk) OPENSSL_sk_free(ossl_check_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_zero(sk) OPENSSL_sk_zero(ossl_check_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_delete(sk, i) ((void
*)OPENSSL_sk_delete(ossl_check_OPENSSL_BLOCK_sk_type(sk), (i)))
#define sk_OPENSSL_BLOCK_delete_ptr(sk, ptr) ((void
*)OPENSSL_sk_delete_ptr(ossl_check_OPENSSL_BLOCK_sk_type(sk),
ossl_check_OPENSSL_BLOCK_type(ptr)))
#define
sk_OPENSSL_BLOCK_push(sk, ptr) OPENSSL_sk_push(ossl_check_OPENSSL_BLOCK_sk_type(sk),
ossl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_OPENSSL_BLOCK_sk_type(sk), ossl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_pop(sk) ((void
*)OPENSSL_sk_pop(ossl_check_OPENSSL_BLOCK_sk_type(sk)))
#define sk_OPENSSL_BLOCK_shift(sk) ((void
*)OPENSSL_sk_shift(ossl_check_OPENSSL_BLOCK_sk_type(sk)))
#define sk_OPENSSL_BLOCK_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_OPENSSL_BLOCK_sk_type(sk), ossl_check_OPENSSL_BLOCK_freefunc_t
ype(freefunc))
#define sk_OPENSSL_BLOCK_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_OPENSSL_BLOCK_sk_type(sk), ossl_check_OPENSSL_BLOCK_type(ptr),
(idx))

```

```

#define sk_OPENSSL_BLOCK_set(sk, idx, ptr) ((void
*)OPENSSL_sk_set(ssl_check_OPENSSL_BLOCK_sk_type(sk), (idx),
ssl_check_OPENSSL_BLOCK_type(ptr)))
#define sk_OPENSSL_BLOCK_find(sk, ptr) OPENSSL_sk_find(ssl_check_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OPENSSL_BLOCK_sk_type(sk), ssl_check_OPENSSL_BLOCK_type(ptr))
#define sk_OPENSSL_BLOCK_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OPENSSL_BLOCK_sk_type(sk), ssl_check_OPENSSL_BLOCK_type(ptr),
pnum)
#define sk_OPENSSL_BLOCK_sort(sk) OPENSSL_sk_sort(ssl_check_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OPENSSL_BLOCK_sk_type(sk))
#define sk_OPENSSL_BLOCK_dup(sk) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_dup(ssl_check_const_OPENSSL_BLOCK_sk_type(sk)))
#define sk_OPENSSL_BLOCK_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OPENSSL_BLOCK)
*)OPENSSL_sk_deep_copy(ssl_check_const_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_copyfunc_type(copyfunc),
ssl_check_OPENSSL_BLOCK_freefunc_type(freefunc)))
#define sk_OPENSSL_BLOCK_set_cmp_func(sk, cmp)
((sk_OPENSSL_BLOCK_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OPENSSL_BLOCK_sk_type(sk),
ssl_check_OPENSSL_BLOCK_compfunc_type(cmp)))

/* clang-format on */
#endif

#ifdef __cplusplus
}
#endif
#endif
BSD-3-Clause
MIT License

```

Copyright (c) 2014 Petka Antonov
2015 Sindre Sorhus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.
import './required-module.mjs';
(The MIT License)

Copyright (C) 2011-2015 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF
OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
ISC License

Copyright 2021 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for
any purpose with or without fee is hereby granted, provided that the
above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS
ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE
COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE
OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE
USE OR PERFORMANCE OF THIS SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/ssl.h.in

*

* Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.

* Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved

```

* Copyright 2005 Nokia. All rights reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSSL_SSL_H
#define OPENSSSL_SSL_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define HEADER_SSL_H
#endif

#include <openssl/e_os2.h>
#include <openssl/opensslconf.h>
#include <openssl/comp.h>
#include <openssl/bio.h>
#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#include <openssl/x509.h>
#include <openssl/crypto.h>
#include <openssl/buffer.h>
#endif
#include <openssl/lhash.h>
#include
    <openssl/pem.h>
#include <openssl/hmac.h>
#include <openssl/async.h>

#include <openssl/safestack.h>
#include <openssl/symhacks.h>
#include <openssl/ct.h>
#include <openssl/sslerr.h>
#include <openssl/prov_ssl.h>

#ifdef __cplusplus
extern "C" {
#endif

/* OpenSSL version number for ASN.1 encoding of the session information */
/*-

```

```

* Version 0 - initial version
* Version 1 - added the optional peer certificate
*/
#define SSL_SESSION_ASN1_VERSION 0x0001

#define SSL_MAX_SSL_SESSION_ID_LENGTH 32
#define SSL_MAX_SID_CTX_LENGTH 32

#define SSL_MIN_RSA_MODULUS_LENGTH_IN_BYTES (512 / 8)
#define SSL_MAX_KEY_ARG_LENGTH 8
/* SSL_MAX_MASTER_KEY_LENGTH is defined in prov_ssl.h */

/* The maximum number of encrypt/decrypt pipelines we can support */
#define SSL_MAX_PIPELINES 32

/* text strings for the ciphers */

/* These are used to specify which ciphers to use and not to use */

#define SSL_TXT_LOW "LOW"
#define SSL_TXT_MEDIUM "MEDIUM"
#define SSL_TXT_HIGH "HIGH"
#define SSL_TXT_FIPS "FIPS"

#define
    SSL_TXT_aNULL "aNULL"
#define SSL_TXT_eNULL "eNULL"
#define SSL_TXT_NULL "NULL"

#define SSL_TXT_kRSA "kRSA"
#define SSL_TXT_kDhR "kDhR" /* this cipher class has been removed */
#define SSL_TXT_kDhD "kDhD" /* this cipher class has been removed */
#define SSL_TXT_kDH "kDH" /* this cipher class has been removed */
#define SSL_TXT_kEDH "kEDH" /* alias for kDHE */
#define SSL_TXT_kDHE "kDHE"
#define SSL_TXT_kECDHr "kECDHr" /* this cipher class has been removed */
#define SSL_TXT_kECDHe "kECDHe" /* this cipher class has been removed */
#define SSL_TXT_kECDH "kECDH" /* this cipher class has been removed */
#define SSL_TXT_kEECDH "kEECDH" /* alias for kECDHE */
#define SSL_TXT_kECDHE "kECDHE"
#define SSL_TXT_kPSK "kPSK"
#define SSL_TXT_kRSAPSK "kRSAPSK"
#define SSL_TXT_kECDHEPSK "kECDHEPSK"
#define SSL_TXT_kDHEPSK "kDHEPSK"
#define SSL_TXT_kGOST "kGOST"
#define SSL_TXT_kGOST18 "kGOST18"
#define SSL_TXT_kSRP "kSRP"

```

```

#define SSL_TXT_aRSA "aRSA"
#define SSL_TXT_aDSS "aDSS"
#define
    SSL_TXT_aDH "aDH" /* this cipher class has been removed */
#define SSL_TXT_aECDH "aECDH" /* this cipher class has been removed */
#define SSL_TXT_aECDSA "aECDSA"
#define SSL_TXT_aPSK "aPSK"
#define SSL_TXT_aGOST94 "aGOST94"
#define SSL_TXT_aGOST01 "aGOST01"
#define SSL_TXT_aGOST12 "aGOST12"
#define SSL_TXT_aGOST "aGOST"
#define SSL_TXT_aSRP "aSRP"

#define SSL_TXT_DSS "DSS"
#define SSL_TXT_DH "DH"
#define SSL_TXT_DHE "DHE" /* same as "kDHE:-ADH" */
#define SSL_TXT_EDH "EDH" /* alias for DHE */
#define SSL_TXT_ADH "ADH"
#define SSL_TXT_RSA "RSA"
#define SSL_TXT_ECDH "ECDH"
#define SSL_TXT_EECDH "EECDH" /* alias for ECDHE */
#define SSL_TXT_ECDHE "ECDHE" /* same as "kECDHE:-AECDH" */
#define SSL_TXT_AECDH "AECDH"
#define SSL_TXT_ECDSA "ECDSA"
#define SSL_TXT_PSK "PSK"
#define SSL_TXT_SRP "SRP"

#define SSL_TXT_DES "DES"
#define SSL_TXT_3DES "3DES"
#define SSL_TXT_RC4 "RC4"
#define SSL_TXT_RC2 "RC2"
#define SSL_TXT_IDEA "IDEA"
#define SSL_TXT_SEED "SEED"
#define SSL_TXT_AES128 "AES128"
#define
    SSL_TXT_AES256 "AES256"
#define SSL_TXT_AES "AES"
#define SSL_TXT_AES_GCM "AESGCM"
#define SSL_TXT_AES_CCM "AESCCM"
#define SSL_TXT_AES_CCM_8 "AESCCM8"
#define SSL_TXT_CAMELLIA128 "CAMELLIA128"
#define SSL_TXT_CAMELLIA256 "CAMELLIA256"
#define SSL_TXT_CAMELLIA "CAMELLIA"
#define SSL_TXT_CHACHA20 "CHACHA20"
#define SSL_TXT_GOST "GOST89"
#define SSL_TXT_ARIA "ARIA"
#define SSL_TXT_ARIA_GCM "ARIAGCM"
#define SSL_TXT_ARIA128 "ARIA128"

```

```

#define SSL_TXT_ARIA256 "ARIA256"
#define SSL_TXT_GOST2012_GOST8912_GOST8912 "GOST2012-GOST8912-GOST8912"
#define SSL_TXT_CBC "CBC"

#define SSL_TXT_MD5 "MD5"
#define SSL_TXT_SHA1 "SHA1"
#define SSL_TXT_SHA "SHA" /* same as "SHA1" */
#define SSL_TXT_GOST94 "GOST94"
#define SSL_TXT_GOST89MAC "GOST89MAC"
#define SSL_TXT_GOST12 "GOST12"
#define SSL_TXT_GOST89MAC12 "GOST89MAC12"
#define SSL_TXT_SHA256 "SHA256"
#define SSL_TXT_SHA384 "SHA384"

#define SSL_TXT_SSLV3 "SSLv3"
#define SSL_TXT_TLSV1 "TLSv1"
#define SSL_TXT_TLSV1_1 "TLSv1.1"
#define SSL_TXT_TLSV1_2
    "TLSv1.2"

#define SSL_TXT_ALL "ALL"

/*-
 * COMPLEMENTOF* definitions. These identifiers are used to (de-select)
 * ciphers normally not being used.
 * Example: "RC4" will activate all ciphers using RC4 including ciphers
 * without authentication, which would normally disabled by DEFAULT (due
 * the "!ADH" being part of default). Therefore "RC4;!COMPLEMENTOFDEFAULT"
 * will make sure that it is also disabled in the specific selection.
 * COMPLEMENTOF* identifiers are portable between version, as adjustments
 * to the default cipher setup will also be included here.
 *
 * COMPLEMENTOFDEFAULT does not experience the same special treatment that
 * DEFAULT gets, as only selection is being done and no sorting as needed
 * for DEFAULT.
 */
#define SSL_TXT_CMPALL "COMPLEMENTOFALL"
#define SSL_TXT_CMPDEF "COMPLEMENTOFDEFAULT"

/*
 * The following cipher list is used by default. It also is substituted when
 * an application-defined cipher list string starts with 'DEFAULT'.
 * This applies to
 * ciphersuites for TLSv1.2 and below.
 * DEPRECATED IN 3.0.0, in favor of OSSL_default_cipher_list()
 * Update both macro and function simultaneously
 */
#ifndef OPENSSL_NO_DEPRECATED_3_0

```

```

#define SSL_DEFAULT_CIPHER_LIST "ALL:!COMPLEMENTOFDEFAULT:!eNULL"
/*
 * This is the default set of TLSv1.3 ciphersuites
 * DEPRECATED IN 3.0.0, in favor of OSSL_default_ciphersuites()
 * Update both macro and function simultaneously
 */
#define TLS_DEFAULT_CIPHERSUITES "TLS_AES_256_GCM_SHA384:" \
    "TLS_CHACHA20_POLY1305_SHA256:" \
    "TLS_AES_128_GCM_SHA256"

#endif
/*
 * As of OpenSSL 1.0.0, ssl_create_cipher_list() in ssl/ssl_ciph.c always
 * starts with a reasonable order, and all we have to do for DEFAULT is
 * throwing out anonymous and unencrypted ciphersuites! (The latter are not
 * actually enabled by ALL, but "ALL:RSA" would enable some of them.)
 */

/* Used in SSL_set_shutdown()/SSL_get_shutdown(); */
#define SSL_SENT_SHUTDOWN
1
#define SSL_RECEIVED_SHUTDOWN 2

#ifdef __cplusplus
}
#endif

#ifdef __cplusplus
extern "C" {
#endif

#define SSL_FILETYPE_ASN1 X509_FILETYPE_ASN1
#define SSL_FILETYPE_PEM X509_FILETYPE_PEM

/*
 * This is needed to stop compilers complaining about the 'struct ssl_st *'
 * function parameters used to prototype callbacks in SSL_CTX.
 */
typedef struct ssl_st *ssl_crock_st;
typedef struct tls_session_ticket_ext_st TLS_SESSION_TICKET_EXT;
typedef struct ssl_method_st SSL_METHOD;
typedef struct ssl_cipher_st SSL_CIPHER;
typedef struct ssl_session_st SSL_SESSION;
typedef struct tls_sigalgs_st TLS_SIGALGS;
typedef struct ssl_conf_ctx_st SSL_CONF_CTX;
typedef struct ssl_comp_st SSL_COMP;

STACK_OF(SSL_CIPHER);
STACK_OF(SSL_COMP);

```



```

/* SRTP protection profiles for use with the use_srtp extension (RFC 5764)*/
typedef struct srtp_protection_profile_st {
    const char *name;
    unsigned long id;
} SRTP_PROTECTION_PROFILE;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(SRTP_PROTECTION_PROFILE,
    SRTP_PROTECTION_PROFILE, SRTP_PROTECTION_PROFILE)
#define sk_SRTP_PROTECTION_PROFILE_num(sk)
OPENSSL_sk_num(ssl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_value(sk, idx) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_value(ssl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk), (idx)))
#define sk_SRTP_PROTECTION_PROFILE_new(cmp) ((STACK_OF(SRTP_PROTECTION_PROFILE)
*)OPENSSL_sk_new(ssl_check_SRTP_PROTECTION_PROFILE_compfunc_type(cmp)))
#define sk_SRTP_PROTECTION_PROFILE_new_null() ((STACK_OF(SRTP_PROTECTION_PROFILE)
*)OPENSSL_sk_new_null())
#define sk_SRTP_PROTECTION_PROFILE_new_reserve(cmp, n)
((STACK_OF(SRTP_PROTECTION_PROFILE)
*)OPENSSL_sk_new_reserve(ssl_check_SRTP_PROTECTION_PROFILE_compfunc_type(cmp), (n)))
#define sk_SRTP_PROTECTION_PROFILE_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk), (n))
#define sk_SRTP_PROTECTION_PROFILE_free(sk)
OPENSSL_sk_free(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define
sk_SRTP_PROTECTION_PROFILE_zero(sk)
OPENSSL_sk_zero(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_delete(sk, i) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_delete(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk), (i)))
#define sk_SRTP_PROTECTION_PROFILE_delete_ptr(sk, ptr) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_delete_ptr(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr)))
#define sk_SRTP_PROTECTION_PROFILE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ssl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_pop(sk) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_pop(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk)))
#define sk_SRTP_PROTECTION_PROFILE_shift(sk) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_shift(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk)))
#define
sk_SRTP_PROTECTION_PROFILE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),ssl_check_SRTP_PROTECTI
ON_PROFILE_freefunc_type(freefunc))
#define sk_SRTP_PROTECTION_PROFILE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),

```

```

ossl_check_SRTP_PROTECTION_PROFILE_type(ptr), (idx))
#define sk_SRTP_PROTECTION_PROFILE_set(sk, idx, ptr) ((SRTP_PROTECTION_PROFILE
*)OPENSSL_sk_set(ossl_check_SRTP_PROTECTION_PROFILE_sk_type(sk), (idx),
ossl_check_SRTP_PROTECTION_PROFILE_type(ptr)))
#define sk_SRTP_PROTECTION_PROFILE_find(sk, ptr)
OPENSSL_sk_find(ossl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ossl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ossl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ossl_check_SRTP_PROTECTION_PROFILE_type(ptr))
#define sk_SRTP_PROTECTION_PROFILE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_SRTP_PROTECTION_PROFILE_sk_type(sk),
ossl_check_SRTP_PROTECTION_PROFILE_type(ptr), pnum)
#define sk_SRTP_PROTECTION_PROFILE_sort(sk)
OPENSSL_sk_sort(ossl_check_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk))
#define sk_SRTP_PROTECTION_PROFILE_dup(sk) ((STACK_OF(SRTP_PROTECTION_PROFILE)
*)OPENSSL_sk_dup(ossl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk)))
#define sk_SRTP_PROTECTION_PROFILE_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(SRTP_PROTECTION_PROFILE)
*)OPENSSL_sk_deep_copy(ossl_check_const_SRTP_PROTECTION_PROFILE_sk_type(sk),
ossl_check_SRTP_PROTECTION_PROFILE_copyfunc_type(copyfunc),
ossl_check_SRTP_PROTECTION_PROFILE_freefunc_type(freefunc)))
#define sk_SRTP_PROTECTION_PROFILE_set_cmp_func(sk, cmp)
((sk_SRTP_PROTECTION_PROFILE_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SRTP_PROTECTION
_PROFILE_sk_type(sk), ossl_check_SRTP_PROTECTION_PROFILE_compfunc_type(cmp)))

/*
clang-format on */

typedef int (*tls_session_ticket_ext_cb_fn)(SSL *s, const unsigned char *data,
int len, void *arg);
typedef int (*tls_session_secret_cb_fn)(SSL *s, void *secret, int *secret_len,
STACK_OF(SSL_CIPHER) *peer_ciphers,
const SSL_CIPHER **cipher, void *arg);

/* Extension context codes */
/* This extension is only allowed in TLS */
#define SSL_EXT_TLS_ONLY 0x0001
/* This extension is only allowed in DTLS */
#define SSL_EXT_DTLS_ONLY 0x0002
/* Some extensions may be allowed in DTLS but we don't implement them for it */
#define SSL_EXT_TLS_IMPLEMENTATION_ONLY 0x0004
/* Most extensions are not defined for SSLv3 but EXT_TYPE_renegotiate is */
#define SSL_EXT_SSL3_ALLOWED 0x0008
/* Extension is only defined for TLS1.2 and below */
#define SSL_EXT_TLS1_2_AND_BELOW_ONLY 0x0010

```

```

/* Extension is only defined for TLS1.3 and above */
#define SSL_EXT_TLS1_3_ONLY 0x0020
/* Ignore this extension during parsing if we are resuming */
#define SSL_EXT_IGNORE_ON_RESUMPTION
    0x0040
#define SSL_EXT_CLIENT_HELLO 0x0080
/* Really means TLS1.2 or below */
#define SSL_EXT_TLS1_2_SERVER_HELLO 0x0100
#define SSL_EXT_TLS1_3_SERVER_HELLO 0x0200
#define SSL_EXT_TLS1_3_ENCRYPTED_EXTENSIONS 0x0400
#define SSL_EXT_TLS1_3_HELLO_RETRY_REQUEST 0x0800
#define SSL_EXT_TLS1_3_CERTIFICATE 0x1000
#define SSL_EXT_TLS1_3_NEW_SESSION_TICKET 0x2000
#define SSL_EXT_TLS1_3_CERTIFICATE_REQUEST 0x4000

/* Typedefs for handling custom extensions */

typedef int (*custom_ext_add_cb)(SSL *s, unsigned int ext_type,
    const unsigned char **out, size_t *outlen,
    int *al, void *add_arg);

typedef void (*custom_ext_free_cb)(SSL *s, unsigned int ext_type,
    const unsigned char *out, void *add_arg);

typedef int (*custom_ext_parse_cb)(SSL *s, unsigned int ext_type,
    const unsigned char *in, size_t inlen,
    int *al, void *parse_arg);

typedef int (*SSL_custom_ext_add_cb_ex)(SSL *s, unsigned int ext_type,
    unsigned int context,
    const unsigned char **out,
    size_t
*outlen, X509 *x,
    size_t chainidx,
    int *al, void *add_arg);

typedef void (*SSL_custom_ext_free_cb_ex)(SSL *s, unsigned int ext_type,
    unsigned int context,
    const unsigned char *out,
    void *add_arg);

typedef int (*SSL_custom_ext_parse_cb_ex)(SSL *s, unsigned int ext_type,
    unsigned int context,
    const unsigned char *in,
    size_t inlen, X509 *x,
    size_t chainidx,
    int *al, void *parse_arg);

```

```

/* Typedef for verification callback */
typedef int (*SSL_verify_cb)(int preverify_ok, X509_STORE_CTX *x509_ctx);

/* Typedef for SSL async callback */
typedef int (*SSL_async_callback_fn)(SSL *s, void *arg);

#define SSL_OP_BIT(n) ((uint64_t)1 << (uint64_t)n)

/*
 * SSL/TLS connection options.
 */
/* Disable Extended master secret */
#define SSL_OP_NO_EXTENDED_MASTER_SECRET SSL_OP_BIT(0)
/* Cleanse plaintext copies of data delivered to the application */
#define SSL_OP_CLEANSSE_PLAINTEXT SSL_OP_BIT(1)
/* Allow initial connection to servers that don't support RI
 */
#define SSL_OP_LEGACY_SERVER_CONNECT SSL_OP_BIT(2)
/* Enable support for Kernel TLS */
#define SSL_OP_ENABLE_KTLS SSL_OP_BIT(3)
#define SSL_OP_TLSEXT_PADDING SSL_OP_BIT(4)
#define SSL_OP_SAFARI_ECDHE_ECDSA_BUG SSL_OP_BIT(6)
#define SSL_OP_IGNORE_UNEXPECTED_EOF SSL_OP_BIT(7)
#define SSL_OP_ALLOW_CLIENT_RENEGOTIATION SSL_OP_BIT(8)
#define SSL_OP_DISABLE_TLSEXT_CA_NAMES SSL_OP_BIT(9)
/* In TLSv1.3 allow a non-(ec)dhe based kex_mode */
#define SSL_OP_ALLOW_NO_DHE_KEX SSL_OP_BIT(10)
/*
 * Disable SSL 3.0/TLS 1.0 CBC vulnerability workaround that was added
 * in OpenSSL 0.9.6d. Usually (depending on the application protocol)
 * the workaround is not needed. Unfortunately some broken SSL/TLS
 * implementations cannot handle it at all, which is why we include it
 * in SSL_OP_ALL. Added in 0.9.6e
 */
#define SSL_OP_DONT_INSERT_EMPTY_FRAGMENTS SSL_OP_BIT(11)
/* DTLS options */
#define SSL_OP_NO_QUERY_MTU SSL_OP_BIT(12)
/* Turn on Cookie Exchange (on relevant for servers) */
#define SSL_OP_COOKIE_EXCHANGE
    SSL_OP_BIT(13)
/* Don't use RFC4507 ticket extension */
#define SSL_OP_NO_TICKET SSL_OP_BIT(14)
#ifdef OPENSSL_NO_DTLS1_METHOD
/*
 * Use Cisco's version identifier of DTLS_BAD_VER
 * (only with deprecated DTLSv1_client_method())
 */
#define SSL_OP_CISCO_ANYCONNECT SSL_OP_BIT(15)

```

```

#endif
/* As server, disallow session resumption on renegotiation */
#define SSL_OP_NO_SESSION_RESUMPTION_ON_RENEGOTIATION SSL_OP_BIT(16)
/* Don't use compression even if supported */
#define SSL_OP_NO_COMPRESSION SSL_OP_BIT(17)
/* Permit unsafe legacy renegotiation */
#define SSL_OP_ALLOW_UNSAFE_LEGACY_RENEGOTIATION SSL_OP_BIT(18)
/* Disable encrypt-then-mac */
#define SSL_OP_NO_ENCRYPT_THEN_MAC SSL_OP_BIT(19)
/*
 * Enable TLSv1.3 Compatibility mode. This is on by default. A future
 * version of OpenSSL may have this disabled by default.
 */
#define SSL_OP_ENABLE_MIDDLEBOX_COMPAT SSL_OP_BIT(20)
/*
 * Prioritize Chacha20Poly1305 when client does.
 * Modifies SSL_OP_CIPHER_SERVER_PREFERENCE
 */
#define
    SSL_OP_PRIORITIZE_CHACHA SSL_OP_BIT(21)
/*
 * Set on servers to choose the cipher according to server's preferences.
 */
#define SSL_OP_CIPHER_SERVER_PREFERENCE SSL_OP_BIT(22)
/*
 * If set, a server will allow a client to issue a SSLv3.0 version
 * number as latest version supported in the premaster secret, even when
 * TLSv1.0 (version 3.1) was announced in the client hello. Normally
 * this is forbidden to prevent version rollback attacks.
 */
#define SSL_OP_TLS_ROLLBACK_BUG SSL_OP_BIT(23)
/*
 * Switches off automatic TLSv1.3 anti-replay protection for early data.
 * This is a server-side option only (no effect on the client).
 */
#define SSL_OP_NO_ANTI_REPLAY SSL_OP_BIT(24)
#define SSL_OP_NO_SSLv3 SSL_OP_BIT(25)
#define SSL_OP_NO_TLSv1 SSL_OP_BIT(26)
#define SSL_OP_NO_TLSv1_2 SSL_OP_BIT(27)
#define SSL_OP_NO_TLSv1_1 SSL_OP_BIT(28)
#define SSL_OP_NO_TLSv1_3 SSL_OP_BIT(29)
#define SSL_OP_NO_DTLSv1 SSL_OP_BIT(26)
#define SSL_OP_NO_DTLSv1_2 SSL_OP_BIT(27)
/* Disallow all renegotiation
 */
#define SSL_OP_NO_RENEGOTIATION SSL_OP_BIT(30)
/*
 * Make server add server-hello extension from early version of

```

```

* cryptopro draft, when GOST ciphersuite is negotiated. Required for
* interoperability with CryptoPro CSP 3.x
*/
#define SSL_OP_CRYPTOPRO_TLSEXT_BUG SSL_OP_BIT(31)

/*
* Option "collections."
*/
#define SSL_OP_NO_SSL_MASK \
    (SSL_OP_NO_SSLv3 | SSL_OP_NO_TLSv1 | SSL_OP_NO_TLSv1_1 \
     | SSL_OP_NO_TLSv1_2 | SSL_OP_NO_TLSv1_3)
#define SSL_OP_NO_DTLS_MASK \
    (SSL_OP_NO_DTLSv1 | SSL_OP_NO_DTLSv1_2)

/* Various bug workarounds that should be rather harmless. */
#define SSL_OP_ALL \
    (SSL_OP_CRYPTOPRO_TLSEXT_BUG | SSL_OP_DONT_INSERT_EMPTY_FRAGMENTS \
     | SSL_OP_TLSEXT_PADDING | SSL_OP_SAFARI_ECDHE_ECDSA_BUG)

/*
* OBSOLETE OPTIONS retained for compatibility
*/

#define SSL_OP_MICROSOFT_SESS_ID_BUG 0x0
#define SSL_OP_NETSCAPE_CHALLENGE_BUG 0x0
#define SSL_OP_NETSCAPE_REUSE_CIPHER_CHANGE_BUG 0x0
#define SSL_OP_SSLREF2_REUSE_CERT_TYPE_BUG 0x0
#define SSL_OP_MICROSOFT_BIG_SSLV3_BUFFER 0x0
#define SSL_OP_MSIE_SSLV2_RSA_PADDING 0x0
#define SSL_OP_SSLEAY_080_CLIENT_DH_BUG 0x0
#define SSL_OP_TLS_D5_BUG 0x0
#define SSL_OP_TLS_BLOCK_PADDING_BUG 0x0
#define SSL_OP_SINGLE_ECDH_USE 0x0
#define SSL_OP_SINGLE_DH_USE 0x0
#define SSL_OP_EPHEMERAL_RSA 0x0
#define SSL_OP_NO_SSLv2 0x0
#define SSL_OP_PKCS1_CHECK_1 0x0
#define SSL_OP_PKCS1_CHECK_2 0x0
#define SSL_OP_NETSCAPE_CA_DN_BUG 0x0
#define SSL_OP_NETSCAPE_DEMO_CIPHER_CHANGE_BUG 0x0

/*
* Allow SSL_write(..., n) to return r with 0 < r < n (i.e. report success
* when just a single record has been written):
*/
#define SSL_MODE_ENABLE_PARTIAL_WRITE 0x00000001U
/*

```

```

* Make it possible to retry SSL_write() with changed buffer location (buffer
* contents must stay the same!); this is not the default to avoid the
* misconception that non-blocking SSL_write() behaves like non-blocking
* write():
*/
#define SSL_MODE_ACCEPT_MOVING_WRITE_BUFFER
0x00000002U
/*
* Never bother the application with retries if the transport is blocking:
*/
#define SSL_MODE_AUTO_RETRY 0x00000004U
/* Don't attempt to automatically build certificate chain */
#define SSL_MODE_NO_AUTO_CHAIN 0x00000008U
/*
* Save RAM by releasing read and write buffers when they're empty. (SSL3 and
* TLS only.) Released buffers are freed.
*/
#define SSL_MODE_RELEASE_BUFFERS 0x00000010U
/*
* Send the current time in the Random fields of the ClientHello and
* ServerHello records for compatibility with hypothetical implementations
* that require it.
*/
#define SSL_MODE_SEND_CLIENTHELLO_TIME 0x00000020U
#define SSL_MODE_SEND_SERVERHELLO_TIME 0x00000040U
/*
* Send TLS_FALLBACK_SCSV in the ClientHello. To be set only by applications
* that reconnect with a downgraded protocol version; see
* draft-ietf-tls-downgrade-scsv-00 for details. DO NOT ENABLE THIS if your
* application attempts a normal handshake. Only use this in explicit
* fallback retries, following the guidance in
* draft-ietf-tls-downgrade-scsv-00.
*/
#define SSL_MODE_SEND_FALLBACK_SCSV 0x00000080U
/*
* Support Asynchronous operation
*/
#define SSL_MODE_ASYNC 0x00000100U

/*
* When using DTLS/SCTP, include the terminating zero in the label
* used for computing the endpoint-pair shared secret. Required for
* interoperability with implementations having this bug like these
* older version of OpenSSL:
* - OpenSSL 1.0.0 series
* - OpenSSL 1.0.1 series
* - OpenSSL 1.0.2 series
* - OpenSSL 1.1.0 series

```

```

* - OpenSSL 1.1.1 and 1.1.1a
*/
#define SSL_MODE_DTLS_SCTP_LABEL_LENGTH_BUG 0x00000400U

/* Cert related flags */
/*
* Many implementations ignore some aspects of the TLS standards such as
* enforcing certificate chain algorithms. When this is set we enforce them.
*/
#define SSL_CERT_FLAG_TLS_STRICT 0x00000001U

/* Suite B modes, takes same values as certificate verify flags */
#define SSL_CERT_FLAG_SUITEB_128_LOS_ONLY 0x10000
/* Suite B 192
bit only mode */
#define SSL_CERT_FLAG_SUITEB_192_LOS 0x20000
/* Suite B 128 bit mode allowing 192 bit algorithms */
#define SSL_CERT_FLAG_SUITEB_128_LOS 0x30000

/* Perform all sorts of protocol violations for testing purposes */
#define SSL_CERT_FLAG_BROKEN_PROTOCOL 0x10000000

/* Flags for building certificate chains */
/* Treat any existing certificates as untrusted CAs */
#define SSL_BUILD_CHAIN_FLAG_UNTRUSTED 0x1
/* Don't include root CA in chain */
#define SSL_BUILD_CHAIN_FLAG_NO_ROOT 0x2
/* Just check certificates already there */
#define SSL_BUILD_CHAIN_FLAG_CHECK 0x4
/* Ignore verification errors */
#define SSL_BUILD_CHAIN_FLAG_IGNORE_ERROR 0x8
/* Clear verification errors from queue */
#define SSL_BUILD_CHAIN_FLAG_CLEAR_ERROR 0x10

/* Flags returned by SSL_check_chain */
/* Certificate can be used with this session */
#define CERT_PKEY_VALID 0x1
/* Certificate can also be used for signing */
#define CERT_PKEY_SIGN 0x2
/* EE certificate signing algorithm OK */
#define CERT_PKEY_EE_SIGNATURE
0x10
/* CA signature algorithms OK */
#define CERT_PKEY_CA_SIGNATURE 0x20
/* EE certificate parameters OK */
#define CERT_PKEY_EE_PARAM 0x40
/* CA certificate parameters OK */
#define CERT_PKEY_CA_PARAM 0x80

```



```

/* Signing explicitly allowed as opposed to SHA1 fallback */
#define CERT_PKEY_EXPLICIT_SIGN 0x100
/* Client CA issuer names match (always set for server cert) */
#define CERT_PKEY_ISSUER_NAME 0x200
/* Cert type matches client types (always set for server cert) */
#define CERT_PKEY_CERT_TYPE 0x400
/* Cert chain suitable to Suite B */
#define CERT_PKEY_SUITEB 0x800

#define SSL_CONF_FLAG_CMDLINE 0x1
#define SSL_CONF_FLAG_FILE 0x2
#define SSL_CONF_FLAG_CLIENT 0x4
#define SSL_CONF_FLAG_SERVER 0x8
#define SSL_CONF_FLAG_SHOW_ERRORS 0x10
#define SSL_CONF_FLAG_CERTIFICATE 0x20
#define SSL_CONF_FLAG_REQUIRE_PRIVATE 0x40
/* Configuration value types */
#define SSL_CONF_TYPE_UNKNOWN 0x0
#define SSL_CONF_TYPE_STRING 0x1
#define SSL_CONF_TYPE_FILE 0x2
#define SSL_CONF_TYPE_DIR
0x3
#define SSL_CONF_TYPE_NONE 0x4
#define SSL_CONF_TYPE_STORE 0x5

/* Maximum length of the application-controlled segment of a TLSv1.3 cookie */
#define SSL_COOKIE_LENGTH 4096

/*
 * Note: SSL[_CTX]_set_{options,mode} use |= op on the previous value, they
 * cannot be used to clear bits.
 */

uint64_t SSL_CTX_get_options(const SSL_CTX *ctx);
uint64_t SSL_get_options(const SSL *s);
uint64_t SSL_CTX_clear_options(SSL_CTX *ctx, uint64_t op);
uint64_t SSL_clear_options(SSL *s, uint64_t op);
uint64_t SSL_CTX_set_options(SSL_CTX *ctx, uint64_t op);
uint64_t SSL_set_options(SSL *s, uint64_t op);

#define SSL_CTX_set_mode(ctx, op) \
    SSL_CTX_ctrl((ctx), SSL_CTRL_MODE, (op), NULL)
#define SSL_CTX_clear_mode(ctx, op) \
    SSL_CTX_ctrl((ctx), SSL_CTRL_CLEAR_MODE, (op), NULL)
#define SSL_CTX_get_mode(ctx) \
    SSL_CTX_ctrl((ctx), SSL_CTRL_MODE, 0, NULL)
#define SSL_clear_mode(ssl, op) \
    SSL_ctrl((ssl), SSL_CTRL_CLEAR_MODE, (op), NULL)

```

```

#define SSL_set_mode(ssl, op) \
    SSL_ctrl((ssl),
    SSL_CTRL_MODE, (op), NULL)
#define SSL_get_mode(ssl) \
    SSL_ctrl((ssl), SSL_CTRL_MODE, 0, NULL)
#define SSL_set_mtu(ssl, mtu) \
    SSL_ctrl((ssl), SSL_CTRL_SET_MTU, (mtu), NULL)
#define DTLS_set_link_mtu(ssl, mtu) \
    SSL_ctrl((ssl), DTLS_CTRL_SET_LINK_MTU, (mtu), NULL)
#define DTLS_get_link_min_mtu(ssl) \
    SSL_ctrl((ssl), DTLS_CTRL_GET_LINK_MIN_MTU, 0, NULL)

#define SSL_get_secure_renegotiation_support(ssl) \
    SSL_ctrl((ssl), SSL_CTRL_GET_RI_SUPPORT, 0, NULL)

#define SSL_CTX_set_cert_flags(ctx, op) \
    SSL_CTX_ctrl((ctx), SSL_CTRL_CERT_FLAGS, (op), NULL)
#define SSL_set_cert_flags(s, op) \
    SSL_ctrl((s), SSL_CTRL_CERT_FLAGS, (op), NULL)
#define SSL_CTX_clear_cert_flags(ctx, op) \
    SSL_CTX_ctrl((ctx), SSL_CTRL_CLEAR_CERT_FLAGS, (op), NULL)
#define SSL_clear_cert_flags(s, op) \
    SSL_ctrl((s), SSL_CTRL_CLEAR_CERT_FLAGS, (op), NULL)

void SSL_CTX_set_msg_callback(SSL_CTX *ctx,
    void (*cb)(int write_p, int version,
        int content_type, const void *buf,
        size_t len, SSL *ssl, void *arg));
void SSL_set_msg_callback(SSL *ssl,
    void (*cb)(int write_p, int version,
        int content_type, const void *buf,
        size_t len, SSL *ssl, void *arg));
#define SSL_CTX_set_msg_callback_arg(ctx, arg) SSL_CTX_ctrl((ctx),
    SSL_CTRL_SET_MSG_CALLBACK_ARG, 0, (arg))
#define SSL_set_msg_callback_arg(ssl, arg) SSL_ctrl((ssl), SSL_CTRL_SET_MSG_CALLBACK_ARG, 0, (arg))

#define SSL_get_extms_support(s) \
    SSL_ctrl((s), SSL_CTRL_GET_EXTMS_SUPPORT, 0, NULL)

#ifndef OPENSSL_NO_SRP
/* see tls_srp.c */
#ifndef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 __owur int SSL_SRP_CTX_init(SSL *s);
OSSL_DEPRECATEDIN_3_0 __owur int SSL_CTX_SRP_CTX_init(SSL_CTX *ctx);
OSSL_DEPRECATEDIN_3_0 int SSL_SRP_CTX_free(SSL *ctx);
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_SRP_CTX_free(SSL_CTX *ctx);
OSSL_DEPRECATEDIN_3_0 __owur int SSL_srp_server_param_with_username(SSL *s,
    int *ad);

```

```

OSSL_DEPRECATEDIN_3_0 __owur int SRP_Calc_A_param(SSL *s);
#endif
#endif

/* 100k max
cert list */
#define SSL_MAX_CERT_LIST_DEFAULT (1024 * 100)

#define SSL_SESSION_CACHE_MAX_SIZE_DEFAULT (1024 * 20)

/*
 * This callback type is used inside SSL_CTX, SSL, and in the functions that
 * set them. It is used to override the generation of SSL/TLS session IDs in
 * a server. Return value should be zero on an error, non-zero to proceed.
 * Also, callbacks should themselves check if the id they generate is unique
 * otherwise the SSL handshake will fail with an error - callbacks can do
 * this using the 'ssl' value they're passed by;
 * SSL_has_matching_session_id(ssl, id, *id_len) The length value passed in
 * is set at the maximum size the session ID can be. In SSLv3/TLSv1 it is 32
 * bytes. The callback can alter this length to be less if desired. It is
 * also an error for the callback to set the size to zero.
 */
typedef int (*GEN_SESSION_CB)(SSL *ssl, unsigned char *id,
    unsigned int *id_len);

#define SSL_SESS_CACHE_OFF 0x0000
#define SSL_SESS_CACHE_CLIENT 0x0001
#define
    SSL_SESS_CACHE_SERVER 0x0002
#define SSL_SESS_CACHE_BOTH (SSL_SESS_CACHE_CLIENT | SSL_SESS_CACHE_SERVER)
#define SSL_SESS_CACHE_NO_AUTO_CLEAR 0x0080
/* enough comments already ... see SSL_CTX_set_session_cache_mode(3) */
#define SSL_SESS_CACHE_NO_INTERNAL_LOOKUP 0x0100
#define SSL_SESS_CACHE_NO_INTERNAL_STORE 0x0200
#define SSL_SESS_CACHE_NO_INTERNAL \
    (SSL_SESS_CACHE_NO_INTERNAL_LOOKUP | SSL_SESS_CACHE_NO_INTERNAL_STORE)
#define SSL_SESS_CACHE_UPDATE_TIME 0x0400

LHASH_OF(SSL_SESSION) *SSL_CTX_sessions(SSL_CTX *ctx);
#define SSL_CTX_sess_number(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_NUMBER, 0, NULL)
#define SSL_CTX_sess_connect(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_CONNECT, 0, NULL)
#define SSL_CTX_sess_connect_good(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_CONNECT_GOOD, 0, NULL)
#define SSL_CTX_sess_connect_renegotiate(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_CONNECT_RENEGOTIATE, 0, NULL)
#define SSL_CTX_sess_accept(ctx) \

```

```

    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_ACCEPT,
0, NULL)
#define SSL_CTX_sess_accept_renegotiate(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_ACCEPT_RENEGOTIATE, 0, NULL)
#define SSL_CTX_sess_accept_good(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_ACCEPT_GOOD, 0, NULL)
#define SSL_CTX_sess_hits(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_HIT, 0, NULL)
#define SSL_CTX_sess_cb_hits(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_CB_HIT, 0, NULL)
#define SSL_CTX_sess_misses(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_MISSES, 0, NULL)
#define SSL_CTX_sess_timeouts(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_TIMEOUTS, 0, NULL)
#define SSL_CTX_sess_cache_full(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SESS_CACHE_FULL, 0, NULL)

void SSL_CTX_sess_set_new_cb(SSL_CTX *ctx,
    int (*new_session_cb)(struct ssl_st *ssl,
        SSL_SESSION *sess));
int (*SSL_CTX_sess_get_new_cb(SSL_CTX *ctx))(struct ssl_st *ssl,
    SSL_SESSION *sess);
void SSL_CTX_sess_set_remove_cb(SSL_CTX *ctx,
    void (*remove_session_cb)(struct ssl_ctx_st

        *ctx,
        SSL_SESSION *sess));
void (*SSL_CTX_sess_get_remove_cb(SSL_CTX *ctx))(struct ssl_ctx_st *ctx,
    SSL_SESSION *sess);
void SSL_CTX_sess_set_get_cb(SSL_CTX *ctx,
    SSL_SESSION *(*get_session_cb)(struct ssl_st

        *ssl,
        const unsigned char
        *data,
        int len,
        int *copy));
SSL_SESSION *(*SSL_CTX_sess_get_get_cb(SSL_CTX *ctx))(struct ssl_st *ssl,
    const unsigned char *data,
    int len, int *copy);
void SSL_CTX_set_info_callback(SSL_CTX *ctx,
    void (*cb)(const SSL *ssl, int type, int val));
void (*SSL_CTX_get_info_callback(SSL_CTX *ctx))(const SSL *ssl, int type,
    int val);
void SSL_CTX_set_client_cert_cb(SSL_CTX *ctx,
    int (*client_cert_cb)(SSL *ssl, X509 **x509,
        EVP_PKEY **pkey));
int (*SSL_CTX_get_client_cert_cb(SSL_CTX *ctx))(SSL *ssl, X509 **x509,
    EVP_PKEY **pkey);

```

```

#ifndef OPENSSSL_NO_ENGINE
__owur int SSL_CTX_set_client_cert_engine(SSL_CTX *ctx, ENGINE *e);
#endif
void
SSL_CTX_set_cookie_generate_cb(SSL_CTX *ctx,
    int (*app_gen_cookie_cb)(SSL *ssl,
        unsigned char
            *cookie,
        unsigned int
            *cookie_len));
void SSL_CTX_set_cookie_verify_cb(SSL_CTX *ctx,
    int (*app_verify_cookie_cb)(SSL *ssl,
        const unsigned char *cookie,
        unsigned int
            cookie_len));

void SSL_CTX_set_stateless_cookie_generate_cb(
    SSL_CTX *ctx,
    int (*gen_stateless_cookie_cb)(SSL *ssl,
        unsigned char *cookie,
        size_t *cookie_len));
void SSL_CTX_set_stateless_cookie_verify_cb(
    SSL_CTX *ctx,
    int (*verify_stateless_cookie_cb)(SSL *ssl,
        const unsigned char *cookie,
        size_t cookie_len));
#ifndef OPENSSSL_NO_NEXTPROTONEG

typedef int (*SSL_CTX_npn_advertised_cb_func)(SSL *ssl,
    const unsigned char **out,
    unsigned int *outlen,
    void *arg);
void SSL_CTX_set_next_protos_advertised_cb(SSL_CTX *s,
    SSL_CTX_npn_advertised_cb_func cb,
    void *arg);
#define SSL_CTX_set_npn_advertised_cb
SSL_CTX_set_next_protos_advertised_cb

typedef int (*SSL_CTX_npn_select_cb_func)(SSL *s,
    unsigned char **out,
    unsigned char *outlen,
    const unsigned char *in,
    unsigned int inlen,
    void *arg);
void SSL_CTX_set_next_proto_select_cb(SSL_CTX *s,
    SSL_CTX_npn_select_cb_func cb,
    void *arg);
#define SSL_CTX_set_npn_select_cb SSL_CTX_set_next_proto_select_cb

```

```

void SSL_get0_next_proto_negotiated(const SSL *s, const unsigned char **data,
    unsigned *len);
#define SSL_get0_npn_negotiated SSL_get0_next_proto_negotiated
#endif

__owur int SSL_select_next_proto(unsigned char **out, unsigned char *outlen,
    const unsigned char *in, unsigned int inlen,
    const unsigned char *client,
    unsigned int client_len);

#define OPENSSL_NPN_UNSUPPORTED 0
#define OPENSSL_NPN_NEGOTIATED 1
#define OPENSSL_NPN_NO_OVERLAP 2

__owur int SSL_CTX_set_alpn_protos(SSL_CTX *ctx, const unsigned char *protos,
    unsigned int protos_len);
__owur int SSL_set_alpn_protos(SSL *ssl, const
    unsigned char *protos,
    unsigned int protos_len);
typedef int (*SSL_CTX_alpn_select_cb_func)(SSL *ssl,
    const unsigned char **out,
    unsigned char *outlen,
    const unsigned char *in,
    unsigned int inlen,
    void *arg);
void SSL_CTX_set_alpn_select_cb(SSL_CTX *ctx,
    SSL_CTX_alpn_select_cb_func cb,
    void *arg);
void SSL_get0_alpn_selected(const SSL *ssl, const unsigned char **data,
    unsigned int *len);

#ifndef OPENSSL_NO_PSK
/*
 * the maximum length of the buffer given to callbacks containing the
 * resulting identity/psk
 */
#define PSK_MAX_IDENTITY_LEN 256
#define PSK_MAX_PSK_LEN 512
typedef unsigned int (*SSL_psk_client_cb_func)(SSL *ssl,
    const char *hint,
    char *identity,
    unsigned int max_identity_len,
    unsigned char *psk,
    unsigned int max_psk_len);
void SSL_CTX_set_psk_client_callback(SSL_CTX *ctx, SSL_psk_client_cb_func cb);
void SSL_set_psk_client_callback(SSL *ssl, SSL_psk_client_cb_func cb);

```

```

typedef unsigned int (*SSL_psk_server_cb_func)(SSL
*ssl,
    const char *identity,
    unsigned char *psk,
    unsigned int max_psk_len);
void SSL_CTX_set_psk_server_callback(SSL_CTX *ctx, SSL_psk_server_cb_func cb);
void SSL_set_psk_server_callback(SSL *ssl, SSL_psk_server_cb_func cb);

__owur int SSL_CTX_use_psk_identity_hint(SSL_CTX *ctx, const char *identity_hint);
__owur int SSL_use_psk_identity_hint(SSL *s, const char *identity_hint);
const char *SSL_get_psk_identity_hint(const SSL *s);
const char *SSL_get_psk_identity(const SSL *s);
#endif

typedef int (*SSL_psk_find_session_cb_func)(SSL *ssl,
    const unsigned char *identity,
    size_t identity_len,
    SSL_SESSION **sess);
typedef int (*SSL_psk_use_session_cb_func)(SSL *ssl, const EVP_MD *md,
    const unsigned char **id,
    size_t *idlen,
    SSL_SESSION **sess);

void SSL_set_psk_find_session_callback(SSL *s, SSL_psk_find_session_cb_func cb);
void SSL_CTX_set_psk_find_session_callback(SSL_CTX *ctx,
    SSL_psk_find_session_cb_func cb);
void SSL_set_psk_use_session_callback(SSL
*s, SSL_psk_use_session_cb_func cb);
void SSL_CTX_set_psk_use_session_callback(SSL_CTX *ctx,
    SSL_psk_use_session_cb_func cb);

/* Register callbacks to handle custom TLS Extensions for client or server. */

__owur int SSL_CTX_has_client_custom_ext(const SSL_CTX *ctx,
    unsigned int ext_type);

__owur int SSL_CTX_add_client_custom_ext(SSL_CTX *ctx,
    unsigned int ext_type,
    custom_ext_add_cb add_cb,
    custom_ext_free_cb free_cb,
    void *add_arg,
    custom_ext_parse_cb parse_cb,
    void *parse_arg);

__owur int SSL_CTX_add_server_custom_ext(SSL_CTX *ctx,
    unsigned int ext_type,
    custom_ext_add_cb add_cb,
    custom_ext_free_cb free_cb,

```

```

void *add_arg,
custom_ext_parse_cb parse_cb,
void *parse_arg);

__owur int SSL_CTX_add_custom_ext(SSL_CTX *ctx, unsigned int ext_type,
unsigned int context,
SSL_custom_ext_add_cb_ex add_cb,
SSL_custom_ext_free_cb_ex free_cb,
void *add_arg,
SSL_custom_ext_parse_cb_ex parse_cb,
void *parse_arg);

__owur
int SSL_extension_supported(unsigned int ext_type);

#define SSL_NOTHING 1
#define SSL_WRITING 2
#define SSL_READING 3
#define SSL_X509_LOOKUP 4
#define SSL_ASYNC_PAUSED 5
#define SSL_ASYNC_NO_JOBS 6
#define SSL_CLIENT_HELLO_CB 7
#define SSL_RETRY_VERIFY 8

/* These will only be used when doing non-blocking IO */
#define SSL_want_nothing(s) (SSL_want(s) == SSL_NOTHING)
#define SSL_want_read(s) (SSL_want(s) == SSL_READING)
#define SSL_want_write(s) (SSL_want(s) == SSL_WRITING)
#define SSL_want_x509_lookup(s) (SSL_want(s) == SSL_X509_LOOKUP)
#define SSL_want_retry_verify(s) (SSL_want(s) == SSL_RETRY_VERIFY)
#define SSL_want_async(s) (SSL_want(s) == SSL_ASYNC_PAUSED)
#define SSL_want_async_job(s) (SSL_want(s) == SSL_ASYNC_NO_JOBS)
#define SSL_want_client_hello_cb(s) (SSL_want(s) == SSL_CLIENT_HELLO_CB)

#define SSL_MAC_FLAG_READ_MAC_STREAM 1
#define SSL_MAC_FLAG_WRITE_MAC_STREAM 2
#define SSL_MAC_FLAG_READ_MAC_TLSTREE 4
#define SSL_MAC_FLAG_WRITE_MAC_TLSTREE 8

/*
 * A callback
 * for logging out TLS key material. This callback should log out
 * |line| followed by a newline.
 */
typedef void (*SSL_CTX_keylog_cb_func)(const SSL *ssl, const char *line);

/*
 * SSL_CTX_set_keylog_callback configures a callback to log key material. This

```



```

* is intended for debugging use with tools like Wireshark. The cb function
* should log line followed by a newline.
*/
void SSL_CTX_set_keylog_callback(SSL_CTX *ctx, SSL_CTX_keylog_cb_func cb);

/*
* SSL_CTX_get_keylog_callback returns the callback configured by
* SSL_CTX_set_keylog_callback.
*/
SSL_CTX_keylog_cb_func SSL_CTX_get_keylog_callback(const SSL_CTX *ctx);

int SSL_CTX_set_max_early_data(SSL_CTX *ctx, uint32_t max_early_data);
uint32_t SSL_CTX_get_max_early_data(const SSL_CTX *ctx);
int SSL_set_max_early_data(SSL *s, uint32_t max_early_data);
uint32_t SSL_get_max_early_data(const SSL *s);
int SSL_CTX_set_recv_max_early_data(SSL_CTX *ctx, uint32_t recv_max_early_data);
uint32_t SSL_CTX_get_recv_max_early_data(const
    SSL_CTX *ctx);
int SSL_set_recv_max_early_data(SSL *s, uint32_t recv_max_early_data);
uint32_t SSL_get_recv_max_early_data(const SSL *s);

#ifdef __cplusplus
}
#endif

#include <openssl/ssl2.h>
#include <openssl/ssl3.h>
#include <openssl/tls1.h> /* This is mostly sslv3 with a few tweaks */
#include <openssl/dtls1.h> /* Datagram TLS */
#include <openssl/srtp.h> /* Support for the use_srtp extension */

#ifdef __cplusplus
extern "C" {
#endif

/*
* These need to be after the above set of includes due to a compiler bug
* in VisualStudio 2015
*/
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(SSL_CIPHER, const SSL_CIPHER, SSL_CIPHER)
#define sk_SSL_CIPHER_num(sk) OPENSSL_sk_num(ssl_check_const_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_value(sk, idx) ((const SSL_CIPHER
*)OPENSSL_sk_value(ssl_check_const_SSL_CIPHER_sk_type(sk), (idx)))
#define sk_SSL_CIPHER_new(cmp) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_new(ssl_check_SSL_CIPHER_compfunc_type(cmp)))
#define sk_SSL_CIPHER_new_null()

```

```

((STACK_OF(SSL_CIPHER) *)OPENSSL_sk_new_null())
#define sk_SSL_CIPHER_new_reserve(cmp, n) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_new_reserve(ssl_check_SSL_CIPHER_compfunc_type(cmp), (n)))
#define sk_SSL_CIPHER_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SSL_CIPHER_sk_type(sk), (n))
#define sk_SSL_CIPHER_free(sk) OPENSSL_sk_free(ssl_check_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_zero(sk) OPENSSL_sk_zero(ssl_check_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_delete(sk, i) ((const SSL_CIPHER
*)OPENSSL_sk_delete(ssl_check_SSL_CIPHER_sk_type(sk), (i)))
#define sk_SSL_CIPHER_delete_ptr(sk, ptr) ((const SSL_CIPHER
*)OPENSSL_sk_delete_ptr(ssl_check_SSL_CIPHER_sk_type(sk), ssl_check_SSL_CIPHER_type(ptr)))
#define sk_SSL_CIPHER_push(sk, ptr) OPENSSL_sk_push(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_pop(sk) ((const
SSL_CIPHER *)OPENSSL_sk_pop(ssl_check_SSL_CIPHER_sk_type(sk)))
#define sk_SSL_CIPHER_shift(sk) ((const SSL_CIPHER
*)OPENSSL_sk_shift(ssl_check_SSL_CIPHER_sk_type(sk)))
#define sk_SSL_CIPHER_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SSL_CIPHER_sk_type(sk), ssl_check_SSL_CIPHER_freefunc_type(freefunc
))
#define sk_SSL_CIPHER_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr), (idx))
#define sk_SSL_CIPHER_set(sk, idx, ptr) ((const SSL_CIPHER
*)OPENSSL_sk_set(ssl_check_SSL_CIPHER_sk_type(sk), (idx), ssl_check_SSL_CIPHER_type(ptr)))
#define sk_SSL_CIPHER_find(sk, ptr) OPENSSL_sk_find(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr))
#define sk_SSL_CIPHER_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_type(ptr), pnum)
#define
sk_SSL_CIPHER_sort(sk) OPENSSL_sk_sort(ssl_check_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_SSL_CIPHER_sk_type(sk))
#define sk_SSL_CIPHER_dup(sk) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_dup(ssl_check_const_SSL_CIPHER_sk_type(sk)))
#define sk_SSL_CIPHER_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SSL_CIPHER)
*)OPENSSL_sk_deep_copy(ssl_check_const_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_copyfunc_type(copyfunc), ssl_check_SSL_CIPHER_freefunc_type(freefunc)))
#define sk_SSL_CIPHER_set_cmp_func(sk, cmp)
((sk_SSL_CIPHER_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_SSL_CIPHER_sk_type(sk),
ssl_check_SSL_CIPHER_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(SSL_COMP, SSL_COMP, SSL_COMP)
#define sk_SSL_COMP_num(sk) OPENSSL_sk_num(ssl_check_const_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_value(sk, idx) ((SSL_COMP
*)OPENSSL_sk_value(ssl_check_const_SSL_COMP_sk_type(sk), (idx)))
#define sk_SSL_COMP_new(cmp) ((STACK_OF(SSL_COMP)

```

```

*)OPENSSL_sk_new(ssl_check_SSL_COMP_compfunc_type(cmp)))
#define sk_SSL_COMP_new_null() ((STACK_OF(SSL_COMP) *)OPENSSL_sk_new_null())
#define sk_SSL_COMP_new_reserve(cmp, n) ((STACK_OF(SSL_COMP)
*)OPENSSL_sk_new_reserve(ssl_check_SSL_COMP_compfunc_type(cmp), (n)))
#define sk_SSL_COMP_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SSL_COMP_sk_type(sk), (n))
#define sk_SSL_COMP_free(sk) OPENSSL_sk_free(ssl_check_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_zero(sk) OPENSSL_sk_zero(ssl_check_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_delete(sk, i) ((SSL_COMP *)OPENSSL_sk_delete(ssl_check_SSL_COMP_sk_type(sk),
(i)))
#define sk_SSL_COMP_delete_ptr(sk, ptr) ((SSL_COMP
*)OPENSSL_sk_delete_ptr(ssl_check_SSL_COMP_sk_type(sk), ssl_check_SSL_COMP_type(ptr)))
#define sk_SSL_COMP_push(sk, ptr) OPENSSL_sk_push(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr))
#define sk_SSL_COMP_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr))
#define
sk_SSL_COMP_pop(sk) ((SSL_COMP *)OPENSSL_sk_pop(ssl_check_SSL_COMP_sk_type(sk)))
#define sk_SSL_COMP_shift(sk) ((SSL_COMP *)OPENSSL_sk_shift(ssl_check_SSL_COMP_sk_type(sk)))
#define sk_SSL_COMP_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SSL_COMP_sk_type(sk),ssl_check_SSL_COMP_freefunc_type(freefunc))
#define sk_SSL_COMP_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr), (idx))
#define sk_SSL_COMP_set(sk, idx, ptr) ((SSL_COMP *)OPENSSL_sk_set(ssl_check_SSL_COMP_sk_type(sk),
(idx), ssl_check_SSL_COMP_type(ptr)))
#define sk_SSL_COMP_find(sk, ptr) OPENSSL_sk_find(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr))
#define sk_SSL_COMP_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr))
#define sk_SSL_COMP_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_type(ptr), pnum)
#define sk_SSL_COMP_sort(sk) OPENSSL_sk_sort(ssl_check_SSL_COMP_sk_type(sk))
#define
sk_SSL_COMP_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_SSL_COMP_sk_type(sk))
#define sk_SSL_COMP_dup(sk) ((STACK_OF(SSL_COMP)
*)OPENSSL_sk_dup(ssl_check_const_SSL_COMP_sk_type(sk)))
#define sk_SSL_COMP_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SSL_COMP)
*)OPENSSL_sk_deep_copy(ssl_check_const_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_copyfunc_type(copyfunc), ssl_check_SSL_COMP_freefunc_type(freefunc)))
#define sk_SSL_COMP_set_cmp_func(sk, cmp)
((sk_SSL_COMP_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_SSL_COMP_sk_type(sk),
ssl_check_SSL_COMP_compfunc_type(cmp)))

/* clang-format on */

/* compatibility */
#define SSL_set_app_data(s, arg) (SSL_set_ex_data(s, 0, (char *) (arg)))
#define SSL_get_app_data(s) (SSL_get_ex_data(s, 0))
#define SSL_SESSION_set_app_data(s, a) (SSL_SESSION_set_ex_data(s, 0, \

```

```

(char *)(a)))
#define SSL_SESSION_get_app_data(s) (SSL_SESSION_get_ex_data(s, 0))
#define SSL_CTX_get_app_data(ctx) (SSL_CTX_get_ex_data(ctx,
0))
#define SSL_CTX_set_app_data(ctx, arg) (SSL_CTX_set_ex_data(ctx, 0, \
(char *)(arg)))
#ifndef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 void SSL_set_debug(SSL *s, int debug);
#endif

/* TLSv1.3 KeyUpdate message types */
/* -1 used so that this is an invalid value for the on-the-wire protocol */
#define SSL_KEY_UPDATE_NONE -1
/* Values as defined for the on-the-wire protocol */
#define SSL_KEY_UPDATE_NOT_REQUESTED 0
#define SSL_KEY_UPDATE_REQUESTED 1

/*
* The valid handshake states (one for each type message sent and one for each
* type of message received). There are also two "special" states:
* TLS = TLS or DTLS state
* DTLS = DTLS specific state
* CR/SR = Client Read/Server Read
* CW/SW = Client Write/Server Write
*
* The "special" states are:
* TLS_ST_BEFORE = No handshake has been initiated yet
* TLS_ST_OK = A handshake has been successfully completed
*/
typedef enum {
    TLS_ST_BEFORE,
    TLS_ST_OK,
    DTLS_ST_CR_HELLO_VERIFY_REQUEST,

    TLS_ST_CR_SRVR_HELLO,
    TLS_ST_CR_CERT,
    TLS_ST_CR_CERT_STATUS,
    TLS_ST_CR_KEY_EXCH,
    TLS_ST_CR_CERT_REQ,
    TLS_ST_CR_SRVR_DONE,
    TLS_ST_CR_SESSION_TICKET,
    TLS_ST_CR_CHANGE,
    TLS_ST_CR_FINISHED,
    TLS_ST_CW_CLNT_HELLO,
    TLS_ST_CW_CERT,
    TLS_ST_CW_KEY_EXCH,
    TLS_ST_CW_CERT_VRFY,
    TLS_ST_CW_CHANGE,

```

```

TLS_ST_CW_NEXT_PROTO,
TLS_ST_CW_FINISHED,
TLS_ST_SW_HELLO_REQ,
TLS_ST_SR_CLNT_HELLO,
DTLS_ST_SW_HELLO_VERIFY_REQUEST,
TLS_ST_SW_SRVR_HELLO,
TLS_ST_SW_CERT,
TLS_ST_SW_KEY_EXCH,
TLS_ST_SW_CERT_REQ,
TLS_ST_SW_SRVR_DONE,
TLS_ST_SR_CERT,
TLS_ST_SR_KEY_EXCH,
TLS_ST_SR_CERT_VRFY,
TLS_ST_SR_NEXT_PROTO,
TLS_ST_SR_CHANGE,
TLS_ST_SR_FINISHED,
TLS_ST_SW_SESSION_TICKET,
TLS_ST_SW_CERT_STATUS,
TLS_ST_SW_CHANGE,
TLS_ST_SW_FINISHED,
TLS_ST_SW_ENCRYPTED_EXTENSIONS,
TLS_ST_CR_ENCRYPTED_EXTENSIONS,
TLS_ST_CR_CERT_VRFY,
TLS_ST_SW_CERT_VRFY,
TLS_ST_CR_HELLO_REQ,
TLS_ST_SW_KEY_UPDATE,
    TLS_ST_CW_KEY_UPDATE,
TLS_ST_SR_KEY_UPDATE,
TLS_ST_CR_KEY_UPDATE,
TLS_ST_EARLY_DATA,
TLS_ST_PENDING_EARLY_DATA_END,
TLS_ST_CW_END_OF_EARLY_DATA,
TLS_ST_SR_END_OF_EARLY_DATA
} OSSL_HANDSHAKE_STATE;

/*
 * Most of the following state values are no longer used and are defined to be
 * the closest equivalent value in the current state machine code. Not all
 * defines have an equivalent and are set to a dummy value (-1). SSL_ST_CONNECT
 * and SSL_ST_ACCEPT are still in use in the definition of SSL_CB_ACCEPT_LOOP,
 * SSL_CB_ACCEPT_EXIT, SSL_CB_CONNECT_LOOP and SSL_CB_CONNECT_EXIT.
 */

#define SSL_ST_CONNECT 0x1000
#define SSL_ST_ACCEPT 0x2000

#define SSL_ST_MASK 0x0FFF

```

```

#define SSL_CB_LOOP 0x01
#define SSL_CB_EXIT 0x02
#define SSL_CB_READ 0x04
#define SSL_CB_WRITE 0x08
#define SSL_CB_ALERT 0x4000 /* used in callback */
#define SSL_CB_READ_ALERT (SSL_CB_ALERT | SSL_CB_READ)
#define SSL_CB_WRITE_ALERT (SSL_CB_ALERT | SSL_CB_WRITE)
#define SSL_CB_ACCEPT_LOOP
    (SSL_ST_ACCEPT | SSL_CB_LOOP)
#define SSL_CB_ACCEPT_EXIT (SSL_ST_ACCEPT | SSL_CB_EXIT)
#define SSL_CB_CONNECT_LOOP (SSL_ST_CONNECT | SSL_CB_LOOP)
#define SSL_CB_CONNECT_EXIT (SSL_ST_CONNECT | SSL_CB_EXIT)
#define SSL_CB_HANDSHAKE_START 0x10
#define SSL_CB_HANDSHAKE_DONE 0x20

/* Is the SSL_connection established? */
#define SSL_in_connect_init(a) (SSL_in_init(a) && !SSL_is_server(a))
#define SSL_in_accept_init(a) (SSL_in_init(a) && SSL_is_server(a))
int SSL_in_init(const SSL *s);
int SSL_in_before(const SSL *s);
int SSL_is_init_finished(const SSL *s);

/*
 * The following 3 states are kept in ssl->rstate when reads fail, you
 * should not need these
 */
#define SSL_ST_READ_HEADER 0xF0
#define SSL_ST_READ_BODY 0xF1
#define SSL_ST_READ_DONE 0xF2

/*-
 * Obtain latest Finished message
 * -- that we sent (SSL_get_finished)
 * -- that we expected from peer (SSL_get_peer_finished).
 * Returns length (0 == no Finished so far), copies up to 'count' bytes.
 */
size_t SSL_get_finished(const
    SSL *s, void *buf, size_t count);
size_t SSL_get_peer_finished(const SSL *s, void *buf, size_t count);

/*
 * use either SSL_VERIFY_NONE or SSL_VERIFY_PEER, the last 3 options are
 * 'ored' with SSL_VERIFY_PEER if they are desired
 */
#define SSL_VERIFY_NONE 0x00
#define SSL_VERIFY_PEER 0x01
#define SSL_VERIFY_FAIL_IF_NO_PEER_CERT 0x02
#define SSL_VERIFY_CLIENT_ONCE 0x04

```

```

#define SSL_VERIFY_POST_HANDSHAKE 0x08

#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#define OpenSSL_add_ssl_algorithms() SSL_library_init()
#define SSLey_add_ssl_algorithms() SSL_library_init()
#endif

/* More backward compatibility */
#define SSL_get_cipher(s) \
    SSL_CIPHER_get_name(SSL_get_current_cipher(s))
#define SSL_get_cipher_bits(s, np) \
    SSL_CIPHER_get_bits(SSL_get_current_cipher(s), np)
#define SSL_get_cipher_version(s) \
    SSL_CIPHER_get_version(SSL_get_current_cipher(s))
#define SSL_get_cipher_name(s) \
    SSL_CIPHER_get_name(SSL_get_current_cipher(s))
#define SSL_get_time(a) SSL_SESSION_get_time(a)
#define \
    SSL_set_time(a, b) SSL_SESSION_set_time((a), (b))
#define SSL_get_timeout(a) SSL_SESSION_get_timeout(a)
#define SSL_set_timeout(a, b) SSL_SESSION_set_timeout((a), (b))

#define d2i_SSL_SESSION_bio(bp, s_id) ASN1_d2i_bio_of(SSL_SESSION, SSL_SESSION_new, \
d2i_SSL_SESSION, bp, s_id)
#define i2d_SSL_SESSION_bio(bp, s_id) ASN1_i2d_bio_of(SSL_SESSION, i2d_SSL_SESSION, bp, s_id)

DECLARE_PEM_rw(SSL_SESSION, SSL_SESSION)
#define SSL_AD_REASON_OFFSET 1000 /* offset to get SSL_R... value \
    * from SSL_AD... */
/* These alert types are for SSLv3 and TLSv1 */
#define SSL_AD_CLOSE_NOTIFY SSL3_AD_CLOSE_NOTIFY
/* fatal */
#define SSL_AD_UNEXPECTED_MESSAGE SSL3_AD_UNEXPECTED_MESSAGE
/* fatal */
#define SSL_AD_BAD_RECORD_MAC SSL3_AD_BAD_RECORD_MAC
#define SSL_AD_DECRYPTION_FAILED TLS1_AD_DECRYPTION_FAILED
#define SSL_AD_RECORD_OVERFLOW TLS1_AD_RECORD_OVERFLOW
/* fatal */
#define SSL_AD_DECOMPRESSION_FAILURE SSL3_AD_DECOMPRESSION_FAILURE
/* fatal */
#define \
    SSL_AD_HANDSHAKE_FAILURE SSL3_AD_HANDSHAKE_FAILURE
/* Not for TLS */
#define SSL_AD_NO_CERTIFICATE SSL3_AD_NO_CERTIFICATE
#define SSL_AD_BAD_CERTIFICATE SSL3_AD_BAD_CERTIFICATE
#define SSL_AD_UNSUPPORTED_CERTIFICATE SSL3_AD_UNSUPPORTED_CERTIFICATE
#define SSL_AD_CERTIFICATE_REVOKED SSL3_AD_CERTIFICATE_REVOKED
#define SSL_AD_CERTIFICATE_EXPIRED SSL3_AD_CERTIFICATE_EXPIRED

```

```

#define SSL_AD_CERTIFICATE_UNKNOWN SSL3_AD_CERTIFICATE_UNKNOWN
/* fatal */
#define SSL_AD_ILLEGAL_PARAMETER SSL3_AD_ILLEGAL_PARAMETER
/* fatal */
#define SSL_AD_UNKNOWN_CA TLS1_AD_UNKNOWN_CA
/* fatal */
#define SSL_AD_ACCESS_DENIED TLS1_AD_ACCESS_DENIED
/* fatal */
#define SSL_AD_DECODE_ERROR TLS1_AD_DECODE_ERROR
#define SSL_AD_DECRYPT_ERROR TLS1_AD_DECRYPT_ERROR
/* fatal */
#define SSL_AD_EXPORT_RESTRICTION TLS1_AD_EXPORT_RESTRICTION
/* fatal */
#define SSL_AD_PROTOCOL_VERSION TLS1_AD_PROTOCOL_VERSION
/* fatal */
#define SSL_AD_INSUFFICIENT_SECURITY TLS1_AD_INSUFFICIENT_SECURITY
/* fatal */
#define SSL_AD_INTERNAL_ERROR
    TLS1_AD_INTERNAL_ERROR
#define SSL_AD_USER_CANCELLED TLS1_AD_USER_CANCELLED
#define SSL_AD_NO_RENEGOTIATION TLS1_AD_NO_RENEGOTIATION
#define SSL_AD_MISSING_EXTENSION TLS13_AD_MISSING_EXTENSION
#define SSL_AD_CERTIFICATE_REQUIRED TLS13_AD_CERTIFICATE_REQUIRED
#define SSL_AD_UNSUPPORTED_EXTENSION TLS1_AD_UNSUPPORTED_EXTENSION
#define SSL_AD_CERTIFICATE_UNOBTAINABLE TLS1_AD_CERTIFICATE_UNOBTAINABLE
#define SSL_AD_UNRECOGNIZED_NAME TLS1_AD_UNRECOGNIZED_NAME
#define SSL_AD_BAD_CERTIFICATE_STATUS_RESPONSE
    TLS1_AD_BAD_CERTIFICATE_STATUS_RESPONSE
#define SSL_AD_BAD_CERTIFICATE_HASH_VALUE TLS1_AD_BAD_CERTIFICATE_HASH_VALUE
/* fatal */
#define SSL_AD_UNKNOWN_PSK_IDENTITY TLS1_AD_UNKNOWN_PSK_IDENTITY
/* fatal */
#define SSL_AD_INAPPROPRIATE_FALLBACK TLS1_AD_INAPPROPRIATE_FALLBACK
#define SSL_AD_NO_APPLICATION_PROTOCOL TLS1_AD_NO_APPLICATION_PROTOCOL
#define SSL_ERROR_NONE 0
#define SSL_ERROR_SSL 1
#define SSL_ERROR_WANT_READ 2
#define SSL_ERROR_WANT_WRITE 3
#define SSL_ERROR_WANT_X509_LOOKUP
    4
#define SSL_ERROR_SYSCALL 5 /* look at error stack/return \
    * value/errno */
#define SSL_ERROR_ZERO_RETURN 6
#define SSL_ERROR_WANT_CONNECT 7
#define SSL_ERROR_WANT_ACCEPT 8
#define SSL_ERROR_WANT_ASYNC 9
#define SSL_ERROR_WANT_ASYNC_JOB 10
#define SSL_ERROR_WANT_CLIENT_HELLO_CB 11

```



```

#define SSL_ERROR_WANT_RETRY_VERIFY 12

#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define SSL_CTRL_SET_TMP_DH 3
#define SSL_CTRL_SET_TMP_ECDH 4
#define SSL_CTRL_SET_TMP_DH_CB 6
#endif

#define SSL_CTRL_GET_CLIENT_CERT_REQUEST 9
#define SSL_CTRL_GET_NUM_RENEGOTIATIONS 10
#define SSL_CTRL_CLEAR_NUM_RENEGOTIATIONS 11
#define SSL_CTRL_GET_TOTAL_RENEGOTIATIONS 12
#define SSL_CTRL_GET_FLAGS 13
#define SSL_CTRL_EXTRA_CHAIN_CERT 14
#define SSL_CTRL_SET_MSG_CALLBACK 15
#define SSL_CTRL_SET_MSG_CALLBACK_ARG 16
/* only applies to datagram connections */
#define SSL_CTRL_SET_MTU 17
/* Stats */
#define SSL_CTRL_SESS_NUMBER 20
#define SSL_CTRL_SESS_CONNECT 21
#define SSL_CTRL_SESS_CONNECT_GOOD 22
#define
    SSL_CTRL_SESS_CONNECT_RENEGOTIATE 23
#define SSL_CTRL_SESS_ACCEPT 24
#define SSL_CTRL_SESS_ACCEPT_GOOD 25
#define SSL_CTRL_SESS_ACCEPT_RENEGOTIATE 26
#define SSL_CTRL_SESS_HIT 27
#define SSL_CTRL_SESS_CB_HIT 28
#define SSL_CTRL_SESS_MISSES 29
#define SSL_CTRL_SESS_TIMEOUTS 30
#define SSL_CTRL_SESS_CACHE_FULL 31
#define SSL_CTRL_MODE 33
#define SSL_CTRL_GET_READ_AHEAD 40
#define SSL_CTRL_SET_READ_AHEAD 41
#define SSL_CTRL_SET_SESS_CACHE_SIZE 42
#define SSL_CTRL_GET_SESS_CACHE_SIZE 43
#define SSL_CTRL_SET_SESS_CACHE_MODE 44
#define SSL_CTRL_GET_SESS_CACHE_MODE 45
#define SSL_CTRL_GET_MAX_CERT_LIST 50
#define SSL_CTRL_SET_MAX_CERT_LIST 51
#define SSL_CTRL_SET_MAX_SEND_FRAGMENT 52
/* see tls1.h for macros based on these */
#define SSL_CTRL_SET_TLSEXT_SERVERNAME_CB 53
#define SSL_CTRL_SET_TLSEXT_SERVERNAME_ARG 54
#define SSL_CTRL_SET_TLSEXT_HOSTNAME 55
#define SSL_CTRL_SET_TLSEXT_DEBUG_CB 56
#define SSL_CTRL_SET_TLSEXT_DEBUG_ARG 57

```

```

#define SSL_CTRL_GET_TLSEXT_TICKET_KEYS 58
#define
    SSL_CTRL_SET_TLSEXT_TICKET_KEYS 59
/*# define SSL_CTRL_SET_TLSEXT_OPAQUE_PRF_INPUT 60 */
/*# define SSL_CTRL_SET_TLSEXT_OPAQUE_PRF_INPUT_CB 61 */
/*# define SSL_CTRL_SET_TLSEXT_OPAQUE_PRF_INPUT_CB_ARG 62 */
#define SSL_CTRL_SET_TLSEXT_STATUS_REQ_CB 63
#define SSL_CTRL_SET_TLSEXT_STATUS_REQ_CB_ARG 64
#define SSL_CTRL_SET_TLSEXT_STATUS_REQ_TYPE 65
#define SSL_CTRL_GET_TLSEXT_STATUS_REQ_EXTS 66
#define SSL_CTRL_SET_TLSEXT_STATUS_REQ_EXTS 67
#define SSL_CTRL_GET_TLSEXT_STATUS_REQ_IDS 68
#define SSL_CTRL_SET_TLSEXT_STATUS_REQ_IDS 69
#define SSL_CTRL_GET_TLSEXT_STATUS_REQ_OCSP_RESP 70
#define SSL_CTRL_SET_TLSEXT_STATUS_REQ_OCSP_RESP 71
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define SSL_CTRL_SET_TLSEXT_TICKET_KEY_CB 72
#endif
#define SSL_CTRL_SET_TLS_EXT_SRP_USERNAME_CB 75
#define SSL_CTRL_SET_SRP_VERIFY_PARAM_CB 76
#define SSL_CTRL_SET_SRP_GIVE_CLIENT_PWD_CB 77
#define SSL_CTRL_SET_SRP_ARG 78
#define SSL_CTRL_SET_TLS_EXT_SRP_USERNAME 79
#define SSL_CTRL_SET_TLS_EXT_SRP_STRENGTH 80
#define SSL_CTRL_SET_TLS_EXT_SRP_PASSWORD
    81
#define DTLS_CTRL_GET_TIMEOUT 73
#define DTLS_CTRL_HANDLE_TIMEOUT 74
#define SSL_CTRL_GET_RI_SUPPORT 76
#define SSL_CTRL_CLEAR_MODE 78
#define SSL_CTRL_SET_NOT_RESUMABLE_SESS_CB 79
#define SSL_CTRL_GET_EXTRA_CHAIN_CERTS 82
#define SSL_CTRL_CLEAR_EXTRA_CHAIN_CERTS 83
#define SSL_CTRL_CHAIN 88
#define SSL_CTRL_CHAIN_CERT 89
#define SSL_CTRL_GET_GROUPS 90
#define SSL_CTRL_SET_GROUPS 91
#define SSL_CTRL_SET_GROUPS_LIST 92
#define SSL_CTRL_GET_SHARED_GROUP 93
#define SSL_CTRL_SET_SIGALGS 97
#define SSL_CTRL_SET_SIGALGS_LIST 98
#define SSL_CTRL_CERT_FLAGS 99
#define SSL_CTRL_CLEAR_CERT_FLAGS 100
#define SSL_CTRL_SET_CLIENT_SIGALGS 101
#define SSL_CTRL_SET_CLIENT_SIGALGS_LIST 102
#define SSL_CTRL_GET_CLIENT_CERT_TYPES 103
#define SSL_CTRL_SET_CLIENT_CERT_TYPES 104
#define SSL_CTRL_BUILD_CERT_CHAIN 105

```

```

#define SSL_CTRL_SET_VERIFY_CERT_STORE 106
#define SSL_CTRL_SET_CHAIN_CERT_STORE 107
#define SSL_CTRL_GET_PEER_SIGNATURE_NID 108
#define SSL_CTRL_GET_PEER_TMP_KEY
109
#define SSL_CTRL_GET_RAW_CIPHERLIST 110
#define SSL_CTRL_GET_EC_POINT_FORMATS 111
#define SSL_CTRL_GET_CHAIN_CERTS 115
#define SSL_CTRL_SELECT_CURRENT_CERT 116
#define SSL_CTRL_SET_CURRENT_CERT 117
#define SSL_CTRL_SET_DH_AUTO 118
#define DTLS_CTRL_SET_LINK_MTU 120
#define DTLS_CTRL_GET_LINK_MIN_MTU 121
#define SSL_CTRL_GET_EXTMS_SUPPORT 122
#define SSL_CTRL_SET_MIN_PROTO_VERSION 123
#define SSL_CTRL_SET_MAX_PROTO_VERSION 124
#define SSL_CTRL_SET_SPLIT_SEND_FRAGMENT 125
#define SSL_CTRL_SET_MAX_PIPELINES 126
#define SSL_CTRL_GET_TLSEXT_STATUS_REQ_TYPE 127
#define SSL_CTRL_GET_TLSEXT_STATUS_REQ_CB 128
#define SSL_CTRL_GET_TLSEXT_STATUS_REQ_CB_ARG 129
#define SSL_CTRL_GET_MIN_PROTO_VERSION 130
#define SSL_CTRL_GET_MAX_PROTO_VERSION 131
#define SSL_CTRL_GET_SIGNATURE_NID 132
#define SSL_CTRL_GET_TMP_KEY 133
#define SSL_CTRL_GET_NEGOTIATED_GROUP 134
#define SSL_CTRL_SET_RETRY_VERIFY 136
#define SSL_CTRL_GET_VERIFY_CERT_STORE 137
#define SSL_CTRL_GET_CHAIN_CERT_STORE 138
#define SSL_CERT_SET_FIRST
1
#define SSL_CERT_SET_NEXT 2
#define SSL_CERT_SET_SERVER 3
#define DTLSv1_get_timeout(ssl, arg) \
    SSL_ctrl(ssl, DTLS_CTRL_GET_TIMEOUT, 0, (void *) (arg))
#define DTLSv1_handle_timeout(ssl) \
    SSL_ctrl(ssl, DTLS_CTRL_HANDLE_TIMEOUT, 0, NULL)
#define SSL_num_renegotiations(ssl) \
    SSL_ctrl((ssl), SSL_CTRL_GET_NUM_RENEGOTIATIONS, 0, NULL)
#define SSL_clear_num_renegotiations(ssl) \
    SSL_ctrl((ssl), SSL_CTRL_CLEAR_NUM_RENEGOTIATIONS, 0, NULL)
#define SSL_total_renegotiations(ssl) \
    SSL_ctrl((ssl), SSL_CTRL_GET_TOTAL_RENEGOTIATIONS, 0, NULL)
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define SSL_CTX_set_tmp_dh(ctx, dh) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_TMP_DH, 0, (char *) (dh))
#endif
#define SSL_CTX_set_dh_auto(ctx, onoff) \

```

```

    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_DH_AUTO, onoff, NULL)
#define SSL_set_dh_auto(s, onoff) \
    SSL_ctrl(s, SSL_CTRL_SET_DH_AUTO, onoff, NULL)
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define SSL_set_tmp_dh(ssl, dh) \
    SSL_ctrl(ssl, SSL_CTRL_SET_TMP_DH,
    0, (char *)(dh))
#endif
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define SSL_CTX_set_tmp_ecdh(ctx, ecdh) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_TMP_ECDH, 0, (char *)(ecdh))
#define SSL_set_tmp_ecdh(ssl, ecdh) \
    SSL_ctrl(ssl, SSL_CTRL_SET_TMP_ECDH, 0, (char *)(ecdh))
#endif
#define SSL_CTX_add_extra_chain_cert(ctx, x509) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_EXTRA_CHAIN_CERT, 0, (char *)(x509))
#define SSL_CTX_get_extra_chain_certs(ctx, px509) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_EXTRA_CHAIN_CERTS, 0, px509)
#define SSL_CTX_get_extra_chain_certs_only(ctx, px509) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_EXTRA_CHAIN_CERTS, 1, px509)
#define SSL_CTX_clear_extra_chain_certs(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_CLEAR_EXTRA_CHAIN_CERTS, 0, NULL)
#define SSL_CTX_set0_chain(ctx, sk) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_CHAIN, 0, (char *)(sk))
#define SSL_CTX_set1_chain(ctx, sk) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_CHAIN, 1, (char *)(sk))
#define SSL_CTX_add0_chain_cert(ctx, x509) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_CHAIN_CERT,
    0, (char *)(x509))
#define SSL_CTX_add1_chain_cert(ctx, x509) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_CHAIN_CERT, 1, (char *)(x509))
#define SSL_CTX_get0_chain_certs(ctx, px509) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_CHAIN_CERTS, 0, px509)
#define SSL_CTX_clear_chain_certs(ctx) \
    SSL_CTX_set0_chain(ctx, NULL)
#define SSL_CTX_build_cert_chain(ctx, flags) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_BUILD_CERT_CHAIN, flags, NULL)
#define SSL_CTX_select_current_cert(ctx, x509) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SELECT_CURRENT_CERT, 0, (char *)(x509))
#define SSL_CTX_set_current_cert(ctx, op) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_CURRENT_CERT, op, NULL)
#define SSL_CTX_set0_verify_cert_store(ctx, st) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_VERIFY_CERT_STORE, 0, (char *)(st))
#define SSL_CTX_set1_verify_cert_store(ctx, st) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_VERIFY_CERT_STORE, 1, (char *)(st))
#define SSL_CTX_get0_verify_cert_store(ctx, st) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_VERIFY_CERT_STORE,

```

```

0, (char *)(st))
#define SSL_CTX_set0_chain_cert_store(ctx, st) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_CHAIN_CERT_STORE, 0, (char *)(st))
#define SSL_CTX_set1_chain_cert_store(ctx, st) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_CHAIN_CERT_STORE, 1, (char *)(st))
#define SSL_CTX_get0_chain_cert_store(ctx, st) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_CHAIN_CERT_STORE, 0, (char *)(st))
#define SSL_set0_chain(s, sk) \
    SSL_ctrl(s, SSL_CTRL_CHAIN, 0, (char *)(sk))
#define SSL_set1_chain(s, sk) \
    SSL_ctrl(s, SSL_CTRL_CHAIN, 1, (char *)(sk))
#define SSL_add0_chain_cert(s, x509) \
    SSL_ctrl(s, SSL_CTRL_CHAIN_CERT, 0, (char *)(x509))
#define SSL_add1_chain_cert(s, x509) \
    SSL_ctrl(s, SSL_CTRL_CHAIN_CERT, 1, (char *)(x509))
#define SSL_get0_chain_certs(s, px509) \
    SSL_ctrl(s, SSL_CTRL_GET_CHAIN_CERTS, 0, px509)
#define SSL_clear_chain_certs(s) \
    SSL_set0_chain(s, NULL)
#define SSL_build_cert_chain(s, flags) \
    SSL_ctrl(s, SSL_CTRL_BUILD_CERT_CHAIN, flags, NULL)
#define SSL_select_current_cert(s, \
    x509) \
    SSL_ctrl(s, SSL_CTRL_SELECT_CURRENT_CERT, 0, (char *)(x509))
#define SSL_set_current_cert(s, op) \
    SSL_ctrl(s, SSL_CTRL_SET_CURRENT_CERT, op, NULL)
#define SSL_set0_verify_cert_store(s, st) \
    SSL_ctrl(s, SSL_CTRL_SET_VERIFY_CERT_STORE, 0, (char *)(st))
#define SSL_set1_verify_cert_store(s, st) \
    SSL_ctrl(s, SSL_CTRL_SET_VERIFY_CERT_STORE, 1, (char *)(st))
#define SSL_get0_verify_cert_store(s, st) \
    SSL_ctrl(s, SSL_CTRL_GET_VERIFY_CERT_STORE, 0, (char *)(st))
#define SSL_set0_chain_cert_store(s, st) \
    SSL_ctrl(s, SSL_CTRL_SET_CHAIN_CERT_STORE, 0, (char *)(st))
#define SSL_set1_chain_cert_store(s, st) \
    SSL_ctrl(s, SSL_CTRL_SET_CHAIN_CERT_STORE, 1, (char *)(st))
#define SSL_get0_chain_cert_store(s, st) \
    SSL_ctrl(s, SSL_CTRL_GET_CHAIN_CERT_STORE, 0, (char *)(st))

#define SSL_get1_groups(s, glist) \
    SSL_ctrl(s, SSL_CTRL_GET_GROUPS, 0, (int *)(glist))
#define SSL_CTX_set1_groups(ctx, glist, glistlen) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_GROUPS, \
    glistlen, (int *)(glist))
#define SSL_CTX_set1_groups_list(ctx, s) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_GROUPS_LIST, 0, (char *)(s))
#define SSL_set1_groups(s, glist, glistlen) \
    SSL_ctrl(s, SSL_CTRL_SET_GROUPS, glistlen, (char *)(glist))

```

```

#define SSL_set1_groups_list(s, str) \
    SSL_ctrl(s, SSL_CTRL_SET_GROUPS_LIST, 0, (char *)(str))
#define SSL_get_shared_group(s, n) \
    SSL_ctrl(s, SSL_CTRL_GET_SHARED_GROUP, n, NULL)
#define SSL_get_negotiated_group(s) \
    SSL_ctrl(s, SSL_CTRL_GET_NEGOTIATED_GROUP, 0, NULL)
#define SSL_CTX_set1_sigalgs(ctx, slist, slistlen) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_SIGALGS, slistlen, (int *)(slist))
#define SSL_CTX_set1_sigalgs_list(ctx, s) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_SIGALGS_LIST, 0, (char *)(s))
#define SSL_set1_sigalgs(s, slist, slistlen) \
    SSL_ctrl(s, SSL_CTRL_SET_SIGALGS, slistlen, (int *)(slist))
#define SSL_set1_sigalgs_list(s, str) \
    SSL_ctrl(s, SSL_CTRL_SET_SIGALGS_LIST, 0, (char *)(str))
#define SSL_CTX_set1_client_sigalgs(ctx, \
    slist, slistlen) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_CLIENT_SIGALGS, slistlen, (int *)(slist))
#define SSL_CTX_set1_client_sigalgs_list(ctx, s) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_CLIENT_SIGALGS_LIST, 0, (char *)(s))
#define SSL_set1_client_sigalgs(s, slist, slistlen) \
    SSL_ctrl(s, SSL_CTRL_SET_CLIENT_SIGALGS, slistlen, (int *)(slist))
#define SSL_set1_client_sigalgs_list(s, str) \
    SSL_ctrl(s, SSL_CTRL_SET_CLIENT_SIGALGS_LIST, 0, (char *)(str))
#define SSL_get0_certificate_types(s, clist) \
    SSL_ctrl(s, SSL_CTRL_GET_CLIENT_CERT_TYPES, 0, (char *)(clist))
#define SSL_CTX_set1_client_certificate_types(ctx, clist, clistlen) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_CLIENT_CERT_TYPES, clistlen, \
    (char *)(clist))
#define SSL_set1_client_certificate_types(s, clist, clistlen) \
    SSL_ctrl(s, SSL_CTRL_SET_CLIENT_CERT_TYPES, clistlen, (char *)(clist))
#define SSL_get_signature_nid(s, pn) \
    SSL_ctrl(s, SSL_CTRL_GET_SIGNATURE_NID, 0, pn)
#define \
    SSL_get_peer_signature_nid(s, pn) \
    SSL_ctrl(s, SSL_CTRL_GET_PEER_SIGNATURE_NID, 0, pn)
#define SSL_get_peer_tmp_key(s, pk) \
    SSL_ctrl(s, SSL_CTRL_GET_PEER_TMP_KEY, 0, pk)
#define SSL_get_tmp_key(s, pk) \
    SSL_ctrl(s, SSL_CTRL_GET_TMP_KEY, 0, pk)
#define SSL_get0_raw_cipherlist(s, plst) \
    SSL_ctrl(s, SSL_CTRL_GET_RAW_CIPHERLIST, 0, plst)
#define SSL_get0_ec_point_formats(s, plst) \
    SSL_ctrl(s, SSL_CTRL_GET_EC_POINT_FORMATS, 0, plst)
#define SSL_CTX_set_min_proto_version(ctx, version) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_MIN_PROTO_VERSION, version, NULL)
#define SSL_CTX_set_max_proto_version(ctx, version) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_MAX_PROTO_VERSION, version, NULL)
#define SSL_CTX_get_min_proto_version(ctx) \

```

```

    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_MIN_PROTO_VERSION, 0, NULL)
#define SSL_CTX_get_max_proto_version(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_MAX_PROTO_VERSION, 0, NULL)
#define SSL_set_min_proto_version(s, version) \
    SSL_ctrl(s, SSL_CTRL_SET_MIN_PROTO_VERSION,
version, NULL)
#define SSL_set_max_proto_version(s, version) \
    SSL_ctrl(s, SSL_CTRL_SET_MAX_PROTO_VERSION, version, NULL)
#define SSL_get_min_proto_version(s) \
    SSL_ctrl(s, SSL_CTRL_GET_MIN_PROTO_VERSION, 0, NULL)
#define SSL_get_max_proto_version(s) \
    SSL_ctrl(s, SSL_CTRL_GET_MAX_PROTO_VERSION, 0, NULL)

const char *SSL_group_to_name(SSL *s, int id);

/* Backwards compatibility, original 1.1.0 names */
#define SSL_CTRL_GET_SERVER_TMP_KEY \
    SSL_CTRL_GET_PEER_TMP_KEY
#define SSL_get_server_tmp_key(s, pk) \
    SSL_get_peer_tmp_key(s, pk)

int SSL_set0_tmp_dh_pkey(SSL *s, EVP_PKEY *dhpkey);
int SSL_CTX_set0_tmp_dh_pkey(SSL_CTX *ctx, EVP_PKEY *dhpkey);

/*
 * The following symbol names are old and obsolete. They are kept
 * for compatibility reasons only and should not be used anymore.
 */
#define SSL_CTRL_GET_CURVES SSL_CTRL_GET_GROUPS
#define SSL_CTRL_SET_CURVES SSL_CTRL_SET_GROUPS
#define SSL_CTRL_SET_CURVES_LIST SSL_CTRL_SET_GROUPS_LIST
#define SSL_CTRL_GET_SHARED_CURVE
    SSL_CTRL_GET_SHARED_GROUP

#define SSL_get1_curves SSL_get1_groups
#define SSL_CTX_set1_curves SSL_CTX_set1_groups
#define SSL_CTX_set1_curves_list SSL_CTX_set1_groups_list
#define SSL_set1_curves SSL_set1_groups
#define SSL_set1_curves_list SSL_set1_groups_list
#define SSL_get_shared_curve SSL_get_shared_group

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
/* Provide some compatibility macros for removed functionality. */
#define SSL_CTX_need_tmp_RSA(ctx) 0
#define SSL_CTX_set_tmp_rsa(ctx, rsa) 1
#define SSL_need_tmp_RSA(ssl) 0
#define SSL_set_tmp_rsa(ssl, rsa) 1
#define SSL_CTX_set_ecdh_auto(dummy, onoff) ((onoff) != 0)

```

```

#define SSL_set_ecdh_auto(dummy, onoff) ((onoff) != 0)
/*
 * We "pretend" to call the callback to avoid warnings about unused static
 * functions.
 */
#define SSL_CTX_set_tmp_rsa_callback(ctx, cb) \
    while (0) \
        (cb)(NULL, 0, 0)
#define SSL_set_tmp_rsa_callback(ssl, cb) \
    while (0) \
        (cb)(NULL, \
0, 0)
#endif

__owur const BIO_METHOD *BIO_f_ssl(void);
__owur BIO *BIO_new_ssl(SSL_CTX *ctx, int client);
__owur BIO *BIO_new_ssl_connect(SSL_CTX *ctx);
__owur BIO *BIO_new_buffer_ssl_connect(SSL_CTX *ctx);
__owur int BIO_ssl_copy_session_id(BIO *to, BIO *from);
void BIO_ssl_shutdown(BIO *ssl_bio);

__owur int SSL_CTX_set_cipher_list(SSL_CTX *, const char *str);
__owur SSL_CTX *SSL_CTX_new(const SSL_METHOD *meth);
__owur SSL_CTX *SSL_CTX_new_ex(OSSL_LIB_CTX *libctx, const char *propq,
    const SSL_METHOD *meth);
int SSL_CTX_up_ref(SSL_CTX *ctx);
void SSL_CTX_free(SSL_CTX *);
__owur long SSL_CTX_set_timeout(SSL_CTX *ctx, long t);
__owur long SSL_CTX_get_timeout(const SSL_CTX *ctx);
__owur X509_STORE *SSL_CTX_get_cert_store(const SSL_CTX *);
void SSL_CTX_set_cert_store(SSL_CTX *, X509_STORE *);
void SSL_CTX_set1_cert_store(SSL_CTX *, X509_STORE *);
__owur int SSL_want(const SSL *s);
__owur int SSL_clear(SSL *s);

void SSL_CTX_flush_sessions(SSL_CTX *ctx, long tm);

__owur const SSL_CIPHER
*SSL_get_current_cipher(const SSL *s);
__owur const SSL_CIPHER *SSL_get_pending_cipher(const SSL *s);
__owur int SSL_CIPHER_get_bits(const SSL_CIPHER *c, int *alg_bits);
__owur const char *SSL_CIPHER_get_version(const SSL_CIPHER *c);
__owur const char *SSL_CIPHER_get_name(const SSL_CIPHER *c);
__owur const char *SSL_CIPHER_standard_name(const SSL_CIPHER *c);
__owur const char *OPENSSL_cipher_name(const char *rfc_name);
__owur uint32_t SSL_CIPHER_get_id(const SSL_CIPHER *c);
__owur uint16_t SSL_CIPHER_get_protocol_id(const SSL_CIPHER *c);
__owur int SSL_CIPHER_get_kx_nid(const SSL_CIPHER *c);
__owur int SSL_CIPHER_get_auth_nid(const SSL_CIPHER *c);

```



```

__owur const EVP_MD *SSL_CIPHER_get_handshake_digest(const SSL_CIPHER *c);
__owur int SSL_CIPHER_is_aead(const SSL_CIPHER *c);

__owur int SSL_get_fd(const SSL *s);
__owur int SSL_get_rfd(const SSL *s);
__owur int SSL_get_wfd(const SSL *s);
__owur const char *SSL_get_cipher_list(const SSL *s, int n);
__owur char *SSL_get_shared_ciphers(const
SSL *s, char *buf, int size);
__owur int SSL_get_read_ahead(const SSL *s);
__owur int SSL_pending(const SSL *s);
__owur int SSL_has_pending(const SSL *s);
#ifdef OPENSSL_NO_SOCKET
__owur int SSL_set_fd(SSL *s, int fd);
__owur int SSL_set_rfd(SSL *s, int fd);
__owur int SSL_set_wfd(SSL *s, int fd);
#endif
void SSL_set0_rbio(SSL *s, BIO *rbio);
void SSL_set0_wbio(SSL *s, BIO *wbio);
void SSL_set_bio(SSL *s, BIO *rbio, BIO *wbio);
__owur BIO *SSL_get_rbio(const SSL *s);
__owur BIO *SSL_get_wbio(const SSL *s);
__owur int SSL_set_cipher_list(SSL *s, const char *str);
__owur int SSL_CTX_set_ciphersuites(SSL_CTX *ctx, const char *str);
__owur int SSL_set_ciphersuites(SSL *s, const char *str);
void SSL_set_read_ahead(SSL *s, int yes);
__owur int SSL_get_verify_mode(const SSL *s);
__owur int SSL_get_verify_depth(const SSL *s);
__owur SSL_verify_cb SSL_get_verify_callback(const SSL *s);
void SSL_set_verify(SSL *s, int mode, SSL_verify_cb callback);
void SSL_set_verify_depth(SSL *s, int
depth);
void SSL_set_cert_cb(SSL *s, int (*cb)(SSL *ssl, void *arg), void *arg);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 __owur int SSL_use_RSAPrivateKey(SSL *ssl, RSA *rsa);
OSSL_DEPRECATEDIN_3_0
__owur int SSL_use_RSAPrivateKey_ASN1(SSL *ssl,
const unsigned char *d, long len);
#endif
__owur int SSL_use_PrivateKey(SSL *ssl, EVP_PKEY *pkey);
__owur int SSL_use_PrivateKey_ASN1(int pk, SSL *ssl, const unsigned char *d,
long len);
__owur int SSL_use_certificate(SSL *ssl, X509 *x);
__owur int SSL_use_certificate_ASN1(SSL *ssl, const unsigned char *d, int len);
__owur int SSL_use_cert_and_key(SSL *ssl, X509 *x509, EVP_PKEY *privatekey,
STACK_OF(X509) *chain, int override);

/* serverinfo file format versions */

```

```

#define SSL_SERVERINFOV1 1
#define SSL_SERVERINFOV2 2

/* Set serverinfo data for the current active cert. */
__owur int SSL_CTX_use_serverinfo(SSL_CTX *ctx, const unsigned char *serverinfo,
    size_t serverinfo_length);
__owur int SSL_CTX_use_serverinfo_ex(SSL_CTX
    *ctx, unsigned int version,
    const unsigned char *serverinfo,
    size_t serverinfo_length);
__owur int SSL_CTX_use_serverinfo_file(SSL_CTX *ctx, const char *file);

#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur int SSL_use_RSAPrivateKey_file(SSL *ssl, const char *file, int type);
#endif

__owur int SSL_use_PrivateKey_file(SSL *ssl, const char *file, int type);
__owur int SSL_use_certificate_file(SSL *ssl, const char *file, int type);

#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_use_RSAPrivateKey_file(SSL_CTX *ctx, const char *file,
    int type);
#endif
__owur int SSL_CTX_use_PrivateKey_file(SSL_CTX *ctx, const char *file,
    int type);
__owur int SSL_CTX_use_certificate_file(SSL_CTX *ctx, const char *file,
    int type);
/* PEM type */
__owur int SSL_CTX_use_certificate_chain_file(SSL_CTX *ctx, const char *file);
__owur int SSL_use_certificate_chain_file(SSL *ssl, const char *file);
__owur STACK_OF(X509_NAME) *SSL_load_client_CA_file(const
    char *file);
__owur STACK_OF(X509_NAME) *SSL_load_client_CA_file_ex(const char *file, OSSL_LIB_CTX *libctx,
    const char *propq);
__owur int SSL_add_file_cert_subjects_to_stack(STACK_OF(X509_NAME) *stackCAs,
    const char *file);
int SSL_add_dir_cert_subjects_to_stack(STACK_OF(X509_NAME) *stackCAs,
    const char *dir);
int SSL_add_store_cert_subjects_to_stack(STACK_OF(X509_NAME) *stackCAs,
    const char *uri);

#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#define SSL_load_error_strings() \
    OPENSSSL_init_ssl(OPENSSSL_INIT_LOAD_SSL_STRINGS \
        | OPENSSSL_INIT_LOAD_CRYPTOSTRINGS, \
        NULL)

```

```

#endif

__owur const char *SSL_state_string(const SSL *s);
__owur const char *SSL_rstate_string(const SSL *s);
__owur const char *SSL_state_string_long(const SSL *s);
__owur const char *SSL_rstate_string_long(const SSL *s);
__owur long SSL_SESSION_get_time(const SSL_SESSION *s);
__owur long SSL_SESSION_set_time(SSL_SESSION *s, long t);
__owur long SSL_SESSION_get_timeout(const
SSL_SESSION *s);
__owur long SSL_SESSION_set_timeout(SSL_SESSION *s, long t);
__owur int SSL_SESSION_get_protocol_version(const SSL_SESSION *s);
__owur int SSL_SESSION_set_protocol_version(SSL_SESSION *s, int version);

__owur const char *SSL_SESSION_get0_hostname(const SSL_SESSION *s);
__owur int SSL_SESSION_set1_hostname(SSL_SESSION *s, const char *hostname);
void SSL_SESSION_get0_alpn_selected(const SSL_SESSION *s,
const unsigned char **alpn,
size_t *len);
__owur int SSL_SESSION_set1_alpn_selected(SSL_SESSION *s,
const unsigned char *alpn,
size_t len);
__owur const SSL_CIPHER *SSL_SESSION_get0_cipher(const SSL_SESSION *s);
__owur int SSL_SESSION_set_cipher(SSL_SESSION *s, const SSL_CIPHER *cipher);
__owur int SSL_SESSION_has_ticket(const SSL_SESSION *s);
__owur unsigned long SSL_SESSION_get_ticket_lifetime_hint(const SSL_SESSION *s);
void SSL_SESSION_get0_ticket(const SSL_SESSION *s, const unsigned char **tick,
size_t *len);
__owur uint32_t
SSL_SESSION_get_max_early_data(const SSL_SESSION *s);
__owur int SSL_SESSION_set_max_early_data(SSL_SESSION *s,
uint32_t max_early_data);
__owur int SSL_copy_session_id(SSL *to, const SSL *from);
__owur X509 *SSL_SESSION_get0_peer(SSL_SESSION *s);
__owur int SSL_SESSION_set1_id_context(SSL_SESSION *s,
const unsigned char *sid_ctx,
unsigned int sid_ctx_len);
__owur int SSL_SESSION_set1_id(SSL_SESSION *s, const unsigned char *sid,
unsigned int sid_len);
__owur int SSL_SESSION_is_resumable(const SSL_SESSION *s);

__owur SSL_SESSION *SSL_SESSION_new(void);
__owur SSL_SESSION *SSL_SESSION_dup(const SSL_SESSION *src);
const unsigned char *SSL_SESSION_get_id(const SSL_SESSION *s,
unsigned int *len);
const unsigned char *SSL_SESSION_get0_id_context(const SSL_SESSION *s,
unsigned int *len);
__owur unsigned int SSL_SESSION_get_compress_id(const SSL_SESSION *s);

```

```

#ifndef OPENSSSL_NO_STDIO
int SSL_SESSION_print_fp(FILE *fp, const SSL_SESSION *ses);
#endif

int SSL_SESSION_print(BIO
    *fp, const SSL_SESSION *ses);
int SSL_SESSION_print_keylog(BIO *bp, const SSL_SESSION *x);
int SSL_SESSION_up_ref(SSL_SESSION *ses);
void SSL_SESSION_free(SSL_SESSION *ses);
__owur int i2d_SSL_SESSION(const SSL_SESSION *in, unsigned char **pp);
__owur int SSL_set_session(SSL *to, SSL_SESSION *session);
int SSL_CTX_add_session(SSL_CTX *ctx, SSL_SESSION *session);
int SSL_CTX_remove_session(SSL_CTX *ctx, SSL_SESSION *session);
__owur int SSL_CTX_set_generate_session_id(SSL_CTX *ctx, GEN_SESSION_CB cb);
__owur int SSL_set_generate_session_id(SSL *s, GEN_SESSION_CB cb);
__owur int SSL_has_matching_session_id(const SSL *s,
    const unsigned char *id,
    unsigned int id_len);
SSL_SESSION *d2i_SSL_SESSION(SSL_SESSION **a, const unsigned char **pp,
    long length);

#ifdef OPENSSSL_X509_H
__owur X509 *SSL_get0_peer_certificate(const SSL *s);
__owur X509 *SSL_get1_peer_certificate(const SSL *s);
/* Deprecated in 3.0.0 */
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define SSL_get_peer_certificate
    SSL_get1_peer_certificate
#endif
#endif

__owur STACK_OF(X509) *SSL_get_peer_cert_chain(const SSL *s);

__owur int SSL_CTX_get_verify_mode(const SSL_CTX *ctx);
__owur int SSL_CTX_get_verify_depth(const SSL_CTX *ctx);
__owur SSL_verify_cb SSL_CTX_get_verify_callback(const SSL_CTX *ctx);
void SSL_CTX_set_verify(SSL_CTX *ctx, int mode, SSL_verify_cb callback);
void SSL_CTX_set_verify_depth(SSL_CTX *ctx, int depth);
void SSL_CTX_set_cert_verify_callback(SSL_CTX *ctx,
    int (*cb)(X509_STORE_CTX *, void *),
    void *arg);
void SSL_CTX_set_cert_cb(SSL_CTX *c, int (*cb)(SSL *ssl, void *arg),
    void *arg);
#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_use_RSAPrivateKey(SSL_CTX *ctx, RSA *rsa);
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_use_RSAPrivateKey_ASN1(SSL_CTX *ctx, const unsigned char *d,
    long len);

```

```

#endif

__owur int SSL_CTX_use_PrivateKey(SSL_CTX *ctx, EVP_PKEY *pkey);
__owur int SSL_CTX_use_PrivateKey_ASN1(int pk, SSL_CTX *ctx,
    const unsigned
    char *d, long len);
__owur int SSL_CTX_use_certificate(SSL_CTX *ctx, X509 *x);
__owur int SSL_CTX_use_certificate_ASN1(SSL_CTX *ctx, int len,
    const unsigned char *d);
__owur int SSL_CTX_use_cert_and_key(SSL_CTX *ctx, X509 *x509, EVP_PKEY *privatekey,
    STACK_OF(X509) *chain, int override);

void SSL_CTX_set_default_passwd_cb(SSL_CTX *ctx, pem_password_cb *cb);
void SSL_CTX_set_default_passwd_cb_userdata(SSL_CTX *ctx, void *u);
pem_password_cb *SSL_CTX_get_default_passwd_cb(SSL_CTX *ctx);
void *SSL_CTX_get_default_passwd_cb_userdata(SSL_CTX *ctx);
void SSL_set_default_passwd_cb(SSL *s, pem_password_cb *cb);
void SSL_set_default_passwd_cb_userdata(SSL *s, void *u);
pem_password_cb *SSL_get_default_passwd_cb(SSL *s);
void *SSL_get_default_passwd_cb_userdata(SSL *s);

__owur int SSL_CTX_check_private_key(const SSL_CTX *ctx);
__owur int SSL_check_private_key(const SSL *ctx);

__owur int SSL_CTX_set_session_id_context(SSL_CTX *ctx,
    const unsigned char *sid_ctx,
    unsigned int
    sid_ctx_len);

SSL *SSL_new(SSL_CTX *ctx);
int SSL_up_ref(SSL *s);
int SSL_is_dtls(const SSL *s);
__owur int SSL_set_session_id_context(SSL *ssl, const unsigned char *sid_ctx,
    unsigned int sid_ctx_len);

__owur int SSL_CTX_set_purpose(SSL_CTX *ctx, int purpose);
__owur int SSL_set_purpose(SSL *ssl, int purpose);
__owur int SSL_CTX_set_trust(SSL_CTX *ctx, int trust);
__owur int SSL_set_trust(SSL *ssl, int trust);

__owur int SSL_set1_host(SSL *s, const char *hostname);
__owur int SSL_add1_host(SSL *s, const char *hostname);
__owur const char *SSL_get0_peername(SSL *s);
void SSL_set_hostflags(SSL *s, unsigned int flags);

__owur int SSL_CTX_dane_enable(SSL_CTX *ctx);
__owur int SSL_CTX_dane_mtype_set(SSL_CTX *ctx, const EVP_MD *md,
    uint8_t mtype, uint8_t ord);
__owur int SSL_dane_enable(SSL *s, const char *basedomain);

```

```

__owur int SSL_dane_tlsa_add(SSL *s, uint8_t usage, uint8_t selector,
    uint8_t mtype, const unsigned char *data, size_t dlen);
__owur int SSL_get0_dane_authority(SSL
*s, X509 **mcert, EVP_PKEY **mspki);
__owur int SSL_get0_dane_tlsa(SSL *s, uint8_t *usage, uint8_t *selector,
    uint8_t *mtype, const unsigned char **data,
    size_t *dlen);
/*
 * Bridge opacity barrier between libcrypt and libssl, also needed to support
 * offline testing in test/danetest.c
 */
SSL_DANE *SSL_get0_dane(SSL *ssl);
/*
 * DANE flags
 */
unsigned long SSL_CTX_dane_set_flags(SSL_CTX *ctx, unsigned long flags);
unsigned long SSL_CTX_dane_clear_flags(SSL_CTX *ctx, unsigned long flags);
unsigned long SSL_dane_set_flags(SSL *ssl, unsigned long flags);
unsigned long SSL_dane_clear_flags(SSL *ssl, unsigned long flags);

__owur int SSL_CTX_set1_param(SSL_CTX *ctx, X509_VERIFY_PARAM *vpm);
__owur int SSL_set1_param(SSL *ssl, X509_VERIFY_PARAM *vpm);

__owur X509_VERIFY_PARAM *SSL_CTX_get0_param(SSL_CTX *ctx);
__owur X509_VERIFY_PARAM *SSL_get0_param(SSL *ssl);

#ifdef OPENSSL_NO_SRP
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_username(SSL_CTX
*ctx, char *name);
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_password(SSL_CTX *ctx, char *password);
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_strength(SSL_CTX *ctx, int strength);
OSSL_DEPRECATEDIN_3_0
int SSL_CTX_set_srp_client_pwd_callback(SSL_CTX *ctx,
    char *(*cb)(SSL *, void *));
OSSL_DEPRECATEDIN_3_0
int SSL_CTX_set_srp_verify_param_callback(SSL_CTX *ctx,
    int (*cb)(SSL *, void *));
OSSL_DEPRECATEDIN_3_0
int SSL_CTX_set_srp_username_callback(SSL_CTX *ctx,
    int (*cb)(SSL *, int *, void *));
OSSL_DEPRECATEDIN_3_0 int SSL_CTX_set_srp_cb_arg(SSL_CTX *ctx, void *arg);

OSSL_DEPRECATEDIN_3_0
int SSL_set_srp_server_param(SSL *s, const BIGNUM *N, const BIGNUM *g,
    BIGNUM *sa, BIGNUM *v, char *info);
OSSL_DEPRECATEDIN_3_0
int SSL_set_srp_server_param_pw(SSL *s, const char *user, const char *pass,

```

```

const char *grp);

OSSL_DEPRECATEDIN_3_0 __owur BIGNUM *SSL_get_srp_g(SSL *s);
OSSL_DEPRECATEDIN_3_0 __owur BIGNUM *SSL_get_srp_N(SSL *s);

OSSL_DEPRECATEDIN_3_0 __owur char
*SSL_get_srp_username(SSL *s);
OSSL_DEPRECATEDIN_3_0 __owur char *SSL_get_srp_userinfo(SSL *s);
#endif
#endif

/*
 * ClientHello callback and helpers.
 */

#define SSL_CLIENT_HELLO_SUCCESS 1
#define SSL_CLIENT_HELLO_ERROR 0
#define SSL_CLIENT_HELLO_RETRY (-1)

typedef int (*SSL_client_hello_cb_fn)(SSL *s, int *al, void *arg);
void SSL_CTX_set_client_hello_cb(SSL_CTX *c, SSL_client_hello_cb_fn cb,
    void *arg);
int SSL_client_hello_isv2(SSL *s);
unsigned int SSL_client_hello_get0_legacy_version(SSL *s);
size_t SSL_client_hello_get0_random(SSL *s, const unsigned char **out);
size_t SSL_client_hello_get0_session_id(SSL *s, const unsigned char **out);
size_t SSL_client_hello_get0_ciphers(SSL *s, const unsigned char **out);
size_t SSL_client_hello_get0_compression_methods(SSL *s,
    const unsigned char **out);
int SSL_client_hello_get1_extensions_present(SSL *s, int **out, size_t *outlen);
int SSL_client_hello_get0_ext(SSL *s, unsigned int type,
    const unsigned char **out, size_t *outlen);

void
SSL_certs_clear(SSL *s);
void SSL_free(SSL *ssl);
#ifdef OSSL_ASYNC_FD
/*
 * Windows application developer has to include windows.h to use these.
 */
__owur int SSL_waiting_for_async(SSL *s);
__owur int SSL_get_all_async_fds(SSL *s, OSSL_ASYNC_FD *fds, size_t *numfds);
__owur int SSL_get_changed_async_fds(SSL *s, OSSL_ASYNC_FD *addfd,
    size_t *numaddfds, OSSL_ASYNC_FD *delfd,
    size_t *numdelfds);
__owur int SSL_CTX_set_async_callback(SSL_CTX *ctx, SSL_async_callback_fn callback);
__owur int SSL_CTX_set_async_callback_arg(SSL_CTX *ctx, void *arg);
__owur int SSL_set_async_callback(SSL *s, SSL_async_callback_fn callback);

```

```

__owur int SSL_set_async_callback_arg(SSL *s, void *arg);
__owur int SSL_get_async_status(SSL *s, int *status);

#endif

__owur int SSL_accept(SSL *ssl);
__owur int SSL_stateless(SSL *s);
__owur int SSL_connect(SSL *ssl);
__owur int SSL_read(SSL *ssl, void *buf, int num);
__owur int SSL_read_ex(SSL *ssl, void *buf, size_t num, size_t *readbytes);

#define
SSL_READ_EARLY_DATA_ERROR 0
#define SSL_READ_EARLY_DATA_SUCCESS 1
#define SSL_READ_EARLY_DATA_FINISH 2

__owur int SSL_read_early_data(SSL *s, void *buf, size_t num,
size_t *readbytes);
__owur int SSL_peek(SSL *ssl, void *buf, int num);
__owur int SSL_peek_ex(SSL *ssl, void *buf, size_t num, size_t *readbytes);
__owur ossl_ssize_t SSL_sendfile(SSL *s, int fd, off_t offset, size_t size,
int flags);
__owur int SSL_write(SSL *ssl, const void *buf, int num);
__owur int SSL_write_ex(SSL *s, const void *buf, size_t num, size_t *written);
__owur int SSL_write_early_data(SSL *s, const void *buf, size_t num,
size_t *written);
long SSL_ctrl(SSL *ssl, int cmd, long larg, void *parg);
long SSL_callback_ctrl(SSL *, int, void (*)(void));
long SSL_CTX_ctrl(SSL_CTX *ctx, int cmd, long larg, void *parg);
long SSL_CTX_callback_ctrl(SSL_CTX *, int, void (*)(void));

#define SSL_EARLY_DATA_NOT_SENT 0
#define SSL_EARLY_DATA_REJECTED 1
#define SSL_EARLY_DATA_ACCEPTED 2

__owur int SSL_get_early_data_status(const
SSL *s);

__owur int SSL_get_error(const SSL *s, int ret_code);
__owur const char *SSL_get_version(const SSL *s);

/* This sets the 'default' SSL version that SSL_new() will create */
#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
__owur int SSL_CTX_set_ssl_version(SSL_CTX *ctx, const SSL_METHOD *meth);
#endif

#ifndef OPENSSSL_NO_SSL3_METHOD
#ifndef OPENSSSL_NO_DEPRECATED_1_1_0

```



```

OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *SSLv3_method(void); /* SSLv3 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *SSLv3_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *SSLv3_client_method(void);
#endif
#endif

#define SSLv23_method TLS_method
#define SSLv23_server_method TLS_server_method
#define SSLv23_client_method TLS_client_method

/* Negotiate highest available SSL/TLS version */
__owur const SSL_METHOD *TLS_method(void);
__owur const SSL_METHOD *TLS_server_method(void);
__owur const SSL_METHOD *TLS_client_method(void);

#ifndef OPENSSSL_NO_TLS1_METHOD
#ifndef
    OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_method(void); /* TLSv1.0 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_client_method(void);
#endif
#endif

#ifndef OPENSSSL_NO_TLS1_1_METHOD
#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_1_method(void); /* TLSv1.1 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_1_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_1_client_method(void);
#endif
#endif

#ifndef OPENSSSL_NO_TLS1_2_METHOD
#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_2_method(void); /* TLSv1.2 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_2_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *TLSv1_2_client_method(void);
#endif
#endif

#ifndef OPENSSSL_NO_DTLS1_METHOD
#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0
    __owur const SSL_METHOD *DTLSv1_method(void); /* DTLSv1.0 */
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_client_method(void);
#endif
#endif

```

```

#ifdef OPENSSL_NO_DTLS1_2_METHOD
/* DTLSv1.2 */
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_2_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_2_server_method(void);
OSSL_DEPRECATEDIN_1_1_0 __owur const SSL_METHOD *DTLSv1_2_client_method(void);
#endif
#endif

__owur const SSL_METHOD *DTLS_method(void); /* DTLS 1.0 and 1.2 */
__owur const SSL_METHOD *DTLS_server_method(void); /* DTLS 1.0 and 1.2 */
__owur const SSL_METHOD *DTLS_client_method(void); /* DTLS 1.0 and 1.2 */

__owur size_t DTLS_get_data_mtu(const SSL *s);

__owur STACK_OF(SSL_CIPHER) *SSL_get_ciphers(const SSL *s);
__owur STACK_OF(SSL_CIPHER) *SSL_CTX_get_ciphers(const SSL_CTX *ctx);
__owur
STACK_OF(SSL_CIPHER) *SSL_get_client_ciphers(const SSL *s);
__owur STACK_OF(SSL_CIPHER) *SSL_get1_supported_ciphers(SSL *s);

__owur int SSL_do_handshake(SSL *s);
int SSL_key_update(SSL *s, int updatetype);
int SSL_get_key_update_type(const SSL *s);
int SSL_renegotiate(SSL *s);
int SSL_renegotiate_abbreviated(SSL *s);
__owur int SSL_renegotiate_pending(const SSL *s);
int SSL_new_session_ticket(SSL *s);
int SSL_shutdown(SSL *s);
__owur int SSL_verify_client_post_handshake(SSL *s);
void SSL_CTX_set_post_handshake_auth(SSL_CTX *ctx, int val);
void SSL_set_post_handshake_auth(SSL *s, int val);

__owur const SSL_METHOD *SSL_CTX_get_ssl_method(const SSL_CTX *ctx);
__owur const SSL_METHOD *SSL_get_ssl_method(const SSL *s);
__owur int SSL_set_ssl_method(SSL *s, const SSL_METHOD *method);
__owur const char *SSL_alert_type_string_long(int value);
__owur const char *SSL_alert_type_string(int value);
__owur const char *SSL_alert_desc_string_long(int value);
__owur const char *SSL_alert_desc_string(int
value);

void SSL_set0_CA_list(SSL *s, STACK_OF(X509_NAME) *name_list);
void SSL_CTX_set0_CA_list(SSL_CTX *ctx, STACK_OF(X509_NAME) *name_list);
__owur const STACK_OF(X509_NAME) *SSL_get0_CA_list(const SSL *s);
__owur const STACK_OF(X509_NAME) *SSL_CTX_get0_CA_list(const SSL_CTX *ctx);
__owur int SSL_add1_to_CA_list(SSL *s, const X509 *x);

```

```

__owur int SSL_CTX_add1_to_CA_list(SSL_CTX *ctx, const X509 *x);
__owur const STACK_OF(X509_NAME) *SSL_get0_peer_CA_list(const SSL *s);

void SSL_set_client_CA_list(SSL *s, STACK_OF(X509_NAME) *name_list);
void SSL_CTX_set_client_CA_list(SSL_CTX *ctx, STACK_OF(X509_NAME) *name_list);
__owur STACK_OF(X509_NAME) *SSL_get_client_CA_list(const SSL *s);
__owur STACK_OF(X509_NAME) *SSL_CTX_get_client_CA_list(const SSL_CTX *s);
__owur int SSL_add_client_CA(SSL *ssl, X509 *x);
__owur int SSL_CTX_add_client_CA(SSL_CTX *ctx, X509 *x);

void SSL_set_connect_state(SSL *s);
void SSL_set_accept_state(SSL *s);

__owur long SSL_get_default_timeout(const SSL *s);

#ifdef
    OPENSSL_NO_DEPRECATED_1_1_0
#define SSL_library_init() OPENSSL_init_ssl(0, NULL)
#endif

__owur char *SSL_CIPHER_description(const SSL_CIPHER *, char *buf, int size);
__owur STACK_OF(X509_NAME) *SSL_dup_CA_list(const STACK_OF(X509_NAME) *sk);

__owur SSL *SSL_dup(SSL *ssl);

__owur X509 *SSL_get_certificate(const SSL *ssl);
/*
 * EVP_PKEY
 */
struct evp_pkey_st *SSL_get_privatekey(const SSL *ssl);

__owur X509 *SSL_CTX_get0_certificate(const SSL_CTX *ctx);
__owur EVP_PKEY *SSL_CTX_get0_privatekey(const SSL_CTX *ctx);

void SSL_CTX_set_quiet_shutdown(SSL_CTX *ctx, int mode);
__owur int SSL_CTX_get_quiet_shutdown(const SSL_CTX *ctx);
void SSL_set_quiet_shutdown(SSL *ssl, int mode);
__owur int SSL_get_quiet_shutdown(const SSL *ssl);
void SSL_set_shutdown(SSL *ssl, int mode);
__owur int SSL_get_shutdown(const SSL *ssl);
__owur int SSL_version(const SSL *ssl);
__owur int SSL_client_version(const SSL *s);
__owur int SSL_CTX_set_default_verify_paths(SSL_CTX *ctx);
__owur int SSL_CTX_set_default_verify_dir(SSL_CTX
*ctx);
__owur int SSL_CTX_set_default_verify_file(SSL_CTX *ctx);
__owur int SSL_CTX_set_default_verify_store(SSL_CTX *ctx);
__owur int SSL_CTX_load_verify_file(SSL_CTX *ctx, const char *CAfile);

```

```

__owur int SSL_CTX_load_verify_dir(SSL_CTX *ctx, const char *CApath);
__owur int SSL_CTX_load_verify_store(SSL_CTX *ctx, const char *CAstore);
__owur int SSL_CTX_load_verify_locations(SSL_CTX *ctx,
    const char *CAfile,
    const char *CApath);
#define SSL_get0_session SSL_get_session /* just peek at pointer */
__owur SSL_SESSION *SSL_get_session(const SSL *ssl);
__owur SSL_SESSION *SSL_get1_session(SSL *ssl); /* obtain a reference count */
__owur SSL_CTX *SSL_get_SSL_CTX(const SSL *ssl);
SSL_CTX *SSL_set_SSL_CTX(SSL *ssl, SSL_CTX *ctx);
void SSL_set_info_callback(SSL *ssl,
    void (*cb)(const SSL *ssl, int type, int val));
void (*SSL_get_info_callback(const SSL *ssl))(const SSL *ssl, int type,
    int val);
__owur OSSL_HANDSHAKE_STATE SSL_get_state(const SSL
    *ssl);

void SSL_set_verify_result(SSL *ssl, long v);
__owur long SSL_get_verify_result(const SSL *ssl);
__owur STACK_OF(X509) *SSL_get0_verified_chain(const SSL *s);

__owur size_t SSL_get_client_random(const SSL *ssl, unsigned char *out,
    size_t outlen);
__owur size_t SSL_get_server_random(const SSL *ssl, unsigned char *out,
    size_t outlen);
__owur size_t SSL_SESSION_get_master_key(const SSL_SESSION *sess,
    unsigned char *out, size_t outlen);
__owur int SSL_SESSION_set1_master_key(SSL_SESSION *sess,
    const unsigned char *in, size_t len);
uint8_t SSL_SESSION_get_max_fragment_length(const SSL_SESSION *sess);

#define SSL_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_SSL, l, p, newf, dupf, freef)
__owur int SSL_set_ex_data(SSL *ssl, int idx, void *data);
void *SSL_get_ex_data(const SSL *ssl, int idx);
#define SSL_SESSION_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_SSL_SESSION, l, p, newf,
    dupf, freef)
__owur int SSL_SESSION_set_ex_data(SSL_SESSION *ss, int idx, void *data);
void *SSL_SESSION_get_ex_data(const SSL_SESSION *ss, int idx);
#define SSL_CTX_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_SSL_CTX, l, p, newf, dupf, freef)
__owur int SSL_CTX_set_ex_data(SSL_CTX *ssl, int idx, void *data);
void *SSL_CTX_get_ex_data(const SSL_CTX *ssl, int idx);

__owur int SSL_get_ex_data_X509_STORE_CTX_idx(void);

#define SSL_CTX_sess_set_cache_size(ctx, t) \

```

```

    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_SESS_CACHE_SIZE, t, NULL)
#define SSL_CTX_sess_get_cache_size(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_SESS_CACHE_SIZE, 0, NULL)
#define SSL_CTX_set_session_cache_mode(ctx, m) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_SESS_CACHE_MODE, m, NULL)
#define SSL_CTX_get_session_cache_mode(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_SESS_CACHE_MODE, 0, NULL)

#define SSL_CTX_get_default_read_ahead(ctx) SSL_CTX_get_read_ahead(ctx)
#define SSL_CTX_set_default_read_ahead(ctx,
    m) SSL_CTX_set_read_ahead(ctx, m)
#define SSL_CTX_get_read_ahead(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_READ_AHEAD, 0, NULL)
#define SSL_CTX_set_read_ahead(ctx, m) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_READ_AHEAD, m, NULL)
#define SSL_CTX_get_max_cert_list(ctx) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_GET_MAX_CERT_LIST, 0, NULL)
#define SSL_CTX_set_max_cert_list(ctx, m) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_MAX_CERT_LIST, m, NULL)
#define SSL_get_max_cert_list(ssl) \
    SSL_ctrl(ssl, SSL_CTRL_GET_MAX_CERT_LIST, 0, NULL)
#define SSL_set_max_cert_list(ssl, m) \
    SSL_ctrl(ssl, SSL_CTRL_SET_MAX_CERT_LIST, m, NULL)

#define SSL_CTX_set_max_send_fragment(ctx, m) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_MAX_SEND_FRAGMENT, m, NULL)
#define SSL_set_max_send_fragment(ssl, m) \
    SSL_ctrl(ssl, SSL_CTRL_SET_MAX_SEND_FRAGMENT, m, NULL)
#define SSL_CTX_set_split_send_fragment(ctx, m) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_SPLIT_SEND_FRAGMENT, m, NULL)
#define SSL_set_split_send_fragment(ssl, m)
\
    SSL_ctrl(ssl, SSL_CTRL_SET_SPLIT_SEND_FRAGMENT, m, NULL)
#define SSL_CTX_set_max_pipelines(ctx, m) \
    SSL_CTX_ctrl(ctx, SSL_CTRL_SET_MAX_PIPELINES, m, NULL)
#define SSL_set_max_pipelines(ssl, m) \
    SSL_ctrl(ssl, SSL_CTRL_SET_MAX_PIPELINES, m, NULL)
#define SSL_set_retry_verify(ssl) \
    (SSL_ctrl(ssl, SSL_CTRL_SET_RETRY_VERIFY, 0, NULL) > 0)

void SSL_CTX_set_default_read_buffer_len(SSL_CTX *ctx, size_t len);
void SSL_set_default_read_buffer_len(SSL *s, size_t len);

#ifndef OPENSSL_NO_DH
#ifndef OPENSSL_NO_DEPRECATED_3_0
/* NB: the |keylength| is only applicable when is_export is true */
OSSL_DEPRECATEDIN_3_0
void SSL_CTX_set_tmp_dh_callback(SSL_CTX *ctx,

```

```

    DH *(*dh)(SSL *ssl, int is_export,
               int keylength));
OSSL_DEPRECATEDIN_3_0
void SSL_set_tmp_dh_callback(SSL *ssl,
                             DH *(*dh)(SSL *ssl, int is_export,
                             int keylength));
#endif
#endif

__owur const COMP_METHOD *SSL_get_current_compression(const SSL *s);
__owur const COMP_METHOD *SSL_get_current_expansion(const
SSL *s);
__owur const char *SSL_COMP_get_name(const COMP_METHOD *comp);
__owur const char *SSL_COMP_get0_name(const SSL_COMP *comp);
__owur int SSL_COMP_get_id(const SSL_COMP *comp);
STACK_OF(SSL_COMP) *SSL_COMP_get_compression_methods(void);
__owur STACK_OF(SSL_COMP) *SSL_COMP_set0_compression_methods(STACK_OF(SSL_COMP)
*meths);
#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#define SSL_COMP_free_compression_methods() \
    while (0) \
        continue
#endif
__owur int SSL_COMP_add_compression_method(int id, COMP_METHOD *cm);

const SSL_CIPHER *SSL_CIPHER_find(SSL *ssl, const unsigned char *ptr);
int SSL_CIPHER_get_cipher_nid(const SSL_CIPHER *c);
int SSL_CIPHER_get_digest_nid(const SSL_CIPHER *c);
int SSL_bytes_to_cipher_list(SSL *s, const unsigned char *bytes, size_t len,
                             int isv2format, STACK_OF(SSL_CIPHER) **sk,
                             STACK_OF(SSL_CIPHER) **scsvs);

/* TLS extensions functions */
__owur int SSL_set_session_ticket_ext(SSL *s, void *ext_data, int
ext_len);

__owur int SSL_set_session_ticket_ext_cb(SSL *s,
tls_session_ticket_ext_cb_fn cb,
void *arg);

/* Pre-shared secret session resumption functions */
__owur int SSL_set_session_secret_cb(SSL *s,
tls_session_secret_cb_fn session_secret_cb,
void *arg);

void SSL_CTX_set_not_resumable_session_callback(SSL_CTX *ctx,
int (*cb)(SSL *ssl,
int

```

```

        is_forward_secure));

void SSL_set_not_resumable_session_callback(SSL *ssl,
    int (*cb)(SSL *ssl,
        int is_forward_secure));

void SSL_CTX_set_record_padding_callback(SSL_CTX *ctx,
    size_t (*cb)(SSL *ssl, int type,
        size_t len, void *arg));
void SSL_CTX_set_record_padding_callback_arg(SSL_CTX *ctx, void *arg);
void *SSL_CTX_get_record_padding_callback_arg(const SSL_CTX *ctx);
int SSL_CTX_set_block_padding(SSL_CTX *ctx, size_t block_size);

int SSL_set_record_padding_callback(SSL *ssl,
    size_t (*cb)(SSL *ssl, int type,
        size_t len, void *arg));
void SSL_set_record_padding_callback_arg(SSL
    *ssl, void *arg);
void *SSL_get_record_padding_callback_arg(const SSL *ssl);
int SSL_set_block_padding(SSL *ssl, size_t block_size);

int SSL_set_num_tickets(SSL *s, size_t num_tickets);
size_t SSL_get_num_tickets(const SSL *s);
int SSL_CTX_set_num_tickets(SSL_CTX *ctx, size_t num_tickets);
size_t SSL_CTX_get_num_tickets(const SSL_CTX *ctx);

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
#define SSL_cache_hit(s) SSL_session_reused(s)
#endif

__owur int SSL_session_reused(const SSL *s);
__owur int SSL_is_server(const SSL *s);

__owur __owur SSL_CONF_CTX *SSL_CONF_CTX_new(void);
int SSL_CONF_CTX_finish(SSL_CONF_CTX *cctx);
void SSL_CONF_CTX_free(SSL_CONF_CTX *cctx);
unsigned int SSL_CONF_CTX_set_flags(SSL_CONF_CTX *cctx, unsigned int flags);
__owur unsigned int SSL_CONF_CTX_clear_flags(SSL_CONF_CTX *cctx,
    unsigned int flags);
__owur int SSL_CONF_CTX_set1_prefix(SSL_CONF_CTX *cctx, const char *pre);

void SSL_CONF_CTX_set_ssl(SSL_CONF_CTX *cctx, SSL *ssl);
void SSL_CONF_CTX_set_ssl_ctx(SSL_CONF_CTX
    *cctx, SSL_CTX *ctx);

__owur int SSL_CONF_cmd(SSL_CONF_CTX *cctx, const char *cmd, const char *value);
__owur int SSL_CONF_cmd_argv(SSL_CONF_CTX *cctx, int *pargc, char ***pargv);
__owur int SSL_CONF_cmd_value_type(SSL_CONF_CTX *cctx, const char *cmd);

```

```

void SSL_add_ssl_module(void);
int SSL_config(SSL *s, const char *name);
int SSL_CTX_config(SSL_CTX *ctx, const char *name);

#ifdef OPENSSL_NO_SSL_TRACE
void SSL_trace(int write_p, int version, int content_type,
    const void *buf, size_t len, SSL *ssl, void *arg);
#endif

#ifdef OPENSSL_NO_SOCKET
int DTLSv1_listen(SSL *s, BIO_ADDR *client);
#endif

#ifdef OPENSSL_NO_CT

/*
 * A callback for verifying that the received SCTs are sufficient.
 * Expected to return 1 if they are sufficient, otherwise 0.
 * May return a negative integer if an error occurs.
 * A connection should be aborted if the SCTs are deemed insufficient.
 */
typedef int (*ssl_ct_validation_cb)(const CT_POLICY_EVAL_CTX *ctx,
    const STACK_OF(SCT) *scts,
    void *arg);

/*
 * Sets a |callback| that is invoked upon receipt of ServerHelloDone to validate
 * the received SCTs.
 * If the callback returns a non-positive result, the connection is terminated.
 * Call this function before beginning a handshake.
 * If a NULL |callback| is provided, SCT validation is disabled.
 * |arg| is arbitrary userdata that will be passed to the callback whenever it
 * is invoked. Ownership of |arg| remains with the caller.
 *
 * NOTE: A side-effect of setting a CT callback is that an OCSP stapled response
 * will be requested.
 */
int SSL_set_ct_validation_callback(SSL *s, ssl_ct_validation_cb callback,
    void *arg);
int SSL_CTX_set_ct_validation_callback(SSL_CTX *ctx,
    ssl_ct_validation_cb callback,
    void *arg);
#define SSL_disable_ct(s) \
    ((void)SSL_set_validation_callback((s), NULL, NULL))
#define SSL_CTX_disable_ct(ctx) \
    ((void)SSL_CTX_set_validation_callback((ctx), NULL, NULL))

```



```

/*
 * The validation type enumerates the available
 * behaviours of the built-in SSL
 * CT validation callback selected via SSL_enable_ct() and SSL_CTX_enable_ct().
 * The underlying callback is a static function in libssl.
 */
enum {
    SSL_CT_VALIDATION_PERMISSIVE = 0,
    SSL_CT_VALIDATION_STRICT
};

/*
 * Enable CT by setting up a callback that implements one of the built-in
 * validation variants. The SSL_CT_VALIDATION_PERMISSIVE variant always
 * continues the handshake, the application can make appropriate decisions at
 * handshake completion. The SSL_CT_VALIDATION_STRICT variant requires at
 * least one valid SCT, or else handshake termination will be requested. The
 * handshake may continue anyway if SSL_VERIFY_NONE is in effect.
 */
int SSL_enable_ct(SSL *s, int validation_mode);
int SSL_CTX_enable_ct(SSL_CTX *ctx, int validation_mode);

/*
 * Report whether a non-NULL callback is enabled.
 */
int SSL_ct_is_enabled(const SSL *s);
int SSL_CTX_ct_is_enabled(const SSL_CTX *ctx);

/* Gets the SCTs received from a connection */
const
STACK_OF(SCT) *SSL_get0_peer_scts(SSL *s);

/*
 * Loads the CT log list from the default location.
 * If a CTLOG_STORE has previously been set using SSL_CTX_set_ctlog_store,
 * the log information loaded from this file will be appended to the
 * CTLOG_STORE.
 * Returns 1 on success, 0 otherwise.
 */
int SSL_CTX_set_default_ctlog_list_file(SSL_CTX *ctx);

/*
 * Loads the CT log list from the specified file path.
 * If a CTLOG_STORE has previously been set using SSL_CTX_set_ctlog_store,
 * the log information loaded from this file will be appended to the
 * CTLOG_STORE.
 * Returns 1 on success, 0 otherwise.
 */

```

```

int SSL_CTX_set_ctlog_list_file(SSL_CTX *ctx, const char *path);

/*
 * Sets the CT log list used by all SSL connections created from this SSL_CTX.
 * Ownership of the CTLOG_STORE is transferred to the SSL_CTX.
 */
void SSL_CTX_set0_ctlog_store(SSL_CTX *ctx, CTLOG_STORE *logs);

/*
 * Gets the CT log list used by all SSL connections created from this SSL_CTX.
 * This will
 * be NULL unless one of the following functions has been called:
 * - SSL_CTX_set_default_ctlog_list_file
 * - SSL_CTX_set_ctlog_list_file
 * - SSL_CTX_set_ctlog_store
 */
const CTLOG_STORE *SSL_CTX_get0_ctlog_store(const SSL_CTX *ctx);

#endif /* OPENSSSL_NO_CT */

/* What the "other" parameter contains in security callback */
/* Mask for type */
#define SSL_SECOP_OTHER_TYPE 0xffff0000
#define SSL_SECOP_OTHER_NONE 0
#define SSL_SECOP_OTHER_CIPHER (1 << 16)
#define SSL_SECOP_OTHER_CURVE (2 << 16)
#define SSL_SECOP_OTHER_DH (3 << 16)
#define SSL_SECOP_OTHER_PKEY (4 << 16)
#define SSL_SECOP_OTHER_SIGALG (5 << 16)
#define SSL_SECOP_OTHER_CERT (6 << 16)

/* Indicated operation refers to peer key or certificate */
#define SSL_SECOP_PEER 0x1000

/* Values for "op" parameter in security callback */

/* Called to filter ciphers */
/* Ciphers client supports */
#define SSL_SECOP_CIPHER_SUPPORTED (1 | SSL_SECOP_OTHER_CIPHER)
/* Cipher shared by client/server */
#define SSL_SECOP_CIPHER_SHARED (2 |
    SSL_SECOP_OTHER_CIPHER)
/* Sanity check of cipher server selects */
#define SSL_SECOP_CIPHER_CHECK (3 | SSL_SECOP_OTHER_CIPHER)
/* Curves supported by client */
#define SSL_SECOP_CURVE_SUPPORTED (4 | SSL_SECOP_OTHER_CURVE)
/* Curves shared by client/server */
#define SSL_SECOP_CURVE_SHARED (5 | SSL_SECOP_OTHER_CURVE)

```

```

/* Sanity check of curve server selects */
#define SSL_SECOP_CURVE_CHECK (6 | SSL_SECOP_OTHER_CURVE)
/* Temporary DH key */
#define SSL_SECOP_TMP_DH (7 | SSL_SECOP_OTHER_PKEY)
/* SSL/TLS version */
#define SSL_SECOP_VERSION (9 | SSL_SECOP_OTHER_NONE)
/* Session tickets */
#define SSL_SECOP_TICKET (10 | SSL_SECOP_OTHER_NONE)
/* Supported signature algorithms sent to peer */
#define SSL_SECOP_SIGALG_SUPPORTED (11 | SSL_SECOP_OTHER_SIGALG)
/* Shared signature algorithm */
#define SSL_SECOP_SIGALG_SHARED (12 | SSL_SECOP_OTHER_SIGALG)
/* Sanity check signature algorithm allowed */
#define SSL_SECOP_SIGALG_CHECK (13 | SSL_SECOP_OTHER_SIGALG)
/* Used to get mask of supported public
key signature algorithms */
#define SSL_SECOP_SIGALG_MASK (14 | SSL_SECOP_OTHER_SIGALG)
/* Use to see if compression is allowed */
#define SSL_SECOP_COMPRESSION (15 | SSL_SECOP_OTHER_NONE)
/* EE key in certificate */
#define SSL_SECOP_EE_KEY (16 | SSL_SECOP_OTHER_CERT)
/* CA key in certificate */
#define SSL_SECOP_CA_KEY (17 | SSL_SECOP_OTHER_CERT)
/* CA digest algorithm in certificate */
#define SSL_SECOP_CA_MD (18 | SSL_SECOP_OTHER_CERT)
/* Peer EE key in certificate */
#define SSL_SECOP_PEER_EE_KEY (SSL_SECOP_EE_KEY | SSL_SECOP_PEER)
/* Peer CA key in certificate */
#define SSL_SECOP_PEER_CA_KEY (SSL_SECOP_CA_KEY | SSL_SECOP_PEER)
/* Peer CA digest algorithm in certificate */
#define SSL_SECOP_PEER_CA_MD (SSL_SECOP_CA_MD | SSL_SECOP_PEER)

void SSL_set_security_level(SSL *s, int level);
__owur int SSL_get_security_level(const SSL *s);
void SSL_set_security_callback(SSL *s,
    int (*cb)(const SSL *s, const SSL_CTX *ctx,
        int op, int bits, int nid,
        void *other, void
        *ex));
int (*SSL_get_security_callback(const SSL *s))(const SSL *s,
    const SSL_CTX *ctx, int op,
    int bits, int nid, void *other,
    void *ex);
void SSL_set0_security_ex_data(SSL *s, void *ex);
__owur void *SSL_get0_security_ex_data(const SSL *s);

void SSL_CTX_set_security_level(SSL_CTX *ctx, int level);
__owur int SSL_CTX_get_security_level(const SSL_CTX *ctx);

```

```

void SSL_CTX_set_security_callback(SSL_CTX *ctx,
    int (*cb)(const SSL *s, const SSL_CTX *ctx,
        int op, int bits, int nid,
        void *other, void *ex));
int (*SSL_CTX_get_security_callback(const SSL_CTX *ctx))(const SSL *s,
    const SSL_CTX *ctx,
    int op, int bits,
    int nid,
    void *other,
    void *ex);
void SSL_CTX_set0_security_ex_data(SSL_CTX *ctx, void *ex);
__owur void *SSL_CTX_get0_security_ex_data(const SSL_CTX *ctx);

/* OPENSLL_INIT flag 0x010000 reserved for internal use */
#define OPENSLL_INIT_NO_LOAD_SSL_STRINGS 0x00100000L
#define OPENSLL_INIT_LOAD_SSL_STRINGS 0x00200000L

#define OPENSLL_INIT_SSL_DEFAULT
\
    (OPENSLL_INIT_LOAD_SSL_STRINGS | OPENSLL_INIT_LOAD_CRYPT0_STRINGS)

int OPENSLL_init_ssl(uint64_t opts, const OPENSLL_INIT_SETTINGS *settings);

#ifndef OPENSLL_NO_UNIT_TEST
__owur const struct openssl_ssl_test_functions *SSL_test_functions(void);
#endif

__owur int SSL_free_buffers(SSL *ssl);
__owur int SSL_alloc_buffers(SSL *ssl);

/* Status codes passed to the decrypt session ticket callback. Some of these
 * are for internal use only and are never passed to the callback. */
typedef int SSL_TICKET_STATUS;

/* Support for ticket appdata */
/* fatal error, malloc failure */
#define SSL_TICKET_FATAL_ERR_MALLOC 0
/* fatal error, either from parsing or decrypting the ticket */
#define SSL_TICKET_FATAL_ERR_OTHER 1
/* No ticket present */
#define SSL_TICKET_NONE 2
/* Empty ticket present */
#define SSL_TICKET_EMPTY 3
/* the ticket couldn't be decrypted */
#define SSL_TICKET_NO_DECRYPT 4
/* a ticket was successfully decrypted */
#define SSL_TICKET_SUCCESS 5
/* same

```

```

as above but the ticket needs to be renewed */
#define SSL_TICKET_SUCCESS_RENEW 6

/* Return codes for the decrypt session ticket callback */
typedef int SSL_TICKET_RETURN;

/* An error occurred */
#define SSL_TICKET_RETURN_ABORT 0
/* Do not use the ticket, do not send a renewed ticket to the client */
#define SSL_TICKET_RETURN_IGNORE 1
/* Do not use the ticket, send a renewed ticket to the client */
#define SSL_TICKET_RETURN_IGNORE_RENEW 2
/* Use the ticket, do not send a renewed ticket to the client */
#define SSL_TICKET_RETURN_USE 3
/* Use the ticket, send a renewed ticket to the client */
#define SSL_TICKET_RETURN_USE_RENEW 4

typedef int (*SSL_CTX_generate_session_ticket_fn)(SSL *s, void *arg);
typedef SSL_TICKET_RETURN (*SSL_CTX_decrypt_session_ticket_fn)(SSL *s, SSL_SESSION *ss,
    const unsigned char *keyname,
    size_t keyname_length,
    SSL_TICKET_STATUS status,
    void *arg);
int SSL_CTX_set_session_ticket_cb(SSL_CTX *ctx,
    SSL_CTX_generate_session_ticket_fn gen_cb,
    SSL_CTX_decrypt_session_ticket_fn dec_cb,
    void *arg);
int SSL_SESSION_set1_ticket_appdata(SSL_SESSION *ss, const void *data, size_t len);
int SSL_SESSION_get0_ticket_appdata(SSL_SESSION *ss, void **data, size_t *len);

typedef unsigned int (*DTLS_timer_cb)(SSL *s, unsigned int timer_us);

void DTLS_set_timer_cb(SSL *s, DTLS_timer_cb cb);

typedef int (*SSL_allow_early_data_cb_fn)(SSL *s, void *arg);
void SSL_CTX_set_allow_early_data_cb(SSL_CTX *ctx,
    SSL_allow_early_data_cb_fn cb,
    void *arg);
void SSL_set_allow_early_data_cb(SSL *s,
    SSL_allow_early_data_cb_fn cb,
    void *arg);

/* store the default cipher strings inside the library */
const char *OSSL_default_cipher_list(void);
const char *OSSL_default_ciphersuites(void);

#ifdef __cplusplus
}

```

```

#endif
#endif
/*
 * WARNING: do not edit!
 * Generated by Makefile from providers/common/include/prov/der_rsa.h.in
 *
 * Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#include "crypto/rsa.h"
#include "internal/der.h"

/* Well known OIDs precompiled */
/* clang-format off */

/*
 * hashAlgs OBJECT IDENTIFIER ::= { nistAlgorithms 2 }
 */
#define DER_OID_V_hashAlgs DER_P_OBJECT, 8, 0x60, 0x86, 0x48, 0x01, 0x65, 0x03, 0x04, 0x02
#define DER_OID_SZ_hashAlgs 10
extern const unsigned char ossl_der_oid_hashAlgs[DER_OID_SZ_hashAlgs];

/*
 * rsaEncryption OBJECT IDENTIFIER ::= { pkcs-1 1 }
 */
#define DER_OID_V_rsaEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x01
#define DER_OID_SZ_rsaEncryption 11
extern
const unsigned char ossl_der_oid_rsaEncryption[DER_OID_SZ_rsaEncryption];

/*
 * id-RSAES-OAEP OBJECT IDENTIFIER ::= { pkcs-1 7 }
 */
#define DER_OID_V_id_RSAES_OAEP DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01,
0x07
#define DER_OID_SZ_id_RSAES_OAEP 11
extern const unsigned char ossl_der_oid_id_RSAES_OAEP[DER_OID_SZ_id_RSAES_OAEP];

/*
 * id-pSpecified OBJECT IDENTIFIER ::= { pkcs-1 9 }
 */
#define DER_OID_V_id_pSpecified DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x09
#define DER_OID_SZ_id_pSpecified 11

```

```

extern const unsigned char ossl_der_oid_id_pSpecified[DER_OID_SZ_id_pSpecified];

/*
 * id-RSASSA-PSS OBJECT IDENTIFIER ::= { pkcs-1 10 }
 */
#define DER_OID_V_id_RSASSA_PSS DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x0A
#define DER_OID_SZ_id_RSASSA_PSS 11
extern const unsigned char ossl_der_oid_id_RSASSA_PSS[DER_OID_SZ_id_RSASSA_PSS];

/*
 * md2WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 2 }
 */
#define DER_OID_V_md2WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x02
#define DER_OID_SZ_md2WithRSAEncryption 11
extern const unsigned char ossl_der_oid_md2WithRSAEncryption[DER_OID_SZ_md2WithRSAEncryption];

/*
 * md5WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 4 }
 */
#define DER_OID_V_md5WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x04
#define DER_OID_SZ_md5WithRSAEncryption 11
extern const unsigned char ossl_der_oid_md5WithRSAEncryption[DER_OID_SZ_md5WithRSAEncryption];

/*
 * sha1WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 5 }
 */
#define DER_OID_V_sha1WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x05
#define DER_OID_SZ_sha1WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha1WithRSAEncryption[DER_OID_SZ_sha1WithRSAEncryption];

/*
 * sha224WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 14 }
 */
#define DER_OID_V_sha224WithRSAEncryption
DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x0E
#define DER_OID_SZ_sha224WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha224WithRSAEncryption[DER_OID_SZ_sha224WithRSAEncryption];

/*
 * sha256WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 11 }
 */
#define DER_OID_V_sha256WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x0B
#define DER_OID_SZ_sha256WithRSAEncryption 11

```

```

extern const unsigned char ossl_der_oid_sha256WithRSAEncryption[DER_OID_SZ_sha256WithRSAEncryption];

/*
 * sha384WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 12 }
 */
#define DER_OID_V_sha384WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D,
0x01, 0x01, 0x0C
#define DER_OID_SZ_sha384WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha384WithRSAEncryption[DER_OID_SZ_sha384WithRSAEncryption];

/*
 * sha512WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 13 }
 */
#define DER_OID_V_sha512WithRSAEncryption
DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x0D
#define DER_OID_SZ_sha512WithRSAEncryption 11
extern const unsigned char ossl_der_oid_sha512WithRSAEncryption[DER_OID_SZ_sha512WithRSAEncryption];

/*
 * sha512-224WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 15 }
 */
#define DER_OID_V_sha512_224WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D,
0x01, 0x01, 0x0F
#define DER_OID_SZ_sha512_224WithRSAEncryption 11
extern const unsigned char
ossl_der_oid_sha512_224WithRSAEncryption[DER_OID_SZ_sha512_224WithRSAEncryption];

/*
 * sha512-256WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 16 }
 */
#define DER_OID_V_sha512_256WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D,
0x01, 0x01, 0x10
#define DER_OID_SZ_sha512_256WithRSAEncryption 11
extern const unsigned char
ossl_der_oid_sha512_256WithRSAEncryption[DER_OID_SZ_sha512_256WithRSAEncryption];

/*
 * id-mgf1 OBJECT IDENTIFIER ::= { pkcs-1 8 }
 */
#define
DER_OID_V_id_mgf1 DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01, 0x01, 0x08
#define DER_OID_SZ_id_mgf1 11
extern const unsigned char ossl_der_oid_id_mgf1[DER_OID_SZ_id_mgf1];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-224 OBJECT IDENTIFIER ::= { sigAlgs 13 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_224 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,

```



```

0x03, 0x04, 0x03, 0x0D
#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_224 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_224[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_224];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-256 OBJECT IDENTIFIER ::= { sigAlgs 14 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_256 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,
0x03, 0x04, 0x03, 0x0E
#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_256 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_256[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_256];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-384
   OBJECT IDENTIFIER ::= { sigAlgs 15 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_384 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,
0x03, 0x04, 0x03, 0x0F
#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_384 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_384[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_384];

/*
 * id-rsassa-pkcs1-v1_5-with-sha3-512 OBJECT IDENTIFIER ::= { sigAlgs 16 }
 */
#define DER_OID_V_id_rsassa_pkcs1_v1_5_with_sha3_512 DER_P_OBJECT, 9, 0x60, 0x86, 0x48, 0x01, 0x65,
0x03, 0x04, 0x03, 0x10
#define DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_512 11
extern const unsigned char
ossl_der_oid_id_rsassa_pkcs1_v1_5_with_sha3_512[DER_OID_SZ_id_rsassa_pkcs1_v1_5_with_sha3_512];

/*
 * md4WithRSAEncryption OBJECT IDENTIFIER ::= { pkcs-1 3 }
 */
#define DER_OID_V_md4WithRSAEncryption DER_P_OBJECT, 9, 0x2A, 0x86, 0x48, 0x86, 0xF7, 0x0D, 0x01,
0x01, 0x03
#define DER_OID_SZ_md4WithRSAEncryption 11
extern const unsigned char ossl_der_oid_md4WithRSAEncryption[DER_OID_SZ_md4WithRSAEncryption];

/*
 * ripemd160WithRSAEncryption  OBJECT IDENTIFIER ::= {
 *   iso(1) identified-organization(3) teletrust(36) algorithm(3) signatureAlgorithm(3) rsaSignature(1) 2
 * }
 */
#define DER_OID_V_ripemd160WithRSAEncryption DER_P_OBJECT, 6, 0x2B, 0x24, 0x03, 0x03, 0x01, 0x02
#define DER_OID_SZ_ripemd160WithRSAEncryption 8

```

```

extern const unsigned char
ossl_der_oid_ripemd160WithRSAEncryption[DER_OID_SZ_ripemd160WithRSAEncryption];

/*
 * mdc2WithRSASignature OBJECT IDENTIFIER ::= {
 *   iso(1) identified-organization(3) oiw(14) secsig(3) algorithms(2) mdc2WithRSASignature(14)
 * }
 */

#define DER_OID_V_mdc2WithRSASignature DER_P_OBJECT, 5, 0x2B, 0x0E, 0x03, 0x02, 0x0E
#define DER_OID_SZ_mdc2WithRSASignature 7
extern const unsigned char ossl_der_oid_mdc2WithRSASignature[DER_OID_SZ_mdc2WithRSASignature];

/* clang-format on */

/* PSS parameters */
int ossl_DER_w_RSASSA_PSS_params(WPACKET *pkt, int tag,
    const RSA_PSS_PARAMS_30 *pss);
/*
    Subject Public Key Info */
int ossl_DER_w_algorithmIdentifier_RSA(WPACKET *pkt, int tag, RSA *rsa);
int ossl_DER_w_algorithmIdentifier_RSA_PSS(WPACKET *pkt, int tag,
    int rsa_type,
    const RSA_PSS_PARAMS_30 *pss);
/* Signature */
int ossl_DER_w_algorithmIdentifier_MDWithRSAEncryption(WPACKET *pkt, int tag,
    int mdnid);
Tests included here are based on build output generated by the six-speed
benchmark suite.

```

Copyright (c) 2015 Kevin Decker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid

anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph

1 above, provided that you also do the following:

- a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and
- b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.
- d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you

received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that

accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 1, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter
the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End
The ISC License

Copyright (c) Isaac Z. Schlueter, Kat Marchn, npm, Inc., and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Minizlib was created by Isaac Z. Schlueter.
It is a derivative work of the Node.js project.

Copyright Isaac Z. Schlueter and Contributors
Copyright Node.js contributors. All rights reserved.
Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/ssl/bio_ssl.c',
'openssl/ssl/d1_lib.c',
'openssl/ssl/d1_msg.c',
'openssl/ssl/d1_srtp.c',
'openssl/ssl/methods.c',
'openssl/ssl/pqueue.c',
'openssl/ssl/s3_enc.c',
'openssl/ssl/s3_lib.c',
'openssl/ssl/s3_msg.c',
'openssl/ssl/ssl_asn1.c',
'openssl/ssl/ssl_cert.c',
'openssl/ssl/ssl_ciph.c',
'openssl/ssl/ssl_conf.c',
'openssl/ssl/ssl_err.c',
'openssl/ssl/ssl_err_legacy.c',
'openssl/ssl/ssl_init.c',
'openssl/ssl/ssl_lib.c',
'openssl/ssl/ssl_mcnf.c',
'openssl/ssl/ssl_rsa.c',
'openssl/ssl/ssl_rsa_legacy.c',
'openssl/ssl/ssl_sess.c',
'openssl/ssl/ssl_stat.c',
'openssl/ssl/ssl_txt.c',
'openssl/ssl/ssl_utst.c',
'openssl/ssl/t1_enc.c',
'openssl/ssl/t1_lib.c',
'openssl/ssl/t1_trce.c',
'openssl/ssl/tls13_enc.c',
'openssl/ssl/tls_depr.c',
'openssl/ssl/tls_srp.c',
'openssl/ssl/record/dtls1_bitmap.c',
'openssl/ssl/record/rec_layer_d1.c',
'openssl/ssl/record/rec_layer_s3.c',
'openssl/ssl/record/ssl3_buffer.c',
'openssl/ssl/record/ssl3_record.c',
'openssl/ssl/record/ssl3_record_tls13.c',
'openssl/ssl/statem/extensions.c',
'openssl/ssl/statem/extensions_clnt.c',
'openssl/ssl/statem/extensions_cust.c',
```

'openssl/ssl/statem/extensions_srvr.c',
'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cbc.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_core.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',

'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',
'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',

'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',
'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',

'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',

'openssl/crypto/bn/bn_rsa_fips186_4.c',

'openssl/crypto/bn/bn_shift.c',

'openssl/crypto/bn/bn_sqr.c',

'openssl/crypto/bn/bn_sqrt.c',

'openssl/crypto/bn/bn_srp.c',

'openssl/crypto/bn/bn_word.c',

'openssl/crypto/bn/bn_x931p.c',

'openssl/crypto/buffer/buf_err.c',

'openssl/crypto/buffer/buffer.c',

'openssl/crypto/camellia/camellia.c',

'openssl/crypto/camellia/cml_cbc.c',

'openssl/crypto/camellia/cml_cfb.c',

'openssl/crypto/camellia/cml_ctr.c',

'openssl/crypto/camellia/cml_ecb.c',

'openssl/crypto/camellia/cml_misc.c',

'openssl/crypto/camellia/cml_ofb.c',

'openssl/crypto/cast/c_cfb64.c',

'openssl/crypto/cast/c_ecb.c',

'openssl/crypto/cast/c_enc.c',

'openssl/crypto/cast/c_ofb64.c',

'openssl/crypto/cast/c_skey.c',

'openssl/crypto/chacha/chacha_enc.c',

'openssl/crypto/cmac/cmac.c',

'openssl/crypto/cmp/cmp_asn.c',

'openssl/crypto/cmp/cmp_client.c',

'openssl/crypto/cmp/cmp_ctx.c',

'openssl/crypto/cmp/cmp_err.c',

'openssl/crypto/cmp/cmp_hdr.c',

'openssl/crypto/cmp/cmp_http.c',

'openssl/crypto/cmp/cmp_msg.c',

'openssl/crypto/cmp/cmp_protect.c',

'openssl/crypto/cmp/cmp_server.c',

'openssl/crypto/cmp/cmp_status.c',

'openssl/crypto/cmp/cmp_util.c',

'openssl/crypto/cmp/cmp_vfy.c',

'openssl/crypto/cms/cms_asn1.c',

'openssl/crypto/cms/cms_att.c',

'openssl/crypto/cms/cms_cd.c',

'openssl/crypto/cms/cms_dd.c',

'openssl/crypto/cms/cms_dh.c',

'openssl/crypto/cms/cms_ec.c',

'openssl/crypto/cms/cms_enc.c',

'openssl/crypto/cms/cms_env.c',

'openssl/crypto/cms/cms_err.c',

'openssl/crypto/cms/cms_ess.c',

'openssl/crypto/cms/cms_io.c',

'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',

'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',
'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',

'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',
'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',

'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',

'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',
'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rand.c',

'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',
'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymciphder.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',

'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',

'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebcdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_clr.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',

'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2_dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',

'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',
'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbag.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',

'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',
'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/rc4/rc4_enc.c',
'openssl/crypto/rc4/rc4_skey.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',

'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/keccak1600.c',

'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',
'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_block.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',

'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',
'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crl.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',

'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',
'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',

'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',

'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',
'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',

'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',

'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',

```

'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86': [
'./config/archs/BSD-x86/no-asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/no-asm/providers/common/der/der_wrap_gen.c',

'./config/archs/BSD-x86/no-asm/providers/legacy.ld',
'./config/archs/BSD-x86/no-asm/providers/fips.ld',
],
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
},
'include_dirs': [
'',
'./include',
'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
'include_dirs': ['./include', ''],

```



```
'defines': ['<@(openssl_defines_BSD-x86)'],  
},  
}
```

The MIT License (MIT)

Copyright (c) 2013-2017 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 1998 Massachusetts Institute of Technology

Copyright (c) 2007 - 2023 Daniel Stenberg with many contributors, see AUTHORS file.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[
"0BSD",
"AAL",
"ADSL",
"AFL-1.1",
"AFL-1.2",
"AFL-2.0",
"AFL-2.1",
"AFL-3.0",
"AGPL-1.0-only",
"AGPL-1.0-or-later",
"AGPL-3.0-only",
"AGPL-3.0-or-later",
"AMDPLPA",
"AML",
"AML-glslang",
"AMPAS",
"ANTLR-PD",
"ANTLR-PD-fallback",
"APAFML",
"APL-1.0",
"APSL-1.0",
"APSL-1.1",
"APSL-1.2",
"APSL-2.0",
"ASWF-Digital-Assets-1.0",
"ASWF-Digital-Assets-1.1",
"Abstyles",
"AdaCore-doc",

"Adobe-2006",
"Adobe-Display-PostScript",
"Adobe-Glyph",
"Adobe-Utopia",
"Afmparse",
"Aladdin",
"Apache-1.0",
"Apache-1.1",
"Apache-2.0",
"App-s2p",
"Arphic-1999",
"Artistic-1.0",
"Artistic-1.0-Perl",
"Artistic-1.0-cl8",
"Artistic-2.0",
"BSD-1-Clause",
"BSD-2-Clause",
"BSD-2-Clause-Darwin",
"BSD-2-Clause-Patent",
"BSD-2-Clause-Views",
"BSD-3-Clause",
"BSD-3-Clause-Attribution",
"BSD-3-Clause-Clear",
"BSD-3-Clause-HP",
"BSD-3-Clause-LBNL",
"BSD-3-Clause-Modification",
"BSD-3-Clause-No-Military-License",
"BSD-3-Clause-No-Nuclear-License",
"BSD-3-Clause-No-Nuclear-License-2014",
"BSD-3-Clause-No-Nuclear-Warranty",
"BSD-3-Clause-Open-MPI",
"BSD-3-Clause-Sun",
"BSD-3-Clause-acpica",
"BSD-3-Clause-flex",
"BSD-4-Clause",
"BSD-4-Clause-Shortened",
"BSD-4-Clause-UC",
"BSD-4.3RENO",
"BSD-4.3TAHOE",
"BSD-Advertising-Acknowledgement",
"BSD-Attribution-HPND-disclaimer",
"BSD-Inferno-Nettverk",
"BSD-Protection",
"BSD-Source-Code",
"BSD-Source-beginning-file",
"BSD-Systemics",
"BSD-Systemics-W3Works",
"BSL-1.0",

"BUSL-1.1",
"Baekmuk",
"Bahyph",
"Barr",
"Beerware",
"BitTorrent-1.0",
"BitTorrent-1.1",
"Bitstream-Charter",
"Bitstream-Vera",
"BlueOak-1.0.0",
"Boehm-GC",
"Borceux",
"Brian-Gladman-2-Clause",
"Brian-Gladman-3-Clause",
"C-UDA-1.0",
"CAL-1.0",
"CAL-1.0-Combined-Work-Exception",
"CATOSL-1.1",
"CC-BY-1.0",
"CC-BY-2.0",
"CC-BY-2.5",
"CC-BY-2.5-AU",
"CC-BY-3.0",
"CC-BY-3.0-AT",
"CC-BY-3.0-AU",
"CC-BY-3.0-DE",
"CC-BY-3.0-IGO",
"CC-BY-3.0-NL",
"CC-BY-3.0-US",
"CC-BY-4.0",
"CC-BY-NC-1.0",
"CC-BY-NC-2.0",
"CC-BY-NC-2.5",
"CC-BY-NC-3.0",
"CC-BY-NC-3.0-DE",
"CC-BY-NC-4.0",
"CC-BY-NC-ND-1.0",
"CC-BY-NC-ND-2.0",
"CC-BY-NC-ND-2.5",
"CC-BY-NC-ND-3.0",
"CC-BY-NC-ND-3.0-DE",
"CC-BY-NC-ND-3.0-IGO",
"CC-BY-NC-ND-4.0",
"CC-BY-NC-SA-1.0",
"CC-BY-NC-SA-2.0",
"CC-BY-NC-SA-2.0-DE",
"CC-BY-NC-SA-2.0-FR",
"CC-BY-NC-SA-2.0-UK",

"CC-BY-NC-SA-2.5",
"CC-BY-NC-SA-3.0",
"CC-BY-NC-SA-3.0-DE",
"CC-BY-NC-SA-3.0-IGO",
"CC-BY-NC-SA-4.0",
"CC-BY-ND-1.0",
"CC-BY-ND-2.0",
"CC-BY-ND-2.5",
"CC-BY-ND-3.0",
"CC-BY-ND-3.0-DE",
"CC-BY-ND-4.0",
"CC-BY-SA-1.0",
"CC-BY-SA-2.0",
"CC-BY-SA-2.0-UK",
"CC-BY-SA-2.1-JP",
"CC-BY-SA-2.5",
"CC-BY-SA-3.0",
"CC-BY-SA-3.0-AT",
"CC-BY-SA-3.0-DE",
"CC-BY-SA-3.0-IGO",
"CC-BY-SA-4.0",
"CC-PDDC",
"CC0-1.0",
"CDDL-1.0",
"CDDL-1.1",
"CDL-1.0",
"CDLA-Permissive-1.0",
"CDLA-Permissive-2.0",
"CDLA-Sharing-1.0",
"CECILL-1.0",
"CECILL-1.1",
"CECILL-2.0",
"CECILL-2.1",
"CECILL-B",
"CECILL-C",
"CERN-OHL-1.1",
"CERN-OHL-1.2",
"CERN-OHL-P-2.0",
"CERN-OHL-S-2.0",
"CERN-OHL-W-2.0",
"CFITSIO",
"CMU-Mach",
"CMU-Mach-nodoc",
"CNRI-Jython",
"CNRI-Python",
"CNRI-Python-GPL-Compatible",
"COIL-1.0",
"CPAL-1.0",

"CPL-1.0",
"CPOL-1.02",
"CUA-OPL-1.0",
"Caldera",
"Caldera-no-preamble",
"ClArtistic",
"Clips",
"Community-Spec-1.0",
"Condor-1.1",
"Cornell-Lossless-JPEG",
"Cronyx",
"Crossword",
"CrystalStacker",
"Cube",
"D-FSL-1.0",
"DEC-3-Clause",
"DL-DE-BY-2.0",
"DL-DE-ZERO-2.0",
"DOC",
"DRL-1.0",
"DRL-1.1",
"DSDP",
"Dotseqn",
"ECL-1.0",
"ECL-2.0",
"EFL-1.0",
"EFL-2.0",
"EPICS",
"EPL-1.0",
"EPL-2.0",
"EUDatagrid",
"EUPL-1.0",
"EUPL-1.1",
"EUPL-1.2",
"Elastic-2.0",
"Entessa",
"ErlPL-1.1",
"Eurosymb",
"FBM",
"FDK-AAC",
"FSFAP",
"FSFAP-no-warranty-disclaimer",
"FSFUL",
"FSFULLR",
"FSFULLRWD",
"FTL",
"Fair",
"Ferguson-Twofish",

"Frameworkx-1.0",
"FreeBSD-DOC",
"FreeImage",
"Furuseth",
"GCR-docs",
"GD",
"GFDL-1.1-invariants-only",
"GFDL-1.1-invariants-or-later",
"GFDL-1.1-no-invariants-only",
"GFDL-1.1-no-invariants-or-later",
"GFDL-1.1-only",
"GFDL-1.1-or-later",
"GFDL-1.2-invariants-only",
"GFDL-1.2-invariants-or-later",
"GFDL-1.2-no-invariants-only",
"GFDL-1.2-no-invariants-or-later",
"GFDL-1.2-only",
"GFDL-1.2-or-later",
"GFDL-1.3-invariants-only",
"GFDL-1.3-invariants-or-later",
"GFDL-1.3-no-invariants-only",
"GFDL-1.3-no-invariants-or-later",
"GFDL-1.3-only",
"GFDL-1.3-or-later",
"GL2PS",
"GLWTPL",
"GPL-1.0-only",
"GPL-1.0-or-later",
"GPL-2.0-only",
"GPL-2.0-or-later",
"GPL-3.0-only",
"GPL-3.0-or-later",
"Giftware",
"Glide",
"Glulxe",
"Graphics-Gems",
"HP-1986",
"HP-1989",
"HPND",
"HPND-DEC",
"HPND-Fenneberg-Livingston",
"HPND-INRIA-IMAG",
"HPND-Kevlin-Henney",
"HPND-MIT-disclaimer",
"HPND-Markus-Kuhn",
"HPND-Pbmplus",
"HPND-UC",
"HPND-doc",

"HPND-doc-sell",
"HPND-export-US",
"HPND-export-US-modify",
"HPND-sell-MIT-disclaimer-xserver",
"HPND-sell-regexpr",
"HPND-sell-variant",
"HPND-sell-variant-MIT-disclaimer",
"HTMLTIDY",
"HaskellReport",
"Hippocratic-2.1",
"IBM-pibs",
"ICU",
"IEC-Code-Components-EULA",
"IJG",
"IJG-short",
"IPA",
"IPL-1.0",
"ISC",
"ISC-Veillard",
"ImageMagick",
"Imlib2",
"Info-ZIP",
"Inner-Net-2.0",
"Intel",
"Intel-ACPI",
"Interbase-1.0",
"JPL-image",
"JPNIC",
"JSON",
"Jam",
"JasPer-2.0",
"Kastrup",
"Kazlib",
"Knuth-CTAN",
"LAL-1.2",
"LAL-1.3",
"LGPL-2.0-only",
"LGPL-2.0-or-later",
"LGPL-2.1-only",
"LGPL-2.1-or-later",
"LGPL-3.0-only",
"LGPL-3.0-or-later",
"LGPLLR",
"LOOP",
"LPD-document",
"LPL-1.0",
"LPL-1.02",
"LPPL-1.0",

"LPPL-1.1",
"LPPL-1.2",
"LPPL-1.3a",
"LPPL-1.3c",
"LZMA-SDK-9.11-to-9.20",
"LZMA-SDK-9.22",
"Latex2e",
"Latex2e-translated-notice",
"Leptonica",
"LiLiQ-P-1.1",
"LiLiQ-R-1.1",
"LiLiQ-Rplus-1.1",
"Libpng",
"Linux-OpenIB",
"Linux-man-pages-1-para",
"Linux-man-pages-copyleft",
"Linux-man-pages-copyleft-2-para",
"Linux-man-pages-copyleft-var",
"Lucida-Bitmap-Fonts",
"MIT",
"MIT-0",
"MIT-CMU",
"MIT-Festival",
"MIT-Modern-Variant",
"MIT-Wu",
"MIT-advertising",
"MIT-enna",
"MIT-feh",
"MIT-open-group",
"MIT-testregex",
"MITNFA",
"MMIXware",
"MPEG-SSG",
"MPL-1.0",
"MPL-1.1",
"MPL-2.0",
"MPL-2.0-no-copyleft-exception",
"MS-LPL",
"MS-PL",
"MS-RL",
"MTLL",
"Mackerras-3-Clause",
"Mackerras-3-Clause-acknowledgment",
"MakeIndex",
"Martin-Birgmeier",
"McPhee-slideshow",
"Minpack",
"MirOS",

"Motosoto",
"MulanPSL-1.0",
"MulanPSL-2.0",
"Multics",
"Mup",
"NAIST-2003",
"NASA-1.3",
"NBPL-1.0",
"NCGL-UK-2.0",
"NCSA",
"NGPL",
"NICTA-1.0",
"NIST-PD",
"NIST-PD-fallback",
"NIST-Software",
"NLOD-1.0",
"NLOD-2.0",
"NLPL",
"NOSL",
"NPL-1.0",
"NPL-1.1",
"NPOSL-3.0",
"NRL",
"NTP",
"NTP-0",
"Naumen",
"Net-SNMP",
"NetCDF",
"Newsletr",
"Nokia",
"Noweb",
"O-UDA-1.0",
"OCCT-PL",
"OCLC-2.0",
"ODC-By-1.0",
"ODbL-1.0",
"OFFIS",
"OFL-1.0",
"OFL-1.0-RFN",
"OFL-1.0-no-RFN",
"OFL-1.1",
"OFL-1.1-RFN",
"OFL-1.1-no-RFN",
"OGC-1.0",
"OGDL-Taiwan-1.0",
"OGL-Canada-2.0",
"OGL-UK-1.0",
"OGL-UK-2.0",

"OGL-UK-3.0",
"OGTSL",
"OLDAP-1.1",
"OLDAP-1.2",
"OLDAP-1.3",
"OLDAP-1.4",
"OLDAP-2.0",
"OLDAP-2.0.1",
"OLDAP-2.1",
"OLDAP-2.2",
"OLDAP-2.2.1",
"OLDAP-2.2.2",
"OLDAP-2.3",
"OLDAP-2.4",
"OLDAP-2.5",
"OLDAP-2.6",
"OLDAP-2.7",
"OLDAP-2.8",
"OLFL-1.3",
"OML",
"OPL-1.0",
"OPL-UK-3.0",
"OPUBL-1.0",
"OSET-PL-2.1",
"OSL-1.0",
"OSL-1.1",
"OSL-2.0",
"OSL-2.1",
"OSL-3.0",
"OpenPBS-2.3",
"OpenSSL",
"OpenSSL-standalone",
"OpenVision",
"PADL",
"PDDL-1.0",
"PHP-3.0",
"PHP-3.01",
"PSF-2.0",
"Parity-6.0.0",
"Parity-7.0.0",
"Pixar",
"Plexus",
"PolyForm-Noncommercial-1.0.0",
"PolyForm-Small-Business-1.0.0",
"PostgreSQL",
"Python-2.0",
"Python-2.0.1",
"QPL-1.0",

"QPL-1.0-INRIA-2004",
"Qhull",
"RHeCos-1.1",
"RPL-1.1",
"RPL-1.5",
"RPSL-1.0",
"RSA-MD",
"RSCPL",
"Rdisc",
"Ruby",
"SAX-PD",
"SAX-PD-2.0",
"SCEA",
"SGI-B-1.0",
"SGI-B-1.1",
"SGI-B-2.0",
"SGI-OpenGL",
"SGP4",
"SHL-0.5",
"SHL-0.51",
"SISSL",
"SISSL-1.2",
"SL",
"SMLNJ",
"SMPPL",
"SNIA",
"SPL-1.0",
"SSH-OpenSSH",
"SSH-short",
"SSLeay-standalone",
"SSPL-1.0",
"SWL",
"Saxpath",
"SchemeReport",
"Sendmail",
"Sendmail-8.23",
"SimPL-2.0",
"Sleepycat",
"Soundex",
"Spencer-86",
"Spencer-94",
"Spencer-99",
"SugarCRM-1.1.3",
"Sun-PPP",
"SunPro",
"Symlinks",
"TAPR-OHL-1.0",
"TCL",

"TCP-wrappers",
"TGPPL-1.0",
"TMate",
"TORQUE-1.1",
"TOSL",
"TPDL",
"TPL-1.0",
"TTWL",
"TTYPO",
"TU-Berlin-1.0",
"TU-Berlin-2.0",
"TermReadKey",
"UCAR",
"UCL-1.0",
"UMich-Merit",
"UPL-1.0",
"URT-RLE",
"Unicode-3.0",
"Unicode-DFS-2015",
"Unicode-DFS-2016",
"Unicode-TOU",
"UnixCrypt",
"Unlicense",
"VOSTROM",
"VSL-1.0",
"Vim",
"W3C",
"W3C-19980720",
"W3C-20150513",
"WTFPL",
"Watcom-1.0",
"Widget-Workshop",
"Wsuipa",
"X11",
"X11-distribute-modifications-variant",
"XFree86-1.1",
"XSkat",
"Xdebug-1.03",
"Xerox",
"Xfig",
"Xnet",
"YPL-1.0",
"YPL-1.1",
"ZPL-1.1",
"ZPL-2.0",
"ZPL-2.1",
"Zed",
"Zeff",

"Zend-2.0",
"Zimbra-1.3",
"Zimbra-1.4",
"Zlib",
"bcrypt-Solar-Designer",
"blessing",
"bzip2-1.0.6",
"check-cvs",
"checkmk",
"copyleft-next-0.3.0",
"copyleft-next-0.3.1",
"curl",
"diffmark",
"dtoa",
"dvipdfm",
"eGenix",
"etalab-2.0",
"fwlw",
"gSOAP-1.3b",
"gnuplot",
"gtkbook",
"hdparm",
"iMatix",
"libpng-2.0",
"libselinux-1.0",
"libtiff",
"libutil-David-Nugent",
"lsof",
"magaz",
"mailprio",
"metamail",
"mpi-permissive",
"mpich2",
"mplus",
"pnmstitch",
"psfrag",
"psutils",
"python-ldap",
"radvd",
"snprintf",
"softSurfer",
"ssh-keyscan",
"swrule",
"ulem",
"w3m",
"xinetd",
"xkeyboard-config-Zinoviev",
"xlock",

```

"cpp",
"zlib-acknowledgement"
]
{
'variables': {
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86': [
'-Wall -O3 -fomit-frame-pointer',
'-pthread',
'-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',
'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',

'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',

```



```

'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86/no-asm/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86)'],

```

```
'include_dirs': [  
    './include',  
],  
'cflags': ['<@(openssl_cflags_BSD-x86)'],  
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],  
'sources': ['<@(openssl_cli_srcs_BSD-x86)'],  
}
```

Copyright (c) Robert Kowalski and Isaac Z. Schlueter ("Authors")

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2015, npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (C) 2018-2020 Guy Bedford

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2015-present libuv project contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 0c6fa6970743d71fb1583281dd06600e

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/asn1t.h.in
 *
 * Copyright 2000-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */
```

```
/* clang-format off */
```

```
/* clang-format on */
```

```
#ifndef OPENSSL_ASN1T_H
#define OPENSSL_ASN1T_H
#pragma once
```

```
#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_ASN1T_H
#endif
```

```
#include <stddef.h>
#include <openssl/e_os2.h>
#include <openssl/asn1.h>
```

```
#ifdef OPENSSL_BUILD_SHLIBCRYPTO
#undef OPENSSL_EXTERN
#define OPENSSL_EXTERN OPENSSL_EXPORT
#endif
```

```
/* ASN1 template defines, structures and functions */
```

```

#ifdef __cplusplus
extern "C" {
#endif

/*_
 * These are the possible values for the itype field of the
 * ASN1_ITEM structure and determine how it
 * is interpreted.
 *
 * For PRIMITIVE types the underlying type
 * determines the behaviour if items is NULL.
 *
 * Otherwise templates must contain a single
 * template and the type is treated in the
 * same way as the type specified in the template.
 *
 * For SEQUENCE types the templates field points
 * to the members, the size field is the
 * structure size.
 *
 * For CHOICE types the templates field points
 * to each possible member (typically a union)
 * and the 'size' field is the offset of the
 * selector.
 *
 * The 'funcs' field is used for application-specific
 * data and functions.
 *
 * The EXTERN type uses a new style d2i/i2d.
 * The new style should be used where possible
 * because it avoids things like the d2i IMPLICIT
 * hack.
 *
 * MSTRING is a multiple string type, it is used
 * for a CHOICE of character strings where the
 * actual strings all occupy an ASN1_STRING
 * structure. In this case the 'utype' field
 * has a special meaning, it is used as a mask
 * of acceptable
 * types using the B_ASN1 constants.
 *
 * NDEF_SEQUENCE is the same as SEQUENCE except
 * that it will use indefinite length constructed
 * encoding if requested.
 */

#define ASN1_ITYPE_PRIMITIVE 0x0

```

```

#define ASN1_ITYPE_SEQUENCE 0x1
#define ASN1_ITYPE_CHOICE 0x2
/* unused value           0x3 */
#define ASN1_ITYPE_EXTERN 0x4
#define ASN1_ITYPE_MSTRING 0x5
#define ASN1_ITYPE_NDEF_SEQUENCE 0x6

/* Macro to obtain ASN1_ADB pointer from a type (only used internally) */
#define ASN1_ADB_ptr(iptr) ((const ASN1_ADB *)((iptr)()))

/* Macros for start and end of ASN1_ITEM definition */

#define ASN1_ITEM_start(itname)    \
    const ASN1_ITEM *itname##_it(void) \
    {                                  \
        static const ASN1_ITEM local_it = {

#define static_ASN1_ITEM_start(itname) \
    static ASN1_ITEM_start(itname)

#define ASN1_ITEM_end(itname) \
    }                          \
    ;                          \
    return &local_it;         \
    }

/* Macros to aid
ASN1 template writing */

#define ASN1_ITEM_TEMPLATE(tname) \
    static const ASN1_TEMPLATE tname##_item_tt

#define ASN1_ITEM_TEMPLATE_END(tname) \
    ;                                  \
    ASN1_ITEM_start(tname)            \
        ASN1_ITYPE_PRIMITIVE,        \
        -1,                          \
        &tname##_item_tt,             \
        0,                          \
        NULL,                        \
        0,                          \
        #tname ASN1_ITEM_end(tname)

#define static_ASN1_ITEM_TEMPLATE_END(tname) \
    ;                                          \
    static_ASN1_ITEM_start(tname)            \
        ASN1_ITYPE_PRIMITIVE,                \
        -1,                                  \
        &tname##_item_tt,                    \

```

```

0,          \
NULL,       \
0,          \
#tname ASN1_ITEM_end(tname)

/* This is a ASN1 type which just
embeds a template */

/*-
* This pair helps declare a SEQUENCE. We can do:
*
*   ASN1_SEQUENCE(stname) = {
*       ... SEQUENCE components ...
*   } ASN1_SEQUENCE_END(stname)
*
* This will produce an ASN1_ITEM called stname_it
* for a structure called stname.
*
* If you want the same structure but a different
* name then use:
*
*   ASN1_SEQUENCE(itname) = {
*       ... SEQUENCE components ...
*   } ASN1_SEQUENCE_END_name(stname, itname)
*
* This will create an item called itname_it using
* a structure called stname.
*/

#define ASN1_SEQUENCE(tname) \
    static const ASN1_TEMPLATE tname##_seq_tt[]

#define ASN1_SEQUENCE_END(stname) ASN1_SEQUENCE_END_name(stname, stname)

#define static_ASN1_SEQUENCE_END(stname) static_ASN1_SEQUENCE_END_name(stname, stname)

#define ASN1_SEQUENCE_END_name(stname, tname) \
    ; \
    ASN1_ITEM_start(tname) \
    \
    ASN1_ITYPE_SEQUENCE, \
    V_ASN1_SEQUENCE, \
    tname##_seq_tt, \
    sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE), \
    NULL, \
    sizeof(stname), \
    #tname ASN1_ITEM_end(tname)

```

```

#define static_ASN1_SEQUENCE_END_name(stname, tname) \
; \
static_ASN1_ITEM_start(tname) \
ASN1_ITYPE_SEQUENCE, \
V_ASN1_SEQUENCE, \
tname##_seq_tt, \
sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE), \
NULL, \
sizeof(stname), \
#stname ASN1_ITEM_end(tname)

#define ASN1_NDEF_SEQUENCE(tname) \
ASN1_SEQUENCE(tname)

#define ASN1_NDEF_SEQUENCE_cb(tname, cb) \
ASN1_SEQUENCE_cb(tname, cb)

#define ASN1_SEQUENCE_cb(tname, cb) \
static const ASN1_AUX tname##_aux = { NULL, 0, 0, 0, cb, 0, NULL }; \
ASN1_SEQUENCE(tname)

#define ASN1_SEQUENCE_const_cb(tname, const_cb) \
static const ASN1_AUX tname##_aux = { NULL, ASN1_AFLG_CONST_CB, 0, 0, NULL, 0, const_cb }; \
ASN1_SEQUENCE(tname)

#define ASN1_SEQUENCE_cb_const_cb(tname, cb, const_cb) \
static const ASN1_AUX tname##_aux = { NULL, ASN1_AFLG_CONST_CB, 0, 0, cb, 0, const_cb }; \
ASN1_SEQUENCE(tname)

#define ASN1_SEQUENCE_ref(tname, cb) \
static const ASN1_AUX tname##_aux = { NULL, ASN1_AFLG_REFCOUNT, offsetof(tname, references), \
offsetof(tname, lock), cb, 0, NULL }; \
ASN1_SEQUENCE(tname)

#define
ASN1_SEQUENCE_enc(tname, enc, cb) \
static const ASN1_AUX tname##_aux = { NULL, ASN1_AFLG_ENCODING, 0, 0, cb, offsetof(tname, enc), \
NULL }; \
ASN1_SEQUENCE(tname)

#define ASN1_NDEF_SEQUENCE_END(tname) \
; \
ASN1_ITEM_start(tname) \
ASN1_ITYPE_NDEF_SEQUENCE, \
V_ASN1_SEQUENCE, \
tname##_seq_tt, \
sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE), \
NULL, \

```



```

        sizeof(tname),          \
        #tname ASN1_ITEM_end(tname)
#define static_ASN1_NDEF_SEQUENCE_END(tname)          \
;          \
static_ASN1_ITEM_start(tname)          \
    ASN1_ITYPE_NDEF_SEQUENCE,          \
    \
    V_ASN1_SEQUENCE,          \
    tname##_seq_tt,          \
    sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE), \
    NULL,          \
    sizeof(tname),          \
    #tname ASN1_ITEM_end(tname)

#define ASN1_SEQUENCE_END_enc(stname, tname) ASN1_SEQUENCE_END_ref(stname, tname)

#define ASN1_SEQUENCE_END_cb(stname, tname) ASN1_SEQUENCE_END_ref(stname, tname)
#define static_ASN1_SEQUENCE_END_cb(stname, tname) static_ASN1_SEQUENCE_END_ref(stname, tname)

#define ASN1_SEQUENCE_END_ref(stname, tname)          \
;          \
ASN1_ITEM_start(tname)          \
    ASN1_ITYPE_SEQUENCE,          \
    V_ASN1_SEQUENCE,          \
    tname##_seq_tt,          \
    sizeof(tname##_seq_tt)          \
/ sizeof(ASN1_TEMPLATE), \
    &tname##_aux,          \
    sizeof(stname),          \
    #tname ASN1_ITEM_end(tname)
#define static_ASN1_SEQUENCE_END_ref(stname, tname)    \
;          \
static_ASN1_ITEM_start(tname)          \
    ASN1_ITYPE_SEQUENCE,          \
    V_ASN1_SEQUENCE,          \
    tname##_seq_tt,          \
    sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE), \
    &tname##_aux,          \
    sizeof(stname),          \
    #stname ASN1_ITEM_end(tname)

#define ASN1_NDEF_SEQUENCE_END_cb(stname, tname)      \
;          \
ASN1_ITEM_start(tname)          \
    ASN1_ITYPE_NDEF_SEQUENCE,          \
    V_ASN1_SEQUENCE,          \
    \
    tname##_seq_tt,          \

```

```

sizeof(tname##_seq_tt) / sizeof(ASN1_TEMPLATE), \
&tname##_aux, \
sizeof(stname), \
#stname ASN1_ITEM_end(tname)

/*_
* This pair helps declare a CHOICE type. We can do:
*
*   ASN1_CHOICE(chname) = {
*       ... CHOICE options ...
*   ASN1_CHOICE_END(chname)
*
*   This will produce an ASN1_ITEM called chname_it
*   for a structure called chname. The structure
*   definition must look like this:
*   typedef struct {
*       int type;
*       union {
*           ASN1_SOMETHING *opt1;
*           ASN1_SOMEOTHER *opt2;
*       } value;
*   } chname;
*
*   the name of the selector must be 'type'.
*   to use an alternative selector name use the
*   ASN1_CHOICE_END_selector() version.
*/

#define ASN1_CHOICE(tname)
\
static const ASN1_TEMPLATE tname##_ch_tt[]

#define ASN1_CHOICE_cb(tname, cb) \
static const ASN1_AUX tname##_aux = { NULL, 0, 0, 0, cb, 0, NULL }; \
ASN1_CHOICE(tname)

#define ASN1_CHOICE_END(stname) ASN1_CHOICE_END_name(stname, stname)

#define static_ASN1_CHOICE_END(stname) static_ASN1_CHOICE_END_name(stname, stname)

#define ASN1_CHOICE_END_name(stname, tname) ASN1_CHOICE_END_selector(stname, tname, type)

#define static_ASN1_CHOICE_END_name(stname, tname) static_ASN1_CHOICE_END_selector(stname, tname,
type)

#define ASN1_CHOICE_END_selector(stname, tname, selname) \
; \
ASN1_ITEM_start(tname) \

```

```

ASN1_ITYPE_CHOICE,
offsetof(stname, selname),
tname##_ch_tt,
sizeof(tname##_ch_tt) / sizeof(ASN1_TEMPLATE),
\
NULL,
sizeof(stname),
#stname ASN1_ITEM_end(tname)

#define static_ASN1_CHOICE_END_selector(stname, tname, selname) \
;
static_ASN1_ITEM_start(tname)
ASN1_ITYPE_CHOICE,
offsetof(stname, selname),
tname##_ch_tt,
sizeof(tname##_ch_tt) / sizeof(ASN1_TEMPLATE),
NULL,
sizeof(stname),
#stname ASN1_ITEM_end(tname)

#define ASN1_CHOICE_END_cb(stname, tname, selname) \
;
ASN1_ITEM_start(tname)
ASN1_ITYPE_CHOICE,
offsetof(stname, selname),
tname##_ch_tt,
sizeof(tname##_ch_tt) / sizeof(ASN1_TEMPLATE), \
&tname##_aux,
sizeof(stname),
#stname ASN1_ITEM_end(tname)

/* This helps with the template wrapper form of ASN1_ITEM */

#define ASN1_EX_TEMPLATE_TYPE(flags, tag, name, type) { \
(flags), (tag), 0, \
#name, ASN1_ITEM_ref(type) \
}

/* These help with SEQUENCE or CHOICE components */

/* used to declare other types */

#define ASN1_EX_TYPE(flags, tag, stname, field, type) { \
(flags), (tag), offsetof(stname, field), \
#field, ASN1_ITEM_ref(type) \
}

```

```

/* implicit and explicit helper macros */

#define ASN1_IMP_EX(stname, field, type, tag, ex) \
    ASN1_EX_TYPE(ASN1_TFLG_IMPLICIT | (ex), tag, stname, field,
type)

#define ASN1_EXP_EX(stname, field, type, tag, ex) \
    ASN1_EX_TYPE(ASN1_TFLG_EXPLICIT | (ex), tag, stname, field, type)

/* Any defined by macros: the field used is in the table itself */

#define ASN1_ADB_OBJECT(tblname) { ASN1_TFLG_ADB_OID, -1, 0, #tblname, tblname##_adb }
#define ASN1_ADB_INTEGER(tblname) { ASN1_TFLG_ADB_INT, -1, 0, #tblname, tblname##_adb }

/* Plain simple type */
#define ASN1_SIMPLE(stname, field, type) ASN1_EX_TYPE(0, 0, stname, field, type)
/* Embedded simple type */
#define ASN1_EMBED(stname, field, type) ASN1_EX_TYPE(ASN1_TFLG_EMBED, 0, stname, field, type)

/* OPTIONAL simple type */
#define ASN1_OPT(stname, field, type) ASN1_EX_TYPE(ASN1_TFLG_OPTIONAL, 0, stname, field, type)
#define ASN1_OPT_EMBED(stname, field, type) ASN1_EX_TYPE(ASN1_TFLG_OPTIONAL |
ASN1_TFLG_EMBED, 0, stname, field, type)

/* IMPLICIT tagged simple type */
#define ASN1_IMP(stname, field, type, tag) ASN1_IMP_EX(stname, field, type, tag, 0)
#define ASN1_IMP_EMBED(stname, field,
type, tag) ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_EMBED)

/* IMPLICIT tagged OPTIONAL simple type */
#define ASN1_IMP_OPT(stname, field, type, tag) ASN1_IMP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL)
#define ASN1_IMP_OPT_EMBED(stname, field, type, tag) ASN1_IMP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL | ASN1_TFLG_EMBED)

/* Same as above but EXPLICIT */

#define ASN1_EXP(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag, 0)
#define ASN1_EXP_EMBED(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag,
ASN1_TFLG_EMBED)
#define ASN1_EXP_OPT(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL)
#define ASN1_EXP_OPT_EMBED(stname, field, type, tag) ASN1_EXP_EX(stname, field, type, tag,
ASN1_TFLG_OPTIONAL | ASN1_TFLG_EMBED)

/* SEQUENCE OF type */
#define ASN1_SEQUENCE_OF(stname, field, type) \
    ASN1_EX_TYPE(ASN1_TFLG_SEQUENCE_OF, 0, stname, field, type)

```

```

/* OPTIONAL SEQUENCE OF */
#define ASN1_SEQUENCE_OF_OPT(stname,
    field, type) \
    ASN1_EX_TYPE(ASN1_TFLG_SEQUENCE_OF | ASN1_TFLG_OPTIONAL, 0, stname, field, type)

/* Same as above but for SET OF */

#define ASN1_SET_OF(stname, field, type) \
    ASN1_EX_TYPE(ASN1_TFLG_SET_OF, 0, stname, field, type)

#define ASN1_SET_OF_OPT(stname, field, type) \
    ASN1_EX_TYPE(ASN1_TFLG_SET_OF | ASN1_TFLG_OPTIONAL, 0, stname, field, type)

/* Finally compound types of SEQUENCE, SET, IMPLICIT, EXPLICIT and OPTIONAL */

#define ASN1_IMP_SET_OF(stname, field, type, tag) \
    ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF)

#define ASN1_EXP_SET_OF(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF)

#define ASN1_IMP_SET_OF_OPT(stname, field, type, tag) \
    ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF | ASN1_TFLG_OPTIONAL)

#define ASN1_EXP_SET_OF_OPT(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_SET_OF | ASN1_TFLG_OPTIONAL)

#define ASN1_IMP_SEQUENCE_OF(stname, field, type,
    tag) \
    ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_SEQUENCE_OF)

#define ASN1_IMP_SEQUENCE_OF_OPT(stname, field, type, tag) \
    ASN1_IMP_EX(stname, field, type, tag, ASN1_TFLG_SEQUENCE_OF | ASN1_TFLG_OPTIONAL)

#define ASN1_EXP_SEQUENCE_OF(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_SEQUENCE_OF)

#define ASN1_EXP_SEQUENCE_OF_OPT(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_SEQUENCE_OF | ASN1_TFLG_OPTIONAL)

/* EXPLICIT using indefinite length constructed form */
#define ASN1_NDEF_EXP(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_NDEF)

/* EXPLICIT OPTIONAL using indefinite length constructed form */
#define ASN1_NDEF_EXP_OPT(stname, field, type, tag) \
    ASN1_EXP_EX(stname, field, type, tag, ASN1_TFLG_OPTIONAL | ASN1_TFLG_NDEF)

```

```

/* Macros for the ASN1_ADB structure */

#define ASN1_ADB(name) \
    static const ASN1_ADB_TABLE name##_adtbl[]

#define ASN1_ADB_END(name, \
    flags, field, adb_cb, def, none) \
    ; \
    static const ASN1_ITEM *name##_adb(void) \
    { \
        static const ASN1_ADB internal_adb = { \
            flags, \
            offsetof(name, field), \
            adb_cb, \
            name##_adtbl, \
            sizeof(name##_adtbl) / sizeof(ASN1_ADB_TABLE), \
            def, \
            none \
        }; \
        return (const ASN1_ITEM *)&internal_adb; \
    } \
    void dummy_function(void)

#define ADB_ENTRY(val, template) { val, template }

#define ASN1_ADB_TEMPLATE(name) \
    \
    static const ASN1_TEMPLATE name##_tt

/*
 * This is the ASN1 template structure that defines a wrapper round the
 * actual type. It determines the actual position of the field in the value
 * structure, various flags such as OPTIONAL and the field name.
 */

struct ASN1_TEMPLATE_st {
    unsigned long flags; /* Various flags */
    long tag; /* tag, not used if no tagging */
    unsigned long offset; /* Offset of this field in structure */
    const char *field_name; /* Field name */
    ASN1_ITEM_EXP *item; /* Relevant ASN1_ITEM or ASN1_ADB */
};

/* Macro to extract ASN1_ITEM and ASN1_ADB pointer from ASN1_TEMPLATE */

#define ASN1_TEMPLATE_item(t) (t->item_ptr)
#define ASN1_TEMPLATE_adb(t) (t->item_ptr)

```

```

typedef struct ASN1_ADB_TABLE_st ASN1_ADB_TABLE;
typedef struct ASN1_ADB_st ASN1_ADB;

struct ASN1_ADB_st {
    unsigned long flags; /* Various flags */
    unsigned long offset; /* Offset of selector field */
    int (*adb_cb)(long *psel); /* Application
callback */
    const ASN1_ADB_TABLE *tbl; /* Table of possible types */
    long tblcount; /* Number of entries in tbl */
    const ASN1_TEMPLATE *default_tt; /* Type to use if no match */
    const ASN1_TEMPLATE *null_tt; /* Type to use if selector is NULL */
};

struct ASN1_ADB_TABLE_st {
    long value; /* NID for an object or value for an int */
    const ASN1_TEMPLATE tt; /* item for this value */
};

/* template flags */

/* Field is optional */
#define ASN1_TFLG_OPTIONAL (0x1)

/* Field is a SET OF */
#define ASN1_TFLG_SET_OF (0x1 << 1)

/* Field is a SEQUENCE OF */
#define ASN1_TFLG_SEQUENCE_OF (0x2 << 1)

/*
 * Special case: this refers to a SET OF that will be sorted into DER order
 * when encoded *and* the corresponding STACK will be modified to match the
 * new order.
 */
#define ASN1_TFLG_SET_ORDER (0x3 << 1)

/* Mask for SET OF or SEQUENCE OF */
#define ASN1_TFLG_SK_MASK (0x3 << 1)

/*
 * These flags mean the tag should be taken from the tag field. If EXPLICIT
 * then the
 * underlying type is used for the inner tag.
 */

/* IMPLICIT tagging */

```

```

#define ASN1_TFLG_IMPTAG (0x1 << 3)

/* EXPLICIT tagging, inner tag from underlying type */
#define ASN1_TFLG_EXPTAG (0x2 << 3)

#define ASN1_TFLG_TAG_MASK (0x3 << 3)

/* context specific IMPLICIT */
#define ASN1_TFLG_IMPLICIT (ASN1_TFLG_IMPTAG | ASN1_TFLG_CONTEXT)

/* context specific EXPLICIT */
#define ASN1_TFLG_EXPLICIT (ASN1_TFLG_EXPTAG | ASN1_TFLG_CONTEXT)

/*
 * If tagging is in force these determine the type of tag to use. Otherwise
 * the tag is determined by the underlying type. These values reflect the
 * actual octet format.
 */

/* Universal tag */
#define ASN1_TFLG_UNIVERSAL (0x0 << 6)
/* Application tag */
#define ASN1_TFLG_APPLICATION (0x1 << 6)
/* Context specific tag */
#define ASN1_TFLG_CONTEXT (0x2 << 6)
/* Private tag */
#define ASN1_TFLG_PRIVATE (0x3 << 6)

#define ASN1_TFLG_TAG_CLASS (0x3 << 6)

/*
 * These are for ANY DEFINED BY type. In this case the 'item' field points to
 * an ASN1_ADB structure
 * which contains a table of values to decode the
 * relevant type
 */

#define ASN1_TFLG_ADB_MASK (0x3 << 8)

#define ASN1_TFLG_ADB_OID (0x1 << 8)

#define ASN1_TFLG_ADB_INT (0x1 << 9)

/*
 * This flag when present in a SEQUENCE OF, SET OF or EXPLICIT causes
 * indefinite length constructed encoding to be used if required.
 */

```



```

#define ASN1_TFLG_NDEF (0x1 << 11)

/* Field is embedded and not a pointer */
#define ASN1_TFLG_EMBED (0x1 << 12)

/* This is the actual ASN1 item itself */

struct ASN1_ITEM_st {
    char itype; /* The item type, primitive, SEQUENCE, CHOICE
                * or extern */
    long utype; /* underlying type */
    const ASN1_TEMPLATE *templates; /* If SEQUENCE or CHOICE this contains
                * the contents */
    long tcount; /* Number of templates if SEQUENCE or CHOICE */
    const void *funcs; /* further data and type-specific functions */
    /* funcs can be ASN1_PRIMITIVE_FUNCS*, ASN1_EXTERN_FUNCS*, or ASN1_AUX* */
    long
size; /* Structure size (usually) */
    const char *sname; /* Structure name */
};

/*
 * Cache for ASN1 tag and length, so we don't keep re-reading it for things
 * like CHOICE
 */

struct ASN1_TLC_st {
    char valid; /* Values below are valid */
    int ret; /* return value */
    long plen; /* length */
    int ptag; /* class value */
    int pclass; /* class value */
    int hdrlen; /* header length */
};

/* Typedefs for ASN1 function pointers */
typedef int ASN1_ex_d2i(ASN1_VALUE **pval, const unsigned char **in, long len,
    const ASN1_ITEM *it, int tag, int aclass, char opt,
    ASN1_TLC *ctx);

typedef int ASN1_ex_d2i_ex(ASN1_VALUE **pval, const unsigned char **in, long len,
    const ASN1_ITEM *it, int tag, int aclass, char opt,
    ASN1_TLC *ctx, OSSL_LIB_CTX *libctx,
    const char *propq);
typedef int ASN1_ex_i2d(const ASN1_VALUE **pval, unsigned char **out,
    const ASN1_ITEM *it, int tag, int aclass);
typedef int ASN1_ex_new_func(ASN1_VALUE **pval, const ASN1_ITEM

```

```

*it);
typedef int ASN1_ex_new_ex_func(ASN1_VALUE **pval, const ASN1_ITEM *it,
    OSSL_LIB_CTX *libctx, const char *propq);
typedef void ASN1_ex_free_func(ASN1_VALUE **pval, const ASN1_ITEM *it);

typedef int ASN1_ex_print_func(BIO *out, const ASN1_VALUE **pval,
    int indent, const char *fname,
    const ASN1_PCTX *pctx);

typedef int ASN1_primitive_i2c(const ASN1_VALUE **pval, unsigned char *cont,
    int *putype, const ASN1_ITEM *it);
typedef int ASN1_primitive_c2i(ASN1_VALUE **pval, const unsigned char *cont,
    int len, int utype, char *free_cont,
    const ASN1_ITEM *it);
typedef int ASN1_primitive_print(BIO *out, const ASN1_VALUE **pval,
    const ASN1_ITEM *it, int indent,
    const ASN1_PCTX *pctx);

typedef struct ASN1_EXTERN_FUNCS_st {
    void *app_data;
    ASN1_ex_new_func *asn1_ex_new;
    ASN1_ex_free_func *asn1_ex_free;
    ASN1_ex_free_func *asn1_ex_clear;
    ASN1_ex_d2i *asn1_ex_d2i;
    ASN1_ex_i2d *asn1_ex_i2d;
    ASN1_ex_print_func *asn1_ex_print;
    ASN1_ex_new_ex_func
*asn1_ex_new_ex;
    ASN1_ex_d2i_ex *asn1_ex_d2i_ex;
} ASN1_EXTERN_FUNCS;

typedef struct ASN1_PRIMITIVE_FUNCS_st {
    void *app_data;
    unsigned long flags;
    ASN1_ex_new_func *prim_new;
    ASN1_ex_free_func *prim_free;
    ASN1_ex_free_func *prim_clear;
    ASN1_primitive_c2i *prim_c2i;
    ASN1_primitive_i2c *prim_i2c;
    ASN1_primitive_print *prim_print;
} ASN1_PRIMITIVE_FUNCS;

/*
* This is the ASN1_AUX structure: it handles various miscellaneous
* requirements. For example the use of reference counts and an informational
* callback. The "informational callback" is called at various points during
* the ASN1 encoding and decoding. It can be used to provide minor
* customisation of the structures used. This is most useful where the

```

- * supplied routines *almost* do the right thing but need some extra help at
- * a few points. If the callback returns zero then it is assumed a fatal
- * error has occurred and the main operation should be abandoned. If major
- * changes
- in the default behaviour are required then an external type is
- * more appropriate.
- * For the operations ASN1_OP_I2D_PRE, ASN1_OP_I2D_POST, ASN1_OP_PRINT_PRE, and
- * ASN1_OP_PRINT_POST, meanwhile a variant of the callback with const parameter
- * 'in' is provided to make clear statically that its input is not modified. If
- * and only if this variant is in use the flag ASN1_AFLG_CONST_CB must be set.
- */

```
typedef int ASN1_aux_cb(int operation, ASN1_VALUE **in, const ASN1_ITEM *it,
    void *exarg);
```

```
typedef int ASN1_aux_const_cb(int operation, const ASN1_VALUE **in,
    const ASN1_ITEM *it, void *exarg);
```

```
typedef struct ASN1_AUX_st {
    void *app_data;
    int flags;
    int ref_offset; /* Offset of reference value */
    int ref_lock; /* Offset of lock value */
    ASN1_aux_cb *asn1_cb;
    int enc_offset; /* Offset of ASN1_ENCODING structure */
    ASN1_aux_const_cb *asn1_const_cb; /* for ASN1_OP_I2D_ and ASN1_OP_PRINT_ */
} ASN1_AUX;
```

```
/* For print related callbacks exarg points
to this structure */
```

```
typedef struct ASN1_PRINT_ARG_st {
    BIO *out;
    int indent;
    const ASN1_PCTX *pctx;
} ASN1_PRINT_ARG;
```

```
/* For streaming related callbacks exarg points to this structure */
```

```
typedef struct ASN1_STREAM_ARG_st {
    /* BIO to stream through */
    BIO *out;
    /* BIO with filters appended */
    BIO *ndef_bio;
    /* Streaming I/O boundary */
    unsigned char **boundary;
} ASN1_STREAM_ARG;
```

```
/* Flags in ASN1_AUX */
```

```
/* Use a reference count */
```

```

#define ASN1_AFLG_REFCOUNT 1
/* Save the encoding of structure (useful for signatures) */
#define ASN1_AFLG_ENCODING 2
/* The Sequence length is invalid */
#define ASN1_AFLG_BROKEN 4
/* Use the new asn1_const_cb */
#define ASN1_AFLG_CONST_CB 8

/* operation values for asn1_cb */

#define ASN1_OP_NEW_PRE 0
#define ASN1_OP_NEW_POST 1
#define ASN1_OP_FREE_PRE 2
#define ASN1_OP_FREE_POST 3
#define ASN1_OP_D2I_PRE 4
#define ASN1_OP_D2I_POST 5
#define ASN1_OP_I2D_PRE 6
#define ASN1_OP_I2D_POST 7
#define ASN1_OP_PRINT_PRE 8
#define
ASN1_OP_PRINT_POST 9
#define ASN1_OP_STREAM_PRE 10
#define ASN1_OP_STREAM_POST 11
#define ASN1_OP_DETACHED_PRE 12
#define ASN1_OP_DETACHED_POST 13
#define ASN1_OP_DUP_PRE 14
#define ASN1_OP_DUP_POST 15
#define ASN1_OP_GET0_LIBCTX 16
#define ASN1_OP_GET0_PROPO 17

/* Macro to implement a primitive type */
#define IMPLEMENT_ASN1_TYPE(sname) IMPLEMENT_ASN1_TYPE_ex(sname, sname, 0)
#define IMPLEMENT_ASN1_TYPE_ex(itname, vname, ex) \
ASN1_ITEM_start(itname) \
ASN1_ITYPE_PRIMITIVE, \
V_##vname, NULL, 0, NULL, ex, #itname ASN1_ITEM_end(itname)

/* Macro to implement a multi string type */
#define IMPLEMENT_ASN1_MSTRING(itname, mask) \
ASN1_ITEM_start(itname) \
ASN1_ITYPE_MSTRING, \
mask, NULL, 0, NULL, sizeof(ASN1_STRING), #itname ASN1_ITEM_end(itname)

#define IMPLEMENT_EXTERN_ASN1(sname, tag, fptrs) \
ASN1_ITEM_start(sname) \
ASN1_ITYPE_EXTERN, \
\
tag, \

```

```

    NULL,                \
    0,                    \
    &fptrs,               \
    0,                    \
    #sname ASN1_ITEM_end(sname)

/* Macro to implement standard functions in terms of ASN1_ITEM structures */

#define IMPLEMENT_ASN1_FUNCTIONS(sname) IMPLEMENT_ASN1_FUNCTIONS_fname(sname, sname, sname)

#define IMPLEMENT_ASN1_FUNCTIONS_name(sname, itname)
IMPLEMENT_ASN1_FUNCTIONS_fname(sname, itname, itname)

#define IMPLEMENT_ASN1_FUNCTIONS_ENCODE_name(sname, itname) \
    IMPLEMENT_ASN1_FUNCTIONS_ENCODE_fname(sname, itname, itname)

#define IMPLEMENT_STATIC_ASN1_ALLOC_FUNCTIONS(sname) \
    IMPLEMENT_ASN1_ALLOC_FUNCTIONS_pfname(static, sname, sname, sname)

#define IMPLEMENT_ASN1_ALLOC_FUNCTIONS(sname) \
    IMPLEMENT_ASN1_ALLOC_FUNCTIONS_fname(sname, sname, sname)

#define IMPLEMENT_ASN1_ALLOC_FUNCTIONS_pfname(pre, sname, itname, fname) \
    pre sname *fname##_new(void) \
    { \
        return (sname *)ASN1_item_new(ASN1_ITEM_rptr(itname)); \
    } \
    pre void fname##_free(sname *a) \
    { \
        ASN1_item_free((ASN1_VALUE *)a, ASN1_ITEM_rptr(itname)); \
    }

#define IMPLEMENT_ASN1_ALLOC_FUNCTIONS_fname(sname, itname, fname) \
    sname *fname##_new(void) \
    { \
        return (sname *)ASN1_item_new(ASN1_ITEM_rptr(itname)); \
    } \
    void fname##_free(sname *a) \
    { \
        ASN1_item_free((ASN1_VALUE *)a, ASN1_ITEM_rptr(itname)); \
    }

#define IMPLEMENT_ASN1_FUNCTIONS_fname(sname, itname, fname) \
    IMPLEMENT_ASN1_ENCODE_FUNCTIONS_fname(sname, itname, fname) \
    IMPLEMENT_ASN1_ALLOC_FUNCTIONS_fname(sname, itname, fname)

```

```

#define IMPLEMENT_ASN1_ENCODE_FUNCTIONS_fname(stname, itname, fname) \
    stname *d2i_##fname(stname **a, const unsigned char **in, long len) \
    { \
        return (stname *)ASN1_item_d2i((ASN1_VALUE **)a, in, len, ASN1_ITEM_rptr(itname)); \
    } \
    int i2d_##fname(const stname *a, unsigned char **out) \
    { \
        return ASN1_item_i2d((const ASN1_VALUE *)a, out, ASN1_ITEM_rptr(itname)); \
    }

#define IMPLEMENT_ASN1_NDEF_FUNCTION(stname) \
    int i2d_##stname##_NDEF(const stname *a, unsigned char **out) \
    { \
        return ASN1_item_ndef_i2d((const ASN1_VALUE *)a, out, ASN1_ITEM_rptr(stname)); \
    }

#define IMPLEMENT_STATIC_ASN1_ENCODE_FUNCTIONS(stname) \
    static stname *d2i_##stname(stname **a, \
        const unsigned char **in, long len) \
    { \
        return (stname *)ASN1_item_d2i((ASN1_VALUE **)a, in, len, \
            ASN1_ITEM_rptr(stname)); \
    } \
    static int i2d_##stname(const stname *a, \
        unsigned char **out) \
    { \
        return ASN1_item_i2d((const ASN1_VALUE *)a, out, \
            ASN1_ITEM_rptr(stname)); \
    }

#define IMPLEMENT_ASN1_DUP_FUNCTION(stname) \
    stname *stname##_dup(const stname *x) \
    { \
        return ASN1_item_dup(ASN1_ITEM_rptr(stname), x); \
    }

#define IMPLEMENT_ASN1_PRINT_FUNCTION(stname) \
    IMPLEMENT_ASN1_PRINT_FUNCTION_fname(stname, stname, stname)

#define IMPLEMENT_ASN1_PRINT_FUNCTION_fname(stname, itname, fname) \
    int fname##_print_ctx(BIO *out, const stname *x, int indent, \
        const ASN1_PCTX *pctx) \
    { \
        return ASN1_item_print(out, (const ASN1_VALUE *)x, indent, \
            ASN1_ITEM_rptr(itname), pctx); \
    }

```

```

\
}

/* external definitions for primitive types */

DECLARE_ASN1_ITEM(ASN1_BOOLEAN)
DECLARE_ASN1_ITEM(ASN1_TBOOLEAN)
DECLARE_ASN1_ITEM(ASN1_FBOOLEAN)
DECLARE_ASN1_ITEM(ASN1_SEQUENCE)
DECLARE_ASN1_ITEM(CBIGNUM)
DECLARE_ASN1_ITEM(BIGNUM)
DECLARE_ASN1_ITEM(INT32)
DECLARE_ASN1_ITEM(ZINT32)
DECLARE_ASN1_ITEM(UINT32)
DECLARE_ASN1_ITEM(ZUINT32)
DECLARE_ASN1_ITEM(INT64)
DECLARE_ASN1_ITEM(ZINT64)
DECLARE_ASN1_ITEM(UINT64)
DECLARE_ASN1_ITEM(ZUINT64)

#ifdef OPENSSL_NO_DEPRECATED_3_0
/*
 * LONG and ZLONG are strongly discouraged for use as stored data, as the
 * underlying C type (long) differs in size depending on the architecture.
 * They are designed with 32-bit longs in mind.
 */
DECLARE_ASN1_ITEM(LONG)
DECLARE_ASN1_ITEM(ZLONG)
#endif

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASN1_VALUE, ASN1_VALUE, ASN1_VALUE)
#define sk_ASN1_VALUE_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_value(sk, idx) ((ASN1_VALUE
*)OPENSSL_sk_value(ssl_check_const_ASN1_VALUE_sk_type(sk),
(idx)))
#define sk_ASN1_VALUE_new(cmp) ((STACK_OF(ASN1_VALUE)
*)OPENSSL_sk_new(ssl_check_ASN1_VALUE_compfunc_type(cmp)))
#define sk_ASN1_VALUE_new_null() ((STACK_OF(ASN1_VALUE) *)OPENSSL_sk_new_null())
#define sk_ASN1_VALUE_new_reserve(cmp, n) ((STACK_OF(ASN1_VALUE)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_VALUE_compfunc_type(cmp), (n)))
#define sk_ASN1_VALUE_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_VALUE_sk_type(sk), (n))
#define sk_ASN1_VALUE_free(sk) OPENSSL_sk_free(ssl_check_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_delete(sk, i) ((ASN1_VALUE
*)OPENSSL_sk_delete(ssl_check_ASN1_VALUE_sk_type(sk), (i)))
#define sk_ASN1_VALUE_delete_ptr(sk, ptr) ((ASN1_VALUE
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_VALUE_sk_type(sk), ssl_check_ASN1_VALUE_type(ptr)))

```

```

#define sk_ASN1_VALUE_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define
sk_ASN1_VALUE_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define sk_ASN1_VALUE_pop(sk) ((ASN1_VALUE
*)OPENSSL_sk_pop(ssl_check_ASN1_VALUE_sk_type(sk)))
#define sk_ASN1_VALUE_shift(sk) ((ASN1_VALUE
*)OPENSSL_sk_shift(ssl_check_ASN1_VALUE_sk_type(sk)))
#define sk_ASN1_VALUE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_VALUE_sk_type(sk),ssl_check_ASN1_VALUE_freefunc_type(freef
unc))
#define sk_ASN1_VALUE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr), (idx))
#define sk_ASN1_VALUE_set(sk, idx, ptr) ((ASN1_VALUE
*)OPENSSL_sk_set(ssl_check_ASN1_VALUE_sk_type(sk), (idx), ssl_check_ASN1_VALUE_type(ptr)))
#define sk_ASN1_VALUE_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define sk_ASN1_VALUE_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr))
#define
sk_ASN1_VALUE_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_type(ptr), pnum)
#define sk_ASN1_VALUE_sort(sk) OPENSSL_sk_sort(ssl_check_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ASN1_VALUE_sk_type(sk))
#define sk_ASN1_VALUE_dup(sk) ((STACK_OF(ASN1_VALUE)
*)OPENSSL_sk_dup(ssl_check_const_ASN1_VALUE_sk_type(sk)))
#define sk_ASN1_VALUE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_VALUE)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_copyfunc_type(copyfunc), ssl_check_ASN1_VALUE_freefunc_type(freefunc)))
#define sk_ASN1_VALUE_set_cmp_func(sk, cmp)
((sk_ASN1_VALUE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASN1_VALUE_sk_type(sk),
ssl_check_ASN1_VALUE_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

/* Functions used internally by the ASN1 code */

```

```

int ASN1_item_ex_new(ASN1_VALUE **pval, const ASN1_ITEM *it);
void ASN1_item_ex_free(ASN1_VALUE
**pval, const ASN1_ITEM *it);

```

```

int ASN1_item_ex_d2i(ASN1_VALUE **pval, const unsigned char **in, long len,
const ASN1_ITEM *it, int tag, int aclass, char opt,
ASN1_TLC *ctx);

```

```

int ASN1_item_ex_i2d(const ASN1_VALUE **pval, unsigned char **out,
const ASN1_ITEM *it, int tag, int aclass);

```



```
/* Legacy compatibility */
#define IMPLEMENT_ASN1_FUNCTIONS_const(name) IMPLEMENT_ASN1_FUNCTIONS(name)
#define IMPLEMENT_ASN1_ENCODE_FUNCTIONS_const_fname(stname, itname, fname) \
    IMPLEMENT_ASN1_ENCODE_FUNCTIONS_fname(stname, itname, fname)

#ifdef __cplusplus
}
#endif
#endif

Copyright (c) 2011 Alexander Shtuchkin
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2022 Nicol Ribaudo

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE

OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/x509_vfy.h.in

*

* Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSSL_X509_VFY_H

#define OPENSSSL_X509_VFY_H

#pragma once

#include <openssl/macros.h>

#ifndef OPENSSSL_NO_DEPRECATED_3_0

#define HEADER_X509_VFY_H

#endif

/*

* Protect against recursion, x509.h and x509_vfy.h each include the other.

*/

#ifndef OPENSSSL_X509_H

#include <openssl/x509.h>

#endif

#include <openssl/opensslconf.h>

#include <openssl/lhash.h>

#include <openssl/bio.h>

#include <openssl/crypto.h>

#include <openssl/symhacks.h>

#ifdef __cplusplus

extern "C" {

#endif

/*-

SSL_CTX -> X509_STORE

-> X509_LOOKUP

->X509_LOOKUP_METHOD

-> X509_LOOKUP
->X509_LOOKUP_METHOD

SSL -> X509_STORE_CTX
->X509_STORE

The X509_STORE holds the tables etc for verification stuff.
A X509_STORE_CTX is used while validating a single certificate.
The X509_STORE has X509_LOOKUPS for looking up certs.
The X509_STORE then calls a function to actually verify the
certificate chain.

*/

```
typedef enum {  
    X509_LU_NONE = 0,  
    X509_LU_X509,  
    X509_LU_CRL  
} X509_LOOKUP_TYPE;
```

```
#ifndef OPENSSL_NO_DEPRECATED_1_1_0  
#define X509_LU_RETRY -1  
#define X509_LU_FAIL 0  
#endif
```

/* clang-format off */

```
SKM_DEFINE_STACK_OF_INTERNAL(X509_LOOKUP, X509_LOOKUP, X509_LOOKUP)  
#define sk_X509_LOOKUP_num(sk) OPENSSL_sk_num(ssl_check_const_X509_LOOKUP_sk_type(sk))  
#define sk_X509_LOOKUP_value(sk, idx) ((X509_LOOKUP  
*)OPENSSL_sk_value(ssl_check_const_X509_LOOKUP_sk_type(sk), (idx)))  
#define sk_X509_LOOKUP_new(cmp) ((STACK_OF(X509_LOOKUP)  
*)OPENSSL_sk_new(ssl_check_X509_LOOKUP_compfunc_type(cmp)))  
#define  
    sk_X509_LOOKUP_new_null() ((STACK_OF(X509_LOOKUP) *)OPENSSL_sk_new_null())  
#define sk_X509_LOOKUP_new_reserve(cmp, n) ((STACK_OF(X509_LOOKUP)  
*)OPENSSL_sk_new_reserve(ssl_check_X509_LOOKUP_compfunc_type(cmp), (n)))  
#define sk_X509_LOOKUP_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_LOOKUP_sk_type(sk), (n))  
#define sk_X509_LOOKUP_free(sk) OPENSSL_sk_free(ssl_check_X509_LOOKUP_sk_type(sk))  
#define sk_X509_LOOKUP_zero(sk) OPENSSL_sk_zero(ssl_check_X509_LOOKUP_sk_type(sk))  
#define sk_X509_LOOKUP_delete(sk, i) ((X509_LOOKUP  
*)OPENSSL_sk_delete(ssl_check_X509_LOOKUP_sk_type(sk), (i)))  
#define sk_X509_LOOKUP_delete_ptr(sk, ptr) ((X509_LOOKUP  
*)OPENSSL_sk_delete_ptr(ssl_check_X509_LOOKUP_sk_type(sk), ssl_check_X509_LOOKUP_type(ptr)))  
#define sk_X509_LOOKUP_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_LOOKUP_sk_type(sk),  
    ssl_check_X509_LOOKUP_type(ptr))  
#define sk_X509_LOOKUP_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_LOOKUP_sk_type(sk),  
    ssl_check_X509_LOOKUP_type(ptr))  
#define sk_X509_LOOKUP_pop(sk) ((X509_LOOKUP  
*)OPENSSL_sk_pop(ssl_check_X509_LOOKUP_sk_type(sk)))
```

```

#define sk_X509_LOOKUP_shift(sk) ((X509_LOOKUP
*)OPENSSL_sk_shift(ssl_check_X509_LOOKUP_sk_type(sk)))
#define sk_X509_LOOKUP_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_LOOKUP_sk_type(sk),ssl_check_X509_LOOKUP_freefunc_type(free
func))
#define sk_X509_LOOKUP_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr), (idx))
#define sk_X509_LOOKUP_set(sk, idx, ptr) ((X509_LOOKUP
*)OPENSSL_sk_set(ssl_check_X509_LOOKUP_sk_type(sk), (idx), ssl_check_X509_LOOKUP_type(ptr)))
#define sk_X509_LOOKUP_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr))
#define sk_X509_LOOKUP_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_type(ptr))
#define sk_X509_LOOKUP_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_LOOKUP_sk_type(sk), ssl_check_X509_LOOKUP_type(ptr), pnum)
#define sk_X509_LOOKUP_sort(sk) OPENSSL_sk_sort(ssl_check_X509_LOOKUP_sk_type(sk))
#define sk_X509_LOOKUP_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_LOOKUP_sk_type(sk))
#define sk_X509_LOOKUP_dup(sk) ((STACK_OF(X509_LOOKUP)
*)OPENSSL_sk_dup(ssl_check_const_X509_LOOKUP_sk_type(sk)))
#define sk_X509_LOOKUP_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_LOOKUP)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_copyfunc_type(copyfunc), ssl_check_X509_LOOKUP_freefunc_type(freefunc)))
#define sk_X509_LOOKUP_set_cmp_func(sk, cmp)
((sk_X509_LOOKUP_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_LOOKUP_sk_type(sk),
ssl_check_X509_LOOKUP_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_OBJECT, X509_OBJECT, X509_OBJECT)
#define sk_X509_OBJECT_num(sk) OPENSSL_sk_num(ssl_check_const_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_value(sk,
idx) ((X509_OBJECT *)OPENSSL_sk_value(ssl_check_const_X509_OBJECT_sk_type(sk), (idx)))
#define sk_X509_OBJECT_new(cmp) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_new(ssl_check_X509_OBJECT_compfunc_type(cmp)))
#define sk_X509_OBJECT_new_null() ((STACK_OF(X509_OBJECT) *)OPENSSL_sk_new_null())
#define sk_X509_OBJECT_new_reserve(cmp, n) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_new_reserve(ssl_check_X509_OBJECT_compfunc_type(cmp), (n)))
#define sk_X509_OBJECT_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_OBJECT_sk_type(sk), (n))
#define sk_X509_OBJECT_free(sk) OPENSSL_sk_free(ssl_check_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_zero(sk) OPENSSL_sk_zero(ssl_check_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_delete(sk, i) ((X509_OBJECT
*)OPENSSL_sk_delete(ssl_check_X509_OBJECT_sk_type(sk), (i)))
#define sk_X509_OBJECT_delete_ptr(sk, ptr) ((X509_OBJECT
*)OPENSSL_sk_delete_ptr(ssl_check_X509_OBJECT_sk_type(sk), ssl_check_X509_OBJECT_type(ptr)))
#define sk_X509_OBJECT_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509_OBJECT_sk_type(sk), ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_pop(sk) ((X509_OBJECT
*)OPENSSL_sk_pop(ssl_check_X509_OBJECT_sk_type(sk)))

```

```

#define sk_X509_OBJECT_shift(sk) ((X509_OBJECT
*)OPENSSL_sk_shift(ssl_check_X509_OBJECT_sk_type(sk)))
#define sk_X509_OBJECT_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_OBJECT_sk_type(sk),ssl_check_X509_OBJECT_freefunc_type(freef
unc))
#define sk_X509_OBJECT_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr), (idx))
#define sk_X509_OBJECT_set(sk, idx, ptr) ((X509_OBJECT
*)OPENSSL_sk_set(ssl_check_X509_OBJECT_sk_type(sk), (idx), ssl_check_X509_OBJECT_type(ptr)))
#define sk_X509_OBJECT_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_find_ex(sk,
ptr) OPENSSL_sk_find_ex(ssl_check_X509_OBJECT_sk_type(sk), ssl_check_X509_OBJECT_type(ptr))
#define sk_X509_OBJECT_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_OBJECT_sk_type(sk), ssl_check_X509_OBJECT_type(ptr), pnum)
#define sk_X509_OBJECT_sort(sk) OPENSSL_sk_sort(ssl_check_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_OBJECT_sk_type(sk))
#define sk_X509_OBJECT_dup(sk) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_dup(ssl_check_const_X509_OBJECT_sk_type(sk)))
#define sk_X509_OBJECT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_OBJECT)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_copyfunc_type(copyfunc), ssl_check_X509_OBJECT_freefunc_type(freefunc)))
#define sk_X509_OBJECT_set_cmp_func(sk, cmp)
((sk_X509_OBJECT_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_OBJECT_sk_type(sk),
ssl_check_X509_OBJECT_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(X509_VERIFY_PARAM,
X509_VERIFY_PARAM, X509_VERIFY_PARAM)
#define sk_X509_VERIFY_PARAM_num(sk)
OPENSSL_sk_num(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_value(sk, idx) ((X509_VERIFY_PARAM
*)OPENSSL_sk_value(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk), (idx)))
#define sk_X509_VERIFY_PARAM_new(cmp) ((STACK_OF(X509_VERIFY_PARAM)
*)OPENSSL_sk_new(ssl_check_X509_VERIFY_PARAM_compfunc_type(cmp)))
#define sk_X509_VERIFY_PARAM_new_null() ((STACK_OF(X509_VERIFY_PARAM)
*)OPENSSL_sk_new_null())
#define sk_X509_VERIFY_PARAM_new_reserve(cmp, n) ((STACK_OF(X509_VERIFY_PARAM)
*)OPENSSL_sk_new_reserve(ssl_check_X509_VERIFY_PARAM_compfunc_type(cmp), (n)))
#define sk_X509_VERIFY_PARAM_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_X509_VERIFY_PARAM_sk_type(sk), (n))
#define sk_X509_VERIFY_PARAM_free(sk)
OPENSSL_sk_free(ssl_check_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_zero(sk)
OPENSSL_sk_zero(ssl_check_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_delete(sk,
i) ((X509_VERIFY_PARAM *)OPENSSL_sk_delete(ssl_check_X509_VERIFY_PARAM_sk_type(sk), (i)))
#define sk_X509_VERIFY_PARAM_delete_ptr(sk, ptr) ((X509_VERIFY_PARAM
*)OPENSSL_sk_delete_ptr(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr)))

```

```

#define sk_X509_VERIFY_PARAM_push(sk, ptr)
OPENSSL_sk_push(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))
#define sk_X509_VERIFY_PARAM_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))
#define sk_X509_VERIFY_PARAM_pop(sk) ((X509_VERIFY_PARAM
*)OPENSSL_sk_pop(ssl_check_X509_VERIFY_PARAM_sk_type(sk)))
#define sk_X509_VERIFY_PARAM_shift(sk) ((X509_VERIFY_PARAM
*)OPENSSL_sk_shift(ssl_check_X509_VERIFY_PARAM_sk_type(sk)))
#define sk_X509_VERIFY_PARAM_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_VERIFY_PARAM_sk_type(sk),ssl_check_X509_VERIFY_PARAM_
freefunc_type(freefunc))
#define sk_X509_VERIFY_PARAM_insert(sk,
ptr, idx) OPENSSL_sk_insert(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr), (idx))
#define sk_X509_VERIFY_PARAM_set(sk, idx, ptr) ((X509_VERIFY_PARAM
*)OPENSSL_sk_set(ssl_check_X509_VERIFY_PARAM_sk_type(sk), (idx),
ssl_check_X509_VERIFY_PARAM_type(ptr)))
#define sk_X509_VERIFY_PARAM_find(sk, ptr)
OPENSSL_sk_find(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))
#define sk_X509_VERIFY_PARAM_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr))
#define sk_X509_VERIFY_PARAM_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_type(ptr), pnum)
#define sk_X509_VERIFY_PARAM_sort(sk)
OPENSSL_sk_sort(ssl_check_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk))
#define sk_X509_VERIFY_PARAM_dup(sk)
((STACK_OF(X509_VERIFY_PARAM)
*)OPENSSL_sk_dup(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk)))
#define sk_X509_VERIFY_PARAM_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_VERIFY_PARAM)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_VERIFY_PARAM_sk_type(sk),
ssl_check_X509_VERIFY_PARAM_copyfunc_type(copyfunc),
ssl_check_X509_VERIFY_PARAM_freefunc_type(freefunc)))
#define sk_X509_VERIFY_PARAM_set_cmp_func(sk, cmp)
((sk_X509_VERIFY_PARAM_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_VERIFY_PARAM_sk_
type(sk), ssl_check_X509_VERIFY_PARAM_compfunc_type(cmp)))

/* clang-format on */

/* This is used for a table of trust checking functions */
typedef struct x509_trust_st {
    int trust;

```

```

int flags;
int (*check_trust)(struct x509_trust_st *, X509 *, int);
char *name;
int arg1;
void *arg2;
} X509_TRUST;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_TRUST, X509_TRUST, X509_TRUST)
#define sk_X509_TRUST_num(sk) OPENSSL_sk_num(ssl_check_const_X509_TRUST_sk_type(sk))
#define
sk_X509_TRUST_value(sk, idx) ((X509_TRUST
*)OPENSSL_sk_value(ssl_check_const_X509_TRUST_sk_type(sk), (idx)))
#define sk_X509_TRUST_new(cmp) ((STACK_OF(X509_TRUST)
*)OPENSSL_sk_new(ssl_check_X509_TRUST_compfunc_type(cmp)))
#define sk_X509_TRUST_new_null() ((STACK_OF(X509_TRUST) *)OPENSSL_sk_new_null())
#define sk_X509_TRUST_new_reserve(cmp, n) ((STACK_OF(X509_TRUST)
*)OPENSSL_sk_new_reserve(ssl_check_X509_TRUST_compfunc_type(cmp), (n)))
#define sk_X509_TRUST_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_TRUST_sk_type(sk), (n))
#define sk_X509_TRUST_free(sk) OPENSSL_sk_free(ssl_check_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_zero(sk) OPENSSL_sk_zero(ssl_check_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_delete(sk, i) ((X509_TRUST
*)OPENSSL_sk_delete(ssl_check_X509_TRUST_sk_type(sk), (i)))
#define sk_X509_TRUST_delete_ptr(sk, ptr) ((X509_TRUST
*)OPENSSL_sk_delete_ptr(ssl_check_X509_TRUST_sk_type(sk), ssl_check_X509_TRUST_type(ptr)))
#define sk_X509_TRUST_push(sk,
ptr) OPENSSL_sk_push(ssl_check_X509_TRUST_sk_type(sk), ssl_check_X509_TRUST_type(ptr))
#define sk_X509_TRUST_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_TRUST_sk_type(sk),
ssl_check_X509_TRUST_type(ptr))
#define sk_X509_TRUST_pop(sk) ((X509_TRUST *)OPENSSL_sk_pop(ssl_check_X509_TRUST_sk_type(sk)))
#define sk_X509_TRUST_shift(sk) ((X509_TRUST
*)OPENSSL_sk_shift(ssl_check_X509_TRUST_sk_type(sk)))
#define sk_X509_TRUST_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_TRUST_sk_type(sk), ssl_check_X509_TRUST_freefunc_type(freefunc
))
#define sk_X509_TRUST_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_TRUST_sk_type(sk),
ssl_check_X509_TRUST_type(ptr), (idx))
#define sk_X509_TRUST_set(sk, idx, ptr) ((X509_TRUST
*)OPENSSL_sk_set(ssl_check_X509_TRUST_sk_type(sk), (idx), ssl_check_X509_TRUST_type(ptr)))
#define sk_X509_TRUST_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_TRUST_sk_type(sk),
ssl_check_X509_TRUST_type(ptr))
#define sk_X509_TRUST_find_ex(sk,
ptr) OPENSSL_sk_find_ex(ssl_check_X509_TRUST_sk_type(sk), ssl_check_X509_TRUST_type(ptr))
#define sk_X509_TRUST_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_X509_TRUST_sk_type(sk),
ssl_check_X509_TRUST_type(ptr), pnum)
#define sk_X509_TRUST_sort(sk) OPENSSL_sk_sort(ssl_check_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_TRUST_sk_type(sk))
#define sk_X509_TRUST_dup(sk) ((STACK_OF(X509_TRUST)
*)OPENSSL_sk_dup(ssl_check_const_X509_TRUST_sk_type(sk)))

```

```

#define sk_X509_TRUST_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_TRUST)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_TRUST_sk_type(sk),
ssl_check_X509_TRUST_copyfunc_type(copyfunc), ssl_check_X509_TRUST_freefunc_type(freefunc)))
#define sk_X509_TRUST_set_cmp_func(sk, cmp)
((sk_X509_TRUST_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_TRUST_sk_type(sk),
ssl_check_X509_TRUST_compfunc_type(cmp)))

/* clang-format on */

/* standard trust ids */
#define X509_TRUST_DEFAULT
0 /* Only valid in purpose settings */
#define X509_TRUST_COMPAT 1
#define X509_TRUST_SSL_CLIENT 2
#define X509_TRUST_SSL_SERVER 3
#define X509_TRUST_EMAIL 4
#define X509_TRUST_OBJECT_SIGN 5
#define X509_TRUST_OCSP_SIGN 6
#define X509_TRUST_OCSP_REQUEST 7
#define X509_TRUST_TSA 8
/* Keep these up to date! */
#define X509_TRUST_MIN 1
#define X509_TRUST_MAX 8

/* trust_flags values */
#define X509_TRUST_DYNAMIC (1U << 0)
#define X509_TRUST_DYNAMIC_NAME (1U << 1)
/* No compat trust if self-signed, preempts "DO_SS" */
#define X509_TRUST_NO_SS_COMPAT (1U << 2)
/* Compat trust if no explicit accepted trust EKUs */
#define X509_TRUST_DO_SS_COMPAT (1U << 3)
/* Accept "anyEKU" as a wildcard rejection OID and as a wildcard trust OID */
#define X509_TRUST_OK_ANY_EKU (1U << 4)

/* check_trust return codes */
#define X509_TRUST_TRUSTED 1
#define X509_TRUST_REJECTED 2
#define X509_TRUST_UNTRUSTED 3

int X509_TRUST_set(int *t, int trust);
int X509_TRUST_get_count(void);
X509_TRUST *X509_TRUST_get0(int
idx);
int X509_TRUST_get_by_id(int id);
int X509_TRUST_add(int id, int flags, int (*ck)(X509_TRUST *, X509 *, int),
const char *name, int arg1, void *arg2);
void X509_TRUST_cleanup(void);
int X509_TRUST_get_flags(const X509_TRUST *xp);

```



```

char *X509_TRUST_get0_name(const X509_TRUST *xp);
int X509_TRUST_get_trust(const X509_TRUST *xp);

int X509_trusted(const X509 *x);
int X509_add1_trust_object(X509 *x, const ASN1_OBJECT *obj);
int X509_add1_reject_object(X509 *x, const ASN1_OBJECT *obj);
void X509_trust_clear(X509 *x);
void X509_reject_clear(X509 *x);
STACK_OF(ASN1_OBJECT) *X509_get0_trust_objects(X509 *x);
STACK_OF(ASN1_OBJECT) *X509_get0_reject_objects(X509 *x);

int (*X509_TRUST_set_default(int (*trust)(int, X509 *, int)))(int, X509 *,
    int);
int X509_check_trust(X509 *x, int id, int flags);

int X509_verify_cert(X509_STORE_CTX *ctx);
int X509_STORE_CTX_verify(X509_STORE_CTX *ctx);
STACK_OF(X509) *X509_build_chain(X509 *target, STACK_OF(X509) *certs,
    X509_STORE
    *store, int with_self_signed,
    OSSL_LIB_CTX *libctx, const char *propq);

int X509_STORE_set_depth(X509_STORE *store, int depth);

typedef int (*X509_STORE_CTX_verify_cb)(int, X509_STORE_CTX *);
int X509_STORE_CTX_print_verify_cb(int ok, X509_STORE_CTX *ctx);
typedef int (*X509_STORE_CTX_verify_fn)(X509_STORE_CTX *);
typedef int (*X509_STORE_CTX_get_issuer_fn)(X509 **issuer,
    X509_STORE_CTX *ctx, X509 *x);
typedef int (*X509_STORE_CTX_check_issued_fn)(X509_STORE_CTX *ctx,
    X509 *x, X509 *issuer);
typedef int (*X509_STORE_CTX_check_revocation_fn)(X509_STORE_CTX *ctx);
typedef int (*X509_STORE_CTX_get_crl_fn)(X509_STORE_CTX *ctx,
    X509_CRL **crl, X509 *x);
typedef int (*X509_STORE_CTX_check_crl_fn)(X509_STORE_CTX *ctx, X509_CRL *crl);
typedef int (*X509_STORE_CTX_cert_crl_fn)(X509_STORE_CTX *ctx,
    X509_CRL *crl, X509 *x);
typedef int (*X509_STORE_CTX_check_policy_fn)(X509_STORE_CTX *ctx);
typedef STACK_OF(X509)
    *(*X509_STORE_CTX_lookup_certs_fn)(X509_STORE_CTX
    *ctx,
    const X509_NAME *nm);
typedef STACK_OF(X509_CRL)
    *(*X509_STORE_CTX_lookup_crls_fn)(const X509_STORE_CTX *ctx,
    const X509_NAME *nm);
typedef int (*X509_STORE_CTX_cleanup_fn)(X509_STORE_CTX *ctx);

void X509_STORE_CTX_set_depth(X509_STORE_CTX *ctx, int depth);

```

```

#define X509_STORE_CTX_set_app_data(ctx, data) \
    X509_STORE_CTX_set_ex_data(ctx, 0, data)
#define X509_STORE_CTX_get_app_data(ctx) \
    X509_STORE_CTX_get_ex_data(ctx, 0)

#define X509_L_FILE_LOAD 1
#define X509_L_ADD_DIR 2
#define X509_L_ADD_STORE 3
#define X509_L_LOAD_STORE 4

#define X509_LOOKUP_load_file(x, name, type) \
    X509_LOOKUP_ctrl((x), X509_L_FILE_LOAD, (name), (long)(type), NULL)

#define X509_LOOKUP_add_dir(x, name, type) \
    X509_LOOKUP_ctrl((x), X509_L_ADD_DIR, (name), (long)(type), NULL)

#define X509_LOOKUP_add_store(x, name) \
    X509_LOOKUP_ctrl((x), X509_L_ADD_STORE, (name), 0, NULL)

#define X509_LOOKUP_load_store(x, name) \
    X509_LOOKUP_ctrl((x), X509_L_LOAD_STORE, (name), 0, NULL)

#define X509_LOOKUP_load_file_ex(x, name, type, libctx, propq) \
    X509_LOOKUP_ctrl_ex((x), X509_L_FILE_LOAD, (name), (long)(type), NULL, \
        (libctx), (propq))

#define X509_LOOKUP_load_store_ex(x, name, libctx, propq) \
    X509_LOOKUP_ctrl_ex((x), X509_L_LOAD_STORE, (name), 0, NULL, \
        (libctx), (propq))

#define X509_LOOKUP_add_store_ex(x, name, libctx, propq) \
    X509_LOOKUP_ctrl_ex((x), X509_L_ADD_STORE, (name), 0, NULL, \
        (libctx), (propq))

#define X509_V_OK 0
#define X509_V_ERR_UNSPECIFIED 1
#define X509_V_ERR_UNABLE_TO_GET_ISSUER_CERT 2
#define X509_V_ERR_UNABLE_TO_GET_CRL 3
#define X509_V_ERR_UNABLE_TO_DECRYPT_CERT_SIGNATURE 4
#define X509_V_ERR_UNABLE_TO_DECRYPT_CRL_SIGNATURE 5
#define X509_V_ERR_UNABLE_TO_DECODE_ISSUER_PUBLIC_KEY 6
#define X509_V_ERR_CERT_SIGNATURE_FAILURE 7
#define X509_V_ERR_CRL_SIGNATURE_FAILURE 8
#define X509_V_ERR_CERT_NOT_YET_VALID 9
#define X509_V_ERR_CERT_HAS_EXPIRED 10
#define X509_V_ERR_CRL_NOT_YET_VALID

```

```

#define X509_V_ERR_CRL_HAS_EXPIRED 12
#define X509_V_ERR_ERROR_IN_CERT_NOT_BEFORE_FIELD 13
#define X509_V_ERR_ERROR_IN_CERT_NOT_AFTER_FIELD 14
#define X509_V_ERR_ERROR_IN_CRL_LAST_UPDATE_FIELD 15
#define X509_V_ERR_ERROR_IN_CRL_NEXT_UPDATE_FIELD 16
#define X509_V_ERR_OUT_OF_MEM 17
#define X509_V_ERR_DEPTH_ZERO_SELF_SIGNED_CERT 18
#define X509_V_ERR_SELF_SIGNED_CERT_IN_CHAIN 19
#define X509_V_ERR_UNABLE_TO_GET_ISSUER_CERT_LOCALLY 20
#define X509_V_ERR_UNABLE_TO_VERIFY_LEAF_SIGNATURE 21
#define X509_V_ERR_CERT_CHAIN_TOO_LONG 22
#define X509_V_ERR_CERT_REVOKED 23
#define X509_V_ERR_NO_ISSUER_PUBLIC_KEY 24
#define X509_V_ERR_PATH_LENGTH_EXCEEDED 25
#define X509_V_ERR_INVALID_PURPOSE 26
#define X509_V_ERR_CERT_UNTRUSTED 27
#define X509_V_ERR_CERT_REJECTED 28

/* These are 'informational' when looking for issuer cert */
#define X509_V_ERR_SUBJECT_ISSUER_MISMATCH 29
#define X509_V_ERR_AKID_SKID_MISMATCH 30
#define X509_V_ERR_AKID_ISSUER_SERIAL_MISMATCH 31
#define X509_V_ERR_KEYUSAGE_NO_CERTSIGN
32
#define X509_V_ERR_UNABLE_TO_GET_CRL_ISSUER 33
#define X509_V_ERR_UNHANDLED_CRITICAL_EXTENSION 34
#define X509_V_ERR_KEYUSAGE_NO_CRL_SIGN 35
#define X509_V_ERR_UNHANDLED_CRITICAL_CRL_EXTENSION 36
#define X509_V_ERR_INVALID_NON_CA 37
#define X509_V_ERR_PROXY_PATH_LENGTH_EXCEEDED 38
#define X509_V_ERR_KEYUSAGE_NO_DIGITAL_SIGNATURE 39
#define X509_V_ERR_PROXY_CERTIFICATES_NOT_ALLOWED 40
#define X509_V_ERR_INVALID_EXTENSION 41
#define X509_V_ERR_INVALID_POLICY_EXTENSION 42
#define X509_V_ERR_NO_EXPLICIT_POLICY 43
#define X509_V_ERR_DIFFERENT_CRL_SCOPE 44
#define X509_V_ERR_UNSUPPORTED_EXTENSION_FEATURE 45
#define X509_V_ERR_UNNESTED_RESOURCE 46
#define X509_V_ERR_PERMITTED_VIOLATION 47
#define X509_V_ERR_EXCLUDED_VIOLATION 48
#define X509_V_ERR_SUBTREE_MINMAX 49
/* The application is not happy */
#define X509_V_ERR_APPLICATION_VERIFICATION 50
#define X509_V_ERR_UNSUPPORTED_CONSTRAINT_TYPE 51
#define X509_V_ERR_UNSUPPORTED_CONSTRAINT_SYNTAX 52
#define X509_V_ERR_UNSUPPORTED_NAME_SYNTAX

```

```

#define X509_V_ERR_CRL_PATH_VALIDATION_ERROR 54
/* Another issuer check debug option */
#define X509_V_ERR_PATH_LOOP 55
/* Suite B mode algorithm violation */
#define X509_V_ERR_SUITE_B_INVALID_VERSION 56
#define X509_V_ERR_SUITE_B_INVALID_ALGORITHM 57
#define X509_V_ERR_SUITE_B_INVALID_CURVE 58
#define X509_V_ERR_SUITE_B_INVALID_SIGNATURE_ALGORITHM 59
#define X509_V_ERR_SUITE_B_LOS_NOT_ALLOWED 60
#define X509_V_ERR_SUITE_B_CANNOT_SIGN_P_384_WITH_P_256 61
/* Host, email and IP check errors */
#define X509_V_ERR_HOSTNAME_MISMATCH 62
#define X509_V_ERR_EMAIL_MISMATCH 63
#define X509_V_ERR_IP_ADDRESS_MISMATCH 64
/* DANE TLSA errors */
#define X509_V_ERR_DANE_NO_MATCH 65
/* security level errors */
#define X509_V_ERR_EE_KEY_TOO_SMALL 66
#define X509_V_ERR_CA_KEY_TOO_SMALL 67
#define X509_V_ERR_CA_MD_TOO_WEAK 68
/* Caller error */
#define X509_V_ERR_INVALID_CALL 69
/* Issuer lookup error */
#define X509_V_ERR_STORE_LOOKUP 70
/* Certificate transparency */
#define
X509_V_ERR_NO_VALID_SCTS 71

#define X509_V_ERR_PROXY_SUBJECT_NAME_VIOLATION 72
/* OCSP status errors */
#define X509_V_ERR_OCSP_VERIFY_NEEDED 73 /* Need OCSP verification */
#define X509_V_ERR_OCSP_VERIFY_FAILED 74 /* Couldn't verify cert through OCSP */
#define X509_V_ERR_OCSP_CERT_UNKNOWN 75 /* Certificate wasn't recognized by the OCSP responder */

#define X509_V_ERR_UNSUPPORTED_SIGNATURE_ALGORITHM 76
#define X509_V_ERR_SIGNATURE_ALGORITHM_MISMATCH 77

/* Errors in case a check in X509_V_FLAG_X509_STRICT mode fails */
#define X509_V_ERR_SIGNATURE_ALGORITHM_INCONSISTENCY 78
#define X509_V_ERR_INVALID_CA 79
#define X509_V_ERR_PATHLEN_INVALID_FOR_NON_CA 80
#define X509_V_ERR_PATHLEN_WITHOUT_KU_KEY_CERT_SIGN 81
#define X509_V_ERR_KU_KEY_CERT_SIGN_INVALID_FOR_NON_CA 82
#define X509_V_ERR_ISSUER_NAME_EMPTY 83
#define X509_V_ERR_SUBJECT_NAME_EMPTY 84
#define X509_V_ERR_MISSING_AUTHORITY_KEY_IDENTIFIER 85
#define X509_V_ERR_MISSING_SUBJECT_KEY_IDENTIFIER 86

```

```

#define X509_V_ERR_EMPTY_SUBJECT_ALT_NAME
87
#define X509_V_ERR_EMPTY_SUBJECT_SAN_NOT_CRITICAL 88
#define X509_V_ERR_CA_BCONS_NOT_CRITICAL 89
#define X509_V_ERR_AUTHORITY_KEY_IDENTIFIER_CRITICAL 90
#define X509_V_ERR_SUBJECT_KEY_IDENTIFIER_CRITICAL 91
#define X509_V_ERR_CA_CERT_MISSING_KEY_USAGE 92
#define X509_V_ERR_EXTENSIONS_REQUIRE_VERSION_3 93
#define X509_V_ERR_EC_KEY_EXPLICIT_PARAMS 94

/* Certificate verify flags */
#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#define X509_V_FLAG_CB_ISSUER_CHECK 0x0 /* Deprecated */
#endif
/* Use check time instead of current time */
#define X509_V_FLAG_USE_CHECK_TIME 0x2
/* Lookup CRLs */
#define X509_V_FLAG_CRL_CHECK 0x4
/* Lookup CRLs for whole chain */
#define X509_V_FLAG_CRL_CHECK_ALL 0x8
/* Ignore unhandled critical extensions */
#define X509_V_FLAG_IGNORE_CRITICAL 0x10
/* Disable workarounds for broken certificates */
#define X509_V_FLAG_X509_STRICT 0x20
/* Enable proxy certificate validation */
#define X509_V_FLAG_ALLOW_PROXY_CERTS 0x40
/* Enable policy checking */
#define
X509_V_FLAG_POLICY_CHECK 0x80
/* Policy variable require-explicit-policy */
#define X509_V_FLAG_EXPLICIT_POLICY 0x100
/* Policy variable inhibit-any-policy */
#define X509_V_FLAG_INHIBIT_ANY 0x200
/* Policy variable inhibit-policy-mapping */
#define X509_V_FLAG_INHIBIT_MAP 0x400
/* Notify callback that policy is OK */
#define X509_V_FLAG_NOTIFY_POLICY 0x800
/* Extended CRL features such as indirect CRLs, alternate CRL signing keys */
#define X509_V_FLAG_EXTENDED_CRL_SUPPORT 0x1000
/* Delta CRL support */
#define X509_V_FLAG_USE_DELTAS 0x2000
/* Check self-signed CA signature */
#define X509_V_FLAG_CHECK_SS_SIGNATURE 0x4000
/* Use trusted store first */
#define X509_V_FLAG_TRUSTED_FIRST 0x8000
/* Suite B 128 bit only mode: not normally used */
#define X509_V_FLAG_SUITEB_128_LOS_ONLY 0x10000
/* Suite B 192 bit only mode */

```

```

#define X509_V_FLAG_SUITEB_192_LOS 0x20000
/* Suite B 128 bit mode allowing 192 bit algorithms */
#define X509_V_FLAG_SUITEB_128_LOS 0x30000
/* Allow partial chains
   if at least one certificate is in trusted store */
#define X509_V_FLAG_PARTIAL_CHAIN 0x80000
/*
 * If the initial chain is not trusted, do not attempt to build an alternative
 * chain. Alternate chain checking was introduced in 1.1.0. Setting this flag
 * will force the behaviour to match that of previous versions.
 */
#define X509_V_FLAG_NO_ALT_CHAINS 0x100000
/* Do not check certificate/CRL validity against current time */
#define X509_V_FLAG_NO_CHECK_TIME 0x200000

#define X509_VP_FLAG_DEFAULT 0x1
#define X509_VP_FLAG_OVERWRITE 0x2
#define X509_VP_FLAG_RESET_FLAGS 0x4
#define X509_VP_FLAG_LOCKED 0x8
#define X509_VP_FLAG_ONCE 0x10

/* Internal use: mask of policy related options */
#define X509_V_FLAG_POLICY_MASK (X509_V_FLAG_POLICY_CHECK \
    | X509_V_FLAG_EXPLICIT_POLICY \
    | X509_V_FLAG_INHIBIT_ANY \
    | X509_V_FLAG_INHIBIT_MAP)

int X509_OBJECT_idx_by_subject(STACK_OF(X509_OBJECT) *h, X509_LOOKUP_TYPE type,
    const X509_NAME
    *name);
X509_OBJECT *X509_OBJECT_retrieve_by_subject(STACK_OF(X509_OBJECT) *h,
    X509_LOOKUP_TYPE type,
    const X509_NAME *name);
X509_OBJECT *X509_OBJECT_retrieve_match(STACK_OF(X509_OBJECT) *h,
    X509_OBJECT *x);
int X509_OBJECT_up_ref_count(X509_OBJECT *a);
X509_OBJECT *X509_OBJECT_new(void);
void X509_OBJECT_free(X509_OBJECT *a);
X509_LOOKUP_TYPE X509_OBJECT_get_type(const X509_OBJECT *a);
X509 *X509_OBJECT_get0_X509(const X509_OBJECT *a);
int X509_OBJECT_set1_X509(X509_OBJECT *a, X509 *obj);
X509_CRL *X509_OBJECT_get0_X509_CRL(const X509_OBJECT *a);
int X509_OBJECT_set1_X509_CRL(X509_OBJECT *a, X509_CRL *obj);
X509_STORE *X509_STORE_new(void);
void X509_STORE_free(X509_STORE *v);
int X509_STORE_lock(X509_STORE *ctx);
int X509_STORE_unlock(X509_STORE *ctx);
int X509_STORE_up_ref(X509_STORE *v);

```

```

STACK_OF(X509_OBJECT) *X509_STORE_get0_objects(const X509_STORE *v);
STACK_OF(X509) *X509_STORE_get1_all_certs(X509_STORE *st);
STACK_OF(X509) *X509_STORE_CTX_get1_certs(X509_STORE_CTX
*st,
    const X509_NAME *nm);
STACK_OF(X509_CRL) *X509_STORE_CTX_get1_crls(const X509_STORE_CTX *st,
    const X509_NAME *nm);
int X509_STORE_set_flags(X509_STORE *ctx, unsigned long flags);
int X509_STORE_set_purpose(X509_STORE *ctx, int purpose);
int X509_STORE_set_trust(X509_STORE *ctx, int trust);
int X509_STORE_set1_param(X509_STORE *ctx, const X509_VERIFY_PARAM *pm);
X509_VERIFY_PARAM *X509_STORE_get0_param(const X509_STORE *ctx);

void X509_STORE_set_verify(X509_STORE *ctx, X509_STORE_CTX_verify_fn verify);
#define X509_STORE_set_verify_func(ctx, func) \
    X509_STORE_set_verify((ctx), (func))
void X509_STORE_CTX_set_verify(X509_STORE_CTX *ctx,
    X509_STORE_CTX_verify_fn verify);
X509_STORE_CTX_verify_fn X509_STORE_get_verify(const X509_STORE *ctx);
void X509_STORE_set_verify_cb(X509_STORE *ctx,
    X509_STORE_CTX_verify_cb verify_cb);
#define X509_STORE_set_verify_cb_func(ctx, func) \
    X509_STORE_set_verify_cb((ctx), (func))
X509_STORE_CTX_verify_cb X509_STORE_get_verify_cb(const
X509_STORE *ctx);
void X509_STORE_set_get_issuer(X509_STORE *ctx,
    X509_STORE_CTX_get_issuer_fn get_issuer);
X509_STORE_CTX_get_issuer_fn X509_STORE_get_get_issuer(const X509_STORE *ctx);
void X509_STORE_set_check_issued(X509_STORE *ctx,
    X509_STORE_CTX_check_issued_fn check_issued);
X509_STORE_CTX_check_issued_fn X509_STORE_get_check_issued(const X509_STORE *ctx);
void X509_STORE_set_check_revocation(X509_STORE *ctx,
    X509_STORE_CTX_check_revocation_fn check_revocation);
X509_STORE_CTX_check_revocation_fn
X509_STORE_get_check_revocation(const X509_STORE *ctx);
void X509_STORE_set_get_crl(X509_STORE *ctx,
    X509_STORE_CTX_get_crl_fn get_crl);
X509_STORE_CTX_get_crl_fn X509_STORE_get_get_crl(const X509_STORE *ctx);
void X509_STORE_set_check_crl(X509_STORE *ctx,
    X509_STORE_CTX_check_crl_fn check_crl);
X509_STORE_CTX_check_crl_fn X509_STORE_get_check_crl(const X509_STORE *ctx);
void X509_STORE_set_cert_crl(X509_STORE *ctx,
    X509_STORE_CTX_cert_crl_fn cert_crl);
X509_STORE_CTX_cert_crl_fn
X509_STORE_get_cert_crl(const X509_STORE *ctx);
void X509_STORE_set_check_policy(X509_STORE *ctx,
    X509_STORE_CTX_check_policy_fn check_policy);
X509_STORE_CTX_check_policy_fn X509_STORE_get_check_policy(const X509_STORE *ctx);

```

```

void X509_STORE_set_lookup_certs(X509_STORE *ctx,
    X509_STORE_CTX_lookup_certs_fn lookup_certs);
X509_STORE_CTX_lookup_certs_fn X509_STORE_get_lookup_certs(const X509_STORE *ctx);
void X509_STORE_set_lookup_crls(X509_STORE *ctx,
    X509_STORE_CTX_lookup_crls_fn lookup_crls);
#define X509_STORE_set_lookup_crls_cb(ctx, func) \
    X509_STORE_set_lookup_crls((ctx), (func))
X509_STORE_CTX_lookup_crls_fn X509_STORE_get_lookup_crls(const X509_STORE *ctx);
void X509_STORE_set_cleanup(X509_STORE *ctx,
    X509_STORE_CTX_cleanup_fn cleanup);
X509_STORE_CTX_cleanup_fn X509_STORE_get_cleanup(const X509_STORE *ctx);

#define X509_STORE_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_X509_STORE,
    l, p, newf, dupf, freef)
int X509_STORE_set_ex_data(X509_STORE *ctx, int idx, void *data);
void *X509_STORE_get_ex_data(const X509_STORE *ctx, int idx);

X509_STORE_CTX *X509_STORE_CTX_new_ex(OSSL_LIB_CTX *libctx, const char *propq);
X509_STORE_CTX *X509_STORE_CTX_new(void);

int X509_STORE_CTX_get1_issuer(X509 **issuer, X509_STORE_CTX *ctx, X509 *x);

void X509_STORE_CTX_free(X509_STORE_CTX *ctx);
int X509_STORE_CTX_init(X509_STORE_CTX *ctx, X509_STORE *trust_store,
    X509 *target, STACK_OF(X509) *untrusted);
void X509_STORE_CTX_set0_trusted_stack(X509_STORE_CTX *ctx, STACK_OF(X509) *sk);
void X509_STORE_CTX_cleanup(X509_STORE_CTX *ctx);

X509_STORE *X509_STORE_CTX_get0_store(const X509_STORE_CTX *ctx);
X509 *X509_STORE_CTX_get0_cert(const X509_STORE_CTX *ctx);
STACK_OF(X509) *X509_STORE_CTX_get0_untrusted(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set0_untrusted(X509_STORE_CTX *ctx, STACK_OF(X509) *sk);
void X509_STORE_CTX_set_verify_cb(X509_STORE_CTX *ctx,
    X509_STORE_CTX_verify_cb
    verify);
X509_STORE_CTX_verify_cb X509_STORE_CTX_get_verify_cb(const X509_STORE_CTX *ctx);
X509_STORE_CTX_verify_fn X509_STORE_CTX_get_verify(const X509_STORE_CTX *ctx);
X509_STORE_CTX_get_issuer_fn X509_STORE_CTX_get_get_issuer(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_issued_fn X509_STORE_CTX_get_check_issued(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_revocation_fn X509_STORE_CTX_get_check_revocation(const X509_STORE_CTX
*ctx);
X509_STORE_CTX_get_crl_fn X509_STORE_CTX_get_get_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_crl_fn X509_STORE_CTX_get_check_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX_cert_crl_fn X509_STORE_CTX_get_cert_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX_check_policy_fn X509_STORE_CTX_get_check_policy(const X509_STORE_CTX *ctx);
X509_STORE_CTX_lookup_certs_fn X509_STORE_CTX_get_lookup_certs(const X509_STORE_CTX *ctx);
X509_STORE_CTX_lookup_crls_fn X509_STORE_CTX_get_lookup_crls(const X509_STORE_CTX *ctx);

```



```

X509_STORE_CTX_cleanup_fn
X509_STORE_CTX_get_cleanup(const X509_STORE_CTX *ctx);

#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
#define X509_STORE_CTX_get_chain X509_STORE_CTX_get0_chain
#define X509_STORE_CTX_set_chain X509_STORE_CTX_set0_untrusted
#define X509_STORE_CTX_trusted_stack X509_STORE_CTX_set0_trusted_stack
#define X509_STORE_get_by_subject X509_STORE_CTX_get_by_subject
#define X509_STORE_get1_certs X509_STORE_CTX_get1_certs
#define X509_STORE_get1_crls X509_STORE_CTX_get1_crls
/* the following macro is misspelled; use X509_STORE_get1_certs instead */
#define X509_STORE_get1_cert X509_STORE_CTX_get1_certs
/* the following macro is misspelled; use X509_STORE_get1_crls instead */
#define X509_STORE_get1_crl X509_STORE_CTX_get1_crls
#endif

X509_LOOKUP *X509_STORE_add_lookup(X509_STORE *v, X509_LOOKUP_METHOD *m);
X509_LOOKUP_METHOD *X509_LOOKUP_hash_dir(void);
X509_LOOKUP_METHOD *X509_LOOKUP_file(void);
X509_LOOKUP_METHOD *X509_LOOKUP_store(void);

typedef int (*X509_LOOKUP_ctrl_fn)(X509_LOOKUP *ctx, int cmd,
    const char *argc,
    long argl, char **ret);
typedef int (*X509_LOOKUP_ctrl_ex_fn)(
    X509_LOOKUP *ctx, int cmd, const char *argc, long argl, char **ret,
    OSSL_LIB_CTX *libctx, const char *propq);

typedef int (*X509_LOOKUP_get_by_subject_fn)(X509_LOOKUP *ctx,
    X509_LOOKUP_TYPE type,
    const X509_NAME *name,
    X509_OBJECT *ret);
typedef int (*X509_LOOKUP_get_by_subject_ex_fn)(X509_LOOKUP *ctx,
    X509_LOOKUP_TYPE type,
    const X509_NAME *name,
    X509_OBJECT *ret,
    OSSL_LIB_CTX *libctx,
    const char *propq);
typedef int (*X509_LOOKUP_get_by_issuer_serial_fn)(X509_LOOKUP *ctx,
    X509_LOOKUP_TYPE type,
    const X509_NAME *name,
    const ASN1_INTEGER *serial,
    X509_OBJECT *ret);
typedef int (*X509_LOOKUP_get_by_fingerprint_fn)(X509_LOOKUP *ctx,
    X509_LOOKUP_TYPE type,
    const unsigned char *bytes,
    int len,
    X509_OBJECT *ret);

```

```

typedef int (*X509_LOOKUP_get_by_alias_fn)(X509_LOOKUP *ctx,
    X509_LOOKUP_TYPE type,
    const char *str,
    int len,
    X509_OBJECT *ret);

X509_LOOKUP_METHOD *X509_LOOKUP_meth_new(const char *name);
void X509_LOOKUP_meth_free(X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_new_item(X509_LOOKUP_METHOD *method,
    int (*new_item)(X509_LOOKUP *ctx));
int (*X509_LOOKUP_meth_get_new_item(const X509_LOOKUP_METHOD *method))(X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_free(X509_LOOKUP_METHOD *method,
    void (*free_fn)(X509_LOOKUP *ctx));
void (*X509_LOOKUP_meth_get_free(const X509_LOOKUP_METHOD *method))(X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_init(X509_LOOKUP_METHOD *method,
    int (*init)(X509_LOOKUP *ctx));
int (*X509_LOOKUP_meth_get_init(const X509_LOOKUP_METHOD *method))(X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_shutdown(X509_LOOKUP_METHOD *method,
    int (*shutdown)(X509_LOOKUP *ctx));
int (*X509_LOOKUP_meth_get_shutdown(const X509_LOOKUP_METHOD *method))(X509_LOOKUP *ctx);

int X509_LOOKUP_meth_set_ctrl(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_ctrl_fn ctrl_fn);
X509_LOOKUP_ctrl_fn
X509_LOOKUP_meth_get_ctrl(const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_subject(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_subject_fn fn);
X509_LOOKUP_get_by_subject_fn X509_LOOKUP_meth_get_get_by_subject(
    const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_issuer_serial(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_issuer_serial_fn fn);
X509_LOOKUP_get_by_issuer_serial_fn X509_LOOKUP_meth_get_get_by_issuer_serial(
    const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_fingerprint(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_fingerprint_fn fn);
X509_LOOKUP_get_by_fingerprint_fn X509_LOOKUP_meth_get_get_by_fingerprint(
    const X509_LOOKUP_METHOD *method);

int X509_LOOKUP_meth_set_get_by_alias(X509_LOOKUP_METHOD *method,
    X509_LOOKUP_get_by_alias_fn fn);
X509_LOOKUP_get_by_alias_fn X509_LOOKUP_meth_get_get_by_alias(

```

```

const X509_LOOKUP_METHOD *method);

int X509_STORE_add_cert(X509_STORE *ctx, X509
*x);
int X509_STORE_add_crl(X509_STORE *ctx, X509_CRL *x);

int X509_STORE_CTX_get_by_subject(const X509_STORE_CTX *vs,
X509_LOOKUP_TYPE type,
const X509_NAME *name, X509_OBJECT *ret);
X509_OBJECT *X509_STORE_CTX_get_obj_by_subject(X509_STORE_CTX *vs,
X509_LOOKUP_TYPE type,
const X509_NAME *name);

int X509_LOOKUP_ctrl(X509_LOOKUP *ctx, int cmd, const char *argc,
long argl, char **ret);
int X509_LOOKUP_ctrl_ex(X509_LOOKUP *ctx, int cmd, const char *argc, long argl,
char **ret, OSSL_LIB_CTX *libctx, const char *propq);

int X509_load_cert_file(X509_LOOKUP *ctx, const char *file, int type);
int X509_load_cert_file_ex(X509_LOOKUP *ctx, const char *file, int type,
OSSL_LIB_CTX *libctx, const char *propq);
int X509_load_crl_file(X509_LOOKUP *ctx, const char *file, int type);
int X509_load_cert_crl_file(X509_LOOKUP *ctx, const char *file, int type);
int X509_load_cert_crl_file_ex(X509_LOOKUP *ctx, const char *file, int type,
OSSL_LIB_CTX *libctx, const char
*propq);

X509_LOOKUP *X509_LOOKUP_new(X509_LOOKUP_METHOD *method);
void X509_LOOKUP_free(X509_LOOKUP *ctx);
int X509_LOOKUP_init(X509_LOOKUP *ctx);
int X509_LOOKUP_by_subject(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
const X509_NAME *name, X509_OBJECT *ret);
int X509_LOOKUP_by_subject_ex(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
const X509_NAME *name, X509_OBJECT *ret,
OSSL_LIB_CTX *libctx, const char *propq);
int X509_LOOKUP_by_issuer_serial(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
const X509_NAME *name,
const ASN1_INTEGER *serial,
X509_OBJECT *ret);
int X509_LOOKUP_by_fingerprint(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
const unsigned char *bytes, int len,
X509_OBJECT *ret);
int X509_LOOKUP_by_alias(X509_LOOKUP *ctx, X509_LOOKUP_TYPE type,
const char *str, int len, X509_OBJECT *ret);
int X509_LOOKUP_set_method_data(X509_LOOKUP *ctx, void *data);
void *X509_LOOKUP_get_method_data(const X509_LOOKUP *ctx);
X509_STORE *X509_LOOKUP_get_store(const X509_LOOKUP

```

```

*ctx);
int X509_LOOKUP_shutdown(X509_LOOKUP *ctx);

int X509_STORE_load_file(X509_STORE *ctx, const char *file);
int X509_STORE_load_path(X509_STORE *ctx, const char *path);
int X509_STORE_load_store(X509_STORE *ctx, const char *store);
int X509_STORE_load_locations(X509_STORE *ctx,
    const char *file,
    const char *dir);
int X509_STORE_set_default_paths(X509_STORE *ctx);

int X509_STORE_load_file_ex(X509_STORE *ctx, const char *file,
    OSSL_LIB_CTX *libctx, const char *propq);
int X509_STORE_load_store_ex(X509_STORE *ctx, const char *store,
    OSSL_LIB_CTX *libctx, const char *propq);
int X509_STORE_load_locations_ex(X509_STORE *ctx, const char *file,
    const char *dir, OSSL_LIB_CTX *libctx,
    const char *propq);
int X509_STORE_set_default_paths_ex(X509_STORE *ctx, OSSL_LIB_CTX *libctx,
    const char *propq);

#define X509_STORE_CTX_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_X509_STORE_CTX, l, p, newf, dupf, freef)
int X509_STORE_CTX_set_ex_data(X509_STORE_CTX
    *ctx, int idx, void *data);
void *X509_STORE_CTX_get_ex_data(const X509_STORE_CTX *ctx, int idx);
int X509_STORE_CTX_get_error(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_error(X509_STORE_CTX *ctx, int s);
int X509_STORE_CTX_get_error_depth(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_error_depth(X509_STORE_CTX *ctx, int depth);
X509 *X509_STORE_CTX_get_current_cert(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_current_cert(X509_STORE_CTX *ctx, X509 *x);
X509 *X509_STORE_CTX_get0_current_issuer(const X509_STORE_CTX *ctx);
X509_CRL *X509_STORE_CTX_get0_current_crl(const X509_STORE_CTX *ctx);
X509_STORE_CTX *X509_STORE_CTX_get0_parent_ctx(const X509_STORE_CTX *ctx);
STACK_OF(X509) *X509_STORE_CTX_get0_chain(const X509_STORE_CTX *ctx);
STACK_OF(X509) *X509_STORE_CTX_get1_chain(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set_cert(X509_STORE_CTX *ctx, X509 *target);
void X509_STORE_CTX_set0_verified_chain(X509_STORE_CTX *c, STACK_OF(X509)
    *sk);
void X509_STORE_CTX_set0_crls(X509_STORE_CTX *ctx, STACK_OF(X509_CRL) *sk);
int X509_STORE_CTX_set_purpose(X509_STORE_CTX *ctx, int purpose);
int X509_STORE_CTX_set_trust(X509_STORE_CTX *ctx, int trust);
int X509_STORE_CTX_purpose_inherit(X509_STORE_CTX *ctx, int def_purpose,
    int purpose, int trust);
void X509_STORE_CTX_set_flags(X509_STORE_CTX *ctx, unsigned long flags);
void X509_STORE_CTX_set_time(X509_STORE_CTX *ctx, unsigned long flags,
    time_t t);

```

```

X509_POLICY_TREE *X509_STORE_CTX_get0_policy_tree(const X509_STORE_CTX *ctx);
int X509_STORE_CTX_get_explicit_policy(const X509_STORE_CTX *ctx);
int X509_STORE_CTX_get_num_untrusted(const X509_STORE_CTX *ctx);

X509_VERIFY_PARAM *X509_STORE_CTX_get0_param(const X509_STORE_CTX *ctx);
void X509_STORE_CTX_set0_param(X509_STORE_CTX *ctx, X509_VERIFY_PARAM *param);
int X509_STORE_CTX_set_default(X509_STORE_CTX *ctx, const char *name);

/*
 * Bridge opacity barrier between libcrypt and libssl, also needed to support
 * offline testing in test/danetest.c
 */
void X509_STORE_CTX_set0_dane(X509_STORE_CTX *ctx, SSL_DANE *dane);
#define DANE_FLAG_NO_DANE_EE_NAMECHECKS (1L << 0)

/* X509_VERIFY_PARAM functions */

X509_VERIFY_PARAM *X509_VERIFY_PARAM_new(void);
void X509_VERIFY_PARAM_free(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_inherit(X509_VERIFY_PARAM *to,
    const X509_VERIFY_PARAM *from);
int X509_VERIFY_PARAM_set1(X509_VERIFY_PARAM *to,
    const X509_VERIFY_PARAM *from);
int X509_VERIFY_PARAM_set1_name(X509_VERIFY_PARAM *param, const char *name);
int X509_VERIFY_PARAM_set_flags(X509_VERIFY_PARAM *param,
    unsigned long flags);
int X509_VERIFY_PARAM_clear_flags(X509_VERIFY_PARAM *param,
    unsigned long flags);
unsigned long X509_VERIFY_PARAM_get_flags(const X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_set_purpose(X509_VERIFY_PARAM *param, int purpose);
int X509_VERIFY_PARAM_set_trust(X509_VERIFY_PARAM *param, int trust);
void X509_VERIFY_PARAM_set_depth(X509_VERIFY_PARAM *param, int
    depth);
void X509_VERIFY_PARAM_set_auth_level(X509_VERIFY_PARAM *param, int auth_level);
time_t X509_VERIFY_PARAM_get_time(const X509_VERIFY_PARAM *param);
void X509_VERIFY_PARAM_set_time(X509_VERIFY_PARAM *param, time_t t);
int X509_VERIFY_PARAM_add0_policy(X509_VERIFY_PARAM *param,
    ASN1_OBJECT *policy);
int X509_VERIFY_PARAM_set1_policies(X509_VERIFY_PARAM *param,
    STACK_OF(ASN1_OBJECT) *policies);

int X509_VERIFY_PARAM_set_inh_flags(X509_VERIFY_PARAM *param,
    uint32_t flags);
uint32_t X509_VERIFY_PARAM_get_inh_flags(const X509_VERIFY_PARAM *param);

char *X509_VERIFY_PARAM_get0_host(X509_VERIFY_PARAM *param, int idx);
int X509_VERIFY_PARAM_set1_host(X509_VERIFY_PARAM *param,

```

```

    const char *name, size_t namelen);
int X509_VERIFY_PARAM_add1_host(X509_VERIFY_PARAM *param,
    const char *name, size_t namelen);
void X509_VERIFY_PARAM_set_hostflags(X509_VERIFY_PARAM *param,
    unsigned int flags);
unsigned int X509_VERIFY_PARAM_get_hostflags(const X509_VERIFY_PARAM *param);
char
*X509_VERIFY_PARAM_get0_peername(const X509_VERIFY_PARAM *param);
void X509_VERIFY_PARAM_move_peername(X509_VERIFY_PARAM *, X509_VERIFY_PARAM *);
char *X509_VERIFY_PARAM_get0_email(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_set1_email(X509_VERIFY_PARAM *param,
    const char *email, size_t emailen);
char *X509_VERIFY_PARAM_get1_ip_asc(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_set1_ip(X509_VERIFY_PARAM *param,
    const unsigned char *ip, size_t iplen);
int X509_VERIFY_PARAM_set1_ip_asc(X509_VERIFY_PARAM *param,
    const char *ipasc);

int X509_VERIFY_PARAM_get_depth(const X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_get_auth_level(const X509_VERIFY_PARAM *param);
const char *X509_VERIFY_PARAM_get0_name(const X509_VERIFY_PARAM *param);

int X509_VERIFY_PARAM_add0_table(X509_VERIFY_PARAM *param);
int X509_VERIFY_PARAM_get_count(void);
const X509_VERIFY_PARAM *X509_VERIFY_PARAM_get0(int id);
const X509_VERIFY_PARAM *X509_VERIFY_PARAM_lookup(const char *name);
void
X509_VERIFY_PARAM_table_cleanup(void);

/* Non positive return values are errors */
#define X509_PCY_TREE_FAILURE -2 /* Failure to satisfy explicit policy */
#define X509_PCY_TREE_INVALID -1 /* Inconsistent or invalid extensions */
#define X509_PCY_TREE_INTERNAL 0 /* Internal error, most likely malloc */

/*
 * Positive return values form a bit mask, all but the first are internal to
 * the library and don't appear in results from X509_policy_check().
 */
#define X509_PCY_TREE_VALID 1 /* The policy tree is valid */
#define X509_PCY_TREE_EMPTY 2 /* The policy tree is empty */
#define X509_PCY_TREE_EXPLICIT 4 /* Explicit policy required */

int X509_policy_check(X509_POLICY_TREE **ptree, int *pexplicit_policy,
    STACK_OF(X509) *certs,
    STACK_OF(ASN1_OBJECT) *policy_oids, unsigned int flags);

void X509_policy_tree_free(X509_POLICY_TREE *tree);

```

```

int X509_policy_tree_level_count(const X509_POLICY_TREE *tree);
X509_POLICY_LEVEL *X509_policy_tree_get0_level(const X509_POLICY_TREE *tree,
    int i);

STACK_OF(X509_POLICY_NODE)
*X509_policy_tree_get0_policies(const X509_POLICY_TREE *tree);

STACK_OF(X509_POLICY_NODE)
*X509_policy_tree_get0_user_policies(const X509_POLICY_TREE *tree);

int X509_policy_level_node_count(X509_POLICY_LEVEL *level);

X509_POLICY_NODE *X509_policy_level_get0_node(const X509_POLICY_LEVEL *level,
    int i);

const ASN1_OBJECT *X509_policy_node_get0_policy(const X509_POLICY_NODE *node);

STACK_OF(POLICYQUALINFO)
*X509_policy_node_get0_qualifiers(const X509_POLICY_NODE *node);
const X509_POLICY_NODE *X509_policy_node_get0_parent(const X509_POLICY_NODE *node);

#ifdef __cplusplus
}
#endif

```

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and

its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6.

This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.
7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs

4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both

that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE

FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 1607a85871dcd479e915f7363030e3

Protected File

Example of a protected file to be used in the PolicyDenyFs module
(The MIT License)

Copyright (c) 2013 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2011 by Beau Gunderson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 7a6268cd238efdbedea9714499068de7

```
{
  'variables': {
    'openssl_defines_BSD-x86_64': [
      'NDEBUG',
      'L_ENDIAN',
      'OPENSSL_BUILDING_OPENSSL',
      'AES_ASM',
      'BSAES_ASM',
      'CMLL_ASM',
      'ECP_NISTZ256_ASM',
      'GHASH_ASM',
      'KECCAK1600_ASM',
      'MD5_ASM',
      'OPENSSL_BN_ASM_GF2m',
      'OPENSSL_BN_ASM_MONT',
      'OPENSSL_BN_ASM_MONT5',
      'OPENSSL_CPUID_OBJ',
      'OPENSSL_IA32_SSE2',
      'PADLOCK_ASM',
      'POLY1305_ASM',
      'RC4_ASM',
      'SHA1_ASM',
      'SHA256_ASM',
      'SHA512_ASM',
      'VPAES_ASM',
      'WHIRLPOOL_ASM',
      'X25519_ASM',
      'OPENSSL_PIC',
    ],
    'openssl_cflags_BSD-x86_64': [
      '-Wa,--noexecstack',
      '-Wall -O3',
      '-pthread',
      '-Wall -O3',
    ],
    'openssl_ex_libs_BSD-x86_64': [
      '-pthread',
    ],
    'openssl_cli_srcs_BSD-x86_64': [
      'openssl/apps/lib/cmp_mock_srv.c',
      'openssl/apps/asn1parse.c',
      'openssl/apps/ca.c',
      'openssl/apps/ciphers.c',
      'openssl/apps/cmp.c',
    ]
  }
}
```

'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86_64/asm/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',

```

'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'include_dirs': [
    './include',
],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86_64)'],
}

```

(The MIT License)

Copyright (c) 2014-2017 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2018-2021 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{  
'variables': {  
  'openssl_sources': [  
    'openssl/ssl/bio_ssl.c',  
    'openssl/ssl/d1_lib.c',  
    'openssl/ssl/d1_msg.c',  
    'openssl/ssl/d1_srtp.c',  
    'openssl/ssl/methods.c',  
    'openssl/ssl/pqueue.c',  
    'openssl/ssl/s3_enc.c',  
    'openssl/ssl/s3_lib.c',  
    'openssl/ssl/s3_msg.c',  
    'openssl/ssl/ssl_asn1.c',  
    'openssl/ssl/ssl_cert.c',  
    'openssl/ssl/ssl_ciph.c',  
    'openssl/ssl/ssl_conf.c',  
    'openssl/ssl/ssl_err.c',  
    'openssl/ssl/ssl_err_legacy.c',  
    'openssl/ssl/ssl_init.c',  
    'openssl/ssl/ssl_lib.c',  
    'openssl/ssl/ssl_mcnf.c',  
    'openssl/ssl/ssl_rsa.c',  
    'openssl/ssl/ssl_rsa_legacy.c',  
    'openssl/ssl/ssl_sess.c',  
    'openssl/ssl/ssl_stat.c',  
    'openssl/ssl/ssl_txt.c',  
    'openssl/ssl/ssl_utst.c',  
    'openssl/ssl/t1_enc.c',  
    'openssl/ssl/t1_lib.c',  
    'openssl/ssl/t1_trce.c',  
    'openssl/ssl/tls13_enc.c',  
    'openssl/ssl/tls_depr.c',  
    'openssl/ssl/tls_srp.c',  
    'openssl/ssl/record/dtls1_bitmap.c',  
    'openssl/ssl/record/rec_layer_d1.c',  
    'openssl/ssl/record/rec_layer_s3.c',  
    'openssl/ssl/record/ssl3_buffer.c',  
    'openssl/ssl/record/ssl3_record.c',  
    'openssl/ssl/record/ssl3_record_tls13.c',  
    'openssl/ssl/statem/extensions.c',  
    'openssl/ssl/statem/extensions_clnt.c',  
    'openssl/ssl/statem/extensions_cust.c',  
    'openssl/ssl/statem/extensions_srvr.c',
```

'openssl/ssl/statem/statem.c',
'openssl/ssl/statem/statem_clnt.c',
'openssl/ssl/statem/statem_dtls.c',
'openssl/ssl/statem/statem_lib.c',
'openssl/ssl/statem/statem_srvr.c',
'openssl/crypto/aes/aes_cfb.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_ige.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/aes/aes_ofb.c',
'openssl/crypto/aes/aes_wrap.c',
'openssl/crypto/aria/aria.c',
'openssl/crypto/asn1/a_bitstr.c',
'openssl/crypto/asn1/a_d2i_fp.c',
'openssl/crypto/asn1/a_digest.c',
'openssl/crypto/asn1/a_dup.c',
'openssl/crypto/asn1/a_gentm.c',
'openssl/crypto/asn1/a_i2d_fp.c',
'openssl/crypto/asn1/a_int.c',
'openssl/crypto/asn1/a_mbstr.c',
'openssl/crypto/asn1/a_object.c',
'openssl/crypto/asn1/a_octet.c',
'openssl/crypto/asn1/a_print.c',
'openssl/crypto/asn1/a_sign.c',
'openssl/crypto/asn1/a_strex.c',
'openssl/crypto/asn1/a_strnid.c',
'openssl/crypto/asn1/a_time.c',
'openssl/crypto/asn1/a_type.c',
'openssl/crypto/asn1/a_utctm.c',
'openssl/crypto/asn1/a_utf8.c',
'openssl/crypto/asn1/a_verify.c',
'openssl/crypto/asn1/ameth_lib.c',
'openssl/crypto/asn1/asn1_err.c',
'openssl/crypto/asn1/asn1_gen.c',
'openssl/crypto/asn1/asn1_item_list.c',
'openssl/crypto/asn1/asn1_lib.c',
'openssl/crypto/asn1/asn1_parse.c',
'openssl/crypto/asn1/asn_mime.c',
'openssl/crypto/asn1/asn_moid.c',
'openssl/crypto/asn1/asn_mstbl.c',
'openssl/crypto/asn1/asn_pack.c',
'openssl/crypto/asn1/bio_asn1.c',
'openssl/crypto/asn1/bio_ndef.c',
'openssl/crypto/asn1/d2i_param.c',
'openssl/crypto/asn1/d2i_pr.c',
'openssl/crypto/asn1/d2i_pu.c',
'openssl/crypto/asn1/evp_asn1.c',
'openssl/crypto/asn1/f_int.c',

'openssl/crypto/asn1/f_string.c',
'openssl/crypto/asn1/i2d_evp.c',
'openssl/crypto/asn1/n_pkey.c',
'openssl/crypto/asn1/nsseq.c',
'openssl/crypto/asn1/p5_pbe.c',
'openssl/crypto/asn1/p5_pbev2.c',
'openssl/crypto/asn1/p5_scrypt.c',
'openssl/crypto/asn1/p8_pkey.c',
'openssl/crypto/asn1/t_bitst.c',
'openssl/crypto/asn1/t_pkey.c',
'openssl/crypto/asn1/t_spki.c',
'openssl/crypto/asn1/tasn_dec.c',
'openssl/crypto/asn1/tasn_enc.c',
'openssl/crypto/asn1/tasn_fre.c',
'openssl/crypto/asn1/tasn_new.c',
'openssl/crypto/asn1/tasn_prn.c',
'openssl/crypto/asn1/tasn_scn.c',
'openssl/crypto/asn1/tasn_typ.c',
'openssl/crypto/asn1/tasn_utl.c',
'openssl/crypto/asn1/x_algor.c',
'openssl/crypto/asn1/x_bignum.c',
'openssl/crypto/asn1/x_info.c',
'openssl/crypto/asn1/x_int64.c',
'openssl/crypto/asn1/x_long.c',
'openssl/crypto/asn1/x_pkey.c',
'openssl/crypto/asn1/x_sig.c',
'openssl/crypto/asn1/x_spki.c',
'openssl/crypto/asn1/x_val.c',
'openssl/crypto/async/arch/async_null.c',
'openssl/crypto/async/arch/async_posix.c',
'openssl/crypto/async/arch/async_win.c',
'openssl/crypto/async/async.c',
'openssl/crypto/async/async_err.c',
'openssl/crypto/async/async_wait.c',
'openssl/crypto/bf/bf_cfb64.c',
'openssl/crypto/bf/bf_ecb.c',
'openssl/crypto/bf/bf_enc.c',
'openssl/crypto/bf/bf_ofb64.c',
'openssl/crypto/bf/bf_skey.c',
'openssl/crypto/bio/bf_buff.c',
'openssl/crypto/bio/bf_lbuf.c',
'openssl/crypto/bio/bf_nbio.c',
'openssl/crypto/bio/bf_null.c',
'openssl/crypto/bio/bf_prefix.c',
'openssl/crypto/bio/bf_readbuff.c',
'openssl/crypto/bio/bio_addr.c',
'openssl/crypto/bio/bio_cb.c',
'openssl/crypto/bio/bio_dump.c',

'openssl/crypto/bio/bio_err.c',
'openssl/crypto/bio/bio_lib.c',
'openssl/crypto/bio/bio_meth.c',
'openssl/crypto/bio/bio_print.c',
'openssl/crypto/bio/bio_sock.c',
'openssl/crypto/bio/bio_sock2.c',
'openssl/crypto/bio/bss_acpt.c',
'openssl/crypto/bio/bss_bio.c',
'openssl/crypto/bio/bss_conn.c',
'openssl/crypto/bio/bss_core.c',
'openssl/crypto/bio/bss_dgram.c',
'openssl/crypto/bio/bss_fd.c',
'openssl/crypto/bio/bss_file.c',
'openssl/crypto/bio/bss_log.c',
'openssl/crypto/bio/bss_mem.c',
'openssl/crypto/bio/bss_null.c',
'openssl/crypto/bio/bss_sock.c',
'openssl/crypto/bio/oss_core_bio.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_depr.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_err.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_print.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',

'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_srp.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/bn_x931p.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buf_err.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/camellia/cml_cfb.c',
'openssl/crypto/camellia/cml_ctr.c',
'openssl/crypto/camellia/cml_ecb.c',
'openssl/crypto/camellia/cml_misc.c',
'openssl/crypto/camellia/cml_ofb.c',
'openssl/crypto/cast/c_cfb64.c',
'openssl/crypto/cast/c_ecb.c',
'openssl/crypto/cast/c_enc.c',
'openssl/crypto/cast/c_ofb64.c',
'openssl/crypto/cast/c_skey.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/cmp/cmp_asn.c',
'openssl/crypto/cmp/cmp_client.c',
'openssl/crypto/cmp/cmp_ctx.c',
'openssl/crypto/cmp/cmp_err.c',
'openssl/crypto/cmp/cmp_hdr.c',
'openssl/crypto/cmp/cmp_http.c',
'openssl/crypto/cmp/cmp_msg.c',
'openssl/crypto/cmp/cmp_protect.c',
'openssl/crypto/cmp/cmp_server.c',
'openssl/crypto/cmp/cmp_status.c',
'openssl/crypto/cmp/cmp_util.c',
'openssl/crypto/cmp/cmp_vfy.c',
'openssl/crypto/cms/cms_asn1.c',
'openssl/crypto/cms/cms_att.c',
'openssl/crypto/cms/cms_cd.c',
'openssl/crypto/cms/cms_dd.c',
'openssl/crypto/cms/cms_dh.c',
'openssl/crypto/cms/cms_ec.c',
'openssl/crypto/cms/cms_enc.c',
'openssl/crypto/cms/cms_env.c',
'openssl/crypto/cms/cms_err.c',
'openssl/crypto/cms/cms_ess.c',
'openssl/crypto/cms/cms_io.c',
'openssl/crypto/cms/cms_kari.c',
'openssl/crypto/cms/cms_lib.c',
'openssl/crypto/cms/cms_pwri.c',
'openssl/crypto/cms/cms_rsa.c',
'openssl/crypto/cms/cms_sd.c',
'openssl/crypto/cms/cms_smime.c',

'openssl/crypto/conf/conf_api.c',
'openssl/crypto/conf/conf_def.c',
'openssl/crypto/conf/conf_err.c',

'openssl/crypto/conf/conf_lib.c',
'openssl/crypto/conf/conf_mall.c',
'openssl/crypto/conf/conf_mod.c',
'openssl/crypto/conf/conf_sap.c',
'openssl/crypto/conf/conf_ssl.c',
'openssl/crypto/crmf/crmf_asn.c',
'openssl/crypto/crmf/crmf_err.c',
'openssl/crypto/crmf/crmf_lib.c',
'openssl/crypto/crmf/crmf_pbm.c',
'openssl/crypto/ct/ct_b64.c',
'openssl/crypto/ct/ct_err.c',
'openssl/crypto/ct/ct_log.c',
'openssl/crypto/ct/ct_oct.c',
'openssl/crypto/ct/ct_policy.c',
'openssl/crypto/ct/ct_prn.c',
'openssl/crypto/ct/ct_sct.c',
'openssl/crypto/ct/ct_sct_ctx.c',
'openssl/crypto/ct/ct_vfy.c',
'openssl/crypto/ct/ct_x509v3.c',
'openssl/crypto/des/cbc_cksm.c',
'openssl/crypto/des/cbc_enc.c',
'openssl/crypto/des/cfb64ede.c',
'openssl/crypto/des/cfb64enc.c',
'openssl/crypto/des/cfb_enc.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',

'openssl/crypto/des/ecb_enc.c',
'openssl/crypto/des/fcrypt.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/ofb64ede.c',
'openssl/crypto/des/ofb64enc.c',
'openssl/crypto/des/ofb_enc.c',
'openssl/crypto/des/pcbc_enc.c',
'openssl/crypto/des/qud_cksm.c',
'openssl/crypto/des/rand_key.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/des/str2key.c',
'openssl/crypto/des/xcbc_enc.c',
'openssl/crypto/dh/dh_ameth.c',
'openssl/crypto/dh/dh_asn1.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_depr.c',

'openssl/crypto/dh/dh_err.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dh/dh_meth.c',
'openssl/crypto/dh/dh_pmeth.c',
'openssl/crypto/dh/dh_prn.c',
'openssl/crypto/dh/dh_rfc5114.c',
'openssl/crypto/dsa/dsa_ameth.c',
'openssl/crypto/dsa/dsa_asn1.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_depr.c',
'openssl/crypto/dsa/dsa_err.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_meth.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_pmeth.c',
'openssl/crypto/dsa/dsa_prn.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/dso/dso_dl.c',
'openssl/crypto/dso/dso_dlfcn.c',
'openssl/crypto/dso/dso_err.c',
'openssl/crypto/dso/dso_lib.c',
'openssl/crypto/dso/dso_openssl.c',
'openssl/crypto/dso/dso_vms.c',
'openssl/crypto/dso/dso_win32.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_ameth.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',

'openssl/crypto/ec/ec_deprecated.c',
'openssl/crypto/ec/ec_err.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ec_pmeth.c',
'openssl/crypto/ec/ec_print.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/eck_prn.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/ec/ecx_meth.c',
'openssl/crypto/encode_decode/decoder_err.c',
'openssl/crypto/encode_decode/decoder_lib.c',
'openssl/crypto/encode_decode/decoder_meth.c',
'openssl/crypto/encode_decode/decoder_pkey.c',
'openssl/crypto/encode_decode/encoder_err.c',
'openssl/crypto/encode_decode/encoder_lib.c',
'openssl/crypto/encode_decode/encoder_meth.c',
'openssl/crypto/encode_decode/encoder_pkey.c',
'openssl/crypto/engine/eng_all.c',
'openssl/crypto/engine/eng_cnf.c',
'openssl/crypto/engine/eng_ctrl.c',

'openssl/crypto/engine/eng_dyn.c',
'openssl/crypto/engine/eng_err.c',
'openssl/crypto/engine/eng_fat.c',
'openssl/crypto/engine/eng_init.c',
'openssl/crypto/engine/eng_lib.c',
'openssl/crypto/engine/eng_list.c',
'openssl/crypto/engine/eng_openssl.c',
'openssl/crypto/engine/eng_pkey.c',
'openssl/crypto/engine/eng_rdrand.c',
'openssl/crypto/engine/eng_table.c',
'openssl/crypto/engine/tb_asnmth.c',
'openssl/crypto/engine/tb_cipher.c',
'openssl/crypto/engine/tb_dh.c',

'openssl/crypto/engine/tb_digest.c',
'openssl/crypto/engine/tb_dsa.c',
'openssl/crypto/engine/tb_eckey.c',
'openssl/crypto/engine/tb_pkmeth.c',
'openssl/crypto/engine/tb_rand.c',
'openssl/crypto/engine/tb_rsa.c',
'openssl/crypto/err/err.c',
'openssl/crypto/err/err_all.c',
'openssl/crypto/err/err_all_legacy.c',
'openssl/crypto/err/err_blocks.c',
'openssl/crypto/err/err_prn.c',
'openssl/crypto/ess/ess_asn1.c',
'openssl/crypto/ess/ess_err.c',
'openssl/crypto/ess/ess_lib.c',
'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/bio_b64.c',
'openssl/crypto/evp/bio_enc.c',
'openssl/crypto/evp/bio_md.c',
'openssl/crypto/evp/bio_ok.c',
'openssl/crypto/evp/c_allc.c',
'openssl/crypto/evp/c_alld.c',
'openssl/crypto/evp/cmeth_lib.c',
'openssl/crypto/evp/ctrl_params_translate.c',
'openssl/crypto/evp/dh_ctrl.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/dsa_ctrl.c',
'openssl/crypto/evp/e_aes.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha1.c',
'openssl/crypto/evp/e_aes_cbc_hmac_sha256.c',
'openssl/crypto/evp/e_aria.c',
'openssl/crypto/evp/e_bf.c',
'openssl/crypto/evp/e_camellia.c',
'openssl/crypto/evp/e_cast.c',
'openssl/crypto/evp/e_chacha20_poly1305.c',
'openssl/crypto/evp/e_des.c',
'openssl/crypto/evp/e_des3.c',
'openssl/crypto/evp/e_idea.c',
'openssl/crypto/evp/e_null.c',
'openssl/crypto/evp/e_old.c',
'openssl/crypto/evp/e_rc2.c',
'openssl/crypto/evp/e_rc4.c',
'openssl/crypto/evp/e_rc4_hmac_md5.c',
'openssl/crypto/evp/e_rc5.c',
'openssl/crypto/evp/e_seed.c',
'openssl/crypto/evp/e_sm4.c',
'openssl/crypto/evp/e_xcbc_d.c',
'openssl/crypto/evp/ec_ctrl.c',

'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/encode.c',
'openssl/crypto/evp/evp_cnf.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_err.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_key.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_pbe.c',
'openssl/crypto/evp/evp_pkey.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/legacy_blake2.c',
'openssl/crypto/evp/legacy_md4.c',
'openssl/crypto/evp/legacy_md5.c',
'openssl/crypto/evp/legacy_md5_sha1.c',
'openssl/crypto/evp/legacy_mdc2.c',
'openssl/crypto/evp/legacy_ripemd.c',
'openssl/crypto/evp/legacy_sha.c',
'openssl/crypto/evp/legacy_wp.c',
'openssl/crypto/evp/m_null.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/names.c',
'openssl/crypto/evp/p5_crpt.c',
'openssl/crypto/evp/p5_crpt2.c',
'openssl/crypto/evp/p_dec.c',
'openssl/crypto/evp/p_enc.c',
'openssl/crypto/evp/p_legacy.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/p_open.c',
'openssl/crypto/evp/p_seal.c',
'openssl/crypto/evp/p_sign.c',
'openssl/crypto/evp/p_verify.c',
'openssl/crypto/evp/pbe_scrypt.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',

'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/http/http_client.c',
'openssl/crypto/http/http_err.c',
'openssl/crypto/http/http_lib.c',
'openssl/crypto/idea/i_cbc.c',
'openssl/crypto/idea/i_cfb64.c',
'openssl/crypto/idea/i_ecb.c',
'openssl/crypto/idea/i_ofb64.c',
'openssl/crypto/idea/i_skey.c',
'openssl/crypto/kdf/kdf_err.c',
'openssl/crypto/lhash/lh_stats.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpt_err.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/cversion.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ebscdic.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/getenv.c',
'openssl/crypto/info.c',
'openssl/crypto/init.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem.c',
'openssl/crypto/mem_sec.c',
'openssl/crypto/o_dir.c',
'openssl/crypto/o_fopen.c',
'openssl/crypto/o_init.c',
'openssl/crypto/o_str.c',
'openssl/crypto/o_time.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',

'openssl/crypto/passphrase.c',
'openssl/crypto/provider.c',
'openssl/crypto/provider_child.c',
'openssl/crypto/provider_conf.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/punycode.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/trace.c',
'openssl/crypto/uid.c',
'openssl/crypto/md4/md4_dgst.c',
'openssl/crypto/md4/md4_one.c',
'openssl/crypto/md5/md5_dgst.c',
'openssl/crypto/md5/md5_one.c',
'openssl/crypto/md5/md5_sha1.c',
'openssl/crypto/mdc2/mdc2_one.c',
'openssl/crypto/mdc2/mdc2_dgst.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/cts128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ocb128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/siv128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/objects/o_names.c',
'openssl/crypto/objects/obj_dat.c',
'openssl/crypto/objects/obj_err.c',
'openssl/crypto/objects/obj_lib.c',
'openssl/crypto/objects/obj_xref.c',
'openssl/crypto/ocsp/ocsp_asn.c',
'openssl/crypto/ocsp/ocsp_cl.c',
'openssl/crypto/ocsp/ocsp_err.c',
'openssl/crypto/ocsp/ocsp_ext.c',
'openssl/crypto/ocsp/ocsp_http.c',
'openssl/crypto/ocsp/ocsp_lib.c',
'openssl/crypto/ocsp/ocsp_prn.c',
'openssl/crypto/ocsp/ocsp_srv.c',
'openssl/crypto/ocsp/ocsp_vfy.c',
'openssl/crypto/ocsp/v3_ocsp.c',

'openssl/crypto/pem/pem_all.c',
'openssl/crypto/pem/pem_err.c',
'openssl/crypto/pem/pem_info.c',
'openssl/crypto/pem/pem_lib.c',
'openssl/crypto/pem/pem_oth.c',
'openssl/crypto/pem/pem_pk8.c',
'openssl/crypto/pem/pem_pkey.c',
'openssl/crypto/pem/pem_sign.c',
'openssl/crypto/pem/pem_x509.c',
'openssl/crypto/pem/pem_xaux.c',
'openssl/crypto/pem/pvkfmt.c',
'openssl/crypto/pkcs12/p12_add.c',
'openssl/crypto/pkcs12/p12_asn.c',
'openssl/crypto/pkcs12/p12_attr.c',
'openssl/crypto/pkcs12/p12_crpt.c',
'openssl/crypto/pkcs12/p12_crt.c',
'openssl/crypto/pkcs12/p12_decr.c',
'openssl/crypto/pkcs12/p12_init.c',
'openssl/crypto/pkcs12/p12_key.c',
'openssl/crypto/pkcs12/p12_kiss.c',
'openssl/crypto/pkcs12/p12_mutl.c',
'openssl/crypto/pkcs12/p12_npas.c',
'openssl/crypto/pkcs12/p12_p8d.c',
'openssl/crypto/pkcs12/p12_p8e.c',
'openssl/crypto/pkcs12/p12_sbagg.c',
'openssl/crypto/pkcs12/p12_utl.c',
'openssl/crypto/pkcs12/pk12err.c',
'openssl/crypto/pkcs7/bio_pk7.c',
'openssl/crypto/pkcs7/pk7_asn1.c',
'openssl/crypto/pkcs7/pk7_attr.c',
'openssl/crypto/pkcs7/pk7_doit.c',
'openssl/crypto/pkcs7/pk7_lib.c',
'openssl/crypto/pkcs7/pk7_mime.c',
'openssl/crypto/pkcs7/pk7_smime.c',
'openssl/crypto/pkcs7/pkcs7err.c',
'openssl/crypto/poly1305/poly1305.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_err.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/prov_seed.c',
'openssl/crypto/rand/rand_deprecated.c',
'openssl/crypto/rand/rand_err.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rand/rand_meth.c',
'openssl/crypto/rand/rand_pool.c',

'openssl/crypto/rand/randfile.c',
'openssl/crypto/rc2/rc2_cbc.c',
'openssl/crypto/rc2/rc2_ecb.c',
'openssl/crypto/rc2/rc2_skey.c',
'openssl/crypto/rc2/rc2cfb64.c',
'openssl/crypto/rc2/rc2ofb64.c',
'openssl/crypto/ripemd/rmd_dgst.c',
'openssl/crypto/ripemd/rmd_one.c',
'openssl/crypto/rsa/rsa_ameth.c',
'openssl/crypto/rsa/rsa_asn1.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_depr.c',
'openssl/crypto/rsa/rsa_err.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_meth.c',
'openssl/crypto/rsa/rsa_mp.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pmeth.c',
'openssl/crypto/rsa/rsa_prn.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_saos.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/rsa/rsa_x931g.c',
'openssl/crypto/seed/seed.c',
'openssl/crypto/seed/seed_cbc.c',
'openssl/crypto/seed/seed_cfb.c',
'openssl/crypto/seed/seed_ecb.c',
'openssl/crypto/seed/seed_ofb.c',
'openssl/crypto/sha/sha1_one.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/siphash/siphash.c',
'openssl/crypto/sm2/sm2_crypt.c',
'openssl/crypto/sm2/sm2_err.c',
'openssl/crypto/sm2/sm2_key.c',

'openssl/crypto/sm2/sm2_sign.c',
'openssl/crypto/sm3/legacy_sm3.c',
'openssl/crypto/sm3/sm3.c',
'openssl/crypto/sm4/sm4.c',
'openssl/crypto/srp/srp_lib.c',
'openssl/crypto/srp/srp_vfy.c',
'openssl/crypto/stack/stack.c',
'openssl/crypto/store/store_err.c',
'openssl/crypto/store/store_init.c',
'openssl/crypto/store/store_lib.c',
'openssl/crypto/store/store_meth.c',
'openssl/crypto/store/store_register.c',
'openssl/crypto/store/store_result.c',
'openssl/crypto/store/store_strings.c',
'openssl/crypto/ts/ts_asn1.c',
'openssl/crypto/ts/ts_conf.c',
'openssl/crypto/ts/ts_err.c',
'openssl/crypto/ts/ts_lib.c',
'openssl/crypto/ts/ts_req_print.c',
'openssl/crypto/ts/ts_req_utils.c',
'openssl/crypto/ts/ts_rsp_print.c',
'openssl/crypto/ts/ts_rsp_sign.c',
'openssl/crypto/ts/ts_rsp_utils.c',
'openssl/crypto/ts/ts_rsp_verify.c',
'openssl/crypto/ts/ts_verify_ctx.c',
'openssl/crypto/txt_db/txt_db.c',
'openssl/crypto/ui/ui_err.c',
'openssl/crypto/ui/ui_lib.c',
'openssl/crypto/ui/ui_null.c',
'openssl/crypto/ui/ui_openssl.c',
'openssl/crypto/ui/ui_util.c',
'openssl/crypto/whrlpool/wp_dgst.c',
'openssl/crypto/x509/by_dir.c',
'openssl/crypto/x509/by_file.c',
'openssl/crypto/x509/by_store.c',
'openssl/crypto/x509/pcy_cache.c',
'openssl/crypto/x509/pcy_data.c',
'openssl/crypto/x509/pcy_lib.c',
'openssl/crypto/x509/pcy_map.c',
'openssl/crypto/x509/pcy_node.c',
'openssl/crypto/x509/pcy_tree.c',
'openssl/crypto/x509/t_crl.c',
'openssl/crypto/x509/t_req.c',
'openssl/crypto/x509/t_x509.c',
'openssl/crypto/x509/v3_addr.c',
'openssl/crypto/x509/v3_admis.c',
'openssl/crypto/x509/v3_akeya.c',
'openssl/crypto/x509/v3_akid.c',

'openssl/crypto/x509/v3_asid.c',
'openssl/crypto/x509/v3_bcons.c',
'openssl/crypto/x509/v3_bitst.c',
'openssl/crypto/x509/v3_conf.c',
'openssl/crypto/x509/v3_cpols.c',
'openssl/crypto/x509/v3_crlid.c',
'openssl/crypto/x509/v3_enum.c',
'openssl/crypto/x509/v3_extku.c',
'openssl/crypto/x509/v3_genn.c',
'openssl/crypto/x509/v3_ia5.c',
'openssl/crypto/x509/v3_info.c',
'openssl/crypto/x509/v3_int.c',
'openssl/crypto/x509/v3_ist.c',
'openssl/crypto/x509/v3_lib.c',
'openssl/crypto/x509/v3_ncons.c',
'openssl/crypto/x509/v3_pci.c',
'openssl/crypto/x509/v3_pcia.c',
'openssl/crypto/x509/v3_pcons.c',
'openssl/crypto/x509/v3_pku.c',
'openssl/crypto/x509/v3_pmaps.c',
'openssl/crypto/x509/v3_prn.c',
'openssl/crypto/x509/v3_purp.c',
'openssl/crypto/x509/v3_san.c',
'openssl/crypto/x509/v3_skid.c',
'openssl/crypto/x509/v3_sxnet.c',
'openssl/crypto/x509/v3_tlsf.c',
'openssl/crypto/x509/v3_utf8.c',
'openssl/crypto/x509/v3_utl.c',
'openssl/crypto/x509/v3err.c',
'openssl/crypto/x509/x509_att.c',
'openssl/crypto/x509/x509_cmp.c',
'openssl/crypto/x509/x509_d2.c',
'openssl/crypto/x509/x509_def.c',
'openssl/crypto/x509/x509_err.c',
'openssl/crypto/x509/x509_ext.c',
'openssl/crypto/x509/x509_lu.c',
'openssl/crypto/x509/x509_meth.c',
'openssl/crypto/x509/x509_obj.c',
'openssl/crypto/x509/x509_r2x.c',
'openssl/crypto/x509/x509_req.c',
'openssl/crypto/x509/x509_set.c',
'openssl/crypto/x509/x509_trust.c',
'openssl/crypto/x509/x509_txt.c',
'openssl/crypto/x509/x509_v3.c',
'openssl/crypto/x509/x509_vfy.c',
'openssl/crypto/x509/x509_vpm.c',
'openssl/crypto/x509/x509cset.c',
'openssl/crypto/x509/x509name.c',

'openssl/crypto/x509/x509rset.c',
'openssl/crypto/x509/x509spki.c',
'openssl/crypto/x509/x509type.c',
'openssl/crypto/x509/x_all.c',
'openssl/crypto/x509/x_attrib.c',
'openssl/crypto/x509/x_crl.c',
'openssl/crypto/x509/x_exten.c',
'openssl/crypto/x509/x_name.c',
'openssl/crypto/x509/x_pubkey.c',
'openssl/crypto/x509/x_req.c',
'openssl/crypto/x509/x_x509.c',
'openssl/crypto/x509/x_x509a.c',
'openssl/engines/e_capi.c',
'openssl/engines/e_devcrypto.c',
'openssl/engines/e_padlock.c',
'openssl/providers/baseprov.c',
'openssl/providers/defltprov.c',
'openssl/providers/nullprov.c',
'openssl/providers/prov_running.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/der/der_sm2_key.c',
'openssl/providers/common/der/der_sm2_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_default.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/asymciphers/sm2_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv.c',
'openssl/providers/implementations/ciphers/cipher_aes_siv_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',

'openssl/providers/implementations/ciphers/cipher_aria.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aria_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aria_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aria_hw.c',
'openssl/providers/implementations/ciphers/cipher_camellia.c',
'openssl/providers/implementations/ciphers/cipher_camellia_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_hw.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305.c',
'openssl/providers/implementations/ciphers/cipher_chacha20_poly1305_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_null.c',
'openssl/providers/implementations/ciphers/cipher_sm4.c',
'openssl/providers/implementations/ciphers/cipher_sm4_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default.c',
'openssl/providers/implementations/ciphers/cipher_tdes_default_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap.c',
'openssl/providers/implementations/ciphers/cipher_tdes_wrap_hw.c',
'openssl/providers/implementations/digests/blake2_prov.c',
'openssl/providers/implementations/digests/blake2b_prov.c',

'openssl/providers/implementations/digests/blake2s_prov.c',
'openssl/providers/implementations/digests/md5_prov.c',
'openssl/providers/implementations/digests/md5_sha1_prov.c',
'openssl/providers/implementations/digests/null_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/digests/sm3_prov.c',
'openssl/providers/implementations/encode_decode/decode_der2key.c',
'openssl/providers/implementations/encode_decode/decode_epki2pki.c',
'openssl/providers/implementations/encode_decode/decode_msblob2key.c',
'openssl/providers/implementations/encode_decode/decode_pem2der.c',
'openssl/providers/implementations/encode_decode/decode_pvk2key.c',
'openssl/providers/implementations/encode_decode/decode_spki2typespki.c',
'openssl/providers/implementations/encode_decode/encode_key2any.c',
'openssl/providers/implementations/encode_decode/encode_key2blob.c',
'openssl/providers/implementations/encode_decode/encode_key2ms.c',
'openssl/providers/implementations/encode_decode/encode_key2text.c',
'openssl/providers/implementations/encode_decode/encoder_common.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',

'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/krb5kdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/pkcs12kdf.c',
'openssl/providers/implementations/kdfs/scrypt.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/blake2b_mac.c',
'openssl/providers/implementations/macs/blake2s_mac.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/macs/poly1305_prov.c',
'openssl/providers/implementations/macs/siphash_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/seed_src.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/rands/seeding/rand_cpu_x86.c',
'openssl/providers/implementations/rands/seeding/rand_tsc.c',
'openssl/providers/implementations/rands/seeding/rand_unix.c',
'openssl/providers/implementations/rands/seeding/rand_win.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/providers/implementations/signature/sm2_sig.c',
'openssl/providers/implementations/storemgmt/file_store.c',
'openssl/providers/implementations/storemgmt/file_store_any2obj.c',
'openssl/ssl/s3_cbc.c',

```

'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/implementations/ciphers/cipher_blowfish.c',
'openssl/providers/implementations/ciphers/cipher_blowfish_hw.c',
'openssl/providers/implementations/ciphers/cipher_cast5.c',
'openssl/providers/implementations/ciphers/cipher_cast5_hw.c',
'openssl/providers/implementations/ciphers/cipher_des.c',
'openssl/providers/implementations/ciphers/cipher_des_hw.c',
'openssl/providers/implementations/ciphers/cipher_desx.c',
'openssl/providers/implementations/ciphers/cipher_desx_hw.c',
'openssl/providers/implementations/ciphers/cipher_idea.c',
'openssl/providers/implementations/ciphers/cipher_idea_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc2.c',
'openssl/providers/implementations/ciphers/cipher_rc2_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hmac_md5_hw.c',
'openssl/providers/implementations/ciphers/cipher_rc4_hw.c',
'openssl/providers/implementations/ciphers/cipher_seed.c',
'openssl/providers/implementations/ciphers/cipher_seed_hw.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/digests/md4_prov.c',
'openssl/providers/implementations/digests/mdc2_prov.c',
'openssl/providers/implementations/digests/ripemd_prov.c',
'openssl/providers/implementations/digests/wp_prov.c',
'openssl/providers/implementations/kdfs/pbkdf1.c',
'openssl/providers/prov_running.c',
'openssl/providers/legacyprov.c',
],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha1-x86_64.s',

```

```

'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/baes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx2.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont.s',
'./config/archs/BSD-x86_64/asm/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm/crypto/camellia/cml1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm/crypto/whrlpool/wp-x86_64.s',
'./config/archs/BSD-x86_64/asm/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm/providers/fips.ld',
],
'openssl_defines_BSD-x86_64': [

```

```

'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'BSAES_ASM',
'CMLL_ASM',
'ECP_NISTZ256_ASM',

```

```

'GHASH_ASM',
'KECCAK1600_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_MONT5',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'X25519_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
'-Wa,--noexecstack',
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
},
'include_dirs': [
'',
'./include',
'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
'include_dirs': ['./include', ''],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}

```

MIT License

Copyright (c) Kevin Mrtensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/conf.h.in

*

* Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_CONF_H

#define OPENSSL_CONF_H

```

#pragma once

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_CONF_H
#endif

#include <openssl/bio.h>
#include <openssl/lhash.h>
#include <openssl/safestack.h>
#include <openssl/e_os2.h>
#include <openssl/types.h>
#include <openssl/conferr.h>

#ifdef __cplusplus
extern "C" {
#endif

typedef struct {
    char *section;
    char *name;
    char *value;
} CONF_VALUE;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(CONF_VALUE, CONF_VALUE, CONF_VALUE)
#define
    sk_CONF_VALUE_num(sk) OPENSSL_sk_num(ssl_check_const_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_value(sk, idx) ((CONF_VALUE
*)OPENSSL_sk_value(ssl_check_const_CONF_VALUE_sk_type(sk), (idx)))
#define sk_CONF_VALUE_new(cmp) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_new(ssl_check_CONF_VALUE_compfunc_type(cmp)))
#define sk_CONF_VALUE_new_null() ((STACK_OF(CONF_VALUE) *)OPENSSL_sk_new_null())
#define sk_CONF_VALUE_new_reserve(cmp, n) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_new_reserve(ssl_check_CONF_VALUE_compfunc_type(cmp), (n)))
#define sk_CONF_VALUE_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_CONF_VALUE_sk_type(sk), (n))
#define sk_CONF_VALUE_free(sk) OPENSSL_sk_free(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_zero(sk) OPENSSL_sk_zero(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_delete(sk, i) ((CONF_VALUE
*)OPENSSL_sk_delete(ssl_check_CONF_VALUE_sk_type(sk), (i)))
#define sk_CONF_VALUE_delete_ptr(sk, ptr) ((CONF_VALUE
*)OPENSSL_sk_delete_ptr(ssl_check_CONF_VALUE_sk_type(sk),
    ssl_check_CONF_VALUE_type(ptr)))
#define sk_CONF_VALUE_push(sk, ptr) OPENSSL_sk_push(ssl_check_CONF_VALUE_sk_type(sk),
    ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_CONF_VALUE_sk_type(sk),
    ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_pop(sk) ((CONF_VALUE

```

```

*)OPENSSL_sk_pop(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_shift(sk) ((CONF_VALUE
*)OPENSSL_sk_shift(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CONF_VALUE_sk_type(sk),ssl_check_CONF_VALUE_freefunc_type(freef
unc))
#define sk_CONF_VALUE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_type(ptr), (idx))
#define sk_CONF_VALUE_set(sk, idx, ptr) ((CONF_VALUE
*)OPENSSL_sk_set(ssl_check_CONF_VALUE_sk_type(sk), (idx), ssl_check_CONF_VALUE_type(ptr)))
#define sk_CONF_VALUE_find(sk, ptr) OPENSSL_sk_find(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_type(ptr))
#define sk_CONF_VALUE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_CONF_VALUE_sk_type(sk), ssl_check_CONF_VALUE_type(ptr), pnum)
#define sk_CONF_VALUE_sort(sk) OPENSSL_sk_sort(ssl_check_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_dup(sk) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_dup(ssl_check_const_CONF_VALUE_sk_type(sk))
#define sk_CONF_VALUE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CONF_VALUE)
*)OPENSSL_sk_deep_copy(ssl_check_const_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_copyfunc_type(copyfunc), ssl_check_CONF_VALUE_freefunc_type(freefunc)))
#define sk_CONF_VALUE_set_cmp_func(sk, cmp)
((sk_CONF_VALUE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CONF_VALUE_sk_type(sk),
ssl_check_CONF_VALUE_compfunc_type(cmp)))
DEFINE_LHASH_OF_INTERNAL(CONF_VALUE);
#define
lh_CONF_VALUE_new(hfn, cmp) ((LHASH_OF(CONF_VALUE)
*)OPENSSL_LH_new(ssl_check_CONF_VALUE_lh_hashfunc_type(hfn),
ssl_check_CONF_VALUE_lh_compfunc_type(cmp)))
#define lh_CONF_VALUE_free(lh) OPENSSL_LH_free(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_flush(lh) OPENSSL_LH_flush(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_insert(lh, ptr) ((CONF_VALUE
*)OPENSSL_LH_insert(ssl_check_CONF_VALUE_lh_type(lh),
ssl_check_CONF_VALUE_lh_plain_type(ptr)))
#define lh_CONF_VALUE_delete(lh, ptr) ((CONF_VALUE
*)OPENSSL_LH_delete(ssl_check_CONF_VALUE_lh_type(lh),
ssl_check_const_CONF_VALUE_lh_plain_type(ptr)))
#define lh_CONF_VALUE_retrieve(lh, ptr) ((CONF_VALUE
*)OPENSSL_LH_retrieve(ssl_check_CONF_VALUE_lh_type(lh),
ssl_check_const_CONF_VALUE_lh_plain_type(ptr)))
#define lh_CONF_VALUE_error(lh) OPENSSL_LH_error(ssl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_num_items(lh) OPENSSL_LH_num_items(ssl_check_CONF_VALUE_lh_type(lh))
#define
lh_CONF_VALUE_node_stats_bio(lh, out)
OPENSSL_LH_node_stats_bio(ssl_check_const_CONF_VALUE_lh_type(lh), out)

```

```

#define lh_CONF_VALUE_node_usage_stats_bio(lh, out)
OPENSSL_LH_node_usage_stats_bio(ossl_check_const_CONF_VALUE_lh_type(lh), out)
#define lh_CONF_VALUE_stats_bio(lh, out)
OPENSSL_LH_stats_bio(ossl_check_const_CONF_VALUE_lh_type(lh), out)
#define lh_CONF_VALUE_get_down_load(lh)
OPENSSL_LH_get_down_load(ossl_check_CONF_VALUE_lh_type(lh))
#define lh_CONF_VALUE_set_down_load(lh, dl)
OPENSSL_LH_set_down_load(ossl_check_CONF_VALUE_lh_type(lh), dl)
#define lh_CONF_VALUE_doall(lh, dfn) OPENSSL_LH_doall(ossl_check_CONF_VALUE_lh_type(lh),
ossl_check_CONF_VALUE_lh_doallfunc_type(dfn))

/* clang-format on */

struct conf_st;
struct conf_method_st;
typedef struct conf_method_st CONF_METHOD;

#ifndef OPENSSL_NO_DEPRECATED_3_0
#include <openssl/confypes.h>
#endif

/* Module definitions */
typedef struct conf_imodule_st CONF_IMODULE;
typedef struct conf_module_st CONF_MODULE;

STACK_OF(CONF_MODULE);
STACK_OF(CONF_IMODULE);

/*
DSO module function typedefs */
typedef int conf_init_func(CONF_IMODULE *md, const CONF *cnf);
typedef void conf_finish_func(CONF_IMODULE *md);

#define CONF_MFLAGS_IGNORE_ERRORS 0x1
#define CONF_MFLAGS_IGNORE_RETURN_CODES 0x2
#define CONF_MFLAGS_SILENT 0x4
#define CONF_MFLAGS_NO_DSO 0x8
#define CONF_MFLAGS_IGNORE_MISSING_FILE 0x10
#define CONF_MFLAGS_DEFAULT_SECTION 0x20

int CONF_set_default_method(CONF_METHOD *meth);
void CONF_set_nconf(CONF *conf, LHASH_OF(CONF_VALUE) *hash);
LHASH_OF(CONF_VALUE) *CONF_load(LHASH_OF(CONF_VALUE) *conf, const char *file,
    long *eline);
#ifndef OPENSSL_NO_STDIO
LHASH_OF(CONF_VALUE) *CONF_load_fp(LHASH_OF(CONF_VALUE) *conf, FILE *fp,
    long *eline);
#endif

```

```

LHASH_OF(CONF_VALUE) *CONF_load_bio(LHASH_OF(CONF_VALUE) *conf, BIO *bp,
    long *eline);
STACK_OF(CONF_VALUE) *CONF_get_section(LHASH_OF(CONF_VALUE) *conf,
    const char *section);
char *CONF_get_string(LHASH_OF(CONF_VALUE) *conf,
    const char *group,
    const char *name);
long CONF_get_number(LHASH_OF(CONF_VALUE) *conf, const char *group,
    const char *name);
void CONF_free(LHASH_OF(CONF_VALUE) *conf);
#ifdef OPENSSL_NO_STDIO
int CONF_dump_fp(LHASH_OF(CONF_VALUE) *conf, FILE *out);
#endif
int CONF_dump_bio(LHASH_OF(CONF_VALUE) *conf, BIO *out);
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 void OPENSSL_config(const char *config_name);
#endif

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
#define OPENSSL_no_config() \
    OPENSSL_init_crypto(OPENSSL_INIT_NO_LOAD_CONFIG, NULL)
#endif

/*
 * New conf code. The semantics are different from the functions above. If
 * that wasn't the case, the above functions would have been replaced
 */

CONF *NCONF_new_ex(OSSL_LIB_CTX *libctx, CONF_METHOD *meth);
OSSL_LIB_CTX *NCONF_get0_libctx(const CONF *conf);
CONF *NCONF_new(CONF_METHOD *meth);
CONF_METHOD *NCONF_default(void);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 CONF_METHOD *NCONF_WIN32(void);
#endif
void
    NCONF_free(CONF *conf);
void NCONF_free_data(CONF *conf);

int NCONF_load(CONF *conf, const char *file, long *eline);
#ifdef OPENSSL_NO_STDIO
int NCONF_load_fp(CONF *conf, FILE *fp, long *eline);
#endif
int NCONF_load_bio(CONF *conf, BIO *bp, long *eline);
STACK_OF(OPENSSL_CSTRING) *NCONF_get_section_names(const CONF *conf);
STACK_OF(CONF_VALUE) *NCONF_get_section(const CONF *conf,
    const char *section);
char *NCONF_get_string(const CONF *conf, const char *group, const char *name);

```

```

int NCONF_get_number_e(const CONF *conf, const char *group, const char *name,
    long *result);
#ifdef OPENSSSL_NO_STDIO
int NCONF_dump_fp(const CONF *conf, FILE *out);
#endif
int NCONF_dump_bio(const CONF *conf, BIO *out);

#define NCONF_get_number(c, g, n, r) NCONF_get_number_e(c, g, n, r)

/* Module functions */

int CONF_modules_load(const CONF *cnf, const char *appname,
    unsigned long flags);
int CONF_modules_load_file_ex(OSSL_LIB_CTX *libctx, const char *filename,
    const char *appname,
    unsigned long flags);
int CONF_modules_load_file(const char *filename, const char *appname,
    unsigned long flags);
void CONF_modules_unload(int all);
void CONF_modules_finish(void);
#ifdef OPENSSSL_NO_DEPRECATED_1_1_0
#define CONF_modules_free() \
    while (0) \
        continue
#endif
int CONF_module_add(const char *name, conf_init_func *ifunc,
    conf_finish_func *ffunc);

const char *CONF_imodule_get_name(const CONF_IMODULE *md);
const char *CONF_imodule_get_value(const CONF_IMODULE *md);
void *CONF_imodule_get_usr_data(const CONF_IMODULE *md);
void CONF_imodule_set_usr_data(CONF_IMODULE *md, void *usr_data);
CONF_MODULE *CONF_imodule_get_module(const CONF_IMODULE *md);
unsigned long CONF_imodule_get_flags(const CONF_IMODULE *md);
void CONF_imodule_set_flags(CONF_IMODULE *md, unsigned long flags);
void *CONF_module_get_usr_data(CONF_MODULE *pmod);
void CONF_module_set_usr_data(CONF_MODULE *pmod, void *usr_data);

char *CONF_get1_default_config_file(void);

int CONF_parse_list(const
    char *list, int sep, int nospc,
    int (*list_cb)(const char *elem, int len, void *usr),
    void *arg);

void OPENSSSL_load_builtin_modules(void);

#ifdef __cplusplus

```



```

}
#endif
#endif
/*
 * Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

/* clang-format off */

/* clang-format on */

/*
 * Header for dynamic hash table routines Author - Eric Young

 */

#ifndef OPENSSL_LHASH_H
#define OPENSSL_LHASH_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_LHASH_H
#endif

#include <openssl/e_os2.h>
#include <openssl/bio.h>

#ifdef __cplusplus
extern "C" {
#endif

typedef struct lhash_node_st OPENSSL_LH_NODE;
typedef int (*OPENSSL_LH_COMPFUNC)(const void *, const void *);
typedef unsigned long (*OPENSSL_LH_HASHFUNC)(const void *);
typedef void (*OPENSSL_LH_DOALL_FUNC)(void *);
typedef void (*OPENSSL_LH_DOALL_FUNCARG)(void *, void *);
typedef struct lhash_st
    OPENSSL_LHASH;

/*
 * Macros for declaring and implementing type-safe wrappers for LHASH
 * callbacks. This way, callbacks can be provided to LHASH structures without
 * function pointer casting and the macro-defined callbacks provide

```

- * per-variable casting before deferring to the underlying type-specific
- * callbacks. NB: It is possible to place a "static" in front of both the
- * DECLARE and IMPLEMENT macros if the functions are strictly internal.

*/

/* First: "hash" functions */

```
#define DECLARE_LHASH_HASH_FN(name, o_type) \
    unsigned long name##_LHASH_HASH(const void *);
#define IMPLEMENT_LHASH_HASH_FN(name, o_type) \
    unsigned long name##_LHASH_HASH(const void *arg) \
    { \
        const o_type *a = arg; \
        return name##_hash(a); \
    }
#define LHASH_HASH_FN(name) name##_LHASH_HASH
```

/* Second: "compare" functions */

```
#define DECLARE_LHASH_COMP_FN(name, o_type) \
    int \
    name##_LHASH_COMP(const void *, const void *);
#define IMPLEMENT_LHASH_COMP_FN(name, o_type) \
    int name##_LHASH_COMP(const void *arg1, const void *arg2) \
    { \
        const o_type *a = arg1; \
        const o_type *b = arg2; \
        return name##_cmp(a, b); \
    }
#define LHASH_COMP_FN(name) name##_LHASH_COMP
```

/* Fourth: "doall_arg" functions */

```
#define DECLARE_LHASH_DOALL_ARG_FN(name, o_type, a_type) \
    void name##_LHASH_DOALL_ARG(void *, void *);
#define IMPLEMENT_LHASH_DOALL_ARG_FN(name, o_type, a_type) \
    void name##_LHASH_DOALL_ARG(void *arg1, void *arg2) \
    { \
        o_type *a = arg1; \
        a_type *b = arg2; \
        name##_doall_arg(a, b); \
    }
#define LHASH_DOALL_ARG_FN(name) name##_LHASH_DOALL_ARG
```

```
#define LH_LOAD_MULT 256
```

```
int OPENSSL_LH_error(OPENSSL_LHASH *lh);
OPENSSL_LHASH *OPENSSL_LH_new(OPENSSL_LH_HASHFUNC h, OPENSSL_LH_COMPFUNC c);
void OPENSSL_LH_free(OPENSSL_LHASH *lh);
void OPENSSL_LH_flush(OPENSSL_LHASH *lh);
```

```

void *OPENSSL_LH_insert(OPENSSL_LHASH *lh, void *data);
void *OPENSSL_LH_delete(OPENSSL_LHASH *lh, const void *data);
void *OPENSSL_LH_retrieve(OPENSSL_LHASH *lh, const void *data);
void OPENSSL_LH_doall(OPENSSL_LHASH *lh, OPENSSL_LH_DOALL_FUNC func);
void OPENSSL_LH_doall_arg(OPENSSL_LHASH *lh, OPENSSL_LH_DOALL_FUNCARG func, void *arg);
unsigned long OPENSSL_LH_strhash(const char *c);
unsigned long OPENSSL_LH_num_items(const OPENSSL_LHASH *lh);
unsigned long OPENSSL_LH_get_down_load(const OPENSSL_LHASH *lh);
void OPENSSL_LH_set_down_load(OPENSSL_LHASH *lh, unsigned long down_load);

#ifdef OPENSSL_NO_STDIO
void OPENSSL_LH_stats(const OPENSSL_LHASH *lh, FILE *fp);
void OPENSSL_LH_node_stats(const OPENSSL_LHASH
    *lh, FILE *fp);
void OPENSSL_LH_node_usage_stats(const OPENSSL_LHASH *lh, FILE *fp);
#endif

void OPENSSL_LH_stats_bio(const OPENSSL_LHASH *lh, BIO *out);
void OPENSSL_LH_node_stats_bio(const OPENSSL_LHASH *lh, BIO *out);
void OPENSSL_LH_node_usage_stats_bio(const OPENSSL_LHASH *lh, BIO *out);

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
#define _LHASH OPENSSL_LHASH
#define LHASH_NODE OPENSSL_LH_NODE
#define lh_error OPENSSL_LH_error
#define lh_new OPENSSL_LH_new
#define lh_free OPENSSL_LH_free
#define lh_insert OPENSSL_LH_insert
#define lh_delete OPENSSL_LH_delete
#define lh_retrieve OPENSSL_LH_retrieve
#define lh_doall OPENSSL_LH_doall
#define lh_doall_arg OPENSSL_LH_doall_arg
#define lh_strhash OPENSSL_LH_strhash
#define lh_num_items OPENSSL_LH_num_items
#ifdef OPENSSL_NO_STDIO
#define lh_stats OPENSSL_LH_stats
#define lh_node_stats OPENSSL_LH_node_stats
#define lh_node_usage_stats OPENSSL_LH_node_usage_stats
#endif
#define lh_stats_bio OPENSSL_LH_stats_bio
#define lh_node_stats_bio
    OPENSSL_LH_node_stats_bio
#define lh_node_usage_stats_bio OPENSSL_LH_node_usage_stats_bio
#endif

/* Type checking... */

#define LHASH_OF(type) struct lhash_st_##type

```

```

/* Helper macro for internal use */
#define DEFINE_LHASH_OF_INTERNAL(type) \
    LHASH_OF(type) \
    { \
        union lh_##type##_dummy { \
            void *d1; \
            unsigned long d2; \
            int d3; \
        } dummy; \
    }; \
    typedef int (*lh_##type##_compfunc)(const type *a, const type *b); \
    typedef unsigned long (*lh_##type##_hashfunc)(const type *a); \
    typedef void (*lh_##type##_doallfunc)(type *a); \
    static ossl_unused ossl_inline type *ossl_check_##type##_lh_plain_type(type *ptr) \
    { \
        return ptr; \
    } \
    static ossl_unused ossl_inline const type *ossl_check_const_##type##_lh_plain_type(const type *ptr) \
    { \
        return ptr; \
    } \
    static ossl_unused ossl_inline const OPENSSL_LHASH *ossl_check_const_##type##_lh_type(const \
LHASH_OF(type) *lh) \
    { \
        return (const OPENSSL_LHASH *)lh; \
    } \
    static ossl_unused ossl_inline OPENSSL_LHASH *ossl_check_##type##_lh_type(LHASH_OF(type) *lh) \
    { \
        return (OPENSSL_LHASH *)lh; \
    } \
    static ossl_unused ossl_inline OPENSSL_LH_COMPFUNC \
ossl_check_##type##_lh_compfunc_type(lh_##type##_compfunc cmp) \
    { \
        return (OPENSSL_LH_COMPFUNC)cmp; \
    } \
    static ossl_unused ossl_inline OPENSSL_LH_HASHFUNC \
ossl_check_##type##_lh_hashfunc_type(lh_##type##_hashfunc hfn) \
    { \
        return (OPENSSL_LH_HASHFUNC)hfn; \
    } \
    static ossl_unused ossl_inline OPENSSL_LH_DOALL_FUNC \
ossl_check_##type##_lh_doallfunc_type(lh_##type##_doallfunc dfn) \
    {

```

```

        return (OPENSSL_LH_DOALL_FUNC)dfn;
    }
    LHASH_OF(type)

#define DEFINE_LHASH_OF(type)
    LHASH_OF(type)
    {
        union lh_##type##_dummy {
            void *d1;
            unsigned long d2;
            int d3;
        } dummy;

    };
    static ossl_unused ossl_inline LHASH_OF(type) *lh_##type##_new(unsigned long (*hfn)(const type *),
        int (*cfn)(const type *, const type *))
    {
        return (LHASH_OF(type) *)
            OPENSSL_LH_new((OPENSSL_LH_HASHFUNC)hfn, (OPENSSL_LH_COMPFUNC)cfn);
    }
    static ossl_unused ossl_inline void lh_##type##_free(LHASH_OF(type) *lh)
    {
        OPENSSL_LH_free((OPENSSL_LHASH *)lh);
    }
    static ossl_unused ossl_inline void lh_##type##_flush(LHASH_OF(type) *lh)
    {
        OPENSSL_LH_flush((OPENSSL_LHASH *)lh);
    }
    static ossl_unused ossl_inline type *lh_##type##_insert(LHASH_OF(type) *lh, type *d)
    {
        return (type *)OPENSSL_LH_insert((OPENSSL_LHASH
    *)lh, d);
    }
    static ossl_unused ossl_inline type *lh_##type##_delete(LHASH_OF(type) *lh, const type *d)
    {
        return (type *)OPENSSL_LH_delete((OPENSSL_LHASH *)lh, d);
    }
    static ossl_unused ossl_inline type *lh_##type##_retrieve(LHASH_OF(type) *lh, const type *d)
    {
        return (type *)OPENSSL_LH_retrieve((OPENSSL_LHASH *)lh, d);
    }

    static ossl_unused ossl_inline int lh_##type##_error(LHASH_OF(type) *lh)
    {
        return OPENSSL_LH_error((OPENSSL_LHASH *)lh);
    }

```

```

    }
    static ossl_unused ossl_inline unsigned long lh_##type##_num_items(LHASH_OF(type) *lh)
    {
        return OPENSSL_LH_num_items((OPENSSL_LHASH *)lh);
    }
    static ossl_unused ossl_inline void lh_##type##_node_stats_bio(const
LHASH_OF(type) *lh, BIO *out)
    {
        OPENSSL_LH_node_stats_bio((const OPENSSL_LHASH *)lh, out);
    }
    static ossl_unused ossl_inline void lh_##type##_node_usage_stats_bio(const LHASH_OF(type) *lh, BIO *out)
    {
        OPENSSL_LH_node_usage_stats_bio((const OPENSSL_LHASH *)lh, out);
    }
    static ossl_unused ossl_inline void lh_##type##_stats_bio(const LHASH_OF(type) *lh, BIO *out)
    {
        OPENSSL_LH_stats_bio((const OPENSSL_LHASH *)lh, out);
    }
    static ossl_unused ossl_inline unsigned long lh_##type##_get_down_load(LHASH_OF(type) *lh)
    {
        return OPENSSL_LH_get_down_load((OPENSSL_LHASH *)lh);
    }
    static ossl_unused ossl_inline void lh_##type##_set_down_load(LHASH_OF(type) *lh, unsigned long dl)
    {
        OPENSSL_LH_set_down_load((OPENSSL_LHASH
*)lh, dl);
    }
    static ossl_unused ossl_inline void lh_##type##_doall(LHASH_OF(type) *lh,
void (*doall)(type *))
    {
        OPENSSL_LH_doall((OPENSSL_LHASH *)lh, (OPENSSL_LH_DOALL_FUNC)doall);
    }
    static ossl_unused ossl_inline void lh_##type##_doall_arg(LHASH_OF(type) *lh,
void (*doallarg)(type *, void *),
void *arg)
    {
        OPENSSL_LH_doall_arg((OPENSSL_LHASH *)lh,
(OPENSSL_LH_DOALL_FUNCARG)doallarg, arg);
    }
LHASH_OF(type)

#define IMPLEMENT_LHASH_DOALL_ARG_CONST(type, argtype) \
    int implement_lhash_doall(type, argtype, const type)

#define IMPLEMENT_LHASH_DOALL_ARG(type, argtype) \
    int implement_lhash_doall(type, argtype, type)

```

```

#define int_implement_lhash_doall(type, argtype, cbargtype) \
    static ossl_unused ossl_inline void \
    lh_##type##_doall_##argtype(LHASH_OF(type) *lh, \
                                \
                                void (*fn)(cbargtype *, argtype *), \
                                argtype *arg) \
    { \
        OPENSSL_LH_doall_arg((OPENSSL_LHASH *)lh, (OPENSSL_LH_DOALL_FUNCARG)fn, (void *)arg); \
    } \
    LHASH_OF(type)

/* clang-format off */
DEFINE_LHASH_OF_INTERNAL(OPENSSL_STRING);
#define lh_OPENSSL_STRING_new(hfn, cmp) ((LHASH_OF(OPENSSL_STRING) \
*)OPENSSL_LH_new(ossl_check_OPENSSL_STRING_lh_hashfunc_type(hfn), \
ossl_check_OPENSSL_STRING_lh_compfunc_type(cmp)))
#define lh_OPENSSL_STRING_free(lh) OPENSSL_LH_free(ossl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_flush(lh) OPENSSL_LH_flush(ossl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_insert(lh, \
    ptr) ((OPENSSL_STRING *)OPENSSL_LH_insert(ossl_check_OPENSSL_STRING_lh_type(lh), \
    ossl_check_OPENSSL_STRING_lh_plain_type(ptr)))
#define lh_OPENSSL_STRING_delete(lh, ptr) ((OPENSSL_STRING \
*)OPENSSL_LH_delete(ossl_check_OPENSSL_STRING_lh_type(lh), \
    ossl_check_const_OPENSSL_STRING_lh_plain_type(ptr)))
#define lh_OPENSSL_STRING_retrieve(lh, ptr) ((OPENSSL_STRING \
*)OPENSSL_LH_retrieve(ossl_check_OPENSSL_STRING_lh_type(lh), \
    ossl_check_const_OPENSSL_STRING_lh_plain_type(ptr)))
#define lh_OPENSSL_STRING_error(lh) OPENSSL_LH_error(ossl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_num_items(lh) \
    OPENSSL_LH_num_items(ossl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_node_stats_bio(lh, out) \
    OPENSSL_LH_node_stats_bio(ossl_check_const_OPENSSL_STRING_lh_type(lh), out)
#define lh_OPENSSL_STRING_node_usage_stats_bio(lh, out) \
    OPENSSL_LH_node_usage_stats_bio(ossl_check_const_OPENSSL_STRING_lh_type(lh), out)
#define lh_OPENSSL_STRING_stats_bio(lh, out) \
    OPENSSL_LH_stats_bio(ossl_check_const_OPENSSL_STRING_lh_type(lh), \
    out)
#define lh_OPENSSL_STRING_get_down_load(lh) \
    OPENSSL_LH_get_down_load(ossl_check_OPENSSL_STRING_lh_type(lh))
#define lh_OPENSSL_STRING_set_down_load(lh, dl) \
    OPENSSL_LH_set_down_load(ossl_check_OPENSSL_STRING_lh_type(lh), dl)
#define lh_OPENSSL_STRING_doall(lh, dfn) OPENSSL_LH_doall(ossl_check_OPENSSL_STRING_lh_type(lh), \
    ossl_check_OPENSSL_STRING_lh_doallfunc_type(dfn))
DEFINE_LHASH_OF_INTERNAL(OPENSSL_CSTRING);
#define lh_OPENSSL_CSTRING_new(hfn, cmp) ((LHASH_OF(OPENSSL_CSTRING) \
*)OPENSSL_LH_new(ossl_check_OPENSSL_CSTRING_lh_hashfunc_type(hfn), \
    ossl_check_OPENSSL_CSTRING_lh_compfunc_type(cmp)))

```

```

#define lh_OPENSSL_CSTRING_free(lh) OPENSSL_LH_free(ossl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_flush(lh) OPENSSL_LH_flush(ossl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_insert(lh, ptr) ((OPENSSL_CSTRING
*)OPENSSL_LH_insert(ossl_check_OPENSSL_CSTRING_lh_type(lh),
ossl_check_OPENSSL_CSTRING_lh_plain_type(ptr)))
#define
lh_OPENSSL_CSTRING_delete(lh, ptr) ((OPENSSL_CSTRING
*)OPENSSL_LH_delete(ossl_check_OPENSSL_CSTRING_lh_type(lh),
ossl_check_const_OPENSSL_CSTRING_lh_plain_type(ptr)))
#define lh_OPENSSL_CSTRING_retrieve(lh, ptr) ((OPENSSL_CSTRING
*)OPENSSL_LH_retrieve(ossl_check_OPENSSL_CSTRING_lh_type(lh),
ossl_check_const_OPENSSL_CSTRING_lh_plain_type(ptr)))
#define lh_OPENSSL_CSTRING_error(lh) OPENSSL_LH_error(ossl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_num_items(lh)
OPENSSL_LH_num_items(ossl_check_OPENSSL_CSTRING_lh_type(lh))
#define lh_OPENSSL_CSTRING_node_stats_bio(lh, out)
OPENSSL_LH_node_stats_bio(ossl_check_const_OPENSSL_CSTRING_lh_type(lh), out)
#define lh_OPENSSL_CSTRING_node_usage_stats_bio(lh, out)
OPENSSL_LH_node_usage_stats_bio(ossl_check_const_OPENSSL_CSTRING_lh_type(lh), out)
#define lh_OPENSSL_CSTRING_stats_bio(lh, out)
OPENSSL_LH_stats_bio(ossl_check_const_OPENSSL_CSTRING_lh_type(lh), out)
#define lh_OPENSSL_CSTRING_get_down_load(lh)
OPENSSL_LH_get_down_load(ossl_check_OPENSSL_CSTRING_lh_type(lh))
#define
lh_OPENSSL_CSTRING_set_down_load(lh, dl)
OPENSSL_LH_set_down_load(ossl_check_OPENSSL_CSTRING_lh_type(lh), dl)
#define lh_OPENSSL_CSTRING_doall(lh, dfn)
OPENSSL_LH_doall(ossl_check_OPENSSL_CSTRING_lh_type(lh),
ossl_check_OPENSSL_CSTRING_lh_doallfunc_type(dfn))

/* clang-format on */

#ifdef __cplusplus
}
#endif

#endif

The MIT License (MIT)

```

Copyright (c) Roy Riojas and Jared Wray

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by apps/progs.pl

*

* Copyright 1995-2026 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#include "function.h"

extern int asn1parse_main(int argc, char *argv[]);

extern int ca_main(int argc, char *argv[]);

extern int ciphers_main(int argc, char *argv[]);

extern int cmp_main(int argc, char *argv[]);

extern int cms_main(int argc, char *argv[]);

extern int crl_main(int argc, char *argv[]);

extern int crl2pkcs7_main(int argc, char *argv[]);

extern int dgst_main(int argc, char *argv[]);

extern int dhparam_main(int argc, char *argv[]);

extern int dsa_main(int argc, char *argv[]);

extern int dsaparam_main(int argc, char *argv[]);

extern int ec_main(int argc, char *argv[]);

extern int ecparam_main(int

argc, char *argv[]);

extern int enc_main(int argc, char *argv[]);

extern int engine_main(int argc, char *argv[]);

extern int errstr_main(int argc, char *argv[]);

extern int fipsinstall_main(int argc, char *argv[]);

extern int gendsa_main(int argc, char *argv[]);

extern int genpkey_main(int argc, char *argv[]);

extern int genrsa_main(int argc, char *argv[]);

extern int help_main(int argc, char *argv[]);

extern int info_main(int argc, char *argv[]);

```

extern int kdf_main(int argc, char *argv[]);
extern int list_main(int argc, char *argv[]);
extern int mac_main(int argc, char *argv[]);
extern int nseq_main(int argc, char *argv[]);
extern int ocsdp_main(int argc, char *argv[]);
extern int passwd_main(int argc, char *argv[]);
extern int pkcs12_main(int argc, char *argv[]);
extern int pkcs7_main(int argc, char *argv[]);
extern int pkcs8_main(int argc, char *argv[]);
extern int pkey_main(int argc, char *argv[]);
extern int pkeyparam_main(int argc, char *argv[]);
extern int pkeyutl_main(int
    argc, char *argv[]);
extern int prime_main(int argc, char *argv[]);
extern int rand_main(int argc, char *argv[]);
extern int rehash_main(int argc, char *argv[]);
extern int req_main(int argc, char *argv[]);
extern int rsa_main(int argc, char *argv[]);
extern int rsautl_main(int argc, char *argv[]);
extern int s_client_main(int argc, char *argv[]);
extern int s_server_main(int argc, char *argv[]);
extern int s_time_main(int argc, char *argv[]);
extern int sess_id_main(int argc, char *argv[]);
extern int smime_main(int argc, char *argv[]);
extern int speed_main(int argc, char *argv[]);
extern int spkac_main(int argc, char *argv[]);
extern int srp_main(int argc, char *argv[]);
extern int storeutl_main(int argc, char *argv[]);
extern int ts_main(int argc, char *argv[]);
extern int verify_main(int argc, char *argv[]);
extern int version_main(int argc, char *argv[]);
extern int x509_main(int argc, char *argv[]);

```

```

extern const OPTIONS asn1parse_options[];
extern const OPTIONS ca_options[];
extern
    const OPTIONS ciphers_options[];
extern const OPTIONS cmp_options[];
extern const OPTIONS cms_options[];
extern const OPTIONS crl_options[];
extern const OPTIONS crl2pkcs7_options[];
extern const OPTIONS dgst_options[];
extern const OPTIONS dhparam_options[];
extern const OPTIONS dsa_options[];
extern const OPTIONS dsaparam_options[];
extern const OPTIONS ec_options[];
extern const OPTIONS ecparam_options[];
extern const OPTIONS enc_options[];

```

```
extern const OPTIONS engine_options[];
extern const OPTIONS errstr_options[];
extern const OPTIONS fipsinstall_options[];
extern const OPTIONS gendsa_options[];
extern const OPTIONS genpkey_options[];
extern const OPTIONS genrsa_options[];
extern const OPTIONS help_options[];
extern const OPTIONS info_options[];
extern const OPTIONS kdf_options[];
extern const OPTIONS list_options[];
extern const OPTIONS mac_options[];
extern const OPTIONS nseq_options[];
extern const OPTIONS ocsp_options[];
extern const OPTIONS passwd_options[];
extern
    const OPTIONS pkcs12_options[];
extern const OPTIONS pkcs7_options[];
extern const OPTIONS pkcs8_options[];
extern const OPTIONS pkey_options[];
extern const OPTIONS pkeyparam_options[];
extern const OPTIONS pkeyutl_options[];
extern const OPTIONS prime_options[];
extern const OPTIONS rand_options[];
extern const OPTIONS rehash_options[];
extern const OPTIONS req_options[];
extern const OPTIONS rsa_options[];
extern const OPTIONS rsautl_options[];
extern const OPTIONS s_client_options[];
extern const OPTIONS s_server_options[];
extern const OPTIONS s_time_options[];
extern const OPTIONS sess_id_options[];
extern const OPTIONS smime_options[];
extern const OPTIONS speed_options[];
extern const OPTIONS spkac_options[];
extern const OPTIONS srp_options[];
extern const OPTIONS storeutl_options[];
extern const OPTIONS ts_options[];
extern const OPTIONS verify_options[];
extern const OPTIONS version_options[];
extern const OPTIONS x509_options[];
```

extern FUNCTION functions[];

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiko Tsujikawa

Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License

Copyright (c) 2015 Kyle E. Mitchell & other authors listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl

* via Makefile.in

*

* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* <https://www.openssl.org/source/license.html>
*/

```
#ifndef OPENSSSL_CONFIGURATION_H
#define OPENSSSL_CONFIGURATION_H
#pragma once
```

```
#ifdef __cplusplus
extern "C" {
#endif
```

```
#ifndef OPENSSSL_ALGORITHM_DEFINES
#error OPENSSSL_ALGORITHM_DEFINES no longer supported
#endif
```

```
/*
 * OpenSSL was configured with the following options:
 */
```

```
/* clang-format off */
# define OPENSSSL_CONFIGURED_API 30000
# ifndef OPENSSSL_RAND_SEED_OS
# define OPENSSSL_RAND_SEED_OS
# endif
# ifndef OPENSSSL_THREADS
# define OPENSSSL_THREADS
# endif
# ifndef OPENSSSL_NO_AFALGENG
# define OPENSSSL_NO_AFALGENG
#
# endif
# ifndef OPENSSSL_NO_ASAN
# define OPENSSSL_NO_ASAN
# endif
# ifndef OPENSSSL_NO_COMP
# define OPENSSSL_NO_COMP
# endif
# ifndef OPENSSSL_NO_CRYPTOMDDEBUG
# define OPENSSSL_NO_CRYPTOMDDEBUG
# endif
# ifndef OPENSSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# define OPENSSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# endif
# ifndef OPENSSSL_NO_EC_NISTP_64_GCC_128
# define OPENSSSL_NO_EC_NISTP_64_GCC_128
```

```

# endif
# ifndef OPENSSL_NO_EGD
#  define OPENSSL_NO_EGD
# endif
# ifndef OPENSSL_NO_EXTERNAL_TESTS
#  define OPENSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSL_NO_FUZZ_AFL
#  define OPENSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSL_NO_FUZZ_LIBFUZZER
#  define OPENSSL_NO_FUZZ_LIBFUZZER
# endif
# ifndef OPENSSL_NO_KTLS
#  define OPENSSL_NO_KTLS
# endif
# ifndef OPENSSL_NO_LOADERENG
#  define OPENSSL_NO_LOADERENG
# endif
# ifndef OPENSSL_NO_MD2
#  define OPENSSL_NO_MD2
# endif
# ifndef OPENSSL_NO_MSAN
#  define OPENSSL_NO_MSAN
# endif
# ifndef OPENSSL_NO_RC5
#  define OPENSSL_NO_RC5
# endif
# ifndef OPENSSL_NO_SCTP
#
#   define OPENSSL_NO_SCTP
# endif
# ifndef OPENSSL_NO_SSL3
#  define OPENSSL_NO_SSL3
# endif
# ifndef OPENSSL_NO_SSL3_METHOD
#  define OPENSSL_NO_SSL3_METHOD
# endif
# ifndef OPENSSL_NO_TRACE
#  define OPENSSL_NO_TRACE
# endif
# ifndef OPENSSL_NO_UBSAN
#  define OPENSSL_NO_UBSAN
# endif
# ifndef OPENSSL_NO_UNIT_TEST
#  define OPENSSL_NO_UNIT_TEST
# endif
# ifndef OPENSSL_NO_UPLINK

```

```

# define OPENSSL_NO_UPLINK
# endif
# ifndef OPENSSL_NO_WEAK_SSL_CIPHERS
# define OPENSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSL_NO_DYNAMIC_ENGINE
# define OPENSSL_NO_DYNAMIC_ENGINE
# endif

/* clang-format on */

/* Generate 80386 code? */
/* clang-format off */
# undef I386_ONLY
/* clang-format on */

/*
 * The following are cipher-specific, but are part of the public API.
 */
#if !defined(OPENSSL_SYS_UEFI)
    /* clang-format off */
# undef BN_LLONG
    /* clang-format on */
    /* Only one for the following should be defined */
    /* clang-format off */
# define SIXTY_FOUR_BIT_LONG
    /* clang-format
on */
    /* clang-format off */
# undef SIXTY_FOUR_BIT
    /* clang-format on */
    /* clang-format off */
# undef THIRTY_TWO_BIT
    /* clang-format on */
#endif

/* clang-format off */
# define RC4_INT unsigned int
/* clang-format on */

#ifdef __cplusplus
}
#endif

#endif /* OPENSSL_CONFIGURATION_H */
#endif SRC_PERMISSION_FS_PERMISSION_H_
#define SRC_PERMISSION_FS_PERMISSION_H_

```

```
#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
```

```
#include "v8.h"
```

```
#include <unordered_map>
```

```
#include "permission/permission_base.h"
```

```
#include "util.h"
```

```
namespace node {
```

```
namespace permission {
```

```
class FSPermission final : public PermissionBase {
```

```
public:
```

```
void Apply(Environment* env,  
            const std::vector<std::string>& allow,  
            PermissionScope scope) override;  
bool is_granted(Environment* env,  
                PermissionScope perm,  
                const std::string_view& param) const override;
```

```
struct RadixTree {
```

```
struct Node {
```

```
std::string prefix;  
std::unordered_map<char, Node*> children;  
Node* wildcard_child;  
bool is_leaf;
```

```
explicit Node(const std::string& pre)  
    : prefix(pre), wildcard_child(nullptr), is_leaf(false) {}
```

```
Node() : wildcard_child(nullptr), is_leaf(false) {}
```

```
Node* CreateChild(const std::string& path_prefix)
```

```
{  
    if (path_prefix.empty() && !is_leaf) {  
        is_leaf = true;  
        return this;  
    }
```

```
CHECK(!path_prefix.empty());  
char label = path_prefix[0];
```

```
Node* child = children[label];  
if (child == nullptr) {  
    children[label] = new Node(path_prefix);  
    return children[label];  
}
```



```

// swap prefix
size_t i = 0;
size_t prefix_len = path_prefix.length();
for (; i < child->prefix.length(); ++i) {
    if (i > prefix_len || path_prefix[i] != child->prefix[i]) {
        std::string parent_prefix = child->prefix.substr(0, i);
        std::string child_prefix = child->prefix.substr(i);

        child->prefix = child_prefix;
        Node* split_child = new Node(parent_prefix);
        split_child->children[child_prefix[0]] = child;
        children[parent_prefix[0]] = split_child;

        return split_child->CreateChild(path_prefix.substr(i));
    }
}

child->is_leaf = true;
return child->CreateChild(path_prefix.substr(i));
}

Node* CreateWildcardChild() {
    if (wildcard_child != nullptr) {
        return wildcard_child;
    }
    wildcard_child = new Node();
    return wildcard_child;
}

Node* NextNode(const std::string& path, size_t idx) const {
    if (idx >= path.length()) {
        return nullptr;
    }

    // wildcard node takes precedence
    if (children.size() > 1) {
        auto it = children.find('*');
        if (it != children.end()) {
            return it->second;
        }
    }

    auto it = children.find(path[idx]);
    if (it == children.end()) {
        return nullptr;
    }
    auto child = it->second;

```

```

    // match prefix
    size_t prefix_len = child->prefix.length();
    for (size_t i = 0; i < path.length(); ++i) {
        if (i >= prefix_len || child->prefix[i] == '*') {
            return
child;
        }

        // Handle optional trailing
        // path = /home/subdirectory
        // child = subdirectory/*
        if (idx >= path.length() &&
            child->prefix[i] == node::kPathSeparator) {
            continue;
        }

        if (path[idx++] != child->prefix[i]) {
            return nullptr;
        }
    }
    return child;
}

// A node can be a *end* node and have children
// E.g: */slower*, */slown* are inserted:
// /slow
// ---> er
// ---> n
// If */slow* is inserted right after, it will create an
// empty node
// /slow
// ---> '\000' ASCII (0) || \0
// ---> er
// ---> n
bool IsEndNode() const {
    if (children.empty()) {
        return true;
    }
    return is_leaf;
}
};

RadixTree();
~RadixTree();
void Insert(const std::string& s);
bool Lookup(const std::string_view& s) const { return Lookup(s, false);
}
bool Lookup(const std::string_view& s, bool when_empty_return) const;

```

```

private:
    Node* root_node_;
};

private:
void GrantAccess(PermissionScope scope, const std::string& param);
// fs granted on startup
RadixTree granted_in_fs_;
RadixTree granted_out_fs_;

bool deny_all_in_ = true;
bool deny_all_out_ = true;

bool allow_all_in_ = false;
bool allow_all_out_ = false;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_FS_PERMISSION_H_
UNRECOGNIZED LICENSE; MD5 sum: 9b06e0787814edfe98666e676afd12e4
This software is dual-licensed under the ISC and MIT licenses.
You may use this software under EITHER of the following licenses.

```

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright Isaac Z. Schlueter and Contributors
All rights reserved.

Permission is
hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE
SOFTWARE.

The code in this repository code was Written by Gil Tene, Michael Barker,
and Matt Warren, and released to the public domain, as explained at
<http://creativecommons.org/publicdomain/zero/1.0/>

For users of this code who wish to consume it under the "BSD" license
rather than under the public domain or CC0 contribution text mentioned
above, the code found under this directory is **also** provided under the
following license (commonly referred to as the BSD 2-Clause License). This
license does not detract from the above stated release of the code into
the public domain, and simply represents an additional license granted by
the Author.

** Beginning of "BSD 2-Clause License" text. **

Copyright (c) 2012, 2013, 2014 Gil Tene
Copyright (c) 2014 Michael Barker
Copyright (c) 2014 Matt Warren
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided

that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The 3-Clause BSD License

Copyright 2019 web-platform-tests contributors

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

BSD 3-Clause License

Copyright (c) 2019, Human Who Codes

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN

NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/ocsp.h.in

```

*
* Copyright 2000-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_OCSP_H
#define OPENSSL_OCSP_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_OCSP_H
#endif

#include <openssl/opensslconf.h>
#include <openssl/http.h>
#include <openssl/asn1.h>

/*
 * These definitions are outside the OPENSSL_NO_OCSP guard because although for
 * historical reasons they have OCSP_* names, they can actually be used
 * independently of OCSP. E.g. see RFC5280
 */
/*-
 * CRLReason ::= ENUMERATED {
 *     unspecified          (0),
 *     keyCompromise
 *         (1),
 *     cACompromise         (2),
 *     affiliationChanged   (3),
 *     superseded           (4),
 *     cessationOfOperation (5),
 *     certificateHold       (6),
 *     -- value 7 is not used
 *     removeFromCRL        (8),
 *     privilegeWithdrawn   (9),
 *     aACompromise         (10) }
 */
#define OCSP_REVOKED_STATUS_NOSTATUS -1
#define OCSP_REVOKED_STATUS_UNSPECIFIED 0

```

```

#define OCSP_REVOKED_STATUS_KEYCOMPROMISE 1
#define OCSP_REVOKED_STATUS_CACOMPROMISE 2
#define OCSP_REVOKED_STATUS_AFFILIATIONCHANGED 3
#define OCSP_REVOKED_STATUS_SUPERSEDED 4
#define OCSP_REVOKED_STATUS_CESSATIONOFOPERATION 5
#define OCSP_REVOKED_STATUS_CERTIFICATEHOLD 6
#define OCSP_REVOKED_STATUS_REMOVEFROMCRL 8
#define OCSP_REVOKED_STATUS_PRIVILEGEWITHDRAWN 9
#define OCSP_REVOKED_STATUS_AACOMPROMISE 10

#ifndef OPENSSSL_NO_OCSP

#include <openssl/x509.h>
#include <openssl/x509v3.h>
#include <openssl/safestack.h>
#include <openssl/ocsperr.h>

#ifdef
__cplusplus
extern "C" {
#endif

/* Various flags and values */

#define OCSP_DEFAULT_NONCE_LENGTH 16

#define OCSP_NOCERTS 0x1
#define OCSP_NOINTERN 0x2
#define OCSP_NOSIGS 0x4
#define OCSP_NOCHAIN 0x8
#define OCSP_NOVERIFY 0x10
#define OCSP_NOEXPLICIT 0x20
#define OCSP_NOCASIGN 0x40
#define OCSP_NODELEGATED 0x80
#define OCSP_NOCHECKS 0x100
#define OCSP_TRUSTOTHER 0x200
#define OCSP_RESPID_KEY 0x400
#define OCSP_NOTIME 0x800
#define OCSP_PARTIAL_CHAIN 0x1000

typedef struct ocsplcert_id_st OCSP_CERTID;
typedef struct ocsplone_request_st OCSP_ONEREQ;
typedef struct ocsplreq_info_st OCSP_REQINFO;
typedef struct ocsplsignature_st OCSP_SIGNATURE;
typedef struct ocsplrequest_st OCSP_REQUEST;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OCSP_CERTID, OCSP_CERTID, OCSP_CERTID)

```

```

#define sk_OCSP_CERTID_num(sk) OPENSSL_sk_num(ssl_check_const_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_value(sk, idx) ((OCSP_CERTID
*)OPENSSL_sk_value(ssl_check_const_OCSP_CERTID_sk_type(sk),
(idx)))
#define sk_OCSP_CERTID_new(cmp) ((STACK_OF(OCSP_CERTID)
*)OPENSSL_sk_new(ssl_check_OCSP_CERTID_compfunc_type(cmp)))
#define sk_OCSP_CERTID_new_null() ((STACK_OF(OCSP_CERTID) *)OPENSSL_sk_new_null())
#define sk_OCSP_CERTID_new_reserve(cmp, n) ((STACK_OF(OCSP_CERTID)
*)OPENSSL_sk_new_reserve(ssl_check_OCSP_CERTID_compfunc_type(cmp), (n)))
#define sk_OCSP_CERTID_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OCSP_CERTID_sk_type(sk), (n))
#define sk_OCSP_CERTID_free(sk) OPENSSL_sk_free(ssl_check_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_zero(sk) OPENSSL_sk_zero(ssl_check_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_delete(sk, i) ((OCSP_CERTID
*)OPENSSL_sk_delete(ssl_check_OCSP_CERTID_sk_type(sk), (i)))
#define sk_OCSP_CERTID_delete_ptr(sk, ptr) ((OCSP_CERTID
*)OPENSSL_sk_delete_ptr(ssl_check_OCSP_CERTID_sk_type(sk), ssl_check_OCSP_CERTID_type(ptr)))
#define sk_OCSP_CERTID_push(sk, ptr) OPENSSL_sk_push(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define
sk_OCSP_CERTID_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define sk_OCSP_CERTID_pop(sk) ((OCSP_CERTID
*)OPENSSL_sk_pop(ssl_check_OCSP_CERTID_sk_type(sk)))
#define sk_OCSP_CERTID_shift(sk) ((OCSP_CERTID
*)OPENSSL_sk_shift(ssl_check_OCSP_CERTID_sk_type(sk)))
#define sk_OCSP_CERTID_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OCSP_CERTID_sk_type(sk), ssl_check_OCSP_CERTID_freefunc_type(freef
unc))
#define sk_OCSP_CERTID_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr), (idx))
#define sk_OCSP_CERTID_set(sk, idx, ptr) ((OCSP_CERTID
*)OPENSSL_sk_set(ssl_check_OCSP_CERTID_sk_type(sk), (idx), ssl_check_OCSP_CERTID_type(ptr)))
#define sk_OCSP_CERTID_find(sk, ptr) OPENSSL_sk_find(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define sk_OCSP_CERTID_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr))
#define
sk_OCSP_CERTID_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_type(ptr), pnum)
#define sk_OCSP_CERTID_sort(sk) OPENSSL_sk_sort(ssl_check_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OCSP_CERTID_sk_type(sk))
#define sk_OCSP_CERTID_dup(sk) ((STACK_OF(OCSP_CERTID)
*)OPENSSL_sk_dup(ssl_check_const_OCSP_CERTID_sk_type(sk)))
#define sk_OCSP_CERTID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OCSP_CERTID)
*)OPENSSL_sk_deep_copy(ssl_check_const_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_copyfunc_type(copyfunc), ssl_check_OCSP_CERTID_freefunc_type(freefunc)))
#define sk_OCSP_CERTID_set_cmp_func(sk, cmp)

```

```

((sk_OCSP_CERTID_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OCSP_CERTID_sk_type(sk),
ssl_check_OCSP_CERTID_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(OCSP_ONEREQ, OCSP_ONEREQ, OCSP_ONEREQ)
#define sk_OCSP_ONEREQ_num(sk) OPENSSL_sk_num(ssl_check_const_OCSP_ONEREQ_sk_type(sk))
#define
sk_OCSP_ONEREQ_value(sk, idx) ((OCSP_ONEREQ
*)OPENSSL_sk_value(ssl_check_const_OCSP_ONEREQ_sk_type(sk), (idx)))
#define sk_OCSP_ONEREQ_new(cmp) ((STACK_OF(OCSP_ONEREQ)
*)OPENSSL_sk_new(ssl_check_OCSP_ONEREQ_compfunc_type(cmp)))
#define sk_OCSP_ONEREQ_new_null() ((STACK_OF(OCSP_ONEREQ) *)OPENSSL_sk_new_null())
#define sk_OCSP_ONEREQ_new_reserve(cmp, n) ((STACK_OF(OCSP_ONEREQ)
*)OPENSSL_sk_new_reserve(ssl_check_OCSP_ONEREQ_compfunc_type(cmp), (n)))
#define sk_OCSP_ONEREQ_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_OCSP_ONEREQ_sk_type(sk), (n))
#define sk_OCSP_ONEREQ_free(sk) OPENSSL_sk_free(ssl_check_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_zero(sk) OPENSSL_sk_zero(ssl_check_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_delete(sk, i) ((OCSP_ONEREQ
*)OPENSSL_sk_delete(ssl_check_OCSP_ONEREQ_sk_type(sk), (i)))
#define sk_OCSP_ONEREQ_delete_ptr(sk, ptr) ((OCSP_ONEREQ
*)OPENSSL_sk_delete_ptr(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr)))
#define sk_OCSP_ONEREQ_push(sk, ptr) OPENSSL_sk_push(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_pop(sk) ((OCSP_ONEREQ
*)OPENSSL_sk_pop(ssl_check_OCSP_ONEREQ_sk_type(sk)))
#define sk_OCSP_ONEREQ_shift(sk) ((OCSP_ONEREQ
*)OPENSSL_sk_shift(ssl_check_OCSP_ONEREQ_sk_type(sk)))
#define sk_OCSP_ONEREQ_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OCSP_ONEREQ_sk_type(sk), ssl_check_OCSP_ONEREQ_freefunc_type(fr
eefunc))
#define sk_OCSP_ONEREQ_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr), (idx))
#define sk_OCSP_ONEREQ_set(sk, idx, ptr) ((OCSP_ONEREQ
*)OPENSSL_sk_set(ssl_check_OCSP_ONEREQ_sk_type(sk), (idx), ssl_check_OCSP_ONEREQ_type(ptr)))
#define sk_OCSP_ONEREQ_find(sk, ptr) OPENSSL_sk_find(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_OCSP_ONEREQ_sk_type(sk),
ssl_check_OCSP_ONEREQ_type(ptr))
#define sk_OCSP_ONEREQ_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OCSP_ONEREQ_sk_type(sk), ssl_check_OCSP_ONEREQ_type(ptr), pnum)
#define sk_OCSP_ONEREQ_sort(sk) OPENSSL_sk_sort(ssl_check_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OCSP_ONEREQ_sk_type(sk))
#define sk_OCSP_ONEREQ_dup(sk) ((STACK_OF(OCSP_ONEREQ)
*)OPENSSL_sk_dup(ssl_check_const_OCSP_ONEREQ_sk_type(sk)))
#define sk_OCSP_ONEREQ_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OCSP_ONEREQ)
*)OPENSSL_sk_deep_copy(ssl_check_const_OCSP_ONEREQ_sk_type(sk),

```

```

ossl_check_OCSP_ONEREQ_copyfunc_type(copyfunc), ossl_check_OCSP_ONEREQ_freefunc_type(freefunc)))
#define sk_OCSP_ONEREQ_set_cmp_func(sk, cmp)
((sk_OCSP_ONEREQ_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_OCSP_ONEREQ_sk_type(sk),
ossl_check_OCSP_ONEREQ_compfunc_type(cmp)))

/*
clang-format on */

#define OCSP_RESPONSE_STATUS_SUCCESSFUL 0
#define OCSP_RESPONSE_STATUS_MALFORMEDREQUEST 1
#define OCSP_RESPONSE_STATUS_INTERNALERROR 2
#define OCSP_RESPONSE_STATUS_TRYLATER 3
#define OCSP_RESPONSE_STATUS_SIGREQUIRED 5
#define OCSP_RESPONSE_STATUS_UNAUTHORIZED 6

typedef struct ocsp_resp_bytes_st OCSP_RESPBYTES;

#define V_OCSP_RESPID_NAME 0
#define V_OCSP_RESPID_KEY 1

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OCSP_RESPID, OCSP_RESPID, OCSP_RESPID)
#define sk_OCSP_RESPID_num(sk) OPENSSL_sk_num(ossl_check_const_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_value(sk, idx) ((OCSP_RESPID
*)OPENSSL_sk_value(ossl_check_const_OCSP_RESPID_sk_type(sk), (idx)))
#define sk_OCSP_RESPID_new(cmp) ((STACK_OF(OCSP_RESPID
*)OPENSSL_sk_new(ossl_check_OCSP_RESPID_compfunc_type(cmp)))
#define sk_OCSP_RESPID_new_null() ((STACK_OF(OCSP_RESPID *)OPENSSL_sk_new_null())
#define sk_OCSP_RESPID_new_reserve(cmp, n) ((STACK_OF(OCSP_RESPID
*)OPENSSL_sk_new_reserve(ossl_check_OCSP_RESPID_compfunc_type(cmp), (n)))
#define sk_OCSP_RESPID_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_OCSP_RESPID_sk_type(sk), (n))
#define sk_OCSP_RESPID_free(sk) OPENSSL_sk_free(ossl_check_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_zero(sk) OPENSSL_sk_zero(ossl_check_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_delete(sk, i) ((OCSP_RESPID
*)OPENSSL_sk_delete(ossl_check_OCSP_RESPID_sk_type(sk), (i)))
#define sk_OCSP_RESPID_delete_ptr(sk, ptr) ((OCSP_RESPID
*)OPENSSL_sk_delete_ptr(ossl_check_OCSP_RESPID_sk_type(sk), ossl_check_OCSP_RESPID_type(ptr)))
#define sk_OCSP_RESPID_push(sk, ptr) OPENSSL_sk_push(ossl_check_OCSP_RESPID_sk_type(sk),
ossl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_OCSP_RESPID_sk_type(sk),
ossl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_pop(sk) ((OCSP_RESPID
*)OPENSSL_sk_pop(ossl_check_OCSP_RESPID_sk_type(sk)))
#define sk_OCSP_RESPID_shift(sk) ((OCSP_RESPID
*)OPENSSL_sk_shift(ossl_check_OCSP_RESPID_sk_type(sk)))
#define sk_OCSP_RESPID_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_OCSP_RESPID_sk_type(sk), ossl_check_OCSP_RESPID_freefunc_type(freefunc))
unc))

```

```

#define sk_OCSP_RESPID_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_OCSP_RESPID_sk_type(sk),
ssl_check_OCSP_RESPID_type(ptr), (idx))
#define sk_OCSP_RESPID_set(sk, idx, ptr) ((OCSP_RESPID
*)OPENSSL_sk_set(ssl_check_OCSP_RESPID_sk_type(sk), (idx), ssl_check_OCSP_RESPID_type(ptr)))
#define sk_OCSP_RESPID_find(sk, ptr) OPENSSL_sk_find(ssl_check_OCSP_RESPID_sk_type(sk),
ssl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_OCSP_RESPID_sk_type(sk),
ssl_check_OCSP_RESPID_type(ptr))
#define sk_OCSP_RESPID_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OCSP_RESPID_sk_type(sk), ssl_check_OCSP_RESPID_type(ptr), pnum)
#define sk_OCSP_RESPID_sort(sk) OPENSSL_sk_sort(ssl_check_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OCSP_RESPID_sk_type(sk))
#define sk_OCSP_RESPID_dup(sk) ((STACK_OF(OCSP_RESPID)
*)OPENSSL_sk_dup(ssl_check_const_OCSP_RESPID_sk_type(sk)))
#define sk_OCSP_RESPID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OCSP_RESPID)
*)OPENSSL_sk_deep_copy(ssl_check_const_OCSP_RESPID_sk_type(sk),
ssl_check_OCSP_RESPID_copyfunc_type(copyfunc), ssl_check_OCSP_RESPID_freefunc_type(freefunc)))
#define sk_OCSP_RESPID_set_cmp_func(sk, cmp)
((sk_OCSP_RESPID_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OCSP_RESPID_sk_type(sk),
ssl_check_OCSP_RESPID_compfunc_type(cmp)))

/* clang-format on */

typedef struct ocsf_revoked_info_st OCSP_REVOKEDINFO;

#define V_OCSP_CERTSTATUS_GOOD 0
#define V_OCSP_CERTSTATUS_REVOKED 1
#define V_OCSP_CERTSTATUS_UNKNOWN 2

typedef struct ocsf_cert_status_st OCSP_CERTSTATUS;
typedef struct ocsf_single_response_st OCSP_SINGLERESP;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OCSP_SINGLERESP, OCSP_SINGLERESP, OCSP_SINGLERESP)
#define
sk_OCSP_SINGLERESP_num(sk) OPENSSL_sk_num(ssl_check_const_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_value(sk, idx) ((OCSP_SINGLERESP
*)OPENSSL_sk_value(ssl_check_const_OCSP_SINGLERESP_sk_type(sk), (idx)))
#define sk_OCSP_SINGLERESP_new(cmp) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_new(ssl_check_OCSP_SINGLERESP_compfunc_type(cmp)))
#define sk_OCSP_SINGLERESP_new_null() ((STACK_OF(OCSP_SINGLERESP) *)OPENSSL_sk_new_null())
#define sk_OCSP_SINGLERESP_new_reserve(cmp, n) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_new_reserve(ssl_check_OCSP_SINGLERESP_compfunc_type(cmp), (n)))
#define sk_OCSP_SINGLERESP_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OCSP_SINGLERESP_sk_type(sk), (n))
#define sk_OCSP_SINGLERESP_free(sk) OPENSSL_sk_free(ssl_check_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_zero(sk) OPENSSL_sk_zero(ssl_check_OCSP_SINGLERESP_sk_type(sk))

```



```

#define sk_OCSP_SINGLERESP_delete(sk, i) ((OCSP_SINGLERESP
*)OPENSSL_sk_delete(ossl_check_OCSP_SINGLERESP_sk_type(sk),
(i)))
#define sk_OCSP_SINGLERESP_delete_ptr(sk, ptr) ((OCSP_SINGLERESP
*)OPENSSL_sk_delete_ptr(ossl_check_OCSP_SINGLERESP_sk_type(sk),
ossl_check_OCSP_SINGLERESP_type(ptr)))
#define sk_OCSP_SINGLERESP_push(sk, ptr)
OPENSSL_sk_push(ossl_check_OCSP_SINGLERESP_sk_type(sk), ossl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_OCSP_SINGLERESP_sk_type(sk),
ossl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_pop(sk) ((OCSP_SINGLERESP
*)OPENSSL_sk_pop(ossl_check_OCSP_SINGLERESP_sk_type(sk)))
#define sk_OCSP_SINGLERESP_shift(sk) ((OCSP_SINGLERESP
*)OPENSSL_sk_shift(ossl_check_OCSP_SINGLERESP_sk_type(sk)))
#define sk_OCSP_SINGLERESP_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_OCSP_SINGLERESP_sk_type(sk),ossl_check_OCSP_SINGLERESP_freefunc
c_type(freefunc))
#define sk_OCSP_SINGLERESP_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_OCSP_SINGLERESP_sk_type(sk), ossl_check_OCSP_SINGLERESP_type(ptr),
(idx))
#define sk_OCSP_SINGLERESP_set(sk, idx, ptr) ((OCSP_SINGLERESP
*)OPENSSL_sk_set(ossl_check_OCSP_SINGLERESP_sk_type(sk), (idx),
ossl_check_OCSP_SINGLERESP_type(ptr)))
#define sk_OCSP_SINGLERESP_find(sk, ptr) OPENSSL_sk_find(ossl_check_OCSP_SINGLERESP_sk_type(sk),
ossl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ossl_check_OCSP_SINGLERESP_sk_type(sk),
ossl_check_OCSP_SINGLERESP_type(ptr))
#define sk_OCSP_SINGLERESP_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_OCSP_SINGLERESP_sk_type(sk),
ossl_check_OCSP_SINGLERESP_type(ptr), pnum)
#define sk_OCSP_SINGLERESP_sort(sk) OPENSSL_sk_sort(ossl_check_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_OCSP_SINGLERESP_sk_type(sk))
#define sk_OCSP_SINGLERESP_dup(sk) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_dup(ossl_check_const_OCSP_SINGLERESP_sk_type(sk)))
#define sk_OCSP_SINGLERESP_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OCSP_SINGLERESP)
*)OPENSSL_sk_deep_copy(ossl_check_const_OCSP_SINGLERESP_sk_type(sk),
ossl_check_OCSP_SINGLERESP_copyfunc_type(copyfunc),
ossl_check_OCSP_SINGLERESP_freefunc_type(freefunc)))
#define sk_OCSP_SINGLERESP_set_cmp_func(sk, cmp)
((sk_OCSP_SINGLERESP_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_OCSP_SINGLERESP_sk_type(sk
), ossl_check_OCSP_SINGLERESP_compfunc_type(cmp)))

/* clang-format on */

typedef struct ocsp_response_data_st OCSP_RESPDATA;

```

```

typedef struct ocspl_basic_response_st OCSP_BASICRESP;

typedef struct ocspl_crl_id_st OCSP_CRLID;
typedef struct ocspl_service_locator_st OCSP_SERVICELOC;

#define PEM_STRING_OCSP_REQUEST "OCSP REQUEST"
#define PEM_STRING_OCSP_RESPONSE "OCSP RESPONSE"

#define d2i_OCSP_REQUEST_bio(bp, p) ASN1_d2i_bio_of(OCSP_REQUEST, OCSP_REQUEST_new,
d2i_OCSP_REQUEST, bp, p)

#define d2i_OCSP_RESPONSE_bio(bp, p) ASN1_d2i_bio_of(OCSP_RESPONSE, OCSP_RESPONSE_new,
d2i_OCSP_RESPONSE, bp, p)

#define PEM_read_bio_OCSP_REQUEST(bp, x, cb) (OCSP_REQUEST *)PEM_ASN1_read_bio(
\
(d2i_of_void *)d2i_OCSP_REQUEST, PEM_STRING_OCSP_REQUEST,
bp, (char **)(x), cb, NULL)

#define PEM_read_bio_OCSP_RESPONSE(bp, x, cb) (OCSP_RESPONSE *)PEM_ASN1_read_bio(
\
(d2i_of_void *)d2i_OCSP_RESPONSE, PEM_STRING_OCSP_RESPONSE,
bp, (char **)(x), cb, NULL)

#define PEM_write_bio_OCSP_REQUEST(bp, o)
\
PEM_ASN1_write_bio((i2d_of_void *)i2d_OCSP_REQUEST, PEM_STRING_OCSP_REQUEST,
bp, (char *) (o), NULL, NULL, 0, NULL, NULL)

#define PEM_write_bio_OCSP_RESPONSE(bp, o)
\
PEM_ASN1_write_bio((i2d_of_void *)i2d_OCSP_RESPONSE, PEM_STRING_OCSP_RESPONSE,
bp, (char *) (o), NULL, NULL, 0, NULL, NULL)

#define i2d_OCSP_RESPONSE_bio(bp, o) ASN1_i2d_bio_of(OCSP_RESPONSE, i2d_OCSP_RESPONSE, bp, o)

#define i2d_OCSP_REQUEST_bio(bp, o) ASN1_i2d_bio_of(OCSP_REQUEST, i2d_OCSP_REQUEST, bp, o)

#define ASN1_BIT_STRING_digest(data,
type, md, len) \
ASN1_item_digest(ASN1_ITEM_rptr(ASN1_BIT_STRING), type, data, md, len)

#define OCSP_CERTSTATUS_dup(cs)
\
(OCSP_CERTSTATUS *)ASN1_dup((i2d_of_void *)i2d_OCSP_CERTSTATUS,
(d2i_of_void *)d2i_OCSP_CERTSTATUS, (char *) (cs))

DECLARE_ASN1_DUP_FUNCTION(OCSP_CERTID)

OSSL_HTTP_REQ_CTX *OCSP_sendreq_new(BIO *io, const char *path,
const OCSP_REQUEST *req, int buf_size);

```

```

OCSP_RESPONSE *OCSP_sendreq_bio(BIO *b, const char *path, OCSP_REQUEST *req);

#ifndef OPENSSL_NO_DEPRECATED_3_0
typedef OSSL_HTTP_REQ_CTX OCSP_REQ_CTX;
#define OCSP_REQ_CTX_new(io, buf_size) \
    OSSL_HTTP_REQ_CTX_new(io, io, buf_size)
#define OCSP_REQ_CTX_free OSSL_HTTP_REQ_CTX_free
#define OCSP_REQ_CTX_http(rctx, op, path) \
    (OSSL_HTTP_REQ_CTX_set_expected(rctx, NULL, 1 /* asn1 */, 0, 0) &&
OSSL_HTTP_REQ_CTX_set_request_line(rctx, strcmp(op, "POST") == 0, NULL, NULL, path))
#define OCSP_REQ_CTX_add1_header OSSL_HTTP_REQ_CTX_add1_header
#define OCSP_REQ_CTX_i2d(r,
it, req) \
    OSSL_HTTP_REQ_CTX_set1_req(r, "application/ocsp-request", it, req)
#define OCSP_REQ_CTX_set1_req(r, req) \
    OCSP_REQ_CTX_i2d(r, ASN1_ITEM_rptr(OCSP_REQUEST), (ASN1_VALUE *) (req))
#define OCSP_REQ_CTX_nbio OSSL_HTTP_REQ_CTX_nbio
#define OCSP_REQ_CTX_nbio_d2i OSSL_HTTP_REQ_CTX_nbio_d2i
#define OCSP_sendreq_nbio(p, r) \
    OSSL_HTTP_REQ_CTX_nbio_d2i(r, (ASN1_VALUE **) (p), \
    ASN1_ITEM_rptr(OCSP_RESPONSE))
#define OCSP_REQ_CTX_get0_mem_bio OSSL_HTTP_REQ_CTX_get0_mem_bio
#define OCSP_set_max_response_length OSSL_HTTP_REQ_CTX_set_max_response_length
#endif

OCSP_CERTID *OCSP_cert_to_id(const EVP_MD *dgst, const X509 *subject,
    const X509 *issuer);

OCSP_CERTID *OCSP_cert_id_new(const EVP_MD *dgst,
    const X509_NAME *issuerName,
    const ASN1_BIT_STRING *issuerKey,
    const ASN1_INTEGER *serialNumber);

OCSP_ONEREQ *OCSP_request_add0_id(OCSP_REQUEST *req, OCSP_CERTID *cid);

int OCSP_request_add1_nonce(OCSP_REQUEST *req,
    unsigned char *val, int len);
int OCSP_basic_add1_nonce(OCSP_BASICRESP *resp, unsigned char *val, int len);
int OCSP_check_nonce(OCSP_REQUEST *req, OCSP_BASICRESP *bs);
int OCSP_copy_nonce(OCSP_BASICRESP *resp, OCSP_REQUEST *req);

int OCSP_request_set1_name(OCSP_REQUEST *req, const X509_NAME *nm);
int OCSP_request_add1_cert(OCSP_REQUEST *req, X509 *cert);

int OCSP_request_sign(OCSP_REQUEST *req,
    X509 *signer,
    EVP_PKEY *key,
    const EVP_MD *dgst,

```

```

STACK_OF(X509) *certs, unsigned long flags);

int OCSP_response_status(OCSP_RESPONSE *resp);
OCSP_BASICRESP *OCSP_response_get1_basic(OCSP_RESPONSE *resp);

const ASN1_OCTET_STRING *OCSP_resp_get0_signature(const OCSP_BASICRESP *bs);
const X509_ALGOR *OCSP_resp_get0_tbs_sigalg(const OCSP_BASICRESP *bs);
const OCSP_RESPDATA *OCSP_resp_get0_respdata(const OCSP_BASICRESP *bs);
int OCSP_resp_get0_signer(OCSP_BASICRESP *bs, X509 **signer,
    STACK_OF(X509) *extra_certs);

int OCSP_resp_count(OCSP_BASICRESP *bs);
OCSP_SINGLERESP *OCSP_resp_get0(OCSP_BASICRESP
    *bs, int idx);
const ASN1_GENERALIZEDTIME *OCSP_resp_get0_produced_at(const OCSP_BASICRESP *bs);
const STACK_OF(X509) *OCSP_resp_get0_certs(const OCSP_BASICRESP *bs);
int OCSP_resp_get0_id(const OCSP_BASICRESP *bs,
    const ASN1_OCTET_STRING **pid,
    const X509_NAME **pname);
int OCSP_resp_get1_id(const OCSP_BASICRESP *bs,
    ASN1_OCTET_STRING **pid,
    X509_NAME **pname);

int OCSP_resp_find(OCSP_BASICRESP *bs, OCSP_CERTID *id, int last);
int OCSP_single_get0_status(OCSP_SINGLERESP *single, int *reason,
    ASN1_GENERALIZEDTIME **revtime,
    ASN1_GENERALIZEDTIME **thisupd,
    ASN1_GENERALIZEDTIME **nextupd);
int OCSP_resp_find_status(OCSP_BASICRESP *bs, OCSP_CERTID *id, int *status,
    int *reason,
    ASN1_GENERALIZEDTIME **revtime,
    ASN1_GENERALIZEDTIME **thisupd,
    ASN1_GENERALIZEDTIME **nextupd);
int OCSP_check_validity(ASN1_GENERALIZEDTIME *thisupd,
    ASN1_GENERALIZEDTIME *nextupd, long sec, long maxsec);

int OCSP_request_verify(OCSP_REQUEST
    *req, STACK_OF(X509) *certs,
    X509_STORE *store, unsigned long flags);

#define OCSP_parse_url(url, host, port, path, ssl) \
    OSSL_HTTP_parse_url(url, ssl, NULL, host, port, NULL, path, NULL, NULL)

int OCSP_id_issuer_cmp(const OCSP_CERTID *a, const OCSP_CERTID *b);
int OCSP_id_cmp(const OCSP_CERTID *a, const OCSP_CERTID *b);

int OCSP_request_onereq_count(OCSP_REQUEST *req);
OCSP_ONEREQ *OCSP_request_onereq_get0(OCSP_REQUEST *req, int i);

```

```

OCSP_CERTID *OCSP_onereq_get0_id(OCSP_ONEREQ *one);
int OCSP_id_get0_info(ASN1_OCTET_STRING **piNameHash, ASN1_OBJECT **pmd,
    ASN1_OCTET_STRING **pikeyHash,
    ASN1_INTEGER **pserial, OCSP_CERTID *cid);
int OCSP_request_is_signed(OCSP_REQUEST *req);
OCSP_RESPONSE *OCSP_response_create(int status, OCSP_BASICRESP *bs);
OCSP_SINGLERESP *OCSP_basic_add1_status(OCSP_BASICRESP *rsp,
    OCSP_CERTID *cid,
    int status, int reason,
    ASN1_TIME *revtime,
    ASN1_TIME *thisupd,
    ASN1_TIME *nextupd);
int OCSP_basic_add1_cert(OCSP_BASICRESP
    *rsp, X509 *cert);
int OCSP_basic_sign(OCSP_BASICRESP *brsp,
    X509 *signer, EVP_PKEY *key, const EVP_MD *dgst,
    STACK_OF(X509) *certs, unsigned long flags);
int OCSP_basic_sign_ctx(OCSP_BASICRESP *brsp,
    X509 *signer, EVP_MD_CTX *ctx,
    STACK_OF(X509) *certs, unsigned long flags);
int OCSP_RESPID_set_by_name(OCSP_RESPID *respid, X509 *cert);
int OCSP_RESPID_set_by_key_ex(OCSP_RESPID *respid, X509 *cert,
    OSSL_LIB_CTX *libctx, const char *propq);
int OCSP_RESPID_set_by_key(OCSP_RESPID *respid, X509 *cert);
int OCSP_RESPID_match_ex(OCSP_RESPID *respid, X509 *cert, OSSL_LIB_CTX *libctx,
    const char *propq);
int OCSP_RESPID_match(OCSP_RESPID *respid, X509 *cert);

X509_EXTENSION *OCSP_crlID_new(const char *url, long *n, char *tim);

X509_EXTENSION *OCSP_accept_responses_new(char **oids);

X509_EXTENSION *OCSP_archive_cutoff_new(char *tim);

X509_EXTENSION *OCSP_url_svcloc_new(const X509_NAME *issuer, const char **urls);

int OCSP_REQUEST_get_ext_count(OCSP_REQUEST *x);
int
    OCSP_REQUEST_get_ext_by_NID(OCSP_REQUEST *x, int nid, int lastpos);
int OCSP_REQUEST_get_ext_by_OBJ(OCSP_REQUEST *x, const ASN1_OBJECT *obj,
    int lastpos);
int OCSP_REQUEST_get_ext_by_critical(OCSP_REQUEST *x, int crit, int lastpos);
X509_EXTENSION *OCSP_REQUEST_get_ext(OCSP_REQUEST *x, int loc);
X509_EXTENSION *OCSP_REQUEST_delete_ext(OCSP_REQUEST *x, int loc);
void *OCSP_REQUEST_get1_ext_d2i(OCSP_REQUEST *x, int nid, int *crit,
    int *idx);
int OCSP_REQUEST_add1_ext_i2d(OCSP_REQUEST *x, int nid, void *value, int crit,
    unsigned long flags);

```

```

int OCSP_REQUEST_add_ext(OCSP_REQUEST *x, X509_EXTENSION *ex, int loc);

int OCSP_ONEREQ_get_ext_count(OCSP_ONEREQ *x);
int OCSP_ONEREQ_get_ext_by_NID(OCSP_ONEREQ *x, int nid, int lastpos);
int OCSP_ONEREQ_get_ext_by_OBJ(OCSP_ONEREQ *x, const ASN1_OBJECT *obj, int lastpos);
int OCSP_ONEREQ_get_ext_by_critical(OCSP_ONEREQ *x, int crit, int lastpos);
X509_EXTENSION *OCSP_ONEREQ_get_ext(OCSP_ONEREQ *x, int loc);
X509_EXTENSION *OCSP_ONEREQ_delete_ext(OCSP_ONEREQ
*x, int loc);
void *OCSP_ONEREQ_get1_ext_d2i(OCSP_ONEREQ *x, int nid, int *crit, int *idx);
int OCSP_ONEREQ_add1_ext_i2d(OCSP_ONEREQ *x, int nid, void *value, int crit,
unsigned long flags);
int OCSP_ONEREQ_add_ext(OCSP_ONEREQ *x, X509_EXTENSION *ex, int loc);

int OCSP_BASICRESP_get_ext_count(OCSP_BASICRESP *x);
int OCSP_BASICRESP_get_ext_by_NID(OCSP_BASICRESP *x, int nid, int lastpos);
int OCSP_BASICRESP_get_ext_by_OBJ(OCSP_BASICRESP *x, const ASN1_OBJECT *obj,
int lastpos);
int OCSP_BASICRESP_get_ext_by_critical(OCSP_BASICRESP *x, int crit,
int lastpos);
X509_EXTENSION *OCSP_BASICRESP_get_ext(OCSP_BASICRESP *x, int loc);
X509_EXTENSION *OCSP_BASICRESP_delete_ext(OCSP_BASICRESP *x, int loc);
void *OCSP_BASICRESP_get1_ext_d2i(OCSP_BASICRESP *x, int nid, int *crit,
int *idx);
int OCSP_BASICRESP_add1_ext_i2d(OCSP_BASICRESP *x, int nid, void *value,
int crit, unsigned long flags);
int OCSP_BASICRESP_add_ext(OCSP_BASICRESP *x, X509_EXTENSION *ex,
int loc);

int OCSP_SINGLERESP_get_ext_count(OCSP_SINGLERESP *x);
int OCSP_SINGLERESP_get_ext_by_NID(OCSP_SINGLERESP *x, int nid, int lastpos);
int OCSP_SINGLERESP_get_ext_by_OBJ(OCSP_SINGLERESP *x, const ASN1_OBJECT *obj,
int lastpos);
int OCSP_SINGLERESP_get_ext_by_critical(OCSP_SINGLERESP *x, int crit,
int lastpos);
X509_EXTENSION *OCSP_SINGLERESP_get_ext(OCSP_SINGLERESP *x, int loc);
X509_EXTENSION *OCSP_SINGLERESP_delete_ext(OCSP_SINGLERESP *x, int loc);
void *OCSP_SINGLERESP_get1_ext_d2i(OCSP_SINGLERESP *x, int nid, int *crit,
int *idx);
int OCSP_SINGLERESP_add1_ext_i2d(OCSP_SINGLERESP *x, int nid, void *value,
int crit, unsigned long flags);
int OCSP_SINGLERESP_add_ext(OCSP_SINGLERESP *x, X509_EXTENSION *ex, int loc);
const OCSP_CERTID *OCSP_SINGLERESP_get0_id(const OCSP_SINGLERESP *x);

DECLARE_ASN1_FUNCTIONS(OCSP_SINGLERESP)
DECLARE_ASN1_FUNCTIONS(OCSP_CERTSTATUS)
DECLARE_ASN1_FUNCTIONS(OCSP_REVOKEDINFO)
DECLARE_ASN1_FUNCTIONS(OCSP_BASICRESP)

```

```

DECLARE_ASN1_FUNCTIONS(OCSP_RESPDATA)
DECLARE_ASN1_FUNCTIONS(OCSP_RESPID)
DECLARE_ASN1_FUNCTIONS(OCSP_RESPONSE)
DECLARE_ASN1_FUNCTIONS(OCSP_RESPBYTES)
DECLARE_ASN1_FUNCTIONS(OCSP_ONEREQ)
DECLARE_ASN1_FUNCTIONS(OCSP_CERTID)
DECLARE_ASN1_FUNCTIONS(OCSP_REQUEST)
DECLARE_ASN1_FUNCTIONS(OCSP_SIGNATURE)
DECLARE_ASN1_FUNCTIONS(OCSP_REQINFO)
DECLARE_ASN1_FUNCTIONS(OCSP_CRLID)
DECLARE_ASN1_FUNCTIONS(OCSP_SERVICELOC)

const
char *OCSP_response_status_str(long s);
const char *OCSP_cert_status_str(long s);
const char *OCSP_crl_reason_str(long s);

int OCSP_REQUEST_print(BIO *bp, OCSP_REQUEST *a, unsigned long flags);
int OCSP_RESPONSE_print(BIO *bp, OCSP_RESPONSE *o, unsigned long flags);

int OCSP_basic_verify(OCSP_BASICRESP *bs, STACK_OF(X509) *certs,
    X509_STORE *st, unsigned long flags);

#ifdef __cplusplus
}
#endif
#endif /* !defined(OPENSSL_NO_OCSP) */
#endif

[
"AGPL-1.0",
"AGPL-3.0",
"BSD-2-Clause-FreeBSD",
"BSD-2-Clause-NetBSD",
"GFDL-1.1",
"GFDL-1.2",
"GFDL-1.3",
"GPL-1.0",
"GPL-1.0+",
"GPL-2.0",
"GPL-2.0+",
"GPL-2.0-with-GCC-exception",
"GPL-2.0-with-autoconf-exception",
"GPL-2.0-with-bison-exception",
"GPL-2.0-with-classpath-exception",
"GPL-2.0-with-font-exception",
"GPL-3.0",
"GPL-3.0+",
"GPL-3.0-with-GCC-exception",

```

```
"GPL-3.0-with-autoconf-exception",  
"LGPL-2.0",  
"LGPL-2.0+",  
"LGPL-2.1",  
"LGPL-2.1+",  
"LGPL-3.0",  
"LGPL-3.0+",  
"Nunit",  
"StandardML-NJ",  
"bzip2-1.0.5",  
"eCos-2.0",  
"wxWindows"  
]
```

The MIT License (MIT)

Copyright (c) 2018 Made With MOXY Lda <hello@moxy.studio>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 991175f9d8effe5f2fdf0fc7f6380984

/*

* WARNING: do not edit!

* Generated by util/mkbuildinf.pl

*

* Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/


```
#define PLATFORM "platform: BSD-x86"
#define DATE "built on: Tue Jan 27 00:00:00 2026 UTC"
```

```
/*
 * Generate compiler_flags as an array of individual characters. This is a
 * workaround for the situation where CFLAGS gets too long for a C90 string
 * literal
 */
```

```
static const char compiler_flags[] = {
    'c','o','m','p','i','l','e','r',' ','g','c',' ',' ','f',
    'P','T','C',' ','p','t','h','r','e','a','d',' ','W','a',
    't',' ','O','3',' ','f','o','m','t',' ','f','r',
    'a','m','e',' ','p','o','i','n','t','e','r',' ','D','L','_',
    'E','N','D','T','A','N',' ',
    ',' ','D','O','P','E','N','S','S','L',
    '_', 'P','T','C',' ',' ','D',' ','T','H','R','E','A','D',' ','S',
    'A','F','E',' ',' ','D',' ','R','E','E','N','T','R','A','N','T',
    ' ',' ','D','O','P','E','N','S','S','L',' ','B','U','T','L','D',
    'T','N','G',' ','O','P','E','N','S','S','L',' ',' ','D','N','D',
    'E','B','U','G','\0'
};
```

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by util/mkbuildinf.pl

*

* Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#define PLATFORM "platform: BSD-x86_64"

#define DATE "built on: Tue Jan 27 00:00:00 2026 UTC"

/*

* Generate compiler_flags as an array of individual characters. This is a

* workaround for the situation where CFLAGS gets too long for a C90 string

* literal

*/

static const char compiler_flags[] = {

'c','o','m','p','i','l','e','r',' ',' ','g','c',' ',' ','f',
'P','I','C',' ',' ','p','t','h','r','e','a','d',' ',' ','W','a',
' ',' ','n','o','e','x','e','c','s','t','a','c','k',' ',' ','
'W','a','t','l',' ',' ','O','3',' ',' ','D','L',' ','E','N','D',
'T','A','N',' ',' ','D','O','P','E','N','S','S','L',' ','P','I',
'C',' ',' ','D',' ','T','H','R','E','A','D',' ','S','A','F','E',
' ',' ','D',' ','R','E','E','N','T','R','A','N','T',' ',' ','D',
'O','P','E','N','S','S','L',' ','B','U','T','L','D','T','N','G',
' ','O','P','E','N','S','S','L',' ',' ','D','N','D','E','B','U',
'G','\0'

};

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/opensslv.h.in

*

* Copyright 1999-2025 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OPENSSL_OPENSSLV_H

#define OPENSSL_OPENSSLV_H

```

#pragma once

#ifdef __cplusplus
extern "C" {
#endif

/*
 * SECTION 1: VERSION DATA. These will change for each release
 */

/*
 * Base version macros
 *
 * These macros express version number MAJOR.MINOR.PATCH exactly
 */
/* clang-format off */
#define OPENSSL_VERSION_MAJOR 3
/* clang-format on */
/* clang-format off */
#define OPENSSL_VERSION_MINOR 0
/* clang-format on */
/* clang-format off */
#define OPENSSL_VERSION_PATCH 19
/* clang-format on */

/*
 * Additional version information
 *
 * These are also part
 * of the new version scheme, but aren't part
 * of the version number itself.
 */

/* Could be: #define OPENSSL_VERSION_PRE_RELEASE "-alpha.1" */
/* clang-format off */
#define OPENSSL_VERSION_PRE_RELEASE ""
/* clang-format on */
/* Could be: #define OPENSSL_VERSION_BUILD_METADATA "+fips" */
/* Could be: #define OPENSSL_VERSION_BUILD_METADATA "+vendor.1" */
/* clang-format off */
#define OPENSSL_VERSION_BUILD_METADATA ""
/* clang-format on */

/*
 * Note: The OpenSSL Project will never define OPENSSL_VERSION_BUILD_METADATA
 * to be anything but the empty string. Its use is entirely reserved for
 * others
 */

```

```

/*
 * Shared library version
 *
 * This is strictly to express ABI version, which may or may not
 * be related to the API version expressed with the macros above.
 * This is defined in free form.
 */

/* clang-format off */
#define OPENSSL_SHLIB_VERSION 3
/* clang-format on */

/*

 * SECTION 2: USEFUL MACROS
 */

/* For checking general API compatibility when preprocessing */
#define
OPENSSL_VERSION_PREREQ(maj, min) \
    ((OPENSSL_VERSION_MAJOR < 16) + OPENSSL_VERSION_MINOR >= ((maj) < 16) + (min))

/*
 * Macros to get the version in easily digested string form, both the short
 * "MAJOR.MINOR.PATCH" variant (where MAJOR, MINOR and PATCH are replaced
 * with the values from the corresponding OPENSSL_VERSION_ macros) and the
 * longer variant with OPENSSL_VERSION_PRE_RELEASE_STR and
 * OPENSSL_VERSION_BUILD_METADATA_STR appended.
 */

/* clang-format off */
#define OPENSSL_VERSION_STR "3.0.19"
/* clang-format on */
/* clang-format off */
#define OPENSSL_FULL_VERSION_STR "3.0.19"
/* clang-format on */

/*

 * SECTION 3: ADDITIONAL METADATA
 *
 * These strings are defined separately to allow them to be parsable.
 */

/* clang-format off */
#define OPENSSL_RELEASE_DATE "27 Jan 2026"
/* clang-format on */

/*

 * SECTION 4: BACKWARD COMPATIBILITY
 */

```

```

/* clang-format off */
# define OPENSSL_VERSION_TEXT "OpenSSL 3.0.19 27 Jan 2026"
/* clang-format on */

/* clang-format
off */
/* Synthesize OPENSSL_VERSION_NUMBER with the layout 0xMNN00PP0L */
# define OPENSSL_VERSION_NUMBER      \
( (OPENSSL_VERSION_MAJOR<<28)      \
|(OPENSSL_VERSION_MINOR<<20)      \
|(OPENSSL_VERSION_PATCH<<4)      \
|0x0L )
/* clang-format on */

#ifdef __cplusplus
}
#endif

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_OPENSSLV_H
#endif

#endif /* OPENSSL_OPENSSLV_H */
The MIT License

```

Copyright (c) 2019 nghttp3 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

[
"AGPL-1.0",
"AGPL-3.0",
"BSD-2-Clause-FreeBSD",
"BSD-2-Clause-NetBSD",
"GFDL-1.1",
"GFDL-1.2",
"GFDL-1.3",
"GPL-1.0",
"GPL-2.0",
"GPL-2.0-with-GCC-exception",
"GPL-2.0-with-autoconf-exception",
"GPL-2.0-with-bison-exception",
"GPL-2.0-with-classpath-exception",
"GPL-2.0-with-font-exception",
"GPL-3.0",
"GPL-3.0-with-GCC-exception",
"GPL-3.0-with-autoconf-exception",
"LGPL-2.0",
"LGPL-2.1",
"LGPL-3.0",
"Nunit",
"StandardML-NJ",
"bzip2-1.0.5",
"eCos-2.0",
"wxWindows"
]
/*
* WARNING: do not edit!
* Generated by Makefile from include/openssl/pkcs7.h.in
*
* Copyright 1995-2023 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_PKCS7_H
#define OPENSSL_PKCS7_H
#pragma once

#include <openssl/macros.h>

```

```

#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define HEADER_PKCS7_H
#endif

#include <openssl/asn1.h>
#include <openssl/bio.h>
#include <openssl/e_os2.h>

#include <openssl/symhacks.h>
#include <openssl/types.h>
#include <openssl/pkcs7err.h>

#ifdef __cplusplus
extern "C" {
#endif

/*-
Encryption_ID      DES-CBC
Digest_ID           MD5
Digest_Encryption_ID  rsaEncryption
Key_Encryption_ID   rsaEncryption
*/

typedef struct PKCS7_CTX_st
{
    OSSL_LIB_CTX *libctx;
    char *propq;
} PKCS7_CTX;

typedef struct pkcs7_issuer_and_serial_st {
    X509_NAME *issuer;
    ASN1_INTEGER *serial;
} PKCS7_ISSUER_AND_SERIAL;

typedef struct pkcs7_signer_info_st {
    ASN1_INTEGER *version; /* version 1 */
    PKCS7_ISSUER_AND_SERIAL *issuer_and_serial;
    X509_ALGOR *digest_alg;
    STACK_OF(X509_ATTRIBUTE) *auth_attr; /* [ 0 ] */
    X509_ALGOR *digest_enc_alg; /* confusing name, actually used for signing */
    ASN1_OCTET_STRING *enc_digest; /* confusing name, actually signature */
    STACK_OF(X509_ATTRIBUTE) *unauth_attr; /* [ 1 ] */
    /* The private key to sign with */
    EVP_PKEY *pkey;
    const PKCS7_CTX *ctx;
} PKCS7_SIGNER_INFO;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(PKCS7_SIGNER_INFO, PKCS7_SIGNER_INFO,

```

```

PKCS7_SIGNER_INFO)
#define sk_PKCS7_SIGNER_INFO_num(sk)
OPENSSL_sk_num(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_value(sk, idx) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_value(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk),
(idx)))
#define sk_PKCS7_SIGNER_INFO_new(cmp) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_new(ssl_check_PKCS7_SIGNER_INFO_compfunc_type(cmp)))
#define sk_PKCS7_SIGNER_INFO_new_null() ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_new_null())
#define sk_PKCS7_SIGNER_INFO_new_reserve(cmp, n) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_new_reserve(ssl_check_PKCS7_SIGNER_INFO_compfunc_type(cmp), (n)))
#define sk_PKCS7_SIGNER_INFO_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk), (n))
#define sk_PKCS7_SIGNER_INFO_free(sk)
OPENSSL_sk_free(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_zero(sk)
OPENSSL_sk_zero(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_delete(sk, i) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_delete(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk), (i)))
#define sk_PKCS7_SIGNER_INFO_delete_ptr(sk, ptr) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr)))
#define sk_PKCS7_SIGNER_INFO_push(sk, ptr)
OPENSSL_sk_push(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))
#define sk_PKCS7_SIGNER_INFO_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))
#define sk_PKCS7_SIGNER_INFO_pop(sk) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_pop(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk)))
#define sk_PKCS7_SIGNER_INFO_shift(sk) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_shift(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk)))
#define sk_PKCS7_SIGNER_INFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk), ssl_check_PKCS7_SIGNER_INFO_fr
eefunc_type(freefunc))
#define sk_PKCS7_SIGNER_INFO_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr), (idx))
#define sk_PKCS7_SIGNER_INFO_set(sk, idx, ptr) ((PKCS7_SIGNER_INFO
*)OPENSSL_sk_set(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
(idx), ssl_check_PKCS7_SIGNER_INFO_type(ptr)))
#define sk_PKCS7_SIGNER_INFO_find(sk, ptr)
OPENSSL_sk_find(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))
#define sk_PKCS7_SIGNER_INFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr))

```



```

#define sk_PKCS7_SIGNER_INFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_type(ptr), pnum)
#define sk_PKCS7_SIGNER_INFO_sort(sk) OPENSSL_sk_sort(ssl_check_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk))
#define sk_PKCS7_SIGNER_INFO_dup(sk) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_dup(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk)))
#define sk_PKCS7_SIGNER_INFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS7_SIGNER_INFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_PKCS7_SIGNER_INFO_sk_type(sk),
ssl_check_PKCS7_SIGNER_INFO_copyfunc_type(copyfunc),
ssl_check_PKCS7_SIGNER_INFO_freefunc_type(freefunc)))
#define sk_PKCS7_SIGNER_INFO_set_cmp_func(sk, cmp)
((sk_PKCS7_SIGNER_INFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PKCS7_SIGNER_INFO_sk_ty
pe(sk), ssl_check_PKCS7_SIGNER_INFO_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

typedef struct pkcs7_recip_info_st {
    ASN1_INTEGER *version; /* version 0 */
    PKCS7_ISSUER_AND_SERIAL *issuer_and_serial;
    X509_ALGOR *key_enc_algor;
    ASN1_OCTET_STRING *enc_key;
    X509 *cert; /* get the pub-key from this */
    const PKCS7_CTX *ctx;
} PKCS7_RECIP_INFO;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(PKCS7_RECIP_INFO, PKCS7_RECIP_INFO, PKCS7_RECIP_INFO)
#define sk_PKCS7_RECIP_INFO_num(sk)
OPENSSL_sk_num(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_value(sk, idx) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_value(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk), (idx)))
#define sk_PKCS7_RECIP_INFO_new(cmp)
((STACK_OF(PKCS7_RECIP_INFO)
*)OPENSSL_sk_new(ssl_check_PKCS7_RECIP_INFO_compfunc_type(cmp)))
#define sk_PKCS7_RECIP_INFO_new_null() ((STACK_OF(PKCS7_RECIP_INFO) *)OPENSSL_sk_new_null())
#define sk_PKCS7_RECIP_INFO_new_reserve(cmp, n) ((STACK_OF(PKCS7_RECIP_INFO)
*)OPENSSL_sk_new_reserve(ssl_check_PKCS7_RECIP_INFO_compfunc_type(cmp), (n)))
#define sk_PKCS7_RECIP_INFO_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), (n))
#define sk_PKCS7_RECIP_INFO_free(sk) OPENSSL_sk_free(ssl_check_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_zero(sk) OPENSSL_sk_zero(ssl_check_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_delete(sk, i) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_delete(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), (i)))
#define sk_PKCS7_RECIP_INFO_delete_ptr(sk, ptr) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_delete_ptr(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr)))
#define sk_PKCS7_RECIP_INFO_push(sk,

```

```

ptr) OPENSSL_sk_push(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define sk_PKCS7_RECIP_INFO_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define sk_PKCS7_RECIP_INFO_pop(sk) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_pop(ssl_check_PKCS7_RECIP_INFO_sk_type(sk)))
#define sk_PKCS7_RECIP_INFO_shift(sk) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_shift(ssl_check_PKCS7_RECIP_INFO_sk_type(sk)))
#define sk_PKCS7_RECIP_INFO_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),ssl_check_PKCS7_RECIP_INFO_freefunc_type(freefunc))
#define sk_PKCS7_RECIP_INFO_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr), (idx))
#define sk_PKCS7_RECIP_INFO_set(sk, idx, ptr) ((PKCS7_RECIP_INFO
*)OPENSSL_sk_set(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), (idx),
ssl_check_PKCS7_RECIP_INFO_type(ptr)))
#define sk_PKCS7_RECIP_INFO_find(sk,
ptr) OPENSSL_sk_find(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define sk_PKCS7_RECIP_INFO_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr))
#define sk_PKCS7_RECIP_INFO_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_type(ptr), pnum)
#define sk_PKCS7_RECIP_INFO_sort(sk) OPENSSL_sk_sort(ssl_check_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk))
#define sk_PKCS7_RECIP_INFO_dup(sk) ((STACK_OF(PKCS7_RECIP_INFO)
*)OPENSSL_sk_dup(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk)))
#define sk_PKCS7_RECIP_INFO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS7_RECIP_INFO)
*)OPENSSL_sk_deep_copy(ssl_check_const_PKCS7_RECIP_INFO_sk_type(sk),
ssl_check_PKCS7_RECIP_INFO_copyfunc_type(copyfunc),
ssl_check_PKCS7_RECIP_INFO_freefunc_type(freefunc)))
#define
sk_PKCS7_RECIP_INFO_set_cmp_func(sk, cmp)
((sk_PKCS7_RECIP_INFO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PKCS7_RECIP_INFO_sk_type(sk), ssl_check_PKCS7_RECIP_INFO_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

typedef struct pkcs7_signed_st {
    ASN1_INTEGER *version; /* version 1 */
    STACK_OF(X509_ALGOR) *md_algs; /* md used */
    STACK_OF(X509) *cert; /* [ 0 ] */
    STACK_OF(X509_CRL) *crl; /* [ 1 ] */

```

```

    STACK_OF(PKCS7_SIGNER_INFO) *signer_info;
    struct pkcs7_st *contents;
} PKCS7_SIGNED;
/*
* The above structure is very very similar to PKCS7_SIGN_ENVELOPE. How about
* merging the two
*/

```

```

typedef struct pkcs7_enc_content_st {
    ASN1_OBJECT *content_type;
    X509_ALGOR *algorithm;
    ASN1_OCTET_STRING *enc_data; /* [ 0 ] */
    const EVP_CIPHER *cipher;
    const PKCS7_CTX *ctx;
} PKCS7_ENC_CONTENT;

```

```

typedef struct pkcs7_enveloped_st {
    ASN1_INTEGER *version; /* version 0 */
    STACK_OF(PKCS7_RECIP_INFO) *recipientinfo;
    PKCS7_ENC_CONTENT *enc_data;
}
PKCS7_ENVELOPE;

```

```

typedef struct pkcs7_signedandenvloped_st {
    ASN1_INTEGER *version; /* version 1 */
    STACK_OF(X509_ALGOR) *md_algs; /* md used */
    STACK_OF(X509) *cert; /* [ 0 ] */
    STACK_OF(X509_CRL) *crl; /* [ 1 ] */
    STACK_OF(PKCS7_SIGNER_INFO) *signer_info;
    PKCS7_ENC_CONTENT *enc_data;
    STACK_OF(PKCS7_RECIP_INFO) *recipientinfo;
} PKCS7_SIGN_ENVELOPE;

```

```

typedef struct pkcs7_digest_st {
    ASN1_INTEGER *version; /* version 0 */
    X509_ALGOR *md; /* md used */
    struct pkcs7_st *contents;
    ASN1_OCTET_STRING *digest;
} PKCS7_DIGEST;

```

```

typedef struct pkcs7_encrypted_st {
    ASN1_INTEGER *version; /* version 0 */
    PKCS7_ENC_CONTENT *enc_data;
} PKCS7_ENCRYPT;

```

```

typedef struct pkcs7_st {
/*
* The following is non NULL if it contains ASN1 encoding of this

```

```

* structure
*/
unsigned char *asn1;
long length;
#define PKCS7_S_HEADER 0
#define PKCS7_S_BODY 1
#define PKCS7_S_TAIL 2
int state; /* used during processing */
int detached;
ASN1_OBJECT *type;
/* content as defined by the type */
/*
* all encryption/message digests are applied to the 'contents', leaving
* out the 'type' field.
*/
union {
    char *ptr;
    /* NID_pkcs7_data */
    ASN1_OCTET_STRING *data;
    /* NID_pkcs7_signed */
    PKCS7_SIGNED *sign;
    /* NID_pkcs7_enveloped */
    PKCS7_ENVELOPE *enveloped;
    /* NID_pkcs7_signedAndEnveloped */
    PKCS7_SIGN_ENVELOPE *signed_and_enveloped;
    /* NID_pkcs7_digest */
    PKCS7_DIGEST *digest;
    /* NID_pkcs7_encrypted */
    PKCS7_ENCRYPT *encrypted;
    /* Anything else */
    ASN1_TYPE *other;
} d;
PKCS7_CTX ctx;
} PKCS7;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(PKCS7, PKCS7, PKCS7)
#define sk_PKCS7_num(sk) OPENSSL_sk_num(ssl_check_const_PKCS7_sk_type(sk))
#define sk_PKCS7_value(sk, idx) ((PKCS7 *)OPENSSL_sk_value(ssl_check_const_PKCS7_sk_type(sk), (idx)))
#define sk_PKCS7_new(cmp)
((STACK_OF(PKCS7 *)OPENSSL_sk_new(ssl_check_PKCS7_compfunc_type(cmp)))
#define sk_PKCS7_new_null() ((STACK_OF(PKCS7 *)OPENSSL_sk_new_null())
#define sk_PKCS7_new_reserve(cmp, n) ((STACK_OF(PKCS7 *)
*)OPENSSL_sk_new_reserve(ssl_check_PKCS7_compfunc_type(cmp), (n)))
#define sk_PKCS7_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_PKCS7_sk_type(sk), (n))
#define sk_PKCS7_free(sk) OPENSSL_sk_free(ssl_check_PKCS7_sk_type(sk))
#define sk_PKCS7_zero(sk) OPENSSL_sk_zero(ssl_check_PKCS7_sk_type(sk))
#define sk_PKCS7_delete(sk, i) ((PKCS7 *)OPENSSL_sk_delete(ssl_check_PKCS7_sk_type(sk), (i)))
#define sk_PKCS7_delete_ptr(sk, ptr) ((PKCS7 *)OPENSSL_sk_delete_ptr(ssl_check_PKCS7_sk_type(sk),

```

```

ossl_check_PKCS7_type(ptr)))
#define sk_PKCS7_push(sk, ptr) OPENSSL_sk_push(ossl_check_PKCS7_sk_type(sk),
ossl_check_PKCS7_type(ptr))
#define sk_PKCS7_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_PKCS7_sk_type(sk),
ossl_check_PKCS7_type(ptr))
#define sk_PKCS7_pop(sk) ((PKCS7 *)OPENSSL_sk_pop(ossl_check_PKCS7_sk_type(sk)))
#define
    sk_PKCS7_shift(sk) ((PKCS7 *)OPENSSL_sk_shift(ossl_check_PKCS7_sk_type(sk)))
#define sk_PKCS7_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_PKCS7_sk_type(sk), ossl_check_PKCS7_freefunc_type(freefunc))
#define sk_PKCS7_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_PKCS7_sk_type(sk),
ossl_check_PKCS7_type(ptr), (idx))
#define sk_PKCS7_set(sk, idx, ptr) ((PKCS7 *)OPENSSL_sk_set(ossl_check_PKCS7_sk_type(sk), (idx),
ossl_check_PKCS7_type(ptr)))
#define sk_PKCS7_find(sk, ptr) OPENSSL_sk_find(ossl_check_PKCS7_sk_type(sk),
ossl_check_PKCS7_type(ptr))
#define sk_PKCS7_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_PKCS7_sk_type(sk),
ossl_check_PKCS7_type(ptr))
#define sk_PKCS7_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_PKCS7_sk_type(sk),
ossl_check_PKCS7_type(ptr), pnum)
#define sk_PKCS7_sort(sk) OPENSSL_sk_sort(ossl_check_PKCS7_sk_type(sk))
#define sk_PKCS7_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_PKCS7_sk_type(sk))
#define
    sk_PKCS7_dup(sk) ((STACK_OF(PKCS7 *)OPENSSL_sk_dup(ossl_check_const_PKCS7_sk_type(sk)))
#define sk_PKCS7_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS7
*)OPENSSL_sk_deep_copy(ossl_check_const_PKCS7_sk_type(sk),
ossl_check_PKCS7_copyfunc_type(copyfunc), ossl_check_PKCS7_freefunc_type(freefunc)))
#define sk_PKCS7_set_cmp_func(sk, cmp)
((sk_PKCS7_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_PKCS7_sk_type(sk),
ossl_check_PKCS7_compfunc_type(cmp)))

/* clang-format on */

#define PKCS7_OP_SET_DETACHED_SIGNATURE 1
#define PKCS7_OP_GET_DETACHED_SIGNATURE 2

#define PKCS7_get_signed_attributes(si) ((si)->auth_attr)
#define PKCS7_get_attributes(si) ((si)->unauth_attr)

#define PKCS7_type_is_signed(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_signed)
#define PKCS7_type_is_encrypted(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_encrypted)
#define PKCS7_type_is_enveloped(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_enveloped)
#define PKCS7_type_is_signedAndEnveloped(a) \
    (OBJ_obj2nid((a)->type) == NID_pkcs7_signedAndEnveloped)
#define
    PKCS7_type_is_data(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_data)
#define PKCS7_type_is_digest(a) (OBJ_obj2nid((a)->type) == NID_pkcs7_digest)

```

```

#define PKCS7_set_detached(p, v) \
    PKCS7_ctrl(p, PKCS7_OP_SET_DETACHED_SIGNATURE, v, NULL)
#define PKCS7_get_detached(p) \
    PKCS7_ctrl(p, PKCS7_OP_GET_DETACHED_SIGNATURE, 0, NULL)

#define PKCS7_is_detached(p7) (PKCS7_type_is_signed(p7) && PKCS7_get_detached(p7))

/* S/MIME related flags */

#define PKCS7_TEXT 0x1
#define PKCS7_NOCERTS 0x2
#define PKCS7_NOSIGS 0x4
#define PKCS7_NOCHAIN 0x8
#define PKCS7_NOINTERN 0x10
#define PKCS7_NOVERIFY 0x20
#define PKCS7_DETACHED 0x40
#define PKCS7_BINARY 0x80
#define PKCS7_NOATTR 0x100
#define PKCS7_NOSMIMECAP 0x200
#define PKCS7_NOOLDMIMETYPE 0x400
#define PKCS7_CRLFEOB 0x800
#define PKCS7_STREAM 0x1000
#define PKCS7_NOCRL 0x2000
#define PKCS7_PARTIAL 0x4000
#define PKCS7_REUSE_DIGEST 0x8000
#define PKCS7_NO_DUAL_CONTENT 0x10000

/* Flags: for compatibility with older
code */

#define SMIME_TEXT PKCS7_TEXT
#define SMIME_NOCERTS PKCS7_NOCERTS
#define SMIME_NOSIGS PKCS7_NOSIGS
#define SMIME_NOCHAIN PKCS7_NOCHAIN
#define SMIME_NOINTERN PKCS7_NOINTERN
#define SMIME_NOVERIFY PKCS7_NOVERIFY
#define SMIME_DETACHED PKCS7_DETACHED
#define SMIME_BINARY PKCS7_BINARY
#define SMIME_NOATTR PKCS7_NOATTR

/* CRLF ASCII canonicalisation */
#define SMIME_ASCII_CRLF 0x80000

DECLARE_ASN1_FUNCTIONS(PKCS7_ISSUER_AND_SERIAL)

int PKCS7_ISSUER_AND_SERIAL_digest(PKCS7_ISSUER_AND_SERIAL *data,
    const EVP_MD *type, unsigned char *md,
    unsigned int *len);

```

```

#ifndef OPENSSL_NO_STDIO
PKCS7 *d2i_PKCS7_fp(FILE *fp, PKCS7 **p7);
int i2d_PKCS7_fp(FILE *fp, const PKCS7 *p7);
#endif

DECLARE_ASN1_DUP_FUNCTION(PKCS7)
PKCS7 *d2i_PKCS7_bio(BIO *bp, PKCS7 **p7);
int i2d_PKCS7_bio(BIO *bp, const PKCS7 *p7);
int i2d_PKCS7_bio_stream(BIO *out, PKCS7 *p7, BIO *in, int flags);
int PEM_write_bio_PKCS7_stream(BIO *out, PKCS7 *p7, BIO *in, int flags);

DECLARE_ASN1_FUNCTIONS(PKCS7_SIGNER_INFO)
DECLARE_ASN1_FUNCTIONS(PKCS7_RECIP_INFO)
DECLARE_ASN1_FUNCTIONS(PKCS7_SIGNED)
DECLARE_ASN1_FUNCTIONS(PKCS7_ENC_CONTENT)
DECLARE_ASN1_FUNCTIONS(PKCS7_ENVELOPE)
DECLARE_ASN1_FUNCTIONS(PKCS7_SIGN_ENVELOPE)
DECLARE_ASN1_FUNCTIONS(PKCS7_DIGEST)
DECLARE_ASN1_FUNCTIONS(PKCS7_ENCRYPT)
DECLARE_ASN1_FUNCTIONS(PKCS7)
PKCS7
*PKCS7_new_ex(SSL_CTX *libctx, const char *propq);

DECLARE_ASN1_ITEM(PKCS7_ATTR_SIGN)
DECLARE_ASN1_ITEM(PKCS7_ATTR_VERIFY)

DECLARE_ASN1_NDEF_FUNCTION(PKCS7)
DECLARE_ASN1_PRINT_FUNCTION(PKCS7)

long PKCS7_ctrl(PKCS7 *p7, int cmd, long larg, char *parg);

int PKCS7_type_is_other(PKCS7 *p7);
int PKCS7_set_type(PKCS7 *p7, int type);
int PKCS7_set0_type_other(PKCS7 *p7, int type, ASN1_TYPE *other);
int PKCS7_set_content(PKCS7 *p7, PKCS7 *p7_data);
int PKCS7_SIGNER_INFO_set(PKCS7_SIGNER_INFO *p7i, X509 *x509, EVP_PKEY *pkey,
    const EVP_MD *dgst);
int PKCS7_SIGNER_INFO_sign(PKCS7_SIGNER_INFO *si);
int PKCS7_add_signer(PKCS7 *p7, PKCS7_SIGNER_INFO *p7i);
int PKCS7_add_certificate(PKCS7
    *p7, X509 *x509);
int PKCS7_add_crl(PKCS7 *p7, X509_CRL *x509);
int PKCS7_content_new(PKCS7 *p7, int nid);
int PKCS7_dataVerify(X509_STORE *cert_store, X509_STORE_CTX *ctx,
    BIO *bio, PKCS7 *p7, PKCS7_SIGNER_INFO *si);
int PKCS7_signatureVerify(BIO *bio, PKCS7 *p7, PKCS7_SIGNER_INFO *si,
    X509 *x509);

BIO *PKCS7_dataInit(PKCS7 *p7, BIO *bio);

```

```

int PKCS7_dataFinal(PKCS7 *p7, BIO *bio);
BIO *PKCS7_dataDecode(PKCS7 *p7, EVP_PKEY *pkey, BIO *in_bio, X509 *pcert);

PKCS7_SIGNER_INFO *PKCS7_add_signature(PKCS7 *p7, X509 *x509,
    EVP_PKEY *pkey, const EVP_MD *dgst);
X509 *PKCS7_cert_from_signer_info(PKCS7 *p7, PKCS7_SIGNER_INFO *si);
int PKCS7_set_digest(PKCS7 *p7, const EVP_MD *md);
STACK_OF(PKCS7_SIGNER_INFO) *PKCS7_get_signer_info(PKCS7 *p7);

PKCS7_RECIP_INFO *PKCS7_add_recipient(PKCS7 *p7, X509 *x509);
void PKCS7_SIGNER_INFO_get0_algs(PKCS7_SIGNER_INFO *si, EVP_PKEY **pk,
    X509_ALGOR **pdig, X509_ALGOR **psig);
void PKCS7_RECIP_INFO_get0_alg(PKCS7_RECIP_INFO *ri,
    X509_ALGOR **penc);
int PKCS7_add_recipient_info(PKCS7 *p7, PKCS7_RECIP_INFO *ri);
int PKCS7_RECIP_INFO_set(PKCS7_RECIP_INFO *p7i, X509 *x509);
int PKCS7_set_cipher(PKCS7 *p7, const EVP_CIPHER *cipher);
int PKCS7_stream(unsigned char ***boundary, PKCS7 *p7);

PKCS7_ISSUER_AND_SERIAL *PKCS7_get_issuer_and_serial(PKCS7 *p7, int idx);
ASN1_OCTET_STRING *PKCS7_get_octet_string(PKCS7 *p7);
ASN1_OCTET_STRING *PKCS7_digest_from_attributes(STACK_OF(X509_ATTRIBUTE) *sk);
int PKCS7_add_signed_attribute(PKCS7_SIGNER_INFO *p7si, int nid, int type,
    void *data);
int PKCS7_add_attribute(PKCS7_SIGNER_INFO *p7si, int nid, int atrtype,
    void *value);
ASN1_TYPE *PKCS7_get_attribute(const PKCS7_SIGNER_INFO *si, int nid);
ASN1_TYPE *PKCS7_get_signed_attribute(const PKCS7_SIGNER_INFO *si, int nid);
int PKCS7_set_signed_attributes(PKCS7_SIGNER_INFO *p7si,
    STACK_OF(X509_ATTRIBUTE) *sk);
int PKCS7_set_attributes(PKCS7_SIGNER_INFO *p7si,
    STACK_OF(X509_ATTRIBUTE) *sk);

PKCS7 *PKCS7_sign(X509
    *signcert, EVP_PKEY *pkey, STACK_OF(X509) *certs,
    BIO *data, int flags);
PKCS7 *PKCS7_sign_ex(X509 *signcert, EVP_PKEY *pkey, STACK_OF(X509) *certs,
    BIO *data, int flags, OSSL_LIB_CTX *libctx,
    const char *propq);

PKCS7_SIGNER_INFO *PKCS7_sign_add_signer(PKCS7 *p7,
    X509 *signcert, EVP_PKEY *pkey,
    const EVP_MD *md, int flags);

int PKCS7_final(PKCS7 *p7, BIO *data, int flags);
int PKCS7_verify(PKCS7 *p7, STACK_OF(X509) *certs, X509_STORE *store,
    BIO *indata, BIO *out, int flags);
STACK_OF(X509) *PKCS7_get0_signers(PKCS7 *p7, STACK_OF(X509) *certs,

```



```

    int flags);
PKCS7 *PKCS7_encrypt(STACK_OF(X509) *certs, BIO *in, const EVP_CIPHER *cipher,
    int flags);
PKCS7 *PKCS7_encrypt_ex(STACK_OF(X509) *certs, BIO *in,
    const EVP_CIPHER *cipher, int flags,
    OSSL_LIB_CTX *libctx, const char *propq);
int PKCS7_decrypt(PKCS7 *p7, EVP_PKEY *pkey, X509 *cert, BIO *data,
    int flags);

int PKCS7_add_attrib_smimecap(PKCS7_SIGNER_INFO *si,
    STACK_OF(X509_ALGOR) *cap);
STACK_OF(X509_ALGOR)
*PKCS7_get_smimecap(PKCS7_SIGNER_INFO *si);
int PKCS7_simple_smimecap(STACK_OF(X509_ALGOR) *sk, int nid, int arg);

int PKCS7_add_attrib_content_type(PKCS7_SIGNER_INFO *si, ASN1_OBJECT *coid);
int PKCS7_add0_attrib_signing_time(PKCS7_SIGNER_INFO *si, ASN1_TIME *t);
int PKCS7_add1_attrib_digest(PKCS7_SIGNER_INFO *si,
    const unsigned char *md, int mdlen);

int SMIME_write_PKCS7(BIO *bio, PKCS7 *p7, BIO *data, int flags);
PKCS7 *SMIME_read_PKCS7_ex(BIO *bio, BIO **bcont, PKCS7 **p7);
PKCS7 *SMIME_read_PKCS7(BIO *bio, BIO **bcont);

BIO *BIO_new_PKCS7(BIO *out, PKCS7 *p7);

#ifdef __cplusplus
}
#endif
#endif
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/crypto.h.in
 *
 * Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.
 * Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_CRYPT_H

```

```

#define OPENSAL_CRYPTO_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSAL_NO_DEPRECATED_3_0
#define HEADER_CRYPTO_H
#endif

#include <stdlib.h>
#include <time.h>

#include <openssl/e_os2.h>

#ifndef OPENSAL_NO_STDIO
#include <stdio.h>
#endif

#include <openssl/safestack.h>
#include <openssl/opensslv.h>
#include <openssl/types.h>
#include <openssl/opensslconf.h>
#include <openssl/cryptoerr.h>
#include <openssl/core.h>

#ifdef
    CHARSET_EBCDIC
#include <openssl/ebcdic.h>
#endif

/*
 * Resolve problems on some operating systems with symbol names that clash
 * one way or another
 */
#include <openssl/symhacks.h>

#ifndef OPENSAL_NO_DEPRECATED_1_1_0
#include <openssl/opensslv.h>
#endif

#ifdef __cplusplus
extern "C" {
#endif

#ifndef OPENSAL_NO_DEPRECATED_1_1_0
#define SSLeay OpenSSL_version_num
#define SSLeay_version OpenSSL_version
#define SSLEAY_VERSION_NUMBER OPENSAL_VERSION_NUMBER
#define SSLEAY_VERSION OPENSAL_VERSION

```

```

#define SSLEAY_CFLAGS OPENSSL_CFLAGS
#define SSLEAY_BUILT_ON OPENSSL_BUILT_ON
#define SSLEAY_PLATFORM OPENSSL_PLATFORM
#define SSLEAY_DIR OPENSSL_DIR

/*
 * Old type for allocating dynamic locks. No longer used. Use the new thread
 * API instead.
 */
typedef struct {
    int dummy;
} CRYPTO_dynlock;

#endif /* OPENSSL_NO_DEPRECATED_1_1_0 */

typedef void CRYPTO_RWLOCK;

CRYPTO_RWLOCK *CRYPTO_THREAD_lock_new(void);
__owur int CRYPTO_THREAD_read_lock(CRYPTO_RWLOCK *lock);
__owur int CRYPTO_THREAD_write_lock(CRYPTO_RWLOCK
*lock);
int CRYPTO_THREAD_unlock(CRYPTO_RWLOCK *lock);
void CRYPTO_THREAD_lock_free(CRYPTO_RWLOCK *lock);

int CRYPTO_atomic_add(int *val, int amount, int *ret, CRYPTO_RWLOCK *lock);
int CRYPTO_atomic_or(uint64_t *val, uint64_t op, uint64_t *ret,
    CRYPTO_RWLOCK *lock);
int CRYPTO_atomic_load(uint64_t *val, uint64_t *ret, CRYPTO_RWLOCK *lock);

/* No longer needed, so this is a no-op */
#define OPENSSL_malloc_init() \
    while (0) \
        continue

#define OPENSSL_malloc(num) \
    CRYPTO_malloc(num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_zalloc(num) \
    CRYPTO_zalloc(num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_realloc(addr, num) \
    CRYPTO_realloc(addr, num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_clear_realloc(addr, old_num, num) \
    CRYPTO_clear_realloc(addr, old_num, num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_clear_free(addr, num) \
    CRYPTO_clear_free(addr, num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_free(addr) \
    CRYPTO_free(addr, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_memdup(str, s) \

```

```

CRYPTO_memdup((str), s, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_strdup(str) \
    CRYPTO_strdup(str, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_strndup(str, n) \
    CRYPTO_strndup(str, n, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_secure_malloc(num) \
    CRYPTO_secure_malloc(num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_secure_zalloc(num) \
    CRYPTO_secure_zalloc(num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_secure_free(addr) \
    CRYPTO_secure_free(addr, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_secure_clear_free(addr, num) \
    CRYPTO_secure_clear_free(addr, num, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_secure_actual_size(ptr) \
    CRYPTO_secure_actual_size(ptr)

size_t OPENSSL_strlcpy(char *dst, const char *src, size_t siz);
size_t OPENSSL_strlcat(char *dst, const char *src, size_t siz);
size_t OPENSSL_strnlen(const char *str, size_t maxlen);
int OPENSSL_buf2hexstr_ex(char
    *str, size_t str_n, size_t *strlength,
    const unsigned char *buf, size_t buflen,
    const char sep);
char *OPENSSL_buf2hexstr(const unsigned char *buf, long buflen);
int OPENSSL_hexstr2buf_ex(unsigned char *buf, size_t buf_n, size_t *buflen,
    const char *str, const char sep);
unsigned char *OPENSSL_hexstr2buf(const char *str, long *buflen);
int OPENSSL_hexchar2int(unsigned char c);
int OPENSSL_strcasecmp(const char *s1, const char *s2);
int OPENSSL_strncasecmp(const char *s1, const char *s2, size_t n);

#define OPENSSL_MALLOC_MAX_NELEMS(type) (((1U << (sizeof(int) * 8 - 1)) - 1) / sizeof(type))

/*
 * These functions return the values of OPENSSL_VERSION_MAJOR,
 * OPENSSL_VERSION_MINOR, OPENSSL_VERSION_PATCH, OPENSSL_VERSION_PRE_RELEASE
 * and OPENSSL_VERSION_BUILD_METADATA, respectively.
 */
unsigned int OPENSSL_version_major(void);
unsigned int OPENSSL_version_minor(void);
unsigned int OPENSSL_version_patch(void);
const char *OPENSSL_version_pre_release(void);
const
char *OPENSSL_version_build_metadata(void);

unsigned long OpenSSL_version_num(void);
const char *OpenSSL_version(int type);
#define OPENSSL_VERSION 0

```

```

#define OPENSSSL_CFLAGS 1
#define OPENSSSL_BUILT_ON 2
#define OPENSSSL_PLATFORM 3
#define OPENSSSL_DIR 4
#define OPENSSSL_ENGINES_DIR 5
#define OPENSSSL_VERSION_STRING 6
#define OPENSSSL_FULL_VERSION_STRING 7
#define OPENSSSL_MODULES_DIR 8
#define OPENSSSL_CPU_INFO 9

const char *OPENSSSL_info(int type);
/*
 * The series starts at 1001 to avoid confusion with the OpenSSL_version
 * types.
 */
#define OPENSSSL_INFO_CONFIG_DIR 1001
#define OPENSSSL_INFO_ENGINES_DIR 1002
#define OPENSSSL_INFO_MODULES_DIR 1003
#define OPENSSSL_INFO_DSO_EXTENSION 1004
#define OPENSSSL_INFO_DIR_FILENAME_SEPARATOR 1005
#define OPENSSSL_INFO_LIST_SEPARATOR 1006
#define OPENSSSL_INFO_SEED_SOURCE 1007
#define OPENSSSL_INFO_CPU_SETTINGS 1008

int OPENSSSL_issetugid(void);

struct crypto_ex_data_st {
    OSSL_LIB_CTX *ctx;
    STACK_OF(void) *sk;
};

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(void,
    void, void)
#define sk_void_num(sk) OPENSSSL_sk_num(ossl_check_const_void_sk_type(sk))
#define sk_void_value(sk, idx) ((void *)OPENSSSL_sk_value(ossl_check_const_void_sk_type(sk), (idx)))
#define sk_void_new(cmp) ((STACK_OF(void) *)OPENSSSL_sk_new(ossl_check_void_compfunc_type(cmp)))
#define sk_void_new_null() ((STACK_OF(void) *)OPENSSSL_sk_new_null())
#define sk_void_new_reserve(cmp, n) ((STACK_OF(void)
*)OPENSSSL_sk_new_reserve(ossl_check_void_compfunc_type(cmp), (n)))
#define sk_void_reserve(sk, n) OPENSSSL_sk_reserve(ossl_check_void_sk_type(sk), (n))
#define sk_void_free(sk) OPENSSSL_sk_free(ossl_check_void_sk_type(sk))
#define sk_void_zero(sk) OPENSSSL_sk_zero(ossl_check_void_sk_type(sk))
#define sk_void_delete(sk, i) ((void *)OPENSSSL_sk_delete(ossl_check_void_sk_type(sk), (i)))
#define sk_void_delete_ptr(sk, ptr) ((void *)OPENSSSL_sk_delete_ptr(ossl_check_void_sk_type(sk),
ossl_check_void_type(ptr)))
#define sk_void_push(sk, ptr) OPENSSSL_sk_push(ossl_check_void_sk_type(sk),

```

```

    ossl_check_void_type(ptr))
#define sk_void_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_void_sk_type(sk), ossl_check_void_type(ptr))
#define sk_void_pop(sk) ((void *)OPENSSL_sk_pop(ossl_check_void_sk_type(sk)))
#define sk_void_shift(sk) ((void *)OPENSSL_sk_shift(ossl_check_void_sk_type(sk)))
#define sk_void_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ossl_check_void_sk_type(sk),ossl_check_void_freefunc_type(freefunc))
#define sk_void_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_void_sk_type(sk), ossl_check_void_type(ptr),
    (idx))
#define sk_void_set(sk, idx, ptr) ((void *)OPENSSL_sk_set(ossl_check_void_sk_type(sk), (idx),
    ossl_check_void_type(ptr)))
#define sk_void_find(sk, ptr) OPENSSL_sk_find(ossl_check_void_sk_type(sk), ossl_check_void_type(ptr))
#define sk_void_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_void_sk_type(sk), ossl_check_void_type(ptr))
#define sk_void_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_void_sk_type(sk),
    ossl_check_void_type(ptr),
    pnum)
#define sk_void_sort(sk) OPENSSL_sk_sort(ossl_check_void_sk_type(sk))
#define sk_void_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_void_sk_type(sk))
#define sk_void_dup(sk) ((STACK_OF(void *)OPENSSL_sk_dup(ossl_check_const_void_sk_type(sk)))
#define sk_void_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(void
    *)OPENSSL_sk_deep_copy(ossl_check_const_void_sk_type(sk), ossl_check_void_copyfunc_type(copyfunc),
    ossl_check_void_freefunc_type(freefunc)))
#define sk_void_set_cmp_func(sk, cmp)
    ((sk_void_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_void_sk_type(sk),
    ossl_check_void_compfunc_type(cmp)))

/* clang-format on */

/*
 * Per class, we have a STACK of function pointers.
 */
#define CRYPTO_EX_INDEX_SSL 0
#define CRYPTO_EX_INDEX_SSL_CTX 1
#define CRYPTO_EX_INDEX_SSL_SESSION 2
#define CRYPTO_EX_INDEX_X509 3
#define CRYPTO_EX_INDEX_X509_STORE 4
#define CRYPTO_EX_INDEX_X509_STORE_CTX 5
#define CRYPTO_EX_INDEX_DH 6
#define CRYPTO_EX_INDEX_DSA 7
#define CRYPTO_EX_INDEX_EC_KEY 8
#define
    CRYPTO_EX_INDEX_RSA 9
#define CRYPTO_EX_INDEX_ENGINE 10
#define CRYPTO_EX_INDEX_UI 11
#define CRYPTO_EX_INDEX_BIO 12
#define CRYPTO_EX_INDEX_APP 13
#define CRYPTO_EX_INDEX_UI_METHOD 14
#define CRYPTO_EX_INDEX_RAND_DRBG 15
#define CRYPTO_EX_INDEX_DRBG CRYPTO_EX_INDEX_RAND_DRBG

```

```

#define CRYPTO_EX_INDEX_OSSL_LIB_CTX 16
#define CRYPTO_EX_INDEX_EVP_PKEY 17
#define CRYPTO_EX_INDEX__COUNT 18

typedef void CRYPTO_EX_new(void *parent, void *ptr, CRYPTO_EX_DATA *ad,
    int idx, long argl, void *argp);
typedef void CRYPTO_EX_free(void *parent, void *ptr, CRYPTO_EX_DATA *ad,
    int idx, long argl, void *argp);
typedef int CRYPTO_EX_dup(CRYPTO_EX_DATA *to, const CRYPTO_EX_DATA *from,
    void **from_d, int idx, long argl, void *argp);
__owur int CRYPTO_get_ex_new_index(int class_index, long argl, void *argp,
    CRYPTO_EX_new *new_func,
    CRYPTO_EX_dup *dup_func,
    CRYPTO_EX_free *free_func);
/* No longer use an index. */
int CRYPTO_free_ex_index(int class_index, int idx);

/*
 * Initialise/duplicate/free
 * CRYPTO_EX_DATA variables corresponding to a
 * given class (invokes whatever per-class callbacks are applicable)
 */
int CRYPTO_new_ex_data(int class_index, void *obj, CRYPTO_EX_DATA *ad);
int CRYPTO_dup_ex_data(int class_index, CRYPTO_EX_DATA *to,
    const CRYPTO_EX_DATA *from);

void CRYPTO_free_ex_data(int class_index, void *obj, CRYPTO_EX_DATA *ad);

/* Allocate a single item in the CRYPTO_EX_DATA variable */
int CRYPTO_alloc_ex_data(int class_index, void *obj, CRYPTO_EX_DATA *ad,
    int idx);

/*
 * Get/set data in a CRYPTO_EX_DATA variable corresponding to a particular
 * index (relative to the class type involved)
 */
int CRYPTO_set_ex_data(CRYPTO_EX_DATA *ad, int idx, void *val);
void *CRYPTO_get_ex_data(const CRYPTO_EX_DATA *ad, int idx);

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
/*
 * This function cleans up all "ex_data" state. It mustn't be called under
 * potential race-conditions.
 */
#define CRYPTO_cleanup_all_ex_data() \
    while (0) \
        \
    continue

```

```

/*
 * The old locking functions have been removed completely without compatibility
 * macros. This is because the old functions either could not properly report
 * errors, or the returned error values were not clearly documented.
 * Replacing the locking functions with no-ops would cause race condition
 * issues in the affected applications. It is far better for them to fail at
 * compile time.
 * On the other hand, the locking callbacks are no longer used. Consequently,
 * the callback management functions can be safely replaced with no-op macros.
 */

#define CRYPTO_num_locks() (1)
#define CRYPTO_set_locking_callback(func)
#define CRYPTO_get_locking_callback() (NULL)
#define CRYPTO_set_add_lock_callback(func)
#define CRYPTO_get_add_lock_callback() (NULL)

/*
 * These defines were used in combination with the old locking callbacks,
 * they are not called anymore, but old code that's not called might still
 * use them.
 */
#define CRYPTO_LOCK 1
#define CRYPTO_UNLOCK
2
#define CRYPTO_READ 4
#define CRYPTO_WRITE 8

/* This structure is no longer used */
typedef struct crypto_threadid_st {
    int dummy;
} CRYPTO_THREADID;
/* Only use CRYPTO_THREADID_set_[numeric|pointer]() within callbacks */
#define CRYPTO_THREADID_set_numeric(id, val)
#define CRYPTO_THREADID_set_pointer(id, ptr)
#define CRYPTO_THREADID_set_callback(threadid_func) (0)
#define CRYPTO_THREADID_get_callback() (NULL)
#define CRYPTO_THREADID_current(id)
#define CRYPTO_THREADID_cmp(a, b) (-1)
#define CRYPTO_THREADID_cpy(dest, src)
#define CRYPTO_THREADID_hash(id) (0UL)

#ifdef OPENSSL_NO_DEPRECATED_1_0_0
#define CRYPTO_set_id_callback(func)
#define CRYPTO_get_id_callback() (NULL)
#define CRYPTO_thread_id() (0UL)
#endif /* OPENSSL_NO_DEPRECATED_1_0_0 */

```



```

#define CRYPTO_set_dynlock_create_callback(dyn_create_function)
#define CRYPTO_set_dynlock_lock_callback(dyn_lock_function)
#define CRYPTO_set_dynlock_destroy_callback(dyn_destroy_function)
#define CRYPTO_get_dynlock_create_callback()
    (NULL)
#define CRYPTO_get_dynlock_lock_callback() (NULL)
#define CRYPTO_get_dynlock_destroy_callback() (NULL)
#endif /* OPENSSSL_NO_DEPRECATED_1_1_0 */

typedef void (*CRYPTO_malloc_fn)(size_t num, const char *file, int line);
typedef void (*CRYPTO_realloc_fn)(void *addr, size_t num, const char *file,
    int line);
typedef void (*CRYPTO_free_fn)(void *addr, const char *file, int line);
int CRYPTO_set_mem_functions(CRYPTO_malloc_fn malloc_fn,
    CRYPTO_realloc_fn realloc_fn,
    CRYPTO_free_fn free_fn);
void CRYPTO_get_mem_functions(CRYPTO_malloc_fn *malloc_fn,
    CRYPTO_realloc_fn *realloc_fn,
    CRYPTO_free_fn *free_fn);

void *CRYPTO_malloc(size_t num, const char *file, int line);
void *CRYPTO_zalloc(size_t num, const char *file, int line);
void *CRYPTO_memdup(const void *str, size_t siz, const char *file, int line);
char *CRYPTO_strdup(const char *str, const char *file, int line);
char *CRYPTO_strndup(const char *str, size_t s, const char *file, int line);
void CRYPTO_free(void
    *ptr, const char *file, int line);
void CRYPTO_clear_free(void *ptr, size_t num, const char *file, int line);
void *CRYPTO_realloc(void *addr, size_t num, const char *file, int line);
void *CRYPTO_clear_realloc(void *addr, size_t old_num, size_t num,
    const char *file, int line);

int CRYPTO_secure_malloc_init(size_t sz, size_t minsize);
int CRYPTO_secure_malloc_done(void);
void *CRYPTO_secure_malloc(size_t num, const char *file, int line);
void *CRYPTO_secure_zalloc(size_t num, const char *file, int line);
void CRYPTO_secure_free(void *ptr, const char *file, int line);
void CRYPTO_secure_clear_free(void *ptr, size_t num,
    const char *file, int line);
int CRYPTO_secure_allocated(const void *ptr);
int CRYPTO_secure_malloc_initialized(void);
size_t CRYPTO_secure_actual_size(void *ptr);
size_t CRYPTO_secure_used(void);

void OPENSSSL_cleanse(void *ptr, size_t len);

#ifdef OPENSSSL_NO_CRYPTOMDDEBUG
/*

```

```

* The following can be used to detect memory leaks in the library. If
* used, it
  turns on malloc checking
*/
#define CRYPTO_MEM_CHECK_OFF 0x0 /* Control only */
#define CRYPTO_MEM_CHECK_ON 0x1 /* Control and mode bit */
#define CRYPTO_MEM_CHECK_ENABLE 0x2 /* Control and mode bit */
#define CRYPTO_MEM_CHECK_DISABLE 0x3 /* Control only */

void CRYPTO_get_alloc_counts(int *mcount, int *rcount, int *fcount);
#ifdef OPENSSL_NO_DEPRECATED_3_0
#define OPENSSL_mem_debug_push(info) \
    CRYPTO_mem_debug_push(info, OPENSSL_FILE, OPENSSL_LINE)
#define OPENSSL_mem_debug_pop() \
    CRYPTO_mem_debug_pop()
#endif
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 int CRYPTO_set_mem_debug(int flag);
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_ctrl(int mode);
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_debug_push(const char *info,
    const char *file, int line);
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_debug_pop(void);
OSSL_DEPRECATEDIN_3_0 void CRYPTO_mem_debug_malloc(void *addr, size_t num,
    int flag,
    const char *file, int line);
OSSL_DEPRECATEDIN_3_0 void CRYPTO_mem_debug_realloc(void
*addr1, void *addr2,
    size_t num, int flag,
    const char *file, int line);
OSSL_DEPRECATEDIN_3_0 void CRYPTO_mem_debug_free(void *addr, int flag,
    const char *file, int line);
OSSL_DEPRECATEDIN_3_0
int CRYPTO_mem_leaks_cb(int (*cb)(const char *str, size_t len, void *u),
    void *u);
#endif
#ifdef OPENSSL_NO_STDIO
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_leaks_fp(FILE *);
#endif
#endif
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 int CRYPTO_mem_leaks(BIO *bio);
#endif
#endif /* OPENSSL_NO_CRYPTOMDEBUG */

/* die if we have to */
ossl_noreturn void OPENSSL_die(const char *assertion, const char *file, int line);
#ifdef OPENSSL_NO_DEPRECATED_1_1_0

```

```

#define OpenSSLDie(f, l, a) OpenSSL_die((a), (f), (l))
#endif
#define OpenSSL_assert(e) \
    (void)((e) ? 0 : (OpenSSL_die("assertion failed: " #e, OpenSSL_FILE, OpenSSL_LINE), 1))

int OpenSSL_isservice(void);

void OpenSSL_init(void);
#ifdef OpenSSL_SYS_UNIX
#ifdef OpenSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
    void OpenSSL_fork_prepare(void);
OSSL_DEPRECATEDIN_3_0 void OpenSSL_fork_parent(void);
OSSL_DEPRECATEDIN_3_0 void OpenSSL_fork_child(void);
#endif
#endif

struct tm *OpenSSL_gmtime(const time_t *timer, struct tm *result);
int OpenSSL_gmtime_adj(struct tm *tm, int offset_day, long offset_sec);
int OpenSSL_gmtime_diff(int *pday, int *psec,
    const struct tm *from, const struct tm *to);

/*
 * CRYPTO_memcmp returns zero iff the |len| bytes at |a| and |b| are equal.
 * It takes an amount of time dependent on |len|, but independent of the
 * contents of |a| and |b|. Unlike memcmp, it cannot be used to put elements
 * into a defined order as the return value when a != b is undefined, other
 * than to be non-zero.
 */
int CRYPTO_memcmp(const void *in_a, const void *in_b, size_t len);

/* Standard initialisation options */
#define OpenSSL_INIT_NO_LOAD_CRYPTOSTRINGS 0x00000001L
#define OpenSSL_INIT_LOAD_CRYPTOSTRINGS 0x00000002L
#define OpenSSL_INIT_ADD_ALL_CIPHERS
    0x00000004L
#define OpenSSL_INIT_ADD_ALL_DIGESTS 0x00000008L
#define OpenSSL_INIT_NO_ADD_ALL_CIPHERS 0x00000010L
#define OpenSSL_INIT_NO_ADD_ALL_DIGESTS 0x00000020L
#define OpenSSL_INIT_LOAD_CONFIG 0x00000040L
#define OpenSSL_INIT_NO_LOAD_CONFIG 0x00000080L
#define OpenSSL_INIT_ASYNC 0x00000100L
#define OpenSSL_INIT_ENGINE_RDRAND 0x00000200L
#define OpenSSL_INIT_ENGINE_DYNAMIC 0x00000400L
#define OpenSSL_INIT_ENGINE_OPENSSL 0x00000800L
#define OpenSSL_INIT_ENGINE_CRYPTODEV 0x00001000L
#define OpenSSL_INIT_ENGINE_CAPI 0x00002000L
#define OpenSSL_INIT_ENGINE_PADLOCK 0x00004000L

```

```

#define OPENSSL_INIT_ENGINE_AFALG 0x00008000L
/* FREE: 0x00010000L */
#define OPENSSL_INIT_ATFORK 0x00020000L
/* OPENSSL_INIT_BASE_ONLY 0x00040000L */
#define OPENSSL_INIT_NO_ATEXIT 0x00080000L
/* OPENSSL_INIT flag range 0x03f00000 reserved for OPENSSL_init_ssl() */
/* FREE: 0x04000000L */
/* FREE: 0x08000000L */
/* FREE: 0x10000000L */
/* FREE: 0x20000000L
*/
/* FREE: 0x40000000L */
/* FREE: 0x80000000L */
/* Max OPENSSL_INIT flag value is 0x80000000 */

/* openssl and dasync not counted as builtin */
#define OPENSSL_INIT_ENGINE_ALL_BUILTIN \
    (OPENSSL_INIT_ENGINE_RDRAND | OPENSSL_INIT_ENGINE_DYNAMIC \
     | OPENSSL_INIT_ENGINE_CRYPTODEV | OPENSSL_INIT_ENGINE_CAPI | \
     OPENSSL_INIT_ENGINE_PADLOCK)

/* Library initialisation functions */
void OPENSSL_cleanup(void);
int OPENSSL_init_crypto(uint64_t opts, const OPENSSL_INIT_SETTINGS *settings);
int OPENSSL_atexit(void (*handler)(void));
void OPENSSL_thread_stop(void);
void OPENSSL_thread_stop_ex(OSSL_LIB_CTX *ctx);

/* Low-level control of initialization */
OPENSSL_INIT_SETTINGS *OPENSSL_INIT_new(void);
#ifdef OPENSSL_NO_STDIO
int OPENSSL_INIT_set_config_filename(OPENSSL_INIT_SETTINGS *settings,
    const char *config_filename);
void OPENSSL_INIT_set_config_file_flags(OPENSSL_INIT_SETTINGS *settings,
    unsigned long flags);
int OPENSSL_INIT_set_config_appname(OPENSSL_INIT_SETTINGS
    *settings,
    const char *config_appname);
#endif
void OPENSSL_INIT_free(OPENSSL_INIT_SETTINGS *settings);

#if defined(OPENSSL_THREADS) && !defined(CRYPTO_TDEBUB)
#if defined(_WIN32)
#if defined(BASETYPES) || defined(_WINDEF_H)
/* application has to include <windows.h> in order to use this */
typedef DWORD CRYPTO_THREAD_LOCAL;
typedef DWORD CRYPTO_THREAD_ID;

```

```

typedef LONG CRYPTO_ONCE;
#define CRYPTO_ONCE_STATIC_INIT 0
#endif
#else
#if defined(__TANDEM) && defined(_SPT_MODEL_)
#define SPT_THREAD_SIGNAL 1
#define SPT_THREAD_AWARE 1
#include <spthread.h>
#else
#include <pthread.h>
#endif
typedef pthread_once_t CRYPTO_ONCE;
typedef pthread_key_t CRYPTO_THREAD_LOCAL;
typedef pthread_t CRYPTO_THREAD_ID;

#define CRYPTO_ONCE_STATIC_INIT PTHREAD_ONCE_INIT
#endif

#if !defined(CRYPTO_ONCE_STATIC_INIT)
typedef unsigned int CRYPTO_ONCE;
typedef unsigned int CRYPTO_THREAD_LOCAL;
typedef unsigned int CRYPTO_THREAD_ID;
#define CRYPTO_ONCE_STATIC_INIT 0
#endif

int CRYPTO_THREAD_run_once(CRYPTO_ONCE
    *once, void (*init)(void));

int CRYPTO_THREAD_init_local(CRYPTO_THREAD_LOCAL *key, void (*cleanup)(void *));
void *CRYPTO_THREAD_get_local(CRYPTO_THREAD_LOCAL *key);
int CRYPTO_THREAD_set_local(CRYPTO_THREAD_LOCAL *key, void *val);
int CRYPTO_THREAD_cleanup_local(CRYPTO_THREAD_LOCAL *key);

CRYPTO_THREAD_ID CRYPTO_THREAD_get_current_id(void);
int CRYPTO_THREAD_compare_id(CRYPTO_THREAD_ID a, CRYPTO_THREAD_ID b);

OSSL_LIB_CTX *OSSL_LIB_CTX_new(void);
OSSL_LIB_CTX *OSSL_LIB_CTX_new_from_dispatch(const OSSL_CORE_HANDLE *handle,
    const OSSL_DISPATCH *in);
OSSL_LIB_CTX *OSSL_LIB_CTX_new_child(const OSSL_CORE_HANDLE *handle,
    const OSSL_DISPATCH *in);
int OSSL_LIB_CTX_load_config(OSSL_LIB_CTX *ctx, const char *config_file);
void OSSL_LIB_CTX_free(OSSL_LIB_CTX *);
OSSL_LIB_CTX *OSSL_LIB_CTX_get0_global_default(void);
OSSL_LIB_CTX *OSSL_LIB_CTX_set0_default(OSSL_LIB_CTX *libctx);

#ifdef __cplusplus

```

```

}
#endif
#endif
/*
 * WARNING: do not edit!
 * Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl
 * via Makefile.in
 *
 * Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#ifndef OPENSSL_CONFIGURATION_H
#define OPENSSL_CONFIGURATION_H
#pragma once

#ifdef __cplusplus
extern "C" {
#endif

#ifdef OPENSSL_ALGORITHM_DEFINES
#error OPENSSL_ALGORITHM_DEFINES no longer supported
#endif

/*
 * OpenSSL was configured with the following options:
 */

/* clang-format off */
# define OPENSSL_CONFIGURED_API 30000
# ifndef OPENSSL_RAND_SEED_OS
# define OPENSSL_RAND_SEED_OS
# endif
# ifndef OPENSSL_THREADS
# define OPENSSL_THREADS
# endif
# ifndef OPENSSL_NO_AFALGENG
# define OPENSSL_NO_AFALGENG
#
# endif
# ifndef OPENSSL_NO_ASAN
# define OPENSSL_NO_ASAN
# endif
# ifndef OPENSSL_NO_COMP

```

```

# define OPENSSL_NO_COMP
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG
# define OPENSSL_NO_CRYPTOMDDEBUG
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# define OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# endif
# ifndef OPENSSL_NO_EC_NISTP_64_GCC_128
# define OPENSSL_NO_EC_NISTP_64_GCC_128
# endif
# ifndef OPENSSL_NO_EGD
# define OPENSSL_NO_EGD
# endif
# ifndef OPENSSL_NO_EXTERNAL_TESTS
# define OPENSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSL_NO_FUZZ_AFL
# define OPENSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSL_NO_FUZZ_LIBFUZZER
# define OPENSSL_NO_FUZZ_LIBFUZZER
# endif
# ifndef OPENSSL_NO_KTLS
# define OPENSSL_NO_KTLS
# endif
# ifndef OPENSSL_NO_LOADERENG
# define OPENSSL_NO_LOADERENG
# endif
# ifndef OPENSSL_NO_MD2
# define OPENSSL_NO_MD2
# endif
# ifndef OPENSSL_NO_MSAN
# define OPENSSL_NO_MSAN
# endif
# ifndef OPENSSL_NO_RC5
# define OPENSSL_NO_RC5
# endif
# ifndef OPENSSL_NO_SCTP
#
    define OPENSSL_NO_SCTP
# endif
# ifndef OPENSSL_NO_SSL3
# define OPENSSL_NO_SSL3
# endif
# ifndef OPENSSL_NO_SSL3_METHOD
# define OPENSSL_NO_SSL3_METHOD
# endif

```

```

# ifndef OPENSSSL_NO_TRACE
#  define OPENSSSL_NO_TRACE
# endif
# ifndef OPENSSSL_NO_UBSAN
#  define OPENSSSL_NO_UBSAN
# endif
# ifndef OPENSSSL_NO_UNIT_TEST
#  define OPENSSSL_NO_UNIT_TEST
# endif
# ifndef OPENSSSL_NO_UPLINK
#  define OPENSSSL_NO_UPLINK
# endif
# ifndef OPENSSSL_NO_WEAK_SSL_CIPHERS
#  define OPENSSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSSL_NO_DYNAMIC_ENGINE
#  define OPENSSSL_NO_DYNAMIC_ENGINE
# endif

/* clang-format on */

/* Generate 80386 code? */
/* clang-format off */
# undef I386_ONLY
/* clang-format on */

/*
 * The following are cipher-specific, but are part of the public API.
 */
# if !defined(OPENSSSL_SYS_UEFI)
/* clang-format off */
#  define BN_LLONG
/* clang-format on */
/* Only one for the following should be defined */
/* clang-format off */
#  undef SIXTY_FOUR_BIT_LONG
/* clang-format
on */
/* clang-format off */
#  undef SIXTY_FOUR_BIT
/* clang-format on */
/* clang-format off */
#  define THIRTY_TWO_BIT
/* clang-format on */
# endif

/* clang-format off */
# define RC4_INT unsigned int

```



```

/* clang-format on */

#ifdef __cplusplus
}
#endif

#endif /* OPENSSSL_CONFIGURATION_H */
/*_
* WARNING: do not edit!
* Generated by Makefile from include/openssl/crmf.h.in
*
* Copyright 2007-2021 The OpenSSL Project Authors. All Rights Reserved.
* Copyright Nokia 2007-2019
* Copyright Siemens AG 2015-2019
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*
* CRMF (RFC 4211) implementation by M. Peylo, M. Viljanen, and D. von Oheimb.
*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSSL_CRMF_H
#define OPENSSSL_CRMF_H

#include <openssl/opensslconf.h>

#ifndef OPENSSSL_NO_CRMF
#include <openssl/opensslv.h>
#include <openssl/safestack.h>
#include <openssl/crmferr.h>
#include <openssl/x509v3.h> /* for GENERAL_NAME etc. */

/* explicit #includes not strictly needed since implied by the above: */
#include <openssl/types.h>
#include <openssl/x509.h>

#ifdef __cplusplus
extern
"C" {
#endif

#define OSSL_CRMF_POPOPRIVKEY_THISMESSAGE 0

```

```

#define OSSL_CRMF_POPOPRIVKEY_SUBSEQUENTMESSAGE 1
#define OSSL_CRMF_POPOPRIVKEY_DHMAC 2
#define OSSL_CRMF_POPOPRIVKEY_AGREEMAC 3
#define OSSL_CRMF_POPOPRIVKEY_ENCRYPTEDKEY 4

#define OSSL_CRMF_SUBSEQUENTMESSAGE_ENRCERT 0
#define OSSL_CRMF_SUBSEQUENTMESSAGE_CHALLENGERESP 1

typedef struct ossl_crmf_encryptedvalue_st OSSL_CRMF_ENCRYPTEDVALUE;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_ENCRYPTEDVALUE)
typedef struct ossl_crmf_msg_st OSSL_CRMF_MSG;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_MSG)
DECLARE_ASN1_DUP_FUNCTION(OSSL_CRMF_MSG)
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CRMF_MSG, OSSL_CRMF_MSG, OSSL_CRMF_MSG)
#define sk_OSSL_CRMF_MSG_num(sk)
OPENSSL_sk_num(ossl_check_const_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_value(sk, idx) ((OSSL_CRMF_MSG
*)OPENSSL_sk_value(ossl_check_const_OSSL_CRMF_MSG_sk_type(sk), (idx)))
#define sk_OSSL_CRMF_MSG_new(cmp) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_new(ossl_check_OSSL_CRMF_MSG_compfunc_type(cmp)))
#define
sk_OSSL_CRMF_MSG_new_null() ((STACK_OF(OSSL_CRMF_MSG) *)OPENSSL_sk_new_null())
#define sk_OSSL_CRMF_MSG_new_reserve(cmp, n) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_new_reserve(ossl_check_OSSL_CRMF_MSG_compfunc_type(cmp), (n)))
#define sk_OSSL_CRMF_MSG_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_OSSL_CRMF_MSG_sk_type(sk), (n))
#define sk_OSSL_CRMF_MSG_free(sk) OPENSSL_sk_free(ossl_check_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_zero(sk) OPENSSL_sk_zero(ossl_check_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_delete(sk, i) ((OSSL_CRMF_MSG
*)OPENSSL_sk_delete(ossl_check_OSSL_CRMF_MSG_sk_type(sk), (i)))
#define sk_OSSL_CRMF_MSG_delete_ptr(sk, ptr) ((OSSL_CRMF_MSG
*)OPENSSL_sk_delete_ptr(ossl_check_OSSL_CRMF_MSG_sk_type(sk),
ossl_check_OSSL_CRMF_MSG_type(ptr)))
#define sk_OSSL_CRMF_MSG_push(sk, ptr) OPENSSL_sk_push(ossl_check_OSSL_CRMF_MSG_sk_type(sk),
ossl_check_OSSL_CRMF_MSG_type(ptr))
#define sk_OSSL_CRMF_MSG_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_OSSL_CRMF_MSG_sk_type(sk),
ossl_check_OSSL_CRMF_MSG_type(ptr))
#define sk_OSSL_CRMF_MSG_pop(sk) ((OSSL_CRMF_MSG
*)OPENSSL_sk_pop(ossl_check_OSSL_CRMF_MSG_sk_type(sk)))
#define sk_OSSL_CRMF_MSG_shift(sk) ((OSSL_CRMF_MSG
*)OPENSSL_sk_shift(ossl_check_OSSL_CRMF_MSG_sk_type(sk)))
#define sk_OSSL_CRMF_MSG_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_OSSL_CRMF_MSG_sk_type(sk), ossl_check_OSSL_CRMF_MSG_freefunc_t
ype(freefunc))
#define sk_OSSL_CRMF_MSG_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_OSSL_CRMF_MSG_sk_type(sk), ossl_check_OSSL_CRMF_MSG_type(ptr),

```

```

(idx))
#define sk_OSSL_CRMF_MSG_set(sk, idx, ptr) ((OSSL_CRMF_MSG
*)OPENSSL_sk_set(ssl_check_OSSL_CRMF_MSG_sk_type(sk), (idx),
ssl_check_OSSL_CRMF_MSG_type(ptr)))
#define sk_OSSL_CRMF_MSG_find(sk, ptr) OPENSSL_sk_find(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_type(ptr))
#define sk_OSSL_CRMF_MSG_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CRMF_MSG_sk_type(sk), ssl_check_OSSL_CRMF_MSG_type(ptr))
#define
sk_OSSL_CRMF_MSG_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CRMF_MSG_sk_type(sk), ssl_check_OSSL_CRMF_MSG_type(ptr),
pnum)
#define sk_OSSL_CRMF_MSG_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CRMF_MSG_sk_type(sk))
#define sk_OSSL_CRMF_MSG_dup(sk) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CRMF_MSG_sk_type(sk)))
#define sk_OSSL_CRMF_MSG_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CRMF_MSG)
*)OPENSSL_sk_deep_copy(ssl_check_const_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_copyfunc_type(copyfunc),
ssl_check_OSSL_CRMF_MSG_freefunc_type(freefunc)))
#define sk_OSSL_CRMF_MSG_set_cmp_func(sk, cmp)
((sk_OSSL_CRMF_MSG_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_OSSL_CRMF_MSG_sk_type(sk),
ssl_check_OSSL_CRMF_MSG_compfunc_type(cmp)))

/* clang-format on */
typedef struct ssl_crmf_attributetypeandvalue_st OSSL_CRMF_ATTRIBUTETYPEANDVALUE;
typedef
struct ssl_crmf_pbmpparameter_st OSSL_CRMF_PBMPARAMETER;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_PBMPARAMETER)
typedef struct ssl_crmf_poposigningkey_st OSSL_CRMF_POPOSIGNINGKEY;
typedef struct ssl_crmf_certrequest_st OSSL_CRMF_CERTREQUEST;
typedef struct ssl_crmf_certid_st OSSL_CRMF_CERTID;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_CERTID)
DECLARE_ASN1_DUP_FUNCTION(OSSL_CRMF_CERTID)
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(OSSL_CRMF_CERTID, OSSL_CRMF_CERTID,
OSSL_CRMF_CERTID)
#define sk_OSSL_CRMF_CERTID_num(sk)
OPENSSL_sk_num(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_value(sk, idx) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_value(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk), (idx)))
#define sk_OSSL_CRMF_CERTID_new(cmp) ((STACK_OF(OSSL_CRMF_CERTID)
*)OPENSSL_sk_new(ssl_check_OSSL_CRMF_CERTID_compfunc_type(cmp)))
#define sk_OSSL_CRMF_CERTID_new_null() ((STACK_OF(OSSL_CRMF_CERTID)
*)OPENSSL_sk_new_null())
#define sk_OSSL_CRMF_CERTID_new_reserve(cmp,

```

```

n) ((STACK_OF(OSSL_CRMF_CERTID)
*)OPENSSL_sk_new_reserve(ssl_check_OSSL_CRMF_CERTID_compfunc_type(cmp), (n)))
#define sk_OSSL_CRMF_CERTID_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_OSSL_CRMF_CERTID_sk_type(sk), (n))
#define sk_OSSL_CRMF_CERTID_free(sk) OPENSSL_sk_free(ssl_check_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_zero(sk)
OPENSSL_sk_zero(ssl_check_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_delete(sk, i) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_delete(ssl_check_OSSL_CRMF_CERTID_sk_type(sk), (i)))
#define sk_OSSL_CRMF_CERTID_delete_ptr(sk, ptr) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_delete_ptr(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr)))
#define sk_OSSL_CRMF_CERTID_push(sk, ptr)
OPENSSL_sk_push(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define sk_OSSL_CRMF_CERTID_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define
sk_OSSL_CRMF_CERTID_pop(sk) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_pop(ssl_check_OSSL_CRMF_CERTID_sk_type(sk)))
#define sk_OSSL_CRMF_CERTID_shift(sk) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_shift(ssl_check_OSSL_CRMF_CERTID_sk_type(sk)))
#define sk_OSSL_CRMF_CERTID_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_OSSL_CRMF_CERTID_sk_type(sk), ssl_check_OSSL_CRMF_CERTID_fre
efunc_type(freefunc))
#define sk_OSSL_CRMF_CERTID_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr), (idx))
#define sk_OSSL_CRMF_CERTID_set(sk, idx, ptr) ((OSSL_CRMF_CERTID
*)OPENSSL_sk_set(ssl_check_OSSL_CRMF_CERTID_sk_type(sk), (idx),
ssl_check_OSSL_CRMF_CERTID_type(ptr)))
#define sk_OSSL_CRMF_CERTID_find(sk, ptr)
OPENSSL_sk_find(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define sk_OSSL_CRMF_CERTID_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr))
#define
sk_OSSL_CRMF_CERTID_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_OSSL_CRMF_CERTID_sk_type(sk),
ssl_check_OSSL_CRMF_CERTID_type(ptr), pnum)
#define sk_OSSL_CRMF_CERTID_sort(sk) OPENSSL_sk_sort(ssl_check_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk))
#define sk_OSSL_CRMF_CERTID_dup(sk) ((STACK_OF(OSSL_CRMF_CERTID)
*)OPENSSL_sk_dup(ssl_check_const_OSSL_CRMF_CERTID_sk_type(sk)))
#define sk_OSSL_CRMF_CERTID_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(OSSL_CRMF_CERTID)

```

```

*)OPENSSL_sk_deep_copy(ossl_check_const_OSSL_CRMF_CERTID_sk_type(sk),
ossl_check_OSSL_CRMF_CERTID_copyfunc_type(copyfunc),
ossl_check_OSSL_CRMF_CERTID_freefunc_type(freefunc)))
#define sk_OSSL_CRMF_CERTID_set_cmp_func(sk, cmp)
((sk_OSSL_CRMF_CERTID_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_OSSL_CRMF_CERTID_sk_type(sk), ossl_check_OSSL_CRMF_CERTID_compfunc_type(cmp)))

/* clang-format on */

typedef struct
ossl_crmf_pkpublicationinfo_st OSSL_CRMF_PKIPUBLICATIONINFO;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_PKIPUBLICATIONINFO)
typedef struct ossl_crmf_singlepubinfo_st OSSL_CRMF_SINGLEPUBINFO;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_SINGLEPUBINFO)
typedef struct ossl_crmf_certtemplate_st OSSL_CRMF_CERTTEMPLATE;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_CERTTEMPLATE)
typedef STACK_OF(OSSL_CRMF_MSG) OSSL_CRMF_MSGS;
DECLARE_ASN1_FUNCTIONS(OSSL_CRMF_MSGS)

typedef struct ossl_crmf_optionalvalidity_st OSSL_CRMF_OPTIONALVALIDITY;

/* crmf_pbm.c */
OSSL_CRMF_PBMPARAMETER *OSSL_CRMF_pbmp_new(OSSL_LIB_CTX *libctx, size_t slen,
int owfnid, size_t itercnt,
int macnid);
int OSSL_CRMF_pbm_new(OSSL_LIB_CTX *libctx, const char *propq,
const OSSL_CRMF_PBMPARAMETER *pbmp,
const unsigned char *msg, size_t msglen,
const unsigned char *sec, size_t seclen,
unsigned char **mac, size_t *maclen);

/* crmf_lib.c */
int OSSL_CRMF_MSG_set1_regCtrl_regToken(OSSL_CRMF_MSG *msg,
const ASN1_UTF8STRING *tok);
ASN1_UTF8STRING
*OSSL_CRMF_MSG_get0_regCtrl_regToken(const
OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regCtrl_authenticator(OSSL_CRMF_MSG *msg,
const ASN1_UTF8STRING *auth);
ASN1_UTF8STRING
*OSSL_CRMF_MSG_get0_regCtrl_authenticator(const OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_PKIPublicationInfo_push0_SinglePubInfo(OSSL_CRMF_PKIPUBLICATIONINFO *pi,
OSSL_CRMF_SINGLEPUBINFO *spi);
#define OSSL_CRMF_PUB_METHOD_DONTCARE 0
#define OSSL_CRMF_PUB_METHOD_X500 1
#define OSSL_CRMF_PUB_METHOD_WEB 2
#define OSSL_CRMF_PUB_METHOD_LDAP 3
int OSSL_CRMF_MSG_set0_SinglePubInfo(OSSL_CRMF_SINGLEPUBINFO *spi,

```

```

    int method, GENERAL_NAME *nm);
#define OSSL_CRMF_PUB_ACTION_DONTPUBLISH 0
#define OSSL_CRMF_PUB_ACTION_PLEASEPUBLISH 1
int OSSL_CRMF_MSG_set_PKIPublicationInfo_action(OSSL_CRMF_PKIPUBLICATIONINFO *pi,
    int action);
int OSSL_CRMF_MSG_set1_regCtrl_pkiPublicationInfo(OSSL_CRMF_MSG *msg,
    const OSSL_CRMF_PKIPUBLICATIONINFO *pi);
OSSL_CRMF_PKIPUBLICATIONINFO
*OSSL_CRMF_MSG_get0_regCtrl_pkiPublicationInfo(const
    OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regCtrl_protocolEncrKey(OSSL_CRMF_MSG *msg,
    const X509_PUBKEY *pubkey);
X509_PUBKEY
*OSSL_CRMF_MSG_get0_regCtrl_protocolEncrKey(const OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regCtrl_oldCertID(OSSL_CRMF_MSG *msg,
    const OSSL_CRMF_CERTID *cid);
OSSL_CRMF_CERTID
*OSSL_CRMF_MSG_get0_regCtrl_oldCertID(const OSSL_CRMF_MSG *msg);
OSSL_CRMF_CERTID *OSSL_CRMF_CERTID_gen(const X509_NAME *issuer,
    const ASN1_INTEGER *serial);

int OSSL_CRMF_MSG_set1_regInfo_utf8Pairs(OSSL_CRMF_MSG *msg,
    const ASN1_UTF8STRING *utf8pairs);
ASN1_UTF8STRING
*OSSL_CRMF_MSG_get0_regInfo_utf8Pairs(const OSSL_CRMF_MSG *msg);
int OSSL_CRMF_MSG_set1_regInfo_certReq(OSSL_CRMF_MSG *msg,
    const OSSL_CRMF_CERTREQUEST *cr);
OSSL_CRMF_CERTREQUEST
*OSSL_CRMF_MSG_get0_regInfo_certReq(const OSSL_CRMF_MSG *msg);

int OSSL_CRMF_MSG_set0_validity(OSSL_CRMF_MSG *crm,
    ASN1_TIME *notBefore, ASN1_TIME *notAfter);
int OSSL_CRMF_MSG_set_certReqId(OSSL_CRMF_MSG
    *crm, int rid);
int OSSL_CRMF_MSG_get_certReqId(const OSSL_CRMF_MSG *crm);
int OSSL_CRMF_MSG_set0_extensions(OSSL_CRMF_MSG *crm, X509_EXTENSIONS *exts);

int OSSL_CRMF_MSG_push0_extension(OSSL_CRMF_MSG *crm, X509_EXTENSION *ext);
#define OSSL_CRMF_POPO_NONE -1
#define OSSL_CRMF_POPO_RAVERIFIED 0
#define OSSL_CRMF_POPO_SIGNATURE 1
#define OSSL_CRMF_POPO_KEYENC 2
#define OSSL_CRMF_POPO_KEYAGREE 3
int OSSL_CRMF_MSG_create_popo(int meth, OSSL_CRMF_MSG *crm,
    EVP_PKEY *pkey, const EVP_MD *digest,
    OSSL_LIB_CTX *libctx, const char *propq);
int OSSL_CRMF_MSGS_verify_popo(const OSSL_CRMF_MSGS *reqs,
    int rid, int acceptRAVerified,

```

```

    OSSL_LIB_CTX *libctx, const char *propq);
OSSL_CRMF_CERTTEMPLATE *OSSL_CRMF_MSG_get0_tmpl(const OSSL_CRMF_MSG *crm);
const ASN1_INTEGER *OSSL_CRMF_CERTTEMPLATE_get0_serialNumber(const
OSSL_CRMF_CERTTEMPLATE *tmpl);
const X509_NAME *OSSL_CRMF_CERTTEMPLATE_get0_subject(const OSSL_CRMF_CERTTEMPLATE
*tmpl);
const X509_NAME *OSSL_CRMF_CERTTEMPLATE_get0_issuer(const
    OSSL_CRMF_CERTTEMPLATE *tmpl);
X509_EXTENSIONS
*OSSL_CRMF_CERTTEMPLATE_get0_extensions(const OSSL_CRMF_CERTTEMPLATE *tmpl);
const X509_NAME *OSSL_CRMF_CERTID_get0_issuer(const OSSL_CRMF_CERTID *cid);
const ASN1_INTEGER *OSSL_CRMF_CERTID_get0_serialNumber(const OSSL_CRMF_CERTID *cid);
int OSSL_CRMF_CERTTEMPLATE_fill(OSSL_CRMF_CERTTEMPLATE *tmpl,
    EVP_PKEY *pubkey,
    const X509_NAME *subject,
    const X509_NAME *issuer,
    const ASN1_INTEGER *serial);
X509 *OSSL_CRMF_ENCRYPTEDVALUE_get1_encCert(const OSSL_CRMF_ENCRYPTEDVALUE *ecert,
    OSSL_LIB_CTX *libctx, const char *propq,
    EVP_PKEY *pkey);

#ifdef __cplusplus
}
#endif
#endif
#endif /* !defined(OPENSSL_NO_CRMF) */
#endif /* !defined(OPENSSL_CRMF_H) */
Copyright 2011 Gary Court. All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY GARY COURT "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL GARY COURT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Gary Court.

Copyright 2019 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) 2011-2022 Isaac Z. Schlueter, Ben Noordhuis, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This package contains code originally written by Isaac Z. Schlueter.

Used with permission.

Copyright (c) Meryn Stol ("Author")

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/pkcs12.h.in

*

* Copyright 1999-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_PKCS12_H

#define OPENSSL_PKCS12_H

#pragma once

#include <openssl/macros.h>

#ifndef OPENSSL_NO_DEPRECATED_3_0

#define HEADER_PKCS12_H

#endif

#include <openssl/bio.h>

#include <openssl/core.h>

#include <openssl/x509.h>

#include <openssl/pkcs12err.h>

#ifdef __cplusplus

```

extern "C" {
#endif

#define PKCS12_KEY_ID 1
#define PKCS12_IV_ID 2
#define PKCS12_MAC_ID 3

/* Default iteration count */
#ifndef PKCS12_DEFAULT_ITER
#define PKCS12_DEFAULT_ITER PKCS5_DEFAULT_ITER
#endif

#define PKCS12_MAC_KEY_LENGTH 20

#define
    PKCS12_SALT_LEN 8

/* It's not clear if these are actually needed... */
#define PKCS12_key_gen PKCS12_key_gen_utf8
#define PKCS12_add_friendlyname PKCS12_add_friendlyname_utf8

/* MS key usage constants */

#define KEY_EX 0x10
#define KEY_SIG 0x80

typedef struct PKCS12_MAC_DATA_st PKCS12_MAC_DATA;

typedef struct PKCS12_st PKCS12;

typedef struct PKCS12_SAFEBAG_st PKCS12_SAFEBAG;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(PKCS12_SAFEBAG, PKCS12_SAFEBAG, PKCS12_SAFEBAG)
#define sk_PKCS12_SAFEBAG_num(sk)
    OPENSSL_sk_num(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_value(sk, idx) ((PKCS12_SAFEBAG
    *)OPENSSL_sk_value(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk), (idx)))
#define sk_PKCS12_SAFEBAG_new(cmp) ((STACK_OF(PKCS12_SAFEBAG
    *)OPENSSL_sk_new(ssl_check_PKCS12_SAFEBAG_compfunc_type(cmp)))
#define sk_PKCS12_SAFEBAG_new_null() ((STACK_OF(PKCS12_SAFEBAG *)OPENSSL_sk_new_null())
#define sk_PKCS12_SAFEBAG_new_reserve(cmp, n) ((STACK_OF(PKCS12_SAFEBAG
    *)OPENSSL_sk_new_reserve(ssl_check_PKCS12_SAFEBAG_compfunc_type(cmp), (n)))
#define sk_PKCS12_SAFEBAG_reserve(sk, n)
    OPENSSL_sk_reserve(ssl_check_PKCS12_SAFEBAG_sk_type(sk), (n))
#define sk_PKCS12_SAFEBAG_free(sk) OPENSSL_sk_free(ssl_check_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_zero(sk) OPENSSL_sk_zero(ssl_check_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_delete(sk, i) ((PKCS12_SAFEBAG

```

```

*)OPENSSL_sk_delete(ssl_check_PKCS12_SAFEBAG_sk_type(sk), (i)))
#define sk_PKCS12_SAFEBAG_delete_ptr(sk, ptr) ((PKCS12_SAFEBAG
*)OPENSSL_sk_delete_ptr(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_type(ptr)))
#define sk_PKCS12_SAFEBAG_push(sk, ptr) OPENSSL_sk_push(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_pop(sk) ((PKCS12_SAFEBAG
*)OPENSSL_sk_pop(ssl_check_PKCS12_SAFEBAG_sk_type(sk)))
#define
sk_PKCS12_SAFEBAG_shift(sk) ((PKCS12_SAFEBAG
*)OPENSSL_sk_shift(ssl_check_PKCS12_SAFEBAG_sk_type(sk)))
#define sk_PKCS12_SAFEBAG_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_PKCS12_SAFEBAG_sk_type(sk),ssl_check_PKCS12_SAFEBAG_freefunc_
type(freefunc))
#define sk_PKCS12_SAFEBAG_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr),
(idx))
#define sk_PKCS12_SAFEBAG_set(sk, idx, ptr) ((PKCS12_SAFEBAG
*)OPENSSL_sk_set(ssl_check_PKCS12_SAFEBAG_sk_type(sk), (idx),
ssl_check_PKCS12_SAFEBAG_type(ptr)))
#define sk_PKCS12_SAFEBAG_find(sk, ptr) OPENSSL_sk_find(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr))
#define sk_PKCS12_SAFEBAG_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_PKCS12_SAFEBAG_sk_type(sk), ssl_check_PKCS12_SAFEBAG_type(ptr),
pnum)
#define sk_PKCS12_SAFEBAG_sort(sk) OPENSSL_sk_sort(ssl_check_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk))
#define sk_PKCS12_SAFEBAG_dup(sk) ((STACK_OF(PKCS12_SAFEBAG
*)OPENSSL_sk_dup(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk)))
#define sk_PKCS12_SAFEBAG_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(PKCS12_SAFEBAG
*)OPENSSL_sk_deep_copy(ssl_check_const_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_copyfunc_type(copyfunc),
ssl_check_PKCS12_SAFEBAG_freefunc_type(freefunc)))
#define sk_PKCS12_SAFEBAG_set_cmp_func(sk, cmp)
((sk_PKCS12_SAFEBAG_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_PKCS12_SAFEBAG_sk_type(sk),
ssl_check_PKCS12_SAFEBAG_compfunc_type(cmp)))

/* clang-format on */

typedef struct pkcs12_bag_st PKCS12_BAGS;

#define PKCS12_ERROR 0
#define PKCS12_OK 1

```

```
/* Compatibility macros */
```

```
#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
```

```
#define M_PKCS12_bag_type PKCS12_bag_type
```

```
#define
```

```
    M_PKCS12_cert_bag_type PKCS12_cert_bag_type
```

```
#define M_PKCS12_crl_bag_type PKCS12_cert_bag_type
```

```
#define PKCS12_certbag2x509 PKCS12_SAFEBAG_get1_cert
```

```
#define PKCS12_certbag2sctl PKCS12_SAFEBAG_get1_crl
```

```
#define PKCS12_bag_type PKCS12_SAFEBAG_get_nid
```

```
#define PKCS12_cert_bag_type PKCS12_SAFEBAG_get_bag_nid
```

```
#define PKCS12_x5092certbag PKCS12_SAFEBAG_create_cert
```

```
#define PKCS12_x509crl2certbag PKCS12_SAFEBAG_create_crl
```

```
#define PKCS12_MAKE_KEYBAG PKCS12_SAFEBAG_create0_p8inf
```

```
#define PKCS12_MAKE_SHKEYBAG PKCS12_SAFEBAG_create_pkcs8_encrypt
```

```
#endif
```

```
#ifndef OPENSSSL_NO_DEPRECATED_1_1_0
```

```
OSSL_DEPRECATEDIN_1_1_0 ASN1_TYPE *PKCS12_get_attr(const PKCS12_SAFEBAG *bag,  
    int attr_nid);
```

```
#endif
```

```
ASN1_TYPE *PKCS8_get_attr(PKCS8_PRIV_KEY_INFO *p8, int attr_nid);
```

```
int PKCS12_mac_present(const PKCS12 *p12);
```

```
void PKCS12_get0_mac(const ASN1_OCTET_STRING **pmac,  
    const X509_ALGOR **pmacalg,  
    const ASN1_OCTET_STRING **psalt,  
    const ASN1_INTEGER **piter,  
    const PKCS12 *p12);
```

```
const ASN1_TYPE
```

```
    *PKCS12_SAFEBAG_get0_attr(const PKCS12_SAFEBAG *bag,  
    int attr_nid);
```

```
const ASN1_OBJECT *PKCS12_SAFEBAG_get0_type(const PKCS12_SAFEBAG *bag);
```

```
int PKCS12_SAFEBAG_get_nid(const PKCS12_SAFEBAG *bag);
```

```
int PKCS12_SAFEBAG_get_bag_nid(const PKCS12_SAFEBAG *bag);
```

```
const ASN1_TYPE *PKCS12_SAFEBAG_get0_bag_obj(const PKCS12_SAFEBAG *bag);
```

```
const ASN1_OBJECT *PKCS12_SAFEBAG_get0_bag_type(const PKCS12_SAFEBAG *bag);
```

```
X509 *PKCS12_SAFEBAG_get1_cert(const PKCS12_SAFEBAG *bag);
```

```
X509_CRL *PKCS12_SAFEBAG_get1_crl(const PKCS12_SAFEBAG *bag);
```

```
const STACK_OF(PKCS12_SAFEBAG) *
```

```
    PKCS12_SAFEBAG_get0_safes(const PKCS12_SAFEBAG *bag);
```

```
const PKCS8_PRIV_KEY_INFO *PKCS12_SAFEBAG_get0_p8inf(const PKCS12_SAFEBAG *bag);
```

```
const X509_SIG *PKCS12_SAFEBAG_get0_pkcs8(const PKCS12_SAFEBAG *bag);
```

```

PKCS12_SAFEBAG *PKCS12_SAFEBAG_create_cert(X509 *x509);
PKCS12_SAFEBAG *PKCS12_SAFEBAG_create_crl(X509_CRL *crl);
PKCS12_SAFEBAG *PKCS12_SAFEBAG_create_secret(int type, int vtype, const unsigned char *value, int len);
PKCS12_SAFEBAG
*PKCS12_SAFEBAG_create0_p8inf(PKCS8_PRIV_KEY_INFO *p8);
PKCS12_SAFEBAG *PKCS12_SAFEBAG_create0_pkcs8(X509_SIG *p8);
PKCS12_SAFEBAG *PKCS12_SAFEBAG_create_pkcs8_encrypt(int pbe_nid,
    const char *pass,
    int passlen,
    unsigned char *salt,
    int saltlen, int iter,
    PKCS8_PRIV_KEY_INFO *p8inf);
PKCS12_SAFEBAG *PKCS12_SAFEBAG_create_pkcs8_encrypt_ex(int pbe_nid,
    const char *pass,
    int passlen,
    unsigned char *salt,
    int saltlen, int iter,
    PKCS8_PRIV_KEY_INFO *p8inf,
    OSSL_LIB_CTX *ctx,
    const char *propq);

PKCS12_SAFEBAG *PKCS12_item_pack_safebag(void *obj, const ASN1_ITEM *it,
    int nid1, int nid2);
PKCS8_PRIV_KEY_INFO *PKCS8_decrypt(const X509_SIG *p8, const char *pass,
    int passlen);
PKCS8_PRIV_KEY_INFO *PKCS8_decrypt_ex(const X509_SIG *p8, const char *pass,
    int passlen, OSSL_LIB_CTX *ctx,
    const char *propq);
PKCS8_PRIV_KEY_INFO *PKCS12_decrypt_skey(const PKCS12_SAFEBAG *bag,
    const char *pass, int passlen);
PKCS8_PRIV_KEY_INFO
*PKCS12_decrypt_skey_ex(const PKCS12_SAFEBAG *bag,
    const char *pass, int passlen,
    OSSL_LIB_CTX *ctx,
    const char *propq);
X509_SIG *PKCS8_encrypt(int pbe_nid, const EVP_CIPHER *cipher,
    const char *pass, int passlen, unsigned char *salt,
    int saltlen, int iter, PKCS8_PRIV_KEY_INFO *p8);
X509_SIG *PKCS8_encrypt_ex(int pbe_nid, const EVP_CIPHER *cipher,
    const char *pass, int passlen, unsigned char *salt,
    int saltlen, int iter, PKCS8_PRIV_KEY_INFO *p8,
    OSSL_LIB_CTX *ctx, const char *propq);
X509_SIG *PKCS8_set0_pbe(const char *pass, int passlen,
    PKCS8_PRIV_KEY_INFO *p8inf, X509_ALGOR *pbe);
X509_SIG *PKCS8_set0_pbe_ex(const char *pass, int passlen,
    PKCS8_PRIV_KEY_INFO *p8inf, X509_ALGOR *pbe,
    OSSL_LIB_CTX *ctx, const char *propq);

```

```

PKCS7 *PKCS12_pack_p7data(STACK_OF(PKCS12_SAFEBAG) *sk);
STACK_OF(PKCS12_SAFEBAG) *PKCS12_unpack_p7data(PKCS7 *p7);
PKCS7 *PKCS12_pack_p7encdata(int pbe_nid, const char *pass, int passlen,
    unsigned char *salt, int saltlen,
    int iter,
    STACK_OF(PKCS12_SAFEBAG) *bags);
PKCS7 *PKCS12_pack_p7encdata_ex(int pbe_nid, const char *pass, int passlen,
    unsigned char *salt, int saltlen, int iter,
    STACK_OF(PKCS12_SAFEBAG) *bags,
    OSSL_LIB_CTX *ctx, const char *propq);

STACK_OF(PKCS12_SAFEBAG) *PKCS12_unpack_p7encdata(PKCS7 *p7, const char *pass,
    int passlen);

int PKCS12_pack_authsafes(PKCS12 *p12, STACK_OF(PKCS7) *safes);
STACK_OF(PKCS7) *PKCS12_unpack_authsafes(const PKCS12 *p12);

int PKCS12_add_localkeyid(PKCS12_SAFEBAG *bag, unsigned char *name,
    int namelen);
int PKCS12_add_friendlyname_asc(PKCS12_SAFEBAG *bag, const char *name,
    int namelen);
int PKCS12_add_friendlyname_utf8(PKCS12_SAFEBAG *bag, const char *name,
    int namelen);
int PKCS12_add_CSPName_asc(PKCS12_SAFEBAG *bag, const char *name,
    int namelen);
int PKCS12_add_friendlyname_uni(PKCS12_SAFEBAG *bag,
    const unsigned char *name, int namelen);
int PKCS12_add1_attr_by_NID(PKCS12_SAFEBAG *bag, int nid, int type,

    const unsigned char *bytes, int len);
int PKCS12_add1_attr_by_txt(PKCS12_SAFEBAG *bag, const char *attrname, int type,
    const unsigned char *bytes, int len);
int PKCS8_add_keyusage(PKCS8_PRIV_KEY_INFO *p8, int usage);
ASN1_TYPE *PKCS12_get_attr_gen(const STACK_OF(X509_ATTRIBUTE) *attrs,
    int attr_nid);
char *PKCS12_get_friendlyname(PKCS12_SAFEBAG *bag);
const STACK_OF(X509_ATTRIBUTE) *
PKCS12_SAFEBAG_get0_attrs(const PKCS12_SAFEBAG *bag);
unsigned char *PKCS12_pbe_crypt(const X509_ALGOR *algor,
    const char *pass, int passlen,
    const unsigned char *in, int inlen,
    unsigned char **data, int *datalen,
    int en_de);
unsigned char *PKCS12_pbe_crypt_ex(const X509_ALGOR *algor,
    const char *pass, int passlen,
    const unsigned char *in, int inlen,
    unsigned char **data, int *datalen,
    int en_de, OSSL_LIB_CTX *libctx,

```

```

    const char *propq);
void *PKCS12_item_decrypt_d2i(const X509_ALGOR *algor, const ASN1_ITEM *it,
    const char *pass, int passlen,
    const ASN1_OCTET_STRING
*oct, int zbuf);
void *PKCS12_item_decrypt_d2i_ex(const X509_ALGOR *algor, const ASN1_ITEM *it,
    const char *pass, int passlen,
    const ASN1_OCTET_STRING *oct, int zbuf,
    OSSL_LIB_CTX *libctx,
    const char *propq);
ASN1_OCTET_STRING *PKCS12_item_i2d_encrypt(X509_ALGOR *algor,
    const ASN1_ITEM *it,
    const char *pass, int passlen,
    void *obj, int zbuf);
ASN1_OCTET_STRING *PKCS12_item_i2d_encrypt_ex(X509_ALGOR *algor,
    const ASN1_ITEM *it,
    const char *pass, int passlen,
    void *obj, int zbuf,
    OSSL_LIB_CTX *ctx,
    const char *propq);
PKCS12 *PKCS12_init(int mode);
PKCS12 *PKCS12_init_ex(int mode, OSSL_LIB_CTX *ctx, const char *propq);

int PKCS12_key_gen_asc(const char *pass, int passlen, unsigned char *salt,
    int saltlen, int id, int iter, int n,
    unsigned char *out, const EVP_MD *md_type);
int PKCS12_key_gen_asc_ex(const char *pass, int passlen, unsigned char *salt,
    int saltlen, int id, int iter, int n,
    unsigned char *out, const
EVP_MD *md_type,
    OSSL_LIB_CTX *ctx, const char *propq);
int PKCS12_key_gen_uni(unsigned char *pass, int passlen, unsigned char *salt,
    int saltlen, int id, int iter, int n,
    unsigned char *out, const EVP_MD *md_type);
int PKCS12_key_gen_uni_ex(unsigned char *pass, int passlen, unsigned char *salt,
    int saltlen, int id, int iter, int n,
    unsigned char *out, const EVP_MD *md_type,
    OSSL_LIB_CTX *ctx, const char *propq);
int PKCS12_key_gen_utf8(const char *pass, int passlen, unsigned char *salt,
    int saltlen, int id, int iter, int n,
    unsigned char *out, const EVP_MD *md_type);
int PKCS12_key_gen_utf8_ex(const char *pass, int passlen, unsigned char *salt,
    int saltlen, int id, int iter, int n,
    unsigned char *out, const EVP_MD *md_type,
    OSSL_LIB_CTX *ctx, const char *propq);

int PKCS12_PBE_keyivgen(EVP_CIPHER_CTX *ctx, const char *pass, int passlen,
    ASN1_TYPE *param, const EVP_CIPHER *cipher,

```

```

    const EVP_MD *md_type, int en_de);
int PKCS12_PBE_keyivgen_ex(EVP_CIPHER_CTX
*ctx, const char *pass, int passlen,
    ASN1_TYPE *param, const EVP_CIPHER *cipher,
    const EVP_MD *md_type, int en_de,
    OSSL_LIB_CTX *libctx, const char *propq);
int PKCS12_gen_mac(PKCS12 *p12, const char *pass, int passlen,
    unsigned char *mac, unsigned int *maclen);
int PKCS12_verify_mac(PKCS12 *p12, const char *pass, int passlen);
int PKCS12_set_mac(PKCS12 *p12, const char *pass, int passlen,
    unsigned char *salt, int saltlen, int iter,
    const EVP_MD *md_type);
int PKCS12_setup_mac(PKCS12 *p12, int iter, unsigned char *salt,
    int saltlen, const EVP_MD *md_type);
unsigned char *OPENSSL_asc2uni(const char *asc, int asclen,
    unsigned char **uni, int *unilen);
char *OPENSSL_uni2asc(const unsigned char *uni, int unilen);
unsigned char *OPENSSL_utf82uni(const char *asc, int asclen,
    unsigned char **uni, int *unilen);
char *OPENSSL_uni2utf8(const unsigned char *uni, int unilen);

DECLARE_ASN1_FUNCTIONS(PKCS12)
DECLARE_ASN1_FUNCTIONS(PKCS12_MAC_DATA)
DECLARE_ASN1_FUNCTIONS(PKCS12_SAFEBAG)
DECLARE_ASN1_FUNCTIONS(PKCS12_BAGS)

DECLARE_ASN1_ITEM(PKCS12_SAFEBAGS)
DECLARE_ASN1_ITEM(PKCS12_AUTHSAFES)

void
    PKCS12_PBE_add(void);
int PKCS12_parse(PKCS12 *p12, const char *pass, EVP_PKEY **pkey, X509 **cert,
    STACK_OF(X509) **ca);
PKCS12 *PKCS12_create(const char *pass, const char *name, EVP_PKEY *pkey,
    X509 *cert, STACK_OF(X509) *ca, int nid_key, int nid_cert,
    int iter, int mac_iter, int keytype);
PKCS12 *PKCS12_create_ex(const char *pass, const char *name, EVP_PKEY *pkey,
    X509 *cert, STACK_OF(X509) *ca, int nid_key, int nid_cert,
    int iter, int mac_iter, int keytype,
    OSSL_LIB_CTX *ctx, const char *propq);

PKCS12_SAFEBAG *PKCS12_add_cert(STACK_OF(PKCS12_SAFEBAG) **pbags, X509 *cert);
PKCS12_SAFEBAG *PKCS12_add_key(STACK_OF(PKCS12_SAFEBAG) **pbags,
    EVP_PKEY *key, int key_usage, int iter,
    int key_nid, const char *pass);
PKCS12_SAFEBAG *PKCS12_add_key_ex(STACK_OF(PKCS12_SAFEBAG) **pbags,
    EVP_PKEY

```



```

*key, int key_usage, int iter,
int key_nid, const char *pass,
OSSL_LIB_CTX *ctx, const char *propq);

PKCS12_SAFEBAG *PKCS12_add_secret(STACK_OF(PKCS12_SAFEBAG) **pbags,
int nid_type, const unsigned char *value, int len);
int PKCS12_add_safe(STACK_OF(PKCS7) **psafes, STACK_OF(PKCS12_SAFEBAG) *bags,
int safe_nid, int iter, const char *pass);
int PKCS12_add_safe_ex(STACK_OF(PKCS7) **psafes, STACK_OF(PKCS12_SAFEBAG) *bags,
int safe_nid, int iter, const char *pass,
OSSL_LIB_CTX *ctx, const char *propq);

PKCS12 *PKCS12_add_safes(STACK_OF(PKCS7) *safes, int p7_nid);
PKCS12 *PKCS12_add_safes_ex(STACK_OF(PKCS7) *safes, int p7_nid,
OSSL_LIB_CTX *ctx, const char *propq);

int i2d_PKCS12_bio(BIO *bp, const PKCS12 *p12);
#ifdef OPENSSL_NO_STDIO
int i2d_PKCS12_fp(FILE *fp, const PKCS12 *p12);
#endif
PKCS12 *d2i_PKCS12_bio(BIO *bp, PKCS12 **p12);
#ifdef OPENSSL_NO_STDIO
PKCS12 *d2i_PKCS12_fp(FILE *fp, PKCS12 **p12);
#endif
int PKCS12_newpass(PKCS12 *p12, const char *oldpass,
const char *newpass);

#ifdef __cplusplus
}
#endif
#endif
/* clang-format off */
/* WARNING: do not edit! */
/* Generated by Makefile from include/crypto/dso_conf.h.in */
/* clang-format on */
/*
* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

#ifndef OSSL_CRYPTO_DSO_CONF_H
#define OSSL_CRYPTO_DSO_CONF_H
#pragma once

```

```

/* clang-format off */
# define DSO_DLFCN
# define HAVE_DLFCN_H
/* clang-format on */
/* clang-format off */
# define DSO_EXTENSION ".so"
/* clang-format on */
#endif
/*
* WARNING: do not edit!
* Generated by Makefile from providers/common/include/prov/der_ecx.h.in
*
* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

#include "internal/der.h"
#include "crypto/ecx.h"

/* Well known OIDs precompiled */
/* clang-format off */

/*
* id-X25519    OBJECT IDENTIFIER ::= { id-edwards-curve-algs 110 }
*/
#define DER_OID_V_id_X25519 DER_P_OBJECT, 3, 0x2B, 0x65, 0x6E
#define DER_OID_SZ_id_X25519 5
extern const unsigned char ossl_der_oid_id_X25519[DER_OID_SZ_id_X25519];

/*
* id-X448      OBJECT IDENTIFIER ::= { id-edwards-curve-algs 111 }
*/
#define DER_OID_V_id_X448 DER_P_OBJECT, 3, 0x2B, 0x65, 0x6F
#define DER_OID_SZ_id_X448 5
extern const unsigned char ossl_der_oid_id_X448[DER_OID_SZ_id_X448];

/*
* id-Ed25519   OBJECT IDENTIFIER ::= { id-edwards-curve-algs 112 }
*/
#define DER_OID_V_id_Ed25519 DER_P_OBJECT, 3, 0x2B, 0x65, 0x70
#define DER_OID_SZ_id_Ed25519 5
extern const unsigned char ossl_der_oid_id_Ed25519[DER_OID_SZ_id_Ed25519];

/*

```

```

* id-Ed448      OBJECT IDENTIFIER ::= { id-edwards-curve-algs 113 }
*/

#define DER_OID_V_id_Ed448 DER_P_OBJECT, 3, 0x2B, 0x65, 0x71
#define DER_OID_SZ_id_Ed448 5
extern const unsigned char ossl_der_oid_id_Ed448[DER_OID_SZ_id_Ed448];

/* clang-format on */

int ossl_DER_w_algorithmIdentifier_ED25519(WPACKET *pkt, int cont, ECX_KEY *ec);
int ossl_DER_w_algorithmIdentifier_ED448(WPACKET *pkt, int cont, ECX_KEY *ec);
int ossl_DER_w_algorithmIdentifier_X25519(WPACKET *pkt, int cont, ECX_KEY *ec);
int ossl_DER_w_algorithmIdentifier_X448(WPACKET *pkt, int cont, ECX_KEY *ec);
/*
* WARNING: do not edit!
* Generated by Makefile from include/openssl/asn1.h.in
*
* Copyright 1995-2021 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the Apache License 2.0 (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_ASN1_H
#define OPENSSL_ASN1_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_ASN1_H
#endif

#include <time.h>
#include <openssl/e_os2.h>
#include <openssl/opensslconf.h>
#include <openssl/bio.h>
#include <openssl/safestack.h>
#include <openssl/asn1err.h>
#include <openssl/symhacks.h>

#include <openssl/types.h>
#include <openssl/bn.h>

```

```

#ifdef OPENSSSL_BUILD_SHLIBCRYPTO
#undef OPENSSSL_EXTERN
#define OPENSSSL_EXTERN OPENSSSL_EXPORT
#endif

#ifdef __cplusplus
extern "C" {
#endif

#define
V_ASN1_UNIVERSAL 0x00
#define V_ASN1_APPLICATION 0x40
#define V_ASN1_CONTEXT_SPECIFIC 0x80
#define V_ASN1_PRIVATE 0xc0

#define V_ASN1_CONSTRUCTED 0x20
#define V_ASN1_PRIMITIVE_TAG 0x1f
#define V_ASN1_PRIMATIVE_TAG /*compat*/ V_ASN1_PRIMITIVE_TAG

#define V_ASN1_APP_CHOOSE -2 /* let the recipient choose */
#define V_ASN1_OTHER -3 /* used in ASN1_TYPE */
#define V_ASN1_ANY -4 /* used in ASN1 template code */

#define V_ASN1_UNDEF -1
/* ASN.1 tag values */
#define V_ASN1_EOC 0
#define V_ASN1_BOOLEAN 1 /**/
#define V_ASN1_INTEGER 2
#define V_ASN1_BIT_STRING 3
#define V_ASN1_OCTET_STRING 4
#define V_ASN1_NULL 5
#define V_ASN1_OBJECT 6
#define V_ASN1_OBJECT_DESCRIPTOR 7
#define V_ASN1_EXTERNAL 8
#define V_ASN1_REAL 9
#define V_ASN1_ENUMERATED 10
#define V_ASN1_UTF8STRING 12
#define V_ASN1_SEQUENCE 16
#define V_ASN1_SET 17
#define V_ASN1_NUMERICSTRING 18 /**/
#define V_ASN1_PRINTABLESTRING 19
#define V_ASN1_T61STRING 20
#define V_ASN1_TELETEXSTRING 20 /* alias */
#define V_ASN1_VIDEOTEXSTRING
21 /**/
#define V_ASN1_IA5STRING 22
#define V_ASN1_UTCTIME 23
#define V_ASN1_GENERALIZEDTIME 24 /**/

```

```

#define V_ASN1_GRAPHICSTRING 25 /**/
#define V_ASN1_ISO64STRING 26 /**/
#define V_ASN1_VISIBLESTRING 26 /* alias */
#define V_ASN1_GENERALSTRING 27 /**/
#define V_ASN1_UNIVERSALSTRING 28 /**/
#define V_ASN1_BMPSTRING 30

/*
 * NB the constants below are used internally by ASN1_INTEGER
 * and ASN1_ENUMERATED to indicate the sign. They are *not* on
 * the wire tag values.
 */

#define V_ASN1_NEG 0x100
#define V_ASN1_NEG_INTEGER (2 | V_ASN1_NEG)
#define V_ASN1_NEG_ENUMERATED (10 | V_ASN1_NEG)

/* For use with d2i_ASN1_type_bytes() */
#define B_ASN1_NUMERICSTRING 0x0001
#define B_ASN1_PRINTABLESTRING 0x0002
#define B_ASN1_T61STRING 0x0004
#define B_ASN1_TELETEXSTRING 0x0004
#define B_ASN1_VIDEOTEXSTRING 0x0008
#define B_ASN1_IA5STRING 0x0010
#define B_ASN1_GRAPHICSTRING 0x0020
#define B_ASN1_ISO64STRING 0x0040
#define B_ASN1_VISIBLESTRING 0x0040
#define B_ASN1_GENERALSTRING
    0x0080
#define B_ASN1_UNIVERSALSTRING 0x0100
#define B_ASN1_OCTET_STRING 0x0200
#define B_ASN1_BIT_STRING 0x0400
#define B_ASN1_BMPSTRING 0x0800
#define B_ASN1_UNKNOWN 0x1000
#define B_ASN1_UTF8STRING 0x2000
#define B_ASN1_UTCTIME 0x4000
#define B_ASN1_GENERALIZEDTIME 0x8000
#define B_ASN1_SEQUENCE 0x10000
/* For use with ASN1_mbstring_copy() */
#define MBSTRING_FLAG 0x1000
#define MBSTRING_UTF8 (MBSTRING_FLAG)
#define MBSTRING_ASC (MBSTRING_FLAG | 1)
#define MBSTRING_BMP (MBSTRING_FLAG | 2)
#define MBSTRING_UNIV (MBSTRING_FLAG | 4)
#define SMIME_OLDMIME 0x400
#define SMIME_CRLFEOI 0x800
#define SMIME_STREAM 0x1000

```

```

/* Stacks for types not otherwise defined in this header */
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(X509_ALGOR, X509_ALGOR, X509_ALGOR)
#define sk_X509_ALGOR_num(sk) OPENSSL_sk_num(ssl_check_const_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_value(sk, idx) ((X509_ALGOR
*)OPENSSL_sk_value(ssl_check_const_X509_ALGOR_sk_type(sk), (idx)))
#define sk_X509_ALGOR_new(cmp)
((STACK_OF(X509_ALGOR) *)OPENSSL_sk_new(ssl_check_X509_ALGOR_compfunc_type(cmp)))
#define sk_X509_ALGOR_new_null() ((STACK_OF(X509_ALGOR) *)OPENSSL_sk_new_null())
#define sk_X509_ALGOR_new_reserve(cmp, n) ((STACK_OF(X509_ALGOR)
*)OPENSSL_sk_new_reserve(ssl_check_X509_ALGOR_compfunc_type(cmp), (n)))
#define sk_X509_ALGOR_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_X509_ALGOR_sk_type(sk), (n))
#define sk_X509_ALGOR_free(sk) OPENSSL_sk_free(ssl_check_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_zero(sk) OPENSSL_sk_zero(ssl_check_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_delete(sk, i) ((X509_ALGOR
*)OPENSSL_sk_delete(ssl_check_X509_ALGOR_sk_type(sk), (i)))
#define sk_X509_ALGOR_delete_ptr(sk, ptr) ((X509_ALGOR
*)OPENSSL_sk_delete_ptr(ssl_check_X509_ALGOR_sk_type(sk), ssl_check_X509_ALGOR_type(ptr)))
#define sk_X509_ALGOR_push(sk, ptr) OPENSSL_sk_push(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_pop(sk) ((X509_ALGOR
*)OPENSSL_sk_pop(ssl_check_X509_ALGOR_sk_type(sk)))
#define sk_X509_ALGOR_shift(sk) ((X509_ALGOR
*)OPENSSL_sk_shift(ssl_check_X509_ALGOR_sk_type(sk)))
#define sk_X509_ALGOR_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_X509_ALGOR_sk_type(sk), ssl_check_X509_ALGOR_freefunc_type(freefunc))
#define sk_X509_ALGOR_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr), (idx))
#define sk_X509_ALGOR_set(sk, idx, ptr) ((X509_ALGOR
*)OPENSSL_sk_set(ssl_check_X509_ALGOR_sk_type(sk), (idx), ssl_check_X509_ALGOR_type(ptr)))
#define sk_X509_ALGOR_find(sk, ptr) OPENSSL_sk_find(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr))
#define sk_X509_ALGOR_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_type(ptr), pnum)
#define sk_X509_ALGOR_sort(sk) OPENSSL_sk_sort(ssl_check_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_X509_ALGOR_sk_type(sk))
#define sk_X509_ALGOR_dup(sk) ((STACK_OF(X509_ALGOR)
*)OPENSSL_sk_dup(ssl_check_const_X509_ALGOR_sk_type(sk)))
#define sk_X509_ALGOR_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(X509_ALGOR)
*)OPENSSL_sk_deep_copy(ssl_check_const_X509_ALGOR_sk_type(sk),
ssl_check_X509_ALGOR_copyfunc_type(copyfunc), ssl_check_X509_ALGOR_freefunc_type(freefunc)))
#define sk_X509_ALGOR_set_cmp_func(sk, cmp)
((sk_X509_ALGOR_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_X509_ALGOR_sk_type(sk),

```

```

ossl_check_X509_ALGOR_compfunc_type(cmp)))

/* clang-format on */

#define ASN1_STRING_FLAG_BITS_LEFT 0x08 /* Set if 0x07 has bits left value */
/*
 * This indicates that the ASN1_STRING is not a real value but just a place
 * holder for the location where indefinite
 * length constructed data should be
 * inserted in the memory buffer
 */
#define ASN1_STRING_FLAG_NDEF 0x010

/*
 * This flag is used by the CMS code to indicate that a string is not
 * complete and is a place holder for content when it had all been accessed.
 * The flag will be reset when content has been written to it.
 */

#define ASN1_STRING_FLAG_CONT 0x020
/*
 * This flag is used by ASN1 code to indicate an ASN1_STRING is an MSTRING
 * type.
 */
#define ASN1_STRING_FLAG_MSTRING 0x040
/* String is embedded and only content should be freed */
#define ASN1_STRING_FLAG_EMBED 0x080
/* String should be parsed in RFC 5280's time format */
#define ASN1_STRING_FLAG_X509_TIME 0x100
/* This is the base type that holds just about everything :-) */
struct asn1_string_st {
    int length;
    int type;
    unsigned char *data;
/*
 * The value of the following field depends on the type being held. It
 * is mostly being used for BIT_STRING so if the input data has a
 * non-zero
 * 'unused bits' value, it will be handled correctly
 */
    long flags;
};

/*
 * ASN1_ENCODING structure: this is used to save the received encoding of an
 * ASN1 type. This is useful to get round problems with invalid encodings
 * which can break signatures.
 */

```

```

typedef struct ASN1_ENCODING_st {
    unsigned char *enc; /* DER encoding */
    long len; /* Length of encoding */
    int modified; /* set to 1 if 'enc' is invalid */
} ASN1_ENCODING;

/* Used with ASN1 LONG type: if a long is set to this it is omitted */
#define ASN1_LONG_UNDEF 0x7fffffffL

#define STABLE_FLAGS_MALLOC 0x01
/*
 * A zero passed to ASN1_STRING_TABLE_new_add for the flags is interpreted
 * as "don't change" and STABLE_FLAGS_MALLOC is always set. By setting
 * STABLE_FLAGS_MALLOC only we can clear the existing value. Use the alias
 * STABLE_FLAGS_CLEAR to reflect this.
 */
#define STABLE_FLAGS_CLEAR STABLE_FLAGS_MALLOC
#define STABLE_NO_MASK 0x02
#define DIRSTRING_TYPE \
    (B_ASN1_PRINTABLESTRING | B_ASN1_T61STRING
    | B_ASN1_BMPSTRING | B_ASN1_UTF8STRING)
#define PKCS9STRING_TYPE (DIRSTRING_TYPE | B_ASN1_IA5STRING)

struct asn1_string_table_st {
    int nid;
    long minsize;
    long maxsize;
    unsigned long mask;
    unsigned long flags;
};

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASN1_STRING_TABLE, ASN1_STRING_TABLE,
ASN1_STRING_TABLE)
#define sk_ASN1_STRING_TABLE_num(sk)
OPENSSL_sk_num(ssl_check_const_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_value(sk, idx) ((ASN1_STRING_TABLE
*)OPENSSL_sk_value(ssl_check_const_ASN1_STRING_TABLE_sk_type(sk), (idx)))
#define sk_ASN1_STRING_TABLE_new(cmp) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_new(ssl_check_ASN1_STRING_TABLE_compfunc_type(cmp)))
#define sk_ASN1_STRING_TABLE_new_null() ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_new_null())
#define sk_ASN1_STRING_TABLE_new_reserve(cmp, n) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_STRING_TABLE_compfunc_type(cmp), (n)))
#define sk_ASN1_STRING_TABLE_reserve(sk,
n) OPENSSL_sk_reserve(ssl_check_ASN1_STRING_TABLE_sk_type(sk), (n))
#define sk_ASN1_STRING_TABLE_free(sk)

```



```

OPENSSL_sk_free(ssl_check_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_zero(sk)
OPENSSL_sk_zero(ssl_check_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_delete(sk, i) ((ASN1_STRING_TABLE
*)OPENSSL_sk_delete(ssl_check_ASN1_STRING_TABLE_sk_type(sk), (i)))
#define sk_ASN1_STRING_TABLE_delete_ptr(sk, ptr) ((ASN1_STRING_TABLE
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr)))
#define sk_ASN1_STRING_TABLE_push(sk, ptr)
OPENSSL_sk_push(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_pop(sk) ((ASN1_STRING_TABLE
*)OPENSSL_sk_pop(ssl_check_ASN1_STRING_TABLE_sk_type(sk)))
#define
sk_ASN1_STRING_TABLE_shift(sk) ((ASN1_STRING_TABLE
*)OPENSSL_sk_shift(ssl_check_ASN1_STRING_TABLE_sk_type(sk)))
#define sk_ASN1_STRING_TABLE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_STRING_TABLE_sk_type(sk),ssl_check_ASN1_STRING_TABLE_
freefunc_type(freefunc))
#define sk_ASN1_STRING_TABLE_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr), (idx))
#define sk_ASN1_STRING_TABLE_set(sk, idx, ptr) ((ASN1_STRING_TABLE
*)OPENSSL_sk_set(ssl_check_ASN1_STRING_TABLE_sk_type(sk), (idx),
ssl_check_ASN1_STRING_TABLE_type(ptr)))
#define sk_ASN1_STRING_TABLE_find(sk, ptr)
OPENSSL_sk_find(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr))
#define sk_ASN1_STRING_TABLE_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_type(ptr), pnum)
#define sk_ASN1_STRING_TABLE_sort(sk)
OPENSSL_sk_sort(ssl_check_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_is_sorted(sk)
OPENSSL_sk_is_sorted(ssl_check_const_ASN1_STRING_TABLE_sk_type(sk))
#define sk_ASN1_STRING_TABLE_dup(sk) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_dup(ssl_check_const_ASN1_STRING_TABLE_sk_type(sk)))
#define sk_ASN1_STRING_TABLE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_STRING_TABLE)
*)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_STRING_TABLE_sk_type(sk),
ssl_check_ASN1_STRING_TABLE_copyfunc_type(copyfunc),
ssl_check_ASN1_STRING_TABLE_freefunc_type(freefunc)))
#define sk_ASN1_STRING_TABLE_set_cmp_func(sk, cmp)

```

```

((sk_ASN1_STRING_TABLE_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_STRING_TABLE_sk_t
type(sk), ossl_check_ASN1_STRING_TABLE_compfunc_type(cmp)))

/* clang-format on */

/* size limits: this stuff is taken straight from RFC2459 */

#define ub_name 32768
#define ub_common_name
64
#define ub_locality_name 128
#define ub_state_name 128
#define ub_organization_name 64
#define ub_organization_unit_name 64
#define ub_title 64
#define ub_email_address 128

/*
 * Declarations for template structures: for full definitions see asn1t.h
 */
typedef struct ASN1_TEMPLATE_st ASN1_TEMPLATE;
typedef struct ASN1_TLC_st ASN1_TLC;
/* This is just an opaque pointer */
typedef struct ASN1_VALUE_st ASN1_VALUE;

/* Declare ASN1 functions: the implement macro in in asn1t.h */

/*
 * The mysterious 'extern' that's passed to some macros is innocuous,
 * and is there to quiet pre-C99 compilers that may complain about empty
 * arguments in macro calls.
 */

#define DECLARE_ASN1_FUNCTIONS_attr(attr, type) \
    DECLARE_ASN1_FUNCTIONS_name_attr(attr, type, type)
#define DECLARE_ASN1_FUNCTIONS(type) \
    DECLARE_ASN1_FUNCTIONS_attr(extern, type)

#define DECLARE_ASN1_ALLOC_FUNCTIONS_attr(attr, type) \
    DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(attr, type, type)
#define DECLARE_ASN1_ALLOC_FUNCTIONS(type) \
    \
    DECLARE_ASN1_ALLOC_FUNCTIONS_attr(extern, type)

#define DECLARE_ASN1_FUNCTIONS_name_attr(attr, type, name) \
    DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(attr, type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_name_attr(attr, type, name)
#define DECLARE_ASN1_FUNCTIONS_name(type, name) \

```

```

DECLARE_ASN1_FUNCTIONS_name_attr(extern, type, name)

#define DECLARE_ASN1_ENCODE_FUNCTIONS_attr(attr, type, itname, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(attr, type, name) \
    DECLARE_ASN1_ITEM_attr(attr, itname)
#define DECLARE_ASN1_ENCODE_FUNCTIONS(type, itname, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_attr(extern, type, itname, name)

#define DECLARE_ASN1_ENCODE_FUNCTIONS_name_attr(attr, type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_attr(attr, type, name, name)
#define DECLARE_ASN1_ENCODE_FUNCTIONS_name(type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_name_attr(extern, type, name)

#define DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(attr, type, \
name) \
    attr type *d2i_##name(type **a, const unsigned char **in, long len); \
    attr int i2d_##name(const type *a, unsigned char **out);
#define DECLARE_ASN1_ENCODE_FUNCTIONS_only(type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS_only_attr(extern, type, name)

#define DECLARE_ASN1_NDEF_FUNCTION_attr(attr, name) \
    attr int i2d_##name##_NDEF(const name *a, unsigned char **out);
#define DECLARE_ASN1_NDEF_FUNCTION(name) \
    DECLARE_ASN1_NDEF_FUNCTION_attr(extern, name)

#define DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(attr, type, name) \
    attr type *name##_new(void); \
    attr void name##_free(type *a);
#define DECLARE_ASN1_ALLOC_FUNCTIONS_name(type, name) \
    DECLARE_ASN1_ALLOC_FUNCTIONS_name_attr(extern, type, name)

#define DECLARE_ASN1_DUP_FUNCTION_attr(attr, type) \
    DECLARE_ASN1_DUP_FUNCTION_name_attr(attr, type, type)
#define DECLARE_ASN1_DUP_FUNCTION(type) \
    DECLARE_ASN1_DUP_FUNCTION_attr(extern, type)

#define DECLARE_ASN1_DUP_FUNCTION_name_attr(attr, \
type, name) \
    attr type *name##_dup(const type *a);
#define DECLARE_ASN1_DUP_FUNCTION_name(type, name) \
    DECLARE_ASN1_DUP_FUNCTION_name_attr(extern, type, name)

#define DECLARE_ASN1_PRINT_FUNCTION_attr(attr, stname) \
    DECLARE_ASN1_PRINT_FUNCTION_fname_attr(attr, stname, stname)
#define DECLARE_ASN1_PRINT_FUNCTION(stname) \
    DECLARE_ASN1_PRINT_FUNCTION_attr(extern, stname)

#define DECLARE_ASN1_PRINT_FUNCTION_fname_attr(attr, stname, fname) \

```

```

attr int fname##_print_ctx(BIO *out, const stname *x, int indent, \
    const ASN1_PCTX *pctx);
#define DECLARE_ASN1_PRINT_FUNCTION_fname(stname, fname) \
    DECLARE_ASN1_PRINT_FUNCTION_fname_attr(extern, stname, fname)

#define D2I_OF(type) type (*)(type **, const unsigned char **, long)
#define I2D_OF(type) int (*)(const type *, unsigned char **)

#define CHECKED_D2I_OF(type, d2i) \
    ((d2i_of_void *) (1 ? d2i : ((D2I_OF(type))0)))
#define CHECKED_I2D_OF(type, i2d) \
    ((i2d_of_void *) (1 ? i2d : ((I2D_OF(type))0)))
#define CHECKED_NEW_OF(type, xnew) \
    ((void (*)(void)) (1 ? xnew : ((type *) (void))0)))
#define CHECKED_PTR_OF(type, p) \
    ((void *) (1 ? p : (type *)0))
#define CHECKED_PPTR_OF(type, p) \
    ((void **) (1 ? p : (type **)0))

#define TYPEDEF_D2I_OF(type) typedef type *d2i_of_##type(type **, const unsigned char **, long)
#define TYPEDEF_I2D_OF(type) typedef int i2d_of_##type(const type *, unsigned char **)
#define TYPEDEF_D2I2D_OF(type) \
    TYPEDEF_D2I_OF(type); \
    TYPEDEF_I2D_OF(type)

typedef void *d2i_of_void(void **, const unsigned char **, long);
typedef int i2d_of_void(const void *, unsigned char **);

/*_
* The following macros and typedefs allow an ASN1_ITEM
* to be embedded in a structure and referenced. Since
* the ASN1_ITEM pointers need to be globally accessible
* (possibly from shared libraries) they may exist in
* different forms. On platforms that support it the
* ASN1_ITEM structure itself will be globally exported.
* Other platforms will export a function that returns
* an ASN1_ITEM pointer.
*
* To handle both cases transparently the macros below
* should be used instead of hard coding an ASN1_ITEM
* pointer in a structure.
*
* The structure will look like this:
*
* typedef struct SOMETHING_st {
*     ...
*     ASN1_ITEM_EXP *iptr;

```

```

*   ...
* } SOMETHING;
*
* It would be initialised as e.g.:
*
* SOMETHING somevar = {...,ASN1_ITEM_ref(X509),...};
*
* and the actual pointer extracted with:
*
* const ASN1_ITEM *it = ASN1_ITEM_ptr(somevar.iptr);
*
* Finally an ASN1_ITEM pointer can be extracted from an
* appropriate reference with: ASN1_ITEM_rptr(X509). This
* would be used when a function takes an ASN1_ITEM * argument.
*
*/

/*
* Platforms that can't easily handle shared global variables are declared as
* functions returning ASN1_ITEM pointers.
*/

/* ASN1_ITEM pointer exported type */
typedef const ASN1_ITEM *ASN1_ITEM_EXP(void);

/* Macro to obtain ASN1_ITEM
   pointer from exported type */
#define ASN1_ITEM_ptr(iptr) (iptr())

/* Macro to include ASN1_ITEM pointer from base type */
#define ASN1_ITEM_ref(iptr) (iptr##_it)

#define ASN1_ITEM_rptr(ref) (ref##_it())

#define DECLARE_ASN1_ITEM_attr(attr, name) \
    attr const ASN1_ITEM *name##_it(void);
#define DECLARE_ASN1_ITEM(name) \
    DECLARE_ASN1_ITEM_attr(extern, name)

/* Parameters used by ASN1_STRING_print_ex() */

/*
* These determine which characters to escape: RFC2253 special characters,
* control characters and MSB set characters
*/

#define ASN1_STRFLGS_ESC_2253 1
#define ASN1_STRFLGS_ESC_CTRL 2

```

```

#define ASN1_STRFLGS_ESC_MSB 4

/* Lower 8 bits are reserved as an output type specifier */
#define ASN1_DTFGLS_TYPE_MASK 0x0FUL
#define ASN1_DTFGLS_RFC822 0x00UL
#define ASN1_DTFGLS_ISO8601 0x01UL

/*
 * This flag determines how we do escaping: normally RC2253 backslash only,
 * set this to use backslash and quote.
 */

#define ASN1_STRFLGS_ESC_QUOTE 8

/* These three flags are internal
   use only. */

/* Character is a valid PrintableString character */
#define CHARTYPE_PRINTABLESTRING 0x10
/* Character needs escaping if it is the first character */
#define CHARTYPE_FIRST_ESC_2253 0x20
/* Character needs escaping if it is the last character */
#define CHARTYPE_LAST_ESC_2253 0x40

/*
 * NB the internal flags are safely reused below by flags handled at the top
 * level.
 */

/*
 * If this is set we convert all character strings to UTF8 first
 */

#define ASN1_STRFLGS_UTF8_CONVERT 0x10

/*
 * If this is set we don't attempt to interpret content: just assume all
 * strings are 1 byte per character. This will produce some pretty odd
 * looking output!
 */

#define ASN1_STRFLGS_IGNORE_TYPE 0x20

/* If this is set we include the string type in the output */
#define ASN1_STRFLGS_SHOW_TYPE 0x40

/*
 * This determines which strings to display and which to 'dump' (hex dump of

```

```

* content octets or DER encoding). We can only dump non character strings or
* everything. If we
  don't dump 'unknown' they are interpreted as character
* strings with 1 octet per character and are subject to the usual escaping
* options.
*/

```

```

#define ASN1_STRFLGS_DUMP_ALL 0x80
#define ASN1_STRFLGS_DUMP_UNKNOWN 0x100

```

```

/*
* These determine what 'dumping' does, we can dump the content octets or the
* DER encoding: both use the RFC2253 #XXXXXX notation.
*/

```

```

#define ASN1_STRFLGS_DUMP_DER 0x200

```

```

/*
* This flag specifies that RC2254 escaping shall be performed.
*/

```

```

#define ASN1_STRFLGS_ESC_2254 0x400

```

```

/*
* All the string flags consistent with RFC2253, escaping control characters
* isn't essential in RFC2253 but it is advisable anyway.
*/

```

```

#define ASN1_STRFLGS_RFC2253 (ASN1_STRFLGS_ESC_2253 | ASN1_STRFLGS_ESC_CTRL |
ASN1_STRFLGS_ESC_MSB | ASN1_STRFLGS_UTF8_CONVERT | ASN1_STRFLGS_DUMP_UNKNOWN |
ASN1_STRFLGS_DUMP_DER)

```

```

struct asn1_type_st {
  int type;
  union {
    char *ptr;
    ASN1_BOOLEAN boolean;
    ASN1_STRING *asn1_string;
    ASN1_OBJECT *object;

    ASN1_INTEGER *integer;
    ASN1_ENUMERATED *enumerated;
    ASN1_BIT_STRING *bit_string;
    ASN1_OCTET_STRING *octet_string;
    ASN1_PRINTABLESTRING *printablestring;
    ASN1_T61STRING *t61string;
    ASN1_IA5STRING *ia5string;
    ASN1_GENERALSTRING *generalstring;
    ASN1_BMPSTRING *bmpstring;

```

```

ASN1_UNIVERSALSTRING *universalstring;
ASN1_UTCTIME *utctime;
ASN1_GENERALIZEDTIME *generalizedtime;
ASN1_VISIBLESTRING *visiblestring;
ASN1_UTF8STRING *utf8string;
/*
 * set and sequence are left complete and still contain the set or
 * sequence bytes
 */
ASN1_STRING *set;
ASN1_STRING *sequence;
ASN1_VALUE *asn1_value;
} value;
};

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASN1_TYPE, ASN1_TYPE, ASN1_TYPE)
#define sk_ASN1_TYPE_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_value(sk, idx) ((ASN1_TYPE
*)OPENSSL_sk_value(ssl_check_const_ASN1_TYPE_sk_type(sk),
(idx)))
#define sk_ASN1_TYPE_new(cmp) ((STACK_OF(ASN1_TYPE)
*)OPENSSL_sk_new(ssl_check_ASN1_TYPE_compfunc_type(cmp)))
#define sk_ASN1_TYPE_new_null() ((STACK_OF(ASN1_TYPE) *)OPENSSL_sk_new_null())
#define sk_ASN1_TYPE_new_reserve(cmp, n) ((STACK_OF(ASN1_TYPE)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_TYPE_compfunc_type(cmp), (n)))
#define sk_ASN1_TYPE_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_TYPE_sk_type(sk), (n))
#define sk_ASN1_TYPE_free(sk) OPENSSL_sk_free(ssl_check_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_delete(sk, i) ((ASN1_TYPE
*)OPENSSL_sk_delete(ssl_check_ASN1_TYPE_sk_type(sk), (i)))
#define sk_ASN1_TYPE_delete_ptr(sk, ptr) ((ASN1_TYPE
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_TYPE_sk_type(sk), ssl_check_ASN1_TYPE_type(ptr)))
#define sk_ASN1_TYPE_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))
#define
sk_ASN1_TYPE_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))
#define sk_ASN1_TYPE_pop(sk) ((ASN1_TYPE *)OPENSSL_sk_pop(ssl_check_ASN1_TYPE_sk_type(sk)))
#define sk_ASN1_TYPE_shift(sk) ((ASN1_TYPE *)OPENSSL_sk_shift(ssl_check_ASN1_TYPE_sk_type(sk)))
#define sk_ASN1_TYPE_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_TYPE_sk_type(sk), ssl_check_ASN1_TYPE_freefunc_type(freefunc))
#define sk_ASN1_TYPE_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr), (idx))
#define sk_ASN1_TYPE_set(sk, idx, ptr) ((ASN1_TYPE
*)OPENSSL_sk_set(ssl_check_ASN1_TYPE_sk_type(sk), (idx), ssl_check_ASN1_TYPE_type(ptr)))
#define sk_ASN1_TYPE_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))

```



```

#define sk_ASN1_TYPE_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_TYPE_sk_type(sk),
ssl_check_ASN1_TYPE_type(ptr))
#define sk_ASN1_TYPE_find_all(sk,
    ptr, pnum) OPENSSL_sk_find_all(ssl_check_ASN1_TYPE_sk_type(sk), ssl_check_ASN1_TYPE_type(ptr),
    pnum)
#define sk_ASN1_TYPE_sort(sk) OPENSSL_sk_sort(ssl_check_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_ASN1_TYPE_sk_type(sk))
#define sk_ASN1_TYPE_dup(sk) ((STACK_OF(ASN1_TYPE)
    *)OPENSSL_sk_dup(ssl_check_const_ASN1_TYPE_sk_type(sk)))
#define sk_ASN1_TYPE_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_TYPE)
    *)OPENSSL_sk_deep_copy(ssl_check_const_ASN1_TYPE_sk_type(sk),
    ssl_check_ASN1_TYPE_copyfunc_type(copyfunc), ssl_check_ASN1_TYPE_freefunc_type(freefunc)))
#define sk_ASN1_TYPE_set_cmp_func(sk, cmp)
    ((sk_ASN1_TYPE_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_ASN1_TYPE_sk_type(sk),
    ssl_check_ASN1_TYPE_compfunc_type(cmp)))

/* clang-format on */

typedef STACK_OF(ASN1_TYPE) ASN1_SEQUENCE_ANY;

DECLARE_ASN1_ENCODE_FUNCTIONS_name(ASN1_SEQUENCE_ANY, ASN1_SEQUENCE_ANY)
DECLARE_ASN1_ENCODE_FUNCTIONS_name(ASN1_SEQUENCE_ANY, ASN1_SET_ANY)

/*
    This is used to contain a list of bit names */
typedef struct BIT_STRING_BITNAME_st {
    int bitnum;
    const char *lname;
    const char *sname;
} BIT_STRING_BITNAME;

#define B_ASN1_TIME \
    B_ASN1_UTCTIME | B_ASN1_GENERALIZEDTIME

#define B_ASN1_PRINTABLE \
    B_ASN1_NUMERICSTRING | B_ASN1_PRINTABLESTRING | B_ASN1_T61STRING |
    B_ASN1_IA5STRING | B_ASN1_BIT_STRING | B_ASN1_UNIVERSALSTRING | B_ASN1_BMPSTRING |
    B_ASN1_UTF8STRING | B_ASN1_SEQUENCE | B_ASN1_UNKNOWN

#define B_ASN1_DIRECTORYSTRING \
    B_ASN1_PRINTABLESTRING | B_ASN1_TELETEXTSTRING | B_ASN1_BMPSTRING |
    B_ASN1_UNIVERSALSTRING | B_ASN1_UTF8STRING

#define B_ASN1_DISPLAYTEXT \
    B_ASN1_IA5STRING | B_ASN1_VISIBLESTRING | B_ASN1_BMPSTRING | B_ASN1_UTF8STRING

DECLARE_ASN1_ALLOC_FUNCTIONS_name(ASN1_TYPE, ASN1_TYPE)
DECLARE_ASN1_ENCODE_FUNCTIONS(ASN1_TYPE, ASN1_ANY, ASN1_TYPE)

```

```

int ASN1_TYPE_get(const ASN1_TYPE *a);
void ASN1_TYPE_set(ASN1_TYPE *a, int type, void *value);
int ASN1_TYPE_set1(ASN1_TYPE *a, int type,
    const void *value);
int ASN1_TYPE_cmp(const ASN1_TYPE *a, const ASN1_TYPE *b);

ASN1_TYPE *ASN1_TYPE_pack_sequence(const ASN1_ITEM *it, void *s, ASN1_TYPE **t);
void *ASN1_TYPE_unpack_sequence(const ASN1_ITEM *it, const ASN1_TYPE *t);

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASN1_OBJECT, ASN1_OBJECT, ASN1_OBJECT)
#define sk_ASN1_OBJECT_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_value(sk, idx) ((ASN1_OBJECT
*)OPENSSL_sk_value(ssl_check_const_ASN1_OBJECT_sk_type(sk), (idx)))
#define sk_ASN1_OBJECT_new(cmp) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_new(ssl_check_ASN1_OBJECT_compfunc_type(cmp)))
#define sk_ASN1_OBJECT_new_null() ((STACK_OF(ASN1_OBJECT) *)OPENSSL_sk_new_null())
#define sk_ASN1_OBJECT_new_reserve(cmp, n) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_OBJECT_compfunc_type(cmp), (n)))
#define sk_ASN1_OBJECT_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_OBJECT_sk_type(sk), (n))
#define sk_ASN1_OBJECT_free(sk)
    OPENSSL_sk_free(ssl_check_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_delete(sk, i) ((ASN1_OBJECT
*)OPENSSL_sk_delete(ssl_check_ASN1_OBJECT_sk_type(sk), (i)))
#define sk_ASN1_OBJECT_delete_ptr(sk, ptr) ((ASN1_OBJECT
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_OBJECT_sk_type(sk), ssl_check_ASN1_OBJECT_type(ptr)))
#define sk_ASN1_OBJECT_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_OBJECT_sk_type(sk),
    ssl_check_ASN1_OBJECT_type(ptr))
#define sk_ASN1_OBJECT_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_OBJECT_sk_type(sk),
    ssl_check_ASN1_OBJECT_type(ptr))
#define sk_ASN1_OBJECT_pop(sk) ((ASN1_OBJECT
*)OPENSSL_sk_pop(ssl_check_ASN1_OBJECT_sk_type(sk)))
#define sk_ASN1_OBJECT_shift(sk) ((ASN1_OBJECT
*)OPENSSL_sk_shift(ssl_check_ASN1_OBJECT_sk_type(sk)))
#define sk_ASN1_OBJECT_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_ASN1_OBJECT_sk_type(sk), ssl_check_ASN1_OBJECT_freefunc_type(free
    func))
#define
    sk_ASN1_OBJECT_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_OBJECT_sk_type(sk),
    ssl_check_ASN1_OBJECT_type(ptr), (idx))
#define sk_ASN1_OBJECT_set(sk, idx, ptr) ((ASN1_OBJECT
*)OPENSSL_sk_set(ssl_check_ASN1_OBJECT_sk_type(sk), (idx), ssl_check_ASN1_OBJECT_type(ptr)))
#define sk_ASN1_OBJECT_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_OBJECT_sk_type(sk),
    ssl_check_ASN1_OBJECT_type(ptr))
#define sk_ASN1_OBJECT_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_OBJECT_sk_type(sk),
    ssl_check_ASN1_OBJECT_type(ptr))

```

```

#define sk_ASN1_OBJECT_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_ASN1_OBJECT_sk_type(sk), ossl_check_ASN1_OBJECT_type(ptr), pnum)
#define sk_ASN1_OBJECT_sort(sk) OPENSSL_sk_sort(ossl_check_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_ASN1_OBJECT_sk_type(sk))
#define sk_ASN1_OBJECT_dup(sk) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_dup(ossl_check_const_ASN1_OBJECT_sk_type(sk)))
#define
sk_ASN1_OBJECT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_OBJECT)
*)OPENSSL_sk_deep_copy(ossl_check_const_ASN1_OBJECT_sk_type(sk),
ossl_check_ASN1_OBJECT_copyfunc_type(copyfunc), ossl_check_ASN1_OBJECT_freefunc_type(freefunc)))
#define sk_ASN1_OBJECT_set_cmp_func(sk, cmp)
((sk_ASN1_OBJECT_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_OBJECT_sk_type(sk),
ossl_check_ASN1_OBJECT_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

DECLARE_ASN1_FUNCTIONS(ASN1_OBJECT)

```

```

ASN1_STRING *ASN1_STRING_new(void);
void ASN1_STRING_free(ASN1_STRING *a);
void ASN1_STRING_clear_free(ASN1_STRING *a);
int ASN1_STRING_copy(ASN1_STRING *dst, const ASN1_STRING *str);
DECLARE_ASN1_DUP_FUNCTION(ASN1_STRING)
ASN1_STRING *ASN1_STRING_type_new(int type);
int ASN1_STRING_cmp(const ASN1_STRING *a, const ASN1_STRING *b);
/*
 * Since this is used to store all sorts of things, via macros, for now,
 * make its data void *
 */
int ASN1_STRING_set(ASN1_STRING *str, const void *data, int len);
void ASN1_STRING_set0(ASN1_STRING
 *str, void *data, int len);
int ASN1_STRING_length(const ASN1_STRING *x);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 void ASN1_STRING_length_set(ASN1_STRING *x, int n);
#endif
int ASN1_STRING_type(const ASN1_STRING *x);
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 unsigned char *ASN1_STRING_data(ASN1_STRING *x);
#endif
const unsigned char *ASN1_STRING_get0_data(const ASN1_STRING *x);

```

```

DECLARE_ASN1_FUNCTIONS(ASN1_BIT_STRING)
int ASN1_BIT_STRING_set(ASN1_BIT_STRING *a, unsigned char *d, int length);
int ASN1_BIT_STRING_set_bit(ASN1_BIT_STRING *a, int n, int value);
int ASN1_BIT_STRING_get_bit(const ASN1_BIT_STRING *a, int n);
int ASN1_BIT_STRING_check(const ASN1_BIT_STRING *a,

```

```

const unsigned char *flags, int flags_len);

int ASN1_BIT_STRING_name_print(BIO *out, ASN1_BIT_STRING *bs,
    BIT_STRING_BITNAME *tbl, int indent);
int ASN1_BIT_STRING_num_asc(const char *name, BIT_STRING_BITNAME *tbl);
int ASN1_BIT_STRING_set_asc(ASN1_BIT_STRING *bs, const
    char *name, int value,
    BIT_STRING_BITNAME *tbl);

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASN1_INTEGER, ASN1_INTEGER, ASN1_INTEGER)
#define sk_ASN1_INTEGER_num(sk) OPENSSL_sk_num(ssl_check_const_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_value(sk, idx) ((ASN1_INTEGER
*)OPENSSL_sk_value(ssl_check_const_ASN1_INTEGER_sk_type(sk), (idx)))
#define sk_ASN1_INTEGER_new(cmp) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_new(ssl_check_ASN1_INTEGER_compfunc_type(cmp)))
#define sk_ASN1_INTEGER_new_null() ((STACK_OF(ASN1_INTEGER) *)OPENSSL_sk_new_null())
#define sk_ASN1_INTEGER_new_reserve(cmp, n) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_INTEGER_compfunc_type(cmp), (n)))
#define sk_ASN1_INTEGER_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_ASN1_INTEGER_sk_type(sk),
(n))
#define sk_ASN1_INTEGER_free(sk) OPENSSL_sk_free(ssl_check_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_delete(sk,
i) ((ASN1_INTEGER *)OPENSSL_sk_delete(ssl_check_ASN1_INTEGER_sk_type(sk), (i)))
#define sk_ASN1_INTEGER_delete_ptr(sk, ptr) ((ASN1_INTEGER
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_INTEGER_sk_type(sk), ssl_check_ASN1_INTEGER_type(ptr)))
#define sk_ASN1_INTEGER_push(sk, ptr) OPENSSL_sk_push(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_pop(sk) ((ASN1_INTEGER
*)OPENSSL_sk_pop(ssl_check_ASN1_INTEGER_sk_type(sk)))
#define sk_ASN1_INTEGER_shift(sk) ((ASN1_INTEGER
*)OPENSSL_sk_shift(ssl_check_ASN1_INTEGER_sk_type(sk)))
#define sk_ASN1_INTEGER_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_INTEGER_sk_type(sk), ssl_check_ASN1_INTEGER_freefunc_type(f
reefunc))
#define sk_ASN1_INTEGER_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr),
(idx))
#define sk_ASN1_INTEGER_set(sk, idx, ptr) ((ASN1_INTEGER
*)OPENSSL_sk_set(ssl_check_ASN1_INTEGER_sk_type(sk), (idx), ssl_check_ASN1_INTEGER_type(ptr)))
#define sk_ASN1_INTEGER_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_ASN1_INTEGER_sk_type(sk),
ssl_check_ASN1_INTEGER_type(ptr))
#define sk_ASN1_INTEGER_find_all(sk, ptr, pnum)

```

```

OPENSSL_sk_find_all(oss1_check_ASN1_INTEGER_sk_type(sk), oss1_check_ASN1_INTEGER_type(ptr), pnum)
#define sk_ASN1_INTEGER_sort(sk) OPENSSL_sk_sort(oss1_check_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_is_sorted(sk)
OPENSSL_sk_is_sorted(oss1_check_const_ASN1_INTEGER_sk_type(sk))
#define sk_ASN1_INTEGER_dup(sk) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_dup(oss1_check_const_ASN1_INTEGER_sk_type(sk)))
#define sk_ASN1_INTEGER_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_INTEGER)
*)OPENSSL_sk_deep_copy(oss1_check_const_ASN1_INTEGER_sk_type(sk),
    oss1_check_ASN1_INTEGER_copyfunc_type(copyfunc), oss1_check_ASN1_INTEGER_freefunc_type(freefunc)))
#define sk_ASN1_INTEGER_set_cmp_func(sk, cmp)
((sk_ASN1_INTEGER_compfunc)OPENSSL_sk_set_cmp_func(oss1_check_ASN1_INTEGER_sk_type(sk),
    oss1_check_ASN1_INTEGER_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

DECLARE_ASN1_FUNCTIONS(ASN1_INTEGER)
ASN1_INTEGER *d2i_ASN1_INTEGER(ASN1_INTEGER **a, const unsigned char **pp,
    long length);
DECLARE_ASN1_DUP_FUNCTION(ASN1_INTEGER)
int ASN1_INTEGER_cmp(const ASN1_INTEGER *x, const ASN1_INTEGER *y);

```

```

DECLARE_ASN1_FUNCTIONS(ASN1_ENUMERATED)

```

```

int ASN1_UTCTIME_check(const ASN1_UTCTIME *a);
ASN1_UTCTIME *ASN1_UTCTIME_set(ASN1_UTCTIME *s, time_t t);
ASN1_UTCTIME *ASN1_UTCTIME_adj(ASN1_UTCTIME *s, time_t t,
    int offset_day, long offset_sec);
int ASN1_UTCTIME_set_string(ASN1_UTCTIME *s, const char *str);
int ASN1_UTCTIME_cmp_time_t(const ASN1_UTCTIME *s, time_t t);

```

```

int ASN1_GENERALIZEDTIME_check(const ASN1_GENERALIZEDTIME
    *a);
ASN1_GENERALIZEDTIME *ASN1_GENERALIZEDTIME_set(ASN1_GENERALIZEDTIME *s,
    time_t t);
ASN1_GENERALIZEDTIME *ASN1_GENERALIZEDTIME_adj(ASN1_GENERALIZEDTIME *s,
    time_t t, int offset_day,
    long offset_sec);
int ASN1_GENERALIZEDTIME_set_string(ASN1_GENERALIZEDTIME *s, const char *str);

```

```

int ASN1_TIME_diff(int *pday, int *psec,
    const ASN1_TIME *from, const ASN1_TIME *to);

```

```

DECLARE_ASN1_FUNCTIONS(ASN1_OCTET_STRING)
DECLARE_ASN1_DUP_FUNCTION(ASN1_OCTET_STRING)
int ASN1_OCTET_STRING_cmp(const ASN1_OCTET_STRING *a,
    const ASN1_OCTET_STRING *b);
int ASN1_OCTET_STRING_set(ASN1_OCTET_STRING *str, const unsigned char *data,
    int len);

```

```

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(ASN1_UTF8STRING, ASN1_UTF8STRING, ASN1_UTF8STRING)
#define sk_ASN1_UTF8STRING_num(sk)
OPENSSL_sk_num(ssl_check_const_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_value(sk, idx) ((ASN1_UTF8STRING
*)OPENSSL_sk_value(ssl_check_const_ASN1_UTF8STRING_sk_type(sk), (idx)))
#define sk_ASN1_UTF8STRING_new(cmp)
((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_new(ssl_check_ASN1_UTF8STRING_compfunc_type(cmp)))
#define sk_ASN1_UTF8STRING_new_null() ((STACK_OF(ASN1_UTF8STRING) *)OPENSSL_sk_new_null())
#define sk_ASN1_UTF8STRING_new_reserve(cmp, n) ((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_new_reserve(ssl_check_ASN1_UTF8STRING_compfunc_type(cmp), (n)))
#define sk_ASN1_UTF8STRING_reserve(sk, n)
OPENSSL_sk_reserve(ssl_check_ASN1_UTF8STRING_sk_type(sk), (n))
#define sk_ASN1_UTF8STRING_free(sk) OPENSSL_sk_free(ssl_check_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_zero(sk) OPENSSL_sk_zero(ssl_check_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_delete(sk, i) ((ASN1_UTF8STRING
*)OPENSSL_sk_delete(ssl_check_ASN1_UTF8STRING_sk_type(sk), (i)))
#define sk_ASN1_UTF8STRING_delete_ptr(sk, ptr) ((ASN1_UTF8STRING
*)OPENSSL_sk_delete_ptr(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr)))
#define sk_ASN1_UTF8STRING_push(sk, ptr)
OPENSSL_sk_push(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_unshift(sk, ptr)
OPENSSL_sk_unshift(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_pop(sk) ((ASN1_UTF8STRING
*)OPENSSL_sk_pop(ssl_check_ASN1_UTF8STRING_sk_type(sk)))
#define sk_ASN1_UTF8STRING_shift(sk) ((ASN1_UTF8STRING
*)OPENSSL_sk_shift(ssl_check_ASN1_UTF8STRING_sk_type(sk)))
#define sk_ASN1_UTF8STRING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_ASN1_UTF8STRING_sk_type(sk), ssl_check_ASN1_UTF8STRING_freefunc_type(freefunc))
#define sk_ASN1_UTF8STRING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ssl_check_ASN1_UTF8STRING_sk_type(sk), ssl_check_ASN1_UTF8STRING_type(ptr),
(idx))
#define sk_ASN1_UTF8STRING_set(sk, idx, ptr) ((ASN1_UTF8STRING
*)OPENSSL_sk_set(ssl_check_ASN1_UTF8STRING_sk_type(sk), (idx),
ssl_check_ASN1_UTF8STRING_type(ptr)))
#define sk_ASN1_UTF8STRING_find(sk, ptr) OPENSSL_sk_find(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ssl_check_ASN1_UTF8STRING_sk_type(sk),
ssl_check_ASN1_UTF8STRING_type(ptr))
#define sk_ASN1_UTF8STRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ssl_check_ASN1_UTF8STRING_sk_type(sk),

```

```

ossl_check_ASN1_UTF8STRING_type(ptr), pnum)
#define sk_ASN1_UTF8STRING_sort(sk) OPENSSL_sk_sort(ossl_check_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_ASN1_UTF8STRING_sk_type(sk))
#define sk_ASN1_UTF8STRING_dup(sk) ((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_dup(ossl_check_const_ASN1_UTF8STRING_sk_type(sk)))
#define sk_ASN1_UTF8STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(ASN1_UTF8STRING)
*)OPENSSL_sk_deep_copy(ossl_check_const_ASN1_UTF8STRING_sk_type(sk),
ossl_check_ASN1_UTF8STRING_copyfunc_type(copyfunc),
ossl_check_ASN1_UTF8STRING_freefunc_type(freefunc)))
#define sk_ASN1_UTF8STRING_set_cmp_func(sk, cmp)
((sk_ASN1_UTF8STRING_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_UTF8STRING_sk_type(sk)
),
ossl_check_ASN1_UTF8STRING_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

DECLARE_ASN1_FUNCTIONS(ASN1_VISIBLESTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_UNIVERSALSTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_UTF8STRING)
DECLARE_ASN1_FUNCTIONS(ASN1_NULL)
DECLARE_ASN1_FUNCTIONS(ASN1_BMPSTRING)

```

```

int UTF8_getc(const unsigned char *str, int len, unsigned long *val);
int UTF8_putc(unsigned char *str, int len, unsigned long value);

```

```

/* clang-format off */

```

```

SKM_DEFINE_STACK_OF_INTERNAL(ASN1_GENERALSTRING, ASN1_GENERALSTRING,
ASN1_GENERALSTRING)
#define sk_ASN1_GENERALSTRING_num(sk)
OPENSSL_sk_num(ossl_check_const_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_value(sk, idx) ((ASN1_GENERALSTRING
*)OPENSSL_sk_value(ossl_check_const_ASN1_GENERALSTRING_sk_type(sk), (idx)))
#define sk_ASN1_GENERALSTRING_new(cmp) ((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_new(ossl_check_ASN1_GENERALSTRING_compfunc_type(cmp)))
#define sk_ASN1_GENERALSTRING_new_null()
((STACK_OF(ASN1_GENERALSTRING) *)OPENSSL_sk_new_null())
#define sk_ASN1_GENERALSTRING_new_reserve(cmp, n) ((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_new_reserve(ossl_check_ASN1_GENERALSTRING_compfunc_type(cmp), (n)))
#define sk_ASN1_GENERALSTRING_reserve(sk, n)
OPENSSL_sk_reserve(ossl_check_ASN1_GENERALSTRING_sk_type(sk), (n))
#define sk_ASN1_GENERALSTRING_free(sk)
OPENSSL_sk_free(ossl_check_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_zero(sk)
OPENSSL_sk_zero(ossl_check_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_delete(sk, i) ((ASN1_GENERALSTRING
*)OPENSSL_sk_delete(ossl_check_ASN1_GENERALSTRING_sk_type(sk), (i)))
#define sk_ASN1_GENERALSTRING_delete_ptr(sk, ptr) ((ASN1_GENERALSTRING

```

```

*)OPENSSL_sk_delete_ptr(ossl_check_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_type(ptr)))
#define sk_ASN1_GENERALSTRING_push(sk, ptr)
OPENSSL_sk_push(ossl_check_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_type(ptr))
#define
sk_ASN1_GENERALSTRING_unshift(sk, ptr)
OPENSSL_sk_unshift(ossl_check_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_type(ptr))
#define sk_ASN1_GENERALSTRING_pop(sk) ((ASN1_GENERALSTRING
*)OPENSSL_sk_pop(ossl_check_ASN1_GENERALSTRING_sk_type(sk)))
#define sk_ASN1_GENERALSTRING_shift(sk) ((ASN1_GENERALSTRING
*)OPENSSL_sk_shift(ossl_check_ASN1_GENERALSTRING_sk_type(sk)))
#define sk_ASN1_GENERALSTRING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_ASN1_GENERALSTRING_sk_type(sk),ossl_check_ASN1_GENERALSTRIN
NG_freefunc_type(freefunc))
#define sk_ASN1_GENERALSTRING_insert(sk, ptr, idx)
OPENSSL_sk_insert(ossl_check_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_type(ptr), (idx))
#define sk_ASN1_GENERALSTRING_set(sk, idx, ptr) ((ASN1_GENERALSTRING
*)OPENSSL_sk_set(ossl_check_ASN1_GENERALSTRING_sk_type(sk), (idx),
ossl_check_ASN1_GENERALSTRING_type(ptr)))
#define sk_ASN1_GENERALSTRING_find(sk, ptr)
OPENSSL_sk_find(ossl_check_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_type(ptr))
#define sk_ASN1_GENERALSTRING_find_ex(sk, ptr)
OPENSSL_sk_find_ex(ossl_check_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_type(ptr))
#define sk_ASN1_GENERALSTRING_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_type(ptr), pnum)
#define sk_ASN1_GENERALSTRING_sort(sk)
OPENSSL_sk_sort(ossl_check_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_is_sorted(sk)
OPENSSL_sk_is_sorted(ossl_check_const_ASN1_GENERALSTRING_sk_type(sk))
#define sk_ASN1_GENERALSTRING_dup(sk) ((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_dup(ossl_check_const_ASN1_GENERALSTRING_sk_type(sk)))
#define sk_ASN1_GENERALSTRING_deep_copy(sk, copyfunc, freefunc)
((STACK_OF(ASN1_GENERALSTRING)
*)OPENSSL_sk_deep_copy(ossl_check_const_ASN1_GENERALSTRING_sk_type(sk),
ossl_check_ASN1_GENERALSTRING_copyfunc_type(copyfunc),
ossl_check_ASN1_GENERALSTRING_freefunc_type(freefunc)))
#define
sk_ASN1_GENERALSTRING_set_cmp_func(sk, cmp)
((sk_ASN1_GENERALSTRING_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_ASN1_GENERALSTRING
_sk_type(sk), ossl_check_ASN1_GENERALSTRING_compfunc_type(cmp)))

/* clang-format on */

```



```

DECLARE_ASN1_FUNCTIONS_name(ASN1_STRING, ASN1_PRINTABLE)

DECLARE_ASN1_FUNCTIONS_name(ASN1_STRING, DIRECTORYSTRING)
DECLARE_ASN1_FUNCTIONS_name(ASN1_STRING, DISPLAYTEXT)
DECLARE_ASN1_FUNCTIONS(ASN1_PRINTABLESTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_T61STRING)
DECLARE_ASN1_FUNCTIONS(ASN1_IA5STRING)
DECLARE_ASN1_FUNCTIONS(ASN1_GENERALSTRING)
DECLARE_ASN1_FUNCTIONS(ASN1_UTCTIME)
DECLARE_ASN1_FUNCTIONS(ASN1_GENERALIZEDTIME)
DECLARE_ASN1_FUNCTIONS(ASN1_TIME)

DECLARE_ASN1_DUP_FUNCTION(ASN1_TIME)
DECLARE_ASN1_DUP_FUNCTION(ASN1_UTCTIME)
DECLARE_ASN1_DUP_FUNCTION(ASN1_GENERALIZEDTIME)

DECLARE_ASN1_ITEM(ASN1_OCTET_STRING_NDEF)

ASN1_TIME *ASN1_TIME_set(ASN1_TIME *s, time_t t);
ASN1_TIME *ASN1_TIME_adj(ASN1_TIME *s, time_t t,
    int offset_day, long offset_sec);
int ASN1_TIME_check(const
    ASN1_TIME *t);
ASN1_GENERALIZEDTIME *ASN1_TIME_to_generalizedtime(const ASN1_TIME *t,
    ASN1_GENERALIZEDTIME **out);
int ASN1_TIME_set_string(ASN1_TIME *s, const char *str);
int ASN1_TIME_set_string_X509(ASN1_TIME *s, const char *str);
int ASN1_TIME_to_tm(const ASN1_TIME *s, struct tm *tm);
int ASN1_TIME_normalize(ASN1_TIME *s);
int ASN1_TIME_cmp_time_t(const ASN1_TIME *s, time_t t);
int ASN1_TIME_compare(const ASN1_TIME *a, const ASN1_TIME *b);

int i2a_ASN1_INTEGER(BIO *bp, const ASN1_INTEGER *a);
int a2i_ASN1_INTEGER(BIO *bp, ASN1_INTEGER *bs, char *buf, int size);
int i2a_ASN1_ENUMERATED(BIO *bp, const ASN1_ENUMERATED *a);
int a2i_ASN1_ENUMERATED(BIO *bp, ASN1_ENUMERATED *bs, char *buf, int size);
int i2a_ASN1_OBJECT(BIO *bp, const ASN1_OBJECT *a);
int a2i_ASN1_STRING(BIO *bp, ASN1_STRING *bs, char *buf, int size);
int i2a_ASN1_STRING(BIO *bp, const ASN1_STRING *a, int type);
int i2t_ASN1_OBJECT(char *buf, int buf_len, const ASN1_OBJECT *a);

int a2d_ASN1_OBJECT(unsigned
    char *out, int olen, const char *buf, int num);
ASN1_OBJECT *ASN1_OBJECT_create(int nid, unsigned char *data, int len,
    const char *sn, const char *ln);

int ASN1_INTEGER_get_int64(int64_t *pr, const ASN1_INTEGER *a);

```

```

int ASN1_INTEGER_set_int64(ASN1_INTEGER *a, int64_t r);
int ASN1_INTEGER_get_uint64(uint64_t *pr, const ASN1_INTEGER *a);
int ASN1_INTEGER_set_uint64(ASN1_INTEGER *a, uint64_t r);

int ASN1_INTEGER_set(ASN1_INTEGER *a, long v);
long ASN1_INTEGER_get(const ASN1_INTEGER *a);
ASN1_INTEGER *BN_to_ASN1_INTEGER(const BIGNUM *bn, ASN1_INTEGER *ai);
BIGNUM *ASN1_INTEGER_to_BN(const ASN1_INTEGER *ai, BIGNUM *bn);

int ASN1_ENUMERATED_get_int64(int64_t *pr, const ASN1_ENUMERATED *a);
int ASN1_ENUMERATED_set_int64(ASN1_ENUMERATED *a, int64_t r);

int ASN1_ENUMERATED_set(ASN1_ENUMERATED *a, long v);
long ASN1_ENUMERATED_get(const ASN1_ENUMERATED *a);
ASN1_ENUMERATED *BN_to_ASN1_ENUMERATED(const BIGNUM *bn, ASN1_ENUMERATED *ai);
BIGNUM *ASN1_ENUMERATED_to_BN(const ASN1_ENUMERATED
    *ai, BIGNUM *bn);

/* General */
/* given a string, return the correct type, max is the maximum length */
int ASN1_PRINTABLE_type(const unsigned char *s, int max);

unsigned long ASN1_tag2bit(int tag);

/* SPECIALS */
int ASN1_get_object(const unsigned char **pp, long *plength, int *ptag,
    int *pclass, long omax);
int ASN1_check_infinite_end(unsigned char **p, long len);
int ASN1_const_check_infinite_end(const unsigned char **p, long len);
void ASN1_put_object(unsigned char **pp, int constructed, int length,
    int tag, int xclass);
int ASN1_put_eoc(unsigned char **pp);
int ASN1_object_size(int constructed, int length, int tag);

/* Used to implement other functions */
void *ASN1_dup(i2d_of_void *i2d, d2i_of_void *d2i, const void *x);

#define ASN1_dup_of(type, i2d, d2i, x) \
    ((type *)ASN1_dup(CHECKED_I2D_OF(type, i2d), \
        CHECKED_D2I_OF(type, d2i), \
        CHECKED_PTR_OF(const type, x)))

void *ASN1_item_dup(const ASN1_ITEM *it, const void
    *x);
int ASN1_item_sign_ex(const ASN1_ITEM *it, X509_ALGOR *algor1,
    X509_ALGOR *algor2, ASN1_BIT_STRING *signature,
    const void *data, const ASN1_OCTET_STRING *id,
    EVP_PKEY *pkey, const EVP_MD *md, OSSL_LIB_CTX *libctx,

```

```

    const char *propq);
int ASN1_item_verify_ex(const ASN1_ITEM *it, const X509_ALGOR *alg,
    const ASN1_BIT_STRING *signature, const void *data,
    const ASN1_OCTET_STRING *id, EVP_PKEY *pkey,
    OSSL_LIB_CTX *libctx, const char *propq);

/* ASN1 alloc/free macros for when a type is only used internally */

#define M_ASN1_new_of(type) (type *)ASN1_item_new(ASN1_ITEM_rptr(type))
#define M_ASN1_free_of(x, type) \
    ASN1_item_free(CHECKED_PTR_OF(type, x), ASN1_ITEM_rptr(type))

#ifndef OPENSSL_NO_STDIO
void *ASN1_d2i_fp(void *(*xnew)(void), d2i_of_void *d2i, FILE *in, void **x);

#define ASN1_d2i_fp_of(type, xnew, d2i, in, x) \
    ((type *)ASN1_d2i_fp(CHECKED_NEW_OF(type, xnew), \
        CHECKED_D2I_OF(type, d2i), \
        in, \
        CHECKED_PPTR_OF(type, x)))

void *ASN1_item_d2i_fp_ex(const ASN1_ITEM *it, FILE *in, void *x,
    OSSL_LIB_CTX *libctx, const char *propq);
void *ASN1_item_d2i_fp(const ASN1_ITEM *it, FILE *in, void *x);
int ASN1_i2d_fp(i2d_of_void *i2d, FILE *out, const void *x);

#define ASN1_i2d_fp_of(type, i2d, out, x) \
    (ASN1_i2d_fp(CHECKED_I2D_OF(type, i2d), \
        out, \
        CHECKED_PTR_OF(const type, x)))

int ASN1_item_i2d_fp(const ASN1_ITEM *it, FILE *out, const void *x);
int ASN1_STRING_print_ex_fp(FILE *fp, const ASN1_STRING *str, unsigned long flags);
#endif

int ASN1_STRING_to_UTF8(unsigned char **out, const ASN1_STRING *in);

void *ASN1_d2i_bio(void *(*xnew)(void), d2i_of_void *d2i, BIO *in, void **x);

#define ASN1_d2i_bio_of(type, xnew, d2i, in, x) \
    ((type *)ASN1_d2i_bio(CHECKED_NEW_OF(type, xnew), \
        CHECKED_D2I_OF(type, d2i), \
        in, \
        CHECKED_PPTR_OF(type, x)))

void *ASN1_item_d2i_bio_ex(const ASN1_ITEM *it, BIO *in, void *pval,

```

```

    OSSL_LIB_CTX *libctx, const char *propq);
void *ASN1_item_d2i_bio(const ASN1_ITEM *it, BIO *in, void *pval);
int ASN1_i2d_bio(i2d_of_void *i2d, BIO *out, const void *x);

#define ASN1_i2d_bio_of(type, i2d, out, x) \
    (ASN1_i2d_bio(CHECKED_I2D_OF(type, i2d), \
        out, \
        CHECKED_PTR_OF(const type, x)))

int ASN1_item_i2d_bio(const ASN1_ITEM *it, BIO *out, const void *x);
BIO *ASN1_item_i2d_mem_bio(const ASN1_ITEM *it, const ASN1_VALUE *val);
int ASN1_UTCTIME_print(BIO *fp, const ASN1_UTCTIME *a);
int ASN1_GENERALIZEDTIME_print(BIO *fp, const ASN1_GENERALIZEDTIME *a);
int ASN1_TIME_print(BIO *bp, const ASN1_TIME *tm);
int ASN1_TIME_print_ex(BIO *bp, const ASN1_TIME *tm, unsigned long flags);
int ASN1_STRING_print(BIO *bp, const ASN1_STRING *v);
int ASN1_STRING_print_ex(BIO *out, const ASN1_STRING *str,
    unsigned long flags);
int ASN1_buf_print(BIO *bp, const unsigned char *buf, size_t buflen, int off);
int ASN1_bn_print(BIO *bp, const char *number, const BIGNUM *num,
    unsigned char *buf, int off);
int ASN1_parse(BIO *bp, const unsigned char *pp, long len, int indent);
int ASN1_parse_dump(BIO *bp, const unsigned char *pp, long len, int indent,
    int dump);
const char *ASN1_tag2str(int tag);

/* Used to load and write Netscape format cert */

int ASN1_UNIVERSALSTRING_to_string(ASN1_UNIVERSALSTRING *s);

int ASN1_TYPE_set_octetstring(ASN1_TYPE *a, unsigned char *data, int len);
int ASN1_TYPE_get_octetstring(const ASN1_TYPE *a, unsigned char *data, int max_len);
int ASN1_TYPE_set_int_octetstring(ASN1_TYPE *a, long num,
    unsigned char *data, int len);
int ASN1_TYPE_get_int_octetstring(const ASN1_TYPE *a, long *num,
    unsigned char *data, int max_len);

void *ASN1_item_unpack(const ASN1_STRING *oct, const ASN1_ITEM *it);

ASN1_STRING *ASN1_item_pack(void *obj, const ASN1_ITEM *it,
    ASN1_OCTET_STRING **oct);

void ASN1_STRING_set_default_mask(unsigned long mask);
int ASN1_STRING_set_default_mask_asc(const char *p);
unsigned long ASN1_STRING_get_default_mask(void);
int ASN1_mbstring_copy(ASN1_STRING **out, const unsigned char *in, int len,
    int inform, unsigned long mask);
int ASN1_mbstring_ncopy(ASN1_STRING **out, const unsigned char *in, int len,

```

```

int inform, unsigned long mask,
long minsize, long maxsize);

ASN1_STRING *ASN1_STRING_set_by_NID(ASN1_STRING **out,
const unsigned char *in, int inlen,
int inform, int nid);
ASN1_STRING_TABLE *ASN1_STRING_TABLE_get(int nid);
int ASN1_STRING_TABLE_add(int, long, long, unsigned long, unsigned long);
void ASN1_STRING_TABLE_cleanup(void);

/* ASN1 template functions */

/* Old API compatible functions */
ASN1_VALUE *ASN1_item_new(const ASN1_ITEM *it);
ASN1_VALUE *ASN1_item_new_ex(const ASN1_ITEM *it, OSSL_LIB_CTX *libctx,
const char *propq);
void ASN1_item_free(ASN1_VALUE *val, const ASN1_ITEM *it);
ASN1_VALUE
*ASN1_item_d2i_ex(ASN1_VALUE **val, const unsigned char **in,
long len, const ASN1_ITEM *it,
OSSL_LIB_CTX *libctx, const char *propq);
ASN1_VALUE *ASN1_item_d2i(ASN1_VALUE **val, const unsigned char **in,
long len, const ASN1_ITEM *it);
int ASN1_item_i2d(const ASN1_VALUE *val, unsigned char **out, const ASN1_ITEM *it);
int ASN1_item_ndef_i2d(const ASN1_VALUE *val, unsigned char **out,
const ASN1_ITEM *it);

void ASN1_add_oid_module(void);
void ASN1_add_stable_module(void);

ASN1_TYPE *ASN1_generate_nconf(const char *str, CONF *nconf);
ASN1_TYPE *ASN1_generate_v3(const char *str, X509V3_CTX *cnf);
int ASN1_str2mask(const char *str, unsigned long *pmask);

/* ASN1 Print flags */

/* Indicate missing OPTIONAL fields */
#define ASN1_PCTX_FLAGS_SHOW_ABSENT 0x001
/* Mark start and end of SEQUENCE */
#define ASN1_PCTX_FLAGS_SHOW_SEQUENCE 0x002
/* Mark start and end of SEQUENCE/SET OF */
#define ASN1_PCTX_FLAGS_SHOW_SSOF 0x004
/* Show the ASN1 type of primitives
*/
#define ASN1_PCTX_FLAGS_SHOW_TYPE 0x008
/* Don't show ASN1 type of ANY */
#define ASN1_PCTX_FLAGS_NO_ANY_TYPE 0x010
/* Don't show ASN1 type of MSTRINGs */

```

```

#define ASN1_PCTX_FLAGS_NO_MSTRING_TYPE 0x020
/* Don't show field names in SEQUENCE */
#define ASN1_PCTX_FLAGS_NO_FIELD_NAME 0x040
/* Show structure names of each SEQUENCE field */
#define ASN1_PCTX_FLAGS_SHOW_FIELD_STRUCT_NAME 0x080
/* Don't show structure name even at top level */
#define ASN1_PCTX_FLAGS_NO_STRUCT_NAME 0x100

int ASN1_item_print(BIO *out, const ASN1_VALUE *ifld, int indent,
    const ASN1_ITEM *it, const ASN1_PCTX *pctx);
ASN1_PCTX *ASN1_PCTX_new(void);
void ASN1_PCTX_free(ASN1_PCTX *p);
unsigned long ASN1_PCTX_get_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_flags(ASN1_PCTX *p, unsigned long flags);
unsigned long ASN1_PCTX_get_nm_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_nm_flags(ASN1_PCTX *p, unsigned long flags);
unsigned long ASN1_PCTX_get_cert_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_cert_flags(ASN1_PCTX
    *p, unsigned long flags);
unsigned long ASN1_PCTX_get_oid_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_oid_flags(ASN1_PCTX *p, unsigned long flags);
unsigned long ASN1_PCTX_get_str_flags(const ASN1_PCTX *p);
void ASN1_PCTX_set_str_flags(ASN1_PCTX *p, unsigned long flags);

ASN1_SCTX *ASN1_SCTX_new(int (*scan_cb)(ASN1_SCTX *ctx));
void ASN1_SCTX_free(ASN1_SCTX *p);
const ASN1_ITEM *ASN1_SCTX_get_item(ASN1_SCTX *p);
const ASN1_TEMPLATE *ASN1_SCTX_get_template(ASN1_SCTX *p);
unsigned long ASN1_SCTX_get_flags(ASN1_SCTX *p);
void ASN1_SCTX_set_app_data(ASN1_SCTX *p, void *data);
void *ASN1_SCTX_get_app_data(ASN1_SCTX *p);

const BIO_METHOD *BIO_f_asn1(void);

/* cannot constify val because of CMS_stream() */
BIO *BIO_new_NDEF(BIO *out, ASN1_VALUE *val, const ASN1_ITEM *it);

int i2d_ASN1_bio_stream(BIO *out, ASN1_VALUE *val, BIO *in, int flags,
    const ASN1_ITEM *it);
int PEM_write_bio_ASN1_stream(BIO *out, ASN1_VALUE *val, BIO *in, int flags,
    const char *hdr, const ASN1_ITEM
    *it);
/* cannot constify val because of CMS_dataFinal() */
int SMIME_write_ASN1(BIO *bio, ASN1_VALUE *val, BIO *data, int flags,
    int ctype_nid, int econt_nid,
    STACK_OF(X509_ALGOR) *mdalgs, const ASN1_ITEM *it);
int SMIME_write_ASN1_ex(BIO *bio, ASN1_VALUE *val, BIO *data, int flags,
    int ctype_nid, int econt_nid,

```

```

STACK_OF(X509_ALGOR) *mdalgs, const ASN1_ITEM *it,
OSSL_LIB_CTX *libctx, const char *propq);
ASN1_VALUE *SMIME_read_ASN1(BIO *bio, BIO **bcont, const ASN1_ITEM *it);
ASN1_VALUE *SMIME_read_ASN1_ex(BIO *bio, int flags, BIO **bcont,
const ASN1_ITEM *it, ASN1_VALUE **x,
OSSL_LIB_CTX *libctx, const char *propq);
int SMIME_crlf_copy(BIO *in, BIO *out, int flags);
int SMIME_text(BIO *in, BIO *out);

const ASN1_ITEM *ASN1_ITEM_lookup(const char *name);
const ASN1_ITEM *ASN1_ITEM_get(size_t i);

/* Legacy compatibility */
#define DECLARE_ASN1_FUNCTIONS_fname(type, itname, name) \
    DECLARE_ASN1_ALLOC_FUNCTIONS_name(type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS(type, \
itname, name)
#define DECLARE_ASN1_FUNCTIONS_const(type) DECLARE_ASN1_FUNCTIONS(type)
#define DECLARE_ASN1_ENCODE_FUNCTIONS_const(type, name) \
    DECLARE_ASN1_ENCODE_FUNCTIONS(type, name)
#define I2D_OF_const(type) I2D_OF(type)
#define ASN1_dup_of_const(type, i2d, d2i, x) ASN1_dup_of(type, i2d, d2i, x)
#define ASN1_i2d_fp_of_const(type, i2d, out, x) ASN1_i2d_fp_of(type, i2d, out, x)
#define ASN1_i2d_bio_of_const(type, i2d, out, x) ASN1_i2d_bio_of(type, i2d, out, x)

#ifdef __cplusplus
}
#endif
#endif
#endif
Copyright (c) 2015, Rebecca Turner

```

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) silverwind
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS

OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ISC License

Copyright (c) 2021 Alexey Raspopov, Kostiantyn Denysov, Anton Verinov

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC License

Copyright (c) 2021, Andrea Giammarchi, @WebReflection

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2018 Nikita Skovoroda <chalkerx@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/* clang-format off */

/* WARNING: do not edit! */

/* Generated by Makefile from include/crypto/bn_conf.h.in */

/* clang-format on */

/*

* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

```

#ifndef OSSL_CRYPTO_BN_CONF_H
#define OSSL_CRYPTO_BN_CONF_H
#pragma once

/*
 * The contents of this file are not used in the UEFI build, as
 * both 32-bit and 64-bit builds are supported from a single run
 * of the Configure script.
 */

/* Should we define BN_DIV2W here? */

/* Only one for the following should be defined */
/* clang-format off */
#undef SIXTY_FOUR_BIT_LONG
/* clang-format on */
/* clang-format off */
#undef SIXTY_FOUR_BIT
/* clang-format on */
/* clang-format off */
#define THIRTY_TWO_BIT
/*
 clang-format on */

#endif
/*
 * WARNING: do not edit!
 * Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl
 * via Makefile.in
 *
 * Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

#ifndef OPENSSL_CONFIGURATION_H
#define OPENSSL_CONFIGURATION_H
#pragma once

#ifdef __cplusplus
extern "C" {
#endif

#ifdef OPENSSL_ALGORITHM_DEFINES
#error OPENSSL_ALGORITHM_DEFINES no longer supported

```

```

#endif

/*
 * OpenSSL was configured with the following options:
 */

/* clang-format off */
# define OPENSSL_CONFIGURED_API 30000
# ifndef OPENSSL_RAND_SEED_OS
# define OPENSSL_RAND_SEED_OS
# endif
# ifndef OPENSSL_THREADS
# define OPENSSL_THREADS
# endif
# ifndef OPENSSL_NO_AFALGENG
# define OPENSSL_NO_AFALGENG
#
# endif
# ifndef OPENSSL_NO_ASAN
# define OPENSSL_NO_ASAN
# endif
# ifndef OPENSSL_NO_ASM
# define OPENSSL_NO_ASM
# endif
# ifndef OPENSSL_NO_COMP
# define OPENSSL_NO_COMP
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG
# define OPENSSL_NO_CRYPTOMDDEBUG
# endif
# ifndef OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# define OPENSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# endif
# ifndef OPENSSL_NO_EC_NISTP_64_GCC_128
# define OPENSSL_NO_EC_NISTP_64_GCC_128
# endif
# ifndef OPENSSL_NO_EGD
# define OPENSSL_NO_EGD
# endif
# ifndef OPENSSL_NO_EXTERNAL_TESTS
# define OPENSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSL_NO_FUZZ_AFL
# define OPENSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSL_NO_FUZZ_LIBFUZZER
# define OPENSSL_NO_FUZZ_LIBFUZZER
# endif
# endif

```

```

# ifndef OPENSSSL_NO_KTLS
#  define OPENSSSL_NO_KTLS
# endif
# ifndef OPENSSSL_NO_LOADERENG
#  define OPENSSSL_NO_LOADERENG
# endif
# ifndef OPENSSSL_NO_MD2
#  define OPENSSSL_NO_MD2
# endif
# ifndef OPENSSSL_NO_MSAN
#  define OPENSSSL_NO_MSAN
# endif
# ifndef OPENSSSL_NO_RC5
#
#   define OPENSSSL_NO_RC5
# endif
# ifndef OPENSSSL_NO_SCTP
#  define OPENSSSL_NO_SCTP
# endif
# ifndef OPENSSSL_NO_SSL3
#  define OPENSSSL_NO_SSL3
# endif
# ifndef OPENSSSL_NO_SSL3_METHOD
#  define OPENSSSL_NO_SSL3_METHOD
# endif
# ifndef OPENSSSL_NO_TRACE
#  define OPENSSSL_NO_TRACE
# endif
# ifndef OPENSSSL_NO_UBSAN
#  define OPENSSSL_NO_UBSAN
# endif
# ifndef OPENSSSL_NO_UNIT_TEST
#  define OPENSSSL_NO_UNIT_TEST
# endif
# ifndef OPENSSSL_NO_UPLINK
#  define OPENSSSL_NO_UPLINK
# endif
# ifndef OPENSSSL_NO_WEAK_SSL_CIPHERS
#  define OPENSSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSSL_NO_DYNAMIC_ENGINE
#  define OPENSSSL_NO_DYNAMIC_ENGINE
# endif

/* clang-format on */

/* Generate 80386 code? */
/* clang-format off */

```

```

# undef I386_ONLY
/* clang-format on */

/*
 * The following are cipher-specific, but are part of the public API.
 */
#if !defined(OPENSSL_SYS_UEFI)
    /* clang-format off */
# undef BN_LLONG
    /* clang-format on */
    /* Only one for the following should be defined */
    /* clang-format
off */
# define SIXTY_FOUR_BIT_LONG
    /* clang-format on */
    /* clang-format off */
# undef SIXTY_FOUR_BIT
    /* clang-format on */
    /* clang-format off */
# undef THIRTY_TWO_BIT
    /* clang-format on */
#endif

/* clang-format off */
# define RC4_INT unsigned int
/* clang-format on */

#ifdef __cplusplus
}
#endif

#endif /* OPENSSL_CONFIGURATION_H */
A. HISTORY OF THE SOFTWARE
=====

```

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became

Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF				yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

-
1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
 2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
 3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
 4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
 5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
 6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
 7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
 8. By copying, installing or otherwise using Python, Licensee

agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6.

This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at

<http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO

LICENSEE OR ANY OTHER USERS OF PYTHON

1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs

4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to

distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2020 Node.js contributors. All rights reserved.

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The ISC License

Copyright (c) 2019-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2016-2022 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
{
'variables': {
'openssl_defines_BSD-x86': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'CMLL_ASM',
'DES_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_PART_WORDS',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'RMD160_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'OPENSSL_PIC',
```

```

],
'openssl_cflags_BSD-x86': [
  '-Wa,--noexecstack',
  '-Wall -O3 -fomit-frame-pointer',
  '-pthread',
  '-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
  '-pthread',
],
'openssl_cli_srcs_BSD-x86': [
  'openssl/apps/lib/cmp_mock_srv.c',
  'openssl/apps/asn1parse.c',
  'openssl/apps/ca.c',
  'openssl/apps/ciphers.c',
  'openssl/apps/cmp.c',
  'openssl/apps/cms.c',
  'openssl/apps/crl.c',
  'openssl/apps/crl2pkcs7.c',
  'openssl/apps/dgst.c',
  'openssl/apps/dhparam.c',
  'openssl/apps/dsa.c',
  'openssl/apps/dsaparam.c',
  'openssl/apps/ec.c',
  'openssl/apps/ecparam.c',
  'openssl/apps/enc.c',
  'openssl/apps/engine.c',
  'openssl/apps/errstr.c',
  'openssl/apps/fipsinstall.c',
  'openssl/apps/gendsa.c',
  'openssl/apps/genpkey.c',
  'openssl/apps/genrsa.c',
  'openssl/apps/info.c',
  'openssl/apps/kdf.c',
  'openssl/apps/list.c',
  'openssl/apps/mac.c',
  'openssl/apps/nseq.c',
  'openssl/apps/ocsp.c',
  'openssl/apps/openssl.c',
  'openssl/apps/passwd.c',
  'openssl/apps/pkcs12.c',
  'openssl/apps/pkcs7.c',
  'openssl/apps/pkcs8.c',
  'openssl/apps/pkey.c',
  'openssl/apps/pkeyparam.c',
  'openssl/apps/pkeyutl.c',
  'openssl/apps/prime.c',
  './config/archs/BSD-x86/asm/apps/progs.c',

```

```

'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86)'],
'include_dirs': [
    './include',
],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86)'],
}

```

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright contributors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright Joyent, Inc. and other Node contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby
granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

The ISC License

Copyright (c) GitHub, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/srp.h.in

*

* Copyright 2004-2021 The OpenSSL Project Authors. All Rights Reserved.

* Copyright (c) 2004, EdelKey Project. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*

* Originally written by Christophe Renou and Peter Sylvester,

* for the EdelKey project.

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_SRP_H

#define OPENSSL_SRP_H

#pragma once

#include <openssl/macros.h>

#ifndef OPENSSL_NO_DEPRECATED_3_0

#define HEADER_SRP_H

#endif

#include <openssl/opensslconf.h>

#ifndef OPENSSL_NO_SRP

#include <stdio.h>

#include <string.h>

#include <openssl/safestack.h>

```

#include <openssl/bn.h>
#include <openssl/crypto.h>

#ifdef __cplusplus
extern "C" {
#endif

#ifndef OPENSSL_NO_DEPRECATED_3_0

typedef
struct SRP_gN_cache_st {
    char *b64_bn;
    BIGNUM *bn;
} SRP_gN_cache;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(SRP_gN_cache, SRP_gN_cache, SRP_gN_cache)
#define sk_SRP_gN_cache_num(sk) OPENSSL_sk_num(ossl_check_const_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_value(sk, idx) ((SRP_gN_cache
*)OPENSSL_sk_value(ossl_check_const_SRP_gN_cache_sk_type(sk), (idx)))
#define sk_SRP_gN_cache_new(cmp) ((STACK_OF(SRP_gN_cache)
*)OPENSSL_sk_new(ossl_check_SRP_gN_cache_compfunc_type(cmp)))
#define sk_SRP_gN_cache_new_null() ((STACK_OF(SRP_gN_cache) *)OPENSSL_sk_new_null())
#define sk_SRP_gN_cache_new_reserve(cmp, n) ((STACK_OF(SRP_gN_cache)
*)OPENSSL_sk_new_reserve(ossl_check_SRP_gN_cache_compfunc_type(cmp), (n)))
#define sk_SRP_gN_cache_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_SRP_gN_cache_sk_type(sk), (n))
#define sk_SRP_gN_cache_free(sk) OPENSSL_sk_free(ossl_check_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_zero(sk) OPENSSL_sk_zero(ossl_check_SRP_gN_cache_sk_type(sk))
#define
    sk_SRP_gN_cache_delete(sk, i) ((SRP_gN_cache
*)OPENSSL_sk_delete(ossl_check_SRP_gN_cache_sk_type(sk), (i)))
#define sk_SRP_gN_cache_delete_ptr(sk, ptr) ((SRP_gN_cache
*)OPENSSL_sk_delete_ptr(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_type(ptr)))
#define sk_SRP_gN_cache_push(sk, ptr) OPENSSL_sk_push(ossl_check_SRP_gN_cache_sk_type(sk),
    ossl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_SRP_gN_cache_sk_type(sk),
    ossl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_pop(sk) ((SRP_gN_cache
*)OPENSSL_sk_pop(ossl_check_SRP_gN_cache_sk_type(sk)))
#define sk_SRP_gN_cache_shift(sk) ((SRP_gN_cache
*)OPENSSL_sk_shift(ossl_check_SRP_gN_cache_sk_type(sk)))
#define sk_SRP_gN_cache_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_freefunc_type(freefu
nc))
#define sk_SRP_gN_cache_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_SRP_gN_cache_sk_type(sk),
    ossl_check_SRP_gN_cache_type(ptr), (idx))
#define sk_SRP_gN_cache_set(sk, idx, ptr) ((SRP_gN_cache
*)OPENSSL_sk_set(ossl_check_SRP_gN_cache_sk_type(sk), (idx), ossl_check_SRP_gN_cache_type(ptr)))
#define sk_SRP_gN_cache_find(sk, ptr) OPENSSL_sk_find(ossl_check_SRP_gN_cache_sk_type(sk),

```

```

ossl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_SRP_gN_cache_sk_type(sk),
ossl_check_SRP_gN_cache_type(ptr))
#define sk_SRP_gN_cache_find_all(sk, ptr, pnum)
OPENSSL_sk_find_all(ossl_check_SRP_gN_cache_sk_type(sk), ossl_check_SRP_gN_cache_type(ptr), pnum)
#define sk_SRP_gN_cache_sort(sk) OPENSSL_sk_sort(ossl_check_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_SRP_gN_cache_sk_type(sk))
#define sk_SRP_gN_cache_dup(sk) ((STACK_OF(SRP_gN_cache)
*)OPENSSL_sk_dup(ossl_check_const_SRP_gN_cache_sk_type(sk)))
#define sk_SRP_gN_cache_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SRP_gN_cache)
*)OPENSSL_sk_deep_copy(ossl_check_const_SRP_gN_cache_sk_type(sk),
ossl_check_SRP_gN_cache_copyfunc_type(copyfunc), ossl_check_SRP_gN_cache_freefunc_type(freefunc)))
#define sk_SRP_gN_cache_set_cmp_func(sk, cmp)
((sk_SRP_gN_cache_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SRP_gN_cache_sk_type(sk),
ossl_check_SRP_gN_cache_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

typedef struct SRP_user_pwd_st {
    /* Owned by us. */
    char *id;
    BIGNUM *s;
    BIGNUM *v;
    /* Not owned by us. */
    const BIGNUM *g;
    const BIGNUM *N;
    /* Owned by us. */
    char *info;
} SRP_user_pwd;
/* clang-format off */

SKM_DEFINE_STACK_OF_INTERNAL(SRP_user_pwd, SRP_user_pwd, SRP_user_pwd)
#define sk_SRP_user_pwd_num(sk) OPENSSL_sk_num(ossl_check_const_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_value(sk, idx) ((SRP_user_pwd
*)OPENSSL_sk_value(ossl_check_const_SRP_user_pwd_sk_type(sk), (idx)))
#define sk_SRP_user_pwd_new(cmp) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_new(ossl_check_SRP_user_pwd_compfunc_type(cmp)))
#define
sk_SRP_user_pwd_new_null() ((STACK_OF(SRP_user_pwd) *)OPENSSL_sk_new_null())
#define sk_SRP_user_pwd_new_reserve(cmp, n) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_new_reserve(ossl_check_SRP_user_pwd_compfunc_type(cmp), (n)))
#define sk_SRP_user_pwd_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_SRP_user_pwd_sk_type(sk), (n))
#define sk_SRP_user_pwd_free(sk) OPENSSL_sk_free(ossl_check_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_zero(sk) OPENSSL_sk_zero(ossl_check_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_delete(sk, i) ((SRP_user_pwd
*)OPENSSL_sk_delete(ossl_check_SRP_user_pwd_sk_type(sk), (i)))
#define sk_SRP_user_pwd_delete_ptr(sk, ptr) ((SRP_user_pwd
*)OPENSSL_sk_delete_ptr(ossl_check_SRP_user_pwd_sk_type(sk), ossl_check_SRP_user_pwd_type(ptr)))
#define sk_SRP_user_pwd_push(sk, ptr) OPENSSL_sk_push(ossl_check_SRP_user_pwd_sk_type(sk),

```

```

ossl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_SRP_user_pwd_sk_type(sk),
    ossl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_pop(sk) ((SRP_user_pwd
*)OPENSSL_sk_pop(ossl_check_SRP_user_pwd_sk_type(sk)))
#define sk_SRP_user_pwd_shift(sk) ((SRP_user_pwd
*)OPENSSL_sk_shift(ossl_check_SRP_user_pwd_sk_type(sk)))
#define sk_SRP_user_pwd_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_SRP_user_pwd_sk_type(sk),ossl_check_SRP_user_pwd_freefunc_type(freefunc))
#define sk_SRP_user_pwd_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_SRP_user_pwd_sk_type(sk),
    ossl_check_SRP_user_pwd_type(ptr), (idx))
#define sk_SRP_user_pwd_set(sk, idx, ptr) ((SRP_user_pwd
*)OPENSSL_sk_set(ossl_check_SRP_user_pwd_sk_type(sk), (idx), ossl_check_SRP_user_pwd_type(ptr)))
#define sk_SRP_user_pwd_find(sk, ptr) OPENSSL_sk_find(ossl_check_SRP_user_pwd_sk_type(sk),
    ossl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_SRP_user_pwd_sk_type(sk),
    ossl_check_SRP_user_pwd_type(ptr))
#define sk_SRP_user_pwd_find_all(sk,
    ptr, pnum) OPENSSL_sk_find_all(ossl_check_SRP_user_pwd_sk_type(sk), ossl_check_SRP_user_pwd_type(ptr),
    pnum)
#define sk_SRP_user_pwd_sort(sk) OPENSSL_sk_sort(ossl_check_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_SRP_user_pwd_sk_type(sk))
#define sk_SRP_user_pwd_dup(sk) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_dup(ossl_check_const_SRP_user_pwd_sk_type(sk)))
#define sk_SRP_user_pwd_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SRP_user_pwd)
*)OPENSSL_sk_deep_copy(ossl_check_const_SRP_user_pwd_sk_type(sk),
    ossl_check_SRP_user_pwd_copyfunc_type(copyfunc), ossl_check_SRP_user_pwd_freefunc_type(freefunc)))
#define sk_SRP_user_pwd_set_cmp_func(sk, cmp)
((sk_SRP_user_pwd_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SRP_user_pwd_sk_type(sk),
    ossl_check_SRP_user_pwd_compfunc_type(cmp)))

/* clang-format on */

OSSL_DEPRECATEDIN_3_0
SRP_user_pwd *SRP_user_pwd_new(void);
OSSL_DEPRECATEDIN_3_0
void SRP_user_pwd_free(SRP_user_pwd
    *user_pwd);

OSSL_DEPRECATEDIN_3_0
void SRP_user_pwd_set_gN(SRP_user_pwd *user_pwd, const BIGNUM *g,
    const BIGNUM *N);
OSSL_DEPRECATEDIN_3_0
int SRP_user_pwd_set1_ids(SRP_user_pwd *user_pwd, const char *id,
    const char *info);
OSSL_DEPRECATEDIN_3_0
int SRP_user_pwd_set0_sv(SRP_user_pwd *user_pwd, BIGNUM *s, BIGNUM *v);

```

```

typedef struct SRP_VBASE_st {
    STACK_OF(SRP_user_pwd) *users_pwd;
    STACK_OF(SRP_gN_cache) *gN_cache;
    /* to simulate a user */
    char *seed_key;
    const BIGNUM *default_g;
    const BIGNUM *default_N;
} SRP_VBASE;

/*
 * Internal structure storing N and g pair
 */
typedef struct SRP_gN_st {
    char *id;
    const BIGNUM *g;
    const BIGNUM *N;
} SRP_gN;
/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(SRP_gN, SRP_gN, SRP_gN)
#define sk_SRP_gN_num(sk) OPENSSL_sk_num(ssl_check_const_SRP_gN_sk_type(sk))
#define sk_SRP_gN_value(sk, idx) ((SRP_gN *)OPENSSL_sk_value(ssl_check_const_SRP_gN_sk_type(sk),
(idx)))
#define sk_SRP_gN_new(cmp) ((STACK_OF(SRP_gN)
*)OPENSSL_sk_new(ssl_check_SRP_gN_compfunc_type(cmp)))
#define sk_SRP_gN_new_null() ((STACK_OF(SRP_gN) *)OPENSSL_sk_new_null())
#define sk_SRP_gN_new_reserve(cmp, n) ((STACK_OF(SRP_gN)
*)OPENSSL_sk_new_reserve(ssl_check_SRP_gN_compfunc_type(cmp), (n)))
#define sk_SRP_gN_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_SRP_gN_sk_type(sk), (n))
#define sk_SRP_gN_free(sk) OPENSSL_sk_free(ssl_check_SRP_gN_sk_type(sk))
#define sk_SRP_gN_zero(sk) OPENSSL_sk_zero(ssl_check_SRP_gN_sk_type(sk))
#define sk_SRP_gN_delete(sk, i) ((SRP_gN *)OPENSSL_sk_delete(ssl_check_SRP_gN_sk_type(sk), (i)))
#define sk_SRP_gN_delete_ptr(sk, ptr) ((SRP_gN *)OPENSSL_sk_delete_ptr(ssl_check_SRP_gN_sk_type(sk),
ssl_check_SRP_gN_type(ptr)))
#define sk_SRP_gN_push(sk, ptr) OPENSSL_sk_push(ssl_check_SRP_gN_sk_type(sk),
ssl_check_SRP_gN_type(ptr))
#define sk_SRP_gN_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_SRP_gN_sk_type(sk),
ssl_check_SRP_gN_type(ptr))
#define sk_SRP_gN_pop(sk) ((SRP_gN *)OPENSSL_sk_pop(ssl_check_SRP_gN_sk_type(sk)))
#define
sk_SRP_gN_shift(sk) ((SRP_gN *)OPENSSL_sk_shift(ssl_check_SRP_gN_sk_type(sk)))
#define sk_SRP_gN_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_SRP_gN_sk_type(sk), ssl_check_SRP_gN_freefunc_type(freefunc))
#define sk_SRP_gN_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_SRP_gN_sk_type(sk),
ssl_check_SRP_gN_type(ptr), (idx))
#define sk_SRP_gN_set(sk, idx, ptr) ((SRP_gN *)OPENSSL_sk_set(ssl_check_SRP_gN_sk_type(sk), (idx),
ssl_check_SRP_gN_type(ptr)))
#define sk_SRP_gN_find(sk, ptr) OPENSSL_sk_find(ssl_check_SRP_gN_sk_type(sk),

```



```

ossl_check_SRP_gN_type(ptr))
#define sk_SRP_gN_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_type(ptr))
#define sk_SRP_gN_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_type(ptr), pnum)
#define sk_SRP_gN_sort(sk) OPENSSL_sk_sort(ossl_check_SRP_gN_sk_type(sk))
#define sk_SRP_gN_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_SRP_gN_sk_type(sk))
#define
sk_SRP_gN_dup(sk) ((STACK_OF(SRP_gN) *)OPENSSL_sk_dup(ossl_check_const_SRP_gN_sk_type(sk)))
#define sk_SRP_gN_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SRP_gN)
*)OPENSSL_sk_deep_copy(ossl_check_const_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_copyfunc_type(copyfunc), ossl_check_SRP_gN_freefunc_type(freefunc)))
#define sk_SRP_gN_set_cmp_func(sk, cmp)
((sk_SRP_gN_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SRP_gN_sk_type(sk),
ossl_check_SRP_gN_compfunc_type(cmp)))

/* clang-format on */

OSSL_DEPRECATEDIN_3_0
SRP_VBASE *SRP_VBASE_new(char *seed_key);
OSSL_DEPRECATEDIN_3_0
void SRP_VBASE_free(SRP_VBASE *vb);
OSSL_DEPRECATEDIN_3_0
int SRP_VBASE_init(SRP_VBASE *vb, char *verifier_file);

OSSL_DEPRECATEDIN_3_0
int SRP_VBASE_add0_user(SRP_VBASE *vb, SRP_user_pwd *user_pwd);

/* NOTE: unlike in SRP_VBASE_get_by_user, caller owns the returned pointer.*/
OSSL_DEPRECATEDIN_3_0
SRP_user_pwd *SRP_VBASE_get1_by_user(SRP_VBASE *vb, char *username);

OSSL_DEPRECATEDIN_3_0
char
*SRP_create_verifier_ex(const char *user, const char *pass, char **salt,
char **verifier, const char *N, const char *g,
OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
char *SRP_create_verifier(const char *user, const char *pass, char **salt,
char **verifier, const char *N, const char *g);
OSSL_DEPRECATEDIN_3_0
int SRP_create_verifier_BN_ex(const char *user, const char *pass, BIGNUM **salt,
BIGNUM **verifier, const BIGNUM *N,
const BIGNUM *g, OSSL_LIB_CTX *libctx,
const char *propq);
OSSL_DEPRECATEDIN_3_0
int SRP_create_verifier_BN(const char *user, const char *pass, BIGNUM **salt,
BIGNUM **verifier, const BIGNUM *N,

```

```

const BIGNUM *g);

#define SRP_NO_ERROR 0
#define SRP_ERR_VBASE_INCOMPLETE_FILE 1
#define SRP_ERR_VBASE_BN_LIB 2
#define SRP_ERR_OPEN_FILE 3
#define SRP_ERR_MEMORY 4

#define DB_srptype 0
#define DB_srpverifier 1
#define DB_srpsalt 2
#define DB_srpidx 3
#define DB_srpN 4
#define DB_srpinfo 5
#undef DB_NUMBER
#define DB_NUMBER
6

#define DB_SRP_INDEX 'I'
#define DB_SRP_VALID 'V'
#define DB_SRP_REVOKED 'R'
#define DB_SRP_MODIF 'v'

/* see srp.c */
OSSL_DEPRECATEDIN_3_0
char *SRP_check_known_gN_param(const BIGNUM *g, const BIGNUM *N);
OSSL_DEPRECATEDIN_3_0
SRP_gN *SRP_get_default_gN(const char *id);

/* server side .... */
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_server_key(const BIGNUM *A, const BIGNUM *v, const BIGNUM *u,
    const BIGNUM *b, const BIGNUM *N);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_B_ex(const BIGNUM *b, const BIGNUM *N, const BIGNUM *g,
    const BIGNUM *v, OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_B(const BIGNUM *b, const BIGNUM *N, const BIGNUM *g,
    const BIGNUM *v);

OSSL_DEPRECATEDIN_3_0
int SRP_Verify_A_mod_N(const BIGNUM *A, const BIGNUM *N);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_u_ex(const BIGNUM *A, const BIGNUM *B, const BIGNUM *N,
    OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_u(const BIGNUM *A,

```

```

const BIGNUM *B, const BIGNUM *N);

/* client side .... */

OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_x_ex(const BIGNUM *s, const char *user, const char *pass,
    OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_x(const BIGNUM *s, const char *user, const char *pass);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_A(const BIGNUM *a, const BIGNUM *N, const BIGNUM *g);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_client_key_ex(const BIGNUM *N, const BIGNUM *B, const BIGNUM *g,
    const BIGNUM *x, const BIGNUM *a, const BIGNUM *u,
    OSSL_LIB_CTX *libctx, const char *propq);
OSSL_DEPRECATEDIN_3_0
BIGNUM *SRP_Calc_client_key(const BIGNUM *N, const BIGNUM *B, const BIGNUM *g,
    const BIGNUM *x, const BIGNUM *a, const BIGNUM *u);
OSSL_DEPRECATEDIN_3_0
int SRP_Verify_B_mod_N(const BIGNUM *B, const BIGNUM *N);

#define SRP_MINIMAL_N 1024

#endif /* OPENSSSL_NO_DEPRECATED_3_0 */

/* This method ignores the configured seed and fails for an unknown user. */
#ifdef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0
SRP_user_pwd
*SRP_VBASE_get_by_user(SRP_VBASE *vb, char *username);
#endif

#ifdef __cplusplus
}
#endif

#endif

#endif

<!-- DO NOT EDIT! Generated by `%(generating_script_filename)s --spec %(spec_directory)s/^ -->
Copyright 2022 Justin Ridgewell <jridgewell@google.com>

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_cbc.c',
'openssl/crypto/aes/aes_core.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recp.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
```

'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',

'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',

'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymcipher.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',

'openssl/crypto/mem_clr.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',

'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',

'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',

'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',

'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],

```

'openssl_sources_BSD-x86': [
  './config/archs/BSD-x86/no-asm/providers/common/der/der_sm2_gen.c',
  './config/archs/BSD-x86/no-asm/providers/common/der/der_digests_gen.c',
  './config/archs/BSD-x86/no-asm/providers/common/der/der_dsa_gen.c',
  './config/archs/BSD-x86/no-asm/providers/common/der/der_ec_gen.c',
  './config/archs/BSD-x86/no-asm/providers/common/der/der_ecx_gen.c',
  './config/archs/BSD-x86/no-asm/providers/common/der/der_rsa_gen.c',
  './config/archs/BSD-x86/no-asm/providers/common/der/der_wrap_gen.c',
  './config/archs/BSD-x86/no-asm/providers/legacy.ld',
  './config/archs/BSD-x86/no-asm/providers/fips.ld',

],
'openssl_defines_BSD-x86': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'FIPS_MODULE',
  'FIPS_MODULE',
],
'openssl_cflags_BSD-x86': [
  '-Wall -O3 -fomit-frame-pointer',
  '-pthread',
  '-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
  '-pthread',
],
'linker_script': "
},
'include_dirs': [
  '.',
  './include',
  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86)'],
},
}

```

This license applies to parts of libuv originating from the
<https://github.com/joyent/libuv> repository:

====

Copyright Joyent, Inc. and other Node contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

This license applies to all parts of libuv that are not externally maintained libraries.

The externally maintained libraries used by libuv are:

- tree.h (from FreeBSD), copyright Niels Provos. Two clause BSD license.

- inet_pton and inet_ntop implementations, contained in src/inet.c, are copyright the Internet Systems Consortium, Inc., and licensed under the ISC license.

/*

* WARNING: do not edit!

* Generated by configdata.pm from Configurations/common0.tmpl, Configurations/unix-Makefile.tmpl

* via Makefile.in

*

* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

```

#ifndef OPENSSSL_CONFIGURATION_H
#define OPENSSSL_CONFIGURATION_H
#pragma once

#ifdef __cplusplus
extern "C" {
#endif

#ifdef OPENSSSL_ALGORITHM_DEFINES
#error OPENSSSL_ALGORITHM_DEFINES no longer supported
#endif

/*
 * OpenSSL was configured with the following options:
 */

/* clang-format off */
# define OPENSSSL_CONFIGURED_API 30000
# ifndef OPENSSSL_RAND_SEED_OS
# define OPENSSSL_RAND_SEED_OS
# endif
# ifndef OPENSSSL_THREADS
# define OPENSSSL_THREADS
# endif
# ifndef OPENSSSL_NO_AFALGENG
# define OPENSSSL_NO_AFALGENG
#
# endif
# ifndef OPENSSSL_NO_ASAN
# define OPENSSSL_NO_ASAN
# endif
# ifndef OPENSSSL_NO_ASM
# define OPENSSSL_NO_ASM
# endif
# ifndef OPENSSSL_NO_COMP
# define OPENSSSL_NO_COMP
# endif
# ifndef OPENSSSL_NO_CRYPTOMDDEBUG
# define OPENSSSL_NO_CRYPTOMDDEBUG
# endif
# ifndef OPENSSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# define OPENSSSL_NO_CRYPTOMDDEBUG_BACKTRACE
# endif
# ifndef OPENSSSL_NO_EC_NISTP_64_GCC_128
# define OPENSSSL_NO_EC_NISTP_64_GCC_128
# endif
# ifndef OPENSSSL_NO_EGD
# define OPENSSSL_NO_EGD

```

```

# endif
# ifndef OPENSSSL_NO_EXTERNAL_TESTS
# define OPENSSSL_NO_EXTERNAL_TESTS
# endif
# ifndef OPENSSSL_NO_FUZZ_AFL
# define OPENSSSL_NO_FUZZ_AFL
# endif
# ifndef OPENSSSL_NO_FUZZ_LIBFUZZER
# define OPENSSSL_NO_FUZZ_LIBFUZZER
# endif
# ifndef OPENSSSL_NO_KTLS
# define OPENSSSL_NO_KTLS
# endif
# ifndef OPENSSSL_NO_LOADERENG
# define OPENSSSL_NO_LOADERENG
# endif
# ifndef OPENSSSL_NO_MD2
# define OPENSSSL_NO_MD2
# endif
# ifndef OPENSSSL_NO_MSAN
# define OPENSSSL_NO_MSAN
# endif
# ifndef OPENSSSL_NO_RC5
#
    define OPENSSSL_NO_RC5
# endif
# ifndef OPENSSSL_NO_SCTP
# define OPENSSSL_NO_SCTP
# endif
# ifndef OPENSSSL_NO_SSL3
# define OPENSSSL_NO_SSL3
# endif
# ifndef OPENSSSL_NO_SSL3_METHOD
# define OPENSSSL_NO_SSL3_METHOD
# endif
# ifndef OPENSSSL_NO_TRACE
# define OPENSSSL_NO_TRACE
# endif
# ifndef OPENSSSL_NO_UBSAN
# define OPENSSSL_NO_UBSAN
# endif
# ifndef OPENSSSL_NO_UNIT_TEST
# define OPENSSSL_NO_UNIT_TEST
# endif
# ifndef OPENSSSL_NO_UPLINK
# define OPENSSSL_NO_UPLINK
# endif
# ifndef OPENSSSL_NO_WEAK_SSL_CIPHERS

```

```

# define OPENSSL_NO_WEAK_SSL_CIPHERS
# endif
# ifndef OPENSSL_NO_DYNAMIC_ENGINE
# define OPENSSL_NO_DYNAMIC_ENGINE
# endif

/* clang-format on */

/* Generate 80386 code? */
/* clang-format off */
# undef I386_ONLY
/* clang-format on */

/*
* The following are cipher-specific, but are part of the public API.
*/
#if !defined(OPENSSL_SYS_UEFI)
/* clang-format off */
# define BN_LLONG
/* clang-format on */
/* Only one for the following should be defined */
/* clang-format
off */
# undef SIXTY_FOUR_BIT_LONG
/* clang-format on */
/* clang-format off */
# undef SIXTY_FOUR_BIT
/* clang-format on */
/* clang-format off */
# define THIRTY_TWO_BIT
/* clang-format on */
#endif

/* clang-format off */
# define RC4_INT unsigned int
/* clang-format on */

#ifdef __cplusplus
}
#endif

#endif /* OPENSSL_CONFIGURATION_H */
Copyright (c) George Zahariev

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,

copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{
'variables': {
'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'AES_ASM',
'BSAES_ASM',
'CMLL_ASM',
'ECP_NISTZ256_ASM',
'GHASH_ASM',
'KECCAK1600_ASM',
'MD5_ASM',
'OPENSSL_BN_ASM_GF2m',
'OPENSSL_BN_ASM_MONT',
'OPENSSL_BN_ASM_MONT5',
'OPENSSL_CPUID_OBJ',
'OPENSSL_IA32_SSE2',
'PADLOCK_ASM',
'POLY1305_ASM',
'RC4_ASM',
'SHA1_ASM',
'SHA256_ASM',
'SHA512_ASM',
'VPAES_ASM',
'WHIRLPOOL_ASM',
'X25519_ASM',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
'-Wa,--noexecstack',
```

```

'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86_64': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',

'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',
'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86_64/asm_avx2/apps/progs.c',

```



```

'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',
'openssl/apps/lib/http_server.c',
'openssl/apps/lib/names.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'include_dirs': [
    './include',
],
'cflags' : ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86_64)'],
}

```

BSD 2-Clause License

Copyright (c) Open JS Foundation

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The ISC License

Copyright (c) 2011-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) 2019 Colin Ihrig and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This software is released under the MIT license:

Copyright (c) 2017 Evgeny Poberezkin

Copyright (c) 2013 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's

software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom

to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each

author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the

terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously

and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when

you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the

complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source

code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any

further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is

held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries

either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is

permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this

License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this

is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C) < yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General

Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program,
if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2012-2014 Andris Reinman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012, 2013 Thorsten Lorenz <thlorenz@gmx.de>

Copyright (c) 2012 James Halliday <mail@substack.net>

Copyright (c) 2009 Thomas Robinson <280north.com>

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: cfb53bd76796cf419b683a88e036d3ad

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license. You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <https://blueoakcouncil.org/license/1.0.0>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

***As far as the law allows, this software comes as is,
without any warranty or condition, and no contributor
will be liable to anyone for any damages related to this
software or this license, under any kind of legal claim.***

/*

* WARNING: do not edit!

* Generated by Makefile from providers/common/include/prov/der_sm2.h.in

*

* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#include "crypto/ec.h"

#include "internal/der.h"

/* Well known OIDs precompiled */

/* clang-format off */

/*

* sm2-with-SM3 OBJECT IDENTIFIER ::= { sm-scheme 501 }

*/

#define DER_OID_V_sm2_with_SM3 DER_P_OBJECT, 8, 0x2A, 0x81, 0x1C, 0xCF, 0x55, 0x01, 0x83, 0x75

#define DER_OID_SZ_sm2_with_SM3 10

extern const unsigned char ossl_der_oid_sm2_with_SM3[DER_OID_SZ_sm2_with_SM3];

/*

* curveSM2 OBJECT IDENTIFIER ::= { sm-scheme 301 }

*/

#define DER_OID_V_curveSM2 DER_P_OBJECT, 8, 0x2A, 0x81, 0x1C, 0xCF, 0x55, 0x01, 0x82, 0x2D

#define DER_OID_SZ_curveSM2 10

extern

const unsigned char ossl_der_oid_curveSM2[DER_OID_SZ_curveSM2];

/* clang-format on */

/* Subject Public Key Info */

int ossl_DER_w_algorithmIdentifier_SM2(WPACKET *pkt, int cont, EC_KEY *ec);

/* Signature */

int ossl_DER_w_algorithmIdentifier_SM2_with_MD(WPACKET *pkt, int cont,

```

    EC_KEY *ec, int mdnid);
/*
 * WARNING: do not edit!
 * Generated by util/mkbuildinf.pl
 *
 * Copyright 2014-2025 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

```

```

#define PLATFORM "platform: BSD-x86_64"
#define DATE "built on: Tue Jan 27 00:00:00 2026 UTC"

```

```

/*
 * Generate compiler_flags as an array of individual characters. This is a
 * workaround for the situation where CFLAGS gets too long for a C90 string
 * literal
 */

```

```

static const char compiler_flags[] = {
    'c','o','m','p','i','l','e','r',' ','g','c',' ','f',
    'p','t','c',' ','p','t','h','t','e','a','d',' ','w','a',
    't',' ','o','3',' ','d','l',' ','e','n','d','t','a',
    'n',' ','d','o','p','e','n','s','s','l',' ','p','t','c',' ',
    '-', 'd',' ','t','h','r','e','a','d',' ','s','a','f','e',' ',
    '-',
    'd',' ','r','e','e','n','t','r','a','n','t',' ','d','o','p',
    'e','n','s','s','l',' ','b','u','t','l','d','t','n','g',' ','o',
    'p','e','n','s','s','l',' ','d','n','d','e','b','u','g','\0'
};

```

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC License

Copyright (c) 2015-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC License

Copyright GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
{
  'variables': {
    'openssl_sources': [
      'openssl/crypto/aes/aes_ecb.c',
      'openssl/crypto/aes/aes_misc.c',
      'openssl/crypto/bn/bn_add.c',
      'openssl/crypto/bn/bn_blind.c',
      'openssl/crypto/bn/bn_const.c',
      'openssl/crypto/bn/bn_conv.c',
      'openssl/crypto/bn/bn_ctx.c',
      'openssl/crypto/bn/bn_dh.c',
      'openssl/crypto/bn/bn_div.c',
      'openssl/crypto/bn/bn_exp.c',
      'openssl/crypto/bn/bn_exp2.c',
      'openssl/crypto/bn/bn_gcd.c',
```

'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',

'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',

'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',

'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',

'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',

```

'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86': [
'./config/archs/BSD-x86/asm_avx2/crypto/aes/aes-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/aes/aesni-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/aes/vpaes-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bf/bf-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/bn-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/co-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/x86-gf2m.S',
'./config/archs/BSD-x86/asm_avx2/crypto/bn/x86-mont.S',
'./config/archs/BSD-x86/asm_avx2/crypto/camellia/cml1-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/chacha/chacha-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/des/crypt586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/des/des-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/ec/ecp_nistz256-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/x86cpuid.S',
'./config/archs/BSD-x86/asm_avx2/crypto/md5/md5-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/modes/ghash-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/poly1305/poly1305-x86.S',
'./config/archs/BSD-x86/asm_avx2/crypto/rc4/rc4-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/ripemd/rmd-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha1-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha256-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/sha/sha512-586.S',
'./config/archs/BSD-x86/asm_avx2/crypto/whrlpool/wp-mmx.S',
'./config/archs/BSD-x86/asm_avx2/engines/e_padlock-x86.S',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86/asm_avx2/providers/fips.ld',

```

```

],
'openssl_defines_BSD-x86': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'AES_ASM',
  'DES_ASM',
  'ECP_NISTZ256_ASM',
  'FIPS_MODULE',
  'GHASH_ASM',
  'OPENSSL_BN_ASM_GF2m',
  'OPENSSL_BN_ASM_MONT',
  'OPENSSL_BN_ASM_PART_WORDS',
  'OPENSSL_CPUID_OBJ',
  'OPENSSL_IA32_SSE2',
  'SHA1_ASM',
  'SHA256_ASM',
  'SHA512_ASM',
  'VPAES_ASM',
  'FIPS_MODULE',
],
'openssl_cflags_BSD-x86': [
  '-Wa,--noexecstack',
  '-Wall -O3 -fomit-frame-pointer',
  '-pthread',
  '-Wall -O3 -fomit-frame-pointer',
],
'openssl_ex_libs_BSD-x86': [
  '-pthread',
],
'linker_script': "
},
'include_dirs': [
  '.',
  './include',
  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86)'],
'cflags': ['<@(openssl_cflags_BSD-x86)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86)'],
},

```

```
}  
(MIT)
```

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/* Copyright Joyent, Inc. and other Node contributors. All rights reserved.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy  
* of this software and associated documentation files (the "Software"), to  
* deal in the Software without restriction, including without limitation the  
* rights to use, copy, modify, merge, publish, distribute, sublicense, and/or  
* sell copies of the Software, and to permit persons to whom the Software is  
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in  
* all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING  
* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS  
* IN THE SOFTWARE.
```

```
*/
```

```
#ifndef UV_BSD_H  
#define UV_BSD_H
```

```

#define UV_PLATFORM_FS_EVENT_FIELDS \
    uv__io_t event_watcher; \

#define UV_IO_PRIVATE_PLATFORM_FIELDS \
    int rcount; \
    int wcount; \

#define UV_HAVE_KQUEUE 1

#endif /* UV_BSD_H */
Copyright 2013 Thorsten Lorenz.
All rights reserved.

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to all parts of V8 that are not externally maintained libraries. The externally maintained libraries used by V8 are:

- PCRE test suite, located in test/mjsunit/third_party/regexp-pcre/regexp-pcre.js. This is based on the test suite from PCRE-7.3, which is copyrighted by the University of Cambridge and Google, Inc. The copyright notice and license are embedded in regexp-pcre.js.
- Layout tests, located in test/mjsunit/third_party/object-keys. These are based on layout tests from webkit.org which are copyrighted by Apple Computer, Inc. and released under a 3-clause BSD license.

- Strongtalk assembler, the basis of the files assembler-arm-inl.h, assembler-arm.cc, assembler-arm.h, assembler-ia32-inl.h, assembler-ia32.cc, assembler-ia32.h, assembler-x64-inl.h, assembler-x64.cc, assembler-x64.h, assembler.cc and assembler.h. This code is copyrighted by Sun Microsystems Inc. and released under a 3-clause BSD license.
- Valgrind client API header, located at src/third_party/valgrind/valgrind.h This is released under the BSD license.
- The Wasm C/C++ API headers, located at third_party/wasm-api/wasm.{h,hh} This is released under the Apache license. The API's upstream prototype implementation also formed the basis of V8's implementation in src/wasm/c-api.cc.

These libraries have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Further license information can be found in LICENSE files located in sub-directories.

Copyright 2014, the V8 project authors. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING


```

IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#ifndef SRC_PERMISSION_WASI_PERMISSION_H_
#define SRC_PERMISSION_WASI_PERMISSION_H_

#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS

#include <vector>
#include "permission/permission_base.h"

namespace node {

namespace permission {

class WASIPermission final : public PermissionBase {
public:
    void Apply(Environment* env,
                const std::vector<std::string>& allow,
                PermissionScope scope) override;
    bool is_granted(Environment* env,
                    PermissionScope perm,
                    const std::string_view& param = "") const override;

private:
    bool deny_all_;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_WASI_PERMISSION_H_
// Copyright 2016 The Chromium Authors
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:
//
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.

```

```
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE ARE DISCLAIMED.
// IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
{
'variables': {
'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'OPENSSL_PIC',
],
'openssl_cflags_BSD-x86_64': [
'-Wall -O3',
'-pthread',
'-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
'-pthread',
],
'openssl_cli_srcs_BSD-x86_64': [
'openssl/apps/lib/cmp_mock_srv.c',
'openssl/apps/asn1parse.c',
'openssl/apps/ca.c',
'openssl/apps/ciphers.c',
'openssl/apps/cmp.c',
'openssl/apps/cms.c',
'openssl/apps/crl.c',
'openssl/apps/crl2pkcs7.c',
'openssl/apps/dgst.c',
'openssl/apps/dhparam.c',
'openssl/apps/dsa.c',
'openssl/apps/dsaparam.c',
'openssl/apps/ec.c',
'openssl/apps/ecparam.c',
'openssl/apps/enc.c',
'openssl/apps/engine.c',
'openssl/apps/errstr.c',
'openssl/apps/fipsinstall.c',

```

'openssl/apps/gendsa.c',
'openssl/apps/genpkey.c',
'openssl/apps/genrsa.c',
'openssl/apps/info.c',
'openssl/apps/kdf.c',
'openssl/apps/list.c',
'openssl/apps/mac.c',
'openssl/apps/nseq.c',
'openssl/apps/ocsp.c',
'openssl/apps/openssl.c',
'openssl/apps/passwd.c',
'openssl/apps/pkcs12.c',
'openssl/apps/pkcs7.c',
'openssl/apps/pkcs8.c',
'openssl/apps/pkey.c',
'openssl/apps/pkeyparam.c',
'openssl/apps/pkeyutl.c',
'openssl/apps/prime.c',
'./config/archs/BSD-x86_64/no-asm/apps/progs.c',
'openssl/apps/rand.c',
'openssl/apps/rehash.c',
'openssl/apps/req.c',
'openssl/apps/rsa.c',
'openssl/apps/rsautl.c',
'openssl/apps/s_client.c',
'openssl/apps/s_server.c',
'openssl/apps/s_time.c',
'openssl/apps/sess_id.c',
'openssl/apps/smime.c',
'openssl/apps/speed.c',
'openssl/apps/spkac.c',
'openssl/apps/srp.c',
'openssl/apps/storeutl.c',
'openssl/apps/ts.c',
'openssl/apps/verify.c',
'openssl/apps/version.c',
'openssl/apps/x509.c',
'openssl/apps/lib/app_libctx.c',
'openssl/apps/lib/app_params.c',
'openssl/apps/lib/app_provider.c',
'openssl/apps/lib/app_rand.c',
'openssl/apps/lib/app_x509.c',
'openssl/apps/lib/apps.c',
'openssl/apps/lib/apps_ui.c',
'openssl/apps/lib/columns.c',
'openssl/apps/lib/engine.c',
'openssl/apps/lib/engine_loader.c',
'openssl/apps/lib/fmt.c',

```

'openssl/apps/lib/http_server.c',
'openssl/apps/lib/openssl.c',
'openssl/apps/lib/opt.c',
'openssl/apps/lib/s_cb.c',
'openssl/apps/lib/s_socket.c',
'openssl/apps/lib/tlsrp_depr.c',
],
},
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'include_dirs': [
    './include',
],
'cflags' : ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],
'sources': ['<@(openssl_cli_srcs_BSD-x86_64)'],
}
The MIT License (MIT)

```

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2015 Titus Wormer <mailto:tituswormer@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright OpenJS Foundation and other contributors, <www.openjsf.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
The MIT License (MIT)

Copyright (c) 2020 Vercel, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stuft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright 2022 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.
Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC License

Copyright 2017-2022 (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

Copyright 2017 Kat Marchn

Copyright npm, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This library is a fork of 'better-json-errors' by Kat Marchn, extended and distributed under the terms of the MIT license above.
(MIT License)

Copyright (c) 2013 [Ramesh Nair](<http://www.hiddentao.com/>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

```

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSSL_ERR_H
#define OPENSSSL_ERR_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define HEADER_ERR_H
#endif

#include <openssl/e_os2.h>

#ifndef OPENSSSL_NO_STDIO
#include <stdio.h>
#include <stdlib.h>
#endif

#include <openssl/types.h>
#include <openssl/bio.h>
#include <openssl/lhash.h>
#include <openssl/cryptoerr_legacy.h>

#ifdef __cplusplus
extern "C" {
#endif

#ifndef OPENSSSL_NO_DEPRECATED_3_0
#ifndef OPENSSSL_NO_FILENAMES
#define ERR_PUT_error(l, f, r, fn, ln) ERR_put_error(l, f, r, fn, ln)
#else
#define ERR_PUT_error(l, f, r, fn, ln) ERR_put_error(l, f, r, NULL, 0)
#endif
#endif

#include
<limits.h>
#include <errno.h>

#define ERR_TXT_MALLOCED 0x01
#define ERR_TXT_STRING 0x02

#if !defined(OPENSSSL_NO_DEPRECATED_3_0) || defined(OSSL_FORCE_ERR_STATE)
#define ERR_FLAG_MARK 0x01

```

```

#define ERR_FLAG_CLEAR 0x02

#define ERR_NUM_ERRORS 16
struct err_state_st {
    int err_flags[ERR_NUM_ERRORS];
    int err_marks[ERR_NUM_ERRORS];
    unsigned long err_buffer[ERR_NUM_ERRORS];
    char *err_data[ERR_NUM_ERRORS];
    size_t err_data_size[ERR_NUM_ERRORS];
    int err_data_flags[ERR_NUM_ERRORS];
    char *err_file[ERR_NUM_ERRORS];
    int err_line[ERR_NUM_ERRORS];
    char *err_func[ERR_NUM_ERRORS];
    int top, bottom;
};
#endif

/* library */
#define ERR_LIB_NONE 1
#define ERR_LIB_SYS 2
#define ERR_LIB_BN 3
#define ERR_LIB_RSA 4
#define ERR_LIB_DH 5
#define ERR_LIB_EVP 6
#define ERR_LIB_BUF 7
#define ERR_LIB_OBJ 8
#define ERR_LIB_PEM 9
#define ERR_LIB_DSA 10
#define ERR_LIB_X509 11
/* #define ERR_LIB_METH 12 */
#define ERR_LIB_ASN1 13
#define ERR_LIB_CONF
14
#define ERR_LIB_CRYPT 15
#define ERR_LIB_EC 16
#define ERR_LIB_SSL 20
/* #define ERR_LIB_SSL2 21 */
/* #define ERR_LIB_SSL2 22 */
/* #define ERR_LIB_SSL3 23 */
/* #define ERR_LIB_RSAREF 30 */
/* #define ERR_LIB_PROXY 31 */
#define ERR_LIB_BIO 32
#define ERR_LIB_PKCS7 33
#define ERR_LIB_X509V3 34
#define ERR_LIB_PKCS12 35
#define ERR_LIB_RAND 36
#define ERR_LIB_DSO 37
#define ERR_LIB_ENGINE 38

```

```

#define ERR_LIB_OCSP 39
#define ERR_LIB_UI 40
#define ERR_LIB_COMP 41
#define ERR_LIB_ECDSA 42
#define ERR_LIB_ECDH 43
#define ERR_LIB_OSSL_STORE 44
#define ERR_LIB_FIPS 45
#define ERR_LIB_CMS 46
#define ERR_LIB_TS 47
#define ERR_LIB_HMAC 48
/* # define ERR_LIB_JPAKE      49 */
#define ERR_LIB_CT 50
#define ERR_LIB_ASYNC 51
#define ERR_LIB_KDF 52
#define ERR_LIB_SM2 53
#define ERR_LIB_ESS 54
#define ERR_LIB_PROP 55
#define ERR_LIB_CRMF 56
#define ERR_LIB_PROV 57
#define ERR_LIB_CMP 58
#define ERR_LIB_OSSL_ENCODER 59
#define ERR_LIB_OSSL_DECODER 60
#define
ERR_LIB_HTTP 61

#define ERR_LIB_USER 128

#ifndef OPENSSL_NO_DEPRECATED_3_0
#define ASN1err(f, r) ERR_raise_data(ERR_LIB_ASN1, (r), NULL)
#define ASYNCerr(f, r) ERR_raise_data(ERR_LIB_ASYNC, (r), NULL)
#define BIOerr(f, r) ERR_raise_data(ERR_LIB_BIO, (r), NULL)
#define BNerr(f, r) ERR_raise_data(ERR_LIB_BN, (r), NULL)
#define BUFerr(f, r) ERR_raise_data(ERR_LIB_BUF, (r), NULL)
#define CMPerr(f, r) ERR_raise_data(ERR_LIB_CMP, (r), NULL)
#define CMSerr(f, r) ERR_raise_data(ERR_LIB_CMS, (r), NULL)
#define COMPerr(f, r) ERR_raise_data(ERR_LIB_COMP, (r), NULL)
#define CONFerr(f, r) ERR_raise_data(ERR_LIB_CONF, (r), NULL)
#define CRMFerr(f, r) ERR_raise_data(ERR_LIB_CRMF, (r), NULL)
#define CRYPTOerr(f, r) ERR_raise_data(ERR_LIB_CRYPT, (r), NULL)
#define CTerr(f, r) ERR_raise_data(ERR_LIB_CT, (r), NULL)
#define DHerr(f, r) ERR_raise_data(ERR_LIB_DH, (r), NULL)
#define DSAerr(f, r) ERR_raise_data(ERR_LIB_DSA, (r), NULL)
#define DSOerr(f, r) ERR_raise_data(ERR_LIB_DSO, (r), NULL)
#define
ECDHerr(f, r) ERR_raise_data(ERR_LIB_ECDH, (r), NULL)
#define ECDSAerr(f, r) ERR_raise_data(ERR_LIB_ECDSA, (r), NULL)
#define ECerr(f, r) ERR_raise_data(ERR_LIB_EC, (r), NULL)
#define ENGINEerr(f, r) ERR_raise_data(ERR_LIB_ENGINE, (r), NULL)

```



```

#define ESSerr(f, r) ERR_raise_data(ERR_LIB_ESS, (r), NULL)
#define EVPerr(f, r) ERR_raise_data(ERR_LIB_EVP, (r), NULL)
#define FIPSErr(f, r) ERR_raise_data(ERR_LIB_FIPS, (r), NULL)
#define HMACerr(f, r) ERR_raise_data(ERR_LIB_HMAC, (r), NULL)
#define HTTPerr(f, r) ERR_raise_data(ERR_LIB_HTTP, (r), NULL)
#define KDFerr(f, r) ERR_raise_data(ERR_LIB_KDF, (r), NULL)
#define OBJerr(f, r) ERR_raise_data(ERR_LIB_OBJ, (r), NULL)
#define OCSPerr(f, r) ERR_raise_data(ERR_LIB_OCSP, (r), NULL)
#define OSSL_STOREerr(f, r) ERR_raise_data(ERR_LIB_OSSL_STORE, (r), NULL)
#define PEMerr(f, r) ERR_raise_data(ERR_LIB_PEM, (r), NULL)
#define PKCS12err(f, r) ERR_raise_data(ERR_LIB_PKCS12, (r), NULL)
#define PKCS7err(f, r) ERR_raise_data(ERR_LIB_PKCS7, (r), NULL)
#define
    PROPerr(f, r) ERR_raise_data(ERR_LIB_PROP, (r), NULL)
#define PROVer(f, r) ERR_raise_data(ERR_LIB_PROV, (r), NULL)
#define RANDerr(f, r) ERR_raise_data(ERR_LIB_RAND, (r), NULL)
#define RSAerr(f, r) ERR_raise_data(ERR_LIB_RSA, (r), NULL)
#define KDFerr(f, r) ERR_raise_data(ERR_LIB_KDF, (r), NULL)
#define SM2err(f, r) ERR_raise_data(ERR_LIB_SM2, (r), NULL)
#define SSLerr(f, r) ERR_raise_data(ERR_LIB_SSL, (r), NULL)
#define SYSerr(f, r) ERR_raise_data(ERR_LIB_SYS, (r), NULL)
#define TSerr(f, r) ERR_raise_data(ERR_LIB_TS, (r), NULL)
#define UIerr(f, r) ERR_raise_data(ERR_LIB_UI, (r), NULL)
#define X509V3err(f, r) ERR_raise_data(ERR_LIB_X509V3, (r), NULL)
#define X509err(f, r) ERR_raise_data(ERR_LIB_X509, (r), NULL)
#endif

```

/*-

* The error code packs differently depending on if it records a system
 * error or an OpenSSL error.

*

* A system error packs like this (we follow POSIX and only allow positive
 * numbers that fit in an |int|):

*

* +-+-----+

* |1| system error number |

* +-+-----+

*

* An OpenSSL error packs like this:

*

* <----- 32 bits ----->

* <--- 8 bits ---><----- 23 bits ----->

* +-+-----+

* |0| library | reason |

* +-+-----+

*

* A few of the reason bits are reserved as flags with special meaning:

*

```

*          <5 bits-<->----- 19 bits ----->
*          +-----+-----+-----+-----+
*          | rflags| |      reason      | |
*          +-----+-----+-----+-----+
*
*          ^
*          |
*          ERR_RFLAG_FATAL
= ERR_R_FATAL
*
* The reason flags are part of the overall reason code for practical
* reasons, as they provide an easy way to place different types of
* reason codes in different numeric ranges.
*
* The currently known reason flags are:
*
* ERR_RFLAG_FATAL   Flags that the reason code is considered fatal.
*
*                   For backward compatibility reasons, this flag
*                   is also the code for ERR_R_FATAL (that reason
*                   code served the dual purpose of flag and reason
*                   code in one in pre-3.0 OpenSSL).
* ERR_RFLAG_COMMON  Flags that the reason code is common to all
*                   libraries. All ERR_R_ macros must use this flag,
*                   and no other _R_ macro is allowed to use it.
*/

/* Macros to help decode recorded system errors */
#define ERR_SYSTEM_FLAG ((unsigned int)INT_MAX + 1)
#define ERR_SYSTEM_MASK ((unsigned int)INT_MAX)

/*
* Macros to help decode recorded
* OpenSSL errors
* As expressed above, RFLAGS and REASON overlap by one bit to allow
* ERR_R_FATAL to use ERR_RFLAG_FATAL as its reason code.
*/
#define ERR_LIB_OFFSET 23L
#define ERR_LIB_MASK 0xFF
#define ERR_RFLAGS_OFFSET 18L
#define ERR_RFLAGS_MASK 0x1F
#define ERR_REASON_MASK 0X7FFFFF

/*
* Reason flags are defined pre-shifted to easily combine with the reason
* number.
*/
#define ERR_RFLAG_FATAL (0x1 << ERR_RFLAGS_OFFSET)
#define ERR_RFLAG_COMMON (0x2 << ERR_RFLAGS_OFFSET)

```

```

#define ERR_SYSTEM_ERROR(errcode) (((errcode) & ERR_SYSTEM_FLAG) != 0)

static ossl_unused ossl_inline int ERR_GET_LIB(unsigned long errcode)
{
    if (ERR_SYSTEM_ERROR(errcode))
        return ERR_LIB_SYS;
    return (errcode >> ERR_LIB_OFFSET) & ERR_LIB_MASK;
}

static ossl_unused ossl_inline int ERR_GET_RFLAGS(unsigned long errcode)
{
    if (ERR_SYSTEM_ERROR(errcode))
        return 0;
    return errcode & (ERR_RFLAGS_MASK << ERR_RFLAGS_OFFSET);
}

static ossl_unused ossl_inline int ERR_GET_REASON(unsigned
long errcode)
{
    if (ERR_SYSTEM_ERROR(errcode))
        return errcode & ERR_SYSTEM_MASK;
    return errcode & ERR_REASON_MASK;
}

static ossl_unused ossl_inline int ERR_FATAL_ERROR(unsigned long errcode)
{
    return (ERR_GET_RFLAGS(errcode) & ERR_RFLAG_FATAL) != 0;
}

static ossl_unused ossl_inline int ERR_COMMON_ERROR(unsigned long errcode)
{
    return (ERR_GET_RFLAGS(errcode) & ERR_RFLAG_COMMON) != 0;
}

/*
 * ERR_PACK is a helper macro to properly pack OpenSSL error codes and may
 * only be used for that purpose. System errors are packed internally.
 * ERR_PACK takes reason flags and reason code combined in |reason|.
 * ERR_PACK ignores |func|, that parameter is just legacy from pre-3.0 OpenSSL.
 */
#define ERR_PACK(lib, func, reason) \
    (((unsigned long)(lib) & ERR_LIB_MASK) << ERR_LIB_OFFSET) | (((unsigned long)(reason) & \
ERR_REASON_MASK)))

#ifndef OPENSSL_NO_DEPRECATED_3_0
#define SYS_F_FOPEN 0
#define SYS_F_CONNECT 0
#define SYS_F_GETSERVBYNAME 0

```

```

#define SYS_F_SOCKET
0
#define SYS_F_IOCTL_SOCKET 0
#define SYS_F_BIND 0
#define SYS_F_LISTEN 0
#define SYS_F_ACCEPT 0
#define SYS_F_WSASTARTUP 0
#define SYS_F_OPENDIR 0
#define SYS_F_FREAD 0
#define SYS_F_GETADDRINFO 0
#define SYS_F_GETNAMEINFO 0
#define SYS_F_SETSOCKOPT 0
#define SYS_F_GETSOCKOPT 0
#define SYS_F_GETSOCKNAME 0
#define SYS_F_GETHOSTBYNAME 0
#define SYS_F_FFLUSH 0
#define SYS_F_OPEN 0
#define SYS_F_CLOSE 0
#define SYS_F_IOCTL 0
#define SYS_F_STAT 0
#define SYS_F_FCNTL 0
#define SYS_F_FSTAT 0
#define SYS_F_SENDFILE 0
#endif

/*
 * All ERR_R_ codes must be combined with ERR_RFLAG_COMMON.
 */

/* "we came from here" global reason codes, range 1..255 */
#define ERR_R_SYS_LIB (ERR_LIB_SYS /* 2 */ | ERR_RFLAG_COMMON)
#define ERR_R_BN_LIB (ERR_LIB_BN /* 3 */ | ERR_RFLAG_COMMON)
#define ERR_R_RSA_LIB (ERR_LIB_RSA /* 4 */ | ERR_RFLAG_COMMON)
#define ERR_R_DH_LIB (ERR_LIB_DH /* 5 */ | ERR_RFLAG_COMMON)
#define ERR_R_EVP_LIB (ERR_LIB_EVP /* 6 */ | ERR_RFLAG_COMMON)
#define ERR_R_BUF_LIB (ERR_LIB_BUF
/* 7 */ | ERR_RFLAG_COMMON)
#define ERR_R_OBJ_LIB (ERR_LIB_OBJ /* 8 */ | ERR_RFLAG_COMMON)
#define ERR_R_PEM_LIB (ERR_LIB_PEM /* 9 */ | ERR_RFLAG_COMMON)
#define ERR_R_DSA_LIB (ERR_LIB_DSA /* 10 */ | ERR_RFLAG_COMMON)
#define ERR_R_X509_LIB (ERR_LIB_X509 /* 11 */ | ERR_RFLAG_COMMON)
#define ERR_R_ASN1_LIB (ERR_LIB_ASN1 /* 13 */ | ERR_RFLAG_COMMON)
#define ERR_R_CONF_LIB (ERR_LIB_CONF /* 14 */ | ERR_RFLAG_COMMON)
#define ERR_R_CRYPTolib (ERR_LIB_CRYPTolib /* 15 */ | ERR_RFLAG_COMMON)
#define ERR_R_EC_LIB (ERR_LIB_EC /* 16 */ | ERR_RFLAG_COMMON)
#define ERR_R_SSL_LIB (ERR_LIB_SSL /* 20 */ | ERR_RFLAG_COMMON)
#define ERR_R_BIO_LIB (ERR_LIB_BIO /* 32 */ | ERR_RFLAG_COMMON)
#define ERR_R_PKCS7_LIB (ERR_LIB_PKCS7 /* 33 */ | ERR_RFLAG_COMMON)

```

```

#define ERR_R_X509V3_LIB (ERR_LIB_X509V3 /* 34 */ | ERR_RFLAG_COMMON)
#define ERR_R_PKCS12_LIB (ERR_LIB_PKCS12 /* 35 */ | ERR_RFLAG_COMMON)
#define ERR_R_RAND_LIB (ERR_LIB_RAND /* 36 */ | ERR_RFLAG_COMMON)
#define ERR_R_DSO_LIB (ERR_LIB_DSO /* 37 */
| ERR_RFLAG_COMMON)
#define ERR_R_ENGINE_LIB (ERR_LIB_ENGINE /* 38 */ | ERR_RFLAG_COMMON)
#define ERR_R_UI_LIB (ERR_LIB_UI /* 40 */ | ERR_RFLAG_COMMON)
#define ERR_R_ECDSA_LIB (ERR_LIB_ECDSA /* 42 */ | ERR_RFLAG_COMMON)
#define ERR_R_OSSL_STORE_LIB (ERR_LIB_OSSL_STORE /* 44 */ | ERR_RFLAG_COMMON)
#define ERR_R_CMS_LIB (ERR_LIB_CMS /* 46 */ | ERR_RFLAG_COMMON)
#define ERR_R_TS_LIB (ERR_LIB_TS /* 47 */ | ERR_RFLAG_COMMON)
#define ERR_R_CT_LIB (ERR_LIB_CT /* 50 */ | ERR_RFLAG_COMMON)
#define ERR_R_PROV_LIB (ERR_LIB_PROV /* 57 */ | ERR_RFLAG_COMMON)
#define ERR_R_ESS_LIB (ERR_LIB_ESS /* 54 */ | ERR_RFLAG_COMMON)
#define ERR_R_CMP_LIB (ERR_LIB_CMP /* 58 */ | ERR_RFLAG_COMMON)
#define ERR_R_OSSL_ENCODER_LIB (ERR_LIB_OSSL_ENCODER /* 59 */ | ERR_RFLAG_COMMON)
#define ERR_R_OSSL_DECODER_LIB (ERR_LIB_OSSL_DECODER /* 60 */ | ERR_RFLAG_COMMON)

/* Other common error codes, range 256..2^ERR_RFLAGS_OFFSET-1 */
#define ERR_R_FATAL (ERR_RFLAG_FATAL | ERR_RFLAG_COMMON)
#define ERR_R_MALLOC_FAILURE (256
| ERR_R_FATAL)
#define ERR_R_SHOULD_NOT_HAVE_BEEN_CALLED (257 | ERR_R_FATAL)
#define ERR_R_PASSED_NULL_PARAMETER (258 | ERR_R_FATAL)
#define ERR_R_INTERNAL_ERROR (259 | ERR_R_FATAL)
#define ERR_R_DISABLED (260 | ERR_R_FATAL)
#define ERR_R_INIT_FAIL (261 | ERR_R_FATAL)
#define ERR_R_PASSED_INVALID_ARGUMENT (262 | ERR_RFLAG_COMMON)
#define ERR_R_OPERATION_FAIL (263 | ERR_R_FATAL)
#define ERR_R_INVALID_PROVIDER_FUNCTIONS (264 | ERR_R_FATAL)
#define ERR_R_INTERRUPTED_OR_CANCELLED (265 | ERR_RFLAG_COMMON)
#define ERR_R_NESTED_ASN1_ERROR (266 | ERR_RFLAG_COMMON)
#define ERR_R_MISSING_ASN1_EOS (267 | ERR_RFLAG_COMMON)
#define ERR_R_UNSUPPORTED (268 | ERR_RFLAG_COMMON)
#define ERR_R_FETCH_FAILED (269 | ERR_RFLAG_COMMON)
#define ERR_R_INVALID_PROPERTY_DEFINITION (270 | ERR_RFLAG_COMMON)
#define ERR_R_UNABLE_TO_GET_READ_LOCK (271 | ERR_R_FATAL)
#define ERR_R_UNABLE_TO_GET_WRITE_LOCK (272 | ERR_R_FATAL)

typedef struct ERR_string_data_st {
    unsigned long error;
    const char *string;
} ERR_STRING_DATA;

/*
clang-format off */
DEFINE_LHASH_OF_INTERNAL(ERR_STRING_DATA);
#define lh_ERR_STRING_DATA_new(hfn, cmp) ((LHASH_OF(ERR_STRING_DATA)

```

```

*)OPENSSL_LH_new(ssl_check_ERR_STRING_DATA_lh_hashfunc_type(hfn),
ssl_check_ERR_STRING_DATA_lh_compfunc_type(cmp)))
#define lh_ERR_STRING_DATA_free(lh) OPENSSL_LH_free(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_flush(lh) OPENSSL_LH_flush(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_insert(lh, ptr) ((ERR_STRING_DATA
*)OPENSSL_LH_insert(ssl_check_ERR_STRING_DATA_lh_type(lh),
ssl_check_ERR_STRING_DATA_lh_plain_type(ptr)))
#define lh_ERR_STRING_DATA_delete(lh, ptr) ((ERR_STRING_DATA
*)OPENSSL_LH_delete(ssl_check_ERR_STRING_DATA_lh_type(lh),
ssl_check_const_ERR_STRING_DATA_lh_plain_type(ptr)))
#define lh_ERR_STRING_DATA_retrieve(lh, ptr) ((ERR_STRING_DATA
*)OPENSSL_LH_retrieve(ssl_check_ERR_STRING_DATA_lh_type(lh),
ssl_check_const_ERR_STRING_DATA_lh_plain_type(ptr)))
#define lh_ERR_STRING_DATA_error(lh)
    OPENSSL_LH_error(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_num_items(lh)
    OPENSSL_LH_num_items(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_node_stats_bio(lh, out)
    OPENSSL_LH_node_stats_bio(ssl_check_const_ERR_STRING_DATA_lh_type(lh), out)
#define lh_ERR_STRING_DATA_node_usage_stats_bio(lh, out)
    OPENSSL_LH_node_usage_stats_bio(ssl_check_const_ERR_STRING_DATA_lh_type(lh), out)
#define lh_ERR_STRING_DATA_stats_bio(lh, out)
    OPENSSL_LH_stats_bio(ssl_check_const_ERR_STRING_DATA_lh_type(lh), out)
#define lh_ERR_STRING_DATA_get_down_load(lh)
    OPENSSL_LH_get_down_load(ssl_check_ERR_STRING_DATA_lh_type(lh))
#define lh_ERR_STRING_DATA_set_down_load(lh, dl)
    OPENSSL_LH_set_down_load(ssl_check_ERR_STRING_DATA_lh_type(lh), dl)
#define lh_ERR_STRING_DATA_doall(lh, dfn)
    OPENSSL_LH_doall(ssl_check_ERR_STRING_DATA_lh_type(lh),
ssl_check_ERR_STRING_DATA_lh_doallfunc_type(dfn))

/* clang-format on */

/* 12 lines and some on an 80 column terminal
*/
#define ERR_MAX_DATA_SIZE 1024

/* Building blocks */
void ERR_new(void);
void ERR_set_debug(const char *file, int line, const char *func);
void ERR_set_error(int lib, int reason, const char *fmt, ...);
void ERR_vset_error(int lib, int reason, const char *fmt, va_list args);

/* Main error raising functions */
#define ERR_raise(lib, reason) ERR_raise_data((lib), (reason), NULL)
#define ERR_raise_data \
    (ERR_new(), \
    ERR_set_debug(OPENSSL_FILE, OPENSSL_LINE, OPENSSL_FUNC), \

```

```

ERR_set_error)

#ifndef OPENSSSL_NO_DEPRECATED_3_0
/* Backward compatibility */
#define ERR_put_error(lib, func, reason, file, line) \
    (ERR_new(), \
     ERR_set_debug((file), (line), OPENSSSL_FUNC), \
     ERR_set_error((lib), (reason), NULL))
#endif

void ERR_set_error_data(char *data, int flags);

unsigned long ERR_get_error(void);
unsigned long ERR_get_error_all(const
char **file, int *line,
    const char **func,
    const char **data, int *flags);
#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
unsigned long ERR_get_error_line(const char **file, int *line);
OSSL_DEPRECATEDIN_3_0
unsigned long ERR_get_error_line_data(const char **file, int *line,
    const char **data, int *flags);
#endif
unsigned long ERR_peek_error(void);
unsigned long ERR_peek_error_line(const char **file, int *line);
unsigned long ERR_peek_error_func(const char **func);
unsigned long ERR_peek_error_data(const char **data, int *flags);
unsigned long ERR_peek_error_all(const char **file, int *line,
    const char **func,
    const char **data, int *flags);
#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
unsigned long ERR_peek_error_line_data(const char **file, int *line,
    const char **data, int *flags);
#endif
unsigned long ERR_peek_last_error(void);
unsigned long ERR_peek_last_error_line(const char **file, int *line);
unsigned long ERR_peek_last_error_func(const
char **func);
unsigned long ERR_peek_last_error_data(const char **data, int *flags);
unsigned long ERR_peek_last_error_all(const char **file, int *line,
    const char **func,
    const char **data, int *flags);
#ifndef OPENSSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0
unsigned long ERR_peek_last_error_line_data(const char **file, int *line,
    const char **data, int *flags);

```

```

#endif

void ERR_clear_error(void);

char *ERR_error_string(unsigned long e, char *buf);
void ERR_error_string_n(unsigned long e, char *buf, size_t len);
const char *ERR_lib_error_string(unsigned long e);
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 const char *ERR_func_error_string(unsigned long e);
#endif
const char *ERR_reason_error_string(unsigned long e);

void ERR_print_errors_cb(int (*cb)(const char *str, size_t len, void *u),
    void *u);
#ifdef OPENSSL_NO_STDIO
void ERR_print_errors_fp(FILE *fp);
#endif
void ERR_print_errors(BIO *bp);

void ERR_add_error_data(int num, ...);
void
    ERR_add_error_vdata(int num, va_list args);
void ERR_add_error_txt(const char *sepr, const char *txt);
void ERR_add_error_mem_bio(const char *sep, BIO *bio);

int ERR_load_strings(int lib, ERR_STRING_DATA *str);
int ERR_load_strings_const(const ERR_STRING_DATA *str);
int ERR_unload_strings(int lib, ERR_STRING_DATA *str);

#ifdef OPENSSL_NO_DEPRECATED_1_1_0
#define ERR_load_crypto_strings() \
    OPENSSL_init_crypto(OPENSSL_INIT_LOAD_CRYPTO_STRINGS, NULL)
#define ERR_free_strings() \
    while (0) \
    continue
#endif
#ifdef OPENSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 void ERR_remove_thread_state(void *);
#endif
#ifdef OPENSSL_NO_DEPRECATED_1_0_0
OSSL_DEPRECATEDIN_1_0_0 void ERR_remove_state(unsigned long pid);
#endif
#ifdef OPENSSL_NO_DEPRECATED_3_0
OSSL_DEPRECATEDIN_3_0 ERR_STATE *ERR_get_state(void);
#endif

int ERR_get_next_error_library(void);

```



```
int ERR_set_mark(void);
int ERR_pop_to_mark(void);
int ERR_clear_last_mark(void);
```

```
#ifdef __cplusplus
}
#endif
```

```
#endif
The MIT License (MIT)
```

Copyright (c) 2016-2017 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE

WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(The MIT License)

Copyright (c) 2020 Titus Wormer <tituswormer@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
{  
  global:  
    OSSL_provider_init;  
  local: *;  
};
```

The ISC License

Copyright (c) GitHub Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR

IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 Josh Glazebrook

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2021 Simon Seyock

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

// Copyright 2016 The Chromium Authors. All rights reserved.

//

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions are

// met:

//

// * Redistributions of source code must retain the above copyright

// notice, this list of conditions and the following disclaimer.

// * Redistributions in binary form must reproduce the above

// copyright notice, this list of conditions and the following disclaimer

// in the documentation and/or other materials provided with the

// distribution.

// * Neither the name of Google Inc. nor the names of its

// contributors may be used to endorse or promote products derived from

// this software without specific prior written permission.

//

// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

// A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide
to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether
gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free

library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means

all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has

a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany

it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit

modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception,

the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

name: License update

on:

schedule:

00:00:00 every Monday

https://crontab.guru/#0_0_*_*_1

- cron: 0 0 * * 1

workflow_dispatch:

permissions:

contents: read

jobs:

update_license:

permissions:

contents: write # for gr2m/create-or-update-pull-request-action to push local changes

pull-requests: write # for gr2m/create-or-update-pull-request-action to create a PR

if: github.repository == 'nodejs/node'

runs-on: ubuntu-slim

steps:

- uses: actions/checkout@11bd71901bbe5b1630ceea73d27597364c9af683 # v4.2.2

with:

persist-credentials: false

- run: ./tools/license-builder.sh # Run the license builder tool

- uses: gr2m/create-or-update-pull-request-action@86ec1766034c8173518f61d2075cc2a173fb8c97 # v1.9.4

Creates a PR or update the Action's existing PR, or

no-op if the base branch is already up-to-date.

env:

GITHUB_TOKEN: \${ secrets.GITHUB_TOKEN }

with:

author: Node.js GitHub Bot <github-bot@iojs.org>

branch: actions/license-builder

title: 'doc: run license-builder'

body: >

License is likely out of date. This is an automatically generated PR by

the `license-builder.yml` GitHub Action, which runs `license-builder.sh`

and submits a new PR or updates an existing PR.

commit-message: 'doc: run license-builder'

labels: meta

Copyright 2018 Logan Smyth <loganfsmyth@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2015 Rich Harris

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The 3-Clause BSD License

Copyright web-platform-tests contributors

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/ct.h.in

*

* Copyright 2016-2020 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

```

* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSSL_CT_H
#define OPENSSSL_CT_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define HEADER_CT_H
#endif

#include <openssl/opensslconf.h>

#ifndef OPENSSSL_NO_CT
#include <openssl/types.h>
#include <openssl/safestack.h>
#include <openssl/x509.h>
#include <openssl/cterr.h>
#ifdef __cplusplus
extern "C" {
#endif

/* Minimum RSA key size, from RFC6962 */
#define SCT_MIN_RSA_BITS 2048

/* All hashes are SHA256 in v1 of Certificate Transparency */
#define CT_V1_HASHLEN SHA256_DIGEST_LENGTH

/* clang-format
off */
SKM_DEFINE_STACK_OF_INTERNAL(SCT, SCT, SCT)
#define sk_SCT_num(sk) OPENSSSL_sk_num(ossl_check_const_SCT_sk_type(sk))
#define sk_SCT_value(sk, idx) ((SCT *)OPENSSSL_sk_value(ossl_check_const_SCT_sk_type(sk), (idx)))
#define sk_SCT_new(cmp) ((STACK_OF(SCT) *)OPENSSSL_sk_new(ossl_check_SCT_compfunc_type(cmp)))
#define sk_SCT_new_null() ((STACK_OF(SCT) *)OPENSSSL_sk_new_null())
#define sk_SCT_new_reserve(cmp, n) ((STACK_OF(SCT)
*)OPENSSSL_sk_new_reserve(ossl_check_SCT_compfunc_type(cmp), (n)))
#define sk_SCT_reserve(sk, n) OPENSSSL_sk_reserve(ossl_check_SCT_sk_type(sk), (n))
#define sk_SCT_free(sk) OPENSSSL_sk_free(ossl_check_SCT_sk_type(sk))
#define sk_SCT_zero(sk) OPENSSSL_sk_zero(ossl_check_SCT_sk_type(sk))
#define sk_SCT_delete(sk, i) ((SCT *)OPENSSSL_sk_delete(ossl_check_SCT_sk_type(sk), (i)))

```

```

#define sk_SCT_delete_ptr(sk, ptr) ((SCT *)OPENSSL_sk_delete_ptr(ossl_check_SCT_sk_type(sk),
ossl_check_SCT_type(ptr)))
#define sk_SCT_push(sk, ptr) OPENSSL_sk_push(ossl_check_SCT_sk_type(sk),
ossl_check_SCT_type(ptr))
#define sk_SCT_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_SCT_sk_type(sk), ossl_check_SCT_type(ptr))
#define sk_SCT_pop(sk) ((SCT *)OPENSSL_sk_pop(ossl_check_SCT_sk_type(sk)))
#define sk_SCT_shift(sk) ((SCT *)OPENSSL_sk_shift(ossl_check_SCT_sk_type(sk)))
#define sk_SCT_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ossl_check_SCT_sk_type(sk), ossl_check_SCT_freefunc_type(freefunc))
#define sk_SCT_insert(sk, ptr, idx) OPENSSL_sk_insert(ossl_check_SCT_sk_type(sk), ossl_check_SCT_type(ptr),
(idx))
#define sk_SCT_set(sk, idx, ptr) ((SCT *)OPENSSL_sk_set(ossl_check_SCT_sk_type(sk), (idx),
ossl_check_SCT_type(ptr)))
#define sk_SCT_find(sk, ptr) OPENSSL_sk_find(ossl_check_SCT_sk_type(sk), ossl_check_SCT_type(ptr))
#define sk_SCT_find_ex(sk, ptr) OPENSSL_sk_find_ex(ossl_check_SCT_sk_type(sk), ossl_check_SCT_type(ptr))
#define sk_SCT_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ossl_check_SCT_sk_type(sk),
ossl_check_SCT_type(ptr), pnum)
#define sk_SCT_sort(sk) OPENSSL_sk_sort(ossl_check_SCT_sk_type(sk))
#define
sk_SCT_is_sorted(sk) OPENSSL_sk_is_sorted(ossl_check_const_SCT_sk_type(sk))
#define sk_SCT_dup(sk) ((STACK_OF(SCT) *)OPENSSL_sk_dup(ossl_check_const_SCT_sk_type(sk)))
#define sk_SCT_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(SCT)
*)OPENSSL_sk_deep_copy(ossl_check_const_SCT_sk_type(sk), ossl_check_SCT_copyfunc_type(copyfunc),
ossl_check_SCT_freefunc_type(freefunc)))
#define sk_SCT_set_cmp_func(sk, cmp)
((sk_SCT_compfunc)OPENSSL_sk_set_cmp_func(ossl_check_SCT_sk_type(sk),
ossl_check_SCT_compfunc_type(cmp)))
SKM_DEFINE_STACK_OF_INTERNAL(CTLOG, CTLOG, CTLOG)
#define sk_CTLOG_num(sk) OPENSSL_sk_num(ossl_check_const_CTLOG_sk_type(sk))
#define sk_CTLOG_value(sk, idx) ((CTLOG *)OPENSSL_sk_value(ossl_check_const_CTLOG_sk_type(sk),
(idx)))
#define sk_CTLOG_new(cmp) ((STACK_OF(CTLOG)
*)OPENSSL_sk_new(ossl_check_CTLOG_compfunc_type(cmp)))
#define sk_CTLOG_new_null() ((STACK_OF(CTLOG) *)OPENSSL_sk_new_null())
#define sk_CTLOG_new_reserve(cmp, n)
((STACK_OF(CTLOG) *)OPENSSL_sk_new_reserve(ossl_check_CTLOG_compfunc_type(cmp), (n)))
#define sk_CTLOG_reserve(sk, n) OPENSSL_sk_reserve(ossl_check_CTLOG_sk_type(sk), (n))
#define sk_CTLOG_free(sk) OPENSSL_sk_free(ossl_check_CTLOG_sk_type(sk))
#define sk_CTLOG_zero(sk) OPENSSL_sk_zero(ossl_check_CTLOG_sk_type(sk))
#define sk_CTLOG_delete(sk, i) ((CTLOG *)OPENSSL_sk_delete(ossl_check_CTLOG_sk_type(sk), (i)))
#define sk_CTLOG_delete_ptr(sk, ptr) ((CTLOG *)OPENSSL_sk_delete_ptr(ossl_check_CTLOG_sk_type(sk),
ossl_check_CTLOG_type(ptr)))
#define sk_CTLOG_push(sk, ptr) OPENSSL_sk_push(ossl_check_CTLOG_sk_type(sk),
ossl_check_CTLOG_type(ptr))
#define sk_CTLOG_unshift(sk, ptr) OPENSSL_sk_unshift(ossl_check_CTLOG_sk_type(sk),
ossl_check_CTLOG_type(ptr))
#define sk_CTLOG_pop(sk) ((CTLOG *)OPENSSL_sk_pop(ossl_check_CTLOG_sk_type(sk)))
#define sk_CTLOG_shift(sk) ((CTLOG *)OPENSSL_sk_shift(ossl_check_CTLOG_sk_type(sk)))

```

```

#define sk_CTLOG_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_CTLOG_sk_type(sk),ssl_check_CTLOG_freefunc_type(freefunc))
#define
    sk_CTLOG_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr), (idx))
#define sk_CTLOG_set(sk, idx, ptr) ((CTLOG *)OPENSSL_sk_set(ssl_check_CTLOG_sk_type(sk), (idx),
ssl_check_CTLOG_type(ptr)))
#define sk_CTLOG_find(sk, ptr) OPENSSL_sk_find(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr))
#define sk_CTLOG_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr))
#define sk_CTLOG_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_type(ptr), pnum)
#define sk_CTLOG_sort(sk) OPENSSL_sk_sort(ssl_check_CTLOG_sk_type(sk))
#define sk_CTLOG_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_CTLOG_sk_type(sk))
#define sk_CTLOG_dup(sk) ((STACK_OF(CTLOG)
*)OPENSSL_sk_dup(ssl_check_const_CTLOG_sk_type(sk)))
#define sk_CTLOG_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(CTLOG)
*)OPENSSL_sk_deep_copy(ssl_check_const_CTLOG_sk_type(sk),
    ssl_check_CTLOG_copyfunc_type(copyfunc), ssl_check_CTLOG_freefunc_type(freefunc)))
#define sk_CTLOG_set_cmp_func(sk, cmp)
((sk_CTLOG_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_CTLOG_sk_type(sk),
ssl_check_CTLOG_compfunc_type(cmp)))

```

```

/* clang-format on */

```

```

typedef enum {
    CT_LOG_ENTRY_TYPE_NOT_SET = -1,
    CT_LOG_ENTRY_TYPE_X509 = 0,
    CT_LOG_ENTRY_TYPE_PRECERT = 1
} ct_log_entry_type_t;

```

```

typedef enum {
    SCT_VERSION_NOT_SET = -1,
    SCT_VERSION_V1 = 0
} sct_version_t;

```

```

typedef enum {
    SCT_SOURCE_UNKNOWN,
    SCT_SOURCE_TLS_EXTENSION,
    SCT_SOURCE_X509V3_EXTENSION,
    SCT_SOURCE_OCSP_STAPLED_RESPONSE
} sct_source_t;

```

```

typedef enum {
    SCT_VALIDATION_STATUS_NOT_SET,
    SCT_VALIDATION_STATUS_UNKNOWN_LOG,
    SCT_VALIDATION_STATUS_VALID,

```

```

    SCT_VALIDATION_STATUS_INVALID,
    SCT_VALIDATION_STATUS_UNVERIFIED,
    SCT_VALIDATION_STATUS_UNKNOWN_VERSION
} sct_validation_status_t;

/*****

* CT policy evaluation
context functions *
*****/

/*
* Creates a new, empty policy evaluation context associated with the given
* library context and property query string.
* The caller is responsible for calling CT_POLICY_EVAL_CTX_free when finished
* with the CT_POLICY_EVAL_CTX.
*/
CT_POLICY_EVAL_CTX *CT_POLICY_EVAL_CTX_new_ex(OSSL_LIB_CTX *libctx,
    const char *propq);

/*
* The same as CT_POLICY_EVAL_CTX_new_ex() but the default library
* context and property query string is used.
*/
CT_POLICY_EVAL_CTX *CT_POLICY_EVAL_CTX_new(void);

/* Deletes a policy evaluation context and anything it owns. */
void CT_POLICY_EVAL_CTX_free(CT_POLICY_EVAL_CTX *ctx);

/* Gets the peer certificate that the SCTs are for */
X509 *CT_POLICY_EVAL_CTX_get0_cert(const CT_POLICY_EVAL_CTX *ctx);

/*
* Sets the certificate associated with the received SCTs.
* Increments the reference count of cert.
* Returns 1 on success, 0 otherwise.
*/
int CT_POLICY_EVAL_CTX_set1_cert(CT_POLICY_EVAL_CTX
    *ctx, X509 *cert);

/* Gets the issuer of the aforementioned certificate */
X509 *CT_POLICY_EVAL_CTX_get0_issuer(const CT_POLICY_EVAL_CTX *ctx);

/*
* Sets the issuer of the certificate associated with the received SCTs.
* Increments the reference count of issuer.
* Returns 1 on success, 0 otherwise.
*/
int CT_POLICY_EVAL_CTX_set1_issuer(CT_POLICY_EVAL_CTX *ctx, X509 *issuer);

```

```

/* Gets the CT logs that are trusted sources of SCTs */
const CTLOG_STORE *CT_POLICY_EVAL_CTX_get0_log_store(const CT_POLICY_EVAL_CTX *ctx);

/* Sets the log store that is in use. It must outlive the CT_POLICY_EVAL_CTX. */
void CT_POLICY_EVAL_CTX_set_shared_CTLOG_STORE(CT_POLICY_EVAL_CTX *ctx,
    CTLOG_STORE *log_store);

/*
 * Gets the time, in milliseconds since the Unix epoch, that will be used as the
 * current time when checking whether an SCT was issued in the future.
 * Such SCTs will fail validation, as required by RFC6962.
 */
uint64_t CT_POLICY_EVAL_CTX_get_time(const CT_POLICY_EVAL_CTX
    *ctx);

/*
 * Sets the time to evaluate SCTs against, in milliseconds since the Unix epoch.
 * If an SCT's timestamp is after this time, it will be interpreted as having
 * been issued in the future. RFC6962 states that "TLS clients MUST reject SCTs
 * whose timestamp is in the future", so an SCT will not validate in this case.
 */
void CT_POLICY_EVAL_CTX_set_time(CT_POLICY_EVAL_CTX *ctx, uint64_t time_in_ms);

/*****
 * SCT functions *
 *****/

/*
 * Creates a new, blank SCT.
 * The caller is responsible for calling SCT_free when finished with the SCT.
 */
SCT *SCT_new(void);

/*
 * Creates a new SCT from some base64-encoded strings.
 * The caller is responsible for calling SCT_free when finished with the SCT.
 */
SCT *SCT_new_from_base64(unsigned char version,
    const char *logid_base64,
    ct_log_entry_type_t entry_type,
    uint64_t timestamp,
    const char *extensions_base64,
    const char *signature_base64);

/*
 * Frees the SCT and the underlying data

```

```

structures.
*/
void SCT_free(SCT *sct);

/*
 * Free a stack of SCTs, and the underlying SCTs themselves.
 * Intended to be compatible with X509V3_EXT_FREE.
 */
void SCT_LIST_free(STACK_OF(SCT) *a);

/*
 * Returns the version of the SCT.
 */
sct_version_t SCT_get_version(const SCT *sct);

/*
 * Set the version of an SCT.
 * Returns 1 on success, 0 if the version is unrecognized.
 */
__owur int SCT_set_version(SCT *sct, sct_version_t version);

/*
 * Returns the log entry type of the SCT.
 */
ct_log_entry_type_t SCT_get_log_entry_type(const SCT *sct);

/*
 * Set the log entry type of an SCT.
 * Returns 1 on success, 0 otherwise.
 */
__owur int SCT_set_log_entry_type(SCT *sct, ct_log_entry_type_t entry_type);

/*
 * Gets the ID of the log that an SCT came from.
 * Ownership of the log ID remains with the SCT.
 * Returns the length of the log ID.
 */
size_t SCT_get0_log_id(const SCT *sct, unsigned char **log_id);

/*
 * Set the log ID of an SCT to point directly to the *log_id specified.
 * The SCT takes ownership of the specified pointer.
 * Returns 1 on success, 0 otherwise.
 */
__owur int SCT_set0_log_id(SCT *sct, unsigned char *log_id, size_t log_id_len);

/*
 * Set the log ID of an SCT.

```



```

* This makes a copy of the log_id.
* Returns 1 on success, 0 otherwise.
*/
__owur int SCT_set1_log_id(SCT *sct, const unsigned char *log_id,
    size_t log_id_len);

/*
* Returns the timestamp for the SCT (epoch time in milliseconds).
*/
uint64_t SCT_get_timestamp(const SCT *sct);

/*
* Set the timestamp of an SCT (epoch time in milliseconds).
*/
void SCT_set_timestamp(SCT *sct, uint64_t timestamp);

/*
* Return the NID for the signature used by the SCT.
* For CT v1, this will be either NID_sha256WithRSAEncryption or
* NID_ecdsa_with_SHA256 (or NID_undef if incorrect/unset).
*/
int SCT_get_signature_nid(const SCT *sct);

/*
* Set the signature type of an SCT
* For CT v1, this should be either NID_sha256WithRSAEncryption or
* NID_ecdsa_with_SHA256.
* Returns 1 on
    success, 0 otherwise.
*/
__owur int SCT_set_signature_nid(SCT *sct, int nid);

/*
* Set *ext to point to the extension data for the SCT. ext must not be NULL.
* The SCT retains ownership of this pointer.
* Returns length of the data pointed to.
*/
size_t SCT_get0_extensions(const SCT *sct, unsigned char **ext);

/*
* Set the extensions of an SCT to point directly to the *ext specified.
* The SCT takes ownership of the specified pointer.
*/
void SCT_set0_extensions(SCT *sct, unsigned char *ext, size_t ext_len);

/*
* Set the extensions of an SCT.
* This takes a copy of the ext.

```

```

* Returns 1 on success, 0 otherwise.
*/
__owur int SCT_set1_extensions(SCT *sct, const unsigned char *ext,
    size_t ext_len);

/*
* Set *sig to point to the signature for the SCT. sig must not be NULL.
* The SCT retains ownership of this pointer.
* Returns length of the data pointed to.
*/
size_t SCT_get0_signature(const SCT *sct, unsigned char **sig);

/*
* Set the signature of an SCT to point
    directly to the *sig specified.
* The SCT takes ownership of the specified pointer.
*/
void SCT_set0_signature(SCT *sct, unsigned char *sig, size_t sig_len);

/*
* Set the signature of an SCT to be a copy of the *sig specified.
* Returns 1 on success, 0 otherwise.
*/
__owur int SCT_set1_signature(SCT *sct, const unsigned char *sig,
    size_t sig_len);

/*
* The origin of this SCT, e.g. TLS extension, OCSP response, etc.
*/
sct_source_t SCT_get_source(const SCT *sct);

/*
* Set the origin of this SCT, e.g. TLS extension, OCSP response, etc.
* Returns 1 on success, 0 otherwise.
*/
__owur int SCT_set_source(SCT *sct, sct_source_t source);

/*
* Returns a text string describing the validation status of |sct|.
*/
const char *SCT_validation_status_string(const SCT *sct);

/*
* Pretty-prints an |sct| to |out|.
* It will be indented by the number of spaces specified by |indent|.
* If |logs| is not NULL, it will be used to lookup the CT log that the SCT came
* from, so that the

```

```

log name can be printed.
*/
void SCT_print(const SCT *sct, BIO *out, int indent, const CTLOG_STORE *logs);

/*
 * Pretty-prints an |sct_list| to |out|.
 * It will be indented by the number of spaces specified by |indent|.
 * SCTs will be delimited by |separator|.
 * If |logs| is not NULL, it will be used to lookup the CT log that each SCT
 * came from, so that the log names can be printed.
 */
void SCT_LIST_print(const STACK_OF(SCT) *sct_list, BIO *out, int indent,
    const char *separator, const CTLOG_STORE *logs);

/*
 * Gets the last result of validating this SCT.
 * If it has not been validated yet, returns SCT_VALIDATION_STATUS_NOT_SET.
 */
sct_validation_status_t SCT_get_validation_status(const SCT *sct);

/*
 * Validates the given SCT with the provided context.
 * Sets the "validation_status" field of the SCT.
 * Returns 1 if the SCT is valid and the signature verifies.
 * Returns 0 if the SCT is invalid or could not be verified.
 * Returns -1 if an error occurs.
 */
__owur
int SCT_validate(SCT *sct, const CT_POLICY_EVAL_CTX *ctx);

/*
 * Validates the given list of SCTs with the provided context.
 * Sets the "validation_status" field of each SCT.
 * Returns 1 if there are no invalid SCTs and all signatures verify.
 * Returns 0 if at least one SCT is invalid or could not be verified.
 * Returns a negative integer if an error occurs.
 */
__owur int SCT_LIST_validate(const STACK_OF(SCT) *scts,
    CT_POLICY_EVAL_CTX *ctx);

/*****
 * SCT parsing and serialization *
 *****/

/*
 * Serialize (to TLS format) a stack of SCTs and return the length.
 * "a" must not be NULL.
 * If "pp" is NULL, just return the length of what would have been serialized.

```

```

* If "pp" is not NULL and "**pp" is null, function will allocate a new pointer
* for data that caller is responsible for freeing (only if function returns
* successfully).
* If "pp" is NULL and "**pp" is not NULL, caller is responsible for ensuring
* that "**pp"
is large enough to accept all of the serialized data.
* Returns < 0 on error, >= 0 indicating bytes written (or would have been)
* on success.
*/
__owur int i2o_SCT_LIST(const STACK_OF(SCT) *a, unsigned char **pp);

/*
* Convert TLS format SCT list to a stack of SCTs.
* If "a" or "**a" is NULL, a new stack will be created that the caller is
* responsible for freeing (by calling SCT_LIST_free).
* "**pp" and "pp" must not be NULL.
* Upon success, "pp" will point to after the last bytes read, and a stack
* will be returned.
* Upon failure, a NULL pointer will be returned, and the position of "pp" is
* not defined.
*/
STACK_OF(SCT) *o2i_SCT_LIST(STACK_OF(SCT) **a, const unsigned char **pp,
size_t len);

/*
* Serialize (to DER format) a stack of SCTs and return the length.
* "a" must not be NULL.
* If "pp" is NULL, just returns the length of what would have been serialized.
* If "pp" is not NULL and "**pp" is null, function will allocate a new pointer
* for data that
caller is responsible for freeing (only if function returns
* successfully).
* If "pp" is NULL and "**pp" is not NULL, caller is responsible for ensuring
* that "**pp" is large enough to accept all of the serialized data.
* Returns < 0 on error, >= 0 indicating bytes written (or would have been)
* on success.
*/
__owur int i2d_SCT_LIST(const STACK_OF(SCT) *a, unsigned char **pp);

/*
* Parses an SCT list in DER format and returns it.
* If "a" or "**a" is NULL, a new stack will be created that the caller is
* responsible for freeing (by calling SCT_LIST_free).
* "**pp" and "pp" must not be NULL.
* Upon success, "pp" will point to after the last bytes read, and a stack
* will be returned.
* Upon failure, a NULL pointer will be returned, and the position of "pp" is
* not defined.

```

```

*/
STACK_OF(SCT) *d2i_SCT_LIST(STACK_OF(SCT) **a, const unsigned char **pp,
    long len);

/*
 * Serialize (to TLS format) an |sct| and write it to |out|.
 * If |out| is null, no SCT will be output
 * but the length will still be returned.
 * If |out| points to a null pointer, a string will be allocated to hold the
 * TLS-format SCT. It is the responsibility of the caller to free it.
 * If |out| points to an allocated string, the TLS-format SCT will be written
 * to it.
 * The length of the SCT in TLS format will be returned.
 */
__owur int i2o_SCT(const SCT *sct, unsigned char **out);

/*
 * Parses an SCT in TLS format and returns it.
 * If |psct| is not null, it will end up pointing to the parsed SCT. If it
 * already points to a non-null pointer, the pointer will be free'd.
 * |in| should be a pointer to a string containing the TLS-format SCT.
 * |in| will be advanced to the end of the SCT if parsing succeeds.
 * |len| should be the length of the SCT in |in|.
 * Returns NULL if an error occurs.
 * If the SCT is an unsupported version, only the SCT's 'sct' and 'sct_len'
 * fields will be populated (with |in| and |len| respectively).
 */
SCT *o2i_SCT(SCT **psct, const unsigned
    char **in, size_t len);

/*****
 * CT log functions *
 *****/

/*
 * Creates a new CT log instance with the given |public_key| and |name| and
 * associates it with the give library context |libctx| and property query
 * string |propq|.
 * Takes ownership of |public_key| but copies |name|.
 * Returns NULL if malloc fails or if |public_key| cannot be converted to DER.
 * Should be deleted by the caller using CTLOG_free when no longer needed.
 */
CTLOG *CTLOG_new_ex(EVP_PKEY *public_key, const char *name, OSSL_LIB_CTX *libctx,
    const char *propq);

/*
 * The same as CTLOG_new_ex except that the default library context and
 * property query string are used.

```

```

*/
CTLOG *CTLOG_new(EVP_PKEY *public_key, const char *name);

/*
 * Creates a new CTLOG instance with the base64-encoded SubjectPublicKeyInfo DER
 * in |pkey_base64| and associated with the given library context |libctx| and
 * property query string |propq|. The |name| is a string to help users identify
 * this log.
 * Returns 1 on success, 0 on failure.
 * Should be deleted by the caller using CTLOG_free when no longer needed.
 */
int CTLOG_new_from_base64_ex(CTLOG **ct_log, const char *pkey_base64,
    const char *name, OSSL_LIB_CTX *libctx,
    const char *propq);

/*
 * The same as CTLOG_new_from_base64_ex() except that the default
 * library context and property query string are used.
 * Returns 1 on success, 0 on failure.
 */
int CTLOG_new_from_base64(CTLOG **ct_log,
    const char *pkey_base64, const char *name);

/*
 * Deletes a CT log instance and its fields.
 */
void CTLOG_free(CTLOG *log);

/* Gets the name of the CT log */
const char *CTLOG_get0_name(const CTLOG *log);
/* Gets the ID of the CT log */
void CTLOG_get0_log_id(const CTLOG *log, const uint8_t **log_id,
    size_t *log_id_len);
/* Gets the public key of the CT log */
EVP_PKEY *CTLOG_get0_public_key(const CTLOG *log);

/*****
 * CT log store functions *
 *****/

/*
 * Creates
 * a new CT log store and associates it with the given libctx and
 * property query string.
 * Should be deleted by the caller using CTLOG_STORE_free when no longer needed.
 */
CTLOG_STORE *CTLOG_STORE_new_ex(OSSL_LIB_CTX *libctx, const char *propq);

```

```

/*
 * Same as CTLOG_STORE_new_ex except that the default libctx and
 * property query string are used.
 * Should be deleted by the caller using CTLOG_STORE_free when no longer needed.
 */
CTLOG_STORE *CTLOG_STORE_new(void);

/*
 * Deletes a CT log store and all of the CT log instances held within.
 */
void CTLOG_STORE_free(CTLOG_STORE *store);

/*
 * Finds a CT log in the store based on its log ID.
 * Returns the CT log, or NULL if no match is found.
 */
const CTLOG *CTLOG_STORE_get0_log_by_id(const CTLOG_STORE *store,
    const uint8_t *log_id,
    size_t log_id_len);

/*
 * Loads a CT log list into a |store| from a |file|.
 * Returns 1 if loading is successful, or 0 otherwise.
 */
__owur int CTLOG_STORE_load_file(CTLOG_STORE *store,
    const char *file);

/*
 * Loads the default CT log list into a |store|.
 * Returns 1 if loading is successful, or 0 otherwise.
 */
__owur int CTLOG_STORE_load_default_file(CTLOG_STORE *store);

#ifdef __cplusplus
}
#endif
#endif

```

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 by Armin Ronacher and contributors. See AUTHORS for more details.

Some rights reserved.

Redistribution and use in source and binary forms of the software as well as documentation, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE AND DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Sergii Iavorskyi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that

is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License;
and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,

if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible

for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/bio.h.in

*

* Copyright 1995-2022 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_BIO_H

#define OPENSSL_BIO_H

#pragma once

```

#include <openssl/macros.h>
#ifndef OPENSSSL_NO_DEPRECATED_3_0
#define HEADER_BIO_H
#endif

#include <openssl/e_os2.h>

#ifndef OPENSSSL_NO_STDIO
#include <stdio.h>
#endif
#include <stdarg.h>

#include <openssl/crypto.h>
#include <openssl/bioerr.h>
#include <openssl/core.h>

#ifdef __cplusplus
extern "C" {
#endif

/* There are the classes of BIOs */
#define BIO_TYPE_DESCRIPTOR 0x0100 /* socket, fd, connect or accept */
#define BIO_TYPE_FILTER 0x0200
#define BIO_TYPE_SOURCE_SINK
0x0400

/* These are the 'types' of BIOs */
#define BIO_TYPE_NONE 0
#define BIO_TYPE_MEM (1 | BIO_TYPE_SOURCE_SINK)
#define BIO_TYPE_FILE (2 | BIO_TYPE_SOURCE_SINK)

#define BIO_TYPE_FD (4 | BIO_TYPE_SOURCE_SINK | BIO_TYPE_DESCRIPTOR)
#define BIO_TYPE_SOCKET (5 | BIO_TYPE_SOURCE_SINK | BIO_TYPE_DESCRIPTOR)
#define BIO_TYPE_NULL (6 | BIO_TYPE_SOURCE_SINK)
#define BIO_TYPE_SSL (7 | BIO_TYPE_FILTER)
#define BIO_TYPE_MD (8 | BIO_TYPE_FILTER)
#define BIO_TYPE_BUFFER (9 | BIO_TYPE_FILTER)
#define BIO_TYPE_CIPHER (10 | BIO_TYPE_FILTER)
#define BIO_TYPE_BASE64 (11 | BIO_TYPE_FILTER)
#define BIO_TYPE_CONNECT (12 | BIO_TYPE_SOURCE_SINK | BIO_TYPE_DESCRIPTOR)
#define BIO_TYPE_ACCEPT (13 | BIO_TYPE_SOURCE_SINK | BIO_TYPE_DESCRIPTOR)

#define BIO_TYPE_NBIO_TEST (16 | BIO_TYPE_FILTER) /* server proxy BIO */
#define BIO_TYPE_NULL_FILTER (17 | BIO_TYPE_FILTER)
#define BIO_TYPE_BIO (19 | BIO_TYPE_SOURCE_SINK) /* half a BIO pair */
#define BIO_TYPE_LINEBUFFER (20 | BIO_TYPE_FILTER)
#define BIO_TYPE_DGRAM

```

```

(21 | BIO_TYPE_SOURCE_SINK | BIO_TYPE_DESCRIPTOR)
#define BIO_TYPE_ASN1 (22 | BIO_TYPE_FILTER)
#define BIO_TYPE_COMP (23 | BIO_TYPE_FILTER)
#ifndef OPENSSSL_NO_SCTP
#define BIO_TYPE_DGRAM_SCTP (24 | BIO_TYPE_SOURCE_SINK | BIO_TYPE_DESCRIPTOR)
#endif
#define BIO_TYPE_CORE_TO_PROV (25 | BIO_TYPE_SOURCE_SINK)

#define BIO_TYPE_START 128

/*
 * BIO_FILENAME_READ|BIO_CLOSE to open or close on free.
 * BIO_set_fp(in,stdin,BIO_NOCLOSE);
 */
#define BIO_NOCLOSE 0x00
#define BIO_CLOSE 0x01

/*
 * These are used in the following macros and are passed to BIO_ctrl()
 */
#define BIO_CTRL_RESET 1 /* opt - rewind/zero etc */
#define BIO_CTRL_EOF 2 /* opt - are we at the eof */
#define BIO_CTRL_INFO 3 /* opt - extra tit-bits */
#define BIO_CTRL_SET 4 /* man - set the 'IO' type */
#define BIO_CTRL_GET 5 /* man - get the 'IO' type */
#define BIO_CTRL_PUSH 6 /* opt - internal, used to signify change */
#define BIO_CTRL_POP 7 /* opt - internal, used to signify change */
#define BIO_CTRL_GET_CLOSE 8 /*
    man - set the 'close' on free */
#define BIO_CTRL_SET_CLOSE 9 /* man - set the 'close' on free */
#define BIO_CTRL_PENDING 10 /* opt - is their more data buffered */
#define BIO_CTRL_FLUSH 11 /* opt - 'flush' buffered output */
#define BIO_CTRL_DUP 12 /* man - extra stuff for 'duped' BIO */
#define BIO_CTRL_WPENDING 13 /* opt - number of bytes still to write */
#define BIO_CTRL_SET_CALLBACK 14 /* opt - set callback function */
#define BIO_CTRL_GET_CALLBACK 15 /* opt - set callback function */

#define BIO_CTRL_PEEK 29 /* BIO_f_buffer special */
#define BIO_CTRL_SET_FILENAME 30 /* BIO_s_file special */

/* dgram BIO stuff */
#define BIO_CTRL_DGRAM_CONNECT 31 /* BIO dgram special */
#define BIO_CTRL_DGRAM_SET_CONNECTED 32 /* allow for an externally connected \
    * socket to be passed in */
#define BIO_CTRL_DGRAM_SET_RECV_TIMEOUT 33 /* setsockopt, essentially */
#define BIO_CTRL_DGRAM_GET_RECV_TIMEOUT 34 /* getsockopt, essentially */
#define BIO_CTRL_DGRAM_SET_SEND_TIMEOUT

```

```

35 /* setsockopt, essentially */
#define BIO_CTRL_DGRAM_GET_SEND_TIMEOUT 36 /* getsockopt, essentially */

#define BIO_CTRL_DGRAM_GET_RECV_TIMER_EXP 37 /* flag whether the last */
#define BIO_CTRL_DGRAM_GET_SEND_TIMER_EXP 38 /* I/O operation timed out */

/* #ifdef IP_MTU_DISCOVER */
#define BIO_CTRL_DGRAM_MTU_DISCOVER 39 /* set DF bit on egress packets */
/* #endif */

#define BIO_CTRL_DGRAM_QUERY_MTU 40 /* as kernel for current MTU */
#define BIO_CTRL_DGRAM_GET_FALLBACK_MTU 47
#define BIO_CTRL_DGRAM_GET_MTU 41 /* get cached value for MTU */
#define BIO_CTRL_DGRAM_SET_MTU 42 /* set cached value for MTU. \
    * want to use this if asking \
    * the kernel fails */

#define BIO_CTRL_DGRAM_MTU_EXCEEDED 43 /* check whether the MTU was \
    * exceed in the previous write \
    * operation */

#define BIO_CTRL_DGRAM_GET_PEER 46
#define
BIO_CTRL_DGRAM_SET_PEER 44 /* Destination for the data */

#define BIO_CTRL_DGRAM_SET_NEXT_TIMEOUT 45 /* Next DTLS handshake timeout \
    * to adjust socket timeouts */
#define BIO_CTRL_DGRAM_SET_DONT_FRAG 48

#define BIO_CTRL_DGRAM_GET_MTU_OVERHEAD 49

/* Deliberately outside of OPENSSSL_NO_SCTP - used in bss_dgram.c */
#define BIO_CTRL_DGRAM_SCTP_SET_IN_HANDSHAKE 50
#ifdef OPENSSSL_NO_SCTP
/* SCTP stuff */
#define BIO_CTRL_DGRAM_SCTP_ADD_AUTH_KEY 51
#define BIO_CTRL_DGRAM_SCTP_NEXT_AUTH_KEY 52
#define BIO_CTRL_DGRAM_SCTP_AUTH_CCS_RCVD 53
#define BIO_CTRL_DGRAM_SCTP_GET_SNDINFO 60
#define BIO_CTRL_DGRAM_SCTP_SET_SNDINFO 61
#define BIO_CTRL_DGRAM_SCTP_GET_RCVINFO 62
#define BIO_CTRL_DGRAM_SCTP_SET_RCVINFO 63
#define BIO_CTRL_DGRAM_SCTP_GET_PRINFO 64
#define BIO_CTRL_DGRAM_SCTP_SET_PRINFO 65
#define BIO_CTRL_DGRAM_SCTP_SAVE_SHUTDOWN 70
#endif

#define BIO_CTRL_DGRAM_SET_PEEK_MODE 71

```



```

/*
* internal BIO:
* # define BIO_CTRL_SET_KTLS_SEND
    72
* # define BIO_CTRL_SET_KTLS_SEND_CTRL_MSG    74
* # define BIO_CTRL_CLEAR_KTLS_CTRL_MSG    75
*/

#define BIO_CTRL_GET_KTLS_SEND 73
#define BIO_CTRL_GET_KTLS_RECV 76

#define BIO_CTRL_DGRAM_SCTP_WAIT_FOR_DRY 77
#define BIO_CTRL_DGRAM_SCTP_MSG_WAITING 78

/* BIO_f_prefix controls */
#define BIO_CTRL_SET_PREFIX 79
#define BIO_CTRL_SET_INDENT 80
#define BIO_CTRL_GET_INDENT 81

#ifndef OPENSSSL_NO_KTLS
#define BIO_get_ktls_send(b) \
    (BIO_ctrl(b, BIO_CTRL_GET_KTLS_SEND, 0, NULL) > 0)
#define BIO_get_ktls_recv(b) \
    (BIO_ctrl(b, BIO_CTRL_GET_KTLS_RECV, 0, NULL) > 0)
#else
#define BIO_get_ktls_send(b) (0)
#define BIO_get_ktls_recv(b) (0)
#endif

/* modifiers */
#define BIO_FP_READ 0x02
#define BIO_FP_WRITE 0x04
#define BIO_FP_APPEND 0x08
#define BIO_FP_TEXT 0x10

#define BIO_FLAGS_READ 0x01
#define BIO_FLAGS_WRITE 0x02
#define BIO_FLAGS_IO_SPECIAL 0x04
#define BIO_FLAGS_RWS (BIO_FLAGS_READ | BIO_FLAGS_WRITE | BIO_FLAGS_IO_SPECIAL)
#define BIO_FLAGS_SHOULD_RETRY
    0x08
#ifndef OPENSSSL_NO_DEPRECATED_3_0
/* This #define was replaced by an internal constant and should not be used. */
#define BIO_FLAGS_UPLINK 0
#endif

#define BIO_FLAGS_BASE64_NO_NL 0x100

```

```

/*
 * This is used with memory BIOS:
 * BIO_FLAGS_MEM_RDONLY means we shouldn't free up or change the data in any way;
 * BIO_FLAGS_NONCLEAR_RST means we shouldn't clear data on reset.
 */

#define BIO_FLAGS_MEM_RDONLY 0x200
#define BIO_FLAGS_NONCLEAR_RST 0x400
#define BIO_FLAGS_IN_EOF 0x800

/* the BIO_FLAGS values 0x1000 to 0x4000 are reserved for internal KTLS flags */

typedef union bio_addr_st BIO_ADDR;
typedef struct bio_addrinfo_st BIO_ADDRINFO;

int BIO_get_new_index(void);
void BIO_set_flags(BIO *b, int flags);
int BIO_test_flags(const BIO *b, int flags);
void BIO_clear_flags(BIO *b, int flags);

#define BIO_get_flags(b) BIO_test_flags(b, ~(0x0))
#define BIO_set_retry_special(b) \
    BIO_set_flags(b, (BIO_FLAGS_IO_SPECIAL | BIO_FLAGS_SHOULD_RETRY))
#define BIO_set_retry_read(b) \
    \
    BIO_set_flags(b, (BIO_FLAGS_READ | BIO_FLAGS_SHOULD_RETRY))
#define BIO_set_retry_write(b) \
    BIO_set_flags(b, (BIO_FLAGS_WRITE | BIO_FLAGS_SHOULD_RETRY))

/* These are normally used internally in BIOS */
#define BIO_clear_retry_flags(b) \
    BIO_clear_flags(b, (BIO_FLAGS_RWS | BIO_FLAGS_SHOULD_RETRY))
#define BIO_get_retry_flags(b) \
    BIO_test_flags(b, (BIO_FLAGS_RWS | BIO_FLAGS_SHOULD_RETRY))

/* These should be used by the application to tell why we should retry */
#define BIO_should_read(a) BIO_test_flags(a, BIO_FLAGS_READ)
#define BIO_should_write(a) BIO_test_flags(a, BIO_FLAGS_WRITE)
#define BIO_should_io_special(a) BIO_test_flags(a, BIO_FLAGS_IO_SPECIAL)
#define BIO_retry_type(a) BIO_test_flags(a, BIO_FLAGS_RWS)
#define BIO_should_retry(a) BIO_test_flags(a, BIO_FLAGS_SHOULD_RETRY)

/*
 * The next three are used in conjunction with the BIO_should_io_special()
 * condition. After this returns true, BIO *BIO_get_retry_BIO(BIO *bio, int
 * *reason); will walk the BIO stack
 * and return the 'reason' for the special
 * * and the offending BIO. Given a BIO, BIO_get_retry_reason(bio) will return

```

```

* the code.
*/
/*
* Returned from the SSL bio when the certificate retrieval code had an error
*/
#define BIO_RR_SSL_X509_LOOKUP 0x01
/* Returned from the connect BIO when a connect would have blocked */
#define BIO_RR_CONNECT 0x02
/* Returned from the accept BIO when an accept would have blocked */
#define BIO_RR_ACCEPT 0x03

/* These are passed by the BIO callback */
#define BIO_CB_FREE 0x01
#define BIO_CB_READ 0x02
#define BIO_CB_WRITE 0x03
#define BIO_CB_PUTS 0x04
#define BIO_CB_GETS 0x05
#define BIO_CB_CTRL 0x06

/*
* The callback is called before and after the underling operation, The
* BIO_CB_RETURN flag indicates if it is after the call
*/
#define BIO_CB_RETURN 0x80
#define BIO_CB_return(a) ((a) | BIO_CB_RETURN)
#define BIO_cb_pre(a) (!(a) & BIO_CB_RETURN)
#define BIO_cb_post(a) ((a) & BIO_CB_RETURN)

#ifndef OPENSSL_NO_DEPRECATED_3_0
typedef long (*BIO_callback_fn)(BIO
    *b, int oper, const char *argp, int argi,
    long argl, long ret);
OSSL_DEPRECATEDIN_3_0 BIO_callback_fn BIO_get_callback(const BIO *b);
OSSL_DEPRECATEDIN_3_0 void BIO_set_callback(BIO *b, BIO_callback_fn callback);
OSSL_DEPRECATEDIN_3_0 long BIO_debug_callback(BIO *bio, int cmd,
    const char *argp, int argi,
    long argl, long ret);
#endif

typedef long (*BIO_callback_fn_ex)(BIO *b, int oper, const char *argp,
    size_t len, int argi,
    long argl, int ret, size_t *processed);
BIO_callback_fn_ex BIO_get_callback_ex(const BIO *b);
void BIO_set_callback_ex(BIO *b, BIO_callback_fn_ex callback);
long BIO_debug_callback_ex(BIO *bio, int oper, const char *argp, size_t len,
    int argi, long argl, int ret, size_t *processed);

char *BIO_get_callback_arg(const BIO *b);

```

```

void BIO_set_callback_arg(BIO *b, char *arg);

typedef struct bio_method_st BIO_METHOD;

const char *BIO_method_name(const BIO *b);
int BIO_method_type(const BIO *b);

typedef int BIO_info_cb(BIO *,
    int, int);
typedef BIO_info_cb bio_info_cb; /* backward compatibility */

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(BIO, BIO, BIO)
#define sk_BIO_num(sk) OPENSSL_sk_num(ssl_check_const_BIO_sk_type(sk))
#define sk_BIO_value(sk, idx) ((BIO *)OPENSSL_sk_value(ssl_check_const_BIO_sk_type(sk), (idx)))
#define sk_BIO_new(cmp) ((STACK_OF(BIO) *)OPENSSL_sk_new(ssl_check_BIO_compfunc_type(cmp)))
#define sk_BIO_new_null() ((STACK_OF(BIO) *)OPENSSL_sk_new_null())
#define sk_BIO_new_reserve(cmp, n) ((STACK_OF(BIO)
*)OPENSSL_sk_new_reserve(ssl_check_BIO_compfunc_type(cmp), (n)))
#define sk_BIO_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_BIO_sk_type(sk), (n))
#define sk_BIO_free(sk) OPENSSL_sk_free(ssl_check_BIO_sk_type(sk))
#define sk_BIO_zero(sk) OPENSSL_sk_zero(ssl_check_BIO_sk_type(sk))
#define sk_BIO_delete(sk, i) ((BIO *)OPENSSL_sk_delete(ssl_check_BIO_sk_type(sk), (i)))
#define sk_BIO_delete_ptr(sk, ptr) ((BIO *)OPENSSL_sk_delete_ptr(ssl_check_BIO_sk_type(sk),
ssl_check_BIO_type(ptr)))
#define
    sk_BIO_push(sk, ptr) OPENSSL_sk_push(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define sk_BIO_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define sk_BIO_pop(sk) ((BIO *)OPENSSL_sk_pop(ssl_check_BIO_sk_type(sk)))
#define sk_BIO_shift(sk) ((BIO *)OPENSSL_sk_shift(ssl_check_BIO_sk_type(sk)))
#define sk_BIO_pop_free(sk, freefunc)
    OPENSSL_sk_pop_free(ssl_check_BIO_sk_type(sk), ssl_check_BIO_freefunc_type(freefunc))
#define sk_BIO_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr),
(idx))
#define sk_BIO_set(sk, idx, ptr) ((BIO *)OPENSSL_sk_set(ssl_check_BIO_sk_type(sk), (idx),
ssl_check_BIO_type(ptr)))
#define sk_BIO_find(sk, ptr) OPENSSL_sk_find(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define sk_BIO_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_BIO_sk_type(sk), ssl_check_BIO_type(ptr))
#define sk_BIO_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_BIO_sk_type(sk),
    ssl_check_BIO_type(ptr), pnum)
#define sk_BIO_sort(sk) OPENSSL_sk_sort(ssl_check_BIO_sk_type(sk))
#define sk_BIO_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_BIO_sk_type(sk))
#define sk_BIO_dup(sk) ((STACK_OF(BIO) *)OPENSSL_sk_dup(ssl_check_const_BIO_sk_type(sk)))
#define sk_BIO_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(BIO)
*)OPENSSL_sk_deep_copy(ssl_check_const_BIO_sk_type(sk), ssl_check_BIO_copyfunc_type(copyfunc),
    ssl_check_BIO_freefunc_type(freefunc)))
#define sk_BIO_set_cmp_func(sk, cmp)
    ((sk_BIO_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_BIO_sk_type(sk),

```

```

ossl_check_BIO_compfunc_type(cmp)))

/* clang-format on */

/* Prefix and suffix callback in ASN1 BIO */
typedef int asn1_ps_func(BIO *b, unsigned char **pbuf, int *plen,
    void *parg);

typedef void (*BIO_dgram_sctp_notification_handler_fn)(BIO *b,
    void *context,
    void *buf);
#ifdef OPENSSL_NO_SCTP
/* SCTP parameter structs */
struct bio_dgram_sctp_sndinfo {
    uint16_t snd_sid;
    uint16_t snd_flags;
    uint32_t snd_ppid;
    uint32_t snd_context;
};

struct bio_dgram_sctp_rcvinfo {
    uint16_t rcv_sid;
    uint16_t rcv_ssn;
    uint16_t rcv_flags;
    uint32_t rcv_ppid;
    uint32_t rcv_tsn;
    uint32_t rcv_cumtsn;
    uint32_t rcv_context;
};

struct bio_dgram_sctp_prinfo {
    uint16_t pr_policy;
    uint32_t pr_value;
};
#endif

/*
 * #define BIO_CONN_get_param_hostname BIO_ctrl
 */

#define BIO_C_SET_CONNECT 100
#define BIO_C_DO_STATE_MACHINE 101
#define BIO_C_SET_NBIO 102
/* # define BIO_C_SET_PROXY_PARAM          103 */
#define BIO_C_SET_FD 104
#define BIO_C_GET_FD 105
#define BIO_C_SET_FILE_PTR 106
#define BIO_C_GET_FILE_PTR 107

```

```

#define BIO_C_SET_FILENAME 108
#define BIO_C_SET_SSL 109
#define BIO_C_GET_SSL 110
#define BIO_C_SET_MD 111
#define BIO_C_GET_MD 112
#define BIO_C_GET_CIPHER_STATUS 113
#define BIO_C_SET_BUF_MEM 114
#define BIO_C_GET_BUF_MEM_PTR 115
#define BIO_C_GET_BUFF_NUM_LINES 116
#define BIO_C_SET_BUFF_SIZE 117
#define BIO_C_SET_ACCEPT
118
#define BIO_C_SSL_MODE 119
#define BIO_C_GET_MD_CTX 120
/* # define BIO_C_GET_PROXY_PARAM          121 */
#define BIO_C_SET_BUFF_READ_DATA 122 /* data to read first */
#define BIO_C_GET_CONNECT 123
#define BIO_C_GET_ACCEPT 124
#define BIO_C_SET_SSL_RENEGOTIATE_BYTES 125
#define BIO_C_GET_SSL_NUM_RENEGOTIATES 126
#define BIO_C_SET_SSL_RENEGOTIATE_TIMEOUT 127
#define BIO_C_FILE_SEEK 128
#define BIO_C_GET_CIPHER_CTX 129
#define BIO_C_SET_BUF_MEM_EOF_RETURN 130 /* return end of input \
          * value */
#define BIO_C_SET_BIND_MODE 131
#define BIO_C_GET_BIND_MODE 132
#define BIO_C_FILE_TELL 133
#define BIO_C_GET_SOCKS 134
#define BIO_C_SET_SOCKS 135

#define BIO_C_SET_WRITE_BUF_SIZE 136 /* for BIO_s_bio */
#define BIO_C_GET_WRITE_BUF_SIZE 137
#define BIO_C_MAKE_BIO_PAIR 138
#define BIO_C_DESTROY_BIO_PAIR 139
#define BIO_C_GET_WRITE_GUARANTEE 140
#define BIO_C_GET_READ_REQUEST 141
#define BIO_C_SHUTDOWN_WR 142
#define BIO_C_NREAD0
143
#define BIO_C_NREAD 144
#define BIO_C_NWRITE0 145
#define BIO_C_NWRITE 146
#define BIO_C_RESET_READ_REQUEST 147
#define BIO_C_SET_MD_CTX 148

#define BIO_C_SET_PREFIX 149
#define BIO_C_GET_PREFIX 150

```

```

#define BIO_C_SET_SUFFIX 151
#define BIO_C_GET_SUFFIX 152

#define BIO_C_SET_EX_ARG 153
#define BIO_C_GET_EX_ARG 154

#define BIO_C_SET_CONNECT_MODE 155

#define BIO_set_app_data(s, arg) BIO_set_ex_data(s, 0, arg)
#define BIO_get_app_data(s) BIO_get_ex_data(s, 0)

#define BIO_set_nbio(b, n) BIO_ctrl(b, BIO_C_SET_NBIO, (n), NULL)

#ifdef OPENSSSL_NO_SOCKET
/* IP families we support, for BIO_s_connect() and BIO_s_accept() */
/* Note: the underlying operating system may not support some of them */
#define BIO_FAMILY_IPV4 4
#define BIO_FAMILY_IPV6 6
#define BIO_FAMILY_IPANY 256

/* BIO_s_connect() */
#define BIO_set_conn_hostname(b, name) BIO_ctrl(b, BIO_C_SET_CONNECT, 0, \
    (char *)(name))
#define BIO_set_conn_port(b, port) BIO_ctrl(b, BIO_C_SET_CONNECT, 1, \
    (char *)(port))
#define
    BIO_set_conn_address(b, addr) BIO_ctrl(b, BIO_C_SET_CONNECT, 2, \
    (char *)(addr))
#define BIO_set_conn_ip_family(b, f) BIO_int_ctrl(b, BIO_C_SET_CONNECT, 3, f)
#define BIO_get_conn_hostname(b) ((const char *)BIO_ptr_ctrl(b, BIO_C_GET_CONNECT, 0))
#define BIO_get_conn_port(b) ((const char *)BIO_ptr_ctrl(b, BIO_C_GET_CONNECT, 1))
#define BIO_get_conn_address(b) ((const BIO_ADDR *)BIO_ptr_ctrl(b, BIO_C_GET_CONNECT, 2))
#define BIO_get_conn_ip_family(b) BIO_ctrl(b, BIO_C_GET_CONNECT, 3, NULL)
#define BIO_set_conn_mode(b, n) BIO_ctrl(b, BIO_C_SET_CONNECT_MODE, (n), NULL)

/* BIO_s_accept() */
#define BIO_set_accept_name(b, name) BIO_ctrl(b, BIO_C_SET_ACCEPT, 0, \
    (char *)(name))
#define BIO_set_accept_port(b, port) BIO_ctrl(b, BIO_C_SET_ACCEPT, 1, \
    (char *)(port))
#define BIO_get_accept_name(b) ((const char *)BIO_ptr_ctrl(b, BIO_C_GET_ACCEPT, 0))
#define BIO_get_accept_port(b) ((const char *)BIO_ptr_ctrl(b, BIO_C_GET_ACCEPT, 1))
#define BIO_get_peer_name(b) ((const char *)BIO_ptr_ctrl(b, \
    BIO_C_GET_ACCEPT, 2))
#define BIO_get_peer_port(b) ((const char *)BIO_ptr_ctrl(b, BIO_C_GET_ACCEPT, 3))
/* #define BIO_set_nbio(b,n)  BIO_ctrl(b,BIO_C_SET_NBIO,(n),NULL) */
#define BIO_set_nbio_accept(b, n) BIO_ctrl(b, BIO_C_SET_ACCEPT, 2, (n) ? (void *)"a" : NULL)
#define BIO_set_accept_bios(b, bio) BIO_ctrl(b, BIO_C_SET_ACCEPT, 3, \

```

```

(char *)(bio))
#define BIO_set_accept_ip_family(b, f) BIO_int_ctrl(b, BIO_C_SET_ACCEPT, 4, f)
#define BIO_get_accept_ip_family(b) BIO_ctrl(b, BIO_C_GET_ACCEPT, 4, NULL)

/* Aliases kept for backward compatibility */
#define BIO_BIND_NORMAL 0
#define BIO_BIND_REUSEADDR BIO_SOCKET_REUSEADDR
#define BIO_BIND_REUSEADDR_IF_UNUSED BIO_SOCKET_REUSEADDR
#define BIO_set_bind_mode(b, mode) BIO_ctrl(b, BIO_C_SET_BIND_MODE, mode, NULL)
#define BIO_get_bind_mode(b) BIO_ctrl(b, BIO_C_GET_BIND_MODE, 0, NULL)
#endif /* OPENSSSL_NO_SOCKET */

#define BIO_do_connect(b) BIO_do_handshake(b)
#define BIO_do_accept(b) BIO_do_handshake(b)

#define BIO_do_handshake(b) BIO_ctrl(b,
    BIO_C_DO_STATE_MACHINE, 0, NULL)

/* BIO_s_datagram(), BIO_s_fd(), BIO_s_socket(), BIO_s_accept() and BIO_s_connect() */
#define BIO_set_fd(b, fd, c) BIO_int_ctrl(b, BIO_C_SET_FD, c, fd)
#define BIO_get_fd(b, c) BIO_ctrl(b, BIO_C_GET_FD, 0, (char *)(c))

/* BIO_s_file() */
#define BIO_set_fp(b, fp, c) BIO_ctrl(b, BIO_C_SET_FILE_PTR, c, (char *)(fp))
#define BIO_get_fp(b, fpp) BIO_ctrl(b, BIO_C_GET_FILE_PTR, 0, (char *)(fpp))

/* BIO_s_fd() and BIO_s_file() */
#define BIO_seek(b, ofs) (int)BIO_ctrl(b, BIO_C_FILE_SEEK, ofs, NULL)
#define BIO_tell(b) (int)BIO_ctrl(b, BIO_C_FILE_TELL, 0, NULL)

/*
 * name is cast to lose const, but might be better to route through a
 * function so we can do it safely
 */
#ifdef CONST_STRICT
/*
 * If you are wondering why this isn't defined, its because CONST_STRICT is
 * purely a compile-time kludge to allow const to be checked.
 */
int BIO_read_filename(BIO *b, const char *name);
#else
#define BIO_read_filename(b, name) (int)BIO_ctrl(b, BIO_C_SET_FILENAME, \
    \
    BIO_CLOSE | BIO_FP_READ, (char *)(name))
#endif
#define BIO_write_filename(b, name) (int)BIO_ctrl(b, BIO_C_SET_FILENAME, \
    BIO_CLOSE | BIO_FP_WRITE, name)
#define BIO_append_filename(b, name) (int)BIO_ctrl(b, BIO_C_SET_FILENAME, \

```



```

    BIO_CLOSE | BIO_FP_APPEND, name)
#define BIO_rw_filename(b, name) (int)BIO_ctrl(b, BIO_C_SET_FILENAME, \
    BIO_CLOSE | BIO_FP_READ | BIO_FP_WRITE, name)

/*
 * WARNING WARNING, this ups the reference count on the read bio of the SSL
 * structure. This is because the ssl read BIO is now pointed to by the
 * next_bio field in the bio. So when you free the BIO, make sure you are
 * doing a BIO_free_all() to catch the underlying BIO.
 */
#define BIO_set_ssl(b, ssl, c) BIO_ctrl(b, BIO_C_SET_SSL, c, (char *) (ssl))
#define BIO_get_ssl(b, sslp) BIO_ctrl(b, BIO_C_GET_SSL, 0, (char *) (sslp))
#define BIO_set_ssl_mode(b, client) BIO_ctrl(b, BIO_C_SSL_MODE, client, NULL)
#define BIO_set_ssl_renegotiate_bytes(b, num) \
    BIO_ctrl(b, BIO_C_SET_SSL_RENEGOTIATE_BYTES, \
    num, NULL)
#define BIO_get_num_renegotiates(b) \
    BIO_ctrl(b, BIO_C_GET_SSL_NUM_RENEGOTIATES, 0, NULL)
#define BIO_set_ssl_renegotiate_timeout(b, seconds) \
    BIO_ctrl(b, BIO_C_SET_SSL_RENEGOTIATE_TIMEOUT, seconds, NULL)

/* defined in evp.h */
/* #define BIO_set_md(b,md)    BIO_ctrl(b,BIO_C_SET_MD,1,(char *) (md)) */

#define BIO_get_mem_data(b, pp) BIO_ctrl(b, BIO_CTRL_INFO, 0, (char *) (pp))
#define BIO_set_mem_buf(b, bm, c) BIO_ctrl(b, BIO_C_SET_BUF_MEM, c, (char *) (bm))
#define BIO_get_mem_ptr(b, pp) BIO_ctrl(b, BIO_C_GET_BUF_MEM_PTR, 0, \
    (char *) (pp))
#define BIO_set_mem_eof_return(b, v) \
    BIO_ctrl(b, BIO_C_SET_BUF_MEM_EOF_RETURN, v, NULL)

/* For the BIO_f_buffer() type */
#define BIO_get_buffer_num_lines(b) BIO_ctrl(b, BIO_C_GET_BUFF_NUM_LINES, 0, NULL)
#define BIO_set_buffer_size(b, size) BIO_ctrl(b, BIO_C_SET_BUFF_SIZE, size, NULL)
#define BIO_set_read_buffer_size(b, size) BIO_int_ctrl(b, BIO_C_SET_BUFF_SIZE, size, 0)
#define BIO_set_write_buffer_size(b, \
    size) BIO_int_ctrl(b, BIO_C_SET_BUFF_SIZE, size, 1)
#define BIO_set_buffer_read_data(b, buf, num) BIO_ctrl(b, BIO_C_SET_BUFF_READ_DATA, num, buf)

/* Don't use the next one unless you know what you are doing :- */
#define BIO_dup_state(b, ret) BIO_ctrl(b, BIO_CTRL_DUP, 0, (char *) (ret))

#define BIO_reset(b) (int)BIO_ctrl(b, BIO_CTRL_RESET, 0, NULL)
#define BIO_eof(b) (int)BIO_ctrl(b, BIO_CTRL_EOF, 0, NULL)
#define BIO_set_close(b, c) (int)BIO_ctrl(b, BIO_CTRL_SET_CLOSE, (c), NULL)
#define BIO_get_close(b) (int)BIO_ctrl(b, BIO_CTRL_GET_CLOSE, 0, NULL)
#define BIO_pending(b) (int)BIO_ctrl(b, BIO_CTRL_PENDING, 0, NULL)
#define BIO_wpending(b) (int)BIO_ctrl(b, BIO_CTRL_WPENDING, 0, NULL)

```

```

/* ...pending macros have inappropriate return type */
size_t BIO_ctrl_pending(BIO *b);
size_t BIO_ctrl_wpending(BIO *b);
#define BIO_flush(b) (int)BIO_ctrl(b, BIO_CTRL_FLUSH, 0, NULL)
#define BIO_get_info_callback(b, cbp) (int)BIO_ctrl(b, BIO_CTRL_GET_CALLBACK, 0, \
    cbp)
#define BIO_set_info_callback(b, \
    cb) (int)BIO_callback_ctrl(b, BIO_CTRL_SET_CALLBACK, cb)

/* For the BIO_f_buffer() type */
#define BIO_buffer_get_num_lines(b) BIO_ctrl(b, BIO_CTRL_GET, 0, NULL)
#define BIO_buffer_peek(b, s, l) BIO_ctrl(b, BIO_CTRL_PEEK, (l), (s))

/* For BIO_s_bio() */
#define BIO_set_write_buf_size(b, size) (int)BIO_ctrl(b, BIO_C_SET_WRITE_BUF_SIZE, size, NULL)
#define BIO_get_write_buf_size(b, size) (size_t)BIO_ctrl(b, BIO_C_GET_WRITE_BUF_SIZE, size, NULL)
#define BIO_make_bio_pair(b1, b2) (int)BIO_ctrl(b1, BIO_C_MAKE_BIO_PAIR, 0, b2)
#define BIO_destroy_bio_pair(b) (int)BIO_ctrl(b, BIO_C_DESTROY_BIO_PAIR, 0, NULL)
#define BIO_shutdown_wr(b) (int)BIO_ctrl(b, BIO_C_SHUTDOWN_WR, 0, NULL)
/* macros with inappropriate type -- but ...pending macros use int too: */
#define BIO_get_write_guarantee(b) (int)BIO_ctrl(b, BIO_C_GET_WRITE_GUARANTEE, 0, NULL)
#define BIO_get_read_request(b) (int)BIO_ctrl(b, BIO_C_GET_READ_REQUEST, 0, NULL)
size_t BIO_ctrl_get_write_guarantee(BIO *b);
size_t
    BIO_ctrl_get_read_request(BIO *b);
int BIO_ctrl_reset_read_request(BIO *b);

/* ctrl macros for dgram */
#define BIO_ctrl_dgram_connect(b, peer) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_CONNECT, 0, (char *) (peer))
#define BIO_ctrl_set_connected(b, peer) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_SET_CONNECTED, 0, (char *) (peer))
#define BIO_dgram_rcv_timeout(b) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_GET_RECV_TIMER_EXP, 0, NULL)
#define BIO_dgram_send_timeout(b) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_GET_SEND_TIMER_EXP, 0, NULL)
#define BIO_dgram_get_peer(b, peer) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_GET_PEER, 0, (char *) (peer))
#define BIO_dgram_set_peer(b, peer) \
    (int)BIO_ctrl(b, BIO_CTRL_DGRAM_SET_PEER, 0, (char *) (peer))
#define BIO_dgram_get_mtu_overhead(b) \
    (unsigned int)BIO_ctrl((b), BIO_CTRL_DGRAM_GET_MTU_OVERHEAD, 0, NULL)

/* ctrl macros for BIO_f_prefix */
#define BIO_set_prefix(b, p) BIO_ctrl((b), BIO_CTRL_SET_PREFIX, 0, (void *) (p))
#define BIO_set_indent(b, i) BIO_ctrl((b), \
    BIO_CTRL_SET_INDENT, (i), NULL)
#define BIO_get_indent(b) BIO_ctrl((b), BIO_CTRL_GET_INDENT, 0, NULL)

```

```

#define BIO_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_BIO, l, p, newf, dupf, freef)
int BIO_set_ex_data(BIO *bio, int idx, void *data);
void *BIO_get_ex_data(const BIO *bio, int idx);
uint64_t BIO_number_read(BIO *bio);
uint64_t BIO_number_written(BIO *bio);

/* For BIO_f_asn1() */
int BIO_asn1_set_prefix(BIO *b, asn1_ps_func *prefix,
    asn1_ps_func *prefix_free);
int BIO_asn1_get_prefix(BIO *b, asn1_ps_func **pprefix,
    asn1_ps_func **pprefix_free);
int BIO_asn1_set_suffix(BIO *b, asn1_ps_func *suffix,
    asn1_ps_func *suffix_free);
int BIO_asn1_get_suffix(BIO *b, asn1_ps_func **psuffix,
    asn1_ps_func **psuffix_free);

const BIO_METHOD *BIO_s_file(void);
BIO *BIO_new_file(const char *filename, const char *mode);
BIO *BIO_new_from_core_bio(OSSL_LIB_CTX *libctx, OSSL_CORE_BIO *corebio);
#ifdef OPENSSL_NO_STDIO
BIO *BIO_new_fp(FILE
    *stream, int close_flag);
#endif
BIO *BIO_new_ex(OSSL_LIB_CTX *libctx, const BIO_METHOD *method);
BIO *BIO_new(const BIO_METHOD *type);
int BIO_free(BIO *a);
void BIO_set_data(BIO *a, void *ptr);
void *BIO_get_data(BIO *a);
void BIO_set_init(BIO *a, int init);
int BIO_get_init(BIO *a);
void BIO_set_shutdown(BIO *a, int shut);
int BIO_get_shutdown(BIO *a);
void BIO_vfree(BIO *a);
int BIO_up_ref(BIO *a);
int BIO_read(BIO *b, void *data, int dlen);
int BIO_read_ex(BIO *b, void *data, size_t dlen, size_t *readbytes);
int BIO_gets(BIO *bp, char *buf, int size);
int BIO_get_line(BIO *bio, char *buf, int size);
int BIO_write(BIO *b, const void *data, int dlen);
int BIO_write_ex(BIO *b, const void *data, size_t dlen, size_t *written);
int BIO_puts(BIO *bp, const char *buf);
int BIO_indent(BIO *b, int indent, int max);
long BIO_ctrl(BIO *bp, int cmd, long larg, void *parg);
long BIO_callback_ctrl(BIO *b, int cmd, BIO_info_cb *fp);
void *BIO_ptr_ctrl(BIO *bp, int cmd, long larg);
long BIO_int_ctrl(BIO

```

```

*bp, int cmd, long larg, int iarg);
BIO *BIO_push(BIO *b, BIO *append);
BIO *BIO_pop(BIO *b);
void BIO_free_all(BIO *a);
BIO *BIO_find_type(BIO *b, int bio_type);
BIO *BIO_next(BIO *b);
void BIO_set_next(BIO *b, BIO *next);
BIO *BIO_get_retry_BIO(BIO *bio, int *reason);
int BIO_get_retry_reason(BIO *bio);
void BIO_set_retry_reason(BIO *bio, int reason);
BIO *BIO_dup_chain(BIO *in);

int BIO_nread0(BIO *bio, char **buf);
int BIO_nread(BIO *bio, char **buf, int num);
int BIO_nwrite0(BIO *bio, char **buf);
int BIO_nwrite(BIO *bio, char **buf, int num);

const BIO_METHOD *BIO_s_mem(void);
const BIO_METHOD *BIO_s_secmem(void);
BIO *BIO_new_mem_buf(const void *buf, int len);
#ifdef OPENSSL_NO_SOCKET
const BIO_METHOD *BIO_s_socket(void);
const BIO_METHOD *BIO_s_connect(void);
const BIO_METHOD *BIO_s_accept(void);
#endif
const BIO_METHOD *BIO_s_fd(void);
const BIO_METHOD *BIO_s_log(void);
const BIO_METHOD *BIO_s_bio(void);
const BIO_METHOD *BIO_s_null(void);
const BIO_METHOD *BIO_f_null(void);
const
    BIO_METHOD *BIO_f_buffer(void);
const BIO_METHOD *BIO_f_readbuffer(void);
const BIO_METHOD *BIO_f_linebuffer(void);
const BIO_METHOD *BIO_f_nbio_test(void);
const BIO_METHOD *BIO_f_prefix(void);
const BIO_METHOD *BIO_s_core(void);
#ifdef OPENSSL_NO_DGRAM
const BIO_METHOD *BIO_s_datagram(void);
int BIO_dgram_non_fatal_error(int error);
BIO *BIO_new_dgram(int fd, int close_flag);
#ifdef OPENSSL_NO_SCTP
const BIO_METHOD *BIO_s_datagram_sctp(void);
BIO *BIO_new_dgram_sctp(int fd, int close_flag);
int BIO_dgram_is_sctp(BIO *bio);
int BIO_dgram_sctp_notification_cb(BIO *b,
    BIO_dgram_sctp_notification_handler_fn handle_notifications,
    void *context);

```

```

int BIO_dgram_sctp_wait_for_dry(BIO *b);
int BIO_dgram_sctp_msg_waiting(BIO *b);
#endif
#endif

#ifdef OPENSSL_NO_SOCK
int BIO_sock_should_retry(int i);
int BIO_sock_non_fatal_error(int error);
int BIO_socket_wait(int fd, int for_read, time_t max_time);
#endif
int BIO_wait(BIO *bio, time_t max_time, unsigned int nap_milliseconds);
int
    BIO_do_connect_retry(BIO *bio, int timeout, int nap_milliseconds);

int BIO_fd_should_retry(int i);
int BIO_fd_non_fatal_error(int error);
int BIO_dump_cb(int (*cb)(const void *data, size_t len, void *u),
    void *u, const void *s, int len);
int BIO_dump_indent_cb(int (*cb)(const void *data, size_t len, void *u),
    void *u, const void *s, int len, int indent);
int BIO_dump(BIO *b, const void *bytes, int len);
int BIO_dump_indent(BIO *b, const void *bytes, int len, int indent);
#ifdef OPENSSL_NO_STDIO
int BIO_dump_fp(FILE *fp, const void *s, int len);
int BIO_dump_indent_fp(FILE *fp, const void *s, int len, int indent);
#endif
int BIO_hex_string(BIO *out, int indent, int width, const void *data,
    int datalen);

#ifdef OPENSSL_NO_SOCK
BIO_ADDR *BIO_ADDR_new(void);
int BIO_ADDR_rawmake(BIO_ADDR *ap, int family,
    const void *where, size_t wherelen, unsigned short port);
void BIO_ADDR_free(BIO_ADDR *);
void BIO_ADDR_clear(BIO_ADDR *ap);
int BIO_ADDR_family(const
    BIO_ADDR *ap);
int BIO_ADDR_rawaddress(const BIO_ADDR *ap, void *p, size_t *l);
unsigned short BIO_ADDR_rawport(const BIO_ADDR *ap);
char *BIO_ADDR_hostname_string(const BIO_ADDR *ap, int numeric);
char *BIO_ADDR_service_string(const BIO_ADDR *ap, int numeric);
char *BIO_ADDR_path_string(const BIO_ADDR *ap);

const BIO_ADDRINFO *BIO_ADDRINFO_next(const BIO_ADDRINFO *bai);
int BIO_ADDRINFO_family(const BIO_ADDRINFO *bai);
int BIO_ADDRINFO_socktype(const BIO_ADDRINFO *bai);
int BIO_ADDRINFO_protocol(const BIO_ADDRINFO *bai);
const BIO_ADDR *BIO_ADDRINFO_address(const BIO_ADDRINFO *bai);

```

```

void BIO_ADDRINFO_free(BIO_ADDRINFO *bai);

enum BIO_hostserv_priorities {
    BIO_PARSE_PRIO_HOST,
    BIO_PARSE_PRIO_SERV
};

int BIO_parse_hostserv(const char *hostserv, char **host, char **service,
    enum BIO_hostserv_priorities hostserv_prio);

enum BIO_lookup_type {
    BIO_LOOKUP_CLIENT,
    BIO_LOOKUP_SERVER
};

int BIO_lookup(const char *host, const char *service,
    enum BIO_lookup_type lookup_type,
    int family, int socktype, BIO_ADDRINFO **res);

int BIO_lookup_ex(const char *host, const char *service,
    int lookup_type, int family, int socktype, int protocol,
    BIO_ADDRINFO **res);

int BIO_sock_error(int sock);

int BIO_socket_ioctl(int fd, long type, void *arg);

int BIO_socket_nbio(int fd, int mode);

int BIO_sock_init(void);

#ifdef OPENSSSL_NO_DEPRECATED_1_1_0
#define BIO_sock_cleanup() \
    while (0) \
    continue
#endif

int BIO_set_tcp_ndelay(int sock, int turn_on);

#ifdef OPENSSSL_NO_DEPRECATED_1_1_0
OSSL_DEPRECATEDIN_1_1_0 struct hostent *BIO_gethostbyname(const char *name);
OSSL_DEPRECATEDIN_1_1_0 int BIO_get_port(const char *str, unsigned short *port_ptr);
OSSL_DEPRECATEDIN_1_1_0 int BIO_get_host_ip(const char *str, unsigned char *ip);
OSSL_DEPRECATEDIN_1_1_0 int BIO_get_accept_socket(char *host_port, int mode);
OSSL_DEPRECATEDIN_1_1_0 int BIO_accept(int sock, char **ip_port);
#endif

union BIO_sock_info_u {
    BIO_ADDR *addr;
};

enum BIO_sock_info_type {
    BIO_SOCK_INFO_ADDRESS
};

int BIO_sock_info(int sock,
    enum BIO_sock_info_type type, union BIO_sock_info_u *info);

#define BIO_SOCK_REUSEADDR 0x01
#define BIO_SOCK_V6_ONLY 0x02

```

```

#define BIO_SOCKET_KEEPAALIVE 0x04
#define BIO_SOCKET_NONBLOCK 0x08
#define BIO_SOCKET_NODELAY 0x10

int BIO_socket(int domain, int socktype, int protocol, int options);
int BIO_connect(int sock, const BIO_ADDR *addr, int options);
int BIO_bind(int sock, const BIO_ADDR *addr, int options);
int BIO_listen(int sock, const BIO_ADDR *addr, int options);
int BIO_accept_ex(int accept_sock, BIO_ADDR *addr, int options);
int BIO_closesocket(int sock);

BIO *BIO_new_socket(int sock, int close_flag);
BIO *BIO_new_connect(const char *host_port);
BIO *BIO_new_accept(const char *host_port);
#endif /* OPENSSEAL_NO_SOCKET */

BIO *BIO_new_fd(int fd, int close_flag);

int BIO_new_bio_pair(BIO **bio1, size_t writebuf1,
    BIO **bio2, size_t writebuf2);
/*
 * If successful, returns 1 and in *bio1, *bio2 two BIO pair endpoints.
 * Otherwise returns 0 and sets *bio1 and *bio2 to NULL. Size 0 uses default
 * value.
 */

void BIO_copy_next_retry(BIO *b);

/*
 * long BIO_ghbn_ctrl(int cmd,int iarg,char *parg);
 */

#define ossl_bio__attr__(x)
#if defined(__GNUC__) && defined(__STDC_VERSION__) \
    && !defined(__MINGW32__) && !defined(__MINGW64__) \
    && !defined(__APPLE__)
/*
 * Because we support the 'z' modifier, which made its appearance in C99,
 * we can't use __attribute__ with pre C99 dialects.
 */
#if __STDC_VERSION__ >= 199901L
#undef ossl_bio__attr__
#define ossl_bio__attr__ __attribute__
#endif
#if __GNUC__ * 10 + __GNUC_MINOR__ >= 44
#define ossl_bio__printf__ __gnu_printf__
#else
#define ossl_bio__printf__ __printf__
#endif
#endif

```

```

#endif
#endif
int BIO_printf(BIO *bio, const char *format, ...)
    openssl_attr__((__format__(openssl_printf, 2, 3)));
int BIO_vprintf(BIO *bio, const char *format, va_list args)
    openssl_attr__((__format__(openssl_printf, 2, 0)));
int BIO_snprintf(char *buf,
    size_t n, const char *format, ...)
    openssl_attr__((__format__(openssl_printf, 3, 4)));
int BIO_vsnprintf(char *buf, size_t n, const char *format, va_list args)
    openssl_attr__((__format__(openssl_printf, 3, 0)));
#undef openssl_attr__
#undef openssl_printf__

BIO_METHOD *BIO_meth_new(int type, const char *name);
void BIO_meth_free(BIO_METHOD *biom);
int (*BIO_meth_get_write(const BIO_METHOD *biom))(BIO *, const char *, int);
int (*BIO_meth_get_write_ex(const BIO_METHOD *biom))(BIO *, const char *, size_t,
    size_t *);
int BIO_meth_set_write(BIO_METHOD *biom,
    int (*write)(BIO *, const char *, int));
int BIO_meth_set_write_ex(BIO_METHOD *biom,
    int (*bwrite)(BIO *, const char *, size_t, size_t *));
int (*BIO_meth_get_read(const BIO_METHOD *biom))(BIO *, char *, int);
int (*BIO_meth_get_read_ex(const BIO_METHOD *biom))(BIO *, char *, size_t, size_t *);
int BIO_meth_set_read(BIO_METHOD *biom,
    int (*read)(BIO *, char *, int));
int BIO_meth_set_read_ex(BIO_METHOD
    *biom,
    int (*bread)(BIO *, char *, size_t, size_t *));
int (*BIO_meth_get_puts(const BIO_METHOD *biom))(BIO *, const char *);
int BIO_meth_set_puts(BIO_METHOD *biom,
    int (*puts)(BIO *, const char *));
int (*BIO_meth_get_gets(const BIO_METHOD *biom))(BIO *, char *, int);
int BIO_meth_set_gets(BIO_METHOD *biom,
    int (*ossl_gets)(BIO *, char *, int));
long (*BIO_meth_get_ctrl(const BIO_METHOD *biom))(BIO *, int, long, void *);
int BIO_meth_set_ctrl(BIO_METHOD *biom,
    long (*ctrl)(BIO *, int, long, void *));
int (*BIO_meth_get_create(const BIO_METHOD *biom))(BIO *);
int BIO_meth_set_create(BIO_METHOD *biom, int (*create)(BIO *));
int (*BIO_meth_get_destroy(const BIO_METHOD *biom))(BIO *);
int BIO_meth_set_destroy(BIO_METHOD *biom, int (*destroy)(BIO *));
long (*BIO_meth_get_callback_ctrl(const BIO_METHOD *biom))(BIO *, int, BIO_info_cb *);
int BIO_meth_set_callback_ctrl(BIO_METHOD *biom,
    long (*callback_ctrl)(BIO *, int,
        BIO_info_cb *));

```



```
#ifdef __cplusplus
```

```
}
```

```
#endif
```

```
#endif
```

Artistic License 2.0

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The JsonCpp library's source code, including accompanying documentation, tests and demonstration applications, are licensed under the following conditions...

The author (Baptiste Lepilleur) explicitly disclaims copyright in all jurisdictions which recognize such a disclaimer. In such jurisdictions, this software is released into the Public Domain.

In jurisdictions which do not recognize Public Domain property (e.g. Germany as of 2010), this software is Copyright (c) 2007-2010 by Baptiste Lepilleur, and is released under the terms of the MIT License (see below).

In jurisdictions which recognize Public Domain property, the user of this software may choose to accept it either as 1) Public Domain, 2) under the conditions of the MIT License (see below), or 3) under the terms of dual Public Domain/MIT License conditions described here, as they choose.

The MIT License is about as close to Public Domain as a license can get, and is described in clear, concise terms at:

http://en.wikipedia.org/wiki/MIT_License

The full text of the MIT License follows:

=====

Copyright (c) 2007-2010 Baptiste Lepilleur

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

(END LICENSE TEXT)

The MIT license is compatible with both the GPL and commercial software, affording one all of the rights of Public Domain with the minor nuisance of being required to keep the above copyright notice and license text in the source code. Note also that by accepting the Public Domain "license" you can re-license your copy using whatever license you like.

The npm application

Copyright (c) npm, Inc. and Contributors

Licensed on the terms of The Artistic License 2.0

Node package dependencies of the npm application

Copyright (c) their respective copyright owners

Licensed on their respective license terms

The npm public registry at <https://registry.npmjs.org>

and the npm website at <https://www.npmjs.com>

Operated by npm, Inc.

Use governed by terms published on <https://www.npmjs.com>

"Node.js"

Trademark Joyent, Inc., <https://joyent.com>

Neither npm nor npm, Inc. are affiliated with Joyent, Inc.

The Node.js application
Project of Node Foundation, <https://nodejs.org>

The npm Logo
Copyright (c) Mathias Pettersson and Brian Hammond

"Gubblebum Blocky" typeface
Copyright (c) Tjarda Koster, <https://jelloween.deviantart.com>
Used with permission

The Artistic License 2.0

Copyright (c) 2000-2006, The Perl Foundation.

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

This

license establishes the terms under which a given free software
Package may be copied, modified, distributed, and/or redistributed.
The intent is that the Copyright Holder maintains some artistic
control over the development of that Package while still keeping the
Package available as open source and free software.

You are always permitted to make arrangements wholly outside of this
license directly with the Copyright Holder of a given Package. If the
terms of this license do not permit the full use that you propose to
make of the Package, you should contact the Copyright Holder and seek
a different licensing arrangement.

Definitions

"Copyright Holder" means the individual(s) or organization(s)
named in the copyright notice for the entire Package.

"Contributor" means any party that has contributed code or other
material to the Package, in accordance with the Copyright Holder's
procedures.

"You" and "your" means any person who would like to copy,

distribute, or modify the Package.

"Package" means the collection of files distributed by the Copyright Holder, and derivatives of that collection and/or of those files. A given Package may consist of either the Standard Version, or a Modified Version.

"Distribute" means providing a copy of the Package or making it accessible to anyone else, or in the case of a company or organization, to others outside of your company or organization.

"Distributor Fee" means any fee that you charge for Distributing this Package or providing support for this Package to another party. It does not mean licensing fees.

"Standard Version" refers to the Package if it has not been modified, or has been modified only in ways explicitly requested by the Copyright Holder.

"Modified Version" means the Package, if it has been changed, and such changes were not explicitly requested by the Copyright Holder.

"Original License" means this Artistic License as Distributed with the Standard Version of the Package, in its current version or as it may be modified by The Perl Foundation in the future.

"Source" form means the source code, documentation source, and configuration files for the Package.

"Compiled" form means the compiled bytecode, object code, binary, or any other form resulting from mechanical transformation or translation of the Source form.

Permission for Use and Modification Without Distribution

(1) You are permitted to use the Standard Version and create and use Modified Versions for any purpose without restriction, provided that you do not Distribute the Modified Version.

Permissions for Redistribution of the Standard Version

(2) You may Distribute verbatim copies of the Source form of the Standard Version of this Package in any medium without restriction, either gratis or for a Distributor Fee, provided that you duplicate

all of the original copyright notices and associated disclaimers. At your discretion, such verbatim copies may or may not include a Compiled form of the Package.

(3) You may apply any bug fixes, portability changes, and other modifications made available from the Copyright Holder. The resulting Package will still be considered the Standard Version, and as such will be subject to the Original License.

Distribution of Modified Versions of the Package as Source

(4) You may Distribute your Modified Version as Source (either gratis or for a Distributor Fee, and with or without a Compiled form of the Modified Version) provided that you clearly document how it differs from the Standard Version, including, but not limited to, documenting any non-standard features, executables, or modules, and provided that you do at least ONE of the following:

(a) make the Modified Version available to the Copyright Holder of the Standard Version, under the Original License, so that the Copyright Holder may include your modifications in the Standard Version.

(b) ensure that installation of your Modified Version does not prevent the user installing or running the Standard Version. In addition, the Modified Version must bear a name that is different from the name of the Standard Version.

(c) allow anyone who receives a copy of the Modified Version to make the Source form of the Modified Version available to others under

(i) the Original License or

(ii) a license that permits the licensee to freely copy, modify and redistribute the Modified Version using the same licensing terms that apply to the copy that the licensee received, and requires that the Source form of the Modified Version, and of any works derived from it, be made freely available in that license fees are prohibited but Distributor Fees are allowed.

Distribution of Compiled Forms of the Standard Version or Modified Versions without the Source

(5)

You may Distribute Compiled forms of the Standard Version without the Source, provided that you include complete instructions on how to get the Source of the Standard Version. Such instructions must be valid at the time of your distribution. If these instructions, at any time while you are carrying out such distribution, become invalid, you must provide new instructions on demand or cease further distribution. If you provide valid instructions or cease distribution within thirty days after you become aware that the instructions are invalid, then you do not forfeit any of your rights under this license.

(6) You may Distribute a Modified Version in Compiled form without the Source, provided that you comply with Section 4 with respect to the Source of the Modified Version.

Aggregating or Linking the Package

(7) You may aggregate the Package (either the Standard Version or Modified Version) with other packages and Distribute the resulting aggregation provided that you do not charge a licensing fee for the Package. Distributor Fees are permitted, and licensing fees for other components in the aggregation are permitted. The terms of this license apply to the use and Distribution of the Standard or Modified Versions as included in the aggregation.

(8) You are permitted to link Modified and Standard Versions with other works, to embed the Package in a larger work of your own, or to build stand-alone binary or bytecode versions of applications that include the Package, and Distribute the result without restriction, provided the result does not expose a direct interface to the Package.

Items That are Not Considered Part of a Modified Version

(9) Works (including, but not limited to, modules and scripts) that merely extend or make use of the Package, do not, by themselves, cause the Package to be a Modified Version. In addition, such works are not considered parts of the Package itself, and are not subject to the terms of this license.

General Provisions

(10)

Any use, modification, and distribution of the Standard or Modified Versions is governed by this Artistic License. By using, modifying or distributing the Package, you accept this license. Do not use, modify, or distribute the Package, if you do not accept this license.

(11) If your Modified Version has been derived from a Modified Version made by someone other than you, you are nevertheless required to ensure that your Modified Version complies with the requirements of this license.

(12) This license does not grant you the right to use any trademark, service mark, tradename, or logo of the Copyright Holder.

(13) This license includes the non-exclusive, worldwide, free-of-charge patent license to make, have made, use, offer to sell, sell, import and otherwise transfer the Package with respect to any patent claims licensable by the Copyright Holder that are necessarily infringed by the Package. If you institute patent litigation (including a cross-claim or counterclaim) against any party alleging that the Package constitutes direct or contributory patent infringement, then this Artistic License to you shall terminate on the date that such litigation is filed.

(14) Disclaimer of Warranty:

THE PACKAGE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES. THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT ARE DISCLAIMED TO THE EXTENT PERMITTED BY YOUR LOCAL LAW. UNLESS REQUIRED BY LAW, NO COPYRIGHT HOLDER OR CONTRIBUTOR WILL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING IN ANY WAY OUT OF THE USE OF THE PACKAGE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2023 The Sigstore Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Node.js is licensed for use as follows:

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The Node.js license applies to all parts of Node.js that are not externally maintained libraries.

The externally maintained libraries used by Node.js are:

- Acorn, located at `deps/acorn`, is licensed as follows:

MIT License

Copyright (C) 2012-2022 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- c-ares, located at `deps/cares`, is licensed as follows:

MIT License

Copyright (c) 1998 Massachusetts Institute of Technology
Copyright (c) 2007 - 2023 Daniel Stenberg with many contributors, see AUTHORS file.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- cjs-module-lexer, located at deps/cjs-module-lexer, is licensed as follows:

""""

MIT License

Copyright (C) 2018-2020 Guy Bedford

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- ittapi, located at deps/v8/third_party/ittapi, is licensed as follows:

""""

Copyright (c) 2019 Intel Corporation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- ICU, located at deps/icu-small, is licensed as follows:

""""

UNICODE LICENSE V3

COPYRIGHT
AND PERMISSION NOTICE

Copyright 2016-2024 Unicode, Inc.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING DATA FILES, AND/OR SOFTWARE, YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of data files and any associated documentation (the "Data Files") or software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission

notice appear with all copies of the Data

Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data

Files or Software without prior written authorization of the copyright holder.

SPDX-License-Identifier: Unicode-3.0

Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above

copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008, Google Inc.
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions
of source code must retain the above copyright notice,
# this list of conditions and the following disclaimer.
# Redistributions in binary form must reproduce the above
# copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided with
# the distribution.
# Neither the name of Google Inc. nor the names of its
# contributors may be used to endorse or promote products derived from
```

```

# this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
# CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
# SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
#
# The word list in cjdict.txt are generated by combining three word lists
# listed below with further processing for compound word breaking. The
# frequency is generated with an iterative training against Google web
# corpora.
#
# * Libtabe (Chinese)
# - https://sourceforge.net/project/?group\_id=1519
# - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
# - http://chasen.aist-nara.ac.jp/chasen/distribution.html
# - Its license terms and conditions are shown below.
#

# -----COPYING.libtabe ---- BEGIN-----
#
# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the

```

```

# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific
prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication
Lab,
# *      Institute of Information Science, Academia
# *      Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior
written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

```

```

# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
#   University
of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software, whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
# Nara Institute of Science and Technology (NAIST),
# the copyright holders, disclaims all warranties with regard to this
# software, including all implied warranties of merchantability and
# fitness, in no event shall NAIST be liable for
# any special, indirect or consequential damages or any damages
# whatsoever resulting
from loss of use, data or profits, whether in an
# action of contract, negligence or other tortuous action, arising out
# of or in connection with the use or performance of this software.
#
# A large portion of the dictionary entries
# originate from ICOT Free Software. The following conditions for ICOT
# Free Software applies to the current dictionary as well.
#
# Each User may also freely distribute the Program, whether in its
# original form or modified, to any third party or parties, PROVIDED
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
# on, or be attached to, the Program, which is distributed substantially
# in the same form as set out herein and that such intended
# distribution, if actually made, will neither violate or otherwise
# contravene any of the laws and regulations of the countries having
# jurisdiction over the User or the intended distribution itself.

```

```

#
# NO WARRANTY
#
# The program was produced on an experimental basis in the course of the
# research and development conducted during the project and is provided
# to users as so produced on an experimental basis. Accordingly, the
# program is provided without any warranty whatsoever, whether express,
# implied, statutory or otherwise. The term "warranty" used herein
# includes, but is not limited to, any warranty of the quality,
# performance, merchantability and fitness for a particular purpose of
# the program and the nonexistence of any infringement or violation of
# any right of any third party.
#
# Each user of the program will agree and understand, and be deemed to
# have agreed and understood, that there is no warranty whatsoever for
# the program and, accordingly, the entire risk arising from or
# otherwise connected with the program is assumed by the user.
#
# Therefore,
neither ICOT, the copyright holder, or any other
# organization that participated in or was otherwise related to the
# development of the program and their respective officials, directors,
# officers and other employees shall be held liable for any and all
# damages, including, without limitation, general, special, incidental
# and consequential damages, arising out of or otherwise in connection
# with the use or inability to use the program or any product, material
# or result produced or otherwise obtained by using the program,
# regardless of whether they have been advised of, or otherwise had
# knowledge of, the possibility of such damages at any time during the
# project or thereafter. Each user will be deemed to have agreed to the
# foregoing by his or her commencement of use of the program. The term
# "use" as used herein includes, but is not limited to, the use,
# modification, copying and
distribution of the program and the
# production of secondary products from the program.
#
# In the case where the program, whether in its original form or
# modified, was distributed or delivered to or received by a user from
# any person, organization or entity other than ICOT, unless it makes or
# grants independently of ICOT any specific warranty to the user in
# writing, such person, organization or entity, will also be exempted
# from and not be held liable to the user for any such damages as noted
# above as far as the program is concerned.
#
# -----COPYING.ipadic-----END-----

```

Lao Word Break Dictionary Data (laodict.txt)

```
# Copyright (C) 2016 and later: Unicode, Inc. and others.
# License & terms of use: http://www.unicode.org/copyright.html
# Copyright (c) 2015 International Business
Machines Corporation
# and others. All Rights Reserved.
#
# Project: https://github.com/rober42539/lao-dictionary
# Dictionary: https://github.com/rober42539/lao-dictionary/laodict.txt
# License: https://github.com/rober42539/lao-dictionary/LICENSE.txt
# (copied below)
#
# This file is derived from the above dictionary version of Nov 22, 2020
# -----
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice, this
# list of conditions and the following disclaimer. Redistributions in binary
# form must reproduce the above copyright notice, this list of conditions and
# the following disclaimer in the documentation and/or other materials
# provided with the distribution.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# OF THE POSSIBILITY OF SUCH DAMAGE.
# -----
```

Burmese Word Break Dictionary Data (burmesedict.txt)

```
# Copyright (c) 2014 International Business Machines Corporation
# and others. All Rights Reserved.
#
```

```

# This list is part of a project hosted at:
#  github.com/kanyawtech/myanmar-karen-word-lists
#
# -----
# Copyright (c) 2013, LeRoy Benjamin Sharon
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions
# are met: Redistributions of source code must retain the above
# copyright notice, this list of conditions and the following
# disclaimer. Redistributions in binary form must reproduce the
# above copyright notice, this list of conditions
and the following
# disclaimer in the documentation and/or other materials provided
# with the distribution.
#
# Neither the name Myanmar Karen Word Lists, nor the names of its
# contributors may be used to endorse or promote products derived
# from this software without specific prior written permission.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
# TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
# ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
# SUCH DAMAGE.
# -----

```

Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

```

# 7. Database Ownership
#

```

The TZ database itself is not an IETF Contribution or an IETF
document. Rather it is a pre-existing and regularly updated work
that is in the public domain, and is intended to remain in the
public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do
not apply to the TZ Database

or contributions that individuals make

to it. Should any claims be made and substantiated against the TZ
Database, the organization that is providing the IANA
Considerations defined in this RFC, under the memorandum of
understanding with the IETF, currently ICANN, may act in accordance
with all competent court orders. No ownership claims will be made
by ICANN or the IETF Trust on the database or the code. Any person
making a contribution to the database or code waives all rights to
future claims in that contribution or in the TZ Database.

Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source
code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JSON parsing library (nlohmann/json)

File: vendor/json/upstream/single_include/nlohmann/json.hpp (only for ICU4C)

MIT License

Copyright (c) 2013-2022 Niels Lohmann

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

File: aclocal.m4 (only for ICU4C)

Section: pkg.m4 - Macros to locate and utilise pkg-config.

Copyright 2004 Scott James Remnant .

Copyright 2012-2015 Dan Nicholson

This program is free software;
you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program.

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: config.guess (only for ICU4C)

This file is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see .

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program. This Exception is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3").

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

File: install-sh (only for ICU4C)

Copyright 1991 by the Massachusetts Institute of Technology

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or

publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

""""

- libuv, located at deps/uv, is licensed as follows:

""""

Copyright (c) 2015-present libuv project contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED

"AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to parts of libuv originating from the <https://github.com/joyent/libuv> repository:

====

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies

of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

This license applies to all parts of libuv that are not externally maintained libraries.

The externally maintained libraries used by libuv are:

- tree.h (from FreeBSD), copyright Niels Provos. Two clause BSD license.
- inet_pton and inet_ntop implementations, contained in src/inet.c, are copyright the Internet Systems Consortium, Inc., and licensed under the ISC license.

""""

- llhttp, located at deps/llhttp, is licensed as follows:

""""

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2018.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- corepack, located at deps/corepack, is licensed as follows:

****Copyright Corepack contributors****

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright

notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- undici, located at deps/undici, is licensed as follows:

MIT License

Copyright (c) Matteo Collina and Undici contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- postject, located at test/fixtures/postject-copy, is licensed as follows:

Postject is licensed for use as follows:

MIT License

Copyright (c) 2022 Postman,
Inc

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The Postject license applies to all parts of Postject that are not externally maintained libraries.

The externally maintained libraries used by Postject are:

- LIEF, located at vendor/LIEF, is licensed as follows:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 - 2022 R. Thomas

Copyright 2017 - 2022 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific

language governing permissions and

limitations under the License.

""

""

- OpenSSL, located at deps/openssl, is licensed as follows:

""

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or

indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright

notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized

to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The

contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation,

any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction,

or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

- Punycode.js, located at lib/punycode.js, is licensed as follows:

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- V8, located at deps/v8, is licensed as follows:

This license applies to all parts of V8 that are not externally maintained libraries. The externally maintained libraries used by V8 are:

- PCRE test suite, located in

test/mjsunit/third_party/regexp-pcre/regexp-pcre.js. This is based on the test suite from PCRE-7.3, which is copyrighted by the University of Cambridge and Google, Inc. The copyright notice and license are embedded in regexp-pcre.js.

- Layout tests, located in test/mjsunit/third_party/object-keys. These are based on layout tests from webkit.org which are copyrighted by Apple Computer, Inc. and released under a 3-clause BSD license.
- Strongtalk assembler, the basis of the files assembler-arm-inl.h, assembler-arm.cc, assembler-arm.h, assembler-ia32-inl.h, assembler-ia32.cc, assembler-ia32.h, assembler-x64-inl.h, assembler-x64.cc, assembler-x64.h, assembler.cc and assembler.h. This code is copyrighted by Sun Microsystems Inc. and released under a 3-clause BSD license.
- Valgrind client API header, located at src/third_party/valgrind/valgrind.h. This is released under the BSD license.
- The Wasm C/C++ API headers, located at third_party/wasm-api/wasm.{h,hh}. This is released under the Apache license. The API's upstream prototype implementation also formed the basis of V8's implementation in src/wasm/c-api.cc.

These libraries have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Further license information can be found in LICENSE files located in sub-directories.

Copyright 2014, the V8 project authors. All rights reserved.

Redistribution and use

in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""

- SipHash, located at `deps/v8/src/third_party/siphash`, is licensed as follows:

""

SipHash reference C implementation

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

""

- zlib, located at `deps/zlib`,
is licensed as follows:

""

`zlib.h` -- interface of the 'zlib' general purpose compression library
version 1.3.0.1, August xxth, 2023

Copyright (C) 1995-2023 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice

may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu
""""

- simdutf, located at deps/simdutf, is licensed as follows:

""""

Copyright 2021 The simdutf authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- ada, located at deps/ada, is licensed as follows:

""""

Copyright 2023 Yagiz Nizipli and Daniel Lemire

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER

IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- minimatch, located at deps/minimatch, is licensed as follows:

""""

Blue Oak Model License

Version 1.0.0

Purpose

This license gives everyone as much permission to work with this software as possible, while protecting contributors from liability.

Acceptance

In order to receive this license, you must agree to its rules. The rules of this license are both obligations under that agreement and conditions to your license.

You must not do anything with this software that triggers a rule that you cannot or will not follow.

Copyright

Each contributor licenses you to do everything with this software that would otherwise infringe that contributor's copyright in it.

Notices

You must ensure that everyone who gets a copy of any part of this software from you, with or without changes, also gets the text of this license or a link to <<https://blueoakcouncil.org/license/1.0.0>>.

Excuse

If anyone notifies you in writing that you have not complied with [Notices](#notices), you can keep your license by taking all practical steps to comply within 30 days after the notice. If you do not do so, your license ends immediately.

Patent

Each contributor licenses you to do everything with this software that would otherwise infringe any patent claims they can license or become able to license.

Reliability

No contributor can revoke this license.

No Liability

As far as the law allows, this software comes as is, without any warranty or condition, and no contributor will be liable to anyone for any damages related to this software or this license, under any kind of legal claim.
""

- npm, located at `deps/npm`, is licensed as follows:
""

The npm application
Copyright (c) npm, Inc. and Contributors
Licensed on the terms of The Artistic License 2.0

Node package dependencies of the npm application
Copyright (c) their respective copyright owners
Licensed on their respective license terms

The npm public registry at <https://registry.npmjs.org>
and the npm website at <https://www.npmjs.com>
Operated by npm, Inc.
Use governed by terms published on <https://www.npmjs.com>

"Node.js"
Trademark Joyent, Inc., <https://joyent.com>
Neither npm nor npm, Inc. are affiliated with Joyent, Inc.

The Node.js
application
Project of Node Foundation, <https://nodejs.org>

The npm Logo
Copyright (c) Mathias Pettersson and Brian Hammond

"Gubblebum Blocky" typeface
Copyright (c) Tjarda Koster, <https://jelloween.deviantart.com>
Used with permission

The Artistic License 2.0

Copyright (c) 2000-2006, The Perl Foundation.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

This license establishes the terms under which a given free software Package may be copied, modified, distributed, and/or redistributed. The intent is that the Copyright Holder maintains some artistic control over the development of that Package while still keeping the Package available as open source and free software.

You are always permitted to make arrangements wholly outside of this license directly with the Copyright Holder of a given Package. If the terms of this license do not permit the full use that you propose to make of the Package, you should contact the Copyright Holder and seek a different licensing arrangement.

Definitions

"Copyright Holder" means the individual(s) or organization(s) named in the copyright notice for the entire Package.

"Contributor" means any party that has contributed code or other material to the Package, in accordance with the Copyright Holder's procedures.

"You" and "your" means any person who would like to copy, distribute, or modify the Package.

"Package" means the collection of files distributed by the Copyright Holder, and derivatives of that collection and/or of those files. A given Package may consist of either the Standard Version, or a Modified Version.

"Distribute" means providing a copy of the Package or making it accessible to anyone else, or in the case of a company or organization, to others outside of your company or organization.

"Distributor Fee" means any fee that you charge for Distributing this Package or providing support for this Package to another party. It does not mean licensing fees.

"Standard Version" refers to the Package if it has not been modified, or has been modified only in ways explicitly requested by the Copyright Holder.

"Modified Version" means the Package, if it has been changed, and such changes were not explicitly requested by the Copyright Holder.

"Original License" means this Artistic License as Distributed with the Standard Version of the Package, in its current version or as it may be modified by The Perl Foundation in the future.

"Source" form means the source code, documentation source, and configuration files for the Package.

"Compiled" form means the compiled bytecode, object code, binary, or any other form resulting from mechanical transformation or translation of the Source form.

Permission for Use and Modification Without Distribution

(1) You are permitted to use the Standard Version and create and use Modified Versions for any purpose without restriction, provided that you do not Distribute the Modified Version.

Permissions for Redistribution of the Standard Version

(2) You may Distribute verbatim copies of the Source form of the Standard Version of this Package in any medium without restriction, either gratis or for a Distributor Fee, provided that you duplicate all of the original copyright notices and associated disclaimers. At your discretion, such verbatim copies may or may not include a Compiled form of the Package.

(3) You may apply any bug fixes, portability changes, and other modifications made available from the Copyright Holder. The resulting Package will still be considered the Standard Version, and as such will be subject to the Original License.

Distribution of Modified Versions of the Package as Source

(4) You may Distribute your Modified Version as Source (either gratis or for a Distributor Fee, and with or without a Compiled form of the Modified Version) provided that you clearly document how it differs from the Standard Version, including, but not limited to, documenting any non-standard features, executables, or modules, and provided that

you do at least ONE of the following:

- (a) make the Modified Version available to the Copyright Holder of the Standard Version, under the Original License, so that the Copyright Holder may include your modifications in the Standard Version.
- (b) ensure that installation of your Modified Version does not prevent the user installing or running the Standard Version. In addition, the Modified Version must bear a name that is different from the name of the Standard Version.
- (c) allow anyone who receives a copy of the Modified Version to make the Source form of the Modified Version available to others under
 - (i) the Original License or
 - (ii) a license that permits the licensee to freely copy, modify and redistribute the Modified Version using the same licensing terms that apply to the copy that the licensee received, and requires that the Source form of the Modified Version, and of any works derived from it, be made freely available in that license fees are prohibited but Distributor Fees are allowed.

Distribution of Compiled Forms of the Standard Version
or Modified Versions without the Source

(5) You may Distribute Compiled forms of the Standard Version without the Source, provided that you include complete instructions on how to get the Source of the Standard Version. Such instructions must be valid at the time of your distribution. If these instructions, at any time while you are carrying out such distribution, become invalid, you must provide new instructions on demand or cease further distribution. If you provide valid instructions or cease distribution within thirty days after you become aware that the instructions are invalid, then you do not forfeit any of your rights under this license.

(6) You may Distribute a Modified Version in Compiled form without the Source, provided that you comply with Section 4 with respect to the Source of the Modified Version.

Aggregating or Linking the Package

(7) You may aggregate the Package (either the Standard Version or

Modified Version) with other packages and Distribute the resulting aggregation provided that you do not charge a licensing fee for the Package. Distributor Fees are permitted, and licensing fees for other components in the aggregation are permitted. The terms of this license apply to the use and Distribution of the Standard or Modified Versions as included in the aggregation.

(8) You are permitted to link Modified and Standard Versions with other works, to embed the Package in a larger work of your own, or to build stand-alone binary or bytecode versions of applications that include the Package, and Distribute the result without restriction, provided the result does not expose a direct interface to the Package.

Items That are Not Considered Part of a Modified Version

(9) Works (including, but not limited to, modules and scripts) that merely extend or make use of the Package, do not, by themselves, cause the Package to be a Modified Version. In addition, such works are not considered parts of the Package itself, and are not subject to the terms of this license.

General Provisions

(10) Any use, modification, and distribution of the Standard or Modified Versions is governed by this Artistic License. By using, modifying or distributing the Package, you accept this license. Do not use, modify, or distribute the Package, if you do not accept this license.

(11) If your Modified Version has been derived from a Modified Version made by someone other than you, you are nevertheless required to ensure that your Modified Version complies with the requirements of this license.

(12) This license does not grant you the right to use any trademark, service mark, tradename, or logo of the Copyright Holder.

(13) This license includes the non-exclusive, worldwide, free-of-charge patent license to make, have made, use, offer to sell, sell, import and otherwise transfer the Package with respect to any patent claims licensable by the Copyright Holder that are necessarily infringed by the Package. If you institute patent litigation (including a cross-claim or counterclaim) against any party alleging that the Package constitutes direct or contributory patent infringement, then this Artistic License to you shall terminate on the

date that such litigation is filed.

(14) Disclaimer of Warranty:

THE PACKAGE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES. THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT ARE DISCLAIMED TO THE EXTENT PERMITTED BY YOUR LOCAL LAW. UNLESS REQUIRED BY LAW, NO COPYRIGHT HOLDER OR CONTRIBUTOR WILL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING IN ANY WAY OUT OF THE USE OF THE PACKAGE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- GYP, located at tools/gyp, is licensed as follows:

""""

Copyright (c) 2020 Node.js contributors. All rights reserved.

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- inspector_protocol, located at tools/inspector_protocol, is licensed as follows:

```

""""
// Copyright 2016 The Chromium Authors. All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:
//
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
""""

```

- jinja2, located at tools/inspector_protocol/jinja2, is licensed as follows:

```

""""
Copyright (c) 2009 by the Jinja Team, see AUTHORS for more details.

```

Some rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the

distribution.

- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-

markupsafe, located at tools/inspector_protocol/markupsafe, is licensed as follows:

Copyright (c) 2010 by Armin Ronacher and contributors. See AUTHORS for more details.

Some rights reserved.

Redistribution and use in source and binary forms of the software as well as documentation, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE AND DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- cpplint.py, located at tools/cpplint.py, is licensed as follows:

""""

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- gypi_to_gn.py, located at tools/gypi_to_gn.py, is licensed as follows:

""""

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

""""

- ESLint, located at tools/node_modules/eslint, is licensed as follows:

""""

Copyright OpenJS Foundation and other contributors, <www.openjsf.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

- gtest, located at deps/googletest, is licensed as follows:

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors
may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- nghttp2, located at deps/nghttp2, is licensed as follows:

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- large_pages, located at src/large_pages, is licensed as follows:

""""

Copyright (C) 2018 Intel Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- caja, located at lib/internal/freeze_intrinsics.js, is licensed as follows:

""""

Adapted from SES/Caja - Copyright (C) 2011 Google Inc.
Copyright (C) 2018 Agoric

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS

IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

""""

- brotli, located at deps/brotli, is licensed as follows:

""""

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- HdrHistogram, located at deps/histogram, is licensed as follows:

""""

The code in this repository was written by Gil Tene, Michael Barker, and Matt Warren, and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

For users of this code who wish to consume it under the "BSD" license rather than under the public domain or CC0 contribution text mentioned above, the code found under this directory is *also* provided under the following license (commonly referred to as the BSD 2-Clause License).

This

license does not detract from the above stated release of the code into the public domain, and simply represents an additional license granted by

the Author.

** Beginning of "BSD 2-Clause License" text. **

Copyright (c) 2012, 2013, 2014 Gil Tene
Copyright (c) 2014 Michael Barker
Copyright (c) 2014 Matt Warren
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE
IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

- node-heapdump, located at src/heap_utils.cc, is licensed as follows:

ISC License

Copyright (c) 2012, Ben Noordhuis <info@bnoordhuis.nl>

Permission to use, copy, modify, and/or
distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=== src/compat.h src/compat-inl.h ===

ISC License

Copyright (c) 2014, StrongLoop Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

- rimraf, located at lib/internal/fs/rimraf.js, is licensed as follows:

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

- uvwasi, located at deps/uvwasi, is licensed as follows:

MIT License

Copyright (c) 2019 Colin Ihrig and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

- ngtcp2, located at deps/ngtcp2/ngtcp2/, is licensed as follows:

""""

The MIT License

Copyright (c) 2016 ngtcp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

- nghttp3, located at deps/ngtcp2/nghttp3/, is licensed as follows:

""

The MIT License

Copyright

(c) 2019 nghttp3 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

- node-fs-extra, located at lib/internal/fs/cp, is licensed as follows:

""

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS
OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

""""

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2013 Dominic Tarr

Permission is hereby granted, free of charge,
to any person obtaining a copy of this software and
associated documentation files (the "Software"), to
deal in the Software without restriction, including
without limitation the rights to use, copy, modify,
merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom
the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice
shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2013 Kael Zhang <i@kael.me>, contributors
<http://kael.me/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The ISC License

Copyright (c) 2009-2023 Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2018, Gajus Kuizinas (<http://gajus.com/>)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Gajus Kuizinas (<http://gajus.com/>) nor the

names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL ANUARY BE LIABLE FOR ANY

DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright JS Foundation and other contributors, <https://js.foundation>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2016 ngtcp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
CC0 1.0 Universal

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain

reputation or greater distribution for their Work in part through the use and efforts of others.

For

these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known

or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of

copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved

to the maximum extent permitted taking into account

Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons

that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions

or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Glob Logo

Glob's logo created by Tanya Brassie <<http://tanyabrassie.com/>>, licensed

under a Creative Commons Attribution-ShareAlike 4.0 International License

<https://creativecommons.org/licenses/by-sa/4.0/>

Copyright 2021 The simdutf authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

`console.log('ok');`

The MIT License

Copyright (c) 2012 Tim Caswell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009 by the Jinja Team, see AUTHORS for more details.

Some rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2023 Yagiz Nizipli and Daniel Lemire

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2020 Ethan Arrowood

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2016-2018 Kornel Lesiski

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES


```

    '','W','a','l','l',
    '','O','3',' ','D','L','_','E',
    'N','D','T','A','N',' ','D','O','P','E','N','S','S','L','_',
    'P','T','C',' ','D','_','T','H','R','E','A','D','_','S','A',
    'F','E',' ','D','_','R','E','E','N','T','R','A','N','T',' ',
    '','D','O','P','E','N','S','S','L','_','B','U','T','L','D','T',
    'N','G','_','O','P','E','N','S','S','L',' ','D','N','D','E',
    'B','U','G','\0'
};
/*
 * WARNING: do not edit!
 * Generated by Makefile from include/openssl/ui.h.in
 *
 * Copyright 2001-2020 The OpenSSL Project Authors. All Rights Reserved.
 *
 * Licensed under the Apache License 2.0 (the "License"). You may not use
 * this file except in compliance with the License. You can obtain a copy
 * in the file LICENSE in the source distribution or at
 * https://www.openssl.org/source/license.html
 */

/* clang-format off */

/* clang-format on */

#ifndef OPENSSL_UI_H
#define OPENSSL_UI_H
#pragma once

#include <openssl/macros.h>
#ifndef OPENSSL_NO_DEPRECATED_3_0
#define HEADER_UI_H
#endif

#include <openssl/opensslconf.h>

#ifndef OPENSSL_NO_DEPRECATED_1_1_0
#include <openssl/crypto.h>
#endif
#include <openssl/safestack.h>
#include <openssl/pem.h>
#include <openssl/types.h>
#include <openssl/uierr.h>

/* For compatibility reasons, the macro OPENSSL_NO_UI is currently retained */
#ifndef OPENSSL_NO_DEPRECATED_3_0
#ifdef OPENSSL_NO_UI_CONSOLE
#define OPENSSL_NO_UI

```

```

#endif
#endif

#ifdef
__cplusplus
extern "C" {
#endif

/*
 * All the following functions return -1 or NULL on error and in some cases
 * (UI_process()) -2 if interrupted or in some other way cancelled. When
 * everything is fine, they return 0, a positive value or a non-NULL pointer,
 * all depending on their purpose.
 */

/* Creators and destructor. */
UI *UI_new(void);
UI *UI_new_method(const UI_METHOD *method);
void UI_free(UI *ui);

/*-
The following functions are used to add strings to be printed and prompt
strings to prompt for data. The names are UI_{add,dup}<function>_string
and UI_{add,dup}_input_boolean.

UI_{add,dup}<function>_string have the following meanings:
    add    add a text or prompt string. The pointers given to these
           functions are used verbatim, no copying is done.
    dup    make a copy of the text or prompt string, then add the copy
           to the collection of strings in the user interface.
<function>

The function is a name for the functionality that the given
string shall be used for. It can be one of:
    input  use the string as data prompt.
    verify use the string as verification prompt. This
           is used to verify a previous input.
    info   use the string for informational output.
    error  use the string for error output.

Honestly, there's currently no difference between info and error for the
moment.

UI_{add,dup}_input_boolean have the same semantics for "add" and "dup",
and are typically used when one wants to prompt for a yes/no response.

```

All of the functions in this group take a UI and a prompt string.
The string input and verify addition functions also take a flag argument,
a buffer for the result to end up with, a minimum input size and a maximum

input size (the result buffer MUST be large enough to be able to contain the maximum number of characters). Additionally, the verify addition functions takes another buffer to compare the result against. The boolean input functions take an action description string (which should be safe to ignore if the expected user action is obvious, for example with a dialog box with an OK button and a Cancel button), a string of acceptable characters to mean OK and to mean Cancel. The two last strings are checked to make sure they don't have common characters. Additionally, the same flag argument as for the string input is taken, as well as a result buffer. The result buffer is required to be at least one byte long. Depending on the answer, the first character from the OK or the Cancel character strings will be stored in the first byte of the result buffer. No NUL will be added, so the result is *not* a string.

On success, the all return an index of the added information. That index is useful when retrieving

```
results with UI_get0_result(). */
int UI_add_input_string(UI *ui, const char *prompt, int flags,
    char *result_buf, int minsize, int maxsize);
int UI_dup_input_string(UI *ui, const char *prompt, int flags,
    char *result_buf, int minsize, int maxsize);
int UI_add_verify_string(UI *ui, const char *prompt, int flags,
    char *result_buf, int minsize, int maxsize,
    const char *test_buf);
int UI_dup_verify_string(UI *ui, const char *prompt, int flags,
    char *result_buf, int minsize, int maxsize,
    const char *test_buf);
int UI_add_input_boolean(UI *ui, const char *prompt, const char *action_desc,
    const char *ok_chars, const char *cancel_chars,
    int flags, char *result_buf);
int UI_dup_input_boolean(UI *ui, const char *prompt, const char *action_desc,
    const char *ok_chars, const char *cancel_chars,
    int flags, char *result_buf);
int UI_add_info_string(UI *ui, const char *text);
int UI_dup_info_string(UI *ui, const char *text);
int UI_add_error_string(UI *ui, const
    char *text);
int UI_dup_error_string(UI *ui, const char *text);
```

```
/* These are the possible flags. They can be or'ed together. */
```

```
/* Use to have echoing of input */
```

```
#define UI_INPUT_FLAG_ECHO 0x01
```

```
/*
```

```
* Use a default password. Where that password is found is completely up to
```

```
* the application, it might for example be in the user data set with
```

```
* UI_add_user_data(). It is not recommended to have more than one input in
```

```
* each UI being marked with this flag, or the application might get
```

```

* confused.
*/
#define UI_INPUT_FLAG_DEFAULT_PWD 0x02

/*-
 * The user of these routines may want to define flags of their own. The core
 * UI won't look at those, but will pass them on to the method routines. They
 * must use higher bits so they don't get confused with the UI bits above.
 * UI_INPUT_FLAG_USER_BASE tells which is the lowest bit to use. A good
 * example of use is this:
 *
 * #define MY_UI_FLAG1    (0x01 << UI_INPUT_FLAG_USER_BASE)
 *
 */
#define UI_INPUT_FLAG_USER_BASE 16

/*-
 * The following function helps construct a prompt.
 * phrase_desc is a textual short description of the phrase to enter,
 * for example "pass phrase", and
 * object_name is the name of the object
 * (which might be a card name or a file name) or NULL.
 * The returned string shall always be allocated on the heap with
 * OPENSSL_malloc(), and need to be free'd with OPENSSL_free().
 *
 * If the ui_method doesn't contain a pointer to a user-defined prompt
 * constructor, a default string is built, looking like this:
 *
 * "Enter {phrase_desc} for {object_name}:"
 *
 * So, if phrase_desc has the value "pass phrase" and object_name has
 * the value "foo.key", the resulting string is:
 *
 * "Enter pass phrase for foo.key:"
 */
char *UI_construct_prompt(UI *ui_method,
    const char *phrase_desc, const char *object_name);

/*
 * The following function is used to store a pointer to user-specific data.
 * Any previous such pointer will be returned and replaced.
 *
 * For callback
 * purposes, this function makes a lot more sense than using
 * ex_data, since the latter requires that different parts of OpenSSL or
 * applications share the same ex_data index.
 *
 * Note that the UI_OpenSSL() method completely ignores the user data. Other

```

```

* methods may not, however.
*/
void *UI_add_user_data(UI *ui, void *user_data);
/*
* Alternatively, this function is used to duplicate the user data.
* This uses the duplicator method function. The destroy function will
* be used to free the user data in this case.
*/
int UI_dup_user_data(UI *ui, void *user_data);
/* We need a user data retrieving function as well. */
void *UI_get0_user_data(UI *ui);

/* Return the result associated with a prompt given with the index i. */
const char *UI_get0_result(UI *ui, int i);
int UI_get_result_length(UI *ui, int i);

/* When all strings have been added, process the whole thing. */
int UI_process(UI *ui);

/*
* Give a user interface parameterised control commands. This can be used to
* send down an integer, a data pointer or a function pointer, as well as be
* used to get information from a UI.
*/
int UI_ctrl(UI *ui, int cmd, long i, void *p, void (*f)(void));

/* The commands */
/*
* Use UI_CONTROL_PRINT_ERRORS with the value 1 to have UI_process print the
* OpenSSL error stack before printing any info or added error messages and
* before any prompting.
*/
#define UI_CTRL_PRINT_ERRORS 1
/*
* Check if a UI_process() is possible to do again with the same instance of
* a user interface. This makes UI_ctrl() return 1 if it is redoable, and 0
* if not.
*/
#define UI_CTRL_IS_REDOABLE 2

/* Some methods may use extra data */
#define UI_set_app_data(s, arg) UI_set_ex_data(s, 0, arg)
#define UI_get_app_data(s) UI_get_ex_data(s, 0)

#define UI_get_ex_new_index(l, p, newf, dupf, freef) \
    CRYPTO_get_ex_new_index(CRYPTO_EX_INDEX_UI, l, p, newf, dupf, freef)
int UI_set_ex_data(UI *r, int idx, void *arg);
void *UI_get_ex_data(const UI *r, int idx);

```

```

/* Use specific
methods instead of the built-in one */
void UI_set_default_method(const UI_METHOD *meth);
const UI_METHOD *UI_get_default_method(void);
const UI_METHOD *UI_get_method(UI *ui);
const UI_METHOD *UI_set_method(UI *ui, const UI_METHOD *meth);

#ifndef OPENSSSL_NO_UI_CONSOLE

/* The method with all the built-in thingies */
UI_METHOD *UI_OpenSSL(void);

#endif

/*
* NULL method. Literally does nothing, but may serve as a placeholder
* to avoid internal default.
*/
const UI_METHOD *UI_null(void);

```

```

/* ----- For method writers ----- */
/*-

```

A method contains a number of functions that implement the low level of the User Interface. The functions are:

- an opener This function starts a session, maybe by opening a channel to a tty, or by opening a window.
- a writer This function is called to write a given string, maybe to the tty, maybe as a field label in a window.
- a
flusher This function is called to flush everything that has been output so far. It can be used to actually display a dialog box after it has been built.
- a reader This function is called to read a given prompt, maybe from the tty, maybe from a field in a window. Note that it's called with all string structures, not only the prompt ones, so it must check such things itself.
- a closer This function closes the session, maybe by closing the channel to the tty, or closing the window.

All these functions are expected to return:

- 0 on error.
- 1 on success.
- 1 on out-of-band events, for example if some prompting has

been canceled (by pressing Ctrl-C, for example). This is only checked when returned by the flusher or the reader.

The way this is used, the opener is first called, then the writer for all strings, then the flusher, then the reader for all strings and finally the closer. Note that if you want to prompt from a terminal or other command line interface, the best is to have the reader also write the prompts instead of having the writer do it. If you want to prompt from a dialog box, the writer can be used to build up the contents of the box, and the flusher to actually display the box and run the event loop until all data has been given, after which the reader only grabs the given data and puts them back into the UI strings.

All method functions take a UI as argument. Additionally, the writer and the reader take a UI_STRING.

```
*/

/*
 * The UI_STRING type is the data structure that contains all the needed info
 * about a string or a prompt, including test data for a verification prompt.
 */
typedef struct ui_string_st UI_STRING;

/* clang-format off */
SKM_DEFINE_STACK_OF_INTERNAL(UI_STRING,
    UI_STRING, UI_STRING)
#define sk_UI_STRING_num(sk) OPENSSL_sk_num(ssl_check_const_UI_STRING_sk_type(sk))
#define sk_UI_STRING_value(sk, idx) ((UI_STRING
*)OPENSSL_sk_value(ssl_check_const_UI_STRING_sk_type(sk), (idx)))
#define sk_UI_STRING_new(cmp) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_new(ssl_check_UI_STRING_compfunc_type(cmp)))
#define sk_UI_STRING_new_null() ((STACK_OF(UI_STRING) *)OPENSSL_sk_new_null())
#define sk_UI_STRING_new_reserve(cmp, n) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_new_reserve(ssl_check_UI_STRING_compfunc_type(cmp), (n)))
#define sk_UI_STRING_reserve(sk, n) OPENSSL_sk_reserve(ssl_check_UI_STRING_sk_type(sk), (n))
#define sk_UI_STRING_free(sk) OPENSSL_sk_free(ssl_check_UI_STRING_sk_type(sk))
#define sk_UI_STRING_zero(sk) OPENSSL_sk_zero(ssl_check_UI_STRING_sk_type(sk))
#define sk_UI_STRING_delete(sk, i) ((UI_STRING *)OPENSSL_sk_delete(ssl_check_UI_STRING_sk_type(sk),
(i)))
#define sk_UI_STRING_delete_ptr(sk, ptr) ((UI_STRING
*)OPENSSL_sk_delete_ptr(ssl_check_UI_STRING_sk_type(sk),
    ssl_check_UI_STRING_type(ptr)))
#define sk_UI_STRING_push(sk, ptr) OPENSSL_sk_push(ssl_check_UI_STRING_sk_type(sk),
    ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_unshift(sk, ptr) OPENSSL_sk_unshift(ssl_check_UI_STRING_sk_type(sk),
    ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_pop(sk) ((UI_STRING *)OPENSSL_sk_pop(ssl_check_UI_STRING_sk_type(sk)))
```

```

#define sk_UI_STRING_shift(sk) ((UI_STRING *)OPENSSL_sk_shift(ssl_check_UI_STRING_sk_type(sk)))
#define sk_UI_STRING_pop_free(sk, freefunc)
OPENSSL_sk_pop_free(ssl_check_UI_STRING_sk_type(sk),ssl_check_UI_STRING_freefunc_type(freefunc))
#define sk_UI_STRING_insert(sk, ptr, idx) OPENSSL_sk_insert(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr), (idx))
#define sk_UI_STRING_set(sk, idx, ptr) ((UI_STRING *)OPENSSL_sk_set(ssl_check_UI_STRING_sk_type(sk),
(idx), ssl_check_UI_STRING_type(ptr)))
#define sk_UI_STRING_find(sk, ptr) OPENSSL_sk_find(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_find_ex(sk, ptr) OPENSSL_sk_find_ex(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr))
#define sk_UI_STRING_find_all(sk, ptr, pnum) OPENSSL_sk_find_all(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_type(ptr), pnum)
#define sk_UI_STRING_sort(sk) OPENSSL_sk_sort(ssl_check_UI_STRING_sk_type(sk))
#define sk_UI_STRING_is_sorted(sk) OPENSSL_sk_is_sorted(ssl_check_const_UI_STRING_sk_type(sk))
#define sk_UI_STRING_dup(sk) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_dup(ssl_check_const_UI_STRING_sk_type(sk)))
#define sk_UI_STRING_deep_copy(sk, copyfunc, freefunc) ((STACK_OF(UI_STRING)
*)OPENSSL_sk_deep_copy(ssl_check_const_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_copyfunc_type(copyfunc), ssl_check_UI_STRING_freefunc_type(freefunc)))
#define sk_UI_STRING_set_cmp_func(sk, cmp)
((sk_UI_STRING_compfunc)OPENSSL_sk_set_cmp_func(ssl_check_UI_STRING_sk_type(sk),
ssl_check_UI_STRING_compfunc_type(cmp)))

/*
clang-format on */

/*
* The different types of strings that are currently supported. This is only
* needed by method authors.
*/
enum UI_string_types {
    UIT_NONE = 0,
    UIT_PROMPT, /* Prompt for a string */
    UIT_VERIFY, /* Prompt for a string and verify */
    UIT_BOOLEAN, /* Prompt for a yes/no response */
    UIT_INFO, /* Send info to the user */
    UIT_ERROR /* Send an error message to the user */
};

/* Create and manipulate methods */
UI_METHOD *UI_create_method(const char *name);
void UI_destroy_method(UI_METHOD *ui_method);
int UI_method_set_opener(UI_METHOD *method, int (*opener)(UI *ui));
int UI_method_set_writer(UI_METHOD *method,
    int (*writer)(UI *ui, UI_STRING *uis));
int UI_method_set_flusher(UI_METHOD *method, int (*flusher)(UI *ui));
int UI_method_set_reader(UI_METHOD *method,

```



```

    int (*reader)(UI *ui, UI_STRING *uis));
int UI_method_set_closer(UI_METHOD *method, int (*closer)(UI *ui));
int UI_method_set_data_duplicator(UI_METHOD *method,
    void *(*duplicator)(UI
*ui, void *ui_data),
    void (*destructor)(UI *ui, void *ui_data));
int UI_method_set_prompt_constructor(UI_METHOD *method,
    char *(*prompt_constructor)(UI *ui,
        const char
            *phrase_desc,
        const char
            *object_name));
int UI_method_set_ex_data(UI_METHOD *method, int idx, void *data);
int (*UI_method_get_opener(const UI_METHOD *method))(UI *);
int (*UI_method_get_writer(const UI_METHOD *method))(UI *, UI_STRING *);
int (*UI_method_get_flusher(const UI_METHOD *method))(UI *);
int (*UI_method_get_reader(const UI_METHOD *method))(UI *, UI_STRING *);
int (*UI_method_get_closer(const UI_METHOD *method))(UI *);
char *(*UI_method_get_prompt_constructor(const UI_METHOD *method))(UI *, const char *, const char *);
void *(*UI_method_get_data_duplicator(const UI_METHOD *method))(UI *, void *);
void (*UI_method_get_data_destructor(const UI_METHOD *method))(UI *, void *);
const void *UI_method_get_ex_data(const UI_METHOD *method, int idx);

/*
*
The following functions are helpers for method writers to access relevant
* data from a UI_STRING.
*/

/* Return type of the UI_STRING */
enum UI_string_types UI_get_string_type(UI_STRING *uis);
/* Return input flags of the UI_STRING */
int UI_get_input_flags(UI_STRING *uis);
/* Return the actual string to output (the prompt, info or error) */
const char *UI_get0_output_string(UI_STRING *uis);
/*
* Return the optional action string to output (the boolean prompt
* instruction)
*/
const char *UI_get0_action_string(UI_STRING *uis);
/* Return the result of a prompt */
const char *UI_get0_result_string(UI_STRING *uis);
int UI_get_result_string_length(UI_STRING *uis);
/*
* Return the string to test the result against. Only useful with verifies.
*/
const char *UI_get0_test_string(UI_STRING *uis);
/* Return the required minimum size of the result */

```

```

int UI_get_result_minsize(UI_STRING *uis);
/* Return the required maximum size of the result */
int UI_get_result_maxsize(UI_STRING *uis);
/*
    Set the result of a UI_STRING. */
int UI_set_result(UI *ui, UI_STRING *uis, const char *result);
int UI_set_result_ex(UI *ui, UI_STRING *uis, const char *result, int len);

/* A couple of popular utility functions */
int UI_UTIL_read_pw_string(char *buf, int length, const char *prompt,
    int verify);
int UI_UTIL_read_pw(char *buf, char *buff, int size, const char *prompt,
    int verify);
UI_METHOD *UI_UTIL_wrap_read_pem_callback(pem_password_cb *cb, int rflag);

#ifdef __cplusplus
}
#endif
#endif
MIT License

```

Copyright (c) 2017 Joseph Wynn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_cbc.c',
'openssl/crypto/aes/aes_core.c',
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',

```

'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_asm.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',

'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',
'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',

'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',

'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',
'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/mem_clr.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',

'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',

'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',
'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/keccak1600.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',

'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',

'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',

```

'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',
'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],

'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/no-asm/providers/legacy.ld',
'./config/archs/BSD-x86_64/no-asm/providers/fips.ld',

],

'openssl_defines_BSD-x86_64': [
'NDEBUG',
'L_ENDIAN',
'OPENSSL_BUILDING_OPENSSL',
'FIPS_MODULE',
'FIPS_MODULE',
],

```



```

'openssl_cflags_BSD-x86_64': [
  '-Wall -O3',
  '-pthread',
  '-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
  '-pthread',
],
'linker_script': "
},
'include_dirs': [
  '',
  './include',
  './crypto',
  './crypto/include/internal',
  './providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', ''],
  'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}

```

The ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

MIT License

Copyright OpenJS Foundation and other contributors, <www.openjsf.org>

Copyright (c) 2023-PRESENT eslint-stylistic and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2022 GitHub and the TUF Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* WARNING: do not edit!

* Generated by Makefile from include/openssl/fipskey.h.in

*

* Copyright 2020-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

```

* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

#ifndef OPENSSSL_FIPSKEY_H
#define OPENSSSL_FIPSKEY_H
#pragma once

#ifdef __cplusplus
extern "C" {
#endif

/*
 * The FIPS validation HMAC key, usable as an array initializer.
 */
/* clang-format off */
#define FIPS_KEY_ELEMENTS \
    0xf4, 0x55, 0x66, 0x50, 0xac, 0x31, 0xd3, 0x54, 0x61, 0x61, 0x0b, 0xac, 0x4e, 0xd8, 0x1b, 0x1a, 0x18, 0x1b, \
    0x2d, 0x8a, 0x43, 0xea, 0x28, 0x54, 0xcb, 0xae, 0x22, 0xca, 0x74, 0x56, 0x08, 0x13
/* clang-format on */

/*
 * The FIPS validation key, as a string.
 */
/* clang-format off */
#define FIPS_KEY_STRING "f4556650ac31d35461610bac4ed81b1a181b2d8a43ea2854cbae22ca74560813"
/*
 clang-format on */

#ifdef __cplusplus
}
#endif

#endif

#ifndef SRC_PERMISSION_INSPECTOR_PERMISSION_H_
#define SRC_PERMISSION_INSPECTOR_PERMISSION_H_

#if defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS

#include <string>
#include "permission/permission_base.h"

namespace node {

namespace permission {

class InspectorPermission final : public PermissionBase {
public:

```

```

void Apply(Environment* env,
            const std::vector<std::string>& allow,
            PermissionScope scope) override;
bool is_granted(Environment* env,
                PermissionScope perm,
                const std::string_view& param = "") const override;

private:
    bool deny_all_;
};

} // namespace permission

} // namespace node

#endif // defined(NODE_WANT_INTERNALS) && NODE_WANT_INTERNALS
#endif // SRC_PERMISSION_INSPECTOR_PERMISSION_H_
Licensing
-----

```

This software is covered under the following copyright:

```

/*
 * Copyright (c) 2003-2005 Tom Wu
 * All Rights Reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY
 * WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
 *
 * IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL, INCIDENTAL,
 * INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER
 * RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF
 * THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT
 * OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
 *
 * In addition, the following condition applies:

```

*
* All redistributions must retain an intact copy of this copyright notice
* and disclaimer.
*/

Address all questions regarding this license to:

Tom Wu

tjw@cs.Stanford.EDU

All files in this directory are provided by the following license if not stated otherwise in the individual file:

=====

This file is provided under a dual BSD/GPLv2 license. When using or redistributing this file, you may do so under either license.

GPL LICENSE SUMMARY

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the terms of version 2 of the GNU General Public License as published by the Free Software Foundation.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St - Fifth Floor, Boston, MA 02110-1301 USA. The full GNU General Public License is included in this distribution in the file called LICENSE.GPL.

Contact Information:

<http://software.intel.com/en-us/articles/intel-vtune-amplifier-xe/>

BSD LICENSE

Copyright (c) 2005-2012 Intel Corporation. All rights reserved.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS
AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Postject is licensed for use as follows:

""""

MIT License

Copyright (c) 2022 Postman, Inc

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

The Postject license applies to all parts of Postject that are not externally maintained libraries.

The externally maintained libraries used by Postject are:

- LIEF, located at vendor/LIEF, is licensed as follows:

""""

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or

Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions

stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor

provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this

License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by

reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 - 2022 R. Thomas

Copyright 2017 - 2022 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License

at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

""""

```
{
'variables': {
'openssl_sources': [
'openssl/crypto/aes/aes_ecb.c',
'openssl/crypto/aes/aes_misc.c',
'openssl/crypto/bn/asm/x86_64-gcc.c',
'openssl/crypto/bn/bn_add.c',
'openssl/crypto/bn/bn_blind.c',
'openssl/crypto/bn/bn_const.c',
'openssl/crypto/bn/bn_conv.c',
'openssl/crypto/bn/bn_ctx.c',
'openssl/crypto/bn/bn_dh.c',
'openssl/crypto/bn/bn_div.c',
'openssl/crypto/bn/bn_exp.c',
'openssl/crypto/bn/bn_exp2.c',
'openssl/crypto/bn/bn_gcd.c',
```

'openssl/crypto/bn/bn_gf2m.c',
'openssl/crypto/bn/bn_intern.c',
'openssl/crypto/bn/bn_kron.c',
'openssl/crypto/bn/bn_lib.c',
'openssl/crypto/bn/bn_mod.c',
'openssl/crypto/bn/bn_mont.c',
'openssl/crypto/bn/bn_mpi.c',
'openssl/crypto/bn/bn_mul.c',
'openssl/crypto/bn/bn_nist.c',
'openssl/crypto/bn/bn_prime.c',
'openssl/crypto/bn/bn_rand.c',
'openssl/crypto/bn/bn_recip.c',
'openssl/crypto/bn/bn_rsa_fips186_4.c',
'openssl/crypto/bn/bn_shift.c',
'openssl/crypto/bn/bn_sqr.c',
'openssl/crypto/bn/bn_sqrt.c',
'openssl/crypto/bn/bn_word.c',
'openssl/crypto/bn/rsaz_exp.c',
'openssl/crypto/bn/rsaz_exp_x2.c',
'openssl/crypto/buffer/buffer.c',
'openssl/crypto/cmac/cmac.c',
'openssl/crypto/des/des_enc.c',
'openssl/crypto/des/ecb3_enc.c',
'openssl/crypto/des/fcrypt_b.c',
'openssl/crypto/des/set_key.c',
'openssl/crypto/dh/dh_backend.c',
'openssl/crypto/dh/dh_check.c',
'openssl/crypto/dh/dh_gen.c',
'openssl/crypto/dh/dh_group_params.c',
'openssl/crypto/dh/dh_kdf.c',
'openssl/crypto/dh/dh_key.c',
'openssl/crypto/dh/dh_lib.c',
'openssl/crypto/dsa/dsa_backend.c',
'openssl/crypto/dsa/dsa_check.c',
'openssl/crypto/dsa/dsa_gen.c',
'openssl/crypto/dsa/dsa_key.c',
'openssl/crypto/dsa/dsa_lib.c',
'openssl/crypto/dsa/dsa_ossl.c',
'openssl/crypto/dsa/dsa_sign.c',
'openssl/crypto/dsa/dsa_vrf.c',
'openssl/crypto/ec/curve448/arch_32/f_impl32.c',
'openssl/crypto/ec/curve448/arch_64/f_impl64.c',
'openssl/crypto/ec/curve448/curve448.c',
'openssl/crypto/ec/curve448/curve448_tables.c',
'openssl/crypto/ec/curve448/eddsa.c',
'openssl/crypto/ec/curve448/f_generic.c',
'openssl/crypto/ec/curve448/scalar.c',
'openssl/crypto/ec/curve25519.c',

'openssl/crypto/ec/ec2_oct.c',
'openssl/crypto/ec/ec2_smpl.c',
'openssl/crypto/ec/ec_asn1.c',
'openssl/crypto/ec/ec_backend.c',
'openssl/crypto/ec/ec_check.c',
'openssl/crypto/ec/ec_curve.c',
'openssl/crypto/ec/ec_cvt.c',
'openssl/crypto/ec/ec_key.c',
'openssl/crypto/ec/ec_kmeth.c',
'openssl/crypto/ec/ec_lib.c',
'openssl/crypto/ec/ec_mult.c',
'openssl/crypto/ec/ec_oct.c',
'openssl/crypto/ec/ecdh_kdf.c',
'openssl/crypto/ec/ecdh_ossl.c',
'openssl/crypto/ec/ecdsa_ossl.c',
'openssl/crypto/ec/ecdsa_sign.c',
'openssl/crypto/ec/ecdsa_vrf.c',
'openssl/crypto/ec/ecp_mont.c',
'openssl/crypto/ec/ecp_nist.c',
'openssl/crypto/ec/ecp_nistz256.c',
'openssl/crypto/ec/ecp_oct.c',
'openssl/crypto/ec/ecp_smpl.c',
'openssl/crypto/ec/ecx_backend.c',
'openssl/crypto/ec/ecx_key.c',
'openssl/crypto/evp/asymciph.c',
'openssl/crypto/evp/dh_support.c',
'openssl/crypto/evp/digest.c',
'openssl/crypto/evp/ec_support.c',
'openssl/crypto/evp/evp_enc.c',
'openssl/crypto/evp/evp_fetch.c',
'openssl/crypto/evp/evp_lib.c',
'openssl/crypto/evp/evp_rand.c',
'openssl/crypto/evp/evp_utils.c',
'openssl/crypto/evp/exchange.c',
'openssl/crypto/evp/kdf_lib.c',
'openssl/crypto/evp/kdf_meth.c',
'openssl/crypto/evp/kem.c',
'openssl/crypto/evp/keymgmt_lib.c',
'openssl/crypto/evp/keymgmt_meth.c',
'openssl/crypto/evp/m_sigver.c',
'openssl/crypto/evp/mac_lib.c',
'openssl/crypto/evp/mac_meth.c',
'openssl/crypto/evp/p_lib.c',
'openssl/crypto/evp/pmeth_check.c',
'openssl/crypto/evp/pmeth_gn.c',
'openssl/crypto/evp/pmeth_lib.c',
'openssl/crypto/evp/signature.c',
'openssl/crypto/ffc/ffc_backend.c',

'openssl/crypto/ffc/ffc_dh.c',
'openssl/crypto/ffc/ffc_key_generate.c',
'openssl/crypto/ffc/ffc_key_validate.c',
'openssl/crypto/ffc/ffc_params.c',
'openssl/crypto/ffc/ffc_params_generate.c',
'openssl/crypto/ffc/ffc_params_validate.c',
'openssl/crypto/hmac/hmac.c',
'openssl/crypto/lhash/lhash.c',
'openssl/crypto/asn1_dsa.c',
'openssl/crypto/bsearch.c',
'openssl/crypto/context.c',
'openssl/crypto/core_algorithm.c',
'openssl/crypto/core_fetch.c',
'openssl/crypto/core_namemap.c',
'openssl/crypto/cpuid.c',
'openssl/crypto/cryptlib.c',
'openssl/crypto/ctype.c',
'openssl/crypto/der_writer.c',
'openssl/crypto/ex_data.c',
'openssl/crypto/initthread.c',
'openssl/crypto/o_str.c',
'openssl/crypto/packet.c',
'openssl/crypto/param_build.c',
'openssl/crypto/param_build_set.c',
'openssl/crypto/params.c',
'openssl/crypto/params_dup.c',
'openssl/crypto/params_from_text.c',
'openssl/crypto/provider_core.c',
'openssl/crypto/provider_predefined.c',
'openssl/crypto/self_test_core.c',
'openssl/crypto/sparse_array.c',
'openssl/crypto/threads_lib.c',
'openssl/crypto/threads_none.c',
'openssl/crypto/threads_pthread.c',
'openssl/crypto/threads_win.c',
'openssl/crypto/modes/cbc128.c',
'openssl/crypto/modes/ccm128.c',
'openssl/crypto/modes/cfb128.c',
'openssl/crypto/modes/ctr128.c',
'openssl/crypto/modes/gcm128.c',
'openssl/crypto/modes/ofb128.c',
'openssl/crypto/modes/wrap128.c',
'openssl/crypto/modes/xts128.c',
'openssl/crypto/property/defn_cache.c',
'openssl/crypto/property/property.c',
'openssl/crypto/property/property_parse.c',
'openssl/crypto/property/property_query.c',
'openssl/crypto/property/property_string.c',

'openssl/crypto/rand/rand_lib.c',
'openssl/crypto/rsa/rsa_acvp_test_params.c',
'openssl/crypto/rsa/rsa_backend.c',
'openssl/crypto/rsa/rsa_chk.c',
'openssl/crypto/rsa/rsa_crpt.c',
'openssl/crypto/rsa/rsa_gen.c',
'openssl/crypto/rsa/rsa_lib.c',
'openssl/crypto/rsa/rsa_mp_names.c',
'openssl/crypto/rsa/rsa_none.c',
'openssl/crypto/rsa/rsa_oaep.c',
'openssl/crypto/rsa/rsa_ossl.c',
'openssl/crypto/rsa/rsa_pk1.c',
'openssl/crypto/rsa/rsa_pss.c',
'openssl/crypto/rsa/rsa_schemes.c',
'openssl/crypto/rsa/rsa_sign.c',
'openssl/crypto/rsa/rsa_sp800_56b_check.c',
'openssl/crypto/rsa/rsa_sp800_56b_gen.c',
'openssl/crypto/rsa/rsa_x931.c',
'openssl/crypto/sha/sha1dgst.c',
'openssl/crypto/sha/sha256.c',
'openssl/crypto/sha/sha3.c',
'openssl/crypto/sha/sha512.c',
'openssl/crypto/stack/stack.c',
'openssl/providers/common/der/der_rsa_sig.c',
'openssl/providers/common/bio_prov.c',
'openssl/providers/common/capabilities.c',
'openssl/providers/common/digest_to_nid.c',
'openssl/providers/common/provider_seeding.c',
'openssl/providers/common/provider_util.c',
'openssl/providers/common/securitycheck.c',
'openssl/providers/common/securitycheck_fips.c',
'openssl/providers/fips/fipsprov.c',
'openssl/providers/fips/self_test.c',
'openssl/providers/fips/self_test_kats.c',
'openssl/providers/implementations/asymciphers/rsa_enc.c',
'openssl/providers/implementations/ciphers/cipher_aes.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha1_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_cbc_hmac_sha256_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm.c',
'openssl/providers/implementations/ciphers/cipher_aes_ccm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm.c',
'openssl/providers/implementations/ciphers/cipher_aes_gcm_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb.c',
'openssl/providers/implementations/ciphers/cipher_aes_ocb_hw.c',
'openssl/providers/implementations/ciphers/cipher_aes_wrp.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts.c',

'openssl/providers/implementations/ciphers/cipher_aes_xts_fips.c',
'openssl/providers/implementations/ciphers/cipher_aes_xts_hw.c',
'openssl/providers/implementations/ciphers/cipher_cts.c',
'openssl/providers/implementations/ciphers/cipher_tdes.c',
'openssl/providers/implementations/ciphers/cipher_tdes_common.c',
'openssl/providers/implementations/ciphers/cipher_tdes_hw.c',
'openssl/providers/implementations/digests/sha2_prov.c',
'openssl/providers/implementations/digests/sha3_prov.c',
'openssl/providers/implementations/exchange/dh_exch.c',
'openssl/providers/implementations/exchange/ecdh_exch.c',
'openssl/providers/implementations/exchange/ecx_exch.c',
'openssl/providers/implementations/exchange/kdf_exch.c',
'openssl/providers/implementations/kdfs/hkdf.c',
'openssl/providers/implementations/kdfs/kbkdf.c',
'openssl/providers/implementations/kdfs/pbkdf2.c',
'openssl/providers/implementations/kdfs/pbkdf2_fips.c',
'openssl/providers/implementations/kdfs/sshkdf.c',
'openssl/providers/implementations/kdfs/sskdf.c',
'openssl/providers/implementations/kdfs/tls1_prf.c',
'openssl/providers/implementations/kdfs/x942kdf.c',
'openssl/providers/implementations/kem/rsa_kem.c',
'openssl/providers/implementations/keymgmt/dh_kmgmt.c',
'openssl/providers/implementations/keymgmt/dsa_kmgmt.c',
'openssl/providers/implementations/keymgmt/ec_kmgmt.c',
'openssl/providers/implementations/keymgmt/ecx_kmgmt.c',
'openssl/providers/implementations/keymgmt/kdf_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/mac_legacy_kmgmt.c',
'openssl/providers/implementations/keymgmt/rsa_kmgmt.c',
'openssl/providers/implementations/macs/cmac_prov.c',
'openssl/providers/implementations/macs/gmac_prov.c',
'openssl/providers/implementations/macs/hmac_prov.c',
'openssl/providers/implementations/macs/kmac_prov.c',
'openssl/providers/implementations/rands/crngt.c',
'openssl/providers/implementations/rands/drbg.c',
'openssl/providers/implementations/rands/drbg_ctr.c',
'openssl/providers/implementations/rands/drbg_hash.c',
'openssl/providers/implementations/rands/drbg_hmac.c',
'openssl/providers/implementations/rands/test_rng.c',
'openssl/providers/implementations/signature/dsa_sig.c',
'openssl/providers/implementations/signature/ecdsa_sig.c',
'openssl/providers/implementations/signature/eddsa_sig.c',
'openssl/providers/implementations/signature/mac_legacy_sig.c',
'openssl/providers/implementations/signature/rsa_sig.c',
'openssl/ssl/s3_cbc.c',
'openssl/providers/common/der/der_dsa_key.c',
'openssl/providers/common/der/der_dsa_sig.c',
'openssl/providers/common/der/der_ec_key.c',
'openssl/providers/common/der/der_ec_sig.c',


```

'openssl/providers/common/der/der_ecx_key.c',
'openssl/providers/common/der/der_rsa_key.c',
'openssl/providers/common/provider_ctx.c',
'openssl/providers/common/provider_err.c',
'openssl/providers/implementations/ciphers/ciphercommon.c',
'openssl/providers/implementations/ciphers/ciphercommon_block.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm.c',
'openssl/providers/implementations/ciphers/ciphercommon_ccm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm.c',
'openssl/providers/implementations/ciphers/ciphercommon_gcm_hw.c',
'openssl/providers/implementations/ciphers/ciphercommon_hw.c',
'openssl/providers/implementations/digests/digestcommon.c',
'openssl/ssl/record/tls_pad.c',
'openssl/providers/fips/fips_entry.c',

],
'openssl_sources_BSD-x86_64': [
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/aesni-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/baes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/aes/vpaes-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx2.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-avx512.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/rsaz-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-gf2m.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/bn/x86_64-mont5.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/camellia/cml1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/chacha/chacha-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/ecp_nistz256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/ec/x25519-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/x86_64cpuid.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/md5/md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/aesni-gcm-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/modes/ghash-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/poly1305/poly1305-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-md5-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/rc4/rc4-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/keccak1600-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha1-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-mb-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha256-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/sha/sha512-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/crypto/whrlpool/wp-x86_64.s',

```

```

'./config/archs/BSD-x86_64/asm_avx2/engines/e_padlock-x86_64.s',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_sm2_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_digests_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_dsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ec_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_ecx_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_rsa_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/common/der/der_wrap_gen.c',
'./config/archs/BSD-x86_64/asm_avx2/providers/legacy.ld',
'./config/archs/BSD-x86_64/asm_avx2/providers/fips.ld',

],
'openssl_defines_BSD-x86_64': [
  'NDEBUG',
  'L_ENDIAN',
  'OPENSSL_BUILDING_OPENSSL',
  'AES_ASM',
  'BSAES_ASM',
  'ECP_NISTZ256_ASM',
  'FIPS_MODULE',
  'GHASH_ASM',
  'KECCAK1600_ASM',
  'OPENSSL_BN_ASM_GF2m',
  'OPENSSL_BN_ASM_MONT',
  'OPENSSL_BN_ASM_MONT5',
  'OPENSSL_CPUID_OBJ',
  'OPENSSL_IA32_SSE2',
  'SHA1_ASM',
  'SHA256_ASM',
  'SHA512_ASM',
  'VPAES_ASM',
  'X25519_ASM',
  'FIPS_MODULE',
],
'openssl_cflags_BSD-x86_64': [
  '-Wa,--noexecstack',
  '-Wall -O3',
  '-pthread',
  '-Wall -O3',
],
'openssl_ex_libs_BSD-x86_64': [
  '-pthread',
],
'linker_script': "
},
'include_dirs': [
  '.',
  './include',

```

```

'./crypto',
'./crypto/include/internal',
'./providers/common/include',
],
'defines': ['<@(openssl_defines_BSD-x86_64)'],
'cflags': ['<@(openssl_cflags_BSD-x86_64)'],
'libraries': ['<@(openssl_ex_libs_BSD-x86_64)'],

'sources': ['<@(openssl_sources)', '<@(openssl_sources_BSD-x86_64)'],
'direct_dependent_settings': {
  'include_dirs': ['./include', '.'],
  'defines': ['<@(openssl_defines_BSD-x86_64)'],
},
}

```

Copyright (c) 2011:

Tim Koschitzki (tim@debuggable.com)

Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) Shannon Moeller <me@shannonmoeller.com> (shannonmoeller.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Release 7 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the same terms as the software itself.

The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2007 University of Cambridge
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2007, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in
source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the name of Google
Inc. nor the names of their contributors may be used to endorse or
promote products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

End
ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this
software for any purpose with or without fee is hereby
granted, provided that the above copyright notice and this
permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL
WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO
EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE

USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2013, Joel Feenstra

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the ESQuery nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL JOEL FEENSTRA BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice that the following BSD-style license applies to this one file (valgrind.h) only. The rest of Valgrind is licensed under the terms of the GNU General Public License, version 2, unless otherwise indicated. See the COPYING file in the source distribution for details.

This file is part of Valgrind, a dynamic binary instrumentation framework.

Copyright (C) 2000-2010 Julian Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice that the above BSD-style license applies to this one file (valgrind.h) only. The entire rest of Valgrind is licensed under the terms of the GNU General Public License, version 2. See the COPYING file in the source distribution for details.

Copyright 2006-2011, the V8 project authors. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2015-2020, Matteo Collina <matteo.collina@gmail.com>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 18b845f8a59d23bbae33fda35a588bef

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Robert Kowalski

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/* clang-format off */

/* WARNING: do not edit! */

/* Generated by Makefile from include/crypto/bn_conf.h.in */

/* clang-format on */

/*

* Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.

*

* Licensed under the Apache License 2.0 (the "License"). You may not use

* this file except in compliance with the License. You can obtain a copy

* in the file LICENSE in the source distribution or at

* <https://www.openssl.org/source/license.html>

*/

#ifndef OSSL_CRYPTO_BN_CONF_H

#define OSSL_CRYPTO_BN_CONF_H

#pragma once

/*

* The contents of this file are not used in the UEFI build, as

* both 32-bit and 64-bit builds are supported from a single run

* of the Configure script.

*/

/* Should we define BN_DIV2W here? */

/* Only one for the following should be defined */

```

/* clang-format off */
#define SIXTY_FOUR_BIT_LONG
/* clang-format on */
/* clang-format off */
#undef SIXTY_FOUR_BIT
/* clang-format on */
/* clang-format off */
#undef THIRTY_TWO_BIT
/*
clang-format on */

#endif

```

1.396 util-linux 1:2.37.2-4ubuntu3.5

1.396.1 Available under license :

```

NR START  END SECTORS SIZE NAME UUID
1  32 7679   7648 3.7M   8f8378c0-01
2 7680 16383   8704 4.3M   8f8378c0-02
5 7936 12799   4864 2.4M
6 12544 16127   3584 1.8M

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

```

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion

of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may opt to apply the terms of the ordinary
GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a

derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the

object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany

the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a

copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU
General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic

pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other

parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those

subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or

modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

- publish on each copy an appropriate copyright notice;
- keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
- keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work,

and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party)

that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in

ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or

requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright

holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have

permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/licenses/why-not-lgpl.html>.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This library is free software; you can redistribute it and/or modify it under the terms of the Modified BSD License.

The complete text of the license is available in the
../Documentation/licenses/COPYING.BSD-3-Clause file.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later file.

```
#ifndef UTIL_LINUX_PT_BSD_H
#define UTIL_LINUX_PT_BSD_H
```

```
#define BSD_MAXPARTITIONS 16
#define BSD_FS_UNUSED 0
```

```
#ifndef BSD_DISKMAGIC
# define BSD_DISKMAGIC ((uint32_t) 0x82564557)
#endif
```

```

#define BSD_LINUX_BOOTDIR "/usr/ucb/mdec"

#if defined (__alpha__) || defined (__powerpc__) || \
    defined (__ia64__) || defined (__hppa__)
#define BSD_LABELSECTOR 0
#define BSD_LABELOFFSET 64
#else
#define BSD_LABELSECTOR 1
#define BSD_LABELOFFSET 0
#endif

#define BSD_BBSIZE      8192 /* size of boot area, with label */
#define BSD_SBSIZE      8192 /* max size of fs superblock */

struct bsd_disklabel {
    uint32_t d_magic; /* the magic number */
    int16_t d_type; /* drive type */
    int16_t d_subtype; /* controller/d_type specific */
    char d_typename[16]; /* type name, e.g. "eagle" */
    char d_packname[16]; /* pack identifier */

    /* disk geometry: */
    uint32_t d_sectsize; /* # of bytes per sector */
    uint32_t d_nsectors; /* # of data sectors per track */
    uint32_t d_ntracks; /*
    # of tracks per cylinder */
    uint32_t d_ncylinders; /* # of data cylinders per unit */
    uint32_t d_secpercyl; /* # of data sectors per cylinder */
    uint32_t d_secperunit; /* # of data sectors per unit */

    /*
    * Spares (bad sector replacements) below
    * are not counted in d_nsectors or d_secpercyl.
    * Spare sectors are assumed to be physical sectors
    * which occupy space at the end of each track and/or cylinder.
    */
    uint16_t d_sparepertrack; /* # of spare sectors per track */
    uint16_t d_sparepercyl; /* # of spare sectors per cylinder */

    /*
    * Alternate cylinders include maintenance, replacement,
    * configuration description areas, etc.
    */
    uint32_t d_acylinders; /* # of alt. cylinders per unit */

    /* hardware characteristics: */
    /*

```

- * d_interleave, d_trackskew and d_cylskew describe perturbations
- * in the media format used to compensate for a slow controller.
- * Interleave is physical sector interleave, set up by the formatter
- * or controller

when formatting. When interleaving is in use,

- * logically adjacent sectors are not physically contiguous,
- * but instead are separated by some number of sectors.
- * It is specified as the ratio of physical sectors traversed
- * per logical sector. Thus an interleave of 1:1 implies contiguous
- * layout, while 2:1 implies that logical sector 0 is separated
- * by one sector from logical sector 1.
- * d_trackskew is the offset of sector 0 on track N
- * relative to sector 0 on track N-1 on the same cylinder.
- * Finally, d_cylskew is the offset of sector 0 on cylinder N
- * relative to sector 0 on cylinder N-1.

*/

```
uint16_t d_rpm; /* rotational speed */
uint16_t d_interleave; /* hardware sector interleave */
uint16_t d_trackskew; /* sector 0 skew, per track */
uint16_t d_cylskew; /* sector 0 skew, per cylinder */
uint32_t d_headswitch; /* head switch time, usec */
uint32_t d_trkseek; /* track-to-track seek, usec */
uint32_t d_flags; /* generic flags */
uint32_t d_drivedata[5]; /*
drive-type specific information */
uint32_t d_spare[5]; /* reserved for future use */
uint32_t d_magic2; /* the magic number (again) */
uint16_t d_checksum; /* xor of data incl. partitions */

/* filesystem and partition information: */
uint16_t d_npartitions; /* number of partitions in following */
uint32_t d_bbsize; /* size of boot area at sn0, bytes */
uint32_t d_sbsize; /* max size of fs superblock, bytes */
```

```
struct bsd_partition { /* the partition table */
    uint32_t p_size; /* number of sectors in partition */
    uint32_t p_offset; /* starting sector */
    uint32_t p_fsize; /* filesystem basic fragment size */
    uint8_t p_fstype; /* filesystem type, see below */
    uint8_t p_frag; /* filesystem fragments per block */
    uint16_t p_cpg; /* filesystem cylinders per group */
} __attribute__((packed)) d_partitions[BSD_MAXPARTITIONS]; /* actually may be more */
} __attribute__((packed));
```

/* d_type values:

*/

```
#define BSD_DTYPE_SMD 1 /* SMD, XSMD; VAX hp/up */
```

```

#define BSD_DTYPE_MSCP 2 /* MSCP */
#define BSD_DTYPE_DEC 3 /* other DEC (rk, rl) */
#define BSD_DTYPE SCSI 4 /* SCSI */
#define BSD_DTYPE_ESDI 5 /* ESDI interface */
#define BSD_DTYPE_ST506 6 /* ST506 etc. */
#define BSD_DTYPE_HPIB 7 /* CS/80 on HP-IB */
#define BSD_DTYPE_HPFL 8 /* HP Fiber-link */
#define BSD_DTYPE_FLOPPY 10 /* floppy */

/* d_subtype values: */
#define BSD_DSTYPE_INDOSPART 0x8 /* is inside dos partition */
#define BSD_DSTYPE_DOSPART(s) ((s) & 3) /* dos partition number */
#define BSD_DSTYPE_GEOMETRY 0x10 /* drive params in label */

/*
 * Filesystem type and version.
 * Used to interpret other filesystem-specific
 * per-partition information.
 */
#define BSD_FS_UNUSED 0 /* unused */
#define BSD_FS_SWAP 1 /* swap */
#define BSD_FS_V6 2 /* Sixth Edition */
#define BSD_FS_V7 3 /* Seventh Edition */
#define BSD_FS_SYSV 4 /* System V */
#define BSD_FS_V71K 5 /* V7
   with 1K blocks (4.1, 2.9) */
#define BSD_FS_V8 6 /* Eighth Edition, 4K blocks */
#define BSD_FS_BSDFFS 7 /* 4.2BSD fast file system */
#define BSD_FS_BSDLFS 9 /* 4.4BSD log-structured file system */
#define BSD_FS_OTHER 10 /* in use, but unknown/unsupported */
#define BSD_FS_HPFS 11 /* OS/2 high-performance file system */
#define BSD_FS_ISO9660 12 /* ISO-9660 filesystem (cdrom) */
#define BSD_FS_ISOFS BSD_FS_ISO9660
#define BSD_FS_BOOT 13 /* partition contains bootstrap */
#define BSD_FS_ADOS 14 /* AmigaDOS fast file system */
#define BSD_FS_HFS 15 /* Macintosh HFS */
#define BSD_FS_ADVFS 16 /* Digital Unix AdvFS */

/* this is annoying, but it's also the way it is :( */
#ifdef __alpha__
#define BSD_FS_EXT2 8 /* ext2 file system */
#else
#define BSD_FS_MSDOS 8 /* MS-DOS file system */
#endif

/*
 * flags shared by various drives:
 */

```

```

#define BSD_D_REMOVABLE 0x01 /* removable media */
#define BSD_D_ECC      0x02 /* supports ECC */
#define BSD_D_BADSECT 0x04 /* supports
bad sector forw. */
#define BSD_D_RAMDISK 0x08 /* disk emulator */
#define BSD_D_CHAIN    0x10 /* can do back-back transfers */
#define BSD_D_DOSPART 0x20 /* within MSDOS partition */

#endif /* UTIL_LINUX_PT_BSD_H */
/*
* Copyright (c) 1989 The Regents of the University of California.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* This product includes software developed by the University of
* California, Berkeley and its contributors.
* 4. Neither the name of the University nor the names of its contributors
* may be used to endorse or promote products derived from this software
*
without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/

```

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2026 Cisco Systems, Inc. All rights reserved.